

Please do not upload this copyright pdf document to any other website. Breach of copyright may result in a criminal conviction.

This pdf document was generated by me Colin Hinson from a Crown copyright document held at R.A.F. Henlow Signals Museum. It is presented here (for free) under the Open Government Licence (O.G.L.) and this pdf version of the document is my copyright (along with the Crown Copyright) in much the same way as a photograph would be.

The document should have been downloaded from my website <https://blunham.com/Radar>, or any mirror site named on that site. If you downloaded it from elsewhere, please let me know (particularly if you were charged for it). You can contact me via my Genuki email page: <https://www.genuki.org.uk/big/eng/YKS/various?recipient=colin>

You may not copy the file for onward transmission of the data nor attempt to make monetary gain by the use of these files. If you want someone else to have a copy of the file, point them at the website. (<https://blunham.com/Radar>). Please do not point them at the file itself as it may move or the site may be updated.

It should be noted that most of the pages are identifiable as having been processed by me.

I put a lot of time into producing these files which is why you are met with this page when you open the file.

In order to generate this file, I need to scan the pages, split the double pages and remove any edge marks such as punch holes, clean up the pages, set the relevant pages to be all the same size and alignment. I then run Omnipage (OCR) to generate the searchable text and then generate the pdf file.

Hopefully after all that, I end up with a presentable file. If you find missing pages, pages in the wrong order, anything else wrong with the file or simply want to make a comment, please drop me a line (see above).

It is my hope that you find the file of use to you personally – I know that I would have liked to have found some of these files years ago – they would have saved me a lot of time !

Colin Hinson

In the village of Blunham, Bedfordshire.

RESTRICTED

Issued with A/L.200

AIR PUBLICATION 1086
SECOND EDITION

VOCABULARY OF ROYAL AIR FORCE EQUIPMENT

BOOK II GENERAL AIRCRAFT EQUIPMENT

SECTIONS	NATURE OF STORES
6F	Aircraft Personnel Equipment
15A	Man-carrying Parachutes
15C	Equipment Dropping and Sea Rescue Apparatus
15D	Parachutes, Air Sea Rescue, Landing Brake and Supply and Equipment Dropping
25A	Propellers
25B	Aircraft Radiators
25D	Metal Propellers (Fairley) Spares and Spinners for Fixed Pitch Propellers
27A	Aircraft Wheel Equipment
27B	Aircraft Air and Oil Filters, Fuel and Oil Coolers
27BA	Avery Couplings
27BB	Bristol Plastic Drop Tanks and Spares
27C	Aircraft Dinghies, Packs and Spares
27D	Miscellaneous Aircraft Cover Equipment
27DA	Miscellaneous Aircraft Preservation Covers (Admiralty)
27F	Aircraft Pumps and Fuelling Equipment, Airborne (other than Flight Refuelling Ltd. Equipment)
27G	Aircraft Brake System Equipment (other than Dunlop)
27H	Miscellaneous Aircraft Equipment
27HS	Aircraft Seats—General
27KB	Aircraft Controls—Roller Chains
27N	Airborne Fire-Fighting Equipment
27P	Emergency and Special Rations
27QA	Dowty Seals and Sealing Rings
27U	Airborne Heaters:— Heat Exchange Type for Cabin and Fuel Heating Combustion Heaters for Beverley, Shackleton and Marathon Aircraft
27UA	Aircraft Cabin Cooling Equipment
27V	Aircraft Controls—Teddington
27VC	Aircraft Controls—Palmer's
27W	Aircraft Hydraulic and Undercarriage Equipment of Standard Design
27WW	Aircraft Windscreen Wiper Equipment
27Z	Turner Duplex Hand Pumps for Aircraft Hydraulic Systems
27ZA	Extractor Self-sealing Couplings
40C	Propeller and Propeller Accessory Cases and Racks
40E	Airborne Heater and Cooler, Oil Cooler and Radiator Cases

Promulgated for the information and guidance of all concerned.

Attention is called to the penalties attaching to any infraction of the Official Secrets Acts.

By Command of the Air Council.

H. J. Bean.

Air Ministry

RESTRICTED

A.P. 1086 Book II

Information and Instructions

1. General information and index of the Vocabulary of R.A.F. Equipment is contained in Book I, A.P.1086.
2. Equipment Accounting instructions are contained in A.P.830 Vol. I, 5th Edition, Parts 1 and 2, and Current A.M.Os.
3. Packing and Storage instructions are contained in A.P.830 Vol. 2.
4. It may be found convenient at " P.S.C.O's " large stock holding M.U's and similar units to break the book down into individual sections. Guide cards are provided between sections to facilitate this. Amendment lists will be published to cover the book as a whole and will be noted in the front amendment certificate and record as they are actioned. Holders of individual sections will obtain and action only the portion of any amendment list which may affect their particular sections.
5. It is essential that users of this book at once notify Under Secretary of State, Air Ministry, E.15, Harrogate, through the usual channels, of errors, omissions, or any lack of detail which causes difficulties in identification of equipment.
6. It should be noted that where carton unit quantities apply M.U. issues against unit demands must necessarily be made in, or in multiples of, these prepacked quantities.
7. The " No. off " Column of this Book gives the number of subsidiary items which go to a main assembly. Full use should be made of it when provisioning.
8. *Book II, Contents.* The different ranges of equipment, e.g., Electrical, Hydraulics, Armament, Radio, embodied in a large aircraft cover many different sections and are listed in a large number of Publications. Appendix A gives a list of some of the Technical Air Publications required for a Lincoln aircraft. Some of the Equipment mentioned is listed in Volume 3 to the A.Ps. quoted, the remainder in this and other Books of A.P.1086. Unit equipment officers should study the Volume 1's for the airframes with which their unit is equipped and then refer to A.P.1086 Book I; List of Sections, to ascertain where the equipment concerned is listed. The Memorandum Sheet annexed to these instructions provides a convenient means of noting information concerning unit aircraft. The blank columns should be used for additional detail as required.

The scope of Book II is indicated by the list of sections. Some of the equipment sections included, e.g., 15A, 27A, 27D, are not listed elsewhere, others, e.g., 27M, 27Q, are quoted, in more detail, in the Airframe Volume 3's, in this connection see the detailed notes on particular sections.
9. *Section 25A. Propellers.* Complete Propellers only are listed. A cross reference to the Volume 3 which details breakdown spares is given. Certain leading particulars of Rotol and De Havilland propellers are included.

10. *Sections 25B and 27B. Aircraft, Radiators, Air and Oil Cleaners, Oil Coolers and Filters.* These are listed under names of aircraft. In addition to the main items certain depot repair spares have been included in Section 27B in a number of cases.
11. *Sections 27M-27Q-27W. Hydraulic Equipment.* This equipment where proprietary, is usually manufactured by Messrs. Lockheeds, Dowty, Vickers or Bristols. As the last two firms concerned are also manufacturers of the aircraft into which their hydraulics are fitted, Vickers and Bristol systems are referenced under the appropriate airframe section 26. All systems are listed with their breakdown spares in the Airframe Volume 3's. In this connection reference should be made to the notes at the head of the Sections and to the Air Diagrams included as examples of Hydraulic layouts.
12. *Section 27K. Remote Controls and Tools.* This section does not include Bowden controls for which see Section 29 A.P.1086 Book 12.
13. For general elementary technical detail on certain ranges of equipment in this book, reference should be made to the standard series of Technical Training Notes, in particular A.P.1932A.

RESTRICTED

Issued with A/L 208.

**AIR PUBLICATION 1086
BOOK II
SECOND EDITION**

**SECTION 6F
AIRCRAFT PERSONNEL EQUIPMENT**

**Items under Section 6F
are covered by
VOTE 7.D.3**

RESTRICTED

VOCABULARY OF ROYAL AIR FORCE EQUIPMENT
AIRCRAFT PERSONNEL EQUIPMENT
SECTION 6F
(1st February, 1965)

Ref. No.	Nomenclature	Detail	Drawing or Part No.	No. off	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
333	BELTS, ditching	HP.672107/L1	1	C	each
290	CLIPS, spring locking	For Harness, safety Type Z	GQ.30073		C	"
	HARNESS, HELICOPTER RESCUE :—					
390	Mk. 4	C/w Strop, 6 ft.	MRI/GQ/486		A	"
391	Mk. 4	Naval aviation only. Less strop, 6 ft.	MRI/GQ/486A		A	"
	Consisting of :—					
388	Box, quick release	AML/11488	1	B	"
	Accessories :—					
389	Tool, extractor	For use with Ref. No. 388	—			"
341	Hook, grabbit and chain	AML/10507	1	C	"
339	Strop, extension, 6 ft.	GQ.20477	1	B	"
387	Strop assembly, short...	GQ.20841	1	C	"
320	Strop, helicopter rescue	—	1	C	"
	HARNESS, SAFETY :—					
437	Air crew :—	Colour N.3	AEROLEX/ X967.		B	"
439	Strap, lap, L.H.	AEROLEX/ 890 Sht. 4		B	"
440	Strap, lap, R.H.	C/w Box, release, Part No. 891. Sht. 2	AEROLEX/ 890 Sht. 3		B	"
438	Strap, shoulder, assembly	AEROLEX/ 967 Sht. 2		B	"

RESTRICTED

RESTRICTED

1

AIRCRAFT PERSONNEL EQUIPMENT

SECTION 6F—cont.

1	2	3	4	5	6	7
	HARNESSES, SAFETY—cont.					
282	Air despatchers and mechanics	For use by Air Despatchers, Paratroop Training Instructors and for mechanics using Ladders, servicing.	M.E.1569		B	each
199	Boxes, release, Type Q :—	Right hand fixing	ME150	1	C	„
	Spares :—					
220	Body		—	1	C	„
224	Cam		—	1	C	„
225	Cam, spindle		—	1	C	„
226	Lever		—	1	C	„
	Pins, locking :—					
228	Fixed		—	1	C	„
230	Right hand		—	1	C	„
227	Top		—	2	C	„
233	Pin, taper		—	1	C	„
223	Plate, back		—	1	C	„
222	Plate, front		—	1	C	„
234	Screw		—	4	C	„
231	Spring		—	4	C	„
232	Washer		ME.560P.IK.	1	C	„
247	Boxes, release, Type Z		DIS/GQ/991 GQ.200	1	B	„
	Spares :—					
269	Cam, plate		991—4 st 991-29	1	C	„
263	Cam, spindle		991—5	1	C	„
267	Plunger, fixed		991—7	1	C	„
268	Plunger, removable		991—6	3	C	„
285	Spring, leaf		991—12	2	C	„
286	Spring, removable plungers		991—15	4	C	„
493	For Swivel Seats	Ref. No. allotted for identification only	IAC.3237 IAC.3145.		B	„
	Consisting of :—					
383	Harness release strop assembly		IAC.3145	1	B	„
382	Lapstrap, assembly		MRI/TRV.492 IAC.3237.	1	C	„

RESTRICTED

RESTRICTED

AIRCRAFT PERSONNEL EQUIPMENT
SECTION 6F—cont.

1	2	3	4	5	6	7	
	HARNESSES, SAFETY—cont.						
	Inertia lock type:—						
435	Mark 3 :—	Blue N.3	TELEFLEX E.74247 Mk. 3		A	each	
	Consisting of :—		C.73625	1	C	..	
442	Buckle release assembly, L.H.		D.73609/26/15	1	B	..	
443	Lap belt and release box assembly, L.H.		D.73610/26/15	1	C	..	
444	Lap, belt assembly, R.H.		D.74285/20½	1	A	..	
441	Operating unit, c/w cable assembly		—	1	A	..	
—	Reel, harness assembly	Ref. No. 400	—	1	A	..	
445	Shoulder strap, assembly		C.73920	1	B	..	
436	Mark 4 ...	<i>Blue N.3.</i>	TELEFLEX E.74247 Mk. 4		A	..	
	Consisting of :—		C.73626	1	B	..	
446	Buckle release assembly, R.H.		D.73610/26/15(R).	1	B	..	
448	Lap belt and release box assembly, R.H.		D.73609/26/15(R).	1	C	..	
447	Lap belt assembly, L.H.		—	1	—	—	
—	Operating unit, c/w cable assembly	Ref. No. 441	—	1	—	—	
—	Reel, harness assembly	Ref. No. 400	—	1	—	—	
—	Shoulder strap assembly	Ref. No. 445	—	1	—	—	
347	Mark 5 ...	<i>Blue N.3.</i>	TELEFLEX E.74247 Mk. 5.		A	each	
	Consisting of :—		—	1	—	—	
—	Buckle, release assembly, L.H.	Ref. No. 442	—	1	—	—	
—	Lap belt and release box assembly, L.H.	Ref. No. 443	—	1	—	—	
—	Lap, belt assembly, R.H.	Ref. No. 444	—	1	—	—	
449	Operating unit, c/w cable assembly		D.74285/37	1	A	each	
—	Reel, harness assembly	Ref. No. 400	—	1	—	—	
464 450	Shoulder strap assembly		C.74967/36/35	1	B	each	

RESTRICTED

3

RESTRICTED

AIRCRAFT PERSONNEL EQUIPMENT
SECTION 6F—cont.

1	2	3	4	5	6	7
	HARNESS, SAFETY—cont.					
	Inertia lock type—cont.					
348	Mark 6	<i>BLUE N. 3</i>	TELEFLEX E.74247 Mk. 6		A	each
	Consisting of :—					
—	Buckle release assembly, R.H.	Ref. No. 446	—	1	—	—
—	Lap belt and release box assembly, R.H.	Ref. No. 448	—	1	—	—
—	Lap belt assembly, L.H.	Ref. No. 447	—	1	—	—
432	Operating unit, c/w cable assembly	D.74285/23	1	A	each
—	Reel, harness assembly	Ref. No. 400	—	1	—	—
—	Shoulder strap assembly	Ref. No. 450 <i>464</i>	—	1	—	—
349	Mark 11	<i>BLUE N. 3</i>	TELEFLEX E.74247 Mk. 11.		A	each
	Consisting of :—					
—	Buckle release assembly, L.H.	Ref. No. 442	—	1	—	—
452	Lap belt and release box assembly, L.H.	H.4134 Sht.3	1	B	each
453	Lap belt assembly, R.H.	H.4134 Sht. 4	1	C	„
434	Operating unit, c/w cable assembly	D.74285/20½	1	A	„
—	Reel, harness assembly	Ref. No. 400	—	1	—	—
451	Shoulder strap assembly	H.4134 Sht. 2	1	B	each
350	Mark 12	<i>BLUE N. 3</i>	TELEFLEX E.74247 Mk. 12.		A	„
	Consisting of :—					
—	Buckle release assembly, R.H.	Ref. No. 446	—	1	—	—
455	Lap belt and release box assembly, R.H.	D.112200/23/ 12.	1	B	each
454	Lap belt assembly, L.H.	D.112199/23/ 12.	1	C	„
—	Operating unit, c/w cable assembly	Ref. No. 443	—	1	—	—
—	Reel harness assembly	Ref. No. 400	—	1	—	—
—	Shoulder strap assembly	Ref. No. 451	—	1	—	—

RESTRICTED

RESTRICTED

AIRCRAFT PERSONNEL EQUIPMENT
SECTION 6F—cont.

1	2	3	4	5	6	7
	HARNES SAFETY—cont.					
	Inertia lock type—cont.					
375	Mark 19	<i>Blue N3</i>	TELEFLEX E.74247 Mk. 19.		A	each
	Consisting of :—					
—	Buckle release assembly, L.H.	Ref. No. 442	—	1	—	—
456	Lap belt and release box assembly, L.H.	D.75047/26/ 15/R.	1	B	each
457	Lap belt assembly, R.H.	D.75048/26/15	1	C	„
458	Operating unit, c/w cable assembly	D.74285/16	1	A	„
—	Reel, harness assembly	Ref. No. 400	—	1	—	—
424	Shoulder strap assembly	C.74967-32- 42.	1	B	each
374	Mark 20	<i>Blue N3</i>	TELEFLEX E.74247 Mk. 20.		A	„
	Consisting of :—					
—	Buckle release assembly, R.H.	Ref. No. 446	—	1	—	—
426	Lap belt and release box assembly	D.75048/26/15	1	B	each
425	Lap belt assembly, L.H.	D.75047/26/15	1	B	„
459	Operating unit, c/w cable assembly	D.74285/30	1	A	„
—	Reel, harness assembly	Ref. No. 400	—	1	—	—
—	Shoulder strap assembly	Ref. No. 424	—	1	—	—
372	Mark 36	<i>Blue N3</i>	TELEFLEX E.74247 Mk. 36.	1	A	each
	Consisting of :—					
460	Operating unit, c/w cable assembly	D.47285/32	1	A	„
461	Operating unit, c/w cable assembly	D.47285/24	1	A	„
—	Reel, harness assembly	Ref. No. 400	—	1	—	—
462	Shoulder strap assembly	C.74967/30/36	1	B	each

RESTRICTED

RESTRICTED

5

AIRCRAFT PERSONNEL EQUIPMENT
SECTION 6F—cont.

1	2	3	4	5	6	7
	HARNESSES, SAFETY—cont.					
	Inertia lock type—cont.					
373	Mark 37	<i>Blue, N3.</i>	TELEFLEX E.74247 Mk. 37.	1	A	each
	Consisting of:—					
—	Operating unit, c/w cable assembly	Ref. No. 458	—	1	—	—
—	Operating unit, c/w cable assembly	Ref. No. 461	—	1	—	—
—	Reel, harness assembly	Ref. No. 400	—	1	—	—
—	Shoulder strap assembly	Ref. No. 462	—	1	—	—
386	Mark 40	<i>Blue N3</i>	TELEFLEX E.74247 Mk. 40	1	A	each
	Consisting of:—					
465	Lap belt and release box assembly, L.H.		D.73921/26/ 15/R.	1	B	„
466	Lap belt and release box assembly, R.H.		D.73922/26/15	1	B	„
463	Operating unit, c/w cable assembly		D.74825/12	1	A	„
—	Reel, harness assembly	Ref. No. 400	—	1	—	—
464	Shoulder strap assembly	<i>Ref No. 464</i>	C.74967/26/35	1	B	each
380	Mark 49	<i>Blue N3</i>	TELEFLEX E.74247 Mk. 49.	1	A	„
	Consisting of:—					
—	Buckle release assembly, L.H.	Ref. No. 442	—	1	—	—
469	Lap belt and release box assembly, L.H.		D.113522/23/ 12/R.	1	B	each
470	Lap belt assembly, R.H.		D.113523/23/ 12.	1	C	„
467	Operating unit, c/w cable assembly		D.74285/27 $\frac{1}{2}$	1	A	„
—	Reel, harness assembly	Ref. No. 400	—	1	—	—
468	Shoulder strap assembly		C.73920/25/35	1	B	each

RESTRICTED

RESTRICTED

AIRCRAFT PERSONNEL EQUIPMENT
SECTION 6F—cont.

1	2	3	4	5	6	7
	HARNESSES, SAFETY—cont.					
	Inertia lock type—cont.					
381	Mark 50	<i>Blue N 3</i>	TELEFLEX E.74247 Mk. 50.	1	A	each
	Consisting of:					
—					
—	Buckle release assembly, L.H.	Ref. No. 442	—	1	—	—
473	Lap belt and release box assembly, R.H.	D.113523/23/ 12/R.	1	B	each
472	Lap belt assembly, L.H.	D.113522/23/ 12.	1	C	„
—	Reel, harness assembly	Ref. No. 400	—	1	—	—
—	Shoulder strap assembly	Ref. No. 468	—	1	—	—
399	Mark 55	Naval aviation only	—	—	—	—
377	Mark 56	<i>Blue N 3</i>	TELEFLEX E.74247 Mk. 56	1	A	each
	Consisting of:—					
476	Lap belt and release box assembly, R.H.	C.113833/26/ 15.	1	B	„
475	Lap belt assembly, L.H.	C.113832/26/ 15.	1	C	„
—	Operating unit c/w cable assembly	Ref. No. 460	—	1	—	—
—	Reel harness assembly	Ref. No. 400	—	1	—	—
474	Shoulder strap assembly	<i>Blue N 3</i>	H. 4134 Sht. 2	1	B	each
378	Mark 57		TELEFLEX E74247 Mk. 57	1	A	„
	Consisting of:—					
—	Lap belt and release box assembly, R.H.	Ref. No. 476	—	1	—	—
—	Lap belt assembly, L.H.	Ref. No. 475	—	1	—	—
—	Operating unit c/w cable assembly	Ref. No. 458	—	1	—	—
—	Reel, harness assembly	Ref. No. 400	—	1	—	—
—	Shoulder strap assembly	Ref. No. 474	—	1	—	—

RESTRICTED

RESTRICTED

7

AIRCRAFT PERSONNEL EQUIPMENT
SECTION 6F—cont.

1	2	3	4	5	6	7
	HARNESSES, SAFETY—cont.					
	Inertia lock type—cont.					
379	Mark 58	<i>Blue N.S.</i>	TELEFLEX E.74247 Mk. 58.	1	A	each
	Consisting of :—					
479	Lap belt and release box assembly		C.113833/25/ 15.	1	B	„
480	Lap belt assembly		C.113832/25/ 15.	1	C	„
477	Operating unit, c/w cable assembly		D.74285/29	1	A	„
—	Reel, harness assembly	Ref. No. 400	—	1	—	—
478	Shoulder strap assembly		H.4132 Sht.2	1	B	each
384	Mark 68	<i>Blue N.S.</i>	TELEFLEX E.74247 Mk. 68	1	A	„
	Consisting of :—					
481	Lap belt assembly, R.H.		D.134826/23/ 12	1	A	„
482	Lap belt and release box assembly, L.H.		D.134827/23/ 12/R.	1	B	„
—	Operating unit, c/w cable assembly	Ref. No. 467	—	1	—	—
—	Reel, harness assembly	Ref. No. 400	—	1	—	—
—	Shoulder strap assembly	Ref. No. 468	—	1	—	—
385	Mark 69	<i>Blue N.S.</i>	TELEFLEX E.74247 Mk. 69.	1	A	each
	Consisting of :—					
485	Lap belt and release box assembly, R.H.		D.134826/23 12/R.	1	B	„
484	Lap belt assembly, L.H.		D.134827/23 12.	1	C	„
483	Operating unit, c/w cable assembly		D.74285/35½	1	A	„
—	Reel, harness assembly	Ref. No. 400	—	1	—	—
—	Shoulder strap assembly	Ref. No. 468	—	1	—	—

RESTRICTED

RESTRICTED

AIRCRAFT PERSONNEL EQUIPMENT
SECTION 6F—cont.

1	2	3	4	5	6	7
	HARNESSES, SAFETY—cont.					
	Inertia lock type—cont.					
	Tools:—	For servicing Safety Harness, Inertia Lock Type.				
429	Key, extractor	A.74699	—	B	each
428	Key, test	B.74435	—	B	"
430	Test strap, c/w fork end	B.74407	—	B	"
431	Test rig, "G" setting	—	—	—	—
297	Strap, lap, Type Y	For passengers of backward facing seats	C.49		C	each
249	Strap, lap, Type Z	Without Box, release	MRI/GQ/266		C	"
	Consists of:—					
—	Strap, lap, adjustable L.H.	Ref. No. 396	—	1	C	"
—	Strap, lap, adjustable R.H.	Ref. No. 395	—	1	C	"
—	Strap, lap and waist pad L.H.	Ref. No. 394	—	1	C	"
—	Strap, lap, and waist pad R.H.	Ref. No. 393	—	1	C	"
351	Strap, safety	ME.2095/E		C	each
201	Type Q.K. :—				B	
	Consisting of:—					
—	Box, release	Ref. No. 199	—	1	C	—
239	Strap, shoulder, Type Q.K.	—	1	C	pair
243	Strap, thigh	—	1	C	"
216	Type Q.S. :—				B	
	Consisting of:—					
—	Box, release	Ref. No. 199	—	1	C	—
217	Strap, shoulder, Type Q.S.	—	1	C	pair
—	Strap, thigh	Ref. No. 243	—	1	C	—
244	Type Z	Lap, strap assy.	GQ.1037		B	each
	Consisting of:—					
—	Box, release, Type Z	Ref. No. 247	—	1	C	"
396	Strap, lap adjustable, L.H.	GQ.20261	1	C	"
395	Strap, lap adjustable, R.H.	GQ.20260	1	C	"
394	Strap, lap and waist pad assembly, L.H.	GQ.20259	1	C	"
393	Strap, lap and waist pad assembly, R.H.	GQ.20258	1	C	"

RESTRICTED

9

RESTRICTED

AIRCRAFT PERSONNEL EQUIPMENT
SECTION 6F—cont.

1	2	3	4	5	6	7
	HARNESSES, SAFETY—cont.					
235	Type Z.A.	GQ.964		B	each
	Consisting of :—					
—	Box, release, Type Z	Ref. No. 247	—	1	C	—
—	Strap, lap, adjustable, L.H.	Ref. No. 396	—	1	C	—
—	Strap, lap, adjustable, R.H.	Ref. No. 395	—	1	C	—
—	Strap, lap and waist pad assembly, L.H.	Ref. No. 394	—	1	C	—
—	Strap, lap and waist pad assembly, R.H.	Ref. No. 393	—	1	C	—
250	Strap, shoulder assembly	—	1	C	each
	Consisting of :—					
296	Strap, shoulder, adjustable	GQ.20230	2	C	—
490	Strap, shoulder, fixed	GQ.20256	1	C	—
245	Type Z.B.	GQ.994		B	—
	Consisting of :—					
—	Box, release, Type Z	Ref. No. 247	—	1	C	—
—	Strap, lap, adjustable, L.H.	Ref. No. 396	—	1	C	—
—	Strap, lap, adjustable, R.H.	Ref. No. 395	—	1	C	—
—	Strap, lap and waist pad assembly, L.H.	Ref. No. 394	—	1	C	—
—	Strap, lap and waist pad assembly, R.H.	Ref. No. 393	—	1	C	—
251	Strap, shoulder assembly :—	—	1	C	—
	Consisting of :—					
—	Strap, shoulder, adjustable	Ref. No. 296	—	2	C	—
492	Strap, shoulder, fixed	GQ.20257	1	C	each
246	Type Z.C.	GQ.995		B	—
	Consisting of :—					
—	Box, release, Type Z	Ref. No. 247	—	1	C	—
—	Strap, lap, adjustable, L.H.	Ref. No. 396	—	1	C	—
—	Strap, lap, fixed, R.H.	Ref. No. 395	—	1	C	—
—	Strap, lap and waist pad assembly, L.H.	Ref. No. 394	—	1	C	—
—	Strap, lap and waist pad assembly, R.H.	Ref. No. 393	—	1	C	—
252	Strap, shoulder, assembly	—	1	C	each
	Consisting of :—					
—	Strap, shoulder, adjustable	Ref. No. 296	—	2	C	—
491	Strap, shoulder, fixed	GQ.20265	1	C	each

RESTRICTED

RESTRICTED

AIRCRAFT PERSONNEL EQUIPMENT
SECTION 6F— cont.

1	2	3	4	5	6	7
	HARNESS, SAFETY—cont.					
248	Type Z.D. :—		GQ.1020		B	each
	Consisting of :—					
—	Box, release, Type Z ...	Ref. No. 247 ...	—	1	C	—
—	Strap, lap, adjustable, L.H. ...	Ref. No. 396 ...	—	1	C	—
—	Strap, lap, adjustable, R.H. ...	Ref. No. 395 ...	—	1	C	—
—	Strap, lap and waist pad assembly, L.H. ...	Ref. No. 394 ...	—	1	C	—
—	Strap, lap and waist pad assembly, R.H. ...	Ref. No. 393 ...	—	1	C	—
—	Strap, shoulder, adjustable ...	Ref. No. 296 ...	—	2	C	—
392	Strap, shoulder, fixed ...		GQ.20264	2	C	each
270	Type Z.F. ...		GQ.1367		B	"
	Consisting of :—					
293	Strap, lap, adjustable, L.H. ...		GQ.20262	1	C	"
294	Strap, lap, adjustable, R.H. ...		GQ.20266	1	C	"
279	Strap, lap and waist pad, fixed, L.H. ...		GQ.20243	1	C	"
280	Strap, lap and waist pad, fixed, R.H. ...		GQ.20242	1	C	"
—	Strap, shoulder, adjustable ...	Ref. No. 296 ...	—	2	C	—
276	Strap, shoulder, fixed ...		GQ.20263	2	C	each
283	Type Z.G. ...		GQ.10353		B	"
	Consisting of :—					
398	Strap, lap, adjustable, L.H. ...		GQ.20763	1	C	"
397	Strap, lap, fixed, R.H. ...		GQ.20764	1	C	"
—	Strap, lap and waist pad assembly, L.H. ...	Ref. No. 394 ...	—	1	C	—
—	Strap, lap and waist pad assembly, R.H. ...	Ref. No. 393 ...	—	1	C	—
—	Strap, shoulder, assembly :—	Ref. No. 250	—	1		—
	Consisting of :—					
—	Strap, shoulder, adjustable ...	Ref. No. 296 ...	—	2	—	—
—	Strap, shoulder, fixed ...	Ref. No. 490 ...	—	1	—	—
315	Type Z.H. ...		GQ.10274		B	each
	Consisting of :—					
317	Strap, lap and waist pad, adjustable, L.H. ...		GQ.20278	1	C	"
316	Strap, lap and waist pad, adjustable, R.H. ...		GQ.20277	1	C	"
318	Strap, lap, fixed ...	C/w seat attachment fittings and adjustable buckle ...	GQ.20279	2	C	"
—	Strap, shoulder, adjustable ...	Ref. No. 296 ...	—	2	C	—
—	Strap, shoulder, fixed ...	Ref. No. 276 ...	—	2	C	—

RESTRICTED

11

RESTRICTED

AIRCRAFT PERSONNEL EQUIPMENT

SECTION 6F—cont.

1	2	3	4	5	6	7
	HARNESS, SAFETY—cont.					
323	Type Z.J. :—		GQ.10348		B	each
	Consisting of :—					
—	Box, release, Type Z	Ref. No. 247	—	1	—	—
—	Strap, lap and waist pad, adjustable, L.H.	Ref. No. 317	—	1	—	—
—	Strap, lap and waist pad, adjustable, R.H.	Ref. No. 316	—	1	—	—
—	Strap, lap, fixed	Ref. No. 318	—	2	—	—
—	Strap, shoulder assembly :—	Ref. No. 252	—	1	—	—
	Consisting of :—					
—	Strap, shoulder, adjustable	Ref. No. 296	—	2	—	—
—	Strap, shoulder, fixed	Ref. No. 491	—	1	—	—
328	Type Z.K. :—		GQ.10350		B	each
	Consisting of :—					
—	Strap, lap and waist pad, L.H.	Ref. No. 317	—	1	—	—
—	Strap, lap and waist pad, R.H.	Ref. No. 316	—	1	—	—
—	Strap, lap, fixed	Ref. No. 318	—	2	—	—
—	Strap, shoulder, assembly	Ref. No. 250	—	1	—	—
	Consisting of :—					
—	Strap, shoulder, adjustable	Ref. No. 296	—	2	—	—
—	Strap, shoulder, fixed	Ref. No. 490	—	1	—	—
329	Type Z.L. :—		GQ.10349		B	each
	Consisting of :—					
—	Box release, Type Z	Ref. No. 247	—	1	—	—
—	Straps, lap and waist pad, adjustable, L.H.	Ref. No. 317	—	1	—	—
—	Strap, lap and waist pad, adjustable, R.H.	Ref. No. 316	—	1	—	—
—	Strap, lap, fixed	Ref. No. 318	—	2	—	—
—	Strap, shoulder, assembly	Ref. No. 251	—	1	—	—
	Consisting of :—					
—	Strap, shoulder, adjustable	Ref. No. 296	—	2	—	—
—	Strap, shoulder, fixed	Ref. No. 492	—	1	—	—

RESTRICTED

RESTRICTED

AIRCRAFT PERSONNEL EQUIPMENT
SECTION 6F—cont.

1	2	3	4	5	6	7
	HARNESSES, SAFETY—cont.					
367	Type Z.M.	GQ.10606/ MRI.414.		B	each
	Consisting of :—					
365	Strap, lap, adjustable, L.H.	GQ.20624	1	C	„
366	Strap, lap, adjustable, R.H.	GQ.20625	1	C	„
—	Strap, lap, fixed	Ref. No. 318	—	2	—	—
—	Strap, shoulder, assembly	Ref. No. 250	—	1	—	—
	Consisting of :—					
—	Strap, shoulder, adjustable	Ref. No. 296	—	2	—	—
—	Strap, shoulder, fixed	Ref. No. 490	—	1	—	—
433	Type Z.R. :—	Naval aviation only	GQ.10806A		B	each
	Consisting of :—					
—	Strap, lap, adjustable, L.H.	Ref. No. 365	—	2	C	„
—	Strap, lap, adjustable, R.H.	Ref. No. 366	—	1	C	„
—	Strap, lap, fixed	Ref. No. 318	—	2	C	„
—	Strap, shoulder, adjustable	Ref. No. 296	—	2	C	„
—	Strap, shoulder, fixed	Ref. No. 276	—	2	C	„
171	PADS, WRITING	Knee type	—		B	each
400	REEL, HARNESS ASSEMBLY	For Inertia Lock type Teleflex Harnesses	D.73766		A	„
	Spares :—					
409	Adapter	B.73568	1	C	„
416	Bearing	B.73564	1	C	„
417	Body	B.73661	1	C	„
406	Cap, end	B.73567	1	C	„
403	Clip	1400/7/16	1	C	„
420	Damper, assembly	C.73778	1	C	„
415	Disc, guide	B.73565	2	C	„
419	Label	B.74227	1	C	„
411	Peg, locking	B.73575	1	C	„
418	Peg, spring	B.73573	1	C	„
402	Pin, strap retaining	A.73721	1	C	„

RESTRICTED

RESTRICTED

13

AIRCRAFT PERSONNEL EQUIPMENT
SECTION 6F—cont.

1	2	3	4	5	6	7
	REEL, HARNESS ASSEMBLY—cont.					
	Spares—cont.					
412	Plate, brake	C.73677	1	C each
413	Plate, inertia	B.73901	1	C "
404	Plate, retaining	B.73566	1	C "
414	Plate, thrust	B.73563	1	C "
401	Plug, end	B.73570	1	C "
407	Screw	B.73589	3	C "
421	Shaft, drive, assembly	B.74215	1	C "
410	Spring	B.79912	1	C "
405	Spring, torsion	B.73574	1	C "
408	Washer	A.72902	3	C "
	TUBES, SPEAKING :—					
154	Earpiece, Type B	Pairs with tubing	—	—	2	B set
236	Earpiece	—	—	1	C each
162	Tubing	Dual with ferrules and "Y" pieces... ..	—	—	1	C "
158	Mouthpiece, Type B	With semi-flexible tube. Without extension piece	—	—	1	C "
159	Piece, extension...	—	—	1	C "
164	Tube	Semi-flexible	—	—	1	C "

RESTRICTED

RESTRICTED

**AIRCRAFT PERSONNEL EQUIPMENT
INDEX TO REFERENCE NUMBERS**

SECTION 6F—cont.

Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.
154	14	249	9	347	3	397	11	432	4	464	3						
158	14	250	10	348	4	398	11	433	13	465	6						
159	14	251	10	349	4	399	7	434	4	466	6						
162	14	252	10	350	4	400	13	435	3	467	6						
164	14	263	2	351	9	401	14	436	3	468	6						
171	13	267	2	365	13	402	13	437	1	469	6						
199	2	268	2	366	13	403	13	438	1	470	6						
201	9	269	2	367	13	404	14	439	1	472	7						
216	9	270	11	372	5	405	14	440	1	473	7						
217	9	276	11	373	6	406	13	441	3	474	7						
220	2	279	11	374	5	407	14	442	3	475	7						
222	2	280	11	375	5	408	14	443	3	476	7						
223	2	282	2	377	7	409	13	444	3	477	8						
224	2	283	11	378	7	410	14	445	3	478	8						
225	2	285	2	379	8	411	13	446	3	479	8						
226	2	286	2	380	6	412	14	447	3	480	8						
227	2	290	1	381	7	413	14	448	3	481	8						
228	2	293	11	382	2	414	14	449	3	482	8						
230	2	294	11	383	2	415	13	450	3	483	8						
231	2	296	10	384	8	416	13	451	4	484	8						
232	2	297	9	385	8	417	13	452	4	485	8						
233	2	315	11	386	6	418	13	453	4	490	10						
234	2	316	11	387	1	419	13	454	4	491	10						
235	10	317	11	388	1	420	13	455	4	492	10						
236	14	318	11	389	1	421	14	456	5	493	2						
239	9	320	1	390	1	424	5	457	5								
243	9	323	12	391	1	425	5	458	5								
244	9	328	12	392	11	426	5	459	5								
245	10	329	12	393	9	428	9	460	5								
246	10	333	1	394	9	429	9	461	5								
247	2	339	1	395	9	430	9	462	5								
248	11	341	1	396	9	431	9	463	6								

RESTRICTED

15

RESTRICTED

RESTRICTED

Issued with A/L 209

**AIR PUBLICATION 1086
BOOK II
SECOND EDITION**

SECTION 15A
MAN-CARRYING PARACHUTES

**Items under Section 15A
are covered by
VOTE 7. F.3**

RESTRICTED

VOCABULARY OF ROYAL AIR FORCE EQUIPMENT

MAN-CARRYING PARACHUTES

SECTION 15A

(12th February, 1965)

PREFACE

SECTION ARRANGEMENT : The Equipment in this Section is set out in the following pages :—

1. PARACHUTE ASSEMBLIES :—

Back Types	Pages	1 to 24
Chest Types	Pages	24 to 27
PBI Types	Pages	27 to 28
PXI Types	Pages	28 to 29
Seat Types	Pages	29 to 33
X Types	Pages	33 to 34

2. PARACHUTE ACCESSORIES Pages 34 to 35

3. PARACHUTE RELEASES AND REMOVABLE FITTINGS Pages 35 to 36

4. PARACHUTE SPARES Pages 37 to 61

5. PARACHUTE TOOLS Page 61

VOCABULARY OF ROYAL AIR FORCE EQUIPMENT
MAN-CARRYING PARACHUTES

SECTION 15A

12th February, 1965

Ref. No.	Nomenclature	Detail	Part or Drawing No.	No. Off	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
567	PARACHUTE ASSEMBLIES :— Back Type, Mark 2A	Naval aviation only. Superseded by Ref. No. 917 ...	MRI.SME.13	1	A	each
—	Comprising :—					
—	Canopy, nylon, yellow, Type I.24, Mark 1A ...	C/w rigging lines. Ref. No. 558		1	A	„
—	Elastics, pack opening, No. 2	Ref. No. 539. Set of 6		—	—	—
—	Fittings, quick release, 6-point	Ref. No. 513		1	—	—
552	Harness, Type B, Mark 1	Not supplied as a spare	IAC.534	1	A	each
—	Housing, ripcord, Mark 2	Ref. No. 551		1	—	—
—	Pack, Type B, Mark 2	Ref. No. 541		1	—	—
—	Parachute, auxiliary, Vane type, Mark 2 ...	Ref. No. 334		1	—	—
—	Ripcord assembly, Mark 2	Ref. No. 543		1	—	—
—	Spares :—					
—	Ripcord pin guard	Introduced by Mod. Para. M33C. Ref. No. 668 ...		1	—	—
355	Back Type, Mark 4	For Beaver aircraft	MRI.IRV.440	1	—	—
—	Comprising :—					
—	Canopy, nylon, white, Type I.24, Mark 1 ...	Ref. No. 1229		1	—	—
—	Elastics, pack opening, No. 1	Ref. No. 83. Set of 6		—	A	each
—	Fittings, quick release, 4-point, Mark 1B ...	Ref. No. 529		1	—	—
—	Fittings, quick release, 4-point, Mark 6 ...	Ref. No. 1079 introduced by Class D/4 Mod. Not to be demanded for this assembly until stock of Ref. No. 529 exhausted.		1	—	—
—	Harness, Type B, Mark 3	Ref. No. 1090		1	—	—
—	Housing, ripcord, Mark 4	Ref. No. 182		1	—	—
—	Pack, Type B, Mark 4	Ref. No. 367		1	—	—

RESTRICTED

RESTRICTED

1

MAN-CARRYING PARACHUTES

SECTION 15A—cont.

1	2	3	4	5	6	7
	PARACHUTE ASSEMBLIES—cont.					
	Back Type, Mark 4—cont.					
	Comprising—cont.					
—	Parachute, auxiliary, Irvin, Mark 1	Ref. No. 100		1	—	—
—	Ripcord, assembly, Mark 4	Ref. No. 1091		1	—	—
586	Back Type, Mark 5	For use in gliders	MRI.SME.36	1	A	each
	Comprising :—					
—	Canopy, nylon, white, Type I.24, Mark 1	Ref. No. 1229. Supersedes Ref. No. 549		1	A	,,
—	Elastics, pack opening, No. 1	Ref. No. 83. Set of 6		—	—	—
—	Fittings, quick release, 4-point	Ref. No. 150		1	—	—
—	Fittings, quick release 4-point, Mark 6	Ref. No. 1079 introduced by Class D/4 Mod. Not to be demanded for this assembly until stock of Ref. No. 150 is exhausted.		1	—	—
587	Harness, Type B, Mark 4	Not supplied as a spare	IAC.350	1	A	each
—	Housing, ripcord, Mark 4	Ref. No. 182		1	—	—
—	Pack, Type B, Mark 5	Ref. No. 594		1	—	—
—	Pad, back, Mark 5	Ref. No. 592		1	—	—
—	Parachute, auxiliary, Irvin, Mark 1	Ref. No. 100		1	—	—
—	Ripcord, assembly, Mark 7	Ref. No. 593		1	—	—
612	Back Type, Mark 6	MRI.IRV.63	1	A	each
	Comprising :—					
—	Canopy, celanese, white, Type R.17, Mark 3	C/w rigging lines. Ref. No. 638	IAC.280/1	1	A	,,
—	Elastics, pack opening, No. 2	Ref. No. 539. Set of 6		—	—	—
—	Fittings, quick release, 4-point	Ref. No. 150		—	—	—
614	Harness, Type B, Mark 5	Not supplied as a spare		1	—	—
—	Housing, ripcord, Mark 5	Ref. No. 616		1	A	each
—	Pack, Type B, Mark 6	Ref. No. 613		1	—	—
—	Parachute, auxiliary, Vane Type, Mark 5	Ref. No. 619		1	—	—
—	Ripcord, assembly, Mark 8	Ref. No. 615		1	—	—
	Spares :—					
—	Ripcord pin guard	Ref. No. 725. Introduced by Mod. Para. M22B		1	—	—

RESTRICTED

RESTRICTED

MAN-CARRYING PARACHUTES

SECTION 15A—cont.

1	2	3	4	5	6	7
	PARACHUTE ASSEMBLIES—cont.					
671	Back Type, Mark 9	For Mark 3 series ejection seats	MRI.IRV.100	1	A	each
	Comprising :—					
—	Canopy, nylon, white. Type I.24, Mark 1 ...	Ref. No. 1229. Supersedes Ref. No. 549		1	—	—
—	Cushion, seat, Mark 6	Ref. No. 729		1	—	—
—	Elastics, pack opening, No. 1	Ref. No. 83. Set of 6. Quantity 4 only required for Ref. No. 671.		—	—	—
—	Fittings, quick release, 4-point inertia proof, Mark 6.	Ref. No. 1079		1	—	—
—	Harness, Type B, Mark 15	Ref. No. 755		1	—	—
—	Pack Type B. Mark 22	Ref. No. 1024. Introduced by Mod. Para. M.192. To replace Ref. No. 820.		1	—	—
—	Parachute, auxiliary, Irvin, Mark 1	Ref. No. 100		1	—	—
—	Ripcord and housing assembly, Mark 15 ...	Ref. No. 1026. Introduced by Mod. Para. M.192. To replace Ref. No. 821.		1	—	—
—	Ripcord and housing assembly, Mark 17 ...	Ref. No. 1027. Introduced by Mod. Para. M.192. To replace Ref. No. 822.		1	—	—
	Accessories :—					
—	Drogue link line assembly, Mark 5	Ref. No. 1049. Introduced by Mod. PA.50		1	—	—
—	Pad, back, Mark 9	Ref. No. 780. Not supplied with parachute... ..		1	—	—
	Spares :—					
—	Flap, ripcord, cover	Ref. No. 1109. Introduced by Mod. Para. M.206 ...		1	—	—
—	Loop attachment (dinghy)	Ref. No. 953. Introduced by Mod. Para. M.178 ...		1	—	—
—	Withdrawal line, Mark 2	Ref. No. 858		1	—	—
684	Back Type, Mark 13	For Mark 2 series ejection seats	MRI.IRV.132	1	A	each
	Comprising :—					
—	Canopy, nylon, white. Type I.24, Mark 1 ...	Ref. No. 1229. Supersedes Ref. No. 549		1	—	—
—	Elastics, pack opening, No. 1	Ref. No. 83. Set of 6		—	—	—
—	Fittings, quick release, 4-point inertia proof, Mark 6.	Ref. No. 1079		1	—	—
—	Harness, Type B, Mark 11	Ref. No. 688. Quickly adjustable. Available as a spare for Ref. No. 684.		1	—	—
—	Pack, Type B, Mark 21	Ref. No. 1020. Introduced by Mod. Para. M.191. To replace Ref. No. 831.		1	—	—

RESTRICTED

3

RESTRICTED

MAN-CARRYING PARACHUTES

SECTION 15A—cont.

1	2	3	4	5	6	7
	PARACHUTE ASSEMBLIES—cont.					
	Back Type, Mark 13—cont.					
	Comprising—cont.					
—	Parachute, auxiliary, Vane Type, Mark 3	Ref. No. 605		1	—	—
—	Ripcord and housing assembly, Mark 14	Ref. No. 1022. Introduced by Mod. Para. M.191. To replace Ref. No. 833.		1	—	—
—	Ripcord and housing assembly, Mark 16	Ref. No. 1023. Introduced by Mod. Para. M.191. To replace Ref. No. 834.		1	—	—
	Accessories :—					
—	Drogue link line assembly, Mark 5	Ref. No. 1049. Introduced by Mod. PA.50		1	—	—
—	Pad, back, Mark 4	Ref. No. 604. For use with Ref. No. 684. in Meteor F.8, PR.9, and PR.10. Not supplied with parachute.		1	—	—
—	Pad, back, Mark 9	Ref. No. 780. For use with Ref. No. 684 in Hunter F.1, 2, 4, and 5, Hunter F.6 (pre-Mod. 282). Venoms F.B1 and 4 and Swift FR.5. Not supplied with parachute.		1	—	—
	Spares :—					
—	Withdrawal line, Mark 2	Ref. No. 858		1	—	—
—	Flap, c/w rubbing strips	Ref. No. 744		1	—	—
—	Flap, ripcord cover	Ref. No. 1109. Introduced by Mod. Para. M.206		1	—	—
—	Strop, seat clip	Ref. No. 692		2	—	—
727	Back Type, Mark 13A	Naval aviation only. For Mark 2 series ejection seats	MRI.IRV.132	1	—	each
	Comprising :—					
—	Canopy, nylon, yellow, Type I.24, Mark 1A	Ref. No. 1230. Supersedes Ref. No. 558		1	—	—
—	Elastics, pack opening, No. 1	Ref. No. 83. Set of 6		—	—	—
—	Fittings, quick release, 4-point inertia proof, Mark 6.	Ref. No. 1079:		1	—	—
—	Harness, Type B, Mark 11	Ref. No. 688. Quickly adjustable		1	—	—
—	Pack, Type B, Mark 21	Ref. No. 1020. Introduced by Mod. Para. M.191. To replace Ref. No. 831.		1	—	—

RESTRICTED

4

RESTRICTED

MAN-CARRYING PARACHUTES

SECTION 15A—cont.

1	2	3	4	5	6	7
	PARACHUTE ASSEMBLIES—cont.					
	Back Type, Mark 13A—cont.					
	Comprising—cont.					
—	Pad, back, Mark 4	Ref. No. 604		1	—	—
—	Parachute, auxiliary, Vane Type, Mark 3 ...	Ref. No. 605		1	—	—
—	Ripcord and housing assembly, Mark 14 ...	Ref. No. 1022. Introduced by Mod. Para. M.191. To replace Ref. No. 833.		1	—	—
—	Ripcord and housing assembly, Mark 16 ...	Ref. No. 1023. Introduced by Mod. Para. M.191. To replace Ref. No. 834.		1	—	—
	Accessories :—					
—	Drogue link line assembly, Mark 5	Ref. No. 1049. Introduced by Mod. PA.50 ...		1	—	—
	Spares :—					
—	Flap, ripcord cover	Ref. No. 1109. Introduced by Mod. Para. M.206 ...		1	—	—
—	Withdrawal line, Mark 2	Ref. No. 858		1	—	—
776	Back Type, Mark 18A...	Naval aviation only	MBEU./19PA.	1	A	each
	Comprising :—					
—	Canopy, nylon, yellow, Type I.24, Mark 1A ...	Ref. No. 1230. Supersedes Ref. No. 558		1	—	—
—	Elastics, pack opening, No. 7	Ref. No. 854		1	—	—
—	Elastics, pack opening, No. 8	Ref. No. 855		1	—	—
—	Fittings, quick release, 4-point inertia proof, Mark 6.	Ref. No. 1079		1	—	—
—	Harness, Type B, Mark 16	Ref. No. 791. Quickly adjustable		1	—	—
—	Pack, Type B, Mark 18	Ref. No. 852		1	—	—
—	Pad, back, Mark 12	Ref. No. 893		1	—	—
—	Parachute, auxiliary, Mark 7	Ref. No. 1311. Introduced by Mod. PA.207 ...		1	—	—
—	Ripcord and housing assembly, Mark 9 ...	Ref. No. 850. Long		1	—	—
—	Ripcord and housing assembly, Mark 10 ...	Ref. No. 851. Short		1	—	—
	Accessories :—					
—	Drogue link line assembly, Mark 2	Ref. No. 857. Not supplied with parachute ...		1	—	—
	Spares :—					
—	Board ejector	Ref. No. 1302. Post Mod. PA.164		1	—	—
—	Connection, quick release	Ref. No. 919. For Ref. No. 857		1	—	—
—	Flap, spring retention	Ref. No. 1356		1	—	—
—	Pin, closure assembly	Ref. No. 921. For Ref. No. 853		1	—	—
—	Pin, slide, disconnect	Ref. No. 920. For Ref. No. 857		1	—	—

RESTRICTED

RESTRICTED

5

MAN-CARRYING PARACHUTES

SECTION 15A—cont.

1	2	3	4	5	6	7
	PARACHUTE ASSEMBLIES—cont.					
	Back Type, Mark 18A—cont.					
	Spares—cont.					
—	Plate, pressure	Ref. No. 1352		1	—	—
—	Plate stiffener for cone cover	Ref. No. 1303. Post Mod. PA.164		1	—	—
—	Spring and cover, assembly	Ref. No. 1322		1	—	—
—	Strop, connecting	Ref. No. 1353		1	—	—
—	Withdrawal line, Mark 1	Ref. No. 853		1	—	—
835	Back Type, Mark 19	For Vampire T.11 aircraft	MRI.IRV.188	1	A	each
	Comprising :—					
—	Canopy, nylon, white, Type I.24, Mark 1	Ref. No. 1229. Supersedes Ref. No. 549		1	—	—
—	Elastics, pack opening, No. 1	Ref. No. 83. Set of 6, quantity 4		1	—	—
—	Fittings, quick release, 4-point inertia proof, Mark 6.	Ref. No. 1079		1	—	—
—	Harness, Type B, Mark 11	Ref. No. 688. Quickly adjustable. Supplied as a spare for Ref. No. 835.		1	—	—
—	Pack, Type B, Mark 22	Ref. No. 1024. Introduced by Mod. Para. M.192. To replace Ref. No. 820.		1	—	—
—	Parachute, auxiliary, Irvin, Mark 1	Ref. No. 100		1	—	—
—	Ripcord and housing assembly, Mark 15	Ref. No. 1026. Introduced by Mod. Para. M.192. To replace Ref. No. 821.		1	—	—
—	Ripcord and housing assembly, Mark 17	Ref. No. 1027. Introduced by Mod. Para. M.192. To replace Ref. No. 822.		1	—	—
	Accessories :—					
—	Drogue link line assembly, Mark 5	Ref. No. 1049. Introduced by Mod. PA.50		1	—	—
—	Pad, back, Mark 9	Ref. No. 780. Not supplied with parachute		1	—	—
	Spares :—					
—	Flap, ripcord cover	Ref. No. 1109. Introduced by Mod. Para. M.206		1	—	—
—	Withdrawal line, Mark 2	Ref. No. 858		1	—	—
779	Back Type, Mark 19A	Naval aviation only		1	A	each
	Comprising :—					
—	Canopy, nylon, yellow, Type I.24, Mark 1A	Ref. No. 1230. Supersedes Ref. No. 558		1	—	—
—	Elastics, pack opening, No. 1	Ref. No. 83. Set of 6, quantity 4		—	—	—
—	Fittings, quick release, 4-point inertia proof, Mark 6.	Ref. No. 1079		1	—	—

RESTRICTED

RESTRICTED

MAN-CARRYING PARACHUTES

SECTION 15A—cont.

1	2	3	4	5	6	7
	PARACHUTE ASSEMBLIES—cont.					
	Back Type, Mark 19A—cont.					
	Comprising—cont.					
—	Harness, Type B, Mark 11	Ref. No. 688. Quickly adjustable		1	—	—
—	Pack, Type B, Mark 22	Ref. No. 1024. Introduced by Mod. Para. M.192. To replace Ref. No. 820.		1	—	—
—	Pad, back, Mark 9	Ref. No. 780		1	—	—
—	Parachute, auxiliary, Irvin, Mark 1	Ref. No. 100		1	—	—
—	Ripcord and housing assembly, Mark 15	Ref. No. 1026. Introduced by Mod. Para. M.192 To replace Ref. No. 821.		1	—	—
—	Ripcord and housing assembly, Mark 17	Ref. No. 1027. Introduced by Mod. Para. M.192. To replace Ref. No. 822.		1	—	—
	Accessories :—					
—	Drogue link line assembly, Mark 5	Ref. No. 1049. Introduced by Mod. PA.50		1	—	—
	Spares :—					
—	Flap, ripcord cover	Ref. No. 1109. Introduced by Mod. Para. M.206.		1	—	—
—	Withdrawal line, Mark 2	Ref. No. 858.		1	—	—
816	Back Type, Mark 20	For moving crew members in V bombers	MRI.IRV.225	1	A	each
	Comprising :—					
—	Canopy, celanese, white, Type R17, Mark 3	Ref. No. 638. C/w rigging lines		1	—	—
—	Elastics, pack opening, No. 4	Ref. No. 818		—	—	—
—	Elastics, pack opening, 7 in.	Reference 15D/640. Introduced by Mod. Para. M.194		2	—	—
—	Fittings, quick release, 4-point	Ref. No. 150		1	—	—
—	Harness, Type B, Mark 18	Ref. No. 801. Quickly adjustable. Supplied as a spare for Ref. No. 816.		1	—	—
—	Pack, Type B, Mark 16	Ref. No. 830		1	—	—
—	Pack, Type B, Mark 23	Ref. No. 1082. Post-Mod. Para. M.199		1	—	—
—	Parachute, auxiliary, Mark 6	Ref. No. 802		1	—	—
	Spares :—					
—	Cable, power	Ref. No. 839. Superseded by Ref. No. 983 when Mod. Para. M.181 is embodied.		1	—	—
—	Cable, power	Ref. No. 983. Introduced by Mod. Para. M.181.		1	—	—

RESTRICTED

RESTRICTED

7

MAN-CARRYING PARACHUTES

SECTION 15A—cont.

1	2	3	4	5	6	7
	PARACHUTE ASSEMBLIES—cont.					
	Back Type, Mark 20—cont.					
	<i>Spares—cont.</i>					
—	Cable, arming assembly	Ref. No. 860. Superseded by Ref. No. 982 when Mod. Para. 181 is embodied.		1	—	—
—	Cable, arming assembly	Ref. No. 982. Introduced by Mod. Para. M.181.		1	—	—
—	Cable, manual override	Ref. No. 862. Superseded by Ref. No. 960 when Mod. Para. M.181 is embodied.		1	—	—
—	Cord, connecting	Ref. No. 856. Spare for Ref. No. 802		1	—	—
—	Cover, cone protection	Ref. No. 867		1	—	—
—	Flap and handle assembly	Ref. No. 993		1	—	—
—	Flap, closure	Ref. No. 873		1	—	—
—	Housing, power cable	Ref. No. 863		1	—	—
—	Housing, arming cable	Ref. No. 871. Superseded by Ref. No. 962 when Mod. Para. M.181 is embodied.		1	—	—
—	Housing, manual override	Ref. No. 872. Superseded by Ref. No. 960		1	—	—
—	Hook, static and arming cable 3 $\frac{3}{8}$ in. assembly	Ref. No. 859		1	—	—
—	Line, static, assembly	Ref. No. 861		1	—	—
—	Link, cord, static line	Ref. No. 969		1	—	—
—	Loop attachment (dinghy)	Ref. No. 953. Introduced by Mod. Para. M.178		1	—	—
—	Pin, ripcord	Ref. No. 865		1	—	—
—	Pocket, sliding and housing	Ref. No. 870. Superseded by Ref. No. 981 when Mod. Para M.181 is embodied.		1	—	—
—	Pocket, sliding, and housing assembly	Ref. No. 981. Introduced by Mod. Para. M.181		1	—	—
	Consisting of :—					
960	Cable and housing assembly manual override	IAC.2348	1	—	each
962	Housing, arming cable	IAC.2243	1	—	—
991	Housing, link cord	IAC.2244	1	—	”
992	Pocket, sliding	IAC.1885	1	—	”
—	Sleeve	Ref. No. 961		1	—	—
—	Stirrup	Ref. No. 866		1	—	—
—	Tunnel, housing	Ref. No. 869		1	—	—
—	Washer, safety	Ref. No. 786		1	—	—

RESTRICTED

RESTRICTED

MAN-CARRYING PARACHUTES

SECTION 15A—cont.

1	2	3	4	5	6	7
	PARACHUTE ASSEMBLIES—cont.					
909	Back Type, Mark 24	For Hunter aircraft. Fitted with Mark 2H ejection seats. Introduced by Mod. Para. M.157.	MRI.IRV.255	1	A	each
	Comprising :—					
—	Canopy, nylon, white, Type I.24, Mark 1 ...	Ref. No. 1229. Supersedes Ref. No. 549		1	—	—
—	Elastics, pack opening, No. 1	Ref. No. 83. Set of 6		1	—	—
—	Fittings, quick release, 4-point inertia proof, Mark 6.	Ref. No. 1079		1	—	—
—	Harness, Type B, Mark 21	Ref. No. 910. Quickly adjustable. Supplied as spare for Ref. No. 909.		1	—	—
—	Pack, Type B, Mark 21	Ref. No. 1020. Introduced by Mod. Para. M.191. To replace Ref. No. 831.		1	—	—
—	Parachute, auxiliary, Vane Type, Mark 3 ...	Ref. No. 605		1	—	—
—	Ripcord and housing assembly, Mark 14 ...	Ref. No. 1022. Introduced by Mod. Para. M.191. To replace Ref. No. 833.		1	—	—
—	Ripcord and housing assembly, Mark 16 ...	Ref. No. 1023. Introduced by Mod. Para. M.191. To replace Ref. No. 834.		1	—	—
	Accessories :—					
—	Drogue link assembly, Mark 5	Ref. No. 1049. Introduced by Mod. PA.50		1	—	—
—	Pad, back, Mark 9	Ref. No. 780. Not supplied with parachute. ...		1	—	—
	Spares :—					
—	Withdrawal line, Mark 2	Ref. No. 858		1	—	—
—	Flap, C/w rubbing strip	Ref. No. 744		1	—	—
—	Flap, ripcord cover	Ref. No. 1109. Introduced by Mod. Para. M.206. ...		1	—	—
—	Pad, knee	Ref. No. 896		1	—	—
—	Strop, seat clip	Ref. No. 692		2	—	—
917	Back Type, Mark 26A	Naval aviation only		1	A	each
	Comprising :—					
—	Fittings, quick-release, 4-point inertia proof, Mark 6.	Ref. No. 1079		1	—	—
—	Harness, Type B, Mark 27	Ref. No. 945		1	—	—
—	Pack, Type, Mark 19	Ref. No. 946		1	—	—
—	Parachute, auxiliary, Vane Type, Mark 6 ...	Ref. No. 947		1	—	—

RESTRICTED

RESTRICTED

MAN-CARRYING PARACHUTES

SECTION 15A—cont.

1	2	3	4	5	6	7
	PARACHUTE ASSEMBLIES—cont.					
	Back Type, Mark 26A—cont.					
	Spares :—					
---	Board, kicker	Ref. No. 1003		1	—	—
---	Cone	Ref. No. 1005		2	—	—
---	Eyelet, $\frac{1}{2}$ in.	Ref. No. 1002		2	—	—
---	Eyelet, $\frac{1}{8}$ in.	Ref. No. 1001		4	—	—
---	Ripcord and housing assembly, Mark 22	Ref. No. 1223. Supersedes Ref. No. 1000		1	—	—
---	Ripcord pocket	Ref. No. 1006		1	—	—
---	Zip, 11 $\frac{1}{2}$ in. open end, heavy	Ref. No. 1004		1	—	—
936	Back Type, Mark 28	For Lightning Aircraft	D/MBEU/14PA	1	A	each
	Comprising :—					
---	Canopy, nylon, white, I.24, Mark 1	Ref. No. 1229. Supersedes Ref. No. 549		1	—	—
---	Drogue link line assembly, Mark 7	Ref. No. 1380. Post Mod. PA.218. Supersedes Ref. No. 925.		1	—	—
---	Elastics, pack opening, No. 7	Ref. No. 854		1	—	—
---	Elastics, pack opening, No. 8	Ref. No. 855		1	—	—
---	Fittings, quick-release, 4-point, Mark 6	Ref. No. 1079. Introduced by Mod. PA.150		1	—	—
---	Harness, Type B, Mark 30	Ref. No. 978		1	—	—
---	Pack, Type B, Mark 20	Ref. No. 977		1	—	—
---	Pad, back, Mark 14	Ref. No. 968		1	—	—
---	Pad, back, Mark 23	Ref. No. 1242. Post-Mod. PA.140. Supersedes Ref. No. 968.		1	—	—
---	Parachute, auxiliary, Mark 7	Ref. No. 1311. Introduced by Mod. PA.207		1	—	—
---	Ripcord and housing assembly, Mark 11	Ref. No. 897. Long		1	—	—
---	Ripcord and housing assembly, Mark 12	Ref. No. 898. Short		1	—	—
	Spares :—					
---	Board ejector	Ref. No. 1302. Post Mod. PA.164		1	—	—
---	Flap, spring retention	Ref. No. 1356		1	—	—
---	Pin, slide, disconnect	Ref. No. 924. Spare for Ref. No. 925		1	—	—
---	Plate, pressure	Ref. No. 1352		1	—	—
---	Plate, stiffener for cone cover	Ref. No. 1303. Post Mod. PA.164		1	—	—
---	Spring and Cover assembly	Ref. No. 1322		1	—	—
---	Strap, lap, assembly, adjustable	Ref. No. 1271		2	—	—

RESTRICTED

RESTRICTED

MAN-CARRYING PARACHUTES

SECTION 15A—cont.

1	2	3	4	5	6	7
	PARACHUTE ASSEMBLIES—cont.					
	Back Type, Mark 28—cont.					
	Spares—cont.					
---	Strap, restraining, negative G	Ref. No. 1107. Introduced by Mod. PA.69		1	—	—
---	Strop, connecting	Ref. No. 1353		1	—	—
---	Withdrawal line, Mark 3	Ref. No. 929		1	—	—
937	Back Type, Mark 29A	Naval aviation only	MBEU/10PA	1	A	each
	Comprising :—					
---	Canopy, nylon, yellow, I.24, Mark 1A	Ref. No. 1230. Supersedes Ref. No. 558		1	—	—
---	Pad, back, Mark 23	Ref. No. 1242. Post Mod. PA.140. Supersedes Ref. No. 968.		1	—	—
---	Parachute auxiliary, Mark 7	Ref. No. 1311. Introduced by Mod. PA.207		1	—	—
	Spares :—					
---	Apron	Ref. No. 999		—	—	—
---	Board ejector	Ref. No. 1302. Post Mod. PA.164		1	—	—
---	Flap, spring retention	Ref. No. 1356		1	—	—
---	Pack, Type B, Mark 20	Ref. No. 977		1	—	—
---	Plate, pressure	Ref. No. 1352		1	—	—
---	Plate stiffener, for cone cover	Ref. No. 1303. Post Mod. PA.164		1	—	—
---	Spring and Cover assembly	Ref. No. 1322		1	—	—
---	Strop, connecting	Ref. No. 1353		1	—	—
940	Back Type, Mark 30	For Jet Provost and Hunter T7 aircraft fitted with Mark 4P ejection seats.	MBEU/30/PA	2	A	each
	Comprising :—					
---	Canopy, nylon, white, I.24, Mark 1	Ref. No. 1229. Supersedes Ref. No. 549		1	—	—
---	Drogue link line assembly, Mark 6	Ref. No. 1379, Post-Mod. PA.218. Supersedes Ref. No. 922.		—	—	—
---	Elastics, pack opening, No. 7	Ref. No. 854		—	—	—
---	Elastics, pack opening, No. 8	Ref. No. 855		1	—	—
---	Fittings, quick-release, 4-point, Mark 6	Ref. No. 1079. Introduced by Mod. PA.150		1	—	—
---	Harness, Type B, Mark 26	Ref. No. 943		1	—	—
---	Pack, Type B, Mark 18	Ref. No. 852		1	—	—

RESTRICTED

11

RESTRICTED

MAN-CARRYING PARACHUTES

SECTION 15A—cont.

1	2	3	4	5	6	7
	PARACHUTE ASSEMBLIES—cont.					
	Back Type, Mark 30—cont.					
	Comprising—cont.					
—	Pad back assembly	Ref. No. 1121		1	—	—
	Consisting of :—					
—	Pad, back, Mark 19	Ref. No. 1329		1	—	—
—	Pad, lumbar	Ref. No. 1330		1	—	—
—	Parachute, auxiliary, Mark 7	Ref. No. 1311. Introduced by Mod. PA.207		1	—	—
—	Ripcord and housing assembly, Mark 11	Ref. No. 897. Long		1	—	—
—	Ripcord and housing assembly, Mark 12	Ref. No. 898. Short		1	—	—
	Spares :—					
—	Board ejector	Ref. No. 1302. Post Mod. 164		1	—	—
—	Flap, spring retention	Ref. No. 1356		1	—	—
—	Lap, strap, adjustment	Ref. No. 1125. Introduced by Mod. PA.106		1	—	—
—	Plate, pressure	Ref. No. 1352		1	—	—
—	Plate stiffener for cone cover	Ref. No. 1303. Post Mod. PA.164		1	—	—
—	Spring and Cover assembly	Ref. No. 1322		1	—	—
—	Strop, connecting	Ref. No. 1353		1	—	—
—	Pin, slide disconnect	Ref. No. 924. Spare for Ref. No. 922		1	—	—
—	Strap, lap, assembly, adjustable	Ref. No. 1271		2	—	—
—	Strap, restraining, negative "G"	Ref. No. 1120. Introduced by Mod. PA.97		1	—	—
—	Strap, support, oxygen hose	Ref. No. 1108. Introduced by Mod. PA.59		1	—	—
—	Withdrawal line, Mark 3	Ref. No. 929		1	—	—
941	Back Type, Mark 31A	Naval aviation only		1	A	each
	Comprising :—					
—	Canopy, nylon, yellow, Type I.24, Mark 1A	Ref. No. 1230. Supersedes Ref. No. 558		1	—	—
—	Parachute, auxiliary, Mark 7	Ref. No. 1311. Introduced by Mod. PA.207		1	—	—
	Spares :—					
—	Apron	Ref. No. 998		—	—	—
—	Board, ejector	Ref. No. 1302. Post Mod. PA.164		1	—	—
—	Flap, spring retention	Ref. No. 1356		1	—	—
—	Plate, adapter	Ref. No. 966		1	—	—
—	Plate, pressure	Ref. No. 1352		1	—	—
—	Plate stiffener for cone cover	Ref. No. 1303. Post Mod. PA.164		1	—	—
—	Spring and cover assembly	Ref. No. 1322		1	—	—
—	Strop, connecting	Ref. No. 1353		1	—	—

RESTRICTED

RESTRICTED

MAN-CARRYING PARACHUTES

SECTION 15A—cont.

1	2	3	4	5	6	7
	PARACHUTE ASSEMBLIES—cont.					
949	Back Type, Mark 32	Introduced by Mod. Para. M.171, Class D/4. Super- sedes Ref. No. 586.	MRI.IRV.318	1	A	each
	Comprising :—					
—	Canopy, nylon, white, Type I.24	Ref. No. 1229		1	—	—
—	Elastics, pack opening, No. 1	Ref. No. 83. Set of six		—	—	—
—	Fittings, quick release, 4-point, Mark 6	Ref. No. 1079		1	—	—
—	Harness, Type B, Mark 28	Ref. No. 950		1	—	—
—	Housing, Ripcord, Mark 26	Ref. No. 952		1	—	—
—	Pack, Type B, Mark 5	Ref. No. 594		1	—	—
—	Pad, back, Mark 5	Ref. No. 592		1	—	—
—	Parachute, auxiliary, Irvin, Mark 1	Ref. No. 100		1	—	—
—	Ripcord, assembly, Mark 10	Ref. No. 951		1	—	—
956	Back Type, Mark 33	D/MBEU/22PA	—	A	each
	Comprising :—					
—	Canopy, nylon, white, I.24, Mark 1	Ref. No. 1229. Supersedes Ref. No. 549		1	—	—
—	Drogue link line assembly, Mark 7	Ref. No. 1380, Post Mod. PA.218. Supersedes Ref. No. 925.		1	—	—
—	Elastics, pack opening, No. 7	Ref. No. 854		1	—	—
—	Elastics, pack opening, No. 8	Ref. No. 855		1	—	—
—	Eyelet, $\frac{1}{8}$ in.	Ref. No. 1001		4	—	—
—	Fittings, quick release, 4-point, Mark 6	Ref. No. 1079. Introduced by Mod. PA.150		1	—	—
—	Harness, Type B, Mark 32	Ref. No. 996		1	—	—
—	Pack, Type B, Mark 18	Ref. No. 852		1	—	—
—	Pad, back, Mark 14	Ref. No. 968		1	—	—
—	Pad, back, Mark 23	Ref. No. 1242. Post Mod. PA.140. Supersedes Ref. No. 968.		1	—	—
—	Parachute, auxiliary, Mark 7	Ref. No. 1311. Introduced by Mod. PA.207		1	—	—
—	Ripcord and housing assembly, Mark 11	Ref. No. 897. Long		1	—	—
—	Ripcord and housing assembly, Mark 12	Ref. No. 898. Short		1	—	—
	Spares :—					
—	Board, ejector	Ref. No. 1302. Post Mod. PA.164		1	—	—
—	Flap, spring retention	Ref. No. 1356		1	—	—
—	Pin, slide disconnect	Ref. No. 924		1	—	—

RESTRICTED

RESTRICTED

13

MAN-CARRYING PARACHUTES
SECTION 15A—cont.

1	2	3	4	5	6	7
	PARACHUTE ASSEMBLIES—cont.					
	Back Type, Mark 33—cont.					
	Spares—cont.					
—	Plate, pressure	Ref. No. 1352		1	—	—
—	Plate stiffener for cone cover	Ref. No. 1303. Post Mod. PA.164		1	—	—
—	Spring and cover assembly	Ref. No. 1322		1	—	—
—	Strap, lap assembly, adjustable	Ref. No. 1271		2	—	—
—	Strop, connecting	Ref. No. 1353		1	—	—
—	Withdrawal line, Mark 3	Ref. No. 929		1	—	—
1083	Back Type, Mark 34	For moving crewe in Victor B.2 and Vulcan B.2 ...	MRI.IRV.411	1	A	each
	Comprising :—					
—	Canopy, celanese, white, Type R.17, Mark 3 ...	Ref. No. 638. C/w rigging lines		1	—	—
—	Elastics, pack opening, No. 1	Ref. No. 83. Set of six		2	—	—
—	Elastics, pack opening, No. 4	Ref. No. 818		1	—	—
—	Fittings, quick release, 4-point, Mark 1B ...	Ref. No. 529		1	—	—
—	Harness, Type B, Mark 33	Ref. No. 1117		1	—	—
—	Pack, Type B, Mark 24	Ref. No. 1118		1	—	—
—	Pad, back, Mark 20	Ref. No. 1164		1	—	—
—	Parachute, auxiliary, Mark 6	Ref. No. 802		1	—	—
—	Waist belt assembly	Ref. No. 1163		1	—	—
	Accessories :—					
—	Barometer Power Unit, Type B/2, Mark 1 ...	Ref. No. 948. Not supplied with parachute ...		1	—	—
	Spares :—					
1267	Adaptor	Not provisioned as a spare	AML.401	1	C	each
—	Cable, arming and housing assembly	Ref. No. 1166		1	—	—
—	Cable Manual override and housing assembly c/w handle.	Ref. No. 1165		1	—	—
	Consists of :—					
—	Cable and housing	Ref. No. 1262		1	—	—
—	Handle	Ref. No. 1263		1	—	—
—	Cable, power and housing assembly	Ref. No. 1167		1	—	—
—	Clamp, housing top	Ref. No. 1173		1	—	—
—	Clamp, housing bottom	Ref. No. 1174		1	—	—
—	Cord, connecting auxiliary parachute	Ref. No. 856		1	—	—
—	Cover, cone protection	Ref. No. 867		1	—	—

RESTRICTED

RESTRICTED

MAN-CARRYING PARACHUTES
SECTION 15A—cont.

1	2	3	4	5	6	7
	PARACHUTE ASSEMBLIES—cont.					
	Back Type, Mark 34—cont.					
	Spares—cont.					
—	Elastic, strap restraining	Ref. No. 1259	IAC.3170	1	C	each
—	Flap, closure	Ref. No. 1261		1	—	—
—	Handle, demand emergency oxygen	Ref. No. 1168		1	—	—
—	Line, static hook assembly	Ref. No. 1171		1	—	—
—	Link, cord	Ref. No. 1169		2	—	—
1268	Lug, pack belt	Not provisioned as a spare	IAC.1685	1	C	each
—	Nut, lock, brass, thin, hexagon, $\frac{1}{4}$ in. B.S.F. thread BSS.84.	Ref. No. 1266	SPEC. BS.1083	2	C	"
—	Nut, "Nylock"	Reference 28M/10326		2	—	—
—	Rip pin	Ref. No. 1170		1	—	—
—	Sleeve, disconnect	Ref. No. 1172		1	—	—
—	Washer, safety	Ref. No. 786		1	—	—
—	Washer, spacing	Ref. No. 1264		2	—	—
1089	Back Type, Mark 35	For Gnat aircraft	MRI/GQ/431	—	A	each
—	Comprising :—					
—	Harness, Type B, Mark 35	Not provisioned as a complete assembly		—	—	—
—	Consisting of :—					
—	Clamp assembly	Ref. No. 1183		1	—	—
—	Fittings, quick release, 3-point, Mark 9	Ref. No. 1344. Introduced by Mod. Para. M.80 to replace Ref. No. 1148.		1	—	—
—	Harness, shoulder	Ref. No. 1184		1	—	—
—	Lap-strap, port	Ref. No. 1186		1	—	—
—	Lap-strap, starboard	Ref. No. 1187		1	—	—
—	Lug, connecting	Ref. No. 1161		1	—	—
—	Plate, backing	Ref. No. 1185		1	—	—
—	Pack, Stabiliser—General Assembly :—	Not provisioned as a complete assembly	MRI/GQ/434	—	—	—
—	Consisting of :—					
—	Bag, deployment and static line assembly	Ref. No. 1304. Post-Mod. Para. M.69. Supersedes Ref. Nos. 1189 and 1214.		1	—	—
—	Bags, deployment, Drogue Sock	Ref. No. 1189		1	—	—
—	Barometric release, Type 'N', Mark 1	Less Pistons. Ref. No. 1190		1	—	—

RESTRICTED

RESTRICTED
16

MAN-CARRYING PARACHUTES

SECTION 15A—cont.

1	2	3	4	5	6	7
	PARACHUTE ASSEMBLIES—cont.					
	Back Type, Mark 35—cont.					
	Comprising of :—					
	Pack, Stabiliser—General Assembly—cont.					
	Consisting of—cont.					
—	Cable, release assembly	Ref. No. 1207		2	—	—
—	Canopy, 18 ft. 6 in., lightweight	Ref. No. 1198. Not provisioned as a spare		1	—	—
—	Canopy, 6 ft. stabiliser assembly	Ref. No. 1199. Not provisioned as a spare... ..		1	—	—
—	Disconnect static line assemblies	Ref. No. 1200		1	—	—
—	Housing assembly, 9 $\frac{1}{4}$ in.	Ref. No. 1202		1	—	—
—	Housing assembly, 18 $\frac{1}{2}$ in.	Ref. No. 1204		1	—	—
—	Housing assembly, 22 $\frac{1}{2}$ in.	Ref. No. 1203		1	—	—
—	Line connecting	Ref. No. 1205		1	—	—
—	Pack, Type B, Mark 25	Ref. No. 1206		1	—	—
—	Pad, back, Mark 21	Ref. No. 1188		1	—	—
—	Piece, packing	Ref. No. 1246		1	—	—
—	Release unit, shoulder, R.H.	Ref. No. 1211		1	—	—
—	Release unit, shoulder, L.H.	Ref. No. 1210		1	—	—
—	Ripcord assembly, Mark 16	Main canopy compartment. Ref. No. 1208		1	—	—
—	Ripcord assembly, Mark 17	Stabiliser compartment. Ref. No. 1209		1	—	—
—	Sock, apex	Ref. No. 1212		1	—	—
—	Sock drogue, 30 in.	Ref. No. 1201		1	—	—
—	Spring, pack opener	Ref. No. 1213		3	—	—
—	Static line assembly	Ref. No. 1214		1	—	—
—	Yoke assembly harness attachment	Ref. No. 1215		1	—	—
—	Yoke assembly harness attachment	Ref. No. 1305. Post Mod. Para M.75. Supersedes Ref. No. 1215		1	—	—
	Accessories :—					
—	Barometric release, Type N, Mark 2	Ref. No. 1276. Not supplied with Parachute		1	—	—
	Spares :—					
—	Bolt, aircraft, steel, 55 tons sq. in. $\frac{3}{4}$ in. U.N.F. 2A \times 2 in.	Assembly item for Stabiliser Pack and Combined Harness. Reference 28D/9414353.		4	—	—
—	Bolt, aircraft, steel, 55 tons sq. in. No. 10 U.N.F. 2A \times 0.7 in.	Assembly item for Stabiliser Pack and Combined Harness. Reference 28D/9480223.		4	—	—

RESTRICTED

RESTRICTED

MAN-CARRYING PARACHUTES

SECTION 15A—cont.

1	2	3	4	5	6	7
	PARACHUTE ASSEMBLIES—cont.					
	Back Type, Mark 35—cont.					
	<i>Spares—cont.</i>					
—	Cable arming assembly	Ref. No. 1191		1	—	—
—	Cartridge, seat ejection (Folland) secondary grain, No. 1, Mark 1.	Reference 12K/1341		2	—	—
—	Connection housing arming cable	Ref. No. 1193		1	—	—
—	Connector, female, dinghy, quick release	Ref. No. 1216		2	—	—
—	Coupling, ripcord	Ref. No. 1194		1	—	—
—	Distributor assembly	Ref. No. 1195		1	—	—
—	Housing, arming cable	Ref. No. 1196		1	—	—
—	Nut, ¼ in. U.N.F.	Assembly item for Stabiliser Pack and Combined Harness. Reference 28M/9414146.		4	—	—
—	Nut, stiff, aircraft, H.T.S. No. 10 U.N.F.2B	Assembly item for Stabiliser Pack and Combined Harness. Reference 28M/9438422.		4	—	—
—	Pin, cotter, split, nickel alloy, ⅛ in. dia. × 1 in. long.	Assembly item for Stabiliser Pack and Combined Harness. Reference 28P/1007741.		4	—	—
—	Tube, distance, ⅝ in. o.d. × 22 S.W.G.	Assembly item for Stabiliser Pack and Combined Harness. Ref. No. 1247.		2	—	—
—	Tube, distance, ¾ in. o.d. × 17 S.W.G.	Assembly item for Stabiliser and Combined Harness. Ref. No. 1248.		2	—	—
—	Washer, steel, packing, 0.048 in. thick No. 10 U.N.F.	Assembly item for Stabiliser and Combined Harness. Reference 28W/17284.		4	—	—
1116	Back Type, Mark 36	For Hunter aircraft fitted with Mark 2HA ejection Seats.	MRI.IRV.431	1	A	each
	Comprising :—					
—	Canopy, nylon, white, I.14, Mark 1	Ref. No. 1229. Supersedes Ref. No. 549		1	—	—
—	Board ejector	Ref. No. 316		1	—	—
—	Cord, connecting, auxiliary parachute	Ref. No. 895		1	—	—
—	Drogue, link line assembly, Mark 5	Ref. No. 1049		1	—	—
—	Elastics, pack opening No. 1	Ref. No. 83		6	—	—
—	Extension waist belt	Ref. No. 1226		1	—	—
—	Fittings, quick-release, 4-point, Mark 6	Ref. No. 1079		1	—	—

RESTRICTED

RESTRICTED

MAN-CARRYING PARACHUTES

SECTION 15A—cont.

1	2	3	4	5	6	7
	PARACHUTE ASSEMBLIES—cont.					
	Back Type, Mark 36—cont.					
	Comprising—cont.					
—	Harness, Type B, Mark 34	Ref. No. 1127		1	—	—
—	Pack, Type B, Mark 21	Ref. No. 1020		1	—	—
—	Pad, back, Mark 9	Ref. No. 780		1	—	—
—	Parachute auxiliary, Vane Type, Mark 3	Ref. No. 605		1	—	—
—	Ripcord and housing assembly, Mark 14	Ref. No. 1022		1	—	—
—	Ripcord and housing assembly, M.O. Mark 16	Ref. No. 1023		1	—	—
—	Withdrawal line, Mark 4	Ref. No. 1021		1	—	—
1149	Back Type, Mark 36A	Naval aviation only. For Hunter FGA.11 aircraft	MRL.IRV.431	—	A	each
	Comprising :—					
—	Board ejector	Ref. No. 316		1	—	—
—	Canopy, nylon, yellow, Type I.24, Mark 1A	Ref. No. 1230		1	—	—
—	Cord, connecting auxiliary parachute	Ref. No. 895		1	—	—
—	Drogue, link line, assembly, Mark 5	Ref. No. 1049		1	—	—
—	Elastics, pack opening No. 1	Ref. No. 83		6	—	—
—	Extension waist belt	Ref. No. 1226		1	—	—
—	Fittings, quick release, 4-point, Mark 6	Ref. No. 1079		1	—	—
—	Harness type 'B', Mark 34	Ref. No. 1127		1	—	—
—	Pack type 'B', Mark 21	Ref. No. 1020		1	—	—
1124	Back Type, Mark 37A	Naval aviation only. Introduced by Mod. BA.107. Supersedes Ref. No. 937.		—	—	—
	Comprising :—					
—	Apron	Ref. No. 1236		1	B	each
—	Canopy, nylon, yellow, I.24, Mark 1A	Ref. No. 1230		1	—	—
—	Combined drogue link parachute withdrawal line	Ref. No. 1234		1	—	—
—	Harness, Type 'B', Mark 36	Ref. No. 1232		1	—	—
—	Pack, Type 'B', Mark 26	Ref. No. 1233		1	—	—
—	Pad, back, Mark 22	Ref. No. 1231		1	—	—
—	Ripcord assembly, Mark 18	Ref. No. 1235		1	—	—
	Spares :—					
—	Board ejector	Ref. No. 1302. Post Mod. PA.164		1	—	—
—	Flap, retaining	Ref. No. 1369		1	—	—
—	Plate stiffener for cone cover	Ref. No. 1303. Post Mod. PA.164		1	—	—

RESTRICTED

RESTRICTED

MAN-CARRYING PARACHUTES

SECTION 15A—cont.

1	2	3	4	5	6	7
	PARACHUTE ASSEMBLIES—cont.					
1281	Back Type, Mark 39A	Naval aviation only. Supersedes Ref. No. 941 ...	MBEU/4036 PA	2	A	each
	Comprising :—					
	Cable static,	Ref. No. 1340. Naval aviation only		1	—	—
	Canopy, nylon, yellow, Type I.24, Mark 1A ...	Ref. No. 1230. Naval aviation only		1	—	—
	Harness, Type B, Mark 40	Ref. No. 1338. Naval aviation only		1	—	—
	Pack, Type B, Mark 29	Ref. No. 1337. Naval aviation only		1	—	—
	Pad, back, assembly	Ref. No. 1341. Naval aviation only		1	—	—
	Consisting of :—					
	Pad, back, Mark 27	Ref. No. 1324		1	—	—
	Pad, lumbar	Ref. No. 1384. Naval aviation only		1	—	—
	Parachute, auxiliary, Mark 7	Ref. No. 1311		1	—	—
	Withdrawal line, Mark 8	Ref. No. 1339. Naval aviation only		1	—	—
	Spares :—					
	Line, static, guillotine	Ref. No. 1371.		1	—	—
1292	Back Type, Mark 41	For Hunter T.7 Aircraft fitted with Mark 4HA 1 and 2 Ejection Seats.	MBEU/4026PA	2	A	each
	Comprising :—					
	Buckle, lap strap adjustment	Ref. No. 1254		2	—	—
	Canopy, nylon, white, Type I.24, Mark 1 ...	Ref. No. 1229		1	—	—
	Cone	Ref. No. 1147		2	—	—
	Eyelets, c/w $\frac{3}{8}$ in. washers	Ref. No. 368		4	—	—
	Fittings, quick release, 4-point, inertia proof, Mark 6.	Ref. No. 1079		1	—	—
	Flap, spring, retention	Ref. No. 1356		1	—	—
	Harness, Type B, Mark 39	Ref. No. 1317		1	—	—
	Line, drogue link and withdrawal assembly ...	Ref. No. 1321		1	—	—
	Link, shroud line, detachable	Ref. No. 689		4	—	—
	Pack, Type B, Mark 28	Ref. No. 1318		1	—	—
	Pad, back assembly	Not provisioned as a complete assembly	D/MBEU/2027PA	—	—	—
	Consisting of :—					
	Pad, back, Mark 27	Ref. No. 1324		1	—	—
	Pad, lumbar	Ref. No. 1325		1	—	—

RESTRICTED

RESTRICTED

MAN-CARRYING PARACHUTES

SECTION 15A—cont.

1	2	3	4	5	6	7
	PARACHUTE ASSEMBLIES—cont.					
	Back Type, Mark 41—cont.					
	Comprising—cont.					
—	Parachute auxiliary, special coil, spring type assembly.	Not provisioned as a complete assembly	D/MBEU/4342PA	—	—	—
	Consisting of :—					
—	Parachute auxiliary, Mark 7	Ref. No. 1311		1	—	—
—	Spring and cover assembly	Ref. No. 1322		1	—	—
—	Plate, pressure	Ref. No. 1352		1	—	—
—	Ripcord assembly	Ref. No. 1319		1	—	—
—	Spring, pack opener	Ref. No. 1320		4	—	—
—	Spring, pack opener, 3½ in.	Ref. No. 1354		1	—	—
—	Strap, lap, adjustable, assembly	Ref. No. 1323		2	—	—
—	Strap, retaining (lift webs)	Ref. No. 1327		2	—	—
—	Strop, connecting	Ref. No. 1353		1	—	—
	Spares :—					
—	Flap, retaining (for ripcord handle)	Ref. No. 1369		1	—	—
—	Line, static, guillotine	Ref. No. 1371		1	—	—
1313	Back Type, Mark 42	For Vulcan B2 and Canberra P.R.9 Aircraft (Pilot and Co-Pilot.	D/MBEU/4061PA	2	A	each
	Comprising :—					
—	Buckle, lap strap adjustment	Ref. No. 1254		2	—	—
—	Canopy, nylon, white, Type I.24, Mark 1	Ref. No. 1229		—	—	—
—	Cone	Ref. No. 1147		1	—	—
—	Eyelets, c/w ⅜ in. washers	Ref. No. 368		2	—	—
—	Fittings, quick release, 4-point inertia proof, Mark 6.	Ref. No. 1079		4	—	—
—	Flap, spring retention	Ref. No. 1356		1	—	—
—	Harness, Type B, Mark 41	Ref. No. 1348	D/MBEU/3235PA	1	B	each
—	Line, drogue link and withdrawal assembly	Ref. No. 1321		1	—	—
—	Links, shroud line, detachable	Ref. No. 689		4	—	—
—	Pack, Type B, Mark 28	Ref. No. 1318		1	—	—
—	Pad, back, assembly	Not provisioned as a complete assembly	D/MBEU/2028PA	1	—	—
	Consisting of :—					
—	Pad, back, Mark 39	Ref. No. 1355		1	—	—
—	Pad, lumbar	Ref. No. 1325		1	—	—

RESTRICTED

RESTRICTED

MAN-CARRYING PARACHUTES

SECTION 15A—cont.

1	2	3	4	5	6	7
	PARACHUTE ASSEMBLIES—cont.					
	Back Type, Mark 42—cont.					
	Comprising—cont.					
—	Parachute, auxiliary, special coil, spring type assembly.	Not provisioned as a complete assembly	D/MBEU/4342PA	1	—	—
	Consisting of :—					
—	Parachute auxiliary, Mark 7	Ref. No. 1311		1	—	—
—	Plate, pressure	Ref. No. 1352		1	—	—
—	Spring and cover assembly	Ref. No. 1322		1	—	—
—	Ripcord assembly, Mark 19	Ref. No. 1319		1	—	—
—	Spring, pack opener, 8 in.	Ref. No. 1320		4	—	—
—	Spring, pack opener, 3½ in.	Ref. No. 1354		1	—	—
—	Strap, lap, adjustable, assembly	Ref. No. 1323		2	—	—
—	Strop, connecting	Ref. No. 1353		1	—	—
	Spares :—					
—	Flap, retaining (for ripcord handle)	Ref. No. 1369		1	—	—
—	Line, static, guillotine	Ref. No. 1371		1	—	—
1296	Back Type, Mark 43	Introduced by Mod. Para. M.239 for Victor B1 and B1.A.	MRI.IRV.526	1	A	each
	Comprising :—					
—	Canopy, nylon, white, Type I.24, Mark 1	Ref. No. 1229		1	—	—
—	Elastics, pack opening, No. 1	Ref. No. 83		4	—	—
—	Fittings, quick release, 4-point, Mark 6	Ref. No. 1079		1	—	—
—	Harness, Type B, Mark 38	Ref. No. 1295		1	—	—
—	Pack, Type B, Mark 22	Ref. No. 1024		1	—	—
—	Pad, back, assembly	Ref. No. 1121		1	—	—
	Consisting of :—					
—	Pad, back, Mark 19	Ref. No. 1329		1	—	—
—	Pad, lumbar	Ref. No. 1330		1	—	—
—	Parachute, auxiliary, Irvin, Mark 1	Ref. No. 100		1	—	—
—	Ripcord and housing assembly, Mark 15	Ref. No. 1026		1	—	—
—	Ripcord and housing assembly, Mark 17 (Manual Override).	Ref. No. 1027		1	—	—
—	Withdrawal line, Mark 4	Ref. No. 1021		1	—	—

RESTRICTED

RESTRICTED

MAN-CARRYING PARACHUTES

SECTION 15A—cont.

1	2	3	4	5	6	7
	PARACHUTE ASSEMBLIES—cont.					
	Back Type, Mark 43—cont.					
	Comprising—cont.					
	Accessories :—					
—	Drogue, link line, assembly, Mark 5	Ref. No. 1049. Not supplied with parachute		1	—	—
1309	Back Type, Mark 44A	Naval aviation only	MBEU/4062PA	2	A	each
	Comprising :—					
—	Canopy, nylon, yellow, Type I.24, Mark 1A	Ref. No. 1230		1	—	—
—	Harness, Type B, Mark 42	Ref. No. 1349		1	—	—
—	Pad, back, assembly	Ref. No. 1368		1	—	—
	Consisting of :—					
—	Pad, back, Mark 39	Ref. No. 1355		1	—	—
—	Pad, lumbar	Ref. No. 1325		1	—	—
	Spares :—					
—	Line, static, guillotine	Ref. No. 1371		1	—	—
1328	Back Type, Mark 45	For Canberra P.R.9 Aircraft (Navigator)	MBEU/4047PA	1	A	each
	Comprising :—					
—	Buckle, lap strap, adjustment	Ref. No. 1254		2	—	—
—	Canopy, nylon, white, Type I.24, Mark 1	Ref. No. 1229		1	—	—
—	Cone	Ref. No. 1147		2	—	—
—	Eyelts, c/w $\frac{3}{8}$ in. washers	Ref. No. 368		4	—	—
—	Fittings, quick release, 4-point, inertia proof, Mark 6.	Ref. No. 1079		1	—	—
—	Flap, spring retention	Ref. No. 1356		1	—	—
—	Harness, Type B, Mark 43	Ref. No. 1350		1	—	—
—	Links, shroud line, detachable	Ref. No. 689		4	—	—
—	Pack, Type B, Mark 28	Ref. No. 1318		1	—	—
—	Pad, back, assembly	Not provisioned as a complete assembly	D/MBEU/2028PA	1	—	—
	Consisting of :—					
—	Pad, back, Mark 39	Ref. No. 1355		1	—	—
—	Pad, lumbar	Ref. No. 1325		1	—	—
—	Parachute auxiliary, special coil, spring type, assembly.	Not provisioned as a complete assembly	D/MBEU/4342PA	1	—	—

RESTRICTED

RESTRICTED

MAN-CARRYING PARACHUTES

SECTION 15A—cont.

1	2	3	4	5	6	7
	PARACHUTE ASSEMBLIES—cont.					
	Back Type, Mark 45—cont.					
	Consisting of :—					
—	Parachute auxiliary, Mark 7	Ref. No. 1311		1	—	—
—	Plate, pressure	Ref. No. 1352		1	—	—
—	Spring and cover assembly	Ref. No. 1322		1	—	—
—	Ripcord assembly, Mark 19	Ref. No. 1319		4	—	—
—	Spring, pack opener, 8 in.	Ref. No. 1320		4	—	—
—	Spring, pack opener, 3 in.	Ref. No. 1354		1	—	—
—	Strap, lap, adjustable, assembly	Ref. No. 1323		2	—	—
—	Strop, connecting	Ref. No. 1353		1	—	—
	Spares :—					
—	Flap, retaining (for ripcord handles)	Ref. No. 1369		1	—	—
—	Line, static, guillotine	Ref. No. 1371		1	—	—
1363	Back Type, Mark 46	For moving crews in Victor B2 and Vulcan B2 aircraft.	MRI/IRV/559 (IAC.3395)	3	A	each
	Comprising :—					
—	Adaptor, for constant flow, E.O. sets	Ref. No. 1285		1	—	—
—	Belt, manual control assembly	Ref. No. 1362		1	—	—
—	Cable, oxygen operating and housing assembly	Ref. No. 1394		1	—	—
—	Cable, manual override and housing assembly	C/w handle. Ref. No. 1395		1	—	—
—	Cable, power and housing assembly	Ref. No. 1167		1	—	—
—	Canopy, celanese, white, Type R.17, Mark 3	Ref. No. 638		1	—	—
—	Clamp, housing, bottom	Ref. No. 1174		1	—	—
—	Clamp, housing, top	Ref. No. 1173		1	—	—
—	Cord, connecting, auxiliary parachute	Ref. No. 856		1	—	—
—	Cover, cone protection	Ref. No. 867		1	—	—
—	Elastics, pack opening, No. 4	Ref. No. 818		1	—	—
—	Elastics, pack opening, 7 in.	Reference 15D/640		2	—	—
—	Fittings, quick release, 4-point, Mark 1B	Ref. No. 529		1	—	—
—	Flap, closure	Ref. No. 1289		1	—	—
—	Guide, arming pin	Ref. No. 1075		1	—	—
—	Handle, manual override	Ref. No. 1263		1	—	—
—	Harness, Type B, Mark 44	Ref. No. 1364		1	—	—
—	Knob, oxygen operating	Ref. No. 1287		1	—	—

RESTRICTED

23

RESTRICTED

MAN-CARRYING PARACHUTES

SECTION 15A—cont.

1	2	3	4	5	6	7
	PARACHUTE ASSEMBLIES—cont.					
	Back Type, Mark 46—cont.					
	Comprising—cont.					
—	Leg strap and buckle assembly	Ref. No. 1290		2	—	—
—	Line, static, arming pin	Ref. No. 1366		1	—	—
—	Link cord, 15 in.	Ref. No. 1291		1	—	—
—	Loop, seat connecting	Ref. No. 1283		2	—	—
—	Nut, gland	Reference 5K/88		1	—	—
—	Nut, "Nyloc"	Reference 28M/10326		2	—	—
—	Pack, Type B, Mark 30	Ref. No. 1392		1	—	—
—	Pad, back, Mark 40	Ref. No. 1365		1	—	—
—	Parachute auxiliary, Mark 6	Ref. No. 802		1	—	—
—	Rip-pin, assembly	Ref. No. 1170		1	—	—
—	Spring, safety-clip assembly	Ref. No. 1396		1	—	—
	Accessories :—					
—	Barometric Power Unit, Type B2, Mark 1	Ref. No. 948. Not supplied with parachute		1	—	—
550	Chest Type, Mark 1	Ref. No. allotted for identification purposes only	MRI.SME.14	1	A	each
	Consisting of :—					
—	Harness, Type D, Mark 1	Ref. No. 144. C/w fittings, quick release. Ref. No. 529 or 1079. Introduced by Class D/4 Mod.		1	—	—
—	Pack, assembly, Chest Type, Mark 1	Ref. No. 141. C/w main and auxiliary parachute		1	—	—
	Comprising :—					
—	Canopy, nylon, white, Type I.24, Mark 1	Ref. No. 1227. C/w ring and strop assembly. Supersedes Ref. No. 549.		1	—	—
—	Elastics, pack opening, No. 1	Ref. No. 83. Set of 6		—	—	—
—	Pack, Type C, Mark 2	Ref. No. 156		1	—	—
—	Pad, back, Mark 1	Ref. No. 191		1	—	—
—	Parachute, auxiliary, Irvin, Mark 1	Ref. No. 100		1	—	—
—	Ripcord assembly, Mark 5	Ref. No. 236		1	—	—
—	Steel, pack	Ref. No. 170		2	—	—
559	Chest Type, Mark 1A	Naval aviation only. Ref. No. allotted for identification purposes only.	MRI.SME.14	1	A	each
	Consisting of :—					
—	Harness, Type D, Mark 1	Ref. No. 144. C/w fittings, quick release (Ref. No.529).		1	—	—
—	Pack assembly, Chest Type C, Mark 1A	Ref. No. 330. C/w main and auxiliary parachutes		1	—	—

RESTRICTED

RESTRICTED

MAN-CARRYING PARACHUTES
SECTION 15A—cont.

1	2	3	4	5	6	7
	PARACHUTE ASSEMBLIES—cont.					
	Chest Type, Mark 1A—cont.					
	Comprising :—					
—	Canopy, nylon, yellow, Type I.24, Mark 1A ...	Ref. No. 1228. C/w ring and strop assembly. Super- sedes Ref. No. 558.		1	—	—
—	Elastics, pack opening, No. 1	Ref. No. 83. Set of 6		—	—	—
—	Pack, Type C, Mark 2	Ref. No. 156		1	—	—
—	Pad, back, Mark 1	Ref. No. 191		1	—	—
—	Parachute, auxiliary, Irvin, Mark 1	Ref. No. 100		1	—	—
—	Ripcord assembly, Mark 5	Ref. No. 236		1	—	—
—	Steel, pack	Ref. No. 170		2	—	—
819	Chest Type, Mark 3	Ref. No. allotted for identification purposes only. Item not provisioned as a complete assembly. Superseded by Ref. No. 1007.		—	A	each
	Consisting of :—					
—	Harness, Type D, Mark 3	Ref. Nos. 875 to 880, sizes 1 to 6. Pre Mod. Para. M.53.		1	—	—
—	Pack assembly, Chest Type C, Mark 1	Ref. No. 141. C/w main and auxiliary parachutes		1	—	—
—	Suits, flying, Mark 3	Ref. Nos. 22C/1974 to 1979, sizes 1 to 6. C/w linings		1	—	—
1007	Chest Type, Mark 4	Ref. No. allotted for identification purposes only. Item not provisioned as a complete assembly. Supersedes Ref. No. 819.		—	A	each
	Consisting of :—					
—	Harness, Type D, Mark 3	Ref. Nos. 875 to 880. Sizes 1 to 6. Post Mod. Para. M.53.		1	—	—
—	Pack assembly, Chest Type, Mark 4	Ref. No. 955		1	—	—
	Comprising :—					
—	Cable, arming	Ref. No. 1227. C/w ring and strop assembly. Super- sedes Ref. No. 549.		1	—	—
—	Cord, connecting, auxiliary parachute	Ref. No. 856		1	—	—
—	Elastics, pack opening, No. 1	Ref. No. 83. Set of 6. 11 in. long		1	—	—
—	Pack, Type C, Mark 5	Ref. No. 954		1	—	—
—	Parachute, auxiliary, Mark 1	Ref. No. 100		1	—	—
—	Suits, flying, Mark 5	Ref. Nos. 22C/2001 to 2006. Sizes 1 to 6. C/w linings		1	—	—

RESTRICTED

25

RESTRICTED

MAN-CARRYING PARACHUTES
SECTION 15A—cont.

1	2	3	4	5	6	7
	PARACHUTE ASSEMBLIES—cont.					
	Chest Type, Mark 4—cont.					
	Accessories :—					
—	Barometric power unit, Type B/2, Mark 1 ...	Ref. No. 948		1	—	—
	Spares :—					
—	Guide, arming pin	Ref. No. 1075		1	—	—
—	Manual override assembly	Ref. No. 1072		1	—	—
—	Manual override housing	Ref. No. 1073		1	—	—
—	Nut, gland, $\frac{5}{8}$ in. \times 26	Reference 5K/88	AGS.1658/1	1	—	—
—	Power cable and housing assembly	Ref. No. 1074		1	—	—
1115	Chest Type, Mark 5	Ref. No. allotted for identification purposes only. Item not provisioned as a complete assembly. Supersedes Ref. No. 550 for Shackleton aircraft.		—	A	each
	Consisting of :—					
—	Harness, Type D, Mark 1	Ref. No. 144. C/w fittings, quick release, Ref. No. 529 or 1079. Introduced by Class D/4 Mod.		1	—	—
—	Pack, assembly Chest Type, Mark 7	Ref. No. 1067		1	—	—
	Comprising :—					
—	Canopy, nylon, white, I.24, Mark 1	Ref. No. 1227. C/w ring and strop assembly. Supersedes Ref. No. 549.		1	—	—
—	Cord, connecting auxiliary parachute	Ref. No. 856		1	—	—
—	Elastics, pack opening, No. 1	Ref. No. 83. Set of 6		—	—	—
—	Manual, 'D' ring assembly... ..	Ref. No. 1103		1	—	—
—	Pack, Type C, Mark 7	Ref. No. 1068		1	—	—
—	Pack, steel	Ref. No. 1112		2	—	—
—	Parachute, auxiliary, Irvin, Mark 1	Ref. No. 100		1	—	—
—	Static line assembly	Ref. No. 1102		1	—	—
1220	Chest Type, Mark 8	Ref. No. allotted for identification purposes only. Item not provisioned as a complete assembly. Supersedes Ref. No. 1007 on Canberra B(1)8 (Post Mod. 3832).		—	A	each
	Consisting of :—					
—	Harness, Type D, Mark 3	Ref. Nos. 875 to 880, sizes 1 to 6		1	—	—
—	Pack assembly, Chest Type, Mark 8	Ref. No. 1345		1	—	—

RESTRICTED

RESTRICTED

MAN-CARRYING PARACHUTES

SECTION 15A—cont.

1	2	3	4	5	6	7
	PARACHUTE ASSEMBLIES—cont.					
	Chest Type, Mark 8—cont.					
	Comprising :—					
—	Cable, arming assembly	Ref. No. 1403		1	—	—
—	Canopy, nylon, white, Type I.24, Mark 1	Ref. No. 1227		1	—	—
—	Cord, connecting, auxiliary parachute	Ref. No. 856		1	—	—
—	Elastics, pack opening, No. 1	Ref. No. 83. Set of 6. 11 in. long		1	—	—
—	Housing, arming cable	Ref. No. 1404		1	—	—
—	Line, static, assembly	Ref. No. 1405		1	—	—
—	Manual override assembly	Ref. No. 1072		1	—	—
—	Pack, Type C, Mark 8	Ref. No. 1402		1	—	—
—	Parachute, auxiliary, Mark 1	Ref. No. 100		1	—	—
—	Power cable and housing assembly	Ref. No. 1074		1	—	—
—	Ripcord housing assembly	Ref. No. 1406		1	—	—
	Accessories :—					
—	Barometric Power Unit, Type B/2, Mark 1	Ref. No. 948		1	—	—
1028	P.B.1. Type, Mark 3	MRL.IRV.345	—	A	each
	Comprising :—					
—	Board ejector, kicker, No. 1	Ref. No. 316		1	—	—
1104	Canopy, nylon, white, Type I.28/1	Not supplied as a spare	MRL.IRV.268	1	—	—
—	Elastics, pack opening, No. 1	Ref. No. 83. Set of 6... ..		8	—	—
—	Fittings, quick release, 4-point	Ref. No. 970		1	—	—
—	Harness, P.B.1 Type	Ref. No. 1095		1	—	—
—	Pack, P.B.1 Type	Ref. No. 1096		1	—	—
—	Parachute, auxiliary, Vane Type, Mark 3	Ref. No. 605		1	—	—
—	Pocket, sliding	Ref. No. 400		1	—	—
—	Ripcord assembly, Mark 14	Ref. No. 1099		1	—	—
—	Ripcord housing, Mark 4	Ref. No. 182		1	—	—
—	Sleeve, deployment	Ref. No. 1272. Post Mod. Para. M.235. Supersedes Ref. No. 1097.		1	—	—
—	Sock, Type 1	Ref. No. 1097		1	—	—
—	Strop, connecting	Ref. No. 1098. For use with auxiliary parachute.		1	—	—

RESTRICTED

27

RESTRICTED

MAN-CARRYING PARACHUTES

SECTION 15A—cont.

1	2	3	4	5	6	7
	PARACHUTE ASSEMBLIES—cont.					
1029	P.B.1. Type, Mark 4 :—					
	Comprising :—					
—	Board ejector, kicker, No. 1	Ref. No. 316		1	—	—
1106	Canopy, Type I.28/3, blank gore	Not supplied as a spare	MRI.IRV.421	1	—	—
—	Elastics, pack opening, No. 1	Ref. No. 83. Set of 6		8	—	—
—	Fittings, quick release, 4-point	Ref. No. 970		1	—	—
—	Harness, P.B.1 Type	Ref. No. 1095		1	—	—
—	Pack, P.B.1 Type	Ref. No. 1096		1	—	—
—	Parachute, auxiliary, Vane Type, Mark 3	Ref. No. 605		1	—	—
—	Pocket, sliding	Ref. No. 1100		1	—	—
—	Ripcord assembly, Mark 14	Ref. No. 1099		1	—	—
—	Ripcord housing, Mark 4	Ref. No. 182		1	—	—
—	Sleeve, deployment	Ref. No. 1272. Post Mod. Para M.235. Supersedes Ref. No. 1097.		1	—	—
—	Sock, P.B.1 Type	Ref. No. 1097		1	—	—
—	Strop, connecting	Ref. No. 1098. For use with auxiliary parachute		1	—	—
1297	P.X.1. Type, Mark 2, Khaki		MRI.IRV.528	1	A	each
	Comprising :—					
—	Canopy, Type I.32, Mark 1, khaki	Ref. No. 1241		1	—	—
—	Fittings, quick release, 4-point	Ref. No. 970		1	—	—
—	Harness, Type X, Mark 2	Ref. No. 675		1	—	—
—	Pack, inner, Type PX1, Mark 1	Ref. No. 1240		1	—	—
—	Pack, outer, Type PX1/I.32, Mark 1	Ref. No. 1293		1	—	—
—	Piece, extension	Ref. No. 500		1	—	—
	Spares :—					
—	Sock, apex	Ref. No. 911		1	—	—
1298	P.X.1. Type, Mark 2, White		MRI.IRV.528	1	A	each
	Comprising :—					
—	Canopy, Type I.32, Mark 1, white	Ref. No. 1299		1	—	—
—	Fittings, quick release, 4-point	Ref. No. 970		1	—	—
—	Harness, Type X, Mark 2	Ref. No. 675		1	—	—
—	Pack, inner, Type PX1, Mark 1	Ref. No. 1240		1	—	—
—	Pack, outer, Type PX1/I.32, Mark 1	Ref. No. 1293		1	—	—
—	Piece, extension	Ref. No. 500		1	—	—

RESTRICTED

RESTRICTED

MAN-CARRYING PARACHUTES

SECTION 15A—cont.

1	2	3	4	5	6	7
	PARACHUTE ASSEMBLIES—cont.					
	PX1, Type, Mark 2, White—cont.					
	Spares :—					
—	Sock, apex	Ref. No. 911		1	—	—
1307	Reserve, Mark 2	For use with Ref. Nos. 674, 681, 1297 and 1298. Introduced by Mod. Para. M.79. Supersedes Ref. No. 678.	GQ.2016	1	A	each
	Comprising :—					
—	Canopy	Ref. No. 1300. C/w rigging lines and strop		1	—	—
—	Elastics, pack opening, No. 3	Ref. No. 713. Set of six		—	—	—
—	Pack, Type R, Mark 1	Ref. No. 707		1	—	—
—	Ripcord assembly reserve	Ref. No. 712		1	—	—
1030	Reserve, Type P.R.1, Mark 2	For Parachute, Type P.B.1, Marks 3 and 4 ...	MRI.IRV.361	1	A	each
	Comprising :—					
—	Canopy, nylon, white, Type I.24, Mark 1 ...	Ref. No. 549. C/w rigging lines. Not supplied as a spare.		1	—	—
—	Elastics, pack opening, No. 3	Ref. No. 713. Set of six		6	—	—
—	Pack, Type P.R.1/2	Ref. No. 1093		1	—	—
—	Ripcord assemblies, Mark 13	Ref. No. 1094		1	—	—
—	Strap, pack retaining	Ref. No. 1381		2	—	—
682	Seat Type, Mark 10	Supersedes Ref. No. 556. Introduced by Mod. Para. M.33A.	MRI.IRV.125	1	A	each
	Comprising :—					
—	Canopy, white, Type I.24, Mark 1	Ref. No. 1229. Supersedes Ref. No. 549. C/w rigging lines.		1	—	—
—	Elastics, pack opening, No. 1	Ref. No. 83. Set of six		—	—	—
—	Fitting, quick release, 4-point inertia proof, Mark 6.	Ref. No. 1079. Post Mod. Para. M.207. Class D/4 Mod. Not to be demanded for this assembly until Stock of Ref. No. 150 is exhausted.		1	—	—
—	Harness, Type C, Mark 7	Ref. No. 691. Quickly adjustable. Available as a spare for Ref. No. 682.		1	—	—
—	Housing, ripcord, Mark 3	Ref. No. 199		1	—	—
—	Pack, Type S, Mark 2	Ref. No. 96. For nylon lines with 2 in. loops ...		1	—	—
—	Pad, back, Mark 1	Ref. No. 191		1	—	—

RESTRICTED

RESTRICTED

MAN-CARRYING PARACHUTES
SECTION 15A—cont.

1	2	3	4	5	6	7
	PARACHUTE ASSEMBLIES—cont.					
	Seat Type, Mark 10—cont.					
	Comprising—cont.					
—	Parachute, auxiliary, Irvin, Mark 1	Ref. No. 100		1	—	—
—	Ripcord assembly, Mark 3	Ref. No. 198		1	—	—
	Accessories :—					
—	Cushion, Mark 1, 2 in., rubberised hair	Ref. No. 183. C/w cover		1	—	—
	Spares :—					
—	Cover, cushion, heavy	Ref. No. 218		1	—	—
—	Cover, cushion, tropical	Ref. No. 219		1	—	—
738	Seat Type, Mark 12A	Naval aviation only	MRI.IRV.157	1	A	each
	Comprising :—					
—	Canopy, nylon, yellow, Type I.24, Mark 1A	C/w rigging lines. Ref. No. 558		1	—	—
—	Elastics, pack opening, No. 1	Ref. No. 83. Set of six		1	—	—
—	Fittings, quick release, 4-point inertia proof, Mark 6.	Ref. No. 1079. Post Mod. Para. M.207		1	—	—
—	Harness, Type C, Mark 9	Ref. No. 739		1	—	—
—	Housing, ripcord, Mark 3	Ref. No. 199		1	—	—
—	Pack, Type S, Mark 2	Ref. No. 96		1	—	—
—	Pad, back, Mark 6	Ref. No. 652		1	—	—
—	Parachute, auxiliary, Irvin, Mark 1	Ref. No. 100		1	—	—
—	Ripcord assembly, Mark 3... ..	Ref. No. 198		1	—	—
	Accessories :—					
—	Cushion, Mark 1, 2 in. rubberised hair	Ref. No. 183. C/w cover		1	—	—
	Spares :—					
—	Cover, cushion, heavy	Ref. No. 218		1	—	—
—	Cover, cushion, tropical	Ref. No. 219		1	—	—
932	Seat Type, Mark 13A	Naval aviation only	MRI.IRV.311	1	A	each
	Comprising :—					
—	Fittings, quick release, 4-point inertia proof, Mark 6.	Ref. No. 1079. Post Mod. M.207		1	—	—
—	Harness, Type C, Mark 10	Ref. No. 933		1	—	—
—	Housing, ripcord, Mark 7	Ref. No. 958		1	—	—
—	Pad, back, Mark 13	Ref. No. 957		1	—	—

RESTRICTED

RESTRICTED

MAN-CARRYING PARACHUTES

SECTION 15A—cont.

1	2	3	4	5	6	7
	PARACHUTE ASSEMBLIES—cont.					
	Seat Type, Mark 13A—cont.					
	Comprising:—					
—	Ripcord, assembly, Mark 11	Ref. No. 959		1	—	—
	Spares:—					
—	Webbing, cotton, khaki, 1½ in.	Ref. No. 1050		1 yd.	—	—
965	Seat Type, Mark 14	Supersedes Ref. No. 683	MRI.IRV.383, Issue 2.	1	A	each
	Comprising:—					
—	Canopy, celanese, white, Type R.17, Mark 3 ...	C/w rigging lines. Ref. No. 638		1	—	—
—	Disconnect assembly, static line, Mark 2 ...	Ref. No. 1043		1	—	—
—	Elastic, pack opening, No. 1	Ref. No. 83. Set of 6		—	—	—
—	Fittings, quick release, 4-point inertia proof, Mark 6.	Ref. No. 1079. Post Mod. Para. M.207		1	—	—
—	Harness, Type C, Mark 11	Ref. No. 1038		1	—	—
—	Pack, Type S, Mark 5	Ref. No. 964		1	—	—
—	Pad, back, Mark 1	Ref. No. 191		1	—	—
—	Parachute, auxiliary, Vane Type, Mark 3 ...	Ref. No. 605		1	—	—
	Accessories:—					
—	Power unit, barometric, Type B2, Mark 1 ...	Ref. No. 948		1	—	—
	Spares:—					
—	Cable, arming	Ref. No. 1040		1	—	—
—	Cable, manual override	Ref. No. 1039		1	—	—
—	Cable, static line	Ref. No. 1041		1	—	—
—	Housing, arming cable	Ref. No. 1046		1	—	—
—	Housing, manual override	Ref. No. 1044		1	—	—
—	Housing, ripcord	Ref. No. 1045		1	—	—
—	Ripcord	Ref. No. 1042		1	—	—
—	Sleeve	Ref. No. 1047		1	—	—
—	Washer	Ref. No. 1048		1	—	—
1010	Seat type, Mark 15	For Canberra Aircraft fitted with Mark 3 (1 and 2) Series Ejection Seat	C.T. MBEU/600/PA	1	A	each
	Comprising:—					
—	Canopy, nylon, white, Type I.24, Mark 1 ...	Ref. No. 1229. Supersedes Ref. No. 549		1	—	—
—	Elastics, pack opening, No. 9	Ref. No. 1347. 11 in. lg. × ¼ in. dia.		6	—	—

RESTRICTED

RESTRICTED

MAN-CARRYING PARACHUTES

SECTION 15A—cont.

1	2	3	4	5	6	7
	PARACHUTE ASSEMBLIES—cont.					
	Seat Type, Mark 15—cont.					
	Comprising—Cont.					
—	Fittings, quick release, 4-point, Mark 6	Ref. No. 1079. Introduced by Mod. PA.150		1	—	—
—	Harness, Type C, Mark 12... ..	Ref. No. 1058		1	—	—
—	Pack, Type S, Mark 6	Ref. No. 1057		1	—	—
—	Pad, back, Mark 18	Ref. No. 1111		1	—	—
—	Parachute, auxiliary, Mark 6	Ref. No. 802		1	—	—
—	Ripcord (pack opening), Mark 18	Ref. No. 1062		1	—	—
—	Ripcord (drogue link line, disconnect) Mark 19	Ref. No. 1063		1	—	—
	Accessories :—					
—	Drogue link line, Mark 5	Ref. No. 1049		1	—	—
	Spares :—					
—	Cord, connecting, auxiliary parachute	Ref. No. 856		1	—	—
—	Pin, slide, disconnect	Ref. No. 924		1	—	—
—	Plate, adaptor	Ref. No. 342		1	—	—
—	Strap, restraining, negative "G"	Ref. No. 1119. Introduced by Mod. PA.65		1	—	—
—	Withdrawal line, Mark 6	Ref. No. 1061		1	—	—
1085	Seat Type, Mark 16	For Mark 2CA and 2CB. Ejection seats in Canberra aircraft.		—	A	each
	Comprising :—					
—	Canopy, nylon, white, Type I.24, Mark 1	Ref. No. 1229. Supersedes Ref. No. 549		1	—	—
—	Cord, connecting, auxiliary parachute	Ref. No. 856		1	—	—
—	Drogue, line link, Mark 5	Ref. No. 1049		1	—	—
—	Elastics, pack opening	Ref. No. 83. Set of 6		—	—	—
—	Fittings, quick release, 4-point, Mark 6	Ref. No. 1079		1	—	—
—	Harness, Type C, Mark 13... ..	Ref. No. 1086		1	—	—
—	Pack, Type S, Mark 7	Ref. No. 1087		1	—	—
—	Pad, back, Mark 24	Ref. No. 1265		1	—	—
—	Pad, back, assembly :—	Not provisioned as a complete assembly.		—	—	—
	Consisting of :—					
—	Pad, back, Mark 25	Ref. No. 1277. Post Mod. Para. M.236. Supersedes Ref. No. 1265.		1	—	—
—	Pad, lumbar	Ref. No. 1278. Post Mod. Para. M.236		1	—	—
—	Parachute, auxiliary, Mark 6	Ref. No. 802		1	—	—

RESTRICTED

RESTRICTED

MAN-CARRYING PARACHUTES
SECTION 15A—cont.

1	2	3	4	5	6	7
	PARACHUTE ASSEMBLIES—cont.					
	Seat Type, Mark 16—cont.					
	Comprising—cont.					
—	Plate, adaptor	Ref. No. 342		1	—	—
—	Ripcord and housing assembly, Mark 21 (manual override).	Ref. No. 1114		1	B	each
—	Ripcord and housing assembly, Mark 20	Ref. No. 113		1	B	„
—	Withdrawal line, Mark 3	Ref. No. 929		1	—	—
803	X Type, Light-weight Dummy	For Synthetic Training	MRI.GQ.245, Issue 2.	—	A	each
674	X Type, Mark 4, Khaki	With attachments for reserve parachute and weapon containers.	MRI.GQ.139	1	A	„
	Comprising :—					
1105	Canopy, nylon, khaki, 28 ft. dia.	C/w rigging lines. Not supplied as a spare ...		—	—	—
—	Fittings, quick release, 4-point	Ref. No. 970. Post Mod. M.46		1	—	—
—	Harness, Type X, Mark 2	Ref. No. 675		—	—	—
—	Pack, inner, Type X, Mark 2	Ref. No. 509. C/w static lines		—	—	—
—	Pack, outer, Type X, Mark 2	Ref. No. 503		—	—	—
	Spares :—					
—	Extension piece	Ref. No. 500		1	—	—
—	Sock, apex	Ref. No. 911. Introduced by Mod. Para. M.42 ...		1	—	—
681	X Type, Mark 4, White	With attachments for reserve parachute and weapon containers.	MRI.GQ.139	1	A	each
	Comprising :—					
—	Canopy, nylon, white, 28 ft. dia.	C/w rigging lines. Ref. No. 1104. not supplied as a spare.		1	—	—
—	Fittings, quick release, 4-point	Ref. No. 970. Post-Mod. M.46		1	—	—
—	Harness, Type X, Mark 2	Ref. No. 675		1	—	—
—	Pack, inner, Type X, Mark 2	Ref. No. 509. C/w static lines		1	—	—
—	Pack, outer, Type X, Mark 2	Ref. No. 503		1	—	—
	Spares :—					
—	Extension piece	Ref. No. 500		1	—	—
—	Sock apex	Ref. No. 911. Introduced by Mod. Para. M.42 ...		1	—	—

RESTRICTED

RESTRICTED

MAN-CARRYING PARACHUTES

SECTION 15A—cont.

1	2	3	4	5	6	7
	PARACHUTE ASSEMBLIES—cont.					
678	Reserve	For use with Ref. Nos. 674 and 681. Superseded by Ref. No. 1307.		1	A	each
	Comprising :—					
—	Canopy, nylon, white, Type L24, Mark 1	Ref. No. 549. C/w rigging lines		1	—	—
—	Elastics, pack opening, No. 3	Ref. No. 713. Set of 6		1	—	—
—	Pack, Type R, Mark 1	Ref. No. 707		1	—	—
—	Ripcord assembly reserve	Ref. No. 712		1	—	—
804	Reserve, light-weight, dummy	For synthetic training. For use with Ref. No. 803	MRL.GQ.246, Issue 2.	—	A	each
805	Reserve, light-weight, halter Type	For synthetic training. For use with Ref. No. 803	MRL.GQ.247. Issue 2.	—	A	"
	PARACHUTE ACCESSORIES:—					
	Bags, travelling :—					
73	No. 1	For Chest and Seat Type parachutes.	IAC.762	1	B	each
	Spares :—					
340	Fastener, zip, 36 in.		—	—	—
618	No. 2	For Back Type Parachutes	IAC.765	1	B	each
	Boxes, parachute :—					
596	Metallised plywood	For tropical zones		1	A	"
595	Steel	For temperate zones		1	A	"
	Cases, transit, parachute :—					
588	Mark 1	For Home issue only		1	E	"
589	Mark 2	For Overseas issue only		1	B	"
519	Container, storage, parachute	For use in Maintenance Command only	40GP/655/1944	1	E	"
1043	Disconnect assembly, static line, Mark 2	For Parachutes, Seat Type, Mark 14... ..	MRI.IRV.364	1	A	"
	Drogue link line assemblies :—					
918	Mark 1	n For Parachutes, Back Type, Marks 9, 13, 13A, 19, 19A and 24. Superseded by Ref. No. 1049.	MBEU/4068	—	B	"
857	Mark 2	For Parachutes, Back Type, Marks 18A and 21A	IAC.1748	—	B	"
1049	Mark 5	For Parachutes, Back Type, Marks 9, 13, 13A, 19, 19A, 36 and 43. Seat Type, Marks 15 and 16. Supersedes Ref. No. 918.	MBEU/320PA	1	B	"

RESTRICTED

RESTRICTED

MAN-CARRYING PARACHUTES

SECTION 15A—cont.

1	2	3	4	5	6	7
	PARACHUTE ACCESSORIES—cont.					
	Strops :—					
935	3 ft. 6 in.	For use on lower deck of Beverley aircraft	G.Q.30842	1	A	each
798	4 ft. 6 in.	For use on upper deck of Beverley aircraft	Blackburn. 6585/2261.	1	A	"
579	11 ft.	For use on Hastings aircraft	SME.8824	34	C	"
	Spares :—					
641	Hook, static line strop	AML.268	1	C	"
1256	Pin, safety	AML.267	1	C	gross
	PARACHUTE RELEASES AND REMOVABLE FITTINGS :—					
948	Barometric Power Unit, Type B/2, Mark 1	For Parachutes, Chest Type, Marks 4 and 8. Seat Type, Marks 11 and 14. Back Types, 17, 20, 34 and 46.	MRL.IRV.238	1	A	each
	Accessories :—					
1012	Case, transit	For Crank loading tool... ..	IAC.2508	1	A	"
1017	Case, transit	For Barometric power unit	IAC.2475	1	A	"
1013	Crank loading tool	IAC.2212	1	A	"
1018	Electrical arming rigs, c/w cover	IAC.2509	1	A	"
	Spares :—					
1077	Arming pin, flanged	IAC.2567	1	A	"
1078	Bush, timing	IAC.2568	1	A	"
1016	Pillar, loading tool assembly	IAC.2294	1	A	"
1014	Safety bar assembly	IAC.2293	4	A	"
	Spares :—					
1252	Buffer, rubber	IAC.2368	1	C	"
1251	Washer	IAC.2364	2	C	"
1015	Test arming pin assemblies	IAC.2372	4	C	"
	Spares :—					
1054	Blank nut	IAC.2289	1	C	"
1053	Extension sleeve	IAC.2059	1	C	"
1255	Extension sleeve assembly	Post-Mod. Para. M.228. Supersedes Ref. No. 1053	IAC.6037	1	C	"

RESTRICTED

RESTRICTED

MAN-CARRYING PARACHUTES

SECTION 15A—cont.

1	2	3	4	5	6	7
	PARACHUTE RELEASES AND REMOVABLE FITTINGS—cont.					
	Barometric Power Unit, Type B2, Mark 1—cont.					
	Spares—cont.					
1051	Main spring	IAC.2384	1	C	each
1055	Nipple, housing connection	IAC.2062	1	C	"
1052	Plunger and guide assembly	IAC.2383	1	C	"
1056	Stop assembly, arming pin	IAC.2057	1	C	"
1190	Barometric Release, Type N, Mark 1	Less pistons. For Parachutes Back Type, Mark 35 ...	MRI/GQ/330/F	1	A	"
1276	Barometric Release, Type N, Mark 2	For Parachutes, Back Type, Mark 35. Post-Mod. Para. M.70. Not supplied with Parachute.		1	A	"
	Accessories :—	For Marks 1 and 2				
1197	Piston, inner	GQ.31202	1	C	"
1192	Piston, outer	GQ.30656	1	C	"
	Spares :—	For Marks 1 and 2.				
1373	Arming wire, lock assembly	GQ.20724	1	C	"
1244	Block, cartridge	GQ.20404	1	C	"
1374	Bush	GQ.30391	1	C	"
1243	Cover, assembly	C/w screw	GQ.20400	1	C	"
1249	Nut, 4BA	With hole for locking wire		1	C	"
1245	Slide, assembly, firing pin	GQ.30907	1	C	"
1376	Spring, hammer	GQ.30444	1	C	"
1372	Spring, lock	GQ.30390	1	C	"
1377	Spring, rack	GQ.31749	1	C	"
1375	Spring, release lever	GQ.30350	1	C	"
1378	Window	GQ.31367	1	C	"
971	Disconnect assembly	Introduced by Mod. Para. M.53. Ref. No. allotted for identification purposes only.		—	—	"
	Consisting of :—		Harley Dwg No. :—			
973	Back plate	851, sheet 1	2	C	"
972	Quick release unit	825, sheet 1	1	B	pair
974	Shear bolt, c/w nut and washer	852, sheet 1	2	C	set

RESTRICTED

RESTRICTED

MAN-CARRYING PARACHUTES

SECTION 15A—cont.

1	2	3	4	5	6	7
	PARACHUTE SPARES :—					
1285	Adaptor , for constant flow EO sets	For Parachutes, Back Type, Marks 40 and 46 ...	IAC.3184	1	C	each
998	Apron	For parachutes, Back Type, Mark 31A. Naval aviation only.	MBEU/1280PA	1	C	"
999	Apron	For Parachutes, Back Type, Mark 29A. Naval aviation only.	MBEU/1320PA	1	C	"
1236	Apron	For Parachutes, Back Type, Mark 37A. Naval aviation only.	MBEU/1395PA	1	B	"
1304	Bag, deployment and static line assembly	For Parachutes, Back Type, Mark 35. Post-Mod. Para. M.69. Supersedes Ref. No. 1189 and 1214	GQ.10754	1	B	"
1189	Bag, deployment, drogue sock	For Parachutes, Back Type, Mark 35	GQ.10653	1	C	"
787	Bands, elastic, flat—1½ in.	For reserve parachutes	H.M.S.O. Code No. :—87/31	2	C	100
1362	Belt, manual-control assembly	For Parachute, Back Type, Mark 46. Supersedes Ref. No. 1288.	IAC.3378	1	C	each
1003	Board, kicker	For Parachutes, Back Type, Mark 26A	IAC.584	1	—	"
1302	Board, ejector	For Parachutes, Back Type, Marks 18A, 28, 29A, 30, 31A, 33 and 37A. Post-Mod. PA.164.	MBEU/3215PA	1	C	"
	Board, ejector kicker :—					
316	No. 1	For Parachutes, Back Type, Marks 13, 13A, 24, 36 and 36A.	GQ.199	1	C	"
838	No. 2	For Parachutes, Back Type, Mark 21A	IAC.1952	1	C	"
	Buckles :—					
177	Adaptor, quick release	For parachute harness	IAC.719	3	C	"
203	Adaptor, shoulder adjustment	For parachute harness	IAC.204	1	C	"
1125	Lap strap, adjustment	For Parachute, Back Type, Mark 30. Introduced by Mod. PA.106.	Harley 55175	1	C	"
1254	Lap strap adjustment	For Parachutes, Back Type, Marks 30, 41, 42 and 45. Post-Mod. PA.163. Supersedes Ref. No. 1125.	Aerole H.4016	2	C	"
202	Lift, web spacer	For parachute harness	IAC.247	1	C	"
723	Quick adjustment, upper	For quickly adjustable parachute harness only. Supersedes Ref. Nos. 685 and 700.	Harley 21175	1	C	"

RESTRICTED

RESTRICTED

37

MAN-CARRYING PARACHUTES

SECTION 15A—cont.

1	2	3	4	5	6	7	
	PARACHUTE SPARES—cont.						
	Buckles—cont.						
685	Sliding bar	n	For quickly adjustable parachute harness only. Superseded by Ref. No. 723.	GQ.818	1	C	each
	Accessories :—						
700	Clip, locking	n	GQ.30073	1	C	"
	Buttons, press :—		For back pads and seat cushions.				
720	Long spigot		Not provisioned complete	B.7050	1	C	doz.
	Consisting of :—						
—	Button		Reference 29G/4135		1	—	—
—	Eyelet, long type		Reference 29G/4128		1	—	—
—	Socket, hard action		Reference 29G/4263		1	—	—
—	Stud		Reference 29G/4173		1	—	—
—	Short spigot, Type B.7150		Reference 29G/4264		1	—	—
1262	Cable and Housing		For Parachute, Back Type, Mark 34	IAC.2948	1	C	each
	Cables :—						
963	Arming		For Parachutes, Chest Type, Mark 4... ..	IAC.2266	1	C	"
1040	Arming		For Parachutes, Seat Type, Mark 14... ..	IAC.2511	1	C	"
1166	Arming and housing assembly		For Parachutes, Back Type, Mark 34	IAC.2942/2	1	C	"
982	Arming assembly		For Parachutes, Back Type, Mark 20	IAC.2250	1	B	"
1191	Arming assembly		For Parachutes, Back Type, Mark 35	GQ.31337	1	B	"
1403	Arming assembly		For Parachutes, Chest Type, Mark 8	IAC.2941	1	B	"
1039	Manual override		For Parachutes, Seat Type, Mark 14... ..	IAC.2517	1	C	"
1165	Manual override and housing assembly		For Parachutes, Back Type, Mark 34	IAC.2952	1	B	"
1395	Manual override and housing assembly		C/w handle. For Parachutes, Back Type, Mark 46	IAC.3386	1	C	"
1394	Oxygen operating and housing assembly	IAC.3190, issue 2	1	C	"
983	Power		For Parachutes, Back Type, Mark 20	IAC.2407	1	B	"
1167	Power and housing assembly		For parachutes, Back Type, Marks 34 and 46	IAC.2953	1	B	"
1207	Release assembly		For Parachutes, Back Type, Mark 35	GQ.20538	2	B	"
1340	Static		Naval aviation only	MBEU/4162PA	2	A	"
1041	Static line		For Parachutes, Seat Type, Mark 14... ..	IAC.2516	1	B	"

RESTRICTED

RESTRICTED

MAN-CARRYING PARACHUTES

SECTION 15A—cont.

1	2	3	4	5	6	7
	PARACHUTE SPARES—cont.					
	Canopies :—					
549	Nylon, white, Type I.24, Mark 1	C/w rigging lines, for Parachute, Reserve Type, PRI. Mark 3.	IAC/305/1	1	A	each
558	Nylon, yellow, Type I.24, Mark 1A	C/w rigging lines, for Parachute, Back Type, Marks 2A and 12A.	IAC/305/1A	1	A	..
638	Celanese, white, Type R.17, Mark 3	C/w rigging lines, for Parachute, Back Type, Marks 6, 20, 34 and 46. Seat Types, Mark 14	MRI.IRV.472 (IAC.3121)	1	A	..
1198	18 ft. 6 ins. Lightweight shaped	For Parachutes, Back Type, Mark 35, not provisioned as a spare.	MRI.CQ.416	1	A	..
1199	6 ft. Stabiliser assembly	For Parachutes, Back Type, Mark 35, C/w swivel release unit (MRI.GQ.420) not provisioned as a spare.	GQ.10567	1	A	..
1227	Nylon, white, Type I.24, Mark 1	C/w Ring and Strop Assembly, for Parachute Pack Assemblies, Chest Type, Marks, 1, 4, 5, 6, 7 and 8. Supersedes Ref. No. 549.	MRI.IRV.472 (IAC.3121)	1	A	..
1228	Nylon, yellow, Type I.24, Mark 1A	C/w Ring and Strop Assembly for Parachute Pack Assembly, Chest Type, Mark 1A. Supersedes Ref. No. 558.	MRI.IRV.472 (IAC.3121)	1	A	..
1229	Nylon, white, Type I.24, Mark 1	For Parachutes, Back Type, Marks 4, 5, 9, 13, 19, 24, 28, 30, 32, 33, 36, 41, 43 and 45, Seat Types, Marks 10, 15 and 16. Supersedes Ref. No. 549.	MRI.IRV.20 (IAC.305/1)	1	A	..
1230	Nylon, yellow, Type I.24, Mark 1A	For Parachutes, Back Type, Marks 13A, 18A, 19A, 29A, 31A, 36A, 37A, 39A and 44A. Supersedes Ref. No. 558. Naval aviation only.	MRI.IRV.20 (IAC.305/1)	1	A	..
1241	Type I.32, Mark 1, khaki	For Parachute, Type PXI, Mark 2, khaki	MRI.IRV.463	1	A	..
1299	Type I.32, Mark 1, white	For Parachute, Type PXI, Mark 2, white	MRI.IRV.463	1	A	..
1300	Canopy	C/w rigging lines and strop	GQ.2025	1	A	..
1183	Clamp assemblies	For Parachutes, Back Type, Mark 35	FAL.1816-1669A	1	B	..
—	Bolt, 10 UNF, 2A × 1.40 in.	Reference 28DU/17273... ..	AS.116/9D	2	—	—
—	Nut, 10 UNF, 2B	Reference 28M/9438428	A.126/D	2	—	—
1174	Clamp, housing, bottom	For Parachutes, Back Type, Marks 34 and 46	IAC.2888	1	C	each
1173	Clamp, housing, top	For Parachutes, Back Type, Marks 34 and 46	IAC.2887	1	C	..

RESTRICTED

RESTRICTED

MAN-CARRYING PARACHUTES

SECTION 15A—cont.

1	2	3	4	5	6	7
	PARACHUTE SPARES—cont.					
1234	Combined drogue link parachute withdrawal line ...	For Parachutes, Back Type, Mark 37A. Naval aviation only.	MBEU/805PA	1	B	each
1005	Cone	For Parachutes, Back Type, Mark 26A	GQ.30871	2	—	..
1147	Cone	For Parachutes, Back Type, Marks 41, 42 and 45	O/MBEU/429PA	2	C	..
	Cones :—					
209	Pack locking, $\frac{7}{8}$ in. dia.	For Parachute pack	IAC.260 or 205	1	C	..
919	Connection, quick release	For Ref. No. 357		1	C	..
1193	Connection, housing, arming cable	For Parachutes, Back Type, Mark 35	CQ.31334	1	C	..
169	Connector D	For Chest Type packs	IAC.731	1	C	..
1216	Connector, female, dinghy, quick release	For Parachutes, Back Type, Mark 35	B/MBEU/61LDP	2	C	..
856	Cord, connecting, auxiliary parachute	For Ref. Nos. 802, 1085 and 1115. Parachute, Back Type, Marks 34, 41 and 46, and Chest Type, Mark 8.	IAC.1648	1	C	..
895	Cord, nylon	For Parachute, Back Type, Mark 36	IAC.583	1	C	..
1222	No. 1	Breaking strength, minimum 50 lbs.	Spec. DTD.	1	C	yard
502	No. 3	Breaking strength, minimum 40 lbs.	786E, Cord No. 1 Spec. DTD.	1	C	..
1258	No. 3/47	Breaking strength, minimum 47 lbs.	786E, Cord No. 3 Spec. DTD.	1	C	..
599	No. 4	Breaking strength, minimum 150 lbs., maximum 180 lbs.	786E, Cord No. 3/47 Spec. DTD.	1	C	..
1194	Coupling, ripcord	For Parachutes, Back Type, Mark 35	GQ.31201	1	B	each
867	Cover, cone protection	For Parachutes, Back Type, Marks 34 and 46	IAC.1574	1	B	..
	Cover, cushion :—					
218	Heavy	For Ref. No. 183	IAC.450	1	C	..
219	Tropical	For Ref. No. 183	IAC.451	1	C	..
	Cushions :—					
183	Mark 1, 2 in. rubberised hair	For use with Ref. No. 96. C/w covers, heavy (Ref. No. 218) or covers, tropical (Ref. No. 219).	IAC.450	1	B	..
729	Mark 6	For Parachutes, Back Type, Mark 9, Supersedes Ref. No. 722.	MBEU/4150	1	A	..

RESTRICTED

RESTRICTED

MAN-CARRYING PARACHUTES

SECTION 15A—cont.

1	2	3	4	5	6	7
	PARACHUTE SPARES—cont.					
	Cushions—cont.					
	Spares :—					
	Plate, back	Ref. No. 1080	MBEU/4161	1	C	each
1200	Disconnect , static line assemblies	For Parachutes, Back Type, Mark 35	GQ.31250	1	B	"
1195	Distributor, assembly	For Parachutes, Back Type, Mark 35	GQ.31200	1	B	"
1379	Drogue link line assembly, Mark 6	For Parachutes, Back Type, Mark 30	MBEU/3309PA	1	B	"
1380	Drogue link line assembly, Mark 7	For Parachutes, Back Type, Marks 28 and 33	MBEU/3311PA	1	B	"
	Elastics, Pack Opening :—					
83	No. 1	Set of 6. 11 in. lengths. For Parachutes, Back Type, Marks 32 and 43 and Chest Type, Mark 8.	IAC.879	—	C	set
539	No. 2	Set of 6. 6½ in. lengths	IAC.878	—	C	"
713	No. 3	Set of 6. For reserve parachutes only	GQ.1384	—	C	"
818	No. 4	25 in. lengths. For Back Type Parachutes, Marks 20, 34 and 46.	IAC.1692	—	C	each
836	No. 6	Set of 6. 11 in. lengths. Alternative to Ref. No. 83. For Parachutes, Seat Type, Mark 12A.	GQ.1002	—	C	set
854	No. 7	8 in. lengths. For Parachutes, Back Type, Mark 18A and 21A.	O/MBEU/122PA	2	C	each
855	No. 8	4½ in. lengths. For Parachutes, Back Type, Marks 18A and 21A.	O/MBEU/192PA	2	C	"
1347	No. 9	11 in. lg. × ¼ in. dia. For Parachutes, Seat Type, Mark 15.	MBEU/517A	6	C	set of 6
—	7 in.	Reference 15D/640. For Parachutes, Back Type, Mark 46.		2	C	each
	Spares :—					
88	Eyes	For Ref. Nos. 83, 539 and 713	IAC.711	1	C	gross
757	Hooks, brass, black	For Ref. Nos. 83 and 539		1	C	"
837	Hooks, nickel-plated	For Ref. No. 836		1	C	"
1259	Elastic, strap restraining	For Parachutes, Back Type, Mark 34	IAC.3170	1	C	"
1226	Extensions, waist belt	For Parachutes, Back Type, Mark 36 and 36A	IAC.3080	1	C	"

RESTRICTED

RESTRICTED

41

MAN-CARRYING PARACHUTES

SECTION 15A—cont.

1	2	3	4	5	6	7
	PARACHUTE SPARES—cont.					
	Eyelets :—					
1002	½ in.	For Parachutes, Back Type, Mark 26A		2	C	gross
1001	⅜ in.	For Parachutes, Back Type, Marks 26A and 33	Bodill Parker 6164A.	4	C	"
368	C/w ⅜ in. washers	For all cushions		1	C	"
364	C/w ⅜ in. washers	For X Type Parachutes	GQ.DIS.252	1	C	"
	Fabrics :—					
751	Canvas, khaki, duck	Naval aviation only	Spec. BES.AF.55	1	C	yd.
767	Celanese, fortisan, white	For repair of lightweight canopies	Spec. D.T.D.814	1	C	"
548	Nylon, khaki, plain weave	For repair of khaki X Type Parachutes	Spec. D.T.D. 793	1	C	"
1280	Nylon, khaki, non-porous	For repair of Type I32 Canopies	IAC/S.1302	—	C	"
1279	Nylon, khaki, porous	For repair of Type I32 Canopies	Spec. D.T.D. 854	—	C	"
476	Nylon, white, plain weave	For repair of white canopy parachutes	Spec. D.T.D.556	1	C	"
763	Nylon, yellow, plain weave	Naval aviation only	Spec. D.T.D.556 or 793.	1	C	"
	Fittings, quick release :—					
1148	3-point, Mark 8		AML.11052	1	B	each
	Spares :—					
1155	Arm, driving		AML.10886	2	C	"
1219	Assembly, back plate		AML.11145	1	C	"
1150	Assembly, cover plate		AML.10889	1	C	"
1154	Bolt, shouldered		AML.10883	1	C	"
1157	Bush, guide		AML.10789	2	C	"
1158	Knob, screw		AML.10895	1	C	"
1218	Knob, operating		AML.11078	1	C	"
1161	Lug, connecting waist belt		AML.11054	1	C	"
1151	Pin, catch		AML.10873	1	C	"
—	Pin, locking	Ref. No. 566	IAC.701/13/3	1	C	"
1160	Plate, anti "G"		AML.10867	1	C	"

RESTRICTED

RESTRICTED

MAN-CARRYING PARACHUTES

SECTION 15A—cont.

1	2	3	4	5	6	7
	PARACHUTE SPARES—cont.					
	Fittings, quick release—cont.					
	3-point, Mark 8—cont.					
	Spares—cont.					
1138	Plunger, locking	AML10866	3	C	each
1217	Plunger, locking	AML11058	1	C	"
1139	Plunger, operating	AML10793	1	C	"
1224	Ring, knob, locking	AML11137	1	C	"
1306	Ring, knob, locking	Superseded by Ref. No. 1306	AML11137, issue 3	1	C	"
—	Screw, countersunk head. No. 6 × 32 U.N.C.	Post-Mod. Para. M80. Supersedes Ref. No. 1224 ...		1	C	"
1140	Screw, grub	Reference 28S/9435594... ..		4	—	—
1152	Spring, compression	AML10719	1	C	each
1141	Spring, locking pin	AML10876	1	C	"
—	Spring, locking plunger	AML10885	1	C	"
1156	Spring, torsion	Ref. No. 395	IAC.701/16/3	4	C	"
—	Stiff-nut, No. 6 × 32 U.N.C.	AML10707	2	C	"
1344	3-point, Mark 9	Reference 28M/9438426	B.S.A. 126/B	2	—	—
—	Spares :—	For Parachutes, Back Type, Mark 35, Post-Mod.	AML11052	1	B	each
—	Arm, driving	Para. M80		2	—	—
1351	Assembly, back plate	Ref. No. 1155	AML11145, issue 4	1	C	each
—	Assembly, cover plate		1	—	—
—	Bolt, shouldered	Ref. No. 1150		1	—	—
—	Bush, guide	Ref. No. 1154		2	—	—
1342	Connector, flexible	Ref. No. 1157	AML11583	1	C	each
—	Knob, screw		1	—	—
—	Knob, operating	Ref. No. 1158		1	—	—
—	Lug, connecting waist belt	Ref. No. 1218		1	—	—
—	Pin, catch	Ref. No. 1161		1	—	—
—	Pin, locking	Ref. No. 1151		1	—	—
—	Plate, anti "G"	Ref. No. 566		1	—	—
—	Plunger, locking	Ref. No. 1160		1	—	—
—	Plunger, locking	Ref. No. 1138		3	—	—
—	Plunger, operating	Ref. No. 1217		1	—	—
—	Ring knob, locking	Ref. No. 1139		1	—	—
—		Ref. No. 1306		1	C	each

RESTRICTED

RESTRICTED

MAN-CARRYING PARACHUTES

SECTION 15A—cont.

1	2	3	4	5	6	7
	PARACHUTE SPARES—cont.					
	Fittings, quick release—cont.					
	3-point, Mark 9—cont.					
	Spares—cont.					
—	Screw, countersunk head, No. 6×32 UNC ...	Reference 28S/9435594... ..		4	—	—
—	Screw, grub	Ref. No. 1140		1	—	—
—	Spring, compression	Ref. No. 1152		1	—	—
—	Spring, locking pin	Ref. No. 1141		1	—	—
—	Spring, locking plunger	Ref. No. 395		4	—	—
—	Spring, torsion	Ref. No. 1156		2	—	—
—	Stiff-nut, No. 6×32 UNC	Reference 28M/9438426		2	—	—
150	4-point, Mark 1A	For use on Parachutes, Back Types, Marks 5, 6 and 20	IAC.701A	1	(A)	each
529	4-point, Mark 1B	For use on parachutes, Back Types, Marks 34 and 46, and Harness Type D, Mark 1. For Ref. Nos. 150 and 529.	IAC.701B	1	(B)	"
	Spares :—					
759	Body, group	IAC.701/8/5/3	1	(C)	"
571	Bracket, locking pin spring	IAC.701/6	1	C	"
726	Clip, safety	For use with Ref. No. 150 on Parachutes :—Back Types, Marks 6 and 20, Seat Type, Mark 10; Chest Type, Mark 1.	AML.155	1	C	"
758	Cover	IAC.701/4/3	1	C	"
414	Disc, knob operating	IAC.701/2/3	1	C	"
760	Pin, dowel	IAC.701/17/3	1	C	"
761	Pin, locating	IAC.701/19/3	1	C	"
566	Pin, locking, No. 6	IAC.701/13/3	1	C	"
342	Plate, adaptor	For use with Ref. No. 150 on Parachutes :—Back Types, Marks 5, 6, 16, 20 and 33. Seat Type, Mark 16. Also for use with Ref. No. 944 on Parachutes :— Back Types, Marks 28, 29A and 33.	IAC.701 A and B Pt. 3.	1	C	"
928	Plate, adaptor	For use with Ref. No. 150	A/MBEU/1041PA.	1	C	"
966	Plate, adaptor	For use with Ref. No. 150 on Parachute, Back Type, Mark 21A.	MBEU/1289PA.	1	C	"

RESTRICTED

RESTRICTED

MAN-CARRYING PARACHUTES

SECTION 15A—cont.

1	2	3	4	5	6	7
	PARACHUTE SPARES—cont.					
	Fittings, quick release—cont.					
	3-point, Mark 9—cont.					
	Spares—cont.					
762	Plate, lifting	IAC.701/10/3	1	C	each
393	Plunger, locking, No. 2	IAC.701/11	1	C	"
564	Plunger, operating, No. 4	IAC.701/12/3	1	C	"
926	Screw, disc knob	IAC.701/9/3	—	C	"
396	Screw, grub, No. 2	IAC.701/14	1	C	"
397	Spring, locking pin, No. 2	IAC.701/15	1	C	"
395	Spring, locking plunger, No. 2	IAC.701/16	1	C	"
970	4-point, Mark 3, Type X	For use on X Type parachutes Post-Mod. M.46. For parachutes P.B.I Type, Marks 3 and 4, and PXI, Mark 2.	AML.10516	1	B	"
	Spares :—					
987	Cover	AML.10517	1	C	"
985	Disc, knob	AML.10518	1	C	"
989	Plate, back	AML.10165	1	C	"
986	Plate, sub-assembly	AML.10521	1	C	"
—	Plunger, locking, No. 2	Ref. No. 393		3	—	—
—	Plunger, locking, No. 3	Ref. No. 573		1	—	—
988	Plunger, operating	Item 9 of AML. 10516.	1	C	each
1008	4-point, Mark 5	For use on Parachutes, Back Type, Mark 30 ...	MBEU.1620PA	1	B	..
	Spares :—					
1009	Plate, adaptor	For use with Ref. No. 1008	MBEU.1520PA	1	C	..
1122	Plate, front cover	MBEU/13315	1	C	"
1123	Screw, 2BA	MBEU/13319	1	C	"
1079	4-point, Mark 6, inertia proof	For use on Parachutes :— Back Type , Marks 4, 5, 9, 13, 13A, 18A, 19, 19A, 24, 26A, 28, 30, 32, 33, 36, 36A, 41, 42, 43 and 45. Chest Type , Marks 1 and 5. Seat Type , Marks 10, 12A, 13A, 14, 15 and 16. Post-Mod. Para. M.207.	AML.10670	1	B	"

RESTRICTED

RESTRICTED

MAN-CARRYING PARACHUTES

SECTION 15A—cont.

1	2	3	4	5	6	7
	PARACHUTE SPARES—cont.					
	Fittings, quick release—cont.					
	4-point, Mark 6, inertia proof—cont.					
	Spares :—					
—	Arm, driving	Ref. No. 1155		2	—	—
—	Assembly, cover plate	Ref. No. 1150		1	—	—
—	Bolt, shouldered	Ref. No. 1154		2	—	—
—	Bush, guide	Ref. No. 1157		1	—	—
1145	Knob, operating	AML.10870	1	—	—
—	Knob, screw	Ref. No. 1158		1	—	—
—	Pin, catch	Ref. No. 1151		1	—	—
—	Pin, locking	Ref. No. 566		1	—	—
1137	Plate, adaptor	AML.10727	1	—	each
—	Plate, anti-“G”	Ref. No. 1160		1	—	—
1269	Plate, locking	Post-Mod. AML.23	AML.11344	1	C	each
—	Plunger, locking	Ref. No. 1138		4	—	—
—	Plunger, operating	Ref. No. 1139		1	—	—
1153	Ring, knob locking	AML.10872	1	C	each
—	Screw, countersunk head, No. 6 × 32UNC	Reference 28S/9435594		4	—	—
—	Screw, grub	Ref. No. 1140. Pre-Mod. AML.23		1	—	—
1270	Screw, grub	Post-Mod. AML.23	AML.11345	1	C	each
—	Spring, compression	Ref. No. 1152		1	—	—
—	Spring, locking pin	Ref. No. 1141		1	—	—
—	Spring, locking plunger	Ref. No. 395		4	—	—
—	Spring, torsion, driving arm	Ref. No. 1156		2	—	—
—	Stiff-nut, No. 6 × 32 UNC	Reference 28M/9438426		2	—	—
1081	4-point, Mark 7	For use on Helicopter Rescue Harness. Super- sedes Ref. No. 900.	AML.10164, Issue 3.	1	B	each
	Spares :—					
—	Bracket, spring	Ref. No. 571		1	—	—
—	Cover	Ref. No. 758		1	—	—
1142	Disc, knob	AML.10937	1	C	each
—	Nut, steel M.T., slotted, 2BA, RH.	Reference 28M/13121		1	—	—

RESTRICTED

RESTRICTED

MAN-CARRYING PARACHUTES

SECTION 15A—cont.

1	2	3	4	5	6	7
	PARACHUTE SPARES—cont.					
	Fittings, quick release—cont.					
	4-point, Mark 7—cont.					
	Spares—cont.					
—	Pin, cotter, split NA. $\frac{1}{8}$ in. dia. \times $\frac{3}{8}$ in. long...	Reference 28P/9429619		1	—	—
—	Pin, dowel	Ref. No. 760		1	—	—
—	Pin, locating	Ref. No. 761		1	—	—
—	Pin, locking	Ref. No. 566		1	—	—
—	Plate, lifting	Ref. No. 762		1	—	—
—	Plate, back	Ref. No. 989		1	—	—
1144	Plunger, locking	AML.10805	2	C	each
—	Plunger, operating	Ref. No. 564		1	—	—
1143	Plunger, static locking	AML.10929	2	C	each
—	Screw, disc knob	Ref. No. 926		1	—	—
—	Screw, grub, No. 2	Ref. No. 396		1	—	—
—	Screw, steel, countersunk head. 6 BA \times $\frac{1}{4}$ in. long	Reference 28S/1200057... ..		2	—	—
—	Screw, steel, countersunk head. 2 BA \times $\frac{1}{4}$ in. long	Reference 28S/9435718... ..		3	—	—
—	Spring, locking plunger	Ref. No. 395		4	—	—
—	Spring, locking pin	Ref. No. 397		1	—	—
1159	Sub-assembly of plates	AML.10160	1	C	each
513	6-point	For use on Parachutes, Back Type, Mark 2A ...	IAC.535	1	A	"
	Spares :—					
772	Knob	Naval aviation only	IAC.535/11	1	C	"
575	Lever, plunger locking	IAC.535/25	1	C	"
773	Lock, static	Naval aviation only	IAC.535/21	1	C	"
565	Pin, locking, No. 5	IAC.535/23/3	1	C	"
825	Pin, safety	Naval aviation only	IAC.535/33/3	1	C	"
574	Plunger, locking, belt	IAC.535/20	1	C	"
573	Plunger, locking, No. 3	IAC.535/19	1	C	"
563	Plunger, operating, No. 3	IAC.535/28/3	1	C	"
577	Screw, grub, No. 3	IAC.535/24	1	C	"
824	Screw, spring support retaining	Naval aviation only	IAC.535/18/3	1	C	"
568	Spring, locking, pin, No. 3	IAC.535/31	1	C	"
576	Spring, locking plunger, No. 3	IAC.535/16	1	C	"

RESTRICTED

47

RESTRICTED

MAN-CARRYING PARACHUTES

SECTION 15A—cont.

1	2	3	4	5	6	7
	PARACHUTE SPARES—cont.					
993	Flap and handle assemblies	For Parachutes, Back Type, Mark 20	IAC.1993	1	C	each
827	Flap, auxiliary	For Reserve Parachutes, Mark 1	GO.1291, Item 67	2	C	"
873	Flap, closure	For Parachutes, Back Type, Mark 20	IAC.1895	1	C	"
1261	Flap, closure	For Parachutes, Back Type, Mark 34	IAC.2843/16	1	C	"
1289	Flap, closure	For Parachutes, Back Type, Mark 46	IAC.3197/16	1	C	"
744	Flap, c/w rubbing strip	For Parachutes, Back Type, Mark 13	IAC.1020	1	C	"
1369	Flap, retaining (for ripcord handle)	For Parachutes, Back Type, Marks 37A, 41, 42 and 45. Introduced by Mod. PA.234.	MBEU/4391PA.	1	C	"
1109	Flap, ripcord cover	For Parachutes, Back Type, Marks 9, 13, 13A, 19, 19A and 24. Introduced by Mod. Para. M.206.	IAC.2495/1	1	C	"
1356	Flap, spring retention	For Parachutes, Back Type, Marks 18A, 28, 29A, 30, 31A, 33, 41, 42 and 45.	MBEU/3372PA.	1	C	"
756	Frame assembly	Naval aviation only. For use with Ref. No. 380 ...	IAC.269	1	B	"
	Grommets :—					
344	With washer, $\frac{3}{8}$ in. i/d.	IAC.893B	1	B	gross
210	With washer, $\frac{9}{16}$ in. i/d.	IAC.893A	1	B	"
1075	Guide, arming pin	For Parachutes, Back Type, Mark 46	IAC.2311	1	C	each
1263	Handle, manual override	For Parachutes, Back Type, Mark 34 and 46 ...	Aerolex 2002	1	C	"
1168	Handle, demand emergency oxygen	IAC.2951	1	C	"
	Harnesses :—					
598	Ground training paratroops	Irving 570	1	A	"
1184	Shoulder	For Parachute, Back Type, Mark 35	GQ.1969	1	A	"
	Type B :—	Quickly adjustable. For Parachutes, Back Type				
1090	Mark 3	Mark 4	MRI.IRV.423	1	B	"
688	Mark 11	Marks 13, 13A, 19 and 19A	IAC.1177	1	B	"
755	Mark 15	Mark 9	IAC.1561	1	B	"
791	Mark 16	Mark 18A		1	A	"
801	Mark 18	Mark 20	IAC.1773	1	B	"
807	Mark 19	C/w fittings quick release		1	A	"
910	Mark 21	Mark 24		1	A	"
914	Mark 23	D/MBEU/1050PA.	1	A	"
943	Mark 26	Mark 30, c/w fittings quick release	MBEU/1360PA.	1	A	"

RESTRICTED

RESTRICTED

MAN-CARRYING PARACHUTES

SECTION 15A—cont.

1	2	3	4	5	6	7
	PARACHUTE SPARES—cont.					
	Harnesses—cont.					
	Type B—cont.	Quickly adjustable. For Parachutes, Back Type—cont.				
945	Mark 27	Mark 26A		1	A	each
950	Mark 28	Mark 32	MRI.IRV.317	1	B	"
978	Mark 30	Mark 28	MBEU/1330PA.	1	A	"
990	Mark 31	Mark 29A	MBEU/1210PA.	1	A	"
996	Mark 32	Mark 33, c/w fittings quick release	MBEU/1430PA.	1	A	"
1117	Mark 33	Mark 34	MRI.IRV.435	1	A	"
1127	Mark 34	Back Type, Mark 36 and 36A	MRI.IRV.444	1	B	"
—	Mark 35	Not provisioned as a complete assembly, for Parachute, Back Type, Mark 35.	MRI.GQ/432	—	—	—
1232	Mark 36	For Parachute, Back Type, Mark 37A. Naval aviation only.	MBEU/3153PA.	1	A	each
1295	Mark 38	For Parachute, Back Type, Mark 43	MRI.IRV.526	1	A	"
1317	Mark 39	For Parachute, Back Type, Mark 41	D/MBEU/3061PA.	1	B	"
1338	Mark 40	Naval aviation only. For Parachutes, Back Type, Mark 39A.	MBEU/3068PA.	1	A	"
1348	Mark 41	For Parachute, Back Type, Mark 42	D/MBEU/3235PA.	1	B	"
1349	Mark 42	For Parachutes, Back Type, Mark 44A	MBEU/3228PA	1	A	"
1350	Mark 43	For Parachute, Back Type, Mark 45	D/MBEU/3077PA.	1	B	"
1364	Mark 44	For Parachutes, Back Type, Mark 46	IAC.3394	1	A	"
	Type C :—	Quickly adjustable. For Parachutes, Seat Type.				
691	Mark 7	Mark 10	IAC.1171	1	B	"
739	Mark 9	Mark 12A. Naval aviation only	IAC.1442	1	A	"
933	Mark 10	Mark 13A. Naval aviation only		1	A	"
1038	Mark 11	Mark 14	MRI.IRV.334	1	A	"
1058	Mark 12	Mark 15	MBEU/1670PA.	1	A	"
1086	Mark 13	Mark 16	MRI.IRV.407	1	A	"
	Type D :—	For Parachutes, Chest Type.				
144	Mark 1	Marks 1, 1A, and Mark 5	IAC.721	1	B	"

RESTRICTED

RESTRICTED

MAN-CARRYING PARACHUTES

SECTION 15A—cont.

1	2	3	4	5	6	7
	PARACHUTE SPARES—cont.					
	Harnesses—cont.					
	Type D—cont.					
875	Mark 3, size 1	Pre-Mod. Para. M.52, is for use with Flying Suits Mark 3, Ref. Nos. 22C/1947 to 1979, sizes 1 to 6. and Post-Mod. Para. M.53, is for use with Flying Suits, Mark 5, Ref. Nos. 22C/2001 to 2006, sizes 1 to 6. For Parachutes, Chest Type, Mark 8.		1	B	each
876	Mark 3, size 2		1	B	"	
877	Mark 3, size 3		1	B	"	
878	Mark 3, size 4		1	B	"	
879	Mark 3, size 5		1	B	"	
880	Mark 3, size 6		1	B	"	
1095	Type P.B.1	For Parachutes, P.B.1 Type, Marks 3 and 4	MRI.IRV.343	1	A	"
	Type X :—					
675	Mark 2		GQ.129	1	A	"
	Hooks :—					
428	Snap		AML.199	1	C	"
1071	Snap	Naval aviation only	AML.10684	1	C	"
155	Snap, pack attachment	Spare for Chest Type harness, Ref. No. 144	IAC.732	1	C	"
859	Static and arming cable 3½ in. assembly	For Parachute, Back Type, Mark 20	IAC.1904	1	C	"
—	Static line strop	Ref. No. 641		1	—	—
	Housings :—					
1196	Arming cable	For Parachutes, Back Type, Mark 35	GQ.31499	1	B	each
1046	Arming cable	For Parachutes, Seat Type, Mark 14...	IAC.2253	1	C	"
1404	Arming cable	For Parachutes, Chest Type, Mark 8...	IAC.2942	1	C	"
1202	Assembly 9½ ins.	For Parachutes, Back Type, Mark 35	GQ.31582	1	C	"
1204	Assembly 18½ in.	For Parachutes, Back Type, Mark 35	GQ.31583	1	C	"
1203	Assembly 22½ ins.	For Parachutes, Back Type, Mark 35	GQ.31500	1	C	"
1044	Manual override	For Parachutes, Seat Type, Mark 14...	IAC.2255	1	C	"
863	Power cable	For Parachutes, Back Type, Mark 20	IAC.1587	1	C	"
1045	Ripcord	For Parachutes, Seat Type, Mark 14...	IAC.2254	1	C	"
	Ripcord :—					
551	Mark 2	For Parachutes, Back Type, Mark 2A	IAC.895	1	C	"
199	Mark 3	For Parachutes, Seat Type, Marks 10 and 12A	IAC.828B	1	C	"
182	Mark 4	For Parachutes, Back Type, Mark 5, and P.B.1, Marks 3 and 4.	IAC.828D	1	C	"
616	Mark 5	For Parachutes, Back Type, Mark 6	IAC.582	1	C	"

RESTRICTED

RESTRICTED

MAN-CARRYING PARACHUTES

SECTION 15A—cont.

1	2	3	4	5	6	7
	PARACHUTE SPARES—cont.					
	Housings—cont.					
	Ripecord—cont.					
958	Mark 7	For Parachutes, Seat Type, Mark 13A		1	C	each
952	Mark 26	For Parachutes, Back Type, Mark 32	IAC.2339	1	C	"
1287	Knob, oxygen operating	For Parachutes, Back Type, Mark 46	IAC.3183	1	C	"
	Lap straps	For Parachutes, Back Type, Mark 35				
1186	Port	C/w Connectors, Female, Pt. No. B/MBEU/611DP. For Parachutes, Back Type, Mark 35.	GQ.10697A	1	A	"
1187	Starboard	C/w Connectors, Female, Pt. No. B/MBEU/611DP. For Parachutes, Back Type, Mark 35.	GQ.10697B	1	A	"
984	Leather rubbing strips, 24 in. long by 1½ in. wide	For incorporation of Mod. Para. M.48	GQ.1626, Item K or Item G, GQ.1628.	1	C	"
1290	Leg strap and buckle assembly	For Parachutes, Back Type, Marks 40 and 46	IAC.3250	2	B	"
1205	Line, connecting	For Parachute, Back Type, Mark 35	GQ.20572	1	C	"
1321	Line, drogue link and withdrawal assembly	For Parachutes, Back Type, Mark 41 and 42	C/MBEU/4266PA	1	C	"
478	Line, rigging, nylon, white, 100 lb. B.S.	For auxiliary parachutes.	Spec. D.T.D.481, Cord No. 2.	1	C	yd.
1366	Line, static, arming pin	For Parachutes, Back Type, Mark 46	IAC.3377	1	C	each
861	Line, static assembly	For Parachutes, Back Type, Mark 20	IAC.1903	1	A	"
1102	Line, static assembly	For Parachutes, Chest Type, Mark 5	IAC.2616	1	B	"
1214	Line, static assembly	For Parachutes, Back Type, Mark 35	GQ.20645	1	B	"
1405	Line, static assembly	For Parachutes, Chest Type, Mark 8... ..	IAC.2957	1	C	"
1371	Line, static, guillotine	For Parachutes, Back Type, Marks 39A, 41, 42, 44A and 45. Introduced by Mod. PA.233.	MBEU/3378PA	1	C	"
1171	Line, static hook assembly	For Parachute, Back Type, Mark 34	IAC.2949	1	A	"
1169	Link, cord	For Parachute, Back Type, Mark 34	IAC.2950	2	C	"
1291	Link, cord, 15 in.	For Parachutes, Back Type, Mark 46	IAC.3249	1	C	"
969	Link, cord, static line	For Parachutes, Back Type, Mark 20	IAC.1992	1	C	"
	Link, shroud line :—					
689	Detachable	For incorporation of Mods. M.36 and M.102. For Parachutes, Back Type, Marks 41, 42 and 45.	AML.147	1	C	"
	Accessories :—					
730	Key, locking	AML.463	1	C	"
687	Tool, rigging line transfer	AML.151	1	C	"

RESTRICTED

RESTRICTED
51

MAN-CARRYING PARACHUTES

SECTION 15A—cont.

1	2	3	4	5	6	7
	PARACHUTE SPARES—cont.					
753	Link, solid	IAC.224	1	C	each
953	Loop attachments, dinghy	For Parachutes, Back Type, Marks 9 and 20. Introduced by Mod. Para. M.178.	IAC.2337	1	C	"
507	Loop, retaining, bungee	For X Type Parachutes	AFEE.1953, Issue 2	1	C	"
1283	Loop, seat connecting	For Parachutes, Back Type, Mark 40	IAC.3210	2	C	"
	Lugs :—					
178	Connecting harness	IAC.718	4	C	"
849	Connecting, seat clip strop	Naval aviation only	GQ.978	1	C	"
1103	Manual D ring assembly	For Parachutes, Chest Type, Mark 5...	IAC.2617	1	B	"
1072	Manual override assembly	For Parachutes, Chest Type, Mark 8...	IAC.1619	1	B	"
1073	Manual override housings	IAC.1620	1	B	"
—	Nut, gland	Reference 5K/88. For Parachutes, Back Type, Mark 46.		1	—	—
1266	Nut, lock, brass, thin, hexagon, ¼ in. B.S.F. thread BSS.84.	For Parachutes, Back Type, Mark 34	Spec. BS.1083	2	C	each
—	Nut, "Nylac", 6 BA	Reference 28M/10326. For Parachutes, Back Type, Marks 34 and 46.		2	—	—
	Pack assemblies :—					
141	Chest Type, Mark 1	For Parachutes, Chest Type, Marks 1 and 3	MRI.IRV.14, Issue 1	1	A	each
380	Chest Type, Mark 1A	For Parachutes, Chest Type, Mark 1A	MRI.IRV.14	1	A	"
955	Chest Type, Mark 4	For Parachutes, Chest Type, Mark 4...	IRV/MRI/304	1	A	"
1067	Chest Type, Mark 7	For Parachutes, Chest Type, Mark 5...	MRI.IAC/376	1	B	"
1345	Chest Type, Mark 8	For Parachutes, Chest Type, Mark 8...	MRI.IAC/453	1	A	"
	Packs, belt :—					
1084	Extension pieces, left and right hand	For incorporation of Mod. Para. M.199	IAC.2556	1	C	"
	Packs, Type B :—	For Parachutes, Back Type.				
541	Mark 2	Mark 2A	IAC.533	1	B	"
367	Mark 4	Mark 4	MRI.IRV/439	1	B	"
594	Mark 5	Mark 5 and 32	IAC.866	1	B	"
613	Mark 6	Mark 6	IAC.574	1	B	"
830	Mark 16	Mark 20	IAC.1896	1	B	"
852	Mark 18	Marks 18A, 21A, 30 and 33	IAC.1956	1	A	"

RESTRICTED

RESTRICTED

MAN-CARRYING PARACHUTES

SECTION 15A—cont.

1	2	3	4	5	6	7
	PARACHUTE SPARES—cont.					
	Pack assemblies—cont.					
946	Mark 19	Mark 26A	MRI.GQ.259	1	B	each
977	Mark 20	Marks 20 and 28A	MBEU/375PA	1	A	"
1020	Mark 21	Marks 13, 13A, and 24, 36 and 36A. Mod. Para. M.191	IRV.2483	1	B	"
1024	Mark 22	Marks 9, 19, 19A, and 43. Mod. Para. M.192	IRV.2485	1	B	"
1082	Mark 23	Mark 20	LAC.2782	1	B	"
1118	Mark 24	Mark 34	MRI.IRV.436	1	A	"
1206	Mark 25	Mark 35	MRI.GQ.433	1	A	"
1233	Mark 26	Mark 37A, Naval aviation only	MBEU/4103.PA	1	B	"
1275	Mark 27	For Parachutes, Back Type, Mark 40	MRI.IRV.503	1	A	"
1318	Mark 28	For Parachutes, Back Type, Mark 41, 42 and 45	D/MBEU/4166PA.	1	B	"
1337	Mark 29	Naval aviation only. For Parachutes, Back Type, Mark 39A.	MBEU/4153PA	1	A	"
1392	Mark 30	For Parachutes, Back Type, Mark 46	MRI/IRV.584	1	B	"
	Packs, Type C:—	For Parachute, Chest Type.				
156	Mark 2	Marks 1, 1A and 2A	IAC.710	1	B	"
954	Mark 5	Mark 4	IAC.2262	1	B	"
1068	Mark 7	Mark 5	MRI.IRV.375	1	B	"
1402	Mark 8	Mark 8	MRI.IRV.451	1	B	"
1096	Pack, Type P.B.1	Marks 3 and 4	MRI.IRV.347	1	B	"
1093	Pack, Type P.R.1/2	Reserve Type, P.R.1, Mark 2	IAC.2716	1	B	"
1240	Pack, Type P.X.1, Mark 1, inner	For Parachutes, Type P.X.1, Mark 2	MRI.IRV.475	1	B	"
1293	Pack, Type P.X.1/132, Mark 1, outer	For Parachutes, Type P.X.1, Mark 2	IAC.3171	1	C	"
707	Pack, Type R, Mark 1	For Reserve Parachutes.		1	B	"
	Packs, Type S:—	For Parachutes, Seat Type.				
96	Mark 2	Marks 10, 10A and 12A. Nylon rigging lines only	IAC.881	1	B	"
964	Mark 5	Mark 14. Introduced by Mod. Para. M.183		1	B	"
1057	Mark 6	Mark 15	MBEU/520PA	1	B	"
1087	Mark 7	Mark 16	MRI.IRV.406	1	A	"

RESTRICTED

RESTRICTED

MAN-CARRYING PARACHUTES

SECTION 15A—cont.

1	2	3	4	5	6	7
	PARACHUTE SPARES—cont.					
	Packs, Type X :—	For all X Type Parachutes.				
509	Mark 2, inner	C/w static lines	AER.1293	1	B	each
503	Mark 2, outer	CD.30274	1	B	"
	Pads, back :—					
191	Mark 1	For Parachutes, Seat Type, Marks 10 and 10A ...	IAC.462	1	B	"
604	Mark 4	For Parachutes, Back Type, Marks 13 and 13A ...	IAC.445	1	B	"
592	Mark 5	For Parachutes, Back Type, Marks 5 and 32 ...	IAC.440	1	B	"
652	Mark 6	For Parachutes, Seat Type, Mark 12A. Naval aviation only.	IAC.489	1	B	"
780	Mark 9	For Parachutes, Back Type, Marks 9, 19, 19A, 36 ; and Back Type, Mark 13, in certain selected aircraft. (See A.M.O. N.394/57). (Not supplied with parachute).	MBEU/4252	1	B	"
957	Mark 13	For Parachutes, Seat Type, Mark 13A. Naval aviation only.		1	B	"
968	Mark 14	For Parachutes, Back Type, Marks 28, 30 and 33 ...		1	B	"
1329	Mark 19	For Parachutes, Back Type, Marks 30 and 43 ...	MBEU/2095PA	1	B	"
1111	Mark 18	For Parachutes, Seat Type, Mark 15... ..	MBEU/2218	1	B	"
1164	Mark 20	For Parachute, Back Type, Mark 34	MRI.IRV.434	1	B	"
1188	Mark 21	For Parachute, Back Type, Mark 35	GQ.10545	1	B	"
1231	Mark 22	For Parachute, Back Type, Mark 37A, Naval aviation only.	MBEU/2023PA	1	B	"
1242	Mark 23	For Parachutes, Back Type, Marks 28, 29A, and 33. Post-Mod. PA140. Supersedes Ref. No. 968.	MBEU/2026PA	1	B	"
1265	Mark 24	For Parachutes, Seat Type, Mark 16... ..	D/MBEU/2033PA.	1	A	"
1277	Mark 25	For Parachutes, Seat Type, Mark 16... ..	MBEU/2096PA.	1	B	"
1324	Mark 27	For Parachutes, Back Type, Marks 39A and 41 ...	D/MBEU/2054PA.	1	B	"
1355	Mark 39	For Parachutes, Back Type, Marks 42 and 44A ...	D/MBEU/2404PA.	1	B	"
1365	Mark 40	For Parachutes, Back Type, Mark 46	IAC.3393	1	B	"
1121	Pad, back, assembly	For Parachutes, Back Type, Marks 30 and 43 ...		1	—	—

RESTRICTED

RESTRICTED

MAN-CARRYING PARACHUTES

SECTION 15A—cont.

1	2	3	4	5	6	7
	PARACHUTE SPARES—cont.					
1368	Pad, back, assembly	For Parachutes, Back Type, Mark 44A	D/MBEU/2028PA.	1	B	each
1341	Pad, back, assembly	Naval aviation only. For Parachutes, Back Type, Mark 39A.	MBEU/2027PA.	1	B	"
896	Pad, knee	For Parachute, Back Type, Mark 24	IAC.2116	1	B	"
1278	Pad, lumbar	For Parachutes, Seat Type, Mark 16. Post-Mod. Para. M.236.	MBEU/2227PA.	1	B	"
1325	Pad, lumbar	For Parachutes, Back Type, Mark 41, 42, 44A and 45	D/MBEU/2230PA.	1	B	"
1330	Pad, lumbar	For Parachutes, Back Type, Mark 30 and 43	MBEU/2060PA.	1	C	"
1384	Pad, lumbar	Naval aviation only. For Parachutes, Back Type, Mark 39A.	MBEU/3395PA.	1	B	"
802	Parachute, auxiliary, Mark 6	For Parachutes, Back Type, Marks 24, 34 and 46, Seat Type, Mark 16.	IAC.1632	1	B	"
1311	Parachute, auxiliary, Mark 7	For Parachutes, Back Type, Mark 30, 31A, 33, 39A, 41, 42 and 45.	IAC.3297	1	C	"
100	Parachute, auxiliary :— Irvin, Mark 1	For Parachutes, Back Type, Marks 5, 9, 19, 19A, 32 and 43. Seat Type, Marks 10 and 12A ; Chest Type, Marks 1, 1A, 4, 5 and 8.	IAC.270	1	B	"
334	Vane Type :— Mark 2	C/w kicker board. For Parachutes, Back Type, Mark 2A.	CQ.724	1	B	"
605	Mark 3	Less kicker board (Ref. No. 316). For Parachutes, Back Type, Marks 13, 13A and 36 ; P.B.I. Types, Marks 3 and 4.	SME.21236	1	B	"
619	Mark 5	Less kicker board (Ref. No. 316). For Parachutes, Back Types, Mark 6.	IAC.500	1	B	"
947	Mark 6	For Parachutes, Back Type, Mark 26A .. .	GQ.10276	1	B	"
500	Piece, extension	For Parachutes, Mark 2, PXI and X Types, Marks 3 and 4.	GQ.30029	1	C	"
1246	Piece, packing	For Parachutes, Back Type, Mark 35	GQ.31082	1	C	"

RESTRICTED

RESTRICTED

MAN-CARRYING PARACHUTES

SECTION 15A—cont.

1	2	3	4	5	6	7
	PARACHUTE SPARES—cont.					
	Pins :—					
921	Closure assembly	Spare for Ref. No. 853. Withdrawal Line, Mark 1, and Parachute assemblies, Back Type, Marks 30 and 33.	MBEO/219/PA.	1	C	each
668	Guard, ripcord	For Parachutes, Back Type, Mark 2A		1	C	"
725	Guard, ripcord	For Parachutes, Back Type, Marks 6 and 7	IAC.1010	1	C	"
1225	Locking, temporary	For packing of personal survival packs, parachutes, etc.	GQ/SK/1452	1	C	"
865	Ripcord	For Parachutes, Back Type, Mark 20	IAC.1884	1	C	"
920	Slide, disconnect	Spare for Ref. No. 857, Drogue link line assembly, Mark 2.		1	C	"
924	Slide, disconnect	Spare for Ref. No. 922. For Parachutes, Back Type, Mark 33.		1	C	"
1080	Plate, back	Spare for Ref. No. 729	MBEU.4161	1	C	"
1185	Plate, backing	For Parachutes, Back Type, Mark 35	FAL/1816-857A	1	C	"
1352	Plate, pressure	For Parachutes, Back Type, Marks 18A, 28, 29A, 30, 31A, 33, 41, 42 and 45.	B/MBEU/4353PA.	1	C	"
1303	Plate stiffener, for cone cover	For Parachutes, Back Type, Marks 18A, 28, 29A, 30, 31A, 33 and 37A. Post-Mod. PA.164.	MBEU/3213PA.	1	C	"
1100	Pocket, sliding	For Parachutes, PB.1 Type, Marks 3 and 4	IAC.2426	1	C	"
981	Pocket, sliding and housing assembly	For Parachutes, Back Type, Mark 20	IAC.1910	1	B	"
	Pockets :—					
179	Ripcord ring	For Back and Seat Type Parachutes... ..	IAC.303	1	C	"
193	Ripcord ring	For Chest Type Parachutes	IAC.710	1	C	"
1074	Power cable and housing assembly	For Chest Type Parachutes, Mark 8	IAC.1616	1	C	"
1211	Release unit, Shoulder, R.H.	For Parachutes, Back Type, Mark 35	MRI/GQ/418	1	A	"
1210	Release unit, Shoulder, L.H.	For Parachutes, Back Type, Mark 35	MRI/GQ/417	1	A	"
	Rings :—					
194	Anchorage	Non-magnetic	IAC.225	1	C	"
1042	Ripcord	For Parachutes, Seat Type, Mark 14... ..	IAC.2515	1	C	"
1063	Ripcord (drogue link line disconnect), Mark 19	For Parachutes, Seat Type, Mark 15... ..	MBEU/518PA.	1	C	"
1000	Ripcord and housing assembly	For Parachutes, Back Type, Mark 26A. Superseded by Ref. No. 1223.	GQ.20361 and GQ.20311.	1	B	"

RESTRICTED

RESTRICTED

MAN-CARRYING PARACHUTES

SECTION 15A—cont.

1	2	3	4	5	6	7
	PARACHUTE SPARES—cont.					
1406	Ripcord and housing assembly	For Parachutes, Chest Type, Mark 8...	IAC.2937/1	1	B	each
	Ripcord and housing assemblies :—					
850	Mark 9	Long. For Parachutes, Back Types, Mark 18A	IAC.1953	1	B	"
851	Mark 10	Short. For Parachutes, Back Type, Mark 18A	IAC.1901	1	B	"
897	Mark 11	Long. For Parachutes, Back Type, Marks 21A and 33		1	B	"
898	Mark 12	Short. For Parachutes, Back Type, Marks 21A and 33.		1	B	"
1022	Mark 14	For Parachutes, Back Type, Marks 13, 13A, 24 and 36. Mod. Para. M.191.	IRV.2471	1	B	"
1026	Mark 15	Supersedes Ref. No. 821. Post-Mod. Para. M.192. For Parachutes, Back Type, Marks 9, 19, 19A and 43.		1	B	"
1023	Mark 16	For Parachutes, Back Type, Marks 13, 13A, 24 and 36. Mod. Para. M.191.	IRV.2472	1	B	"
1027	Mark 17	For Parachutes, Back Type, Mark 9, 19, 19A and 43. Mod. Para. M.192.	IRV.2470	1	B	"
1113	Mark 20	For Parachutes, Seat Type, Mark 16...	IAC.2813	1	B	"
1114	Mark 21 (Manual override)	For Parachutes, Seat Type, Mark 16...	IAC.2810	1	B	"
1223	Mark 22	Supersedes Ref. No. 1000. For Parachutes, Back Type, Mark 26A.	GQ.20598	1	B	"
	Ripcord assemblies :—					
543	Mark 3	For Parachutes, Back Type, Mark 2A	IAC.563	1	C	"
198	Mark 3	For Parachutes, Seat Type, Marks 10 and 12A	IAC.318	1	C	"
1091	Mark 4	For Parachutes, Back Type, Mark 4	IAC.714	1	B	"
236	Mark 5	For Parachutes, Chest Type, Marks 1 and 1A	IAC.707	1	C	"
593	Mark 7	For Parachutes, Back Type, Mark 5	IAC.872	1	C	"
615	Mark 8	For Parachutes, Back Type, Mark 6	IAC.581	1	C	"
951	Mark 10	For Parachutes, Back Type, Mark 32	IAC.2338	1	C	"
959	Mark 11	For Parachutes, Seat Type, Mark 13A. Naval aviation only.		1	C	"
1094	Mark 13	For Reserve Parachutes, PR.1, Mark 2	IAC.2461	1	C	"
1099	Mark 14	For Parachutes, PB.1 Type, Marks 3 and 4	IAC.2427	1	C	"

RESTRICTED

57

RESTRICTED

stock

MAN-CARRYING PARACHUTES

SECTION 15A—cont.

1	2	3	4	5	6	7
	PARACHUTE SPARES—cont.					
	Ripcord Assemblies—cont.					
1208	Mark 16	For Parachutes, Back Type, Mark 35. Main Canopy Compartment.	GQ.31577	1	C	each
1209	Mark 17	For Parachutes, Back Type, Mark 35. Stabiliser Compartment.	GQ.31222	1	C	"
1235	Mark 18	For Parachutes, Back Type, Mark 37A		1	C	"
1319	Mark 19	For Parachutes, Back Type, Mark 41, 42 and 45	B/MBEU/4174PA.	1	B	"
712	Reserve	For Reserve Parachutes	GQ.1382	1	C	"
1062	Ripcord (pack opening), Mark 18	For Parachutes, Seat Type, Mark 15	MBEU/519PA.	1	C	"
1006	Ripcord, pocket	For Parachutes, Back Type, Mark 26A	GQ.153 or IAC.303	1	C	"
1170	Rip-pin assembly	For Parachutes, Back Type, Marks 34 and 46	IAC.2886	1	C	"
764	Rivet	For Chest Type harness. Naval aviation only	IAC.650	1	C	grs.
765	Dowler, 760	Naval aviation only		1	C	"
961	Sleeve	For Parachutes, Back Type, Mark 20	IAC.1644	1	C	each
1047	Sleeve	For Parachutes, Seat Type, Mark 14...	IAC.2525	1	C	"
1272	Sleeve deployment	For use on Parachutes, Type PB.1, Marks 3 and 4. Post-Mod. M.235. Supersedes Ref. No. 1097.	IAC.3239	1	C	"
1172	Sleeve, disconnect	For Parachute, Back Type, Mark 34	IAC.2862	1	C	"
911	Sock, apex	For use on Parachutes, PXL, Mark 2 and X Type, Mark 4	GQ.20373	1	C	"
1212	Sock, apex	For Parachutes, Back Type, Mark 35	GQ.20595	1	C	"
1201	Sock, drogue, 30 in.	For Parachutes, Back Type, Mark 35	GQ.10568	1	B	"
1322	Spring and cover assembly	For Parachutes, Back Type, Mark 18A, 28, 29A, 30, 31A, 33, 41, 42 and 45.	B/MBEU/4182PA.	1	C	"
1213	Spring, pack opener	For Parachutes, Back Type, Mark 35	RCAF/RCG Spec.AN.6515/2	3	C	"
1354	Spring, pack opener, 3½ in.	For Parachutes, Back Type, Marks 41, 42 and 45	B/MBEU/4123PA.	1	C	"
1320	Spring, pack opener, 8 in.	For Parachutes, Back Type, Marks 41, 42 and 45	A/MBEU/404PA.	4	C	"
1396	Spring, safety-clip assembly	For Parachutes, Back Type, Mark 46	IAC.3213	1	C	"
170	Steel pack	For use on Parachutes, Chest Type	IAC.706	2	C	"
1112	Steel, pack	For use on Parachutes, Chest Type, Mark 5	IAC.2288	2	C	"
866	Stirrup	For use on Parachutes, Back Type, Mark 20	IAC.1580	1	C	"
1271	Strap, lap, adjustable assembly	For Parachutes, Back Type, Marks 28, 30 and 33	MBEU/1380/PA	2	C	"

RESTRICTED

RESTRICTED

MAN-CARRYING PARACHUTES

SECTION 15A—cont.

1	2	3	4	5	6	7
	PARACHUTE SPARES—cont.					
1323	Strap, lap, adjustable, assembly	For Parachutes, Back Type, Marks 41, 42 and 45 ...	B/MBEU/4210PA.	2	C	each
1381	Strap, pack retaining	For Parachutes, Reserve, Type PR.1, Mark 2 ...	IAC.2821	2	C	"
1107	Strap, restraining, negative 'G'	Applicable to Parachute, Back Type, Mark 28. Introduced by Mod. PA.69.	MBEU/680PA.	1	C	"
1119	Strap, restraining, negative 'G'	Applicable to Parachute, Seat Type, Mark 15. Introduced by Mod. PA.65.	MBEU/660PA.	1	C	"
1120	Strap, restraining, negative 'G'	Applicable to Parachute, Back Type, Mark 30. Introduced by Mod. PA.97.	MBEU/694PA.	1	C	"
1327	Strap, retaining (lift webbs)	For Parachutes, Back Type, Mark 41	MBEU/3177PA.	2	C	"
1108	Strap, support, oxygen hose	Applicable to Parachutes, Back Type, Mark 30. Introduced by Mod. PA.59.	MBEU/10184	1	C	"
1098	Strop, connecting	For use with Auxiliary Parachutes PB.1 Type, Marks 3 and 4.	IAC.2487	1	C	"
1353	Strop, connecting	For Parachutes, Back Type, Marks 18A, 28, 29A, 30, 31A, 33, 41, 42 and 45.	IAC.332	1	C	"
692	Strop, seat clip	Webbing strop, c/w buckle. For use on Parachutes, Back Type, Marks 13 and 24.	IAC.1021	2	C	"
	Suits, flying, c/w linings :—					
—	Mark 3	Ref. Nos. 22C/1947 to 1979. Sizes 1 to 6. For Parachutes, Chest Type, Mark 3, Pre-Mod. Para. M.53.		1	—	—
—	Mark 5	Reference 22C/2001 to 2006. Sizes 1 to 6. For Parachutes, Chest Type, Mark 4.		1	—	—
1314	Tape, binding, $\frac{3}{4}$ in. wide, khaki	98 lbs. B.S.	SPEC. MBFD.9	—	C	yd.
1011	Tape, cotton, $\frac{3}{4}$ in.	For Parachute packs	IAC.S.203	1	C	"
	Threads :—					
181	Cotton, scarlet	For ripcord pin, 2 oz. cops. Size 60s/2/3	Spec. B.S.F.58	1	C	cops
108	Linen	1-lb. cops	Spec. B.S.F.54	1	C	"
511	Silk, khaki, heavy	8-oz. cops	Spec. D.T.D.66	1	C	"
585	Silk, khaki, light	8-oz. cops	Spec. D.T.D.66	1	C	"
510	Silk, white, heavy	8-oz. cops	Spec. D.T.D.66	1	C	"
584	Silk, white, light	8-oz. cops	Spec. D.T.D.66	1	C	"

RESTRICTED

RESTRICTED

MAN-CARRYING PARACHUTES

SECTION 15A—cont.

1	2	3	4	5	6	7	
	PARACHUTE SPARES—cont.						
1247	Tube, distance, $\frac{1}{8}$ in. OD × 22 SWG. ...	Assembly items for stabiliser Pack and Combined } Harness, Parachute, Back Type, Mark 35. }	AS-2306-5-124	2	C	each	
1248	Tube, distance, $\frac{3}{8}$ in. OD × 17 SWG. ...		AS.2508-6-124	2	C	..	
869	Tunnel, housing ...		For Parachutes, Back Type, Mark 20 ...	IAC.1913	1	C	..
1048	Washer ...		For Parachutes, Seat Type, Mark 14...	IAC.2518	1	C	..
1264	Washer, spacing ...		For Parachutes, Back Type, Mark 34 ...	IAC.2252	2	C	..
1163	Waist belt assembly ...		For Parachute, Back Type, Mark 34 ...	MRI.IRV.438	1	B	..
	Webbings :—						
	Cotton :—						
1050	1 $\frac{1}{4}$ in., khaki... ..	For Parachutes, Seat Type, Mark 13A ...	Spec. D.T.D.871	1	C	..	
158	1 in., mineral khaki	Spec. B.S.2F.49 to B.S.2087, normal.	1	C	..	
164	1 $\frac{1}{4}$ in., mineral khaki	Spec. B.S.F.49 to B.S.2087, normal.	1	C	..	
272	3 in., mineral khaki	Spec. B.S.F.49 to B.S.2087, normal.	1	C	..	
	Cotton, undyed :—	Rotproofed B.S. 2087. L.P.C.P.					
270	$\frac{1}{2}$ in.	Spec. B.S.G.49	1	C	yd.	
196	1 in.	Spec. B.S.F.49	1	C	..	
116	1 $\frac{1}{4}$ in.	Spec. B.S.F.52	1	C	..	
208	6 $\frac{1}{2}$ in.	IAC/S.505	1	C	..	
	Flax :—						
271	1 $\frac{1}{2}$ in.	Spec. B.S.F.111	1	C	..	
	Withdrawal lines :—						
853	Mark 1	For Parachutes, Back Type, Mark 18A	IAC.1748	1	C	each	
858	Mark 2	For Parachutes, Back Type, Marks 9, 9A, 13, 13A, 19, 19A and 24.	IAC.1844	1	C	..	
929	Mark 3	For Parachutes, Back Type, Marks 21A, 28, 30 and 33. Seat Type, Mark 16.	B/MBEU/199PA.	1	C	..	

RESTRICTED

RESTRICTED

MAN-CARRYING PARACHUTES

SECTION 15A—cont.

1	2	3	4	5	6	7
	PARACHUTE SPARES—cont.					
	Withdrawal lines—cont.					
1021	Mark 4	For use with Ref. Nos. 1020 and 1024 and Parachute, Back Type, Marks 36 and 43.	IRV.2484	1	C	each
1061	Mark 6	For Parachutes, Seat Type, Mark 15...	MBEU/540PA.	1	C	"
1301	Mark 7	For Parachutes, Back Type, Marks 18A, 28, 29A, 30, 31A, 33 and 37A. Post-Mod. PA.164.	MBEU/3214PA.	1	C	"
1339	Mark 8	Naval aviation only	MBEU/3219PA.	1	C	"
1305	Yoke assembly, harness attachment	For Parachutes, Back Type, Mark 35. Post-Mod. Para. M.75. Supersedes Ref. No. 1215.	GQ.31835	1	C	"
1215	Yoke assembly, harness attachment	For Parachutes, Back Type, Mark 35, S/s by Ref. No. 1305.	GQ.31377	1	C	"
1004	Zip, 11 in., open end, heavy	For Parachutes, Back Type, Mark 26A		1	C	"
	PARACHUTE TOOLS :—	For use in Parachute packing.				
109	Bag, shot		IAC.2088	1	C	"
	Hooks, rigging line :—					
112	Mark 1			1	C	"
643	Mark 2	For lightweight celanese canopies		1	C	"
	PARACHUTE TOOLS, special :—					
1088	Key, disarming, resetting tool	Special tool for servicing Seat Type Parachute, Mark 14.	IAC.2530	1	C	"
113	Pin, locking			1	C	"
114	Stick, packing	To be manufactured locally		1	C	"
1359	Tool, forked, spring holding	To be manufactured locally	MBEU/4360PA.	1	C	"

RESTRICTED

RESTRICTED

**MAN-CARRYING PARACHUTES
INDEX TO REFERENCE NUMBERS**

SECTION 15A—cont.

Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.
73	34	199	50	502	40	579	35	678	34	760	44	838	37	911	58	957	54	993	48
83	41	202	37	503	54	584	59	681	33	761	44	849	52	914	48	958	51	996	49
88	41	203	37	507	52	585	59	682	29	762	45	850	57	917	9	959	57	998	37
96	53	208	60	509	54	586	2	684	3	763	42	851	57	918	34	960	8	999	37
100	55	209	40	510	59	587	2	685	38	764	58	852	52	919	40	961	58	1000	56
108	59	210	48	511	59	588	34	687	51	765	58	853	60	920	56	962	8	1001	42
109	61	218	40	513	47	589	34	688	48	767	42	854	41	921	56	963	38	1002	42
112	61	219	40	519	34	592	54	689	51	772	47	855	41	924	56	964	53	1003	37
113	61	236	57	529	44	593	57	691	49	773	47	856	40	925	45	965	31	1004	61
114	61	270	60	539	41	594	52	692	59	776	5	857	34	928	44	966	14	1005	40
116	60	271	60	541	52	595	34	700	38	779	6	858	60	929	60	968	54	1006	58
141	52	272	60	543	57	596	34	707	53	780	54	859	50	932	30	969	51	1007	25
144	49	316	37	548	42	598	48	712	58	787	37	861	51	933	49	970	45	1008	45
150	44	334	55	549	39	599	40	713	41	791	48	863	50	935	35	971	36	1009	45
155	50	340	34	550	24	604	54	720	38	798	35	865	56	936	10	972	36	1010	31
156	53	342	44	551	50	605	55	723	37	801	48	866	58	937	11	973	36	1011	59
158	60	344	48	552	1	612	2	725	56	802	55	867	40	940	11	974	36	1012	35
164	60	355	1	558	39	613	52	726	44	803	33	869	60	941	12	977	53	1013	35
169	40	364	42	559	24	614	2	727	4	804	34	873	48	943	48	978	49	1014	35
170	58	367	52	563	47	615	57	729	40	805	34	875	50	945	49	981	56	1015	35
177	37	368	42	564	45	616	50	730	51	807	48	876	50	946	53	982	38	1016	35
178	52	380	52	565	47	618	34	738	30	816	7	877	59	947	55	983	38	1017	35
179	56	393	45	566	44	619	55	739	49	818	41	878	50	948	35	984	51	1018	35
181	59	395	45	567	1	638	39	744	48	819	25	879	50	949	13	985	45	1020	53
182	50	396	45	568	47	641	35	751	42	824	47	880	50	950	49	986	45	1021	61
183	40	397	45	571	44	643	61	753	52	825	47	895	50	951	57	987	45	1022	57
191	54	414	44	573	47	652	54	755	48	827	48	896	55	952	51	988	45	1023	57
193	56	428	50	574	47	668	56	756	48	830	52	897	57	953	52	989	45	1024	53
194	56	476	42	575	47	671	3	757	41	835	6	898	57	954	53	990	49	1026	57
196	60	478	51	576	47	674	33	758	44	836	41	909	9	955	52	991	8	1027	57
198	57	500	55	577	47	675	50	759	44	837	41	910	48	956	13	992	8	1028	27

RESTRICTED

RESTRICTED

MAN-CARRYING PARACHUTES
INDEX TO REFERENCE NUMBERS
SECTION 15A— cont.

Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.
1029	28	1074	56	1109	48	1152	43	1192	36	1224	43	1262	38	1300	39	1344	43	1384	55
1030	29	1075	48	1111	54	1153	46	1193	40	1225	56	1263	48	1301	61	1345	52	1392	53
1038	49	1077	35	1112	58	1154	42	1194	40	1226	41	1264	60	1302	37	1347	41	1394	38
1039	38	1078	35	1113	57	1155	42	1195	41	1227	39	1265	54	1303	56	1348	49	1395	38
1040	38	1079	45	1114	57	1156	43	1196	50	1228	39	1266	52	1304	37	1349	49	1396	58
1041	38	1080	56	1115	26	1157	42	1197	36	1229	39	1267	14	1305	61	1350	49	1402	53
1042	56	1081	46	1116	17	1158	42	1198	39	1230	39	1268	15	1306	43	1351	43	1403	38
1043	34	1082	53	1117	49	1159	47	1199	39	1231	54	1269	46	1307	29	1352	56	1404	50
1044	50	1083	14	1118	53	1160	42	1200	41	1232	49	1270	46	1309	22	1353	59	1405	5
1045	50	1084	52	1119	59	1161	42	1201	58	1233	53	1271	58	1311	55	1354	58	1406	57
1046	50	1085	32	1120	59	1163	60	1202	50	1234	40	1272	58	1313	20	1355	54		
1047	58	1086	49	1121	54	1164	54	1203	50	1235	58	1275	53	1314	59	1356	48		
1048	60	1087	53	1122	45	1165	38	1204	50	1236	37	1276	36	1317	49	1359	61		
1049	34	1088	61	1123	45	1166	38	1205	51	1240	53	1277	54	1318	53	1362	37		
1050	60	1089	15	1124	18	1167	38	1206	53	1241	39	1278	55	1319	58	1363	23		
1051	36	1090	48	1125	37	1168	48	1207	38	1242	54	1279	42	1320	58	1364	49		
1052	36	1091	57	1127	49	1169	51	1208	58	1243	36	1280	42	1321	51	1365	54		
1053	35	1093	53	1137	46	1170	58	1209	58	1244	36	1281	19	1322	58	1366	51		
1054	35	1094	57	1138	43	1171	51	1210	56	1245	36	1283	52	1323	59	1368	55		
1055	36	1095	50	1139	43	1172	58	1211	56	1246	55	1285	37	1324	54	1369	48		
1056	36	1096	53	1140	43	1173	39	1212	58	1247	60	1287	51	1325	55	1371	51		
1057	53	1098	59	1141	43	1174	39	1213	58	1248	60	1289	48	1327	59	1372	36		
1058	49	1099	57	1142	46	1183	39	1214	51	1249	36	1290	51	1328	22	1373	36		
1061	61	1100	56	1143	47	1184	48	1215	61	1251	35	1291	51	1329	54	1374	36		
1062	58	1102	51	1144	47	1185	56	1216	40	1252	35	1292	19	1330	55	1375	36		
1063	56	1103	52	1145	46	1186	51	1217	43	1254	37	1293	53	1337	53	1376	36		
1067	52	1104	27	1147	40	1187	51	1218	42	1255	35	1295	49	1338	49	1377	36		
1068	53	1105	33	1148	42	1188	54	1219	42	1256	35	1296	21	1339	61	1378	36		
1071	50	1106	28	1149	18	1189	37	1220	26	1258	40	1297	28	1340	38	1379	41		
1072	52	1107	59	1150	42	1190	36	1222	40	1259	41	1298	28	1341	55	1380	41		
1073	52	1108	59	1151	42	1191	38	1223	57	1261	48	1299	39	1342	43	1381	59		

RESTRICTED

63 RESTRICTED

RESTRICTED

Issued with A/L.164

**AIR PUBLICATION 1086
BOOK II
SECOND EDITION**

SECTION 15C

**EQUIPMENT DROPPING AND SEA-RESCUE
APPARATUS**

**ITEMS UNDER SECTION 15C
ARE COVERED BY VOTE 7.G.4**

٢٤

RESTRICTED

VOCABULARY OF ROYAL AIR FORCE EQUIPMENT
EQUIPMENT DROPPING AND SEA RESCUE APPARATUS
SECTION 15C
(7th June, 1961)

Ref. No.	Nomenclature	Detail	Drawing or Part No.	No. off	Class of Store	Denom of Qty.
1	2	3	4	5	6	7
227	APPARATUS EQUIPMENT DROPPING: Containers, Type C.L.E., Mark 3	For S.A.R. only. Not to be demanded for any other purpose without special authority.	BN.2005	1	A	each
	Accessories:—					
115	Cradles, Mark 1		1	A	
149	Straps, securing, Mark 1	For use with Ref. No. 115		2	B	..
	Spares:					
199	Catches, c/w rivets	AFEE.2601 and 2772	—	C	..
261	Heads, crash	BN.1972	—	B	..
200	Pins, locking	E. and L. 74396/3	—	C	..
182	Rings "D", parachute attachment		4	C	..
324	Crates, wood, packing	For Containers Type C.L.E. Ref. No. 227	40G/714/45	—	A	..
	APPARATUS SEA-RESCUE: -					
624	Nets, rescue, helicopter			A	..
	Spares:—					
628	Cables, inner	RFDT.324	2	B	..
627	Cables, outer	RFDT.325	2	B	..
626	Nets	RFDT.323	1	A	..
629	Pads, corner	RFDT.343	2	B	..
632	Nets, rescue, helicopter	Folding type. For Whirlwind aircraft MK1.			A	..

RESTRICTED

RESTRICTED

EQUIPMENT DROPPING AND SEA RESCUE APPARATUS
SECTION 15C—cont.

1	2	3	4	5	6	7
390	APPARATUS SEA-RESCUE—cont. Type A (Lindholme), Mark 2	Not to be demanded as a complete assembly. A.P. 1182D, Vol. 1, Section 1. Chapter 3 refers.		—	A	set
	Consisting of:—					
393	Containers, dinghy		CQD.1191/1 issue 6 CQD.1191/1 issue 9	1	A	each
392	Containers, equipment		CQD.1191/3 issue 8	4	A	"
	Accessories:—					
383	Sling removers, elastic		CQD.1191/9 issue 4	2	W	"
382	Slings		CQD.1191/9 issue 4	1	W	"
	Spares:—					
391	Containers, bag supply		CARD.237	—	B	"
384	Containers, inner, dinghy		CQD.1191/4	—	B	"
385	Containers, outer, dinghy		CQD.1191/4	—	B	"
394	Discs, circular, packing			—	C	"
395	Discs, crescent, packing			—	C	"
389	Labels, inspection, dinghy container			—	C	"
388	Labels, inspection, equipment container			—	C	"
467	Pins, petal fastening		CQD.1191/35	—	C	doz.
	Type A (Lindholme) Mark 3:—					
	Consisting of:—					
636	Containers, dinghy: LIFERAFT:		M.R.I. - R.F.D.324	—	A	each
	Spares:—					
659	Bags, P.V.C.		A.5604	1	C	"
658	Bags, Sarah		RFD. 5298	1	C	"
648	Boards, bottom		A.5297	1	C	"
647	Boards, top		A.5296	1	C	"
646	Buoyant card housing assemblies		A.5220	1	C	"
650	C02 cylinder sleeves		A.5334	1	C	"
651	Cups, inertia absorber		A.5104	1	C	"
—	Cord, buoyant	Reference 27C/2028		—	—	—
—	Cord, nylon:—					
—	400 lb.	Reference 32A/141		—	—	—
664	150 lb. (coreless)		DTD.786	—	C	yds.
663	1,750 lb. (coreless)		DTD.786	—	C	"

RESTRICTED

RESTRICTED

EQUIPMENT DROPPING AND SEA RESCUE APPARATUS
SECTION 15C—cont.

1	2	3	4	5	6	7
	APPARATUS SEA-RESCUE—cont.					
	Type A (Lindholme) Mark 3—cont.					
	Consisting of—cont.					
	Containers, dinghy—cont.					
	Spares—cont.					
644	Dinghy containers, outer assembly		A.5330	1	B	each
645	Dinghy containers, inner assembly		A.5326	1	B	"
657	Discs, cardboard 11 in.		A.5649	2	C	"
—	Drogues, 34 in.	Reference 15D/387		1	—	"
—	Drogues, AF14	Reference 15D/663		1	—	"
653	Flags		A.5293	1	C	each
662	Labels, inspection		A.6033	1	—	"
661	Labels, sarah bag		A.5605	1	C	"
642	Lugs, suspension assembly		R.F.D.5311	1	C	"
638	Nipples, in-line unit cable		A.5318 5738	1	C	"
652	Pins, safety		A.5132	1	C	"
660	Pins, petal		A.6033 5320	1	C	"
649	Rope wrap clips		A.5291	2	C	"
655	Rope wrap petals		A.5629	4	C	"
654	Rope wrap petals, master		A.5630	1	C	"
656	Rope wrap pins		A.5627	1	C	"
—	Screws, grip	B.S.S. A55/A4. Reference 28S/14705		1	—	"
669	Shackles		A.6233	1	C	each
643	Stops, anti-drag		A.5317	1	C	"
637	Brackets	For Ref. No. 643	A.5318	1	C	"
639	Container, supplies!		MRI. R.F.D.325	—	A	"
	Spares:—					
675	Breathers, bag, waterproof		CARD 239-2	1	C	"
—	Containers, bag supply	Ref. No. 391		1	—	"
—	Cord, buoyant	Reference 27C/2028		—	—	"
—	Cord, nylon, 400 lbs.	Reference 32A/141		—	—	"
—	Cord, nylon, 1,200 lbs.	Reference 15D/453		—	—	"
—	Cord, nylon, 1,750 lbs. (coreless)	Ref. No. 663		—	—	"
—	Cord, nylon, 150 lbs. (coreless)	Ref. No. 664		—	—	"
672	Discs, cardboard, 9 in.		A.5094B 5649 B	2	C	each

RESTRICTED

Issued with J/L. 164 to A.P. 1086, Book II, Second Edition

RESTRICTED

EQUIPMENT DROPPING AND SEA RESCUE APPARATUS
SECTION 15C—cont.

1	2	3	4	5	6	7
	APPARATUS, SEA-RESCUE—cont.					
	Type A (Lindholme) Mark 3—cont.					
	Consisting of—cont.					
	Containers, supplies—cont.					
	Spares—cont.					
—	Discs, circular, packing	Ref. No. 394		3	—	—
—	Drogues, AF14	Reference 15D/663		1	—	—
—	Drogues, 25 in.	Reference 15D/664		1	—	—
674	Eyebolts, spigot	A.5323	1	C	each
673	Lids, metal	A.4577	1	C	"
—	Lugs, suspension assembly	Ref. No. 642		1	—	—
—	Pins, petal	Ref. No. 660		1	—	—
—	Pins, locking	Reference 28P/5413	AS.4697/3	1	—	—
671	Rope wrap petals	A.5631	1	C	each
670	Rope wrap petals, master	A.5632	1	C	"
—	Rope wrap pins	Ref. No. 656		1	—	—
—	Stops, anti-drag	Reference No. 643		1	—	—
—	Brackets	Ref. No. 637. For Ref. No. 643		1	—	—
666	Supply container inner assemblies	A.5300	1	B	each
665	Supply container outer assemblies	A.5294	1	B	"
668	Suspension bands	A.5306	1	C	"
—	Shackles	Ref. No. 669		1	—	—
407	Type G	Naval store supply only. Not supplied as a complete item.		—	A	each
	Consisting of:—					
400	Bags, waterproof	CARD.294-1. N.S.S.O.	1	C	"
399	Containers, inner	C/w end board mast socket	CARD.287. N.S.S.O.	1	A	"
397	Containers, outer	CARD.294-1. N.S.S.O.	1	A	"
	Spares:—					
405	Bars, drop, longitude	CARD.294-1 N.S.S.O.	1	A	"
404	Bars, drop, transverse	CARD.294-1 N.S.S.O.	2	A	"
403	Lines, buoyant, 90 lb., 450 yds.	C/w cordage bag, waterproof	CARD.298. N.S.S.O.	1	C	"
401	Parachutes, heavy duty, 8 ft. diam.	C/w Hooks, snap (Reference 15D/192)	CARD.300-1. N.S.S.O.	1	A	"

RESTRICTED

RESTRICTED

EQUIPMENT DROPPING AND SEA RESCUE APPARATUS
SECTION 15C—cont.

1	2	3	4	5	6	7
	APPARATUS, SEA-RESCUE—cont.					
	Type G—cont.					
	Consisting of—cont.					
402	Sleeves, parachute	C/w Cable release	CARD. 716 N.S.S.O.	1	A	each
	Spares:—					
406	Links, metal, "D" ring	CARD. 296. N.S.S.O.	2	C	" "
398	Valises, canvas	CARD. 299. N.S.S.O.	1	A	" "
631	PACKS, land rescue	N.S.S.O. only			A	" "
	RINGS:					
377	"D" Triangular	234 or 236	—	C	" "
409	Triangular, anchorage	AML.146	—	C	" "

RESTRICTED

Issued with A/L.104 to A.P.1086, Book II, Second Edition.

RESTRICTED

EQUIPMENT DROPPING AND SEA RESCUE APPARATUS

INDEX TO REFERENCE NUMBERS

SECTION 15C—cont.

Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.
115	1	407	4	659	2												
149	1	409	5	660	3												
182	1	467	2	661	3												
199	1	624	1	662	3												
200	1	626	1	663	2												
227	1	627	1	664	2												
261	1	628	1	665	4												
324	1	629	1	666	4												
377	5	631	5	668	4												
382	2	632	1	669	3												
383	2	636	2	670	4												
384	2	637	3	671	4												
385	2	638	3	672	3												
388	2	639	3	673	4												
389	2	642	3	674	4												
390	2	643	3	675	3												
391	2	644	3	680	4												
392	2	645	3														
393	2	646	2	683	1												
394	2	647	2														
395	2	648	2	684	1												
397	4	649	3														
398	5	650	2														
399	4	651	2														
400	4	652	3														
401	4	653	3														
402	5	654	3														
403	4	655	3														
404	4	656	3														
405	4	657	3														
406	5	658	2														

RESTRICTED

RESTRICTED

6

Issued with A/I, 164 to J.P. 1086, Book 11, Second Edition

RESTRICTED

Issued with A/L.164 to A.P.1086, Book 11, Second Edition.

**PERIODICAL INSPECTION OF EQUIPMENT
STORAGE CATEGORIES**

For details of different storage categories see A.P.1086, Book 1, Second Edition, Memorandum of Instructions, Part 3.

**EQUIPMENT DROPPING AND SEA-RESCUE APPARATUS
SECTION 15C**

Unless specifically shown below all items in this sub-section have an indefinite shelf life under normal storage conditions and are therefore in category 4.

Generic Heading	Category	Periodicity of Inspection in *Temperate Climates	
		Packaged	Unpackaged
Apparatus, Sea Rescue (Containing Fabric cordage or rubber)	1	4 years	2 years

* For method of calculating periodicity of inspection in tropical climates see A.P.1086, Book 1 Second Edition, Memorandum of Instructions, Part 3.

RESTRICTED

Issued with A/L.213

**AIR PUBLICATION 1086
BOOK II,
SECOND EDITION**

**SECTION 15D
PARACHUTES: AIR SEA RESCUE, LANDING
BRAKE, AND SUPPLY AND EQUIPMENT
DROPPING**

**Items under Section 15D
are covered by
VOTE 7.G.4**

RESTRICTED

VOCABULARY OF ROYAL AIR FORCE EQUIPMENT
PARACHUTES: AIR SEA RESCUE, LANDING BRAKE AND SUPPLY AND EQUIPMENT DROPPING
SECTION 15D (12th March, 1965)

PREFACE

SECTION ARRANGEMENT:—The equipment in this Section is set out in the following pages:—

PARACHUTE ASSEMBLIES:—	Extractors	Pages 1 to 2
	42 ft.	Pages 2 to 3
	Heavy Dropping, Type 66	..			Pages 3 to 6
	Landing Brake Types	..			Pages 6 to 10
	Supply Dropping		Pages 10 to 13
DROGUE'S PARACHUTE, for Lindholme Containers			Page 13
PARACHUTE ACCESSORIES, SPARES AND TOOLS			Pages 13 to 18
PARACHUTE REPAIR MATERIALS		Pages 18 to 21

RESTRICTED

RESTRICTED

PARACHUTES: AIR SEA RESCUE, LANDING BRAKE AND SUPPLY AND EQUIPMENT DROPPING
SECTION 15D—cont.

Ref. No.	Nomenclature	Detail	Drawing No. or Part No.	No. Off	Class of Stor.	Denom. of Qty.
1	2	3	4	5	6	7
	EXTRACTOR PARACHUTE ASSEMBLIES:—					
611	80 in.	MRL/GQ/321	—	A	each
	Consisting of:—					
620	Canopy, 80 in.	GQ.10140	1	B	"
623	Cable, 80 ft., 60 cwt.	AML.10573	1	B	"
622	Filler, block and cover	GQ.20384	1	C	"
—	Nut, BSS, A27QT. $\frac{5}{8}$ in. B.S.F., R.H. ..	Ref. No. 28M/14533	1	C	"
621	Pack, roll out	GQ.1733	1	B	"
—	Pin, AGS. 916F. $\frac{5}{8}$ in.	Ref. No. 28Y/11213	1	C	"
624	Sock	GQ.10230	1	C	"
770	10 ft. Roll Out Pack Assembly	MRL/GQ.184	—	A	"
	Consisting of:—					
417	Canopy, 10 ft.	MRL/GQ.115	1	B	"
786	Lift wire, 80 ft., Mark 2	GQ.1327	1	B	"
419	Pack, roll out, 10 ft.	MRL/GQ.179	1	B	"
771	10 ft. Secondary Pack Assembly	MRL/GQ.185	—	A	"
	Consisting of:—					
—	Canopy, 10 ft.	Ref. No. 417	—	1	—	—
—	Lift wire, 80 ft. Mark 2	Ref. No. 786	—	1	—	—
421	Pack, Secondary	MRL.GQ.180	1	B	each
506	21 ft. Roll Out Pack Assembly	MRL.GQ.248	—	A	—
	Consisting of:—					
512	Canopy, 21ft., ring slot	MRL.GQ.280	1	A	each
513	Cable, 80 ft.	C/W dead eye	GQ.20300	1	B	"
511	Pack, roll out	MRL.GQ.348	1	B	"
—	Pin, cotter, split, $\frac{5}{32}$ in. \times $1\frac{1}{2}$ in. long ..	Ref. No. 28P/12720 or 28P/13400	SP.9/H.12 or SP.9/H.14.	2	C	—
—	Pin, shackle, steel. $\frac{5}{8}$ in. dia. \times 2.60 in. long.	Ref. No. 28P/11793	SP.4/YR.29	2	C	—
514	Shackle	GQ.30694	2	C	each
—	Washer, 0.645 in. int. dia. \times 1.17 in. ex- dia. \times 0.48 in. thick.	Ref. No. 28W/13456. For bolts $\frac{5}{8}$ in. dia. ..	—	2	—	—

RESTRICTED

RESTRICTED

1

PARACHUTES: AIR SEA RESCUE, LANDING BRAKE AND SUPPLY AND EQUIPMENT DROPPING

SECTION 15D—cont.

1	2	3	4	5	6	7	
	EXTRACTOR, PARACHUTE ASSEMBLIES—cont.						
648	21 ft. Secondary Pack Assembly	MRI.GQ.358	—	A	each	
	Consisting of:—						
—	Canopy, 21 ft. ring slot	Ref. No. 512		1	—	—	
—	Cable 80 ft.	Ref. No. 513		1	—	—	
649	Pack, secondary	MRI.GQ.357	1	B	each	
—	Shackle	Ref. No. 514	—	1	—	—	
	PARACHUTE ASSEMBLIES, 42 ft.:—						
612	Mark 1:—	For Container, Air supply, 1 ton	MRI.GQ.336	—	A	each	
	Consisting of:—						
601	Canopy, hem rigged, Mark 2:—	GQ.1751	1	A	..	
633	Cord, reefing, 19 ft.	GQ.30954	1	C	..	
—	De-reefer, Mark 3	Ref. No. 615	—	1	—	—	
—	Disconnect, 1000 lb., Mark 5	Ref. No. 639	—	1	—	—	
614	Lift wire, assembly:—	MRI.AML.032	1	B	each	
	Consisting of:—		AML.10579				
675	Lift wire, 10 ft.	AML.10565	1	C	..	
—	Shackle, AGS.912F, $\frac{5}{8}$ in.	Ref. No. 28Y/11212	—	1	C	..	
—	Shackle pin AGS.916E	Ref. No. 28Y/11213	—	1	C	..	
729	Loops, secondary	GQ.31043	1	C	..	
613	Pack, Type B, Mark 6	GQ.1737	1	A	..	
617	Sock, apex	GQ.20397	1	C	..	
619	Sock, shackle, lower	GQ.10396	1	C	..	
772	Mark 2:—	Cluster type, single	MRI.374	—	A	..	
	Consisting of:—						
785	Canopy, hem rigged, Mark 4	MRI.372	1	A	..	
			GQ.1813				
726	Cord, reefing, 12 ft.	GQ.31204	2	C	..	
—	De-reefer, Mark 4	Ref. No. 665	—	2	—	—	
—	Disconnect, 1,000 lb., Mark 8	Ref. No. 779	—	1	—	—	
381	Gaiter, lift, web	AER.6082	1	C	each	
775	Link, extension	AM.11219	1	C	..	
—	Loop, secondary	Ref. No. 729	—	1	—	—	
773	Pack, type B, Mark 7	GQ.1859	1	A	each	
—	Pin, quick release, $\frac{1}{2}$ in.	Ref. No. 673	—	1	—	—	

RESTRICTED

RESTRICTED

PARACHUTES: AIR SEA RESCUE, LANDING BRAKE AND SUPPLY AND EQUIPMENT DROPPING
SECTION 15D—cont.

1	2	3	4	5	6	7
	PARACHUTE ASSEMBLIES, 42 ft.—cont.					
	Mark 2—cont.					
	Consisting of—cont.					
733	Pocket, De-reefer	GQ.10554	2	C	each
774	Satchel, cable stowage	GQ.1799	1	B	—
—	Sock, apex	Ref. No. 617	—	1	—	—
—	Sock, shackle	Ref. No. 427	—	1	—	—
—	Sock, shackle lower.. .. .	Ref. No. 619	—	1	—	—
—	Swivel, top fitting	Ref. No. 696	—	1	—	—
—	Wires, lift, 80 ft., Mark 2	Ref. No. 786	GQ.1327	1	B	each
	PARACHUTES, Heavy Dropping:—					
	Type 66:—					
455	Mark 1:—	(Pre-Mods. A.E.D. 34, 47, 48, 49 and 58) 3,000 lbs. (Less Disconnects, De Reefers, Cables and Satchels).	MRI.GQ.178	—	A	each
	Comprising:—					
462	Bridle, apex	GQ.30218	1	C	..
483	Canopy, 66 ft., Mark 1	Ref. No. allotted for identification purposes only.	GQ.1522	1	A	..
	Consisting of:—					
491	Cord, reefing	GQ.20120	2	C	..
457	Section, top, Mark 1	GQ.1520	1	A	..
458	Segment, Mark 1	GQ.1521	4	A	..
485	Strop, retaining	GQ.20122	1	C	..
476	Elastic, pack	For bridle	GQ.1002	1	C	..
475	Gaiter	For bridle	GQ.10130	1	C	..
	Lines, rigging, 90 ft.					
459	700 lb.	DTD.481C	96	C	..
461	700 lb., complete with operating cord..	DTD.481C	4	C	..
474	Pack, type B, Mark 5	GQ.1518	1	A	..
427	Sock, shackle	GQ.1259	2	C	..
			MRI.166			
—	Tape, adhesive "Permacel" 1 in.	Ref. No. 471	—	—	—	—

RESTRICTED

RESTRICTED

PARACHUTES: AIR SEA RESCUE, LANDING BRAKE AND SUPPLY AND EQUIPMENT DROPPING
SECTION 15D—cont.

1	2	3	4	5	6	7
	PARACHUTES, Heavy Dropping—cont.					
	Type 66—cont.					
	Mark 1—cont.					
	Comprising—cont.					
	Top swivelling shackle block assembly—	Not referenced as complete item	AML.378	—	—	—
	Consisting of:—					
467	Bolt	AML.385	4	C	each
468	Nut, thin, lock	BSSA.27YLT	4	C	"
510	Pin, solid, quick release	AML.10123	1	C	"
466	Shackle	AML.377	4	C	"
469	Shackle, block	AML.379	1	C	"
780	Mark 2	Post Mods. AED.34, 47, 48, 49 and 58 3,000 lb. (less Disconnects, De-reefers, cables and satchels).	MRI.GQ.178	—	A	"
	Comprising:—					
	Bridle, apex	Ref. No. 462	—	1	—	—
781	Canopy, 66 ft. Mark 2	Ref. No. allotted for identification purpose only.	GQ.1522	1	A	each
	Consisting of:—					
761	Cord, reefing, 20 ft.	GQ.31203	2	C	"
782	Section, top, Mark 2	GQ.1520	1	A	"
783	Segment, Mark 2	GQ.1521	4	A	"
	Strop, retaining	Ref. No. 485	—	1	—	—
760	Strop, bridle, main suspension	GQ.20533	4	B	each
	Elastic, pack	Ref. No. 476	—	1	—	—
	Gaiter	Ref. No. 475	—	1	—	—
	Lines, rigging 50ft. (+ 12 in. for tying):—					
777	700 lbs. (without operating cord)	GQ.31690	96	C	each
778	700 lb. (with operating cord for De-reefer).	GQ.31691	4	C	"
784	Pack, type B, Mark 8	GQ.1518	1	A	"
	Pocket, for De-reefer Mark 4	Ref. No. 733	—	2	—	—
	Sock, shackle	Ref. No. 427. For lower end of Disconnect	—	1	—	—
821	Sock, shackle, upper	For upper end of Disconnect	GQ.20465	1	C	each
	Tape, adhesive, "Permacel"	Ref. No. 471	—	—	—	—

RESTRICTED

RESTRICTED

PARACHUTES: AIR SEA RESCUE, LANDING BRAKE AND SUPPLY AND EQUIPMENT DROPPING
SECTION 15D—cont.

1	2	3	4	5	6	7
	PARACHUTES, Heavy Dropping—cont					
	Type 66—cont.					
	Mark 2—cont.					
	Comprising—cont.					
—	Top swivelling shackle block assembly:—	Not referenced as complete item				
	Consisting of:—					
—	Bolt	Ref. No. 467	—	4	—	—
—	Nut, thin, lock	Ref. No. 468	—	4	—	—
—	Pin, solid, quick release	Ref. No. 510	—	1	—	—
—	Shackle	Ref. No. 466	—	4	—	—
—	Shackle, block	Ref. No. 469	—	1	—	—
762	Wrap, protective	GQ.20432	1	B	each
	Accessories:—					
470	Cable assembly, 40 ft.	Required when used singly and clusters of 2 to 4 canopies	AML.392	1	B	„
—	De-reefer, Mark 1	Ref. No. 463 (for Ref. No. 455 pre-mod. AED.47).	—	2	—	—
—	De-reefer, Mark 4	Ref. No. 665 (for Ref. No. 780 post mod. AED.47).	—	2	—	—
—	Disconnect 3,000 lb., Mark 2	Ref. No. 578	—	—	—	—
477	Satchel	When Ref. No. 577 Flying Wires are used, two satchels per assembly are required.	GQ.1528	1	B	each
557	Wires, flying, 110 ft.	Required when used in clusters of more than 4 canopies.	AML.459	1	B	„
840	Mark 2:—	For use in clusters of up to 4 canopies ..	MRI.GQ.260	—	A	„
	Consisting of:—					
—	Bridle, apex	Ref. No. 462	—	1	—	—
—	Cable	Ref. No. 470	—	1	—	—
—	Canopy, 66 ft. Mark 2	Ref. No. 781	—	1	—	—
	Consisting of:—					
—	Cord, reefing, 20 ft.	Ref. No. 761	—	2	—	—
—	Section, top, Mark 2	Ref. No. 782	—	1	—	—
—	Segment, Mark 2	Ref. No. 783	—	4	—	—
—	Strop, bridle suspension	Ref. No. 760	—	4	—	—
—	Strop, retaining	Ref. No. 485	—	1	—	—
—	De-reefer, Mark 4	Ref. No. 665	—	2	—	—

RESTRICTED

RESTRICTED

PARACHUTES: AIR SEA RESCUE, LANDING BRAKE AND SUPPLY AND EQUIPMENT DROPPING

SECTION 15D—cont.

1	2	3	4	5	6	7
	PARACHUTES, Heavy Dropping—cont.					
	Type 66—cont.					
	Mark 2—cont.					
	Consisting of—cont.					
—	Disconnect, 3,000 lb., Mark 2	Ref. No. 578	—	1	—	—
—	Elastic, pack	Ref. No. 476	—	1	—	—
—	Gaiter	Ref. No. 475	—	1	—	—
	Lines, rigging, 50ft. (+ 12in. for tying):—					
—	700 lb. (without operating cord) ..	Ref. No. 777	—	96	—	—
—	700 lb. (with operating cord for De-reefer).	Ref. No. 778	—	4	—	—
—	Pack, type B, Mark 8	Ref. No. 784	—	1	—	—
—	Pocket, for De-reefer	Ref. No. 733	—	2	—	—
—	Satchel	Ref. No. 477	—	1	—	—
—	Socket, shackle	Ref. No. 427 for lower end of Disconnect ..	—	1	—	—
—	Socket, shackle, upper	Ref. No. 821 for upper end of Disconnect ..	—	1	—	—
—	Tape, adhesive, "Permacel"	Ref. No. 471	—	—	—	—
—	Top swivelling shackle block assembly ..	Not referenced as complete item	—	—	—	—
	Consisting of:—					
—	Bolt	Ref. No. 467	—	4	—	—
—	Nut, thin, lock	Ref. No. 468	—	4	—	—
—	Pin, solid, quick release	Ref. No. 510	—	1	—	—
—	Shackle	Ref. No. 466	—	4	—	—
—	Shackle block	Ref. No. 469	—	1	—	—
—	Wrap, protective	Ref. No. 762	—	1	—	—
	Accessories:—					
—	Wires, flying, 110 ft.	Ref. No. 557. Required when using clusters of more than 4 canopies.	—	1	—	—
	PARACHUTE ASSEMBLIES, Landing Brake					
	Types:—					
454	Type LBI, Mark 1	For Vulcan B.1 Aircraft	IRV.121	—	A	each
	Spares:—					
604	Ejector board	IRV.IAC.2296	1	C	
640	Elastic, pack opening 7 in.	IAC.1158	4	C	,,
500	Pack, main	MRI.148	1	A	,,

RESTRICTED

RESTRICTED

PARACHUTES: AIR SEA RESCUE, LANDING BRAKE AND SUPPLY AND EQUIPMENT DROPPING
SECTION 15D—cont.

1	2	3	4	5	6	7
	PARACHUTES ASSEMBLIES, Landing Brake					
	Types—cont.					
	Type LB1, Mark 1—cont.					
	Spares—cont.					
501	Parachute, auxiliary, vane type	MRI.IRV.79	1	A	each
605	Pin, rip	Pre-mod. para. 233	IAC.2305	1	C	"
818	Rip cord assembly	Post Mod. para. 233	(IAC.2305 issue 2)	1	C	"
	Type LB2, Mark 1 (White)	For Lighting Aircraft	MRI.IRV.105	—	A	"
	Accessories:—					
	Container	Ref. No. 26DK/2778	—	—	—	—
	Spares:—					
644	Apron locking loop and attachment wire, Mark 1	IAC.1162	2	C	each
736	Cone, locking	IAC.268	2	C	"
643	Elastic, 5 in.	IAC.1200	2	C	"
642	Elastic, 4½ in.	IAC.1221	4	C	"
509	Flap assembly	MRI.IRV.224	1	C	set
	Spares:—					
625	Canopy, type F16, Mark 1	MRI.IRV.101	1	A	each
628	Pack, type LB2/16, Mark 1	MRI.IRV.104	1	B	"
626	Parachute, Auxiliary, Type R40, Mark 1	MRI.IRV.177	—	B	"
627	Strop	IA.C1629	—	C	"
791	Type LB2, Mark 2 (White)	Lightning Aircraft	MRI.IAC.480	—	A	"
	Accessories:—					
	Container	Ref. No. 26DK/21563	—	—	—	—
	Spares:—					
792	Cone, locking	IAC.2997	2	C	each
	Elastic, 5 in.	Ref. No. 643	—	2	—	—
829	Elastic, 3½ in.	SD/118/9	4	C	each
843	Flap assembly:—	IAC.3348	—	C	"
	Consisting of:—					
846	Flap, port	IAC.3346/2	1	C	"
845	Flap, starboard	IAC.3346/1	1	C	"
844	Flap, stop	IAC.3344	1	C	"
847	Loop, apron locking	IAC.3347	2	C	"

RESTRICTED

7

RESTRICTED

PARACHUTES: AIR SEA RESCUE, LANDING BRAKE AND SUPPLY AND EQUIPMENT DROPPING
SECTION 15D—cont.

1	2	3	4	5	6	7
	PARACHUTE ASSEMBLIES, Landing Brake					
	Types—cont.					
	Type LB2, Mark 2 (White)—cont.	Lighting Aircraft				
	Accessories:—					
	Container—cont.					
	Sparcs—cont.					
828	Loop, breaking tie	MRI.IRV.488 IAC.3165	4	C	each
	Sparcs:—					
833	Allen bolt 90° c/sk. 2 B.A. × ½ in. (Charles Churchill).		4	C	..
831	Canopy, type F16, Mark 2 (White) ..	Less Rigging Lines (Ref. No. allotted for identification purposes only).	IAC.3157/Item 2 MRI.484	1	A	..
832	Connector, parachute	IAC.3157/Item 3	1	A	..
824	Gaiter assembly	IAC.3164	1	C	..
826	Lines, rigging, 15 ft. 7½ in.	IAC.3157/Item 1	20	C	..
823	Pack, type LB2/F16, Mk. 2	IAC.3158 MRI.IRV.487	1	B	..
—	Parachute, auxiliary, type R40, Mark 1	Ref. No. 626	—	1	B	..
834	Spacer	AML.10988	24	C	..
825	Strop, auxiliary	IAC.3167	1	C	..
848	Wires, attachment	For use with Ref. No. 843	IAC.3166	1	C	Set of 5
507	Type LB51, Mark 1:—	For Victor Aircraft	MRI.GQ.236	—	A	each
	Consisting of:—					
586	Bridle	GQ.20232	1	C	..
549	Canopy, 45 ft., ring slot	GQ.10244 Issue 1	1	A	..
635	Extractor, parachute, vane type, 8 ft. 6 in.:—	GQ.1767	1	A	..
636	Pack, extractor	GQ.10443	1	C	..
584	Link	GQ.S.108	1	B	..
550	Pack, main	GQ.1572	1	B	..
585	Pin, link	GQ.S130	3	C	..
634	Rip cord, single lanyard	GQ.30943	1	C	..
565	Segment, leather	GQ.30798	4	C	..
555	Sock, rigging line	GQ.20228	1	C	..
554	Sock, shackle	GQ.20196	1	C	..

RESTRICTED

RESTRICTED

PARACHUTES: AIR SEA RESCUE, LANDING BRAKE AND SUPPLY AND EQUIPMENT DROPPING
SECTION 15D—cont.

1	2	3	4	5	6	7
	PARACHUTE ASSEMBLIES, Landing Brake					
	Types—cont.					
645	Type LB52, Mark 2:—	For Hunter Aircraft	MRI.GQ.306 Issue 8	—	A	each
	Consisting of:—					
596	Bridle	GQ.30783	1	C	"
590	Cable, less shackles	A.222111	1	C	"
588	Pack	GQ.10339	1	B	"
646	Parachute, auxiliary	GQ.1771	GQ.1771	1	B	"
632	Pin, shear	F.234352	1	C	"
595	Rip cord assembly	Pre Hunter Mod. 997	GQ.30681	1	C	"
592	Shackle, aircraft attachment	F.228547	1	C	"
591	Shackle, parachute attachment	F.22207	1	C	"
594	Sleeve, rigging line protection	GQ.30819	1	C	"
732	Type LB52, Mark 3:—	GQ.MRI.410	—	A	"
	Consisting of:—					
—	Bridle	Ref. No. 596	—	1	—	—
—	Cable, less shackles	Ref. No. 590	—	1	—	—
—	Pack	Ref. No. 588	—	1	—	—
—	Parachute, auxiliary	Ref. No. 646	—	1	—	—
—	Pin, shear	Ref. No. 632	—	1	—	—
721	Shackle, aircraft attachment	F.246486	1	C	each
—	Shackle, parachute attachment	Ref. No. 591	—	—	—	—
—	Sleeve, rigging line protection	Ref. No. 594	—	—	—	—
714	Type LB53, Mark 3	For Gnat Aircraft	MRI.GQ.345	—	A	each
	Consisting of —					
719	Cable assembly	GQ.20424	1	C	"
715	Canopy, 7 ft. 6 in. ring slot	GQ.10344	1	A	"
716	Drogue, parachute	GQ.10260	1	C	"
717	Pack	GQ.10258	1	C	"
718	Sock	GQ.20270	1	C	"
629	Type LB54, Mark 1	For Vulcan B.1A and B.2 Aircraft	GQ.349	—	A	"
	Consisting of:—					
652	Canopy, 45 ft., ring slot	GQ.1777	1	A	"
653	Extractor, parachute, vane type	GQ.1767 including item 6.	1	A	"

RESTRICTED

9

RESTRICTED

B

PARACHUTES: AIR SEA RESCUE, LANDING BRAKE AND SUPPLY AND EQUIPMENT DROPPING

SECTION 15D—cont.

1	2	3	4	5	6	7
	PARACHUTE ASSEMBLIES, Landing Brake					
	Types—cont.					
	Type LB54, Mark 1—cont.	For Vulcan B.1A and B.2 Aircraft.				
	Consisting of—cont.					
705	Locking cable assembly	GQ.31076	1	C	each
654	Pack, main:—	GQ.10455	1	A	"
819	Buckle extractor apron, release	IZ.10527	1	C	"
655	Pack, vanc extractor	GQ.10458	1	C	"
704	Restraining cable attachment woggle:—	GQ.31002	1	C	"
743	Hook, snap	AML.138	1	C	"
658	Rip cord	Pre-mod. GQ/B/23	GQ.30983	1	C	"
820	Rip cord assembly	Post Mod. GQ/B/23	GQ.31795	1	C	"
659	Shackle attachment	IZ.9322	1	C	"
835	Bush	6Z.9322/1	1	C	"
720	Collar, vent leather	GQ.31167	1	C	"
656	Sock, rigging line	GQ.20452	1	C	"
657	Sock, shackle	GQ.20460	1	C	"
	PARACHUTE ASSEMBLIES, Supply Drop-					
	ping:—					
—	18 ft., Type SD:—	C/W pack cover.. .. .	IRV.333	—	—	—
416	Khaki	—	—	A	each
339	White	—	—	A	"
	Accessories:—					
—	Static Line Satchel	Ref. No. 556. To be demanded separately, as required.	—	—	—	—
—	20 ft., Type R Assembly, Mark 2:—	C/W pack cover.. .. .	AER.1505	—	—	—
393	Black	—	—	A	each
394	Blue	—	—	A	"
395	Green	—	—	A	"
391	Khaki	—	—	A	"
396	Orange	—	—	A	"
397	Red	—	—	A	"
392	White	—	—	A	"
398	Yellow..	—	—	A	"

RESTRICTED

RESTRICTED

PARACHUTES: AIR SEA RESCUE, LANDING BRAKE AND SUPPLY AND EQUIPMENT DROPPING
SECTION 15D—cont.

1	2	3	4	5	6	7
	PARACHUTE ASSEMBLIES, Supply Dropping:—					
	20 ft., Type R Assembly, Mark 2 —cont.					
	Accessories:—	To be demanded separately as required				
117	Lines static, 5 ft. 6 in.	C/W Release pin } Not required when Ref. No. 556 is used	AER.1276	1	C	each
441	Lazy lines		—	1	C	"
390	Parachute auxiliary, Mark 2, type R		AER.6051	1	C	"
—	Static line satchel, Mark 2	Ref. No. 556. Not required when Ref. Nos. 117 and 390 are used.	—	1	—	—
	Spares:—					
404	Pack, type R, Mark 3	{ Either of these packs may be used with nylon lines when these are stowed in elastic bands.	AER.1276	1	C	each
405	Pack, type R, Mark 4		AER.1276	1	C	"
849	28 ft. Type RU, red		MRI/GQ/482/RU GQ.32005/RU.	—	A	"
	Consisting of:—					
850	Canopy and lift web assembly, red	(Ref. No. allotted for identification purposes only)	GQ.10724	1	A	"
851	Pack, c/w, strop and snap hooks	(Strop GQ.20781) (Snap hook Ref. No. 577)	GQ.1987	1	B	"
—	Accessories:—					
—	Static line satchel, Mark 2	Ref. No. 556	—	—	—	—
	Spares:—					
869	Lift web assembly		GQ.20775	1	C	each
870	Link, connecting assembly		GQ.23045	1	C	"
897	Loop retaining (wire)		GQ.764B	1	C	"
896	Pin, static		GQ.417	1	C	"
868	Strap, retaining		GQ.3196	4	C	"
864	28 ft., Twin Type, RU, red.		MRI/GQ/461B	—	A	"
	Consisting of:—					
—	Canopy and lift web assembly	Ref. No. 850	—	2	—	—
898	Pack c/w strop and snap hook assembly		GQ.10725	1	B	each
—	Accessories:—					
—	Static line satchel, Mk. 2	Ref. No. 556	—	—	—	—
	Spares:—					
—	Lift, web, assembly	Ref. No. 869	—	2	C	each
875	Link, connecting assembly		—	1	C	"

RESTRICTED

11

RESTRICTED

PARACHUTES: AIR SEA RESCUE, LANDING BRAKE AND SUPPLY AND EQUIPMENT DROPPING
SECTION 15D—cont.

1	2	3	4	5	6	7
	PARACHUTES, Supply Dropping:—					
	Utility:—					
	18 ft.:—					
738	Mark 1, Pink	MRI.GQ.375	—	A	each
867	Pack and strop assembly	GQ.10618	1	B	"
	28 ft.					
496	Mark 1, Blue	MRI.GQ.243	—	A	"
497	Mark 1, Red.	MRI.GQ.243	—	A	"
	Accessories:—					
556	Static line satchel	To be demanded separately as required ..	MRI.GQ.278	1	C	"
	60 ft.					
856	Mark 1	MRI./GQ/379 GQ.10573	—	A	"
	Consisting of :—					
	Bridle apex	Ref. No. 462	—	1	—	—
857	Canopy, 60 ft., flat, red	Ref. No. allotted for identification purposes only	GQ.1825	1	A	each
	Disconnect, 1 ton	Ref. No. 859	—	1	—	—
	Lift, wire, assembly	Ref. No. 614	—	1	—	—
	Consisting of:—					
	Lift wire, 10 ft.	Ref. No. 675	—	—	—	—
	Shackle, AGS.912F, $\frac{5}{8}$ in.	Reference 28Y/11212	—	—	—	—
	Shackle pin, AGS.916E, $\frac{5}{8}$ in.	Reference 28Y/11213	—	—	—	—
871	Pack assembly	MRI./GQ/500 GQ.2071 GQ.20886	1	A	each
872	Rigging line, stowage assembly		2	C	"
	Socket, apex	Ref. No. 617	—	1	—	—
	Socket, shackle, large	Ref. No. 427	—	1	—	—
	Socket, shackle, lower	Ref. No. 619	—	1	—	—
	Accessories:—					
	Bag, transit, Mk. 2	Ref. No. 479	—	1	—	—
	Spares:—					
	Cord, nylon, 750 lbs. B.S.	Ref. No. 874	—	—	C	yds.
	Fabric, viscose rayon, red	Ref. No. 805	—	—	C	"

RESTRICTED

RESTRICTED

PARACHUTES: AIR SEA RESCUE, LANDING BRAKE AND SUPPLY AND EQUIPMENT DROPPING
SECTION 15D—cont.

1	2	3	4	5	6	7
	PARACHUTES, Supply Dropping <i>cont.</i>					
	Hooks:—					
192	Snap	For Ref. Nos. 496 and 497	GQ.159	—	C	each
577	Snap	Ref. No. 743. For Ref. No. 704	AML.122	—	C	"
—	Snap		—	—	—	"
	DROQUES, Parachute:—	For A.S.R. Lindholme Containers.				
663	AF.14, extractor	For Ref. Nos. 15C/636 and 15C/639	GQ.	1	B	each
664	25 in. stabilising	For Ref. No. 15C/639	GQ.SK.619	1	B	"
387	34 in. stabilising	For Ref. No. 15C/636	GQD.2041/5	1	B	"
	PARACHUTE ACCESSORIES, Spares and Tools—					
	Bags, transit:—					
384	Mark 1	For transit and recovery of 42 ft. Canopies or "X" type Parachutes or Reserve "X" type Parachutes.	—	—	B	"
479	Mark 2	For transit of Brake Parachutes and 66 ft. Assemblies.	MRI.GQ.188	—	B	"
759	Mark 3	For transit and recovery of 42 ft. Assemblies complete, 42 ft. Canopies "X" type and "X" type Reserve Parachutes.	GQ.105.81	—	B	"
	De-reefers:—					
615	Mark 3	Component part of Ref. No. 612, Parachute Assembly 42ft., 1.3 secs. delay.	{ AML.431A { MRI.AML.026	1	A	"
	Spares:—					
677	Cap	AML.10797	1	C	"
707	Clockwork mechanism	AML.457	1	C	"
712	Pin, actuating	AML.428	1	C	"
571	Pin, operating	GQ.30219	1	C	"
676	Plug, sealing	AML.11020	1	C	"
702	Screw, grub	AML.10381	—	C	"
703	Screw, series K6 x 32 UNC, c/s head	—	—	C	"

RESTRICTED

RESTRICTED

PARACHUTES: AIR SEA RESCUE, LANDING BRAKE AND SUPPLY AND EQUIPMENT DROPPING
SECTION 15D—cont.

1	2	3	4	5	6	7
	PARACHUTE ACCESSORIES, Spares and Tools—cont.					
	De-Reefers—cont.					
665	Mark 4	4-1 to 4-5 secs. delay for 42 ft. Assembly Mark 2, Ref. No. 772 and 66 ft. Assembly Mark 2, Ref. No. 780.	AML.10771	—	A	each
	Spares:—					
—	Cap	Ref. No. 677	—	—	—	"
713	Clockwork mechanism	Ref. No. 712	AML.10943	—	C	"
—	Pin, actuating	Ref. No. 676	—	—	—	"
—	Plug, sealing	Ref. No. 702	—	—	—	"
—	Screw, grub	Ref. No. 703	—	—	—	"
—	Screw, series K6 x 32 UNC, c/s head					
	Tools:—					
678	Cocking	For Ref. No. 615	AML.10809	—	A	each
686	Engagement bush	Ref. No. 665	AML.11023	—	A	"
788	Meter, test, time interval	Type 8806	AML.8806	—	A	"
618	Spanner	For Ref. No. 665	AML.10548	—	C	"
	Disconnects, 1000 lb.:—					
639	Mark 5	For Ref. No. 612	AML.MRI.033	—	A	"
	Spares:—					
695	Bush, flanged	AML.10800	1	C	"
533	Clockwork mechanism	AML.375	1	B	"
687	Eyebolt	AML.10583	1	C	"
529	Hook, release:—	AML.466. Sht. 1	1	C	"
530	Pin, pivot	AML.489	1	C	"
689	Key, locking	AML.10587	1	C	"
669	Lever, trip:—	AML.10453	1	C	"
666	Pin, pivot	AML.10456	2	C	"
741	Link plates:—	AML.11144	2	C	"
—	Bolt, $\frac{7}{16}$ in.	Ref. No. 28D/283	—	1	—	"
—	Stiff nut, $\frac{7}{16}$ in.	Ref. No. 28M/10293	—	1	—	"
—	Washer	Ref. No. 28W/9419467	—	1	—	"
674	Link, release	AML.10304	1	C	each
688	Nut	AML.10586	1	C	"

RESTRICTED

RESTRICTED

PARACHUTES: AIR SEA RESCUE, LANDING BRAKE AND SUPPLY AND EQUIPMENT DROPPING
SECTION 15D—cont.

1	2	3	4	5	6	7
	PARACHUTE ACCESSORIES, Spares and Tools—cont.					
	Disconnects, 1000 lb.—cont.					
	Mark 5—cont.					
	Spares—cont.					
672	Pin, quick release, $\frac{7}{16}$ in.	AML.10333	1	C	each
673	Pin, quick release, $\frac{11}{32}$ in.	AML.101314	1	C	"
667	Plunger, 9 secs.—	AML.10693	1	C	"
691	Bush, rubber	AML.10458	1	C	"
693	Pin, attachment	AML.10799	1	C	"
692	Screw, 6 B.A., c/sk. head	AML.413	1	C	"
650	Screw, cheesehead, long	AML.10636	1	C	"
537	Screw, cheesehead, short	AML.473	1	C	"
—	Screw, 6 B.A., roundhead, $\frac{1}{4}$ in. long . .	Ref. No. 28S/3501, Pt. No. A32/A8	—	1	—	—
535	Sleeve assembly	AML.416	1	C	each
534	Spring, compression	AML.397	1	C	"
670	Spring, tension	AML.10798	1	C	"
696	Swivel top fitting	AML.10580	1	C	"
690	Washer, tuftol	AML.10584	1	C	"
779	Mark 8	For Ref. No. 772	AML.11140	—	A	"
	Spares:—					
—	Bush flanged	Ref. No. 695	—	1	—	—
—	Clockwork mechanism	Ref. No. 533	—	1	—	—
—	Eyebolt	Ref. No. 687	—	1	—	—
—	Hook, release:—	Ref. No. 529	—	1	—	—
—	Pin, pivot	Ref. No. 530	—	1	—	—
—	Key, locking	Ref. No. 689	—	1	—	—
—	Lever, trip:—	Ref. No. 669	—	1	—	—
—	Pin, pivot	Ref. No. 666	—	2	—	—
—	Link, release	Ref. No. 674	—	1	—	—
—	Nut	Ref. No. 688	—	1	—	—
—	Pin, quick release	Ref. No. 672	—	1	—	—
668	Plunger assembly, 14 secs:—	AML.286	1	C	each
—	Bush, rubber	Ref. No. 691	—	1	—	—
—	Screw, 6 B.A., c/sk head	Ref. No. 692	—	1	—	—

RESTRICTED

15

RESTRICTED

PARACHUTES: AIR SEA RESCUE, LANDING BRAKE AND SUPPLY AND EQUIPMENT DROPPING
SECTION 15D—cont.

1	2	3	4	5	6	7
	PARACHUTE ACCESSORIES, Spares and Tools—cont.					
	Disconnects, 1000 lb.—cont.					
	Mark 8—cont.					
	Spares—cont.					
—	Screw, cheese head, long	Ref. No. 650	—	1	—	—
—	Screw, cheese head, short	Ref. No. 537	—	1	—	—
—	Screw, round head, 6 B.A. $\times \frac{1}{4}$ in. long ..	Ref. No. 28S/3501 Part No. A32/A8 ..	—	1	—	—
—	Spring, compression	Ref. No. 534	—	1	—	—
—	Spring, tension:—	Ref. No. 670	—	1	—	—
—	Pin attachment	Ref. No. 693	—	1	—	—
—	Sleeve assembly	Ref. No. 535	—	1	—	—
—	Swivel top fitting	Ref. No. 696	—	1	—	—
—	Washer, tufnol	Ref. No. 690	—	1	—	—
	Disconnects, 3000 lb.:—					
578	Mark 2	For Ref. No. 780	AML.286	—	A	each
	Spares:—					
542	Bush, flanged	AML.183	1	C	..
—	Clockwork mechanism	Ref. No. 533	—	1	—	—
545	Disc cap assembly:—	C/w rubber disc	AML.10558	1	C	each
—	Circlip	Ref. No. 28N/2001694, Part No. AGS.2030/59	—	—	C	..
544	Eyebolt	AML.10195	1	C	..
539	Hook, release:—	AML.289	1	C	..
540	Pin, pivot	AML.488	1	C	..
698	Key, locking	AML.10162	1	C	..
541	Link, release	AML.405	1	C	..
697	Nut	AML.10156	1	C	..
—	Plunger, 14 and 16 secs:—	Ref. No. 668	—	1	—	—
—	Bush, rubber	Ref. No. 691	—	—	—	—
—	Screw, 6 B.A., c/sk. head	Ref. No. 692	—	1	—	—
505	Quick release pin assembly	AML.10193	1	C	each
	Consisting of:—					
547	Cable, retaining	AML.11053	1	C	..
708	Pin, quick release	AML.10072	1	C	..
543	Screw, cover	Post Mod. AML.7	AML.10632	1	C	..
—	Screw, cheesehead, long	Ref. No. 650	—	2	—	—

RESTRICTED

RESTRICTED

PARACHUTES: AIR SEA RESCUE, LANDING BRAKE AND SUPPLY AND EQUIPMENT DROPPING
SECTION 15D—cont.

1	2	3	4	5	6	7
	PARACHUTE ACCESSORIES, Spares and Tools—cont.					
	Disconnects, 3000 lb.—cont.					
	Mark 2—cont.					
	Spares—cont.					
548	Sleeve assembly, shock absorbing	AML.404	1	C	each
546	Spring, compression	AML.396	1	C	"
671	Spring, tension	AML.224	1	C	"
680	Trip, lever, assembly:—	AML.10944	1	C	"
701	Lever, trip	AML.10555	1	C	"
700	Pin, pivot	AML.10557	2	C	"
699	Washer, tufnol	AML.10517	1	C	"
	Attachment Parts:—	Items required to attach Disconnects to Parachute Assemblies.				
—	Bolt, steel, high tensile, $\frac{7}{16}$ in. B.S.F. > 2 in. long.	Ref. No. 28M/15663, Part No. A25/13L	—	1	—	—
—	Nut, steel, high tensile, $\frac{7}{16}$ in. B.S.F.	Ref. No. 28M/13641, Part No. A27/LT	—	2	—	—
—	Ring D, triangular	Ref. No. 15C/377. Part No. IAC.236	—	4	—	—
—	Shackle, chain $\frac{7}{16}$ in.	Ref. No. 28Y/6052, Part No. AGS.914D	—	2	—	—
859	Disconnects, 1 ton.	AML.11290	—	A	each
	Spares:—					
878	Attachment, top fitting	AML.11408	1	C	"
888	Block, top	AML.11439	1	C	"
893	Bolt, block, top	AML.11761	4	C	"
879	Bolt, central operating	AML.11409	1	C	"
—	Bolt, tension spring	Reference 28DU/9414355	BSA.102/16E	1	C	—
891	Bush	AML.11662	2	C	each
889	Channel, side	AML.11443	1	C	"
890	Channel, side	AML.11444	1	C	"
887	Hook	AML.11425	1	C	"
877	Lever, trip	AML.11404	1	C	"
884	Link assembly	AML.11419	1	C	"
—	Nut, stiff	Reference 28M/9438429	BSA./126E	5	C	—
—	Nut, stiff	Reference 28M/9419398	BSA./126G	2	C	—
881	Pin	AML.11411	1	C	each
882	Pin, locking	AML.11412	1	C	"

RESTRICTED

RESTRICTED

PARACHUTES: AIR SEA RESCUE, LANDING BRAKE AND SUPPLY AND EQUIPMENT DROPPING

SECTION 15D—cont.

1	2	3	4	5	6	7
	PARACHUTE ACCESSORIES, Spares and Tools—cont.					
	Disconnects, 1 ton—cont.					
	Spares—cont.					
885	Pin, quick release	AML.11423	1	C	each
876	Pin, shear	AML.11289	1	C	"
—	Pin, shouldered	Reference 28P/1013115	SP4Y/D22	1	C	"
—	Pin, split	Reference 28P/9710567	SP.90/C4	1	C	"
894	Safety-pin and cable retaining assembly	AML.11829	1	C	each
886	Shackle	AML.11424	1	C	"
—	Spring tension	Ref. No. 670	AML.10798	1	C	"
892	Stud	AML.11663	1	C	"
895	Tube, distance, $\frac{5}{16}$ in. i/d. \times 1.28 in. lg.	AS.2806/5/128	1	C	"
—	Washer	Reference 28W/9418920	SP/10/E	2	C	"
—	Washer	Reference 28W/9418921	SP/13/E	5	C	"
—	Washer	Reference 28W/9419403	SP/13/G	2	C	"
880	Washer, al. alloy	AML.11410	1	C	each
883	Washer, steel	AML.11413	1	C	"
	Tools:—					
683	Cap, insert removal tool	For 1000 lb. Disconnect	AML.10857	1	B	"
684	Cap, locking, key removal tool	For 1000 lb. Disconnect	AML.10861	1	B	"
681	Cap, locking, key removal tool	For 3000 lb. Disconnect	AML.10679	1	B	"
488	Cocking lever	For 1000 lb. and 3000 lb. Disconnects	AML.487	1	B	"
487	Cocking rod	AML.273	1	B	"
682	Flanged bush removal tool	For 1000 lb. Disconnect	AML.10854	1	B	"
498	Flanged bush removal tool	For 3000 lb. Disconnect	AML.10096	1	B	"
499	Tommy bar	For use with Ref. No. 498	AML.10097	1	B	"
	REPAIR MATERIALS:—					
	Cord:—					
	Flax No. 3					
480	150 lbs. B.S.	B.S.F.59	—	C	Yds.
	Nylon:—					
484	245 lbs. B.S.	D.T.D.481	—	C	"
753	400 lbs. B.S.	DTD.5502	—	C	"
790	400 lb. B.S. Red	For temporary ties for brake parachutes	DTD.481E	—	C	"

RESTRICTED

RESTRICTED

PARACHUTES: AIR SEA RESCUE, LANDING BRAKE AND SUPPLY AND EQUIPMENT DROPPING
SECTION 15D—cont.

1	2	3	4	5	6	7
	REPAIR MATERIALS:—					
	Cord—cont.					
	Nylon—cont.					
	400 lb. B.S.	Ref. No. 32A/141	DTD.481E	—	C	—
452	700 lbs. B.S.	DTD.481E	—	C	Yds.
874	750 lbs. B.S.	GQ/MS/177	—	C	"
453	1,200 lbs. B.S.	DTD.5502	—	C	"
	Tubular braided, No. 1:—					
731	1,500 lb. B.S.	DTD.689/1	—	C	"
	Tubular woven:—					
752	1,500 lb. B.S. $\frac{9}{16}$ in.	IAC. S.1103	—	C	"
800	Rayon nylon	DTD.5524	—	C	"
	Elastic:—					
789	$\frac{3}{4}$ in. white	Spec. W.96	—	C	"
813	$1\frac{1}{2}$ in., grey	C.8483	—	C	"
	Fabric:—					
	Canvas:—					
801	Cotton	GQ.MS.116	—	C	"
756	Khaki	DTD.336	—	C	"
	Cotton:—					
660	White	DTD.583A	—	C	"
757	White	DTD.407	—	C	"
	Nylon:—					
443	Blue	DTD.854	—	C	"
444	Green	DTD.854	—	C	"
838	Khaki	DTD.854	DTD.854	—	C	"
750	Khaki	IAC/S.1301	—	C	"
445	Red	DTD.854	—	C	"
581	White 36 in.	GQ.MS.119	—	C	"
679	White	DTD.793	—	C	"
754	White	DTD.854	—	C	"
914	White	DTD.847 Fabric A.	—	C	"
787	White	DTD.847 Fabric B	—	C	"
446	Yellow	DTD.854	—	C	"
816	Porosity 17C. FT.	DTD.694 Class 1	—	C	"

RESTRICTED

RESTRICTED

PARACHUTES: AIR SEA RESCUE, LANDING BRAKE AND SUPPLY AND EQUIPMENT DROPPING
SECTION 15D—cont.

1	2	3	4	5	6	7
	REPAIR MATERIALS—cont.					
	Fabric—cont.					
	Viscose rayon:—					
799	Blue	—	C Yds.
805	Red	—	C "
	Fasteners:—					
797	Durable dot	—	C Doz.
	Grommets:—					
794	Lacing brass, No. 0	—	C Gross
	Leather:—					
727	3 in. × 5½ in. × 2 mm. TG.3	—	C each
793	Binding 11 in. × 2⅝ in.	—	C "
795	Pins, safety, No. 2	—	C Gross
	Ribbon:—					
	Nylon:—					
744	70 lb., ⅝ in.	—	C Yds.
749	300 lb., 2 in.	—	C "
	Rings:—					
725	D Steel	—	C each
807	Reefing	—	C "
796	Vent	—	C "
817	Vent	—	C "
	Tape adhesive:—					
	Permacel P.43:—					
471	25 mm. (White)	—	C Roll of 50 m
	Permacel P.E. 30:—					
739	75 mm. (White)	—	C "
	Celanese:—					
758	400 lbs. B.S. ½ in.	—	C Yds.
	Cotton:—					
815	Binding khaki	—	C "
806	White, ½ in.	—	C "

RESTRICTED

RESTRICTED

PARACHUTES: AIR SEA RESCUE, LANDING BRAKE AND SUPPLY AND EQUIPMENT DROPPING
SECTION 15D—cont.

1	2	3	4	5	6	7
	REPAIR MATERIALS—cont.					
	Tape—cont.					
	Nylon:—					
583	120 lb. B.S. $\frac{1}{8}$ in.	GQ.MS.132	—	C	Yds.
580	200 lb. B.S. $\frac{1}{8}$ in.	GQ.MS.115	—	C	"
598	500 lb. B.S. 1 in.	GQ.MS.107	—	C	"
755	1,000 lb. B.S. 1 in.	IAC.S602	—	C	"
763	2 in	IAC.S407	—	C	"
	Terylene:—					
597	400 lb. $\frac{1}{2}$ in.	GQ.MS.124	—	C	"
730	700 lb. $\frac{1}{2}$ in.	GQ.MS.158	—	C	"
579	1,300 lb. B.S. 1 in.	GQ.MS.131	—	C	"
	Thread:—					
582	Nylon 10 lb. B.S.	IAC. S.802	—	C	Cops
748	Nylon, heavy	IAC.S.801	—	C	"
	Webbing:—					
	Cotton:—					
	Khaki:—					
811	$\frac{3}{4}$ in.	DTD.5506	—	C	Yds.
814	$1\frac{1}{2}$ in.	F.49	—	C	"
836	2 in.	DTD.5505	—	C	"
809	3 in.	DTD.5505	—	C	"
837	4 in.	DTD.5505	—	C	"
812	4 in.	DTD.5506	—	C	"
810	$6\frac{1}{2}$ in	IAC.S.505	—	C	"
			DTD.835			
798	Fawn $\frac{3}{4}$ in.	DTD.5506	—	C	"
803	White $1\frac{1}{4}$ in.	DTD.871	—	C	"
	Nylon:					
747	1 in. 3,300 lb. B.S.	IAC. S.1101	—	C	"
587	1 in. 1,500 lb. B.S.	GQM.202	—	C	"
802	$1\frac{1}{2}$ in.	GQ.MS.111	—	C	"
746	$1\frac{3}{4}$ in. 3,000 lb. B.S.	IAC.S.608A	—	C	"
745	2 in. 1,000 lb. B.S.	IAC.S.603	—	C	"
	Tubular braided:—					
616	$\frac{2}{16}$ in. 1,500 lb. B.S.	IAC.1114	—	C	"

RESTRICTED

RESTRICTED

PARACHUTES: AIR SEA RESCUE, LANDING BRAKE AND SUPPLY AND EQUIPMENT DROPPING

SECTION 15D—cont.

INDEX TO REFERENCE NUMBERS

Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.
117	11	457	3	507	8	577	13	619	2	657	10	691	15	731	19	774	3	807	20
192	13	458	3	509	7	578	16	620	1	658	10	692	15	732	9	775	2	809	21
339	2	459	3	510	4	579	21	621	1	659	10	693	15	733	3	777	4	810	21
381	2	461	3	511	1	580	21	622	1	660	19	695	14	736	7	778	4	811	21
384	13	462	3	512	1	581	19	623	1	663	13	696	15	738	12	779	15	812	21
387	13	466	4	513	1	582	21	624	1	664	13	697	16	739	20	780	4	813	19
390	11	467	4	514	1	583	21	625	7	665	14	698	16	741	14	781	4	814	21
391	10	468	4	529	14	584	8	626	7	666	14	699	17	743	10	782	4	815	20
392	10	469	4	530	14	585	8	627	7	667	15	700	17	744	20	783	4	816	19
393	10	470	5	533	14	586	8	628	7	668	15	701	17	745	21	784	4	817	20
394	10	471	20	534	15	587	21	629	9	669	14	702	13	746	21	785	2	818	7
395	10	474	3	535	15	588	9	632	9	670	15	703	13	747	21	786	1	819	10
396	10	475	3	537	15	590	9	633	2	671	17	704	10	748	21	787	19	820	10
397	10	476	3	539	16	591	9	634	8	672	15	705	10	749	20	788	14	821	4
398	10	477	5	540	16	592	9	635	8	673	15	707	13	750	19	789	19	823	8
404	11	479	13	541	16	594	9	636	8	674	14	708	16	752	19	790	18	824	8
405	11	480	18	542	16	595	9	639	14	675	2	712	13	753	18	791	7	825	8
416	10	483	3	543	16	596	9	640	6	676	13	713	14	754	19	792	7	826	8
417	1	484	18	544	16	597	21	642	7	677	13	714	9	755	21	793	20	828	8
419	1	485	3	545	16	598	21	643	7	678	14	715	9	756	19	794	20	829	7
421	1	487	18	546	17	601	2	644	7	679	19	716	9	757	19	795	20	831	8
427	3	488	18	547	16	604	6	645	9	680	17	717	9	758	20	796	20	832	8
441	11	491	3	548	17	605	7	646	9	681	18	718	9	759	13	797	20	833	8
443	19	496	12	549	8	611	1	648	2	682	18	719	9	760	4	798	21	834	8
444	19	497	12	550	8	612	2	649	2	683	18	720	10	761	4	799	20	835	10
445	19	498	18	554	8	613	2	650	15	684	18	721	9	762	5	800	19	836	21
446	19	499	18	555	8	614	2	652	9	686	14	725	20	763	21	801	19	837	21
452	19	500	6	556	12	615	13	653	9	687	14	726	2	770	1	802	21	838	19
453	19	501	7	557	5	616	21	654	10	688	14	727	20	771	1	803	21	840	5
454	6	505	16	565	8	617	2	655	10	689	14	729	2	772	2	805	20	843	7
455	3	506	1	571	13	618	14	656	10	690	15	730	21	773	2	806	20	844	7

RESTRICTED

RESTRICTED

PARACHUTES: AIR SEA RESCUE, LANDING BRAKE AND SUPPLY AND EQUIPMENT DROPPING

SECTION 15D—cont.

INDEX TO REFERENCE NUMBERS—cont.

Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.
845	7	888	17																
846	7	889	17																
847	7	890	17																
848	8	891	17																
849	11	892	18																
850	11	893	17																
851	11	894	18																
856	12	895	18																
857	12	896	11																
859	17	897	11																
864	11	898	11																
867	12	914	19																
868	11																		
869	11																		
870	11																		
871	12																		
872	12																		
874	19																		
875	11																		
876	18																		
877	17																		
878	17																		
879	17																		
880	18																		
881	17																		
882	17																		
883	18																		
884	17																		
885	18																		
886	18																		
887	17																		

RESTRICTED

RESTRICTED

RESTRICTED

Issued with A/L. 89.

**AIR PUBLICATION 1086
BOOK II
SECOND EDITION**

**SECTION 25A
PROPELLERS**

**Items under Section 25A
are covered by
VOTE 7A.2 (b)**

RESTRICTED

VOCABULARY OF ROYAL AIR FORCE EQUIPMENT

PROPELLERS

SECTION 25A

(20th October, 1955)

NOTE:—(1) Propellers are catalogued as follows:—

- (a) De Havilland Types—A.P. 1538, Vol. 3, Section 25A.
- (b) Rotol Types—A.P. 1538, Vol. 3, Section 25A.
- (c) Fairy Types—A.P. 1086, Book 11, Second Edition, Section 25A.

(2) Spinners C.S.U.'s and Feathering Pumps, etc. (De Havilland, Rotol), are catalogued as follows:—

- (a) De Havilland Types—A.P. 1538, Vol. 3, Section 25L.
- (b) Rotol Types—A.P. 1538, Vol. 3, Section 25M.

(3) No separate column denoting class of store will be shown as all items listed are Class "A".

(4) Denom. of Qty. for all items listed is "each".

Ref. No	Joint-Service Reference	Aircraft Type and Mark	Propeller Type	Detail
1	2	3	4	5
591		ANSON:— Marks 1, 10 and 11	A.66365	Fairey, 2 bladed, metal, F.P.
631		AUSTER:— Marks 6 and 7	H.R./671/R	Fairey, 2 bladed, wood, F.P.
734		Marks 6 and 7	Z.8010/4	Fairey, 2 bladed, wood, F.P.
741		Marks 6 and 7	A.67925/X2	Fairey, 2 bladed. For speech broadcasting.
753		Mark 9	A.66960/X8	Fairey, 2 bladed, metal, F.P.
688		CHIPMUNK	A.66753/X1	Fairey, 2 bladed.
614		OXFORD:— Marks 1 and 2	A.66410/2/X1	Fairey, 2 bladed, metal, V.P.
618		Marks 1 and 2	A.66460/2/X1	Fairey, 2 bladed, metal, V.P.

RESTRICTED

Issued with A/L. 89 to A.P. 1086, Book 11, Second Edition.

PERIODICAL INSPECTION OF EQUIPMENT

STORAGE CATEGORIES

For details of different storage categories, see A.P. 1086, Book 1, Second Edition, Memorandum of Instructions, Part 3.

PROPELLERS

SECTION 25A—cont.

Unless specifically shown below, all items in this subsection have an indefinite shelf life under normal storage conditions, and are therefore in category 4.

Generic Heading	Category	Periodicity of Inspection in *Temperate Climates	
		Packaged	Unpackaged
PROPELLERS, WOODEN	1	3 years	1 year

* For method of calculating periodicity of inspection in tropical climates, see A.P. 1086 Book 1, Second Edition, Memorandum of Instructions, Part 3.

**AIR PUBLICATION 1086
BOOK II
SECOND EDITION**

**SECTION 25B
AIRCRAFT RADIATORS**

**Items under Section 25B
are covered by
VOTE 7 B. 2**

VOCABULARY OF ROYAL AIR FORCE EQUIPMENT
AIRCRAFT RADIATORS
SECTION 25B
(9th March, 1965)

Ref. No.	Nomenclature	Detail	Drawing No. or Part No.	No. of	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
SHACKLETON Marks 1, 2/2A, 3 and 4.						
280	RADIATOR, port, large	D.138-2A	4	A	each
	Spares :—					
	Plug, flanged, brass, $\frac{3}{8}$ in. B.S.P.	Reference 28R/9996883	—	—	—	—
1458	Washer, plug, drain	D.138-75C	—	C	each
281	RADIATOR, starboard, small	D.138-3A	4	A	„
	Spares :—					
	Plug, flanged, brass, $\frac{3}{8}$ in. B.S.P.	Reference 28R/9996883	—	—	—	—
	Washer, plug, drain	Ref. No. 1458	—	—	—	—

RESTRICTED

RESTRICTED

1

RESTRICTED

Issued with A/L. 113.

**AIR PUBLICATION 1086
BOOK II
SECOND EDITION**

**SECTION 25D
METAL PROPELLERS (FAIREY) SPARES
AND
SPINNERS FOR FIXED PITCH PROPELLERS**

**ITEMS UNDER SECTION 25D ARE
COVERED BY
VOTE 7A. 2 (b)**

RESTRICTED

VOCABULARY OF ROYAL AIR FORCE EQUIPMENT
METAL PROPELLERS (FAIREY) SPARES AND SPINNERS FOR FIXED PITCH PROPELLERS
SECTION 25D
(12th February, 1957)

Ref. No.	NOMENCLATURE	DETAIL	Drawing or Part No.	Class of Store	Denom. of Qty.
1	2	3	4	5	6
105	AUSTER, Model "S":— Nose cap	For use with propeller, A.66960/X8. Reference 25A/753 ..	B.66961	A	each
107	CHIPMUNK:— Bolts	For use with propeller, A.66753/X1. Reference 25A/688 ..	B.66790	C	"
108	Spinners, Type F.C.S., Mark 5	For use with propeller, A.66753/X1. Reference 25A/688 ..	A.66912	A	"
109	Spares:— Screws, mushroom head	D.67861	C	"
—	OXFORD (CHEETAH 10):— Propellers, complete	Reference 25A/614 and 618	—	—	—
100	Spares:— Bolts, location	D.66481	C	each
101	Bolts, location	D.66480	C	"
98	Discs, Ferodo	C.66307	C	"
99	Washers, Walkerite, Q.L. rubberised	P.66380	C	"

RESTRICTED

RESTRICTED

RESTRICTED

Issued with A/L. 113 to A.P. 1086, Book 11, Second Edition.

PERIODICAL INSPECTION OF EQUIPMENT—STORAGE CATEGORIES

For details of different storage categories see A.P. 1086, Book 1, Second Edition, Memorandum of Instructions, Part 3.

METAL PROPELLERS (FAIREY) SPARES

SECTION 25D

Unless specifically shown below all items in this sub-section have an indefinite shelf life under normal storage conditions and are therefore in category 4.

Generic Heading	Category	Periodicity of Inspection in *Temperate Climates	
		Packaged	Unpackaged
PROPELLERS, WOODEN	1	3 years	1 year

* For method of calculating periodicity of inspection in tropical climates see A.P. 1086, Book 1, Second Edition, Memorandum of Instructions, Part 3.

RESTRICTED

Issued with A/L 206

**AIR PUBLICATION 1086
BOOK II
SECOND EDITION**

**SECTION 27A
AIRCRAFT WHEEL EQUIPMENT**

**ITEMS UNDER SECTION 27A
ARE COVERED BY VOTE 7 A.2**

RESTRICTED

VOCABULARY OF ROYAL AIR FORCE EQUIPMENT
AIRCRAFT WHEEL EQUIPMENT

SECTION 27A

(19th December, 1964)

PREFACE

NOTE 1. Covers, Tubes and Wheel Equipment are listed in the following Air Publications:—

- (i) Covers and Tubes (all makes) A.P.1086, Book 11, Section 27A.
- (ii) Wheel Equipment (other than Dunlop)—A.P.1086, Book 11, Section 27A.
- (iii) Wheel Equipment (Dunlop)—A.P.4515C, Vol. 3.
- (iv) Wheel Equipment (Dunlop, not shown in A.P.4515C, Vol. 3), see relevant Airframe, Vol. 3.
- (v) Wheel Equipment—American Type (Dakota)—A.P.1086, Book 11, Section 27A.

NOTE 2. Section Layout. Equipment in Section 27A is set out as follows:—

COVERS, OUTER	Pages 1 to 7
TUBES, INNER	Pages 8 to 14
WHEEL EQUIPMENT	Pages 15 to 25

AIRCRAFT WHEEL EQUIPMENT

SECTION 27A—*cont.*

NOTES 1.—The Denomination of Quantity for Covers, outer, is “each”.

2.—Obsolescent Drawing Numbers are indicated by the sign “n” in the Drawing No. column.

Ref. No.	Size	Drawing No.			Detail	Class of Store
		Dunlop	Pirestone	Goodyear		
1	2	3	4	5	6	7
	COVERS, outer:—					
1421	3-00—3½ in.	WPR.11 D.S.13420	n ZA.51 n			B
4692	3-00—3½ in.	DS.13420			Supersedes Ref. No. 1421.	B
2511	3-50—3½ in.	DA.2431	n			B
4670	3-50—3½ in.	DA.2435			Supersedes Ref. No. 2511.	B
1239	4-00—3½ in.	WJR.14 DD.14820	n ZB.7 n			B
3862	4-00—3½ in.		ZA.151			B
1211	4-95—3½ in.	WMR.14 DD.13720	n	GA.233	n	B
4671	4-95—3½ in.	DD.13720			Supersedes Ref. No. 1211.	B
2216	3¼—4 in.	TJR.14		GA.266		A
2438	3¼—4 in.			GA.223		A
2410	4-50—4 in.	NCR.30	n			B
4672	4-50—4 in.	NCN.35			Supersedes Ref. No. 2410.	B
2009	5-50—4 in.	DA.13935	n			B
1923	6-00—4 in.	WKR.19	n	GA.259	n	B
2507	6-00—4 in.	WKR.11 or DD.10920	n			B
4673	6-00—4 in.	DD.10920		GA.259	Supersedes Ref. Nos. 1923 and 2507.	B
2824	6-00—4 in.	WKN.30				B
3599	6-00—4 in.	DA.10935		GA.1278		B
3041	5-00—4½ in.	NDR.16			Superseded by Ref. No. 3453.	A
3453	5-00—4½ in.	NDR.31			Supersedes Ref. No. 3041.	A
3525	7-00—4½ in.	WGN.26				B

RESTRICTED

1

RESTRICTED

AIRCRAFT WHEEL EQUIPMENT

SECTION 27A—cont.

1	2	3	4	5	6	7
	COVERS, outer—cont.					
3421	14-50—5 in.			GA.1240	Naval aviation only.	A
3433	6-50—5½ in.	NFR.31	n			B
4674	6-50—5½ in.	DA.5936			Supersedes Ref. No. 3433.	A
3198	6-00—6 in.	DHEN.54N		GA.3221		B
3788	6-00—6 in.	DHEN.55	n	GA.1275	Superseded by Ref. No. 3198.	B
3419	6-00—6 in.				Naval aviation only.	A
4808	6-00—6 in.	DR.7720T				A
2313	7-25—6 in.	DA.12125	n	GA.246		B
3243	8-50—6 in.	DR.3765		GA.1215 or		B
				GA.1293		
4902	9-00—6 in.	DR.4620				A
2453	22-00—9-00—6 in.	DCER.14	n			B
		DR.4610	n			
1263	6-00—6½ in.	IAR.14 or	n		Superseded by Ref. No. 3434.	B
		DS.3065				
2466	6-00—6½ in.	IATR.14 or	n		Superseded by Ref. No. 2500.	B
		DN.3065				
2471	6-00—6½ in.	IAER.25 or	n		Superseded by Ref. No. 3434.	B
		DS.3065				
2500	6-00—6½ in.	IATR.19 or	n	ZA.245		B
		DN.3065			GA.291 or	
2757	6-00—6½ in.	IATER.21 or	n		GA.3201	
		DN.3065				Naval aviation only.
2916	6-00—6½ in.	IATER.21 or	n	ZA.83		B
		DN.3065				Superseded by Ref. No. 2500.
		DS.3065				
3434	6-00—6½ in.					B
4355	24-00—6-6 in.				Naval aviation only.	A
3182	24—7 in.			GA.284		B
3572	8-00—7 in.	DR.0650				B
2281	16½—5-00—7 in.	LCR.14			Naval aviation only.	A
2644	17½ in.—5-50—7½ in.	DR.2820				A
3135	17½—5-50—7½ in.	LBN.32			Naval aviation only.	A
2660	7-25—7¾ in.	DR.6610	n	ZA.91		A
					GA.1236	B

RESTRICTED

RESTRICTED

AIRCRAFT WHEEL EQUIPMENT

SECTION 27A—cont.

1	2	3	4	5	6	7
	COVERS, outer—cont.					
4675	7-25—7 $\frac{3}{4}$ in.	DR.6620	ZA.301	GA.1236	Supersedes Ref. No. 2660. Naval aviation only. Naval aviation only.	A
2792	7-25—7 $\frac{3}{4}$ in.	IMTER.21	ZA.71			A
3935	19—6-00—8 in.	LHR.14R				A
3985	19—6-00—8 in.	DR.4710			Naval aviation only.	A
4622	19—6-00—8 in.	DR.4751T			Naval aviation only.	A
3975	32—8-8 in.	DR.7666T or DR.7667T, DC.7666T	ZA.141	GA.2216	Tubeless cover.	A
3348	32—8-8 in.			GA.1228		A
2927	19—6-25—9 in.	DR.2266	ZA.61	GA.1227		B
2430	21—6-75—9 in.	LKR.14R				B
4160	21—6-75—9 in.	DR.10820T		GA.2258		A
4777	21—6-75—9 in.	DR.10824T	ZA.275		Supersedes Ref. No. 4160.	A
4903	21—6-75—9 in.	DR.10824	ZA.369			A
4821	18—4-25—10 in.	DR.6382T				A
2468	23—7-25—10 in.	LFR.25				A
2649	23—7-25—10 in.	DR.2360		GA.1232		B
4676	23—7-25—10 in.	DR.2367			Supersedes Ref. No. 2649.	A
4807	6-50—10 in.	DR.12220T				A
3417	7-50—10 in.				Naval aviation only.	A
3787	7-50—10 in.	IJN.55			Superseded by Ref. No. 4309.	B
4309	7-50—10 in.	IJN.55N				B
4061	8-50—10 in.	DC.8620		GA.1289		A
4366	8-50—10 in.	DR.8623		GA.3219		B
4750	8-50—10 in.	DR.8622T				B
4900	8-50—10 in.	DR.8622	(622)			A
2228	7-5—10 $\frac{1}{2}$ in.	IKTER.17		GA.219		B
4621	34—11 in.	DR.11967T				A
4432	20—5-25—11 in.	DF.6852T				A
4668	20—5-25—11 in.	DR.6853T		GA.2261	New covers are class "A" stores Remoulds are class "B" stores Supersedes Ref. No. 4432 New covers are class "A" stores. Remoulds are class "B" stores.	A
4433	17—3-50—11 in.	DF.6965				
2755	22—6-75—11 in.	DR.2910			Naval aviation only.	A

RESTRICTED

RESTRICTED

AIRCRAFT WHEEL EQUIPMENT

SECTION 27A—cont.

1	2	3	4	5	6	7
	COVERS, outer—cont.					
2914	22—6.75—11 in.	DR.2911	n	ZA.81		n
4677	22—6.75—11 in.	DR.2951		ZA.81		
4080	22—5.5—12 in.	DF.3881T			Supersedes Ref. No. 2914.	
4820	23—7.00—12 in.	DR.14622T			Tubeless cover.	
4028	24—7.25—12 in.	DR.7195T		ZA.139	Naval aviation only.	
2022	24—7.25—12 in.				Naval aviation only.	
2662	24—7.25—12 in.	FBN.21R		ZA.67	Supersedes Ref. No. 2501.	
3176	24—7.25—12 in.	FBN.17R				
2310	27—8.75—12 in.	GOBR.18N	n			
		DF.6510,DF.6521	n		GA.1203	
4318	28—9.00—12 in.			ZA.225		
2893	9.50—12 in.	DR.8010			Naval aviation only.	
2290	9.75—12 in.	IDDR.16	n			
4285	11.00—12 in.	DR.10621T			GA.292	
2209	11.25—12 in.	IEETR.21			GA.2219	
4679	9.75—12 in.	IDDN.16				
2087	26—7.75—13 in.	FRC.17N	n	ZA.55		
		DR.3310	n		GA.292	
		DR.3323		ZA.273	GA.1287	
4681	26—7.75—13 in.	FCR.16N			GA.297	
2222	26—7.75—13 in.	DR.3361	n	ZA.205	GA.1287	
2718	26—7.75—13 in.	DR.3367		ZA.205		
4680	26—7.75—13 in.	LDR.14	n		Supersedes Ref. No. 2718.	
2225	29—9.25—13 in.	DF.2766				
4682	29—9.25—13 in.	DR.2710			Supersedes Ref. No. 2225.	
3570	29—9.25—13 in.	DF.2721			Superseded by Ref. No. 3934.	
3934	29—9.25—13 in.	DR.2520				
2642	26—6.50—14 in.	KKEN.14N	n			
2654	26—6.50—14 in.	DR.2565		ZA.213	GA.1279	
		DR.2565			GA.1255	
4683	26—6.50—14 in.	DR.2565		ZA.297	GA.1202	
4332	32—10.75—14 in.	DR.10765T			GA.2260	
4729	32—10.75—14 in.	DR.10722T				
4899	34—11.75—14 in.	DR.8221T				
2576	27—6.00—15 in.	DR.0920	n	ZA.75		
3132	27—6.00—15 in.	DF.0924			GA.1201	
					GA.1297	

RESTRICTED

RESTRICTED

AIRCRAFT WHEEL EQUIPMENT

SECTION 27A—cont.

1	2	3	4	5	6	7
3377	COVERS, outer—cont. 27—6.50—15 in.	DC.0023 or DF.0023 ⁿ or DF.0096 ⁿ	ⁿ ZA.167 ⁿ	GA.1269 or GA.1288 ⁿ	Covers are class "A" stores until 4 years from date of manufacture, when they become class "B" stores.	B
4684	27—6.50—15 in.	DF.0096 ⁿ	ⁿ ZA.167 ⁿ	GA.1288 ⁿ	Supersedes Ref. No. 3377. Covers are class "A" stores until 4 years from date of manufacture, when they become class "B" stores.	A
4111	27—6.50—15 in.	DC.00247T ⁿ	ⁿ	GA.2240	Covers are class "A" stores until 4 years from date of manufacture, when they become class "B" stores.	B
4652	27—6.50—15 in.	DF.0024T ⁿ	ⁿ ZA.201 ⁿ		Supersedes Ref. No. 4111. Covers are class "A" stores until 4 years from date of manufacture, when they become class "B" stores.	B
4774	27—6.50—15 in.	DR.0098A	ZA.167	GA.3225	Supersedes Ref. No. 4684	B
4775	27—6.50—15 in.	DR.0099T	ZA.201		Supersedes Ref. No. 4652	B
4776	27—6.50—15 in.	DR.0045T	ZA.277		Supersedes Ref. No. 4540	B
4539	30—9.00—15 in.	DR.4984T ⁿ DR.4539	GA.2237, ZA.203		New covers are class "A" stores. Remoulds are class "B" stores.	B
4540	27—6.50—15 in.	DR.0095T ⁿ	ⁿ ZA.277 (197)			B
3392	29—8.00—15 in.	DR.1166		GA.1262		A
2496	30—9.00—15 in.	FER.17N DR.4912				A
4483	30—9.00—15 in.	DX.4965T ⁿ DX.4966T	ZA.177			A
3370	30—9.00—15 in.	FER.19N ⁿ			Superseded by Ref. No. 3454.	A
3454	30—9.00—15 in.	DR.4951			Supersedes Ref. No. 3370	A
3523	30—9.00—15 in.	DC.4982	ZA.169	GA.1268 or GA.3205 ⁿ		B

RESTRICTED

RESTRICTED

AIRCRAFT WHEEL EQUIPMENT

SECTION 27A—cont.

1	2	3	4	5	6	7
3524	COVERS, outer—cont. 30—9-00—15 in.	DC.4984n DR.4996T DF.4984	ZA.171	GA.1271 or GA.3204		B
4112	30—9-00—15 in.	DC.4984T	n	GA.2237	New covers are class "A" stores. Remoulds are class "B" stores.	B
3588	30—9-00—15 in.	DC.4983	n	GA.3203 or GA.1237		A
3755	30—9-00—15 in.	FE-EN-59N	ZA.227	GA.3202 or GA.1237		A
2305	32—10-00—15 in.	FFER.17N	n	GA.214		B
3698	32—10-00—15 in.	DR.4045		GA.1265		A
2221	37—13-00—15 in.	HAR.14N				A
3913	29—6-25—16 in.	DR.10220	n	ZA.77	n	B
4657	29—6-25—16 in.	DR.10295	ZA.309	GA.1281	n	B
2278	33—9-75—16 in.	KER.14N		GA.3223	New covers are class "A" stores. Remoulds are class "B". Supersedes Ref. No. 3913	B
3010	33—9-75—16 in.	KEN.14N	ZA.343	GA.1206		A
4158	33—9-75—16 in.	KEN.14NT			Naval aviation only.	A
4620	33—9-75—16 in.	DR.3221Tn DR.3223T		GA.2276		A
2872	34—10-75—16 in.	DR.0210 or DR.0220	n	ZA.295		A
2451	45—17-00—16 in.	DDR.14R DR.5410n or DR.5421	n	GA.1216		A
4868	45—17-00—16 in.	DR.5421				A
2973	36—10-75—16½ in.	DR.2665		GA.1222		B
3754	35—9-00—17 in.	DC.1723 or DR.1723	ZA.183	GA.1245		A
4027	35—10-00—17 in.	DR.0396T	ZA.137	GA.2222	Tubeless cover. Naval aviation only.	A
4441	36—10-18 in.	DF.7095				A
4482	36—10-00—18 in.	DR.7025T	n			A
4688	36—10-00—18 in.	DR.7026T	ZA.179	GA.2264	Supersedes Ref. No. 4482	A

RESTRICTED

RESTRICTED

AIRCRAFT WHEEL EQUIPMENT

SECTION 27A—cont.

1	2	3	4	5	6	7
	COVERS, outer—cont.					
2299	45—16-00—18 in. . . .	HDR.14N DR.4120	n		GA.200	B
4594	45—16-00—18 in. . . .	DR.4252				A
3391	40—11-75—19 in. . . .	DR.1021			GA.1263	B
3690	40—11-75—19 in. . . .	DR.1022	n	ZA.185	GA.1284	B
4572	40—11-75—19 in. . . .	DR.1023			GA.3227	A
3974	40—12-00 in. . . .	DC.7521T or DR.7521T or DR.7523T		ZA.155	GA.2215	A
2852	43—13-50—19 in. . . .	KJN.16N DR.4521		ZA.173n, ZA.341	GA.1209	B
4331	17—20 in. . . .	DR.1428T		ZA.241	GA.2250	A
3398	17—20 in. . . .	DR.1465		ZA.187	GA.294	A
4438	33—6-75—20 in. . . .	DNR.3525T		ZA.243		B
4691	33—6-75—20 in. . . .	DRR.3595T				B
3152	43—12-50—21 in. . . .	DF.1621	n	ZA.101	GA.1266	B
4655	43—12-50—21 in. . . .	DR.1623		ZA.303	GA.1266	B
3397	43—12-50—21 in. . . .	DR.1622		ZA.209	GA.1273	A
3587	48—15-00—21 in. . . .	DC.4420	n		GA.1210	A
4352	48—15-00—21 in. . . .	DR.4421			GA.1210	A
2971	50—15-75—22 in. . . .	DR.0521	n	ZA.175	GA.1264	B
4656	50—15-75—22 in. . . .	DR.0521 (Issue 5)		ZA.305		B
2316	64—22-50—26 in. . . .	HJN.16N	n	ZA.247	GA.283	B
4685	64—22-50—26 in. . . .	HJN.16N		ZA.339, 247		A
3246	8-00 S.C. . . .	DD.14120			GA.1225	C

RESTRICTED

7

RESTRICTED

AIRCRAFT WHEEL EQUIPMENT

SECTION 27A—cont.

Ref. No.	Nomenclature	Drawing No.			Part No.	Detail	No. off	Class of Store	Denom. of Qty.
		Dunlop	Firestone	Goodyear					
1	2	3	4	5	6	7	8	9	10
1422	TUBES, inner:— 3-00 × 3½ in.	WP.2				—	C	each
3173	Spares:— Caps				Schrader 2525	1	C	doz.
4490	Cores				Schrader 5230 or 5230-TR-C-4	1	C	"
2512	3-50 × 3½ in.	DT.2401				—	C	each
1102	4-00 × 3½ in.	WJ.3	ZA.8			—	C	"
—	Spares:— Caps					Ref. No. 3173.	1	—	—
—	Cores					Ref. No. 4490.	1	—	—
1113	Pieces, extension				Schrader 1015	1	C	doz.
1243	4-95 × 3½ in.	WM.3				—	B	each
—	Spares:— Caps					Ref. No. 3173.	1	—	—
—	Cores					Ref. No. 4490.	1	—	—
2853	3½ × 4 in.	TJ.6		GA.97		—	B	each
2217	3/3½ × 4 in.	TJ.2		GA.43		—	B	"
2441	4/4-50 × 4 in.	NA.4				—	C	"
—	Spares:— Caps					Ref. No. 3173.	1	—	—
—	Cores					Ref. No. 4490.	1	—	—
4375	5-50 × 4 in.	WL.35				—	C	each
1924	6-00 × 4 in.	WK.4	ZA.12	GA.20		—	B	"
1960	Spares:— Caps				Schrader 7006	1	C	doz.
—	Cores					Ref. No. 4490.	1	—	—
2508	6-00 × 4 in.					Superseded by Ref. No. 1924. ..	—	B	each
2825	6-00 × 4 in.			GA.873		—	C	"

RESTRICTED

RESTRICTED

AIRCRAFT WHEEL EQUIPMENT

SECTION 27A—cont.

1	2	3	4	5	6	7	8	9	10
	TUBES, inner—cont.								
	6.00 × 4 in. cont.								
	Spares:—								
1081 1964	Caps				Schrader 6300	1	—	—
—	Caps					Ref. No. 3173	1	—	—
3600	Cores					Ref. No. 4490	1	—	—
3528	6.00 × 4 in.	DT.10900		GA.870		—	C	each
2071	7.00 × 4 $\frac{3}{8}$ in.	WG.6				—	C	"
—	6.50 × 5 $\frac{1}{2}$ in.	NF.2		GA.82		—	B	"
—	Spares:—								
—	Caps					Ref. No. 3173.	1	—	—
1259	Cores				Schrader 4900	Ref. No. 4490	1	—	—
—	Nuts, rim	1	C	doz.
3790	Pieces, extension					Ref. No. 1113	1	—	—
3420	6.00 × 6 in.	DH.4				—	C	each
2285	6.00 × 6 in.					Naval aviation only	—	B	"
—	13 $\frac{1}{2}$ × 4.25 × 6 in.	2	C	"
—	Spares:—								
—	Caps					Ref. No. 3173	1	—	—
—	Cores					Ref. No. 4490	1	—	—
1989	Nuts, rim					Ref. No. 1259	1	—	—
—	7.25 × 6 in.	NG.2		GA.83		—	C	each
—	Spares:—								
—	Caps					Ref. No. 3173.	1	—	—
—	Cores					Ref. No. 4490	1	—	—
3244	Nuts, rim					Ref. No. 1259	1	—	—
2454	8.50 × 6 in.	DT.3700		GA.65		—	C	each
2444	22 × 9.00—6 in.	DT.4600		GA.818		—	C	"
2200	15 × 4.75—6 $\frac{1}{2}$ in.	LA.2				—	B	"
—	6.00 × 6 $\frac{1}{2}$ in.	IA.3		GA.60		—	C	"
—	Spares:—								
—	Caps					Ref. No. 3173.	1	—	—
2822	Cores					Ref. No. 4490	1	—	—
—	6.00 × 6 $\frac{1}{2}$ in.	DT.3001				—	C	each

RESTRICTED

RESTRICTED

AIRCRAFT WHEEL EQUIPMENT

SECTION 27A—cont.

1	2	3	4	5	6	7	8	9	10
	TUBES, inner—cont.								
	6.00 × 6½ in.—cont.								
	Spares:—								
2826	Caps	n			Schrader 7572	Superseded by Ref. No. 3173 ..	1	C	doz.
—	Caps				Ref. No. 3173. Supersedes Ref.	1	—	—
						No. 2826.			
—	Cores	..				Ref. No. 4490	1	—	—
2917	6.00 × 6½ in. ..	DT.3000	ZA.84			—	C	each
3146	6.00 × 6½ in. ..	n				Superseded by Ref. No. 2917 ..	—	C	..
3573	8.00 × 7 in. ..	DT.0600				—	C	..
2282	16½ × 5.00—7 in.	IC.2				—	B	..
	Spares:—								
—	Caps				Ref. No. 3173	1	—	—
—	Cores	..				Ref. No. 4490	1	—	—
3183	24 × 7 in. ..			GA.40		—	C	each
2645	17½ × 5.50—7½ in.	LB.2				—	C	..
3136	17½ × 5.50—7½ in.	LB.9				—	B	..
2667	7.25 × 7¼ in. ..	IM.5		GA.826		—	B	..
2863	7.25 × 7¼ in. ..	IM.6	ZA.92	GA.827		—	C	..
3349	32 × 8.8 in. ..			GA.805		—	B	..
2928	19 × 6.25—9 in. ..	DT.2200		GA.823		—	C	..
3013	19 × 6.25—9 in. ..	DT.2201				—	B	..
2431	21 × 6.75—9 in. ..	LK.2				Naval aviation only	—	C	..
	Spares:—					For Ref. Nos. 3013 and 2431.	—		..
—	Caps				Ref. No. 3173	1	—	—
—	Cores	..				Ref. No. 4490	1	—	—
4162	21 × 6.75—9 in. ..	DT.10805				—	C	each
2297	23 × 7.25—10 in. ..	LF.2		GA.802		—	C	..
2469	23 × 7.25—10 in. ..	LF.3				—	B	..
3789	7.50 × 10 in. ..	IJ.3				1	C	..
3418	7.50 × 10 in.	—	B	..
4367	8.50—10 in. ..	DT.8601				—	C	..

RESTRICTED

RESTRICTED

AIRCRAFT WHEEL EQUIPMENT

SECTION 27A—cont.

1	2	3	4	5	6	7	8	9	10
4063	TUBES, inner—cont. 8-50—10 in.	DT.8600				1	C	each
—	Spares:—								
—	Caps					Ref. No. 3173	1	—	—
—	Cores					Ref. No. 4490	1	—	—
2756	22 × 6-75—11 in.	DT.2905				Naval aviation only	—	B	each
2915	22 × 6-75—11 in.	DT.2900	ZA.82			—	C	"
4434	17 × 3-50—11 in.	DT.6900				—	C	"
2488	24 × 7-25—12 in.	FB.6				Superseded by Ref. No. 2663. Naval aviation only.	—	B	"
2663	24 × 7-25—12 in.	FB.5				Supersedes Ref. No. 2488. Naval aviation only.	—	B	"
2892	9-50 × 12 in.	DT.8005				Naval aviation only	—	B	"
2311	27 × 8-75—12 in.	GOB.8		GA.77		—	C	"
—	Spares:—								
—	Caps					Ref. No. 3173	1	—	—
—	Cores					Ref. No. 4490	1	—	—
2291	9-75 × 12 in.	IDD.9		GA.44		—	C	each
—	Spares:—								
—	Caps					Ref. No. 3173	1	—	—
—	Cores					Ref. No. 4490	1	—	—
4319	28 × 9-00—12 in.			ZA.226		—	C	each
—	Spares:—								
—	Caps					Ref. No. 3173	1	—	—
—	Cores					Ref. No. 4490	1	—	—
2719	26 × 7-75—13 in.	FC.3				—	C	each
2786	26 × 7-75—13 in.	FC.7		GA.856		—	C	"
2226	29 × 9-25—13 in.	LD.2				Superseded by Ref. No. 3696 ..	—	C	"
—	Spares:—								
—	Caps					Ref. No. 3173	1	—	—
—	Cores					Ref. No. 4490	1	—	—
3697	29 × 9-25—13 in.	DT.2700		GA.867		Supersedes Ref. No. 2226 ..	1	fi C	each
—	Spares:—								
—	Caps					Ref. No. 3173	1	—	—
—	Cores					Ref. No. 4490	1	—	—

RESTRICTED

RESTRICTED

AIRCRAFT WHEEL EQUIPMENT

SECTION 27A—cont.

1	2	3	4	5	6	7	8	9	10
	TUBES, inner—cont.								
2643	26 × 6-50—14 in. ..	KK.9		GA.839		Naval aviation only	—	B	each
2655	26 × 6-50—14 in. ..	KK.2		GA.90		—	C	"
	Spares:—								
3644	Washers				Schrader 4180	1	C	doz.
3911	26 × 6-50—14 in. ..	DT.2506		GA.858		1	B	each
3133	27 × 6-00—15 in. ..	DT.0905		GA.849		Naval aviation only	—	B	"
3526	27 × 6-50—15 in. ..	DT.0007		GA.853		—	C	"
3394	29 × 8-00—15 in. ..	DT.1100		GA.841		—	C	"
	Spares:—								
—	Caps					Ref. No. 3173	1	—	—
—	Cores					Ref. No. 4490	1	—	—
2056	30 × 9-00—15 in. ..	FE.8		GA.36		—	B	each
	Spares:—								
—	Caps					Ref. No. 3173	1	—	—
—	Cores					Ref. No. 4490	1	—	—
2497	30 × 9-00—15 in. ..	FE.6		GA.846		—	B	each
3527	30 × 9-00—15 in. ..	FE.3 or DT.4902		GA.834		—	C	"
	Spares:—								
3636	30 × 9-00—15 in. ..	FE.2				—	C	"
4239	30 × 9-00—15 in. ..	DT.4901				Supersedes Ref. No. 3636	—	C	"
3699	32 × 10-00—15 in. ..	DT.4005		GA.845		1	C	"
2704	32 × 10-00—15 in. ..	FF.2				—	C	"
	Spares:—								
—	Caps					Ref. No. 2935. Superseded by Ref. No. 3173.	1	—	—
—	Caps					Ref. No. 3173. Supersedes Ref. No. 2935.	1	—	—
—	Cores					Ref. No. 4490	1	—	—
3921	29 × 6-25—16 in. ..	DT.10200		GA.861		For use with outer cover Ref. No. 3913.	1	C	each
3920	29 × 6-75—16 in. ..	DT.1800		GA.864		For use with outer cover Ref. No. 2977.	1	C	"

RESTRICTED

RESTRICTED

AIRCRAFT WHEEL EQUIPMENT

SECTION 27A—cont.

1	2	3	4	5	6	7	8	9	10
	TUBES, inner—cont.								
	29 × 6.75—16 in.—cont.								
	Spares:—								
3011	Cores					Ref. No. 4490	1	—	—
	33 × 9.75—16 in. ..	KE.7		GA.824		Naval aviation only	—	B	each
	Spares:—								
	Caps					Ref. No. 3173	1	—	—
2716	Cores					Ref. No. 4490	1	—	—
3923	34 × 10.75—16 in. ..	DT.0205				—	C	each
2452	17.00 × 16 in. ..	DT.5400				1	C	"
2974	17.00 × 16 in. ..	DD.2	ZA.100	GA.817		—	C	"
	36 × 10.75—16½ in. ..	KC3 or DT.2600		GA.829		—	C	"
	Spares:—								
	Caps					Ref. No. 3173	1	—	—
2257	Cores					Ref. No. 4490	1	—	—
3756	Nuts, hexagon				Schrader 9710	1	C	each
	35 × 9.00—17 in. ..	DT.1706		GA.854		1	C	"
	Spares:—								
	Caps					Ref. No. 3173	1	—	—
	Cores					Ref. No. 4490	1	—	—
2513	Nuts, hexagon					Ref. No. 2257	1	—	—
	45 × 16.00—18 in. ..	HD.3		GA.74		—	C	each
	Spares:—								
	Caps					Ref. No. 3173	1	—	—
	Cores					Ref. No. 4490	1	—	—
3393	Pieces, extension					Ref. No. 1113	1	—	—
	40 × 11.75—19 in. ..	DT.1006		GA.842		—	C	each
	Spares:—								
	Caps					Ref. No. 3173	1	—	—
3691	40 × 11.75—19 in. ..	DT.1007	ZA.186	GA.847		1	C	each
	Spares:—								
	Caps					Ref. No. 3173	1	—	—
2653	Cores					Ref. No. 4490	1	—	—
	43 × 13.50—19 in. ..	KJ.9		GA.86		1	C	each

RESTRICTED

RESTRICTED

AIRCRAFT WHEEL EQUIPMENT

SECTION 27A—cont.

1	2	3	4	5	6	7	8	9	10
3400	TUBES, inner—cont. 17-00 × 20 in.	DT.1405	ZA.118			—	C	each
—	Spares:—								
—	Caps					Ref. No. 3173	1	—	—
—	Cores					Ref. No. 4490	1	—	—
3153	43 × 12-50—21 in.	DT.1606		GA.837		—	C	each
—	Spares:—								
—	Washers					Ref. No. 4490	1	—	—
3399	43 × 12-50—21 in.	DT.1607		GA.859		—	C	each
—	Spares:—								
—	Caps					Ref. No. 3173	1	—	—
—	Cores					Ref. No. 4490	1	—	—
3589	48 × 15-00—21 in.	DT.4406				—	C	each
2972	50 × 15-75—22 in.	DT.0505		GA.848		—	C	"
—	Spares:—								
—	Caps					Ref. No. 1943	1	—	—
—	Cores					Ref. No. 1942	1	—	—
—	Nuts, hexagon					Ref. No. 2257	1	—	—
2946	Nuts, rim				Schrader 9709/7	1	C	each
3723	Valves, extension				Schrader 7380	4	C	"
2947	Washers				Schrader 4187	1	C	"
2084	64 × 22-50—26 in.	HJ.8		GA.38		—	B	"
—	Spares:—								
2004	Adaptors, pump				Schrader 9805	1	B	"
1943	Caps				Schrader 9749	1	C	"
1942	Cores				Schrader 9729	1	C	"
3247	8-00 S.C.	RM.3		GA.80		—	C	"

RESTRICTED

RESTRICTED

AIRCRAFT WHEEL EQUIPMENT

SECTION 27A—cont.

Ref. No.	Nomenclature	Detail	Drawing No. Part No.	No. off	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
		AUSTER, MARK 9	(Goodyear)			
3245	WHEELS, tail	Superseded by Ref. No. 4258	E.30370	1	A	each
	Spares:—					
3272	Axles	E.11831	1	C	"
3262	Bearings	Timken 00152/00050/P4	2	B	"
3265	Fairings, disc	E.11525	1	C	"
3266	Fairings, segment	E.11528	1	C	"
3267	Fairings, valve	E.11682	1	C	"
3263	Flanges	E.30373	1	B	"
—	Nuts, steel, medium tensile, slotted, R.H. thread ..	Reference 28M/13259		1	—	—
—	Pins, cotter, split, nickel alloy, $\frac{3}{32}$ in. dia \times $1\frac{1}{2}$ in. long.	Reference 28P/12793		1	—	—
3264	Rings, flange, retaining	E.11523	1	C	each
3273	Rings, retaining fairing	E.11681	1	C	"
—	Rivets, aluminium alloy, L.57, countersunk, 90°, $\frac{1}{16}$ in. dia \times $\frac{1}{8}$ in. long.	Reference 28Q/6832		2	—	"
—	Screws, metal, steel, HBA \times $\frac{3}{16}$ in. long	Reference 28S/6545		3	—	—
3268	Seals, bearing assembly	E.11527	2	C	each
3269	Seals, felt ring	E.510524/2	2	C	"
3271	Spacers	E.11830	2	C	"
3270	Spacers, axle	E.11829	1	C	"
3261	Wheel sub-assemblies	E.11554	1	A	"
3242	WHEELS, undercarriage	Superseded by Ref. No. 4258	E.30362	2	A	"
	Spares:—					
2762	Bearings, taper roller	Timken 08125/08231 or Dunlop DAS 2062/2	1	B	"
—	Bolts	Reference 28D/15151		3	—	—
3260	Fairings	E.30359	1	C	each
3685	Keys, disc, drive	E.11003-7	8	C	"

RESTRICTED

15

RESTRICTED

AIRCRAFT WHEEL EQUIPMENT

SECTION 27A—cont.

1	2	3	4	5	6	7
	AUSTER, MARK 9—cont.		(Goodyear) cont.			
	WHEELS, undercarriage—cont.					
	Spares—cont.					
—	Nuts, stiff, standard hexagon, mild steel, $\frac{5}{16}$ in. B.S.F.	Reference 28M/10290		3	—	—
3253	Rings, retaining	E.20045	1	C	each
3686	Screws, key, disc, drive	E.12145	8	C	"
—	Screws, metal, steel, round head, B.A. $\times \frac{1}{4}$ in. long	Reference 28S/3246. For seal		6	—	—
3258	Seals, bearing assembly	E.11504	1	C	each
3259	Seals, felt	E.11553	1	C	"
—	Washers, mild steel, thin, 0.048 in. thick, 0.270 in. i/d \times 0.52 in. o/d.	Reference 28W/12253		6	—	—
3254	Wheels, inboard assembly	E.20001	1	B	each
4310	Wheels, inboard sub-assembly	Supersedes Ref. No. 3254	E.20938	1	B	"
4534	Wheels, inboard sub-assembly	Supersedes Ref. No. 4310	E.31031	1	B	"
3257	Wheels, outboard assembly	E.20002	1	B	"
4258	WHEELS, undercarriage	Supersedes Ref. No. 3242	E.30996	2	A	"
4412	WHEELS, undercarriage	Supersedes Ref. No. 4258	E.31012	2	A	"
		BELVEDERE				
4308	WHEELS, main undercarriage	(Palmer) 1009/D	4	A	"
	Spares:—					
2776	Bearings, Timkin	Timken 368/362A or Dunlop DAS.2062/6	1	B	"
4231	Bearings, Timkin	Timken 102849/102810	1	B	"
4312	Bolts	1009/4	6	C	"
4316	Bushes, solid	1009/5	1	C	"
4317	Dogs, drive	987/1/2	9	C	"
—	Nuts	Reference 28M/10293		6	—	—
—	Screws	Reference 28S/1200053		9	—	—
—	Washers	Reference 28N/9419457		6	—	—
4313	Flanges	1009/2	1	B	"

RESTRICTED

RESTRICTED

AIRCRAFT WHEEL EQUIPMENT

SECTION 27A—cont.

1	2	3	4	5	6	7
	WHEELS, main undercarriage—cont.	BELVEDERE—cont.	(Palmer)—cont.			
	Spares—cont.					
4233	Seals, G.A.C.O.	Mis. 24	1	C each
4315	Seals, G.A.C.O.	Mis. 213	1	C "
4314	Spacers	1009/3	1	C "
		DAKOTA, MARKS 3 AND 4				
—	WHEELS, tail, 9-00—6 in.	Reference 127A/679. Alternative to Refer-	(Bendix and Firestone)			
		ence 127A/728.	Bendix Pt. No. 52058	1	A	"
	Spares:—					
—	Bolts, hub	Reference 127A/1698	Bendix Pt. No. 51614	—	C	"
—	Conc and roller assemblies, 1¼ in. bore bearing . .	Reference 127A/1569	Timken No. 3476	—	B	"
			Bendix Pt. No. 103-S-16			
—	Cups, 1¼ in. bore bearing	Reference 127A/1570	Timken No. 3420	—	B	"
			Bendix Pt. No. 103-S-15			
—	Fittings, grease	Reference 127A/2627	Bendix Pt. No. 7505	—	C	"
—	Hubs, inboard	Reference 127A/2628	Bendix Pt. No. 52079	—	B	"
—	Hubs, outboard	Reference 127A/2629	Bendix Pt. No. 52080	—	B	"
—	Nuts, hub bolt	Reference 127A/2568	Bendix Pt. No. 175-S-9	—	C	"
—	Pins, cotter, hub bolt, ⅜ in. × ½ in.	Reference 128P/AN380-2-2	AN380-2-2	—	C	"
—	Retainers, inner	Reference 127A/1279	Bendix Pt. No. 107-S-12	—	C	"
—	Retainers, outer	Reference 127A/2569	Bendix Pt. No. 50177	—	C	"
—	Rings, washer retaining	Reference 127A/2571	Bendix Pt. No. 52899	—	C	"
—	Spacers, axle	Reference 127A/2570	Bendix Pt. No. 50149	—	C	"
—	Washers, feet, inner grease retaining	Reference 127A/2572	Bendix Pt. No. 108-S-17	—	C	"
—	Washers, feet, outer grease	Reference 127A/1532	Bendix Pt. No. 108-S-16	—	C	"
—	Wheel and bearing cup assemblies	Reference 127A/2625	Bendix Pt. No. 52081	—	B	"
—	WHEELS, tail, 9-00—6 in.	Reference 127A/728. Alternative to Refer-	Firestone Pt. No. SO-	1	A	"
		ence 127A/679.	FN-1.			

RESTRICTED

RESTRICTED

AIRCRAFT WHEEL EQUIPMENT

SECTION 27A—cont.

1	2	3	4	5	6	7
	DAKOTA, MARKS 3 AND 4—cont.		(Bendix and Firestone)			
	WHEELS, tail, 9-00—6 in.—cont.					
	Spares—cont.					
—	Castings, female	Reference 127A/2795	Firestone Pt. No. SO-202-FM.	—	B	each
—	Castings, male	Reference 127A/2794	Firestone Pt. No. SO-201-FM.	—	B	"
—	Cones and roller assemblies, 1¼ in. bore bearing ..	Reference 127A/1569	Timken No. 3476	—	B	"
—	Cups, 1¼ in. bore bearing	Reference 127A/1570	Timken No. 3420	—	B	"
—	Fittings, lubricator	Reference 128F/AN.287-2	AN.287-2	—	C	"
—	Nut assemblies	Reference 128N/AN.310-5	AN.310-5	—	C	"
—	Pins, cotter, hub bolt, ⅜ in. × ½ in.	Reference 128P/AN.380-2-2	AN.380-2-2	—	C	"
—	Spacers, bearing	Reference 127A/2803	U.S.A.A.F. Drg. No. 34A-1531-4.	—	C	"
—	Washers	Reference 128/AN.960-5162	AN.960-5162	—	C	"
—	WHEELS, undercarriage, 17-00—16 in. ..	Reference 127A/655	Bendix Pt. No. 57396	2	A	"
—	Spares:—					
—	Bolts, brake drum	Reference 127A/2506	Bendix Pt. No. 55436	—	C	"
—	Collars, adjusting	Reference 127A/2492	Bendix Pt. No. 51023	—	C	"
—	Cones, 3 in. bore bearing	Reference 127A/2493	Bendix Pt. No. 103-S-33	—	B	"
—	Cups, 3 in. bore bearing	Reference 127A/2503	Bendix Pt. No. 103-S-64	—	B	"
—	Drums	Reference 127A/2507. Superseded by Reference 127/A2888.	Bendix Pt. No. 55931	—	B	"
—	Sleeve assemblies, 14 in. brake drum	Reference 127/A2888. Supersedes Reference 127A/2507.	Bendix Pt. No. 57810	—	B	"
—	Flange assemblies	Reference 127A/2508	Bendix Pt. No. 57399	—	B	"
—	Flanges, demountable	Reference 127A/2509	Bendix Pt. No. 57404	—	B	"
—	Keys	Reference 127A/2504	Bendix Pt. No. 57748	—	C	"
—	Labels, instruction, removal of rust preventative ..	Reference 127A/2268	Bendix Pt. No. 57594	—	C	"
—	Lockwires, flange bolt	Reference 127A/2511	Bendix Pt. No. 51239	—	C	"
—	Nuts, brake drum bolt, stop	Reference 128N/AC.365-720	AC.365-720	—	C	"
—	Nuts, counterbalance weight set screw, ¼-20 Thd.	Reference 127A/2320	Bendix Pt. No. 167-S-3	—	C	"
—	Nuts, counterbalance weight set screw, ⅜-16 Thd.	Reference 127A/2321	Bendix Pt. No. 167-S-4	—	C	"

RESTRICTED

RESTRICTED

AIRCRAFT WHEEL EQUIPMENT

SECTION 27A—cont.

1	2	3	4	5	6	7
	DAKOTA, MARKS 3 AND 4—cont.		(Bendix and Firestone)			
	WHEELS, undercarriage, 17-00—16 in.—cont.					
	<i>Spares—cont.</i>					
—	Nuts, special flange stud, $\frac{3}{8}$ -24 Thd.	Reference 127A/2512	Bendix Pt. No. 55686	—	C	each
—	Plates, name Decalcomonia	Reference 127A/2237	Bendix Pt. No. 2766	—	C	"
—	Retainers, felt washer	Reference 127A/2495	Bendix Pt. No. 52377	—	C	"
—	Retainers, grease retaining washer	Reference 127A/2494	Bendix Pt. No. 107-S-13	—	C	"
—	Rings, snap, grease retaining washer	Reference 127A/2496	Bendix Pt. No. 109-S-12	—	C	"
—	Screws, adjusting, collar lock	Reference 127A/2498	Bendix Pt. No. 51226	—	C	"
—	Screws, counterbalance weight set, $\frac{1}{4}$ in., 20 × 1 $\frac{1}{4}$ in.	Reference 127A/2322	Bendix Pt. No. 165 - - -	—	C	"
—	Screws, counterbalance weight, set $\frac{5}{8}$ -16 × 1 $\frac{1}{4}$ in.	Reference 127A/2326	Bendix Pt. No. 165-S-13	—	C	"
—	Screws, drive	Reference 127A/2497	Bendix Pt. No. 50777	—	C	"
—	Springs, demountable flange bolt	Reference 127A/2514	Bendix Pt. No. 56181	—	C	"
—	Studs, special, flange, $\frac{3}{8}$ -24 × 4 $\frac{1}{8}$ in.	Reference 127A/2515	Bendix Pt. No. 55685	—	C	"
—	Washers, demountable flange	Reference 127A/2510	Bendix Pt. No. 55687	—	C	"
—	Washers, felt, grease, retaining	Reference 127A/2500	Bendix Pt. No. 108-S-35	—	C	"
—	Washers, lock	Reference 127A/2499	Bendix Pt. No. 51021	—	C	"
—	Washers, special stud nut	Reference 127A/2516	Bendix Pt. No. 57387	—	C	"
—	Weights, counterbalance, 1-9 oz.	Reference 127A/2332	Bendix Pt. No. 55675	—	B	"
—	Weights, counterbalance, 4 oz.	Reference 127A/2327	Bendix Pt. No. 51975	—	B	"
—	Weights, counterbalance, 6 oz.	Reference 127A/2328	Bendix Pt. No. 51966	—	C	"
—	Weights, counterbalance, 8 oz.	Reference 127A/2329	Bendix Pt. No. 51967	—	B	"
—	Weights, counterbalance, 10 oz.	Reference 127A/2330	Bendix Pt. No. 51968	—	B	"
—	Weights, counterbalance, 12 oz.	Reference 127A/2331	Bendix Pt. No. 51969	—	B	"
—	Wheel and bearing assemblies	Reference 127A/2501	Bendix Pt. No. 57386	—	B	"
—	Wheel and bearing cup assemblies	Reference 127A/2502	Bendix Pt. No. 57759	—	B	"
—	Wheels	Reference 127A/2505	Bendix Pt. No. 47403	—	B	"
	PEMBROKE C.1		(Palmer)			
2910	WHEELS, nose					
	<i>Spares:—</i>					
—	Bearings, ball, journal, rigid, single row	Reference 2A/9501185	953	2	A	each

RESTRICTED

RESTRICTED

AIRCRAFT WHEEL EQUIPMENT

SECTION 27A—cont.

1	2	3	4	5	6	7
	WHEELS, nose—cont.	PEMBROKE C.1—cont.	(Palmer)—cont.			
	Spares—cont.					
2911	Bolts	950/4	6	C	each
2912	Caps, end	953/3	2	C	"
—	Nuts, stiff, standard, hexagon, mild steel, $\frac{3}{16}$ in. B.S.F.	Reference 28M/10291		6	—	—
2858	Screws, set, 2 B.A. $\times \frac{3}{16}$ in. long	Unbrako		4	C	each
2913	Washers	950/3	6	C	"
2978	WHEELS, undercarriage	952B	4	A	"
	Spares:—					
—	Bearings, taper, roller	Ref. No. 2762		1	—	—
—	Bearings, taper, roller	Ref. No. 2613		1	—	—
—	Bolts, steel, high tensile, non-stainless, hexagon head, $\frac{1}{4}$ in. B.S.F. $\times 0.65$ in. long.	Reference 28D/7886		8	—	—
2903	Cap, end assemblies	Superseded by Ref. No. 3231	952/6/SP	1	C	each
2904	Caps, end	952/8	1	C	"
3231	Caps, end, c/w seal	Supersedes Ref. No. 2903	952/11	1	C	"
2905	Collars, abutment	952/7	1	C	"
2906	Drums, brake	Superseded by Ref. No. 3373	952/3	1	B	"
3373	Drums, brake	Supersedes Ref. No. 2906	952/12	1	B	"
2907	Flange assemblies, loose	952/2/S.P.	1	C	"
—	Lockwashers, tab, straight, chromium nickel, D.T.D.171, 0.260 in. i/d.	Reference 28L/12356		8	—	—
2908	Rings, locking	952/4	1	C	each
2909	Rings, sealing	952/10	1	C	"
—	Rivets, aluminium alloy, L.37, self finish, counter-sunk, 90°, $\frac{5}{16}$ in. dia $\times \frac{1}{2}$ in. long.	Reference 28Q/6621		2	—	—
—	Screws, set, 2 B.A. $\times 10$ in. long	Ref. No. 2858		2	—	—

RESTRICTED

RESTRICTED

AIRCRAFT WHEEL EQUIPMENT

SECTION 27A—cont.

1	2	3	4	5	6	7
		PIONEER	(Goodyear)			
3181	WHEELS, undercarriage	E.11161	2	A	each
	Spares:—					
—	Bearings, roller, taper (metric) (inboard)	Reference 2A/9500552		1	—	—
—	Bearings, roller, taper (metric) (outboard)	Reference 2A/9500550		1	—	—
—	Bolts, steel, high tensile, non-stainless, hexagon head, $\frac{3}{8}$ in. B.S.F. \times 1.35 in.	Wheel clamping. Reference 28D/12642 ..		8	—	—
3186	Caps, hub	E.11153	1	C	each
3184	Keys, disc drive	E.11059/6	10	C	"
—	Nuts, stiff, hexagon, mild steel, $\frac{3}{8}$ in. B.S.F. ..	Reference 28M/10292		8	—	—
3189	Screws, dust, seal, 2 B.A. \times $\frac{3}{8}$ in.	E.11537/4	4	C	each
3185	Screws, special	E.11147-1	20	C	"
3188	Seals, dust	E.11154	1	C	"
—	Washers, mild steel, thin, 0.395 in. int. dia. \times 0.070 in. ext. dia.	Reference 28W/12255		8	—	—
3187	Wires, lock, hub cap	E.11123	4	C	each
		PROVOST, MARK T.1	(Palmer)			
2860	WHEELS, tail	939	1	A	"
	Spares:—					
2861	Collars, abutment	939/2	2	C	"
2862	Sleeves, distance	939/1	1	C	"
2854	WHEELS, undercarriage	n Superseded by Ref. No. 3374	892/B	2	A	"
	Spares:—					
—	Bearings, taper, roller	Ref. No. 2762		2	—	—
2855	Caps, end	892/3	1	C	each
2856	Caps, end, c/w seal	Superseded by Ref. No. 3229	892/4	1	C	"
3229	Caps, end, c/w seal	n Supersedes Ref. No. 2856	892/6	1	C	"
—	Circlips	Ref. No. 2721		1	—	—
2857	Drums, brake	892/2	1	A	each

RESTRICTED

RESTRICTED

AIRCRAFT WHEEL EQUIPMENT

SECTION 27A—cont.

1	2	3	4	5	6	7
		P ROVOST, MARK T.1—cont.				
			(Palmer)			
	WHEELS, undercarriage—cont.					
	Spares—cont.					
—	Flanges	Ref. No. 2724		1	—	—
2859	Screws, countersunk, $\frac{1}{4}$ in. B.S.F. \times $1\frac{1}{4}$ in. long n	Unbrako. Superseded by Ref. No. 28D/ 17834.		6	C	each
—	Screws, set, 2 B.A. \times $\frac{3}{16}$ in.	Ref. No. 2858		4	—	—
3374	WHEELS, undercarriage n	Supersedes Ref. No. 2854. Superseded by Ref. No. 3590.	973/B	2	A	each
	Spares:—					
—	Bearings, taper, roller	Ref. No. 2762		2	—	—
—	Caps, end	Ref. No. 2855		1	—	—
—	Caps, end. c/w seal n	Ref. No. 2856. Superseded by Ref. No. 3229.		1	—	—
—	Caps, end, c/w seal	Ref. No. 3229. Supersedes Ref. No. 2856		1	—	—
—	Circlips	Ref. No. 2721		1	—	—
—	Drums, brake	Ref. No. 2857		1	—	—
3375	Flanges		892/7	1	C	each
—	Screws, countersunk, $\frac{1}{4}$ in. B.S.F. \times $1\frac{1}{4}$ in. long ..	Ref. No. 2859. Unbrako		6	—	—
—	Screws, set, 2 B.A. \times 10 in.	Ref. No. 2858		4	—	—
3590	WHEELS, undercarriage	Supersedes Ref. No. 3374. Superseded by Ref. No. 3627	979/B	2	A	each
	Spares:—					
—	Bearings, taper, roller	Ref. No. 2762		2	—	—
3614	Caps, end		973/3	2	C	each
3617	Caps, end		973/6	2	C	"
—	Circlips	Ref. No. 2721		1	—	—
3615	Collars, abutment		973/8	2	C	each
—	Drums, brake	Ref. No. 2857		1	—	—
—	Flanges	Ref. No. 3375		1	—	—
3616	Rings, sealing		973/4	2	C	each
3619	Rings, sealing		973/7	2	C	"
—	Screws, countersunk, $\frac{1}{4}$ in. G.S.F. \times $1\frac{1}{8}$ in. long ..	Ref. No. 2859. Unbrako		6	—	—

RESTRICTED

RESTRICTED

AIRCRAFT WHEEL EQUIPMENT

SECTION 27A—cont.

1	2	3	4	5	6	7
		P ROVOST, MARK T.1—cont.				
	WHEELS, undercarriage—cont.		(Palmer)			
	Spares—cont.					
—	Screws, set, 2 B.A. × 10 in.	Ref. No. 2858		4	—	—
3618	Sleeves, grease retaining	973/5	2	C	each
3627	WHEELS, undercarriage	Supersedes Ref. No. 3590	984/B	2	A	"
	Spares:—					
—	Bearings, taper, roller	Ref. No. 2762		2	—	—
—	Caps, end	Ref. No. 3614		2	—	—
—	Caps, end	Ref. No. 3617		2	—	—
—	Collars, abutment	Ref. No. 3615		2	—	—
—	Drums, brake	Ref. No. 2857		1	—	—
3630	Flanges	984/2	2	B	each
	Spares:—					
3631	Bolts	984/2/3	2	C	"
—	Rings, sealing	Ref. No. 3616		2	—	—
—	Rings, sealing	Ref. No. 3619		2	—	—
—	Screws, countersunk, $\frac{1}{4}$ in. B.S.F. × $1\frac{1}{8}$ in. long	Ref. No. 2859. Unbrako		6	—	—
—	Screws, set, 2 B.A. × $\frac{3}{16}$ in.	Ref. No. 2858		4	—	—
—	Sleevecs, grease, retaining	Ref. No. 3618		2	—	—
		SEA PRINCE C, MARK 1				
	WHEELS, nose	(Palmer)			
2880	Spares:—		955	2	A	each
—	Bearings, ball, journal, rigid, single row	Reference 2A/9501212		2	—	—
2879	Bolts	955/3	6	C	each
2788	WHEELS, undercarriage	880/B, Mark 3	2	A	"
	Spares:—					
—	Bearings, ball, journal, rigid, single row	Reference 2A/9500059		2	—	—
2875	Caps, end	880/4S.P.	1	C	each

RESTRICTED

RESTRICTED

AIRCRAFT WHEEL EQUIPMENT

SECTION 27A—cont.

1	2	3	4	5	6	7
		SEA PRINCE C, MARK 1—cont.				
	WHEELS, undercarriage—cont.		(Palmer)			
	Spares—cont.					
2878	Drums, brake		868/12	1	A	each
2874	Flanges, loose		880/13	1	C	"
2877	Pads, rubber		880/11	1	C	"
2876	Rings, lock		880/6	1	C	"
2881	Valves, extension		Schrader 6284	1	C	"
		SE DBURGH T.X., MARK 1				
2506	WHEELS, undercarriage		(Palmer) 933	1	A	"
		SKEETER, MARK 6				
3861	WHEELS, nose and undercarriage		(Palmer) 922B	3	A	"
	Spares:—					
	Adapters, Schrader	Ref. No. 1113		1	—	—
3864	Bushes, "Oilite"		FBS.86	2	C	each
3865	Drums, brake		906/2	1	A	"
	Flanges, loose	Ref. No. 2703		1	—	—
3866	Keys, flange		867/5	1	C	each
	Rings, locking	Ref. No. 2700		1	—	—
4259	Springs, retaining		922/2	1	C	each
		SYCAMORE H. C.11, H.R.12, H.R.13 AND H.R.14				
2823	WHEELS, nose		(Palmer) 910	1	A	"
	Spares:—					
2864	Bushes, "Oilite"		FBS.24	2	C	"
2865	Flanges, loose		910/2	1	C	"
2866	Rings, locking		883/6	1	C	"

RESTRICTED

RESTRICTED

AIRCRAFT WHEEL EQUIPMENT

SECTION 27A—cont.

1	2	3	4	5	6	7
	SYCAMORE H.C.11,	H.R.12, H.R.13 AND H.R.14—cont.				
2820	WHEELS, undercarriage	Sycamore HC.11 and HR.12 only ..	(Palmer) 931B	2	A	each
	Spares:—					
2867	Bushes, "Oilite"	Superseded by Ref. No. 4286	FBS.98	2	C	"
4286	Bushes, "Oilite"	Palmer CTF.949	2	C	"
3138	WHEELS, undercarriage	Sycamore HR.13 and HR.14 only ..	959/D	2	A	"
	Spares:—					
3143	Bearings	959/3	2	C	"
—	Bolts	Ref. No. 2911		6	—	—
—	Nuts, stiff, standard, hexagon, mild steel, $\frac{3}{16}$ in. B.S.F.	Reference 28M/10291		6	—	—
3144	Rings, sealing	959/5	1	C	each
—	Washers	Ref. No. 2913		6	—	—
		WINGED TARGETS				
2417	WHEELS, nose	Also fitted tail and undercarriage ..	38/00	1	A	each

RESTRICTED

RESTRICTED
25

**AIRCRAFT WHEEL EQUIPMENT
INDEX TO REFERENCE NUMBERS
SECTION 27A—cont.**

Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.
1102	8	2281	2	2511	1	2852	7	2910	19	3182	2	3272	15	3573	10	3862	1	4312	16
1113	8	2282	10	2512	8	2853	8	2911	20	3183	10	3273	15	3587	7	3864	24	4313	16
1211	1	2285	9	2513	13	2854	21	2912	20	3184	21	3348	3	3588	6	3865	24	4314	17
1239	1	2290	4	2576	4	2855	21	2913	20	3185	21	3349	10	3589	14	3866	24	4315	17
1243	8	2291	11	2642	4	2856	21	2914	4	3186	21	3370	5	3590	22	3911	12	4316	16
1259	9	2297	10	2643	12	2857	21	2915	11	3187	21	3373	20	3599	1	3913	6	4317	16
1263	2	2299	7	2644	2	2858	20	2916	2	3188	21	3374	22	3600	9	3920	12	4318	4
1421	1	2305	6	2645	10	2859	22	2917	10	3189	22	3375	22	3614	22	3921	12	4319	11
1422	8	2310	4	2649	3	2860	21	2927	3	3198	2	3377	5	3615	22	3923	13	4331	7
1923	1	2311	11	2653	13	2861	21	2928	10	3229	21	3391	7	3616	22	3934	4	4332	4
1924	8	2313	2	2654	4	2862	21	2946	14	3231	20	3392	5	3617	22	3935	3	4352	7
1942	14	2316	7	2655	12	2863	10	2947	14	3242	15	3393	13	3618	23	3974	7	4355	2
1943	14	2410	1	2660	2	2864	24	2971	7	3243	2	3394	12	3619	22	3975	3	4366	3
1960	8	2417	25	2662	4	2865	24	2972	14	3244	9	3397	7	3627	23	3985	3	4367	10
1964	9	2430	3	2663	11	2866	24	2973	6	3245	15	3398	7	3630	23	4027	6	4375	8
1989	9	2431	10	2667	10	2867	25	2974	13	3246	7	3399	14	3631	23	4028	4	4412	16
2004	14	2438	1	2704	12	2872	6	2978	20	3247	14	3400	14	3636	12	4061	3	4432	3
2009	1	2441	8	2716	13	2874	24	3010	6	3253	16	3417	3	3644	12	4063	11	4433	3
2022	4	2444	9	2718	4	2875	23	3011	13	3254	16	3418	10	3685	15	4080	4	4434	11
2056	12	2451	6	2719	11	2876	24	3013	10	3257	16	3419	2	3686	16	4111	5	4438	7
2071	9	2452	13	2755	3	2877	24	3041	1	3258	16	3420	9	3690	7	4112	6	4441	6
2084	14	2453	2	2756	11	2878	24	3132	4	3259	16	3421	2	3691	13	4158	6	4482	6
2087	4	2454	9	2757	2	2879	23	3133	12	3260	15	3433	2	3697	11	4160	3	4483	5
2200	9	2466	2	2762	15	2880	23	3135	2	3261	15	3434	2	3698	6	4162	10	4490	8
2209	4	2468	3	2776	16	2881	24	3136	10	3262	15	3453	1	3699	12	4231	16	4534	16
2216	1	2469	10	2786	11	2892	11	3138	25	3263	15	3454	5	3723	14	4233	17	4539	5
2217	8	2471	2	2788	23	2893	4	3143	25	3264	15	3523	5	3754	6	4239	12	4540	5
2221	6	2488	11	2792	3	2903	20	3144	25	3265	15	3524	6	3755	6	4258	16	4572	7
2222	4	2496	5	2820	25	2904	20	3146	10	3266	15	3525	1	3756	13	4259	24	4594	7
2225	4	2497	12	2822	9	2905	20	3152	7	3267	15	3526	12	3787	3	4285	4	4620	6
2226	11	2500	2	2823	24	2906	20	3153	14	3268	15	3527	12	3788	2	4286	25	4621	3
2228	3	2506	24	2824	1	2907	20	3173	8	3269	15	3528	9	3789	10	4308	16		
2257	13	2507	1	2825	8	2908	20	3176	4	3270	15	3570	4	3790	9	4309	3		
2278	6	2508	8	2826	10	2909	20	3181	21	3271	15	3572	2	3861	24	4310	16		

RESTRICTED

RESTRICTED

**AIRCRAFT WHEEL EQUIPMENT
INDEX TO REFERENCE NUMBERS
SECTION 27A—cont.**

Ref No.	Page No.	Ref. No.	Page No.	Ref No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.
4622	3	4868	6																
4652	5	4899	4																
4655	7	4900	3																
4656	7	4902	2																
4657	6	4903	3																
4668	3																		
4670	1																		
4671	1																		
4672	1																		
4673	1																		
4674	2																		
4675	3																		
4676	3																		
4677	4																		
4679	4																		
4680	4																		
4681	4																		
4682	4																		
4683	4																		
4684	5																		
4685	7																		
4688	6																		
4691	7																		
4692	1																		
4729	4																		
4750	3																		
4774	5																		
4775	5																		
4776	5																		
4777	3																		
4807	3																		
4808	2																		
4820	4																		
4821	3																		

RESTRICTED

Issued with A/L 143

**AIR PUBLICATION 1086
BOOK II
SECOND EDITION**

**SECTION 27B
AIRCRAFT AIR AND OIL FILTERS,
FUEL AND OIL COOLERS**

**Items under Section 27B
are covered by
VOTE 7 A. 2 (a)**

RESTRICTED

VOCABULARY OF ROYAL AIR FORCE EQUIPMENT
AIRCRAFT AIR AND OIL FILTERS, FUEL AND OIL COOLERS
SECTION 27B
(15th January, 1959)

Ref. No.	NOMENCLATURE	DETAIL	Drawing No. or Part No.	No. Off	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
ANSON, MARKS 12, 19, 20, 21 and 22						
2706	COOLER, oil	For Anson, Marks 20, 21 and 22 only...	W.S.10778	2	A	each
	Spares:—					
1548	Plug, drain		W.S.5028	—	C	„
1550	Screw, set, header, long		W.S.5010	—	C	„
1551	Screw, set, header, short		W.S.5011	—	C	„
1553	Washer, joint, large		W.S.5032	—	C	doz.
1554	Washer, joint, small		W.S.5033	—	C	„
—	Washer, plug, drain	Reference 25B/1236	—	—	—	—
	COOLER, oil:—	For Anson, Marks 12 and 19 only.				
2911	Port		5P.2224	1	A	each
2912	Starboard		6P.2224	1	A	„
	Spares:—	For Ref. No. 2911 and 2912.				
604	Pipe, oil relief		A.325/135	—	C	„
606	Ring, spacing, plain		A.325/65	—	C	„
2696	ELEMENT, air filter		D.14099	2	B	„

RESTRICTED

RESTRICTED

AIRCRAFT AIR AND OIL FILTERS, FUEL AND OIL COOLERS
SECTION 27B—cont.

Ref. No.	NOMENCLATURE	DETAIL	Drawing No. or Part No.	No. Off	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
		ATTACKER, MARK 1 Naval aviation only.				
2820	ELEMENT, assembly		B.28961	—	—	—
2822	ELEMENT, assembly		B.35108	—	—	—
2720	FILTER, air		E.30A/1 in./20184	1	A	each
2821	FILTER, element assembly		B.20184	—	—	—

AW183

RESTRICTED

RESTRICTED

AIRCRAFT AIR AND OIL FILTERS, FUEL AND OIL COOLERS
SECTION 27B—cont.

Ref. No.	NOMENCLATURE	DETAIL	Drawing No. or Part No.	No. Off	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
	AUSTER, MARKS 6, 7 and 9					
2609	COOLER, oil	For Auster, Marks 6 and 7 only	E.3253	1	A	each
2934	COOLER, oil	For Auster, Mark 9 only	E.5130	1	A	"
	Spares:—					
3006	Connection, inlet	A.5308	1	C	"
3007	Connection, outlet	A.4869-17	1	C	"
3008	Gasket, inlet	A.5304	1	C	"
3009	Gasket, outlet	A.4869-18	1	C	"
			Issue 2			
3010	Relief valve assembly	B.4595-3	1	B	"
			Issue 5			
3052	FILTER, air intake	For Auster, Mark 9 only	D.48268	1	B	"

RESTRICTED

RESTRICTED

AIRCRAFT AIR AND OIL FILTERS, FUEL AND OIL COOLERS

SECTION 27B—cont.

Ref. No.	NOMENCLATURE	DETAIL	Drawing No. or Part No.	No. Off	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
		BALLIOL, MARK 2				
2903	COOLER, oil	Light alloy. Can be fitted only with light alloy radiators. Reference 25B/279. Supersedes Ref. Nos. 2723 and 2873.	D.132-3A	1	A	each
2813	Spares:— Plug, drain		A.S.3300	1	C	„
2943	Washer, drain valve		D.132-91C	1	C	„
2723	COOLER, oil	n Copper/Brass. Can be fitted only with copper/brass radiators. References 25B/265 or 282. Superseded by Ref. No. 2907.	Q.H.K.	1	A	„
2873	COOLER, oil	n Copper/Brass. Can be fitted only with copper/brass radiators. References 25B/265 or 282. Alternative to Ref. No. 2723. Superseded by Ref. No. 2907.	E.4968	1	A	„
2730	ELEMENT, air filter		D.2787	2	B	„
3102	FILTER, oil mist		C.X.53638	1	A	„
3103	Spares:— Insert assembly		B.53639	1	C	„
3104	Ring, joint		S.K.576	1	C	„
3105	Washer, cap nut		A.15141	1	C	„

AL 183

RESTRICTED

RESTRICTED

AIRCRAFT AIR AND OIL FILTERS, FUEL AND OIL COOLERS
SECTION 27B—cont.

Issued with A/L 143 to A.P.1086, Book II, Second Edition

RESTRICTED

Ref. No.	NOMENCLATURE	DETAIL	Drawing No. or Part No.	No. Off	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
BEAUFIGHTER, MARK 10						
2274	COOLER, oil, port		A.323A	1	A	each
2330	COOLER, oil, starboard		A.323B	1	A	"
	Spares:	For Ref. Nos. 2274 and 2330.				
2500	*Baffle, back		C.793	—	C	"
2498	*Baffle, centre		B.359	—	C	"
2501	*Baffle, side		C.794	—	C	"
2502	*Body, lug		C.877	—	C	"
	Bolt, flange, $\frac{1}{4}$ in. B.S.F.	Ref. 28D/Niv		—	—	—
2503	*Cone		C.1122	—	C	each
2505	*Filter		C.1700	—	C	"
2509	*Inlet, oil, extra		C.1005	—	C	"
2150	Joint, flange		C.105	—	C	"
2151	Joint, pressure gauge		C.497	—	C	"
2152	Joint, valve plug		C.106	—	C	"
2494	*Label, air inlet		C.276/1	—	C	"
2495	*Label, air inlet		C.276/2	—	C	"
2496	*Label, plate		C.276/5	—	C	"
—	Nut, steel, mild, slotted, $\frac{1}{8}$ in. B.S.F.	Ref. 28M/768		—	—	—
—	Nut, steel, mild, slotted, 2 B.A.	Ref. 28M/767. For tie rod		—	—	—
—	Pin, split, mild steel, $\frac{1}{8}$ in. \times $\frac{3}{4}$ in. long	Ref. 28P/1203		—	—	—
2508	*Pipe, branch		C.602	—	C	each
2504	*Plate, filter		C.1126	—	C	"
—	Plug, flanged, $\frac{1}{4}$ in. B.S.P.	Ref. 28R/1397		—	—	—
2155	Plug, valve		C.490	—	C	each
2492	*Ring, end		B.242A	—	C	"
2493	Ring, end		B.242B	—	C	"
2160	Ring, spigot		B.88/4	—	C	"
2173	Rod, tie		C.T.107B	—	C	"
2157	Sleeve, distance		C.584	—	C	"

* For repair depot holding only.

RESTRICTED

AIRCRAFT AIR AND OIL FILTERS, FUEL AND OIL COOLERS
SECTION 27B—cont.

Ref. No.	NOMENCLATURE	DETAIL	Drawing No. or Part No.	No. Off	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
BEAUFIGHTER, MARK 10—cont.						
	COOLER, oil, starboard—cont.					
	Spares—cont.					
2167	Spring, valve, front element	...	C.22L	—	B	each
2163	Spring, valve, rear element	...	C.22H	—	B	"
2497	*Tube, spigot	...	C.314	—	C	"
2499	*Tube, tie rod	...	C.496	—	C	"
2616	FILTER, air	...	F.B.121539 Issue 10	2	A	"
	Spares:—					
2359	Casting	...	D.10717	—	C	"
2215	Element, insert	...	C.10526	—	C	"
2360	Frame	...	D.10719	—	C	"
2358	Joint	...	D.10718	—	C	"
2363	Seal	C.10658	—	C	"
2433	Slat, metal, L.H.	...	D.13533/1 or F.B.148144	—	C	"
2434	Slat, metal, R.H.	...	D.13533/2 or F.B.148145	—	C	"

* For repair depot holding only.

RESTRICTED

RESTRICTED

AIRCRAFT AIR AND OIL FILTERS, FUEL AND OIL COOLERS

SECTION 27B cont.

Ref. No.	Nomenclature	Detail	Drawing or Part No	No. off	Class of Store	Denom. of Qty
1	2	3	4	5	6	7
		BEVERLEY, C.1				
3048	COOLER, oil		W.S.11715	8	A	each
	Spares:—					
2772	Joint, expansion end		W.S.11448	—	C	"
2797	Joint, fixed end		W.S.10915	—	C	"
2777	Plug, drain, $\frac{3}{4}$ in. B.S.P.		W.S.10996	—	C	"
2773	Ring, baffle sealing		W.S.11399-14	—	C	"
3017	Valve and stabilisers		W.S.11484	—	B	"
2778	Washer, drain plug		W.S.10991	—	C	"
2774	Washer, valve cap jointing		W.S.10880	—	C	"
3054	ELEMENT, air filter		D.53004	8	C	"
3117	FILTER, air flame-proof and tropicalised		C.54570	1	A	"
3035	FILTER, air millivoe		C.49638	1	A	"
3130	FILTER, oil		B.5140	4	B	"
	Spares:—					
3136	Adapter, special		D.5143	1	C	"
3132	Bridge piece and nut		D.2180	1	C	"
3135	Chain		D.2280	1	C	"
3137	Pipe, drain and vent		D.4236	1	C	"
3134	Plug, drain		D.4238	1	C	"
3164	Ratchet, spring		D.1805	1	C	"
3166	Spindle		D.2183	1	C	"
3133	Spring		D.1654	1	C	"
3131	Strainer		D.4834	1	C	"

RESTRICTED

RESTRICTED

Issued with A/L.157 to A.P.1086, Book 11, Second Edition.

AIRCRAFT AIR AND OIL FILTERS, FUEL AND OIL COOLERS

SECTION 27B— cont.

Ref. No.	Nomenclature	Detail	Drawing or Part No.	No. off	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
		BEVERLEY, C1— cont.				
	FILTER, oil—cont.					
	Spares—cont.					
3138	Washer, sealing	D.3381	1	C	each
3139	Washer, sealing	D.6939	1	C	"
3140	Washer, sealing	D.6938	1	C	"
3141	Washer, sealing	D.6940	1	C	"
3157	Washer, sealing	D.1397	1	C	"
3158	Washer, sealing	D.6071	1	C	"
3243	Washer, sealing, bonded	Supersedes Ret. No. 3141	SP.837/15A	1	C	"

RESTRICTED

RESTRICTED

AIRCRAFT AIR AND OIL FILTERS, FUEL AND OIL COOLERS

SECTION 27B— cont.

Ref. No.	NOMENCLATURE	DETAIL	Drawing No. or Part No.	No. Off	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
	BELVEDERE					
3182	COOLER, OIL, 8 in. diam.		W.S.12570	1	A	each
	Spares :—					
3320	Caps, sealing		W.S.11819	2	C	"
3319	Connections, inlet/outlet		W.S.12582	2	C	"
3253	Plugs, drain		W.S.12171	1	C	"
3254	Washers, drain, plug		W.S.12172	1	C	"
3321	Washers, sealing cap		W.S.11214	2	C	"
3238	COOLER, OIL, 12 in. diam. for Fan Unit		W.S.12700	1	A	"
—	Fairing, front, and shutter gear	For oil cooler Ref. No. 3238. Not referenced as a complete assembly	W.S.12703	1	B	"
	Spares :—					
3326	Blades, shutter, sub-assembly, No. 1		W.S.11930	1	C	"
3327	Blades, shutter, sub-assembly, No. 2		W.S.11931	1	C	"
3328	Blades, shutter, sub-assembly, No. 3		W.S.11932	1	C	"
3329	Blades, shutter, sub-assembly, No. 1		W.S.11933	1	C	"
3325	Bush bearings, aluminium		W.S.12722	1	C	"
3324	Bush bearings, rubber		W.S.11929	7	C	"
3331	Fairings, front		W.S.12714	1	C	"
3322	Levers, operating		W.S.11945	1	C	"
3323	Links, bar, shutter		W.S.11937	1	C	"
3330	Rings, fairing, clamping		W.S.11939	1	C	"

RESTRICTED

8a

RESTRICTED

AIRCRAFT AIR AND OIL FILTERS, FUEL AND OIL COOLERS

SECTION 27B—*cont.*

Ref. No.	Nomenclature	Detail	Drawing or Part No.	No off	Class of Store	Denom of Qty.
1	2	3	4	5	6	7
3182	COOLER, OIL, 8 in. diam.	BRISTOL 192	W.S.12570	1	A	each
3238	COOLER, OIL, 12 in. diam. for Fan Unit		W.S.12700	1	A	"

Deleted by AC 183

RESTRICTED

RESTRICTED

8a

Issued with A.I.L. 157 to A.P. 1086, Book 11, Second Edition.

AIRCRAFT AIR AND OIL FILTERS, FUEL AND AIR COOLERS

SECTION 27B-*cont.*

Ref. No.	Nomenclature	Detail	Drawing or Part No.	No. off	Class of Store	Denom of Qty.
1	2	3	4	5	6	7
		BRITANNIA				
3156	COOLER, oil	W.S.12020	1	A	each
3142	FILTER, purolator	MPA.31332	1	B	"
	Spares:—					
3147	Element assembly	MPA.30688	1	C	"
3148	Head, filter	MPA.31268	1	C	"
3149	Ring, seal	MPA.31262	1	C	"
3150	Spring	AIR.3168	1	C	"
3151	Spring	MPA.30792	2	C	"
3152	Spring, guide	MPA.30720	2	C	"
3154	Valve check, inlet	MPA.31334	1	C	"
3153	Valve check, outlet	MPA.31336	1	C	"
3155	Washer	MPA.30750	1	C	"

RESTRICTED

RESTRICTED
8b

AIRCRAFT AIR AND OIL FILTERS, FUEL AND OIL COOLERS
SECTION 27B—cont.

Ref No.	NOMENCLATURE	DETAIL	Drawing No. or Part No.	No. Off	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
	CANBERRA, MARKS 2, 3, 4, 6, 7 and 8					
1877	FILTER, oil	Type F. Alternative to Ref. No. 2620	E.30L/1 in./7915.	1	A	each
	Spares:—					
2970	Bolt, set	—	—	C	"
2971	Bolt, set	—	—	C	"
1892	Cap, insert, bottom	—	—	C	"
2302	Cap, insert, top	—	—	C	"
1475	Case, outer...	—	—	C	"
1470	Case, perforated	B.7807	—	C	"
1471	Clip, element	B.25462	—	C	"
2910	Element assembly	Supersedes Ref. No. 1424	A.8323	—	C	"
1424	Element, felt	Superseded by Ref. No. 2910	B.28773	—	C	"
1902	Head, casting	A.7808	—	C	"
1467	Insert, complete	C.5191/1	—	B	"
—	Nut, brass, wing, 2 B.A.	A.7915	—	B	"
1894	Pad, bottom	—	—	—	each
1893	Pad, top	—	—	C	"
1476	Plug, drain	—	—	C	"
1683	Ring, clamping	—	—	C	"
1473	Ring, insert	—	—	C	"
2702	Ring, joint	A.7789	—	C	"
1685	Spring	—	—	C	"
1686	Washer, drain plug	—	—	C	"
1474	Washer, wing nut	—	—	C	"
—	Wire, brass, soft, No. 22 S.W.G.	Reference 30B/326	—	—	—	—
2620	FILTER, oil	Alternative to Ref. No. 1877	E.30L/1 in./22537.	1	A	each
	Spares:—					
2662	Insert assembly	C.22537	—	A	"

RESTRICTED

RESTRICTED

AIRCRAFT AIR AND OIL FILTERS, FUEL AND OIL COOLERS
SECTION 27B—cont.

Ref. No.	NOMENCLATURE	DETAIL	Drawing No. or Part No.	No. Off	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
2621	COOLER, oil	DEVON, MARK 1	E.3260	2	A	each

RESTRICTED

RESTRICTED

AIRCRAFT AIR AND OIL FILTERS, FUEL AND OIL COOLERS
SECTION 27B—cont.

Ref. No.	NOMENCLATURE	DETAIL	Drawing No. or Part No.	No. Off	(Units of Store)	Denom. of Qty.
1	2	3	4	5	6	7
	DRAGONFLY, MARKS 2, 3 and 4					
2737	COOLER, oil		E.4187	1	A	each
	Spares:—					
2768	Cap		42039-2	—	C	"
2756	Cap, end		42039-3	—	—	"
2763	Connector		B.4251	—	C	"
2762	Duct, inlet		4187-11	—	C	"
3041	Ferrule	Naval aviation only	A.4837/1/C	—	C	"
2764	Gasket		A.4252	—	C	"
2953	Grommet	Naval aviation only	A.4357	—	C	"
—	Nut, stiff, 4 B.A.	Reference 28M/10287	—	—	—	—
2961	Plug, tube sealing	Naval aviation only	A.4464/2	—	C	each
2421	Spring		A.2302	—	C	"
2952	Stud, 4 B.A.	Naval aviation only	A.4570	—	C	"
2765	Stud, 4 B.A.		4187-13	—	C	"
3042	Tube, 0-008 wall thickness	Naval aviation only	—	—	C	"
3043	Tube, 0-012 wall thickness	Naval aviation only	—	—	C	"
2767	Valve, relief		C.4205	—	C	"
—	Washer, steel bright, 0-15 in. × 0-40 in.	Reference 28W/3070	—	—	—	—
2769	Washer, rubber		A.40034	—	C	each
2744	ELEMENT, air filter		D.36812	1	A	"
2739	FILTER, oil		M.P.A.30014	1	A	"
	Spares:—					
—	Cap, dust	Reference 27M/9621. Naval aviation only	—	—	—	—
2878	Cone, support		M.P.A.29910	—	—	—
2876	Element, inner assemblies		M.P.A.30020	—	—	—
2877	Element, outer assemblies		M.P.A.29942	—	—	—
3055	Gasket	Naval aviation only	A.D.S.34/P	—	—	—
2880	Gasket, locking handle		M.P.A.30010	—	—	—
2879	Handle, locking assemblies		M.P.A.30024	—	—	—

RESTRICTED

RESTRICTED

AIRCRAFT AIR AND OIL FILTERS, FUEL AND OIL COOLERS
SECTION 27B—cont.

Ref. No.	NOMENCLATURE	DETAIL	Drawing No. or Part No.	No. Off	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
	DRAGONFLY, MARKS 2, 3 and 4—cont.					
	FILTER, oil—cont.					
	<i>Spares—cont.</i>					
2874	Head, sub-assemblies with relief valve	M.P.A.30016	—	—	—
2881	Plug, drain	A.D.S.37/Q	—	—	—
3119	Plug, relief valve Naval aviation only	M.P.A.23536	—	—	—
2832	Seal	M.P.A.29470	—	—	—
2833	Seal	M.P.A.28418	—	—	—
2834	Seal	M.P.A.30026	—	—	—
3118	Spring Naval aviation only	M.P.A.28444	—	—	—
2875	Sump, purolater	M.P.A.28402	—	—	—

RESTRICTED

RESTRICTED

AIRCRAFT AIR AND OIL FILTERS, FUEL AND OIL COOLERS
SECTION 27B—cont.

Ref. No.	NOMENCLATURE	DETAIL	Drawing No. or Part No.	No. Off	Pass of Store	Denom. of Qty
1	2	3	4	5	6	7
	FIREFLY, A.S.7. Naval aviation only.					
2817	COOLER, oil	Alternative to Ref. Nos. 2818 and 2829	D.46/2A	—	—	—
2818	COOLER, oil	Alternative to Ref. Nos. 2817 and 2829	E.4726	1	—	—
2829	COOLER, oil	Alternative to Ref. Nos. 2817 and 2818	JWL.400	1	—	—
2962	Spares:— Seal, Klinger, drain housing		JWL.173	—	—	—
2897	FILTER, air		E.41865	—	—	—
2839	FILTER, air		GN.20976	1	—	—
2944	Spares:— Casing assembly		GN.22020	—	—	—
2848	Casing, cap filter H.P. oil supply assembly		GN.20978	—	—	—
2840	Casing, filter, H.P. oil supply assembly		GN.20977	—	—	—
2852	Collet, split filter retaining		GN.20963	—	—	—
2853	Element, H.P. oil filter		GB.20162 or FG.2303	—	—	—
2855	Plate, end		GN.20966	—	—	—
2857	Ring, sealing		KB.14369	—	—	—
2858	Screw, drain operative		GN.20965	—	—	—
2861	Sleeve		GN.20329	—	—	—
2860	Sleeve, nut		GN.20351	—	—	—
2862	Spring, by pass valve		GN.20335	—	—	—
2863	Spring, filter element supporting		GN.20328	—	—	—
2864	Spring, filter retaining		GN.20961	—	—	—
2854	Spring, housing		GN.20336	—	—	—
2859	Spring, seating		GN.20962	—	—	—
2842	Stud, .002 o/s		KL.3258P	—	—	—

AL 123

RESTRICTED

RESTRICTED

Issued with A/L 143 to A.P.1086, Book 11, Second Edition
13

AIRCRAFT AIR AND OIL FILTERS, FUEL AND OIL COOLERS
SECTION 27B—cont.

Ref. No.	NOMENCLATURE	DETAIL	Drawing No. or Part No.	No. Off	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
FIREFLY, A.S.7. Naval aviation only—cont.						
FILTER, air—cont.						
<i>Spares—cont.</i>						
2850	Tube, outlet and hose piece assembly		GN.20325	—	—	—
2851	Tube, reinforcing and end plate		GN.20979	—	—	—
2865	Valve, by-pass, H.P. oil filter		GN.20333	—	—	—
2844	Washer, Union		KB.1186	—	—	—

AL183

RESTRICTED

RESTRICTED

AIRCRAFT AIR AND OIL FILTERS, FUEL AND OIL COOLERS
SECTION 27B—cont.

Ref. No.	NOMENCLATURE	DETAIL	Drawing No. or Part No.	No. Off	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
FIREFLY, F.1, T.1, T.2 AND MARKS 4, 5 AND 6. Naval Aviation only.						
2333	COOLER, oil	For F.1, T.1 and T.2 only	Q.A.Y.	1	A	each
	Spares:—					
—	Cap, dust protection, rubber, 1½ in. ext. dia. ...	Ref. 28N/11547	—	—	—	—
2626	Peg, viscosity, valve fouling	Ref. 25B/1447	Q.A.Y.53	—	C	each
—	Plug, drain	Ref. 28F/11677	—	—	—	—
—	Sleeve, coupling, Avimo, 1½ in. dia.	Ref. 28F/11677	—	—	—	—
2638	Stud, 2 B.A.	STD.5002	—	C	each
2640	Washer, viscosity, valve...	SRD.597	—	C	"
2542	COOLER, oil	n Superseded by Ref. No. 2749. For Marks 4, 5 and 6 only.	Q.G.Q.	1	A	"
2749	COOLER, oil	Supersedes Ref. No. 2542. For Marks 4, 5 and 6 only	Q.J.L.	1	A	"
	Spares:—					
2645	Casing assembly, inboard	Q.G.Q.102	—	C	"
2646	Casing assembly, outboard	Q.G.Q.103	—	C	"
2648	Cowl, angle	Q.G.Q.16	—	C	"
2647	Plate, cover	Q.G.Q.15	—	C	"
—	Plug, drain	Ref. 25B/1447	—	—	—	—
2644	Tank assembly, bottom	Q.G.Q.113	—	C	each
2642	Tank assembly, inboard, top	Q.G.Q.111	—	C	"
2643	Tank assembly, outboard top	Q.G.Q.112	—	C	"
2625	ELEMENT, air filter	n Superseded by Ref. No. 2743. For Marks 4, 5 and 6 only.	—	1	B	"
2743	ELEMENT, air filter	Supersedes Ref. No. 2625. For Marks 4, 5 and 6 only	E.39496	1	A	"
2844	ELEMENT, air intake	For F.1, T.1 and T.2 only	C.10706	2	C	"

RESTRICTED

Issued with A/L 143 to A.P.1086, Book 11, Second Edition
15

RESTRICTED

AIRCRAFT AIR AND OIL FILTERS, FUEL AND OIL COOLERS
SECTION 27B—cont.

Ref. No.	NOMENCLATURE	DETAIL	Drawing No. or Part No.	No. Off	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
	FIREFLY, F.1, T.1, T.2 AND MARKS 4, 5 and 6. Naval Aviation only—cont.					
2340	FILTER, oil	For all Marks	GN.4855	1	A	each
	Spares:—					
2399	Cap	A.60278	—	C	"
2983	Cap	A.55748/1	—	C	"
2395	Cap, screw	A.55246	—	C	"
2394	Element assembly	A.60191	—	C	"
—	Nut, lock	Ref. 36DD/521	—	—	—	—
2291	Plate, locking	E.22166	—	C	each
2431	Plug, drain	KB.1060-1061	—	C	"
2396	Ring, retaining	A.60279	—	C	"
2398	Seating	A.55245/1	—	C	"
2387	Spring, locating	A.55248	—	C	"
2793	Stud	E.82320	—	C	"
2984	Washer	A.55749	—	C	each
2397	Washer, cap	A.55253	—	C	"
—	Washer, drain plug	Ref. 36DD/48143	—	—	—	—
—	Washer, grover	Ref. 36DD/1694	—	—	—	—

RESTRICTED

Handwritten: A-183

RESTRICTED

AIRCRAFT AIR AND OIL FILTERS, FUEL AND OIL COOLERS
SECTION 27B—cont.

Ref. No.	NOMENCLATURE	DETAIL	Drawing No. or Part No.	No. Off	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
	GANNET, A.S.1 and A.E.W.3. Naval Aviation only.					
2980	COOLER, oil	For Gannet A.S.1	E.5045	1	A	each
	Spares:—					
3077	Cap, end	50433	—	—	—
3076	Cap, end, and peg	50432	—	—	—
3073	Connection, $\frac{3}{4}$ in. B.S.P.	A.5045/17	—	—	—
3074	Connection, $\frac{7}{8}$ in. B.S.P.	A.5045/15	—	—	—
—	Ferrule	Ref. No. 3041	—	—	—	—
3075	Gasket	A.5045/18	—	—	—
3078	Spring, valve	A.4928/3	—	—	—
2982	Strap, mounting, front	C.5047	—	—	—
2981	Strap, mounting, rear	C.5046	—	—	—
—	Tube, 0.008 in. wall thickness	Ref. No. 3042	—	—	—	—
—	Tube, 0.012 in. wall thickness	Ref. No. 3043	—	—	—	—
3129	Valve, relief, assembly	B.5043	1	—	—
3160	COOLER, oil	For Gannet A.E.W.3	E.6060	1	A	each

RESTRICTED

RESTRICTED

AIRCRAFT AIR AND OIL FILTERS, FUEL AND OIL COOLERS
SECTION 27B—cont.

Ref. No.	NOMENCLATURE	DETAIL	Drawing No. or Part No.	No. Off	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
HASTINGS, MARKS 1, 2 and 4						
2748	COOLER, oil	Port inner, starboard outer	W.S.11440	2	A	each
2815	COOLER, oil	Port outer, starboard inner	W.S.11620	2	A	"
Spares:—						
2779	Adapter, front, duct	W.S.11451	—	C	"
2781	Adapter, rear, duct	W.S.11453	—	C	"
2780	Bolt, front, duct adapter	W.S.11452	—	C	"
—	Bolt, steel, high tensile, non-stainless, hexagon head, 2 B.A. × 1.2 in. long.	Reference 28D/7279	—	—	—	—
—	Bolt, steel, high tensile, non-stainless, hexagon head, ¼ in. B.S.F. × 0.55 in. long.	Reference 28D/7145	—	—	—	—
—	Clip, hose, Type J or Type S, complete, Mark 1 ...	Reference 28E/8183	—	—	—	—
2795	Connection, outlet	W.S.11026	—	C	each
2782	Device, tube sealing	W.S.10493	—	C	"
2796	Device, tube sealing	W.S.11585/3	—	C	"
2771	Joint, end, fixed	W.S.11450	—	C	"
—	Joint, expansion end	Ref. No. 2772	—	—	—	—
—	Nut, stiff, standard hexagon, light alloy, ¼ in. B.S.F.	Reference 28M/10282	—	—	—	—
—	Nut, stiff, standard hexagon, mild steel, 2 B.A. ...	Reference 28M/10288	—	—	—	—
—	Plug, drain	Ref. No. 2777	—	—	—	—
—	Ring, baffle sealing	Ref. No. 2773	—	—	—	—
2775	Spring, valve	W.S.10881	—	C	each
—	Washer, drain plug	Ref. No. 2778	—	—	—	—
2776	Washer, special	W.S.5995	—	C	each
—	Washer, steel, spring, thick, single, 0.16 in. i/d., 18 S.W.G.	Reference 28W/3097	—	—	—	—
—	Washer, valve cap jointing	Ref. No. 2774	—	—	—	—

RESTRICTED

RESTRICTED

AIRCRAFT AIR AND OIL FILTERS, FUEL AND OIL COOLERS
SECTION 27B—cont.

Ref. No.	NOMENCLATURE	DETAIL	Drawing No. or Part No.	No. Off	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
	HASTINGS, MARKS 1, 2 and 4—cont.					
3081	COOLER, oil—cont.	For aircraft with Hercules 216 engines only	W.S.11670	4	A	each
	Spares—cont.:—					
—	Joint, expansion end	Ref. No. 2772	—	—	—	—
—	Joint, fixed end	Ref. No. 2771	—	—	—	—
—	Plug, drain	Ref. No. 2777	—	—	—	—
—	Ring, baffle, sealing	Ref. No. 2773	—	—	—	—
3092	Valve and Helix stabiliser sub-assembly	W.S.11561	—	B	each
—	Washer, drain plug	Ref. No. 2778	—	—	—	—
3100	COOLER, oil	Alternative to Ref. No. 3081	E.5955	—	A	each
2794	COOLER, oil (Auto Pilot, Mark 8)	For Hastings, Mark 1, aircraft only	E.4629	1	A	„
2540	ELEMENT, air filter	D.16611, Issue 5.	4	B	„

RESTRICTED

RESTRICTED

AIRCRAFT AIR AND OIL FILTERS, FUEL AND OIL COOLERS
SECTION 27B—cont.

Ref. No.	NOMENCLATURE	DETAIL	Drawing No. or Part No.	No. Off	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
		HERON, MARK 2				
3053	COOLER, oil	Superseded by Ref. Nos. 3096 and 3097 (Mod. 182)	D.99/3A	4	A	each
3096	COOLER, oil	Supersedes Ref. No. 3053 (Mod. 182)	D.99/4A	2	A	„
3097	COOLER, oil	Supersedes Ref. No. 3053 (Mod. 182)	D.99/5A	2	A	„
3123	COOLER, oil: Port	Supersedes Ref. No. 3096 when Mod. 182 is embodied	D.99/50A	2	A	„
3124	Starboard	Supersedes Ref. No. 3097 when Mod. 182 is embodied	D.99/51A	2	A	„

RESTRICTED

RESTRICTED

AIRCRAFT AIR AND OIL FILTERS, FUEL AND OIL COOLERS
SECTION 27B—cont.

Ref. No.	NOMENCLATURE	DETAIL	Drawing No. or Part No.	No. Off.	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
		JAVELIN				
3146	COOLER, oil	For Javelin, Marks 7 and 8. Post Mod. 568/C ...	W.S.12210	1	A	each
2993	FILTER, air, hot	Incorporates Insert assembly. Ref. No. 2826 ...	DX.48234	1	A	..

RESTRICTED

Issued with A/L 143 to A.P.1086, Book 11, Second Edition
21

RESTRICTED

AIRCRAFT AIR AND OIL FILTERS, FUEL AND OIL COOLERS
SECTION 27B—cont.

Ref. No.	NOMENCLATURE	DETAIL	Drawing No. or Part No.	No. Off	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
		LINCOLN, MARK 2				
2667	COOLER, oil	n Superseded by Ref. No. 3032. Alternative to Ref. Nos. 2709 and 2729.	W.S.10882	4	A	each
2709	COOLER, oil	n Superseded by Ref. No. 3034. Alternative to Ref. Nos. 2667 and 2729.	H.S.L.D.149	4	A	„
2721	Spares:— Jointing, viscosity valve...	...	W.S.8699	—	C	„
2174	Tube, main	...	C.755	—	C	„
2177	Valve, by-pass	...	C.489	—	B	„
2729	COOLER, oil	n Superseded by Ref. No. 3033. Alternative to Ref. Nos. 2667 and 2709.	E.4198	4	A	„
3032	COOLER, oil	Supersedes Ref. No. 2667 for aircraft incorporating Mod. P.P.1215, Part 1.	W.S.11980	4	A	„
3033	COOLER, oil	Supersedes Ref. No. 2729 for aircraft incorporating Mod. P.P.1215, Part 1.	E.5707	4	A	„
3034	COOLER, oil	Supersedes Ref. No. 2709 for aircraft incorporating Mod. P.P.1215, Part 1.	H.S.L.D.267	4	A	„
2978	Spares:— Pipe, branch (oil inlet)	For Ref. Nos. 3032, 3033 and 3034	W.S.10410, C.5696 or H.S.L.D.227.	—	C	„
2979	Washer	Introduced by Mod. Merlin P.P.1215	W.S.9194	—	C	„
2935	COOLER, oil (Auto pilot, Mark 8)	Q.K.A.	1	A	„
2659	ELEMENT, air filter	E.21727	8	B	„

RESTRICTED

RESTRICTED

AIRCRAFT AIR AND OIL FILTERS, FUEL AND OIL COOLERS
SECTION 27B—cont.

Ref. No.	NOMENCLATURE	DETAIL	Drawing No. or Part No.	No. Off.	Iss of Store	Denom. of Qty.
1	2	3	4	5	6	7
METEOR, MARKS 7, 8, 9 and 10						
2823	FILTER, air	Superseded by Ref. No. 2904	C.43519	2	A	each
Spares:—						
2824	Casing, air filter	Fabricated	C.42425	—	C	“
2825	Element	C.43529	—	C	“
2826	Insert assembly	C.43522	—	C	“
2827	Ring, top, large	C.40189	—	C	“
2828	Ring, top, small	A.43524	—	C	“
2705	Spring	S.K.618/A	—	C	“
—	Washer, fibre jointing, 0.4 in. × 0.6 in. × 0.08 in.	Ref. 28W/6700	—	—	—	—
2904	FILTER, air	Supersedes Ref. No. 2823	C.43745	2	A	each
Spares:—						
2905	Casing, air filter	Cast	C.44921	—	C	“
—	Element	Ref. No. 2825	—	—	—	—
—	Insert assembly	Ref. No. 2826	—	—	—	—
2909	Ring, top, large	C.43748	—	C	each
—	Ring, top, small	Ref. No. 2828	—	—	—	—
—	Spring	Ref. No. 2705	—	—	—	—
—	Washer, fibre jointing, 0.4 in. × 0.6 in. × 0.08 in.	Ref. 28W/6700	—	—	—	—
2443	FILTER, air	For cabin supercharger	C.16200	1	A	each
Spares:—						
2456	Case, outer assembly	D.16269	—	B	“
2356	Cover assembly	A.11043	—	C	“
2299	Element, air filter	C.10634	—	C	“

RESTRICTED

Issued with A/L 143 to A.P.1086, Book II, Second Edition
28

RESTRICTED

AIRCRAFT AIR AND OIL FILTERS, FUEL AND OIL COOLERS
SECTION 27B—cont.

Ref. No.	NOMENCLATURE	DETAIL	Drawing No. or Part No.	No. Off	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
	METEOR, MARKS N.F.11, 12, 13 and 14					
—	FILTER, air	Ref. No. 2443	—	—	—	—
	Spares:—					
—	Cover assembly	Ref. No. 2356	—	—	—	—
—	Element, air filter	Ref. No. 2299	—	—	—	—
—	Outer case assembly	Ref. No. 2456	—	—	—	—
2831	FILTER, air	Gun heating. Superseded by Ref. No. 2933	D.35067	2	A	each
	Spares:—					
2990	Bolt	C.40842	—	C	“
2975	Insert assembly	C.36729	—	C	“
2988	Lid assembly	C.39023	—	C	“
2989	Seal, silastic	C.40827	—	C	“
2933	FILTER, air	Supersedes Ref. No. 2831	D.44266g	2	A	“
	Spares					
9992	Gasket	B.44472	—	C	“
—	Insert assembly	Ref. No. 2975	—	—	—	—
2991	Seal, silastic	C.44473	—	C	each

RESTRICTED

RESTRICTED

AIRCRAFT AIR AND OIL FILTERS, FUEL AND OIL COOLERS
SECTION 27B—cont.

Ref. No.	NOMENCLATURE	DETAIL	Drawing No. or Part No.	No. Off.	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
MOSQUITO, MARKS 3, B.35, and T.T.35						
2383	COOLER, fuel	For Mosquito, Marks 3, B.35, and T.T.35 only.	Q.D.B.	1	A	each
2232	COOLER, oil:— Port	For Mosquito, Mark 3 only	Q.A.E. or W.S.8906P.	1	A	„
2487	Spares:—	For Ref. No. 2232	—	—	—	—
—	*Block	—	Q.A.H.42/43	—	C	„
—	Cap, dust protection, rubber, 1½ in. e/d.	Reference 28N/11546	—	—	—	—
2489	*Casing, block, bottom	—	Q.A.H.14	—	C	each
2491	*Casing, block, bottom, R.H.	—	Q.A.H.16	—	C	„
2490	*Casing, block, top, centre, R.H.	—	Q.A.H.15	—	C	„
2484	*Ferrule	—	S.T.D.626	—	C	„
—	Nut, steel, mild, plain, R.H. thread, 2 B.A.	Reference 28M/5316	—	—	—	—
—	*Packing, steel, 22 S.W.G., 1¼ in. diam.	Reference 28F/11366	—	—	—	—
—	Plug, flanged, brass, ¼ in. B.S.P.	Reference 28R/1397	—	—	—	—
—	*Sleeve, couplings, Avimo, 1¼ in. diam.	Reference 28F/11676	—	—	—	—
2586	*Tube, double expansion	—	S.D./88/C	—	C	each
—	Valve, thermostatic, FBZ/A/230	Reference 27V/2162	—	—	—	—
2334	Washer, drain plug	—	S.T.D./504/2	—	C	each
—	Washer, steel, spring, thick, single, 0.20 in. i/d., 16 S.W.G.	Reference 28W/3098	—	—	—	—
2348	Port	For Mosquito, Marks 30, 36 and 38 only. Superseded by Ref. No. 2783.	Q.D.P.	1	A	each
2783	Port	For Mosquito, Marks B.35, and T.T.35 only. Supersedes Ref. No. 2348.	Q.J.P.	1	A	„
—	Spare :—	For Refs. No. 2348 and 2783.	—	—	—	—
—	Plug, drain	Reference 25B/1447	—	—	—	—
1978	Valve, Clarke, viscosity	—	C.2	—	A	each

* For Repair Depot holding only.

RESTRICTED

Issued with A/L 143 to A.P.1086, Book 11, Second Edition

RESTRICTED

AIRCRAFT AIR AND OIL FILTERS, FUEL AND OIL COOLERS
SECTION 27B—cont.

Ref. No.	NOMENCLATURE	DETAIL	Drawing No. or Part No.	No. Off	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
MOSQUITO, MARKS 3, B.35, and T.T.35—cont.						
	COOLER, oil—cont.					
	Port—cont.					
	Spares—cont.					
2233	Washer, plug, drain	Reference 25B/1211	—	—	—	—
	Starboard	For Mosquito, Mark 3 only	Q.A.H. or W.S.89065	1	A	each
	Spares:—	For Ref. No. 2233.				
	*Block	Ref. No. 2487	—	—	—	—
	Cap, dust protection, rubber, 1½ in. e/d.	Reference 28N/11546	—	—	—	—
	*Casing, block, bottom	Ref. No. 2489	—	—	—	—
	*Casing, block, bottom, R.H.	Ref. No. 2491	—	—	—	—
	*Casing, block, top, centre, R.H.	Ref. No. 2490	—	—	—	—
	*Ferrule	Ref. No. 2484	—	—	—	—
	Nut, steel, mild, plain, R.H. thread, 2 B.A.	Reference 28M/5316	—	—	—	—
	*Packing, steel, 22 S.W.G., 1¼ in. diam.	Reference 28F/11366	—	—	—	—
	Plug, flanged, brass, ¼ in. B.S.P.	Reference 28R/1397	—	—	—	—
	*Sleeve, couplings, Avimo, 1¼ in. diam.	Reference 28F/11676	—	—	—	—
	*Tube, double expansion	Ref. No. 2586	—	—	—	—
	Valve, thermostatic, FBZ/A/230	Reference 27V/2162	—	—	—	—
	Washer, drain, plug	Ref. No. 2384	—	—	—	—
	Washer, steel, spring, thick, single, 0.20 in. i/d., 16 S.W.G.	Reference 28W/3098	—	—	—	—
2349	Starboard	For Mosquito, Marks 30, 36 and 38 only. Superseded by Ref. No. 2784.	Q.D.Q.	1	A	each
2784	Starboard	For Mosquito, Marks B.35, and T.T.35 only. Supersedes Ref. No. 2349.	Q.J.Q.	1	A	„
	Spares:—	For Ref. Nos. 2349 and 2784.				
	Plug, drain	Reference 25B/1447	—	—	—	—
		* For repair depot holding only.				

RESTRICTED

RESTRICTED

AIRCRAFT AIR AND OIL FILTERS, FUEL AND OIL COOLERS
SECTION 27B—cont.

Ref. No.	NOMENCLATURE	DETAIL	Drawing No. or Part No.	No. Off	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
	MOSQUITO, MARKS 3, B.35, and T.T.35—cont.					
	COOLER, oil—cont.					
	Starboard—cont.					
	Spares—cont.					
—	Valve, Clarke, viscosity	Ref. No. 1978	—	—	—
—	Washer, plug, drain	Reference 25B/1211	—	—	—
2539	ELEMENT, air filter	For Mosquito, Marks B.35, and T.T. 35 only.	D.17105	2	B each
2464	ELEMENT, air intake	For Mosquito, Mark 3 only	D.15773	1	B "
—	FILTER, air	Ref. No. 2443. For Mosquito, Marks P.R.34 and P.R.34A only.	—	1	—
	Spares:—					
—	Case outer assembly	Ref. No. 2456	—	—	—
—	Cover assembly	Ref. No. 2356	—	—	—
—	Element, air filter	Ref. No. 2299	—	—	—

RESTRICTED

Issued with A/L 143 to A.P.1086, Book 11, Second Edition
 27

RESTRICTED

AIRCRAFT AIR AND OIL FILTERS, FUEL AND OIL COOLERS
SECTION 27B—cont.

Ref. No.	NOMENCLATURE	DETAIL	Drawing No. or Part No.	No. Off	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
PEMBROKE, MARK C.1						
2902	COOLER, oil	Interchangeable with Ref. No. 3064	E.5027	2	A	each
	Spares:—					
—	Connector, 1 in. B.S.P.	Ref. No. 2763	—	—	—	—
—	Grommet, rubber	Ref. No. 2953	—	—	—	—
2963	Plug, drain	A.4368	—	C	each
2964	Washer	A.4967-1	—	C	"
—	Washer, rubber	Ref. No. 2769	—	—	—	—
3064	COOLER, oil	Interchangeable with Ref. No. 2902	W.S.12030	1	A	each
	Spares:—					
3085	Plug, drain	W.S.12043	—	C	"
3084	Plug, valve	W.S.12057	—	C	"
3086	Ring, joint	W.S.12053	—	C	"
3087	Ring, joint "O"	W.S.12052	—	C	"
3088	Spring, valve	W.S.12049	—	C	"
—	Washer, drain plug	Reference 25B/1236	—	—	—	—
2830	ELEMENT, air filter	D.39933	2	A	each
3036	FILTER, oil	Supersedes Ref. No. 2894	B.4991	2	A	"
2894	FILTER, oil scavenge	Superseded by Ref. No. 3036	B.3680	2	A	"
	Spares:—					
2996	Chain	D.3869	—	C	"
2997	Clamp, toggle	C.4205/3	—	C	"
2998	Element, filter	D.4446	—	C	"
2999	Ring, sealing	D.3867	—	C	"
3039	Seal, valve cap	D.3849	—	C	"
3000	Spring, support	D.4167	—	C	"

RESTRICTED

RESTRICTED

AIRCRAFT AIR AND OIL FILTERS, FUEL AND OIL COOLERS

SECTION 27B—cont.

Ref. No.	Nomenclature	Detail	Drawing or Part No.	No. off	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
	PEM BROKE, MARK C1—cont.					
3232	FILTER, purolator, oil	Mod. No. 510. Supersedes Ref. No. 2985	MPA.31404	2	B	each
	Spares:—					
—	Body, filter	Reference 27M/7345—A.P.4515F		—	—	—
3236	Element, sub-assembly	Reference 27M/7345—A.P.4515F	MPA.31420	1	C	each
—	Head, filter	Reference 27M/11120—A.P.4515F		—	—	—
2986	Seal	Reference 27M/11120—A.P.4515F	MPA.30598	—	C	each

RESTRICTED

Issued with A/L 157 to A.P.1086, Book II, Second Edition.

RESTRICTED

AIRCRAFT AIR AND OIL FILTERS, FUEL AND OIL COOLERS

SECTION 27B—cont.

Ref. No.	Nomenclature	Detail	Drawing or Part No.	No. off	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
		PIONEER, MARK 1				
3101	COOLER, oil		E.5545	1	A	each
3165	ELEMENT, air intake	Supersedes Ref. No. 2830. Mod. No. 83	EX.63152	1	C	„
—	FILTER, oil	Ref. No. 2739	—	1	—	—
—	Spares:—					
—	Cap, dust	Reference 27M/9621	—	—	—	—
—	Cone, support	Ref. No. 2878	—	—	—	—
—	Element, inner assemblies	Ref. No. 2876	—	—	—	—
—	Element, outer assemblies	Ref. No. 2877	—	—	—	—
—	Gasket, locking handle	Ref. No. 2880	—	—	—	—
—	Handle, locking assemblies	Ref. No. 2879	—	—	—	—
—	Heads, sub-assembly, with relief valve	Ref. No. 2874	—	—	—	—
—	Plug, drain	Ref. No. 2881	—	—	—	—
—	Seal	Ref. No. 2832	—	—	—	—
—	Seal	Ref. No. 2833	—	—	—	—
—	Seal	Ref. No. 2834	—	—	—	—
—	Sump, purolator	Ref. No. 2875	—	—	—	—
—	FILTER, oil scavenge	Ref. No. 2894	—	1	—	—
—	Spares:—					
—	Chain	Ref. No. 2996	—	—	—	—
—	Clump, toggle	Ref. No. 2997	—	—	—	—
—	Element, filter	Ref. No. 2998	—	—	—	—
—	Ring, sealing	Ref. No. 2999	—	—	—	—
—	Seal, valve Cap	Ref. No. 3039	—	—	—	—
—	Spring, suppor	Ref. No. 3000	—	—	—	—

RESTRICTED

RESTRICTED
30

AIRCRAFT AIR AND OIL FILTERS, FUEL AND OIL COOLERS

SECTION 27B—cont.

Ref. No.	Nomenclature	Detail	Drawing or Part No.	No. off	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
		PROVOST, MARK T.1				
—	COOLER, oil	Ref. No. 2902. Interchangeable with Ref. No. 3064	—	1	—	—
	Spares:—					
	Connector, 1 in. B.S.P.	Ref. No. 2763	—	—	—	—
	Grommet, rubber	Ref. No. 2953	—	—	—	—
	Plug, drain	Ref. No. 2963	—	—	—	—
	Washer	Ref. No. 2964	—	—	—	—
	Washer, rubber	Ref. No. 2769	—	—	—	—
	COOLER, oil	Ref. No. 3064. Interchangeable with Ref. No. 2902	—	1	—	—
	Spares:—					
	Plug, drain	Ref. No. 3085	—	—	—	—
	Plug, valve	Ref. No. 3084	—	—	—	—
	Ring, joint	Ref. No. 3086	—	—	—	—
	Ring, joint "O"	Ref. No. 3087	—	—	—	—
	Spring, valve	Ref. No. 3088	—	—	—	—
	Washer, drain plug	Reference 25B/1236	—	—	—	—
2884	ELEMENT, air filter		D.43185	1	B	each
	FILTER, oil scavenge	Ref. No. 2894. Under Pembroke, Mark C1.	—	2	—	—
	Spares:—					
	Chain	Ref. No. 2996	—	—	—	—
	Clamp, toggle	Ref. No. 2997	—	—	—	—
	Element, filter	Ref. No. 2998	—	—	—	—
	Rings, sealing	Ref. No. 2999	—	—	—	—
	Seal, valve cap	Ref. No. 3039	—	—	—	—
	Spring, support	Ref. No. 3000	—	—	—	—

RESTRICTED

Issued with A/L.157 to A.P.1086, Book II, Second Edition.

31
RESTRICTED

AIRCRAFT AIR AND OIL FILTERS, FUEL AND OIL COOLERS

SECTION 27B—cont.

Ref. No.	Nomenclature	Detail	Drawing or Part No.	No of	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
	PROV OST, MARK T.1—cont.					
2895	FILTER, purolator, oil		MPA.29820	2	B	each
	Spares:—					
—	Body, filter..	Reference 27M/7345—A.P.4515F	—	—	—	—
2985	Element assembly		MPA.29824	1	C	each
—	Head, filter..	Ref. No. 27M/7343 A.P.4515F.	—	—	—	—
—	Seal	Ref. No. 2986, under Pembroke C.1	—	—	—	—

RESTRICTED

RESTRICTED
32

AIRCRAFT AIR AND OIL FILTERS, FUEL AND OIL COOLERS
SECTION 27B—cont.

Ref. No.	NOMENCLATURE	DETAIL	Drawing No. or Part No.	No. Off	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
3128	<p align="center">SCIMITAR. Naval Aviation only</p> <p>COOLER, oil</p>		Q.K.P.	2	A	each

RESTRICTED

RESTRICTED

AIRCRAFT AIR AND OIL FILTERS, FUEL AND OIL COOLERS
SECTION 27B—cont.

Ref. No.	NOMENCLATURE	DETAIL	Drawing No. or Part No.	No. Off	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
	SEA BALLIOL. Naval Aviation only					
2423	COOLER, oil	Ref. No. 2723 Under Balliol, Mark 2	P/H Q.H.K	1	A	each
	Spares:—					
3079	Washer, drain plug	STD.504/1	—	—	—
2873	COOLER, oil	Ref. No. 2873 Alternative to Ref. No. 2723. Under Balliol, Mark 2.	P/H E4968	1	A	each
2730	ELEMENT, air filter	Ref. No. 2730 Under Balliol, Mark 2	P/H D27A7	2	B	each

RESTRICTED

RESTRICTED

AIRCRAFT AIR AND OIL FILTERS, FUEL AND OIL COOLERS
SECTION 27B—cont.

Ref. No.	NOMENCLATURE	DETAIL	Drawing No. or Part No.	No. Off.	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
3099	COOLER, oil	SEA DEVON	D.68-1A	2	A	each

RESTRICTED

RESTRICTED

AIRCRAFT AIR AND OIL FILTERS, FUEL AND OIL COOLERS
SECTION 27B—cont.

Ref. No.	NOMENCLATURE	DETAIL	Drawing No. or Part No.	No. Off	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
SEA FURY, MARKS 10, 11 and 20. Naval Aviation only						
2588	COOLER, oil	W.S.9950	1	A	each
	Spares:—					
2636	Channel, block protection	Q.G.J.25	—	C	"
2637	Channel, block protection	Q.G.J.26	—	C	"
2635	Pipe assembly, inlet	Q.G.J.114	—	C	"
2711	Tank assembly, inlet	Q.H.A.111	—	C	"
2712	Tank assembly, outlet	Q.H.A.118	—	C	"
2899	Tube, thermal, sub-assemblies	W.S.9672	—	C	"
2459	ELEMENT, air filter	D.15664	2	C	"
—	FILTER, oil	Ref. No. 2340, under Firefly	—	1	—	—
	Spares:—					
—	Cap	Ref. No. 2983	—	—	—	—
—	Cap	Ref. No. 2399	—	—	—	—
—	Cap, screw	Ref. No. 2395	—	—	—	—
—	Element, assembly	Ref. No. 2394	—	—	—	—
—	Nut, lock	Ref. No. 36DD/521	—	—	—	—
—	Plate, locking	Ref. No. 2291	—	—	—	—
—	Plug, drain	Ref. No. 2431	—	—	—	—
—	Ring, retaining	Ref. No. 2396	—	—	—	—
—	Seating	Ref. No. 2398	—	—	—	—
—	Spring, locating	Ref. No. 2387	—	—	—	—
—	Stud	Ref. No. 2793	—	—	—	—
—	Washer	Ref. No. 2984	—	—	—	—
—	Washer, cap	Ref. No. 2397	—	—	—	—
—	Washer, drain plug	Ref. 36DD/48143	—	—	—	—
—	Washer, groover	Ref. 36DD/1694	—	—	—	—

RESTRICTED

AL 83

RESTRICTED

AIRCRAFT AIR AND OIL FILTERS, FUEL AND OIL COOLERS
SECTION 27B—cont.

Ref. No.	NOMENCLATURE	DETAIL	Drawing No. or Part No.	No. Off	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
	SEA HAWK. Naval Aviation only					
2885	FILTER, oil purolator	M.P.A.29532	—	—	—
	Spares:—					
2888	Body	M.P.A.29538	—	—	—
2886	Element assembly	M.P.A.29534	—	—	—
2889	Gasket	M.P.A.29540	—	—	—
2887	Union	M.P.A.29536	—	—	—

RESTRICTED

RESTRICTED

AIRCRAFT AIR AND OIL FILTERS, FUEL AND OIL COOLERS
SECTION 27B—cont.

Ref. No.	NOMENCLATURE	DETAIL	Drawing No. or Part No.	No. Off	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
SEA HORNET, MARKS 20, 21 and 22						
2622	COOLER, oil	Superseded by Ref. Nos. 2736 and 2742	Q.H.A.	2	A	each
2736	COOLER, oil	Alternative to Ref. No. 2742. Supersedes Ref. No. 2622	E.4048	2	A	"
2742	COOLER, oil	Alternative to Ref. No. 2736. Supersedes Ref. No. 2622.	Q.J.B.	2	A	"
2538	ELEMENT, air filter	Superseded by Ref. No. 2808	D.13611	2	B	"
2808	ELEMENT, air filter	Supersedes Ref. No. 2538	D.37346	2	A	"

AL 183

RESTRICTED

RESTRICTED

AIRCRAFT AIR AND OIL FILTERS, FUEL AND OIL COOLERS
SECTION 27B—cont.

Ref. No.	NOMENCLATURE	DETAIL	Drawing No. or Part No.	No. Off	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
	SEAMEW, A.S.I. Naval Aviation only					
3098	COOLER, oil	E.5725	1	A	each
	Spares:—					
3111	Cap, retaining	A.5744/1	1	C	..
3109	Connection, $\frac{3}{8}$ in. B.S.P....	A.5809	1	C	..
3110	Connection, $\frac{3}{8}$ in. B.S.P....	A.5808	1	C	..
3113	Pin, retaining	A.5744/4	1	C	..
3112	Valve	A.5744/3	1	C	..
3114	Washer	A.5744/6	1	C	..

AC 183

RESTRICTED

RESTRICTED

AIRCRAFT AIR AND OIL FILTERS, FUEL AND OIL COOLERS
SECTION 27B—cont.

Ref. No.	NOMENCLATURE	DETAIL	Drawing No. or Part No.	No. Off	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
	SEA PRINCE, MARKS 1 and C.2. Naval Aviation only					
2738	COOLER, oil	For Mark 1	E.3549	2	A	each
	Spares:—					
2956	Ball, $\frac{5}{8}$ in. diam.	A.1483/3	—	—	—
2954	Plug and peg assembly	A.1483/2	—	—	—
2955	Spring	A.3587	—	—	—
—	COOLER, oil	Ref. No. 2902. For Mark C.2	—	2	—	—
	Spares:—					
—	Connector, 1 in. B.S.P.	Ref. No. 2763	—	—	—	—
—	Ferrule	Ref. No. 3041	—	—	—	—
—	Grommet, rubber	Ref. No. 2953	—	—	—	—
—	Plug, drain	Ref. No. 2963	—	—	—	—
3044	Tube, .008 in. wall thickness	A.4018/3	—	—	—
3045	Tube, .012 in. wall thickness	A.4234/5	—	—	—
—	Washer	Ref. No. 2964	—	—	—	—
—	Washer, rubber	Ref. No. 2769	—	—	—	—
—	ELEMENT, air filter	Ref. No. 2830, under Pembroke, Mark C.1	—	2	—	—
—	FILTER, oil	Ref. No. 2739, under Dragonfly, Marks 2 and 3	—	2	—	—
	Spares:—					
—	Cap, dust	Reference 27M/9621	—	—	—	—
—	Cone, support	Ref. No. 2878	—	—	—	—
—	Element, inner assemblies	Ref. No. 2876	—	—	—	—
—	Element, outer assemblies	Ref. No. 2877	—	—	—	—
—	Gasket	Ref. No. 3055	—	—	—	—
—	Gasket, locking handle	Ref. No. 2880	—	—	—	—
—	Handle, locking assemblies	Ref. No. 2879	—	—	—	—
—	Head, sub-assemblies. With relief valve	Ref. No. 2874	—	—	—	—
—	Plug, drain	Ref. No. 2881	—	—	—	—

RESTRICTED

RESTRICTED

AIRCRAFT AIR AND OIL FILTERS, FUEL AND OIL COOLERS
SECTION 27B—cont.

Ref. No.	NOMENCLATURE	DETAIL	Drawing No. or Part No.	No. Off	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
	SEA PRINCE, MARKS 1 and C.2. Naval Aviation only—cont.					
	FILTER, oil—cont.					
	Spares—cont.					
—	Seal	Ref. No. 2832	—	—	—	—
—	Seal	Ref. No. 2833	—	—	—	—
—	Seal	Ref. No. 2834	—	—	—	—
—	Sump, purolator	Ref. No. 2875	—	—	—	—
—	FILTER, purolator oil	Ref. No. 2895	—	2	—	—
	Spares:—					
—	Body, filter	Reference 27M/7345—A.P.4515F	—	—	—	—
—	Element assembly	Ref. No. 2985	—	—	—	—
—	Head, filter	Reference 27M/7343—A.P.4515F	—	—	—	—
—	Seal	Ref. No. 2986	—	—	—	—

RESTRICTED

Issued with A/I L 143 to A.P.1086, Book II, Second Edition
41

RESTRICTED

AIRCRAFT AIR AND OIL FILTERS, FUEL AND OIL COOLERS
SECTION 27B—cont.

Ref. No.	NOMENCLATURE	DETAIL	Drawing No. or Part No.	No. Off	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
SHACKLETON, MARKS 1 and 2						
2716	COOLER, oil	Superseded by Ref. Nos. 2750 and 2770	P.P.23126	4	A	each
2770	COOLER, oil	Supersedes Ref. No. 2716. Superseded by Ref. No. 2750.	P.P.53441	4	A	„
2750	COOLER, oil	Supersedes Ref. Nos. 2716 and 2770. Superseded by Ref. Nos. 2947 and 3057.	J.W.L.250	4	A	„
2947	COOLER, oil	Supersedes Ref. No. 2750. Alternative to Ref. No. 3057.	J.W.L.500	4	A	„
	Spares:—	For Ref. Nos. 2750 and 2947.				
2792	Plate, blanking, steel	...	J.W.L.307/2	—	C	„
2813	Plug, drain	...	Ref. No. 2813	1	C	„
2766	Plug, drain, brass, 1/4 in. B.S.P.	...	P/N. AS-3300	—	C	each
2788	Seal, valve platform, Klingerite	...	J.W.L.338	—	C	„
2790	Stud, steel, 1/4 in. B.S.P.	...	J.W.L.291	—	C	„
2789	Stud, steel, 2 B.A.	...	J.W.L.363	—	C	„
2787	Washer, drain plug, Klingerite...	...	J.W.L.362	—	C	„
2791	Washer, grover	...	J.W.L.342	—	C	„
			J.W.L.305	—	C	„
3057	COOLER, oil	Supersedes Ref. No. 2750. Alternative to Ref. No. 2947.	E.5600	4	A	„
	Spares:—					
3065	Plate, blanking	...	A.5600/21	—	C	„
3066	Plug...	...	A.952	—	C	„
3067	Stud, end rim	...	A.5600/5	—	C	„
3068	Stud, valve platform	...	A.5600/10	—	C	„
3069	Washer, drain	...	A.5600/14	—	C	„
3070	Washer, joint, Klingerite	...	B.5600/9	—	C	„
2728	ELEMENT, air filter	E.25831	8	C	„

RESTRICTED

42

RESTRICTED

AIRCRAFT AIR AND OIL FILTERS, FUEL AND OIL COOLERS
SECTION 27B—cont.

Ref. No.	NOMENCLATURE	DETAIL	Drawing No. or Part No.	No. Off	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
	SHACKLETON, MARKS 1 and 2—cont.					
1408	FILTER, oil		E.60L/1 in./7915.	2	A	each
	Spares:—					
—	Bolt, set	Ref. No. 2970	—	—	—	—
—	Bolt, set	Ref. No. 2971	—	—	—	—
—	Cap, insert, bottom	Ref. No. 1892	—	—	—	—
—	Cap, insert, top	Ref. No. 2302	—	—	—	—
—	Case, perforated	Ref. No. 1470	—	—	—	—
—	Clip, element	Ref. No. 1471	—	—	—	—
—	Element, felt	Ref. No. 2910	—	—	—	—
1897	Head, casting	...	C.7972/1 in.	—	B	each
—	Insert, complete	Ref. No. 1467	—	—	—	—
—	Pad, bottom	Ref. No. 1894	—	—	—	—
—	Pad, top	Ref. No. 1893	—	—	—	—
—	Plug, drain	Ref. No. 1476	—	—	—	—
—	Ring, clamping	Ref. No. 1683	—	—	—	—
—	Ring, joint case, outer	Ref. No. 2702. Interchangeable with Ref. No. 1896	—	—	—	—
—	Ring, joint, insert	Ref. No. 1473	—	—	—	—
—	Spring	Ref. No. 1685	—	—	—	—
—	Washer, drain plug	Ref. No. 1686	—	—	—	—
—	Washer, wing nut	Ref. No. 1474	—	—	—	—

RESTRICTED

RESTRICTED

AIRCRAFT AIR AND OIL FILTERS, FUEL AND OIL COOLERS
SECTION 27B—cont.

Ref. No.	NOMENCLATURE	DETAIL	Drawing No. or Part No.	No. Off	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
	SHACKLETON, Mark 3					
	COOLER, oil	Ref. No. 2829	—	4	—	—
	Spares:—					
—	Nut, steel, mild, plain, R.H. thread, ¼ in. B.S.F. ...	Reference 28M/756... ..	—	—	—	—
—	Plug, drain	Ref. No. 2813	—	—	—	—
—	Seal, valve platform, Klingerite	Ref. No. 2788	—	—	—	—
—	Washer, ¼ in. grover	Reference 36JJ/2129	—	—	—	—
—	Washer, drain plug, Klingerite... ..	Ref. No. 2787	—	—	—	—
—	Washer, steel, bright, 0.60 in. e/d. × 0.26 in. i/d. ...	Reference 28W/3072	—	—	—	—
2745	COOLER, oil	For hydraulic oil system	C.4280	1	A	each
—	ELEMENT, air filter	Ref. No. 2728	—	8	—	—

RESTRICTED

RESTRICTED

AIRCRAFT AIR AND OIL FILTERS, FUEL AND OIL COOLERS
SECTION 27B—cont.

Ref. No.	NOMENCLATURE	DETAIL	Drawing No. or Part No.	No. On	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
STURGEON, MARK 2. Naval Aviation only						
2941	COOLER, oil		C.4325	1	A	—
—	COOLER, oil (Auto pilot, Mark 3)	Ref. No. 2794	—	1	—	—
2623	ELEMENT, air filter		E.21709	4	B	each
2915	FILTER, hydraulic oil		C.23436	—	—	—
2920	Spares:— Insert assembly		B.24047	—	—	—
2922	Spares:— Element assembly		B.25615	—	—	—
2924	Nut, locating		A.23188	—	—	—
2923	Pad, insert		A.23184	—	—	—
2925	Washer		A.23413	—	—	—
2921	Washer, joint		A.22469	—	—	—
2919	Plug, drain		A.22467	—	—	—
2917	Spring		A.23455	—	—	—
2918	Washer		A.22468	—	—	—
2916	Washer, joint		A.22470	—	—	—

Handwritten: ALL 83

RESTRICTED

Issued with A/L 143 to A.P.1086, Book II, Second Edition
45

RESTRICTED

AIRCRAFT AIR AND OIL FILTERS, FUEL AND OIL COOLERS
SECTION 27B—cont.

Ref. No.	NOMENCLATURE	DETAIL	Drawing No. or Part No.	No. Off	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
SUNDERLAND, MARK 5						
2133	COOLER, oil	A.251	4	A	each
	Spares:—					
—	Bolt, flange	Ref. 28D/N.I.V.	—	—	—	—
—	Joint, flange	Ref. No. 2150	—	—	—	—
—	Joint, pressure gauge	Ref. No. 2151	—	—	—	—
—	Joint, valve plug	Ref. No. 2152	—	—	—	—
—	Plug, valve	Ref. No. 2155	—	—	—	—
2159	Ring, spigot	B.88/3	—	C	each
—	Rod, tie	Ref. No. 2173	—	—	—	—
—	Sleeve, distance, tie rod	Ref. No. 2157	—	—	—	—
2341	Spring, valve, front element	C.502F	—	C	each
—	Spring, valve, rear element	Ref. No. 2163	—	—	—	—
—	Tube, main	Ref. No. 2174	—	—	—	—
—	Valve, by-pass	Ref. No. 2177	—	—	—	—
—	COOLER, oil (Auto pilot, Mark 8)	Ref. No. 2794	—	1	A	—
1407	FILTER, oil	—	1	A	each
	Spares:—					
—	Bolt, set	Ref. No. 2970	—	—	—	—
—	Bolt, set	Ref. No. 2971	—	—	—	—
—	Cap, insert, bottom	Ref. No. 1892	—	—	—	—
—	Cap, insert, top	Ref. No. 2302	—	—	—	—
—	Case, outer... ..	Ref. No. 1475	—	—	—	—
—	Case, perforated	Ref. No. 1470	—	—	—	—
—	Clip, element	Ref. No. 1471	—	—	—	—
—	Element assembly	Ref. No. 2910.	Supersedes Ref. No. 1424	—	—	—
—	Element, felt	Ref. No. 1424.	Superseded by Ref. No. 2910...	—	—	—
1891	Head, casting	—	—	—	each

RESTRICTED

RESTRICTED

ALI 83

AIRCRAFT AIR AND OIL FILTERS, FUEL AND OIL COOLERS
SECTION 27B—*cont.*

Ref. No.	NOMENCLATURE	DETAIL	Drawing No. or Part No.	No. Off	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
	SUNDERLAND, MARK 5—<i>cont.</i>					
	FILTER, oil—<i>cont.</i>					
	<i>Spares—<i>cont.</i></i>					
—	Insert, complete	Ref. No. 1487	—	—	—	—
—	Nut, brass, wing, 2 B.A.	Ref. 28M/902	—	—	—	—
—	Pad, bottom	Ref. No. 1894	—	—	—	—
—	Pad, top	Ref. No. 1893	—	—	—	—
—	Plug, drain	Ref. No. 1476	—	—	—	—
—	Ring, clamping	Ref. No. 1683	—	—	—	—
—	Ring, joints	Ref. No. 2702. Supersedes Ref. Nos. 1896 and 1901	—	—	—	—
—	Ring, joints, insert	Ref. No. 1473	—	—	—	—
—	Spring	Ref. No. 1685	—	—	—	—
—	Washer, drain plug	Ref. No. 1686	—	—	—	—
—	Washer, spring	Ref. No. 2265	—	—	—	—
—	Washer, wing nut	Ref. No. 1474	—	—	—	—
—	Wire, brass, soft, No. 22 S.W.G.	Ref. 30B/326	—	—	—	—

AC183

RESTRICTED

Issued with A/L 143 to A.P.1086, Book II, Second Edition
47

RESTRICTED

AIRCRAFT AIR AND OIL FILTERS, FUEL AND OIL COOLERS
SECTION 27B—cont.

Ref. No.	NOMENCLATURE	DETAIL	Drawing No. or Part No.	No. Off	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
	SYCAMORE, MARKS 11, 12, 13 and 14					
2819	COOLER, oil n	Superseded by Ref. No. 2929	W.S.10956/18	1	A	each
	Spares:—					
—	Bolt, steel, high tensile, non-stainless, 2 B.A. × 0.8 in. long.	Reference 28D/7064	—	—	—	—
—	Bolt, steel, high tensile, non-stainless, 2 B.A. × 1.1 in. long.	Reference 28D/7278	—	—	—	—
2893	Joint, expansion end	W.S.9956	—	C	each
2892	Joint, fixed end	W.S.10001	—	C	"
—	Nut, stiff, standard, hexagon, mild steel, 2 B.A. ...	Reference 28M/10288	—	—	—	—
—	Washer, special	Ref. No. 2776	—	—	—	—
—	Washer, valve cap	Ref. No. 2774	—	—	—	—
2929	COOLER, oil	Light alloy. Supersedes Ref. No. 2819	W.S.11700	1	A	each
	Spares:—					
—	Joint, fixed end	Ref. No. 2892	—	—	—	—
—	Plug, drain, $\frac{3}{8}$ in. B.S.P.	Ref. No. 2777	—	—	—	—
—	Washer, drain plug	Ref. No. 2778	—	—	—	—
—	Washer, valve cap	Ref. No. 2774	—	—	—	—
3091	COOLER, oil	Supersedes Ref. No. 2929. Applicable only to those Mark 14 aircraft embodying Sycamore Mod. 642 (Special order only).	W.S.12100	1	A	each
	Spares:—					
3095	Joint, expansion end	W.S.11567	—	C	"
—	Joint, fixed end	Ref. No. 2892	—	—	—	—
3094	Plate, baffle, rubber, sealing	W.S.11399/10	—	C	each
—	Plug, drain, $\frac{3}{8}$ in. B.S.P.	Ref. No. 2777	—	—	—	—
3093	Valve assembly, complete	W.S.11858	—	B	each
—	Washer, drain plug	Ref. No. 2778	—	—	—	—
—	Washer, valve cap	Ref. No. 2774	—	—	—	—

RESTRICTED

RESTRICTED

AIRCRAFT AIR AND OIL FILTERS, FUEL AND OIL COOLERS
SECTION 27B—cont.

Ref. No.	NOMENCLATURE	DETAIL	Drawing No. or Part No.	No. Of	Class of Store	Denom of Qty.
1	2	3	4	5	6	7
2891	<p align="center">SYCAMORE, MARKS 11, 12, 13 and 14—cont.</p> <p>ELEMENT, air filter</p>		D.17772	1	A	each

RESTRICTED

Issued with A/L 143 to A.P.1086, Book 11, Second Edition
49

RESTRICTED

AIRCRAFT AIR AND OIL FILTERS, FUEL AND OIL COOLERS
SECTION 27B—cont.

Ref. No.	NOMENCLATURE	DETAIL	Drawing No. or Part No.	No. Off	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
3159	COOLER, oil ...	TWIN PIONEER	E.5913	2	A	each

RESTRICTED

RESTRICTED

AIRCRAFT AIR AND OIL FILTERS, FUEL AND OIL COOLERS
SECTION 27B—cont.

Ref. No.	NOMENCLATURE	DETAIL	Drawing No. or Part No.	No. Off	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
	VALETTA, MARKS 1, 2 and 3					
2698	COOLER, oil	Complete with fairings. Applicable only to aircraft already fitted with this cooler.	W.S.10902	2	A	each
	Spares:—					
2814	Gland, rubber	Ref. No. 2797	W.S.10338	—	C	—
—	Joint, fixed end	Ref. No. 2776	—	—	—	—
2816	Washer, drain	Ref. No. 2774	W.S.10120	—	C	each
—	Washer, special	Ref. No. 2776	—	—	—	—
—	Washer, valve cap jointing	Ref. No. 2774	—	—	—	—
2724	COOLER, oil	Applicable only to aircraft already fitted with this cooler.	E.4072, Issue 7.	2	A	each
2713	ELEMENT, air filter	Ref. No. 1877. Under Canberra, Marks 2, 3, 4, 6, 7 and Intruder. Alternative to Ref. No. 2620.	E.28299	2	B	—
—	FILTER, oil	Ref. No. 1877. Under Canberra, Marks 2, 3, 4, 6, 7 and Intruder. Alternative to Ref. No. 2620.	—	1	—	—
	Spares:—					
—	Bolt, set	Ref. No. 2970	—	—	—	—
—	Bolt, set	Ref. No. 2971	—	—	—	—
—	Cap, insert, bottom	Ref. No. 1892	—	—	—	—
—	Cap, insert, top	Ref. No. 2302	—	—	—	—
—	Case, outer... ..	Ref. No. 1475	—	—	—	—
—	Case, perforated	Ref. No. 1470	—	—	—	—
—	Clip, element	Ref. No. 1471	—	—	—	—
—	Element assembly	Ref. No. 2910	—	—	—	—
—	Head, casting	Ref. No. 1902	—	—	—	—
—	Insert, complete	Ref. No. 1467	—	—	—	—
—	Nut, brass, wing, 2 B.A.	Ref. 28M/802	—	—	—	—
—	Pad, bottom	Ref. No. 1894	—	—	—	—
—	Pad, top	Ref. No. 1893	—	—	—	—

RESTRICTED

RESTRICTED

AIRCRAFT AIR AND OIL FILTERS, FUEL AND OIL COOLERS
SECTION 27B—cont.

Ref. No.	NOMENCLATURE	DETAIL	Drawing No. or Part No.	No. Off	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
	VALETTA, MARKS 1, 2 and 3—cont.					
	FILTER, oil—cont.					
	Spares—cont.					
—	Plug, drain	Ref. No. 1476	—	—	—	—
—	Ring, clamping	Ref. No. 1683	—	—	—	—
—	Ring, insert	Ref. No. 1473	—	—	—	—
—	Ring, joint	Ref. No. 2702	—	—	—	—
—	Spring	Ref. No. 1685	—	—	—	—
—	Washer, drain plug	Ref. No. 1686	—	—	—	—
—	Washer, wing nut	Ref. No. 1474	—	—	—	—
—	Wire, brass, soft, No. 22 S.W.G.	Reference 30B/326	—	—	—	—
—	FILTER, oil	Ref. No. 2620. Under Canberra, Marks 2, 3, 4, 6, 7 and Intruder. Alternative to Ref. No. 1877.	—	1	—	—
—	Spares:—					
—	Insert assembly	Ref. No. 2662	—	—	—	—

RESTRICTED

RESTRICTED

AIRCRAFT AIR AND OIL FILTERS, FUEL AND OIL COOLERS

SECTION 27B—cont.

Ref. No.	Nomenclature	Detail	Drawing or Part No.	No. off	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
		VALIANT, MARK 1				
3028	ELEMENT, air filter	C.21662	—	B	each
—	FILTER, oil	Ref. No. 1408. Under Shackleton, Marks 1 and 2 ..	—	1	—	—
	FILTER, oil	Ref. No. 1877. Under Canberra, Marks 2, 3, 4, 6, 7 and 8 for Ref. Nos. 1408 and 1877.	—	—	—	—
	Spares:—					
—	Bolt, set	Ref. No. 2970	—	—	—	—
—	Bolt, set	Ref. No. 2971	—	—	—	—
—	Cap. insert, bottom	Ref. No. 1892	—	—	—	—
—	Cap. insert, top	Ref. No. 2302	—	—	—	—
—	Case, outer	Ref. No. 1475. For Ref. No. 1877 only ..	—	—	—	—
—	Case, perforated	Ref. No. 1470	—	—	—	—
—	Clip, element	Ref. No. 1471	—	—	—	—
—	Element assembly	Ref. No. 2910	—	—	—	—
—	Head, casting	Ref. No. 1902. For Ref. No. 1877 only ..	—	—	—	—
—	Head, casting	Ref. No. 1897. For Ref. No. 1408 only ..	—	—	—	—
—	Insert, complete	Ref. No. 1467	—	—	—	—
—	Nut, brass, wing 2 B.A.	Reference 28M/802. For Ref. No. 1877 only. ..	—	—	—	—
—	Pad, bottom	Ref. No. 1894	—	—	—	—
—	Pad, top	Ref. No. 1893	—	—	—	—
—	Plug, drain	Ref. No. 1476	—	—	—	—
—	Ring, clamping	Ref. No. 1683	—	—	—	—
—	Ring, insert	Ref. No. 1473	—	—	—	—
—	Ring, joint	Ref. No. 2702. Interchangeable with Ref. No. 1896 ..	—	—	—	—
—	Spring	Ref. No. 1685	—	—	—	—
—	Washer, drain plug	Ref. No. 1686	—	—	—	—
—	Washer, wing nut	Ref. No. 1474	—	—	—	—
—	Wire, brass, soft, No. 22 S.W.G.	Reference 30B/326. For Ref. No. 1877 only ..	—	—	—	—

RESTRICTED

Issued with A/L.157 to A.P.1086, Book 11, Second Edition.

RESTRICTED

AIRCRAFT AIR AND OIL FILTERS, FUEL AND OIL COOLERS

SECTION 27B—cont.

Ref. No	Nomenclature	Detail	Drawing or Part No.	No. off	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
	VALIANT W.P. 214.					
3230	FILTER	E.30/1/ C.61732	1	B	each
3231	Spares:— Insert, filter	CX.61893	1	C	..

RESTRICTED

RESTRICTED
54

AIRCRAFT AIR AND OIL FILTERS, FUEL AND OIL COOLERS

SECTION 27B—cont.

Ref. No.	Nomenclature	Detail	Drawing or Part No.	No. off.	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
	VAMP					
	IRE, MARKS 5 and 9					
--	FILTER, air	Ref. No. 2443	—	1	—	—
	Spares:—					
—	Case, outer assembly	Ref. No. 2456	—	—	—	—
—	Cover assembly	Ref. No. 2356	—	—	—	—
—	Element, air filter	Ref. No. 2299	—	—	—	—

RESTRICTED

Issued with A.L. 157 to A.P. 1086, Book 11, Second Edition.

64a

RESTRICTED

AIRCRAFT AIR AND OIL FILTERS, FUEL AND OIL COOLERS
SECTION 27B—cont.

Ref. No.	NOMENCLATURE	DETAIL	Drawing No. or Part No.	No. Off.	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
VARSITY, T. MARK 1						
2786	COOLER, oil	Alternative to Ref. No. 2835	W.S.11510	2	A	each
Spares:—						
2799	Adapter, rear duct	W.S.11523	—	C	“
2800	Connection, outlet	W.S.11516	—	C	“
—	Device, tube sealing	Ref. No. 2782	—	—	—	—
—	Joint, expansion end	Ref. No. 2772	—	—	—	—
—	Joint, fixed end	Ref. No. 2797	—	—	—	—
—	Locknut, R.H. thread, 2 B.A.	Reference 28L/5772	—	—	—	—
—	Nut, stiff, mild steel, 2 B.A.	Reference 28M/10288	—	—	—	—
2801	Plate, outlet sealing	W.S.11570	—	C	each
—	Plug, drain	Ref. No. 2777	—	—	—	—
—	Ring, baffle sealing	Ref. No. 2773	—	—	—	—
2803	Screw, set	W.S.11522	—	C	each
2802	Spring, outlet connection	W.S.11517	—	C	“
—	Spring, valve	Ref. No. 2775	—	—	—	—
—	Washer, drain plug	Ref. No. 2778	—	—	—	—
—	Washer, sealing, composite	Reference 28F/12086	—	—	—	—
—	Washer, special	Ref. No. 2776	—	—	—	—
—	Washer, spring, thick 0.39 in., 15 S.W.G.	Reference 28W/3092	—	—	—	—
—	Washer, valve cap	Ref. No. 2774	—	—	—	—
2835	COOLER, oil	Alternative to Ref. No. 2786	E.4249	2	A	each
Spares:—						
3060	Ball, 1½ in. diam.	A.4560	—	C	“
—	Bolt, steel, high tensile, non-stainless, hexagon head, 4 B.A. × 0.5 in. long.	Reference 28D/12528	—	—	—	—
3059	Cap, hexagon	A.54933	—	C	each
3058	Gasket	For oil inlet and outlet	A.4443	—	C	“
—	Lockwasher, shakeproof, flat, internal teeth, steel	Reference 28L/11067	—	—	—	—
—	Nut, stiff, thin, hexagon, mild steel, 2 B.A.	Reference 28M/10328	—	—	—	—

RESTRICTED

Issued with A/I.L. 143 to 4.P.1086, Book 11, Second Edition
55

RESTRICTED

AIRCRAFT AIR AND OIL FILTERS, FUEL AND OIL COOLERS
SECTION 27B—*cont.*

Ref. No.	NOMENCLATURE	DETAIL	Drawing No. or Part No.	No. Off	Class of Store	Denom. of Qty
1	2	3	4	5	6	7
Varsity T. Mark 1—<i>cont.</i>						
	COOLER, oil—<i>cont.</i>					
	Spares— <i>cont.</i>					
—	Nut, stiff, thin, hexagon, mild steel, 4 B.A. ...	Reference 28M/10327	—	—	—	—
3063	Peg, insert	A.54934	—	C	each
—	Plug, drain, $\frac{1}{8}$ in. B.S.P.	Ref. No. 2963	—	—	—	—
3061	Ring, sealing, Gaco	O-R-19	—	C	each
—	Screw, metal, steel, cheesehead, 4 B.A. $\times \frac{1}{4}$ in. long	Reference 28S/3370	—	—	—	—
2960	Spring, valve relief	A.4806/5	—	C	each
3062	Valve relief assembly, 1 in. bore	C.5559	—	C	—
—	Washer	Ref. No. 2769	—	—	—	—
—	Washer, drain	Ref. No. 2964	—	—	—	—
—	Washer, mild steel, 0.048 in. thick, 0.157 in. i/d. \times 0.301 in. e/d.	Reference 28W/12305	—	—	—	—
—	Washer, mild steel, thin, 0.048 in. thick, 0.202 in. i/d. \times 0.391 in. e/d.	Reference 28W/12252	—	—	—	—
—	ELEMENT, air filter	Ref. No. 2713. Under Valetta, Marks 1, 2 and 3 ...	—	2	—	—
—	FILTER, oil	Ref. No. 1877. Under Canberra, Marks 2, 3, 4, 6, 7 and Intruder. Alternative to Ref. No. 2620.	—	1	—	—
—	Spares:—					
—	Bolt, set	Ref. No. 2970	—	—	—	—
—	Bolt, set	Ref. No. 2971	—	—	—	—
—	Cap, insert, bottom	Ref. No. 1892	—	—	—	—
—	Cap, insert, top	Ref. No. 2302	—	—	—	—
—	Case, outer... ..	Ref. No. 1475	—	—	—	—
—	Case, perforated	Ref. No. 1470	—	—	—	—
—	Clip, element	Ref. No. 1471	—	—	—	—
—	Element assembly	Ref. No. 2910	—	—	—	—

RESTRICTED

RESTRICTED

AIRCRAFT AIR AND OIL FILTERS, FUEL AND OIL COOLERS
SECTION 27B—cont.

Ref. No.	NOMENCLATURE	DETAIL	Drawing No. or Part No.	No. Off	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
	VARSITY, T. MARK 1—cont.					
	FILTER, oil—cont.					
	Spares—cont.					
—	Head, casting	Ref. No. 1902	—	—	—	—
—	Insert, complete	Ref. No. 1467	—	—	—	—
—	Nut, brass wing, 2 B.A.	Reference 28M/802	—	—	—	—
—	Pad, bottom	Ref. No. 1894	—	—	—	—
—	Pad, top	Ref. No. 1893	—	—	—	—
—	Plug, drain	Ref. No. 1476	—	—	—	—
—	Ring, clamping	Ref. No. 1683	—	—	—	—
—	Ring, insert	Ref. No. 1473	—	—	—	—
—	Ring, joint	Ref. No. 2702	—	—	—	—
—	Spring	Ref. No. 1685	—	—	—	—
—	Washer, drain plug	Ref. No. 1686	—	—	—	—
—	Washer, wing nut	Ref. No. 1474	—	—	—	—
—	Wire, brass, soft, No. 22 S.W.G.	Reference 30B/326	—	—	—	—
—	FILTER, oil	Ref. No. 2620. Under Canberra, Marks 2, 3, 4, 6, 7 and Intruder. Alternative to Ref. No. 1877.	—	1	—	—
—	Spares:—					
—	Insert assembly	Ref. No. 2662	—	—	—	—

RESTRICTED

RESTRICTED

AIRCRAFT AIR AND OIL FILTERS, FUEL AND OIL COOLERS

SECTION 27B—cont.

Ref. No.	NOMENCLATURE	DETAIL	Drawing No. or Part No.	No. Off	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
	VICTOR, MARK 1					
—	FILTER, oil, Type B	Ref. No. 1408	—	1	—	—
—	FILTER, oil, Type F	Ref. No. 1877	—	1	—	—
—	Spares:—	For Ref. Nos. 1408 and 1877.	—	—	—	—
—	Bolt, set	Ref. No. 2970	—	—	—	—
—	Bolt, set	Ref. No. 2971	—	—	—	—
—	Cap, insert, bottom	Ref. No. 1892	—	—	—	—
—	Cap, insert, top	Ref. No. 2302	—	—	—	—
—	Case, outer...	Ref. No. 1475. For Ref. No. 1877 only	—	—	—	—
—	Case, perforated	Ref. No. 1470	—	—	—	—
—	Clip, element	Ref. No. 1471	—	—	—	—
—	Element assembly	Ref. No. 2910. Supersedes Ref. No. 1424. For Ref. No. 1877 only.	—	—	—	—
—	Element, felt	Ref. No. 1424. Superseded by Ref. No. 2910	—	—	—	—
—	Head, casting	Ref. No. 1902	—	—	—	—
—	Insert, complete	Ref. No. 1467	—	—	—	—
—	Nut, brass, wing, 2 B.A.	Reference 28M/802. For Ref. No. 1877 only...	—	—	—	—
—	Pad, bottom	Ref. No. 1894	—	—	—	—
—	Pad, top	Ref. No. 1893	—	—	—	—
—	Plug, drain	Ref. No. 1476	—	—	—	—
—	Ring, clamping	Ref. No. 1683	—	—	—	—
—	Ring, insert	Ref. No. 1473	—	—	—	—
—	Ring, joint	Ref. No. 2702	—	—	—	—
—	Spring	Ref. No. 1685	—	—	—	—
—	Washer	Ref. No. 1686. For drain plug	—	—	—	—
—	Washer	Ref. No. 1474. For wing nut	—	—	—	—
—	Wire, brass, soft, No. 22 S.W.G.	Reference 30B/326. For Ref. No. 1877 only...	—	—	—	—

RESTRICTED

RESTRICTED

AIRCRAFT AIR AND OIL FILTERS, FUEL AND OIL COOLERS
SECTION 27B—cont.

Ref. No.	NOMENCLATURE	DETAIL	Drawing No. or Part No.	No. Off	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
		VIKING, MARK 2				
2592	COOLER, oil	Superseded by Ref. No. 2707	W.S.9714	2	A	each
2707	COOLER, oil	Supersedes Ref. No. 2952. Alternative to Ref. No. 2719.	W.S.10886	2	A	"
2719	COOLER, oil	Alternative to Ref. No. 2707	W.S.11290	2	A	"
2619	FILTER, air		E.29A/1/2 in./22602.	2	A	"
	Spares:—					
2513	Element, air filter		E.14468	2	B	"
—	FILTER, oil	Ref. No. 1877. Under Canberra, Marks 2, 3, 4, 6, 7 and Intruder. Alternative to Ref. No. 2620.	—	1	—	—
	Spares:—					
—	Bolt, set	Ref. No. 2970	—	—	—	—
—	Bolt, set	Ref. No. 2971	—	—	—	—
—	Cap, insert, bottom	Ref. No. 1892	—	—	—	—
—	Cap, insert, top	Ref. No. 2302	—	—	—	—
—	Case, outer... ..	Ref. No. 1475	—	—	—	—
—	Case, perforated	Ref. No. 1470	—	—	—	—
—	Clip, element	Ref. No. 1471	—	—	—	—
—	Element assembly	Ref. No. 2910	—	—	—	—
—	Head, casting	Ref. No. 1902	—	—	—	—
—	Insert, complete	Ref. No. 1467	—	—	—	—
—	Nut, brass, wing, A/L 82, 2 B.A.	Reference 28M/802	—	—	—	—
—	Pad, bottom	Ref. No. 1894	—	—	—	—
—	Pad, top	Ref. No. 1893	—	—	—	—
—	Plug, drain	Ref. No. 1476	—	—	—	—
—	Ring, clamping	Ref. No. 1683	—	—	—	—

RESTRICTED

Handwritten signature and initials

Issued with A/L 143 to A.P.1086, Book 11, Second Edition
59

RESTRICTED

AIRCRAFT AIR AND OIL FILTERS, FUEL AND OIL COOLERS
SECTION 27B—cont.

Ref. No.	NOMENCLATURE	DETAIL	Drawing No. or Part No.	No. Off	Class of Store	Denom. of Qty.
1	2	3	1	5	6	7
	VIKING, MARK 2—cont.					
	FILTER, oil—cont.					
	Spares—cont.					
—	Ring, insert	Ref. No. 1473	—	—	—	—
—	Ring, joint	Ref. No. 2702	—	—	—	—
—	Spring	Ref. No. 1685	—	—	—	—
—	Washer, drain plug	Ref. No. 1686	—	—	—	—
—	Washer, wing nut	Ref. No. 1474	—	—	—	—
—	Wire, brass, soft, No. 22 S.W.G.	Reference 30B/326	—	—	—	—
—	FILTER, oil	Ref. No. 2620. Under Canberra, Marks 2, 3, 4, 6, 7 and Intruder. Alternative to Ref. No. 1877.	—	1	—	—
—	Spares:—					
—	Insert assembly	Ref. No. 2662	—	—	—	—

RESTRICTED

RESTRICTED

AL183

AIRCRAFT AIR AND OIL FILTERS, FUEL AND OIL COOLERS
SECTION 27B—cont.

Ref. No.	NOMENCLATURE	DETAIL	Drawing No. or Part No.	No. Off	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
		VULCAN, MARK 1				
—	FILTER, oil, Type B	Ref. No. 1408	—	1	—	—
—	FILTER, oil, Type F	Ref. No. 1877	—	1	—	—
—	Spares:—	For Ref. Nos. 1408 and 1877.	—	—	—	—
—	Bolt, set	Ref. No. 2970	—	—	—	—
—	Bolt, set	Ref. No. 2971	—	—	—	—
—	Cap, insert, bottom	Ref. No. 1892	—	—	—	—
—	Cap, insert, top	Ref. No. 2302	—	—	—	—
—	Case, perforated	Ref. No. 1470	—	—	—	—
—	Clip, element	Ref. No. 1471	—	—	—	—
—	Element assembly	Ref. No. 2910. Supersedes Ref. No. 1424	—	—	—	—
—	Element, felt	Ref. No. 1424. Superseded by Ref. No. 2910. For Ref. No. 1877 only.	—	—	—	—
—	Head, casting	Ref. No. 1897. For Ref. No. 1408 only	—	—	—	—
—	Head, casting	Ref. No. 1902. For Ref. No. 1877 only	—	—	—	—
—	Insert, complete	Ref. No. 1467	—	—	—	—
—	Nut, brass, wing, 2 B.A.	Reference 28M/802. For Ref. No. 1877 only	—	—	—	—
—	Pad, bottom	Ref. No. 1894	—	—	—	—
—	Pad, top	Ref. No. 1893	—	—	—	—
—	Plug, drain	Ref. No. 1476	—	—	—	—
—	Ring, clamping	Ref. No. 1683	—	—	—	—
—	Ring, insert	Ref. No. 1473	—	—	—	—
—	Ring, joint	Ref. No. 2702	—	—	—	—
—	Spring	Ref. No. 1685	—	—	—	—
—	Washer	Ref. No. 1686. For drain plug	—	—	—	—
—	Washer	Ref. No. 1474. For wing nut	—	—	—	—
—	Wire, brass, soft, No. 22 S.W.G.	Reference 30B/326. For Ref. No. 1877 only	—	—	—	—

RESTRICTED

RESTRICTED

AIRCRAFT AIR AND OIL FILTERS, FUEL AND OIL COOLERS
SECTION 27B—cont.

Ref. No.	NOMENCLATURE	DETAIL	Drawing No. or Part No.	No. Off	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
WHIRLWIND						
2946	COOLER, oil	Main oil cooler assembly	E.4947	1	A	each
	Spares:—					
—	Connector	Ref. No. 2763	—	—	—	—
2957	Duct, air, inlet	<i>Naval aviation only</i>	D.4945	1	C	each
2958	Duct, air, outlet	<i>Naval aviation only</i>	D.4946	1	C	”
—	Ferrule	Ref. No. 3041. <i>Naval aviation only</i>	—	—	—	—
—	Gasket	Ref. No. 2764	—	—	—	—
—	Grommet, rubber	Ref. No. 2953	—	—	—	—
—	Nut, stiff, thin, hexagon, mild steel, 4 B.A.	Reference 28M/10327	—	—	—	—
—	Plug, drain	Ref. No. 2963	—	—	—	—
—	Screw, metal, steel, csk., 4 B.A. × $\frac{3}{8}$ in. long	Reference 28S/2809	—	—	—	—
—	Spring	Ref. No. 2960	—	1	—	—
—	Stud, 4 B.A.	Ref. No. 2765. Superseded by Ref. No. 3021	—	—	—	—
3021	Stud, 4 B.A.	Supersedes Ref. No. 2765	A.4447	—	C	each
—	Tube, 0-008 in. wall thickness	Ref. No. 3042. <i>Naval aviation only</i>	—	—	—	—
—	Tube, 0-012 in. wall thickness	Ref. No. 3043. <i>Naval aviation only</i>	—	—	—	—
2959	Valve, relief	C.4861	1	A	each
	Spares:—					
3023	Cap, end...	4861/3	—	C	”
3022	Cap, end, with peg	4861/2	—	C	”
—	Washer	Ref. No. 2964	—	1	—	—
—	Washer, rubber	Ref. No. 2769	—	—	—	—
—	Washer, steel, bright, 0-15 in. i/d. × 0-40 in. o/d.	Reference 28W/3070	—	—	—	—
—	Washer, steel, thin, 0-157 in. i/d. × 0-301 in. o/d.	Reference 28W/12346	—	—	—	—
2994	COOLER, oil, 8 in.	Transmission oil cooler	E.4867	1	A	each
	Spares:—					
2948	Connection, inlet	B.4864	1	C	”
2969	Connection, outlet	B.4865	1	C	”
—	Ferrule	Ref. No. 3041. <i>Naval aviation only</i>	—	—	—	—

RESTRICTED

RESTRICTED

AIRCRAFT AIR AND OIL FILTERS, FUEL AND OIL COOLERS
SECTION 27B—cont.

Ref No.	NOMENCLATURE	DETAIL	Drawing No. or Part No.	No. Off	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
WHIRLWIND—cont.						
	COOLER, oil, 8 in.—cont.					
	Spares—cont.					
2949	Gasket	A.4866	2	C	each
3024	Grommet	A.4593	—	C	"
—	Nut, stiff, thin, hexagon, mild steel, 4 B.A. ...	Reference 28M/10327	—	—	—	—
2951	Spring	A.4050	1	C	each
3001	Strap and mounting plate assembly	C.4827/3A	1	C	"
—	Stud, 4 B.A....	Ref. No. 2765. Superseded by Ref. No. 3021	—	—	—	—
—	Stud, 4 B.A....	Ref. No. 3021. Supersedes Ref. No. 2765	—	—	—	—
—	Tube, 0.008 in. wall thickness	Ref. No. 3042. <i>Naval aviation only</i>	—	—	—	—
—	Tube, 0.012 in. wall thickness	Ref. No. 3043. <i>Naval aviation only</i>	—	—	—	—
2950	Valve, relief	B.4595/1	1	A	each
	Spares :—					
3037	Ball	<i>Naval aviation only</i>	A.5477	—	—	—
3026	Cap, end	4595/1/3	—	C	each
3025	Peg, end cap	4595/1/2	—	C	"
—	Spring	Ref. No. 2951	—	—	—	—
3027	Washer, oil, heat resisting	A.4595/4	—	C	each
—	Washer, steel, bright, 0.15 in. i/d. 0.40 in. old	Reference 28W/3070	—	—	—	—
3162	COOLER, oil, 14 in., Mod. 1090	For Whirlwind 7. <i>Naval aviation only</i>	W.S.12620	1	A	each
3002	FAN UNIT AND DUCT ASSEMBLY	E.4868	1	A	"
	Spares :—					
—	Bolt, steel, mild, hex. hd., 2 B.A. × 0.5 in. long...	Reference 28D/6998	—	—	—	—
—	Bolt, steel, mild, non-stainless, ¼ in. B.S.F. × 0.55 in. long	Reference 28D/7240	—	—	—	—
3003	Bracket, fan mounting	Superseded by Ref. No. 3089	C.4827/4	2	C	each
3089	Bracket, fan mounting	Supersedes Ref. No. 3003	C.5831	2	C	"
3004	Bracket, fan mounting	Superseded by Ref. No. 3090	C.4827/5	1	C	"

RESTRICTED

RESTRICTED

AIRCRAFT AIR AND OIL FILTERS, FUEL AND OIL COOLERS
SECTION 27B—cont.

Ref. No.	NOVENCLATURE	DETAIL	Drawing No. or Part No.	No. Off.	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
		WHIRLWIND—cont.				
	FAN UNIT AND DUCT ASSEMBLY—cont.					
	Spares—cont.					
3090	Bracket, fan mounting	Supersedes Ref. No. 3004	C.5832	1	C	each
—	Nut, stainless, steel, plain, ¼ in. B.S.F.	Reference 28M/6981. Alternative to Reference 28M/756	—	—	—	—
—	Nut, steel, mild, plain, R.H. thread, ¼ in. B.S.F.	Reference 28M/756. Alternative to Reference 28M/6981	—	—	—	—
—	Nut, stiff, standard, hexagon, mild steel, 2 B.A.	Reference 28M/10288	—	—	—	—
3005	Strap and mounting plate assembly	C.4827/3B	1	C	each
—	Washer, steel, spring, thick, single, 0.27 in. i/d.	Reference 28W/3099	—	—	—	—
—	Washer, steel, thin, 0.202 in. i/d. x 0.391 in. o/d.	Reference 28W/12245	—	—	—	—
—	Washer, steel, thin, 0.270 in. i/d. x 0.52 in. o/d.	Reference 28W/12352	—	—	—	—
3169	FAN UNIT AND DUCT ASSEMBLY	Alternative to Ref. No. 3002	E.6637	1	A	each
3168	Duct Fan	C.6662	1	A	„
		WHIRLWIND MARK 10				
3259	COOLER, oil engine	W.S.12840	1	A	„
3333	COOLER, oil transmission	Post Mod. 1371	E.7596	1	A	„

RESTRICTED

RESTRICTED

AIRCRAFT AIR AND OIL FILTERS, FUEL AND OIL COOLERS
SECTION 27B—cont.

Ref. No.	NOMENCLATURE	DETAIL	Drawing or Part No.	No. Off	Class of Store	Denom. of Qtv.
1	2	3	4	5	6	7
WYVERN, MARKS 1, 2 and 4						
2752	COOLER, oil	For Wyvern, Marks 2 and 4 only	E.3385	2	A	each
Spares:—						
2760	Cap. end		C.3997-4	—	—	—
—	Ferrule	Ref. No. 3041	—	—	—	—
2757	Label, mod., standard		A.338518	—	—	—
2758	Plate, identify		A.4150	—	—	—
2755	Plug, drain		A.338513	—	—	—
3071	Spring, valve		A.4025	—	—	—
3040	Tube, 0-008 in. wall thickness		A.4018/2	—	—	—
2759	Valve, relief		C.3997	—	—	—
2761	Washer, rubber		A.3991	—	—	—
2710	ELEMENT, air filter	For Wyvern, Marks 1 and 2 only	E.24923	2	B	each
2896	FILTER, oil	For Wyvern, Mark 2 only	M.P.A.30468	1	A	..
Spares:—						
2966	Body		M.P.A.30076	—	—	—
2967	Element sub-assemblies		M.P.A.30470	—	—	—
2965	Head		M.P.A.30074	—	—	—
—	Seal	Reference 27M.8825	—	—	—	—

RESTRICTED

AL183

RESTRICTED

**AIRCRAFT AIR AND OIL FILTERS, FUEL AND OIL COOLERS INDEX TO REFERENCE NUMBERS
SECTION 27B—cont.**

INDEX TO REFERENCE NUMBERS

Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.
604	1	2384	25	2739	11	2794	19	2885	57	2961	11	3010	3	3066	42	3129	17	3233	61
606	1	2397	16	2744	11	2795	18	2886	37	2963	28	3017	7	3067	42	3130	7	3230	54
1408	43	2421	11	2745	44	2796	18	2887	37	2964	28	3021	62	3068	42	3131	7	3231	54
1424	9	2443	23	2748	18	2797	7	2888	37	2969	62	3022	62	3069	42	3132	7	3232	29
1467	9	2456	23	2750	42	2799	55	2889	37	2970	9	3023	62	3070	42	3133	7	3236	29
1470	3	2464	27	2756	11	2800	55	2891	49	2971	9	3024	63	3073	17	3134	7	3237	21
1471	9	2484	25	2762	11	2801	55	2892	48	2975	21	3025	63	3074	17	3135	7	3238	7a
1473	9	2487	25	2763	11	2802	55	2893	48	2978	22	3026	63	3075	17	3136	7	3243	8
1474	9	2489	25	2764	11	2803	55	2894	28	2979	22	3027	63	3076	17	3137	7	3253	8a
1475	9	2490	25	2765	11	2813	42	2895	32	2980	17	3028	53	3077	17	3138	8	3254	8a
1476	9	2491	25	2766	42	2814	51	2902	28	2981	17	3032	22	3078	17	3139	8	3259	64
1548	1	2539	27	2767	11	2815	18	2904	23	2982	17	3033	22	3079	31	3140	8	3310	58
1550	1	2540	19	2768	11	2816	51	2905	23	2984	16	3034	22	3081	19	3141	8	3312	21
1551	1	2586	25	2769	11	2819	48	2909	23	2985	32	3035	7	3084	28	3142	8b	3319	8a
1553	1	2609	3	2770	42	2823	23	2910	9	2986	29	3036	28	3085	28	3146	21	3320	8a
1554	1	2620	9	2771	18	2824	23	2911	1	2988	24	3037	63	3086	28	3147	8b	3321	8a
1683	9	2621	10	2772	7	2825	23	2912	1	2989	24	3039	28	3087	28	3148	8b	3322	8a
1685	9	2659	22	2773	7	2826	23	2929	48	2990	24	3041	11	3088	28	3149	8b	3323	8a
1686	9	2662	9	2774	7	2827	23	2933	24	2991	24	3042	11	3089	63	3150	8b	3324	8a
1877	9	2667	22	2775	18	2828	23	2934	3	2992	24	3043	11	3090	64	3151	8b	3325	8a
1892	9	2696	1	2776	18	2830	28	2935	22	2993	21	3044	40	3091	48	3152	8b	3326	8a
1893	9	2698	51	2777	7	2831	24	2946	62	2994	62	3045	40	3092	19	3153	8b	3327	8a
1894	9	2702	9	2778	7	2832	12	2947	42	2996	28	3048	7	3093	48	3154	8b	3328	8a
1897	43	2705	23	2779	18	2833	12	2948	63	2997	28	3052	3	3094	38	3155	8b	3329	8a
1902	9	2706	1	2780	18	2834	12	2949	63	2998	28	3053	20	3095	48	3156	8b	3330	8a
1978	25	2709	22	2781	18	2835	55	2950	63	2999	28	3054	7	3096	20	3157	8	3331	8a
2174	22	2713	51	2782	18	2873	34	2951	63	3000	28	3055	11	3097	20	3158	8	3333	64
2177	22	2716	42	2783	25	2874	12	2952	11	3001	62	3057	42	3099	33	3159	50		
2232	25	2721	22	2784	26	2875	12	2953	11	3002	63	3058	55	3100	19	3160	17		
2233	26	2723	34	2786	55	2876	11	2954	40	3003	63	3059	55	3101	30	3162	63		
2299	23	2724	51	2787	42	2877	11	2955	40	3004	63	3060	55	3117	7	3164	7		
2302	9	2728	42	2788	42	2878	11	2956	40	3005	64	3061	55	3118	12	3165	30		
2348	25	2729	22	2789	42	2879	11	2957	62	3006	3	3062	55	3119	12	3166	7		
2349	26	2730	34	2790	42	2880	11	2958	62	3007	3	3063	55	3123	20	3168	64		
2356	23	2737	11	2791	42	2881	12	2959	62	3008	3	3064	28	3124	20	3169	64		
2383	25	2738	40	2792	42	2884	31	2960	56	3009	3	3065	42	3128	33	3182	8a		

RESTRICTED

RESTRICTED

RESTRICTED

Issued with A/L 143 to A.P.1086, Book 11, Second Edition

11

**PERIODICAL INSPECTION OF EQUIPMENT —
STORAGE CATEGORIES**

For details of different storage categories see A.P.1086, Book 1, Second Edition, Memorandum of Instructions, Part 3.

AIRCRAFT AIR AND OIL FILTERS, FUEL AND OIL COOLERS

SECTION 27B

Unless specifically shown below all items in this sub-section have an indefinite shelf life under normal storage conditions and are therefore in category 4.

GENERIC HEADING	CATEGORY	PERIODICITY OF INSPECTION IN *TEMPERATE CLIMATES	
		PACKAGED	UNPACKAGED
CLEANERS, AIR	1	3 years	1 year
COOLERS	1	3 years	1 year
ELEMENTS	1	3 years	1 year
FILTERS	1	3 years	1 year

* For method of calculating periodicity of inspection in tropical climates, see A.P.1086, Book 1, Second Edition, Memorandum of Instructions, Part 3.

RESTRICTED

Issued with A/L 123

**AIR PUBLICATION 1086
BOOK II
SECOND EDITION**

SECTION 27BA

AVERY COUPLINGS

**ITEMS UNDER SECTION 27BA
ARE COVERED BY VOTE 7A.2(a)**

RESTRICTED

EVERY SELF-SEALING HOSE COUPLINGS

GENERAL INFORMATION

- (a) The complete coupling consists of three components : the fixed half, the union half, and the union nut. The fixed half is supplied either as a **flanged type** for bolting to a bulkhead or a **stud type** for screwing into a socket connection. The union half connects to the fixed half with a union nut.
- (b) When a half-coupling is to remain disconnected for any length of time, the exposed surfaces should be protected by means of the appropriate blanking cap.
- (c) Couplings are supplied in three pressure series, viz :—
Low Pressure up to 1,200 lbs./sq. in.
Medium Pressure up to 3,000 lbs./sq. in.
High Pressure up to 5,000 lbs /sq. in.
- (d) The fibre sealing washers, Series AVA.111 can be fitted by the use of the appropriate special tool. Series ARD.1742.
- (e) **Class of Store.** All couplings, Hose and Special Tools are Class B stores. Blanking Caps, Nuts and Washers are Class C.

VOCABULARY OF ROYAL AIR FORCE EQUIPMENT
AVERY COUPLINGS
SECTION 27BA
(11th September, 1957)

REF. No.	NOMENCLATURE	B.S.P. Size (ins.)	MAX. WORKING PRESSURE (lbs. p.s.i.)	DETAIL	DRAWING OR PART NO.	CLASS OF STORE	DENOM. OF QTY.
1	2	3	4	5	6	7	8
	COUPLINGS, Avery, complete :—						
	Stud type :—						
9642	AVA.51/ :—	$\frac{3}{8}$	1,200	AVA.51/ :— E	B	each
9645	AVA.53 :—	$\frac{1}{2}$	3,000	Naval aviation only	AVA.53/ :— A	B	"
9643	B	$\frac{3}{8}$	3,000	B	B	"
	COUPLINGS, half, Avery :—						
	Flanged type :—						
	High pressure series :—						
9880	AVA.508/D	$\frac{1}{2}$	5,000	To fit High pressure union halves.	AVA.508/D	B	"
	Low pressure series :—						
	AVA.55/ :—			To fit Low pressure union halves.	AVA.55/ :—		
8749	B	$\frac{1}{4}$	1,200	B	B	"
8750	C	$\frac{1}{4}$	1,200	C	B	"
9034	D	$\frac{1}{4}$	1,200	D	B	"
8751	E	$\frac{1}{4}$	1,200	E	B	"
8752	F	$\frac{1}{4}$	1,200	F	B	"
8753	H	$1\frac{1}{4}$	1,200	H	B	"
8754	J	$1\frac{1}{4}$	500	J	B	"
8755	K	$1\frac{1}{4}$	250	K	B	"
7745	AVX.135	$\frac{3}{8}$	1,200	With olive assembly. Naval aviation only.	AVX.135	B	"
	AVX.1611/ :—				AVX.1611 :—		
9873	D	$\frac{1}{2}$	600	D	B	"
9882	H	1	600	H	B	"

RESTRICTED

RESTRICTED

AVERY COUPLINGS

SECTION 27BA—cont.

REF. No.	NOMENCLATURE	B.S.P. SIZE (ins.)	MAX. WORKING PRESSURE (lbs. p.s.i.)	DETAIL	DRAWING OR PART NO.	CLASS OF STORE	DENOM. OF QTY.
1	2	3	4	5	6	7	8
	COUPLINGS, half, Avery—cont.						
	Flanged type—cont.						
	Medium pressure series :—						
	AVA.58/ :—			To fit Medium pressure union halves.	AVA.58/ :—		
8761	A	1 to 1 1/2	3,000	A	B	each
8899	B	1 to 1 1/2	3,000	B	B	"
8762	C	1 to 1 1/2	3,000	C	B	"
8900	D	1 to 1 1/2	3,000	D	B	"
8980	E	1 to 1 1/2	3,000	Naval aviation only	E	B	"
7714	AVX.134	1 to 1 1/2	3,000	With olive assembly. Naval aviation only.	AVX.134	B	"
	Stud type :—						
	Low pressure series :—						
	AVA.56/ :—			To fit Low pressure union halves.	AVA.56/ :—		
8756	C	1 to 1 1/2	1,200	C	B	"
9128	D	1 to 1 1/2	1,200	D	B	"
8757	E	1 to 1 1/2	1,200	E	B	"
8758	F	1 to 1 1/2	1,200	F	B	"
9879	AVX.1575	1 to 1 1/2	40	For Ref. No. 9878. Union half	AVX.1575	B	"
	Medium pressure series :—						
	AVA.59/ :—			To fit Medium pressure union halves.	AVA.59/ :—		
9566	A	1 to 1 1/2	3,000	A	B	"
9454	B	1 to 1 1/2	3,000	B	B	"
8763	C	1 to 1 1/2	3,000	C	B	"
9914	D	1 to 1 1/2	3,000	D	B	"
9011	AVX.553	1 to 1 1/2	3,000	AVX.553	B	"
9012	AVX.554	1 to 1 1/2	3,000	AVX.554	B	"
	Union type :—						
	High pressure series :—						
				To fit High pressure flanged and stud halves.			
9940	AVA.471/D	1 to 1 1/2	5,000	AVA.471/D	B	"
9814	AVA.507/D	1 to 1 1/2	5,000	AVA.507/D	B	"

RESTRICTED

RESTRICTED

AVERY COUPLINGS

SECTION 27BA—cont.

REF. No.	NOMENCLATURE	B.S.P. SIZE (ins.)	MAX. WORKING PRESSURE (lbs. p.s.i.)	DETAIL	DRAWING OR PART No.	CLASS OF STORF	DENOM. OF QTY.
1	2	3	4	5	6	7	8
	COUPLINGS, half, Avery—cont.						
	Union type—cont.						
	Low pressure series :—			To fit Low pressure flanged and stud halves.			
	AVA.54/ :—				AVA.54/ :—		
8744	E	$\frac{5}{16}$	1,200	E	B	each
8745	F	$\frac{3}{8}$	1,200	F	B
8746	H	1	1,200	H	B
8747	J	$1\frac{1}{4}$	500	J	B
8748	K	$1\frac{1}{2}$	250	K	B
9878	AVX.1492	$1\frac{1}{2}$	40	For Ref. No. 9879. Stud half	AVX.1492	B
	Medium pressure series :—			To fit Medium pressure flanged and stud halves.			
	AVA.57/ :—				AVA.57/ :—		
8796	A	$\frac{1}{8}$	3,000	A	B
8759	B	$\frac{1}{4}$	3,000	B	B
8760	C	$\frac{3}{8}$	3,000	C	B
8816	D	$\frac{1}{2}$	3,000	D	B
9039	E	$\frac{3}{4}$	3,000	E	B
	Components :—						
	Cap assemblies :—						
10115	AVA.552C	—	—	Naval aviation only	AVA.552C	C
	Caps, blanking :—			To fit Union half coupling.			
	AVA.63/ :—				AVA.63/ :—		
8793	A	$\frac{1}{8}$	—	A	C
8826	B	$\frac{1}{4}$	—	B	C
8794	C	$\frac{3}{8}$	—	C	C
8827	D	$\frac{1}{2}$	—	D	C
8828	E	$\frac{5}{8}$	—	E	C
8795	F	$\frac{3}{4}$	—	F	C
8829	H	1	—	H	C
8830	J	$1\frac{1}{4}$	—	J	C
8831	K	$1\frac{1}{2}$	—	K	C

RESTRICTED

RESTRICTED

Issued with A/L 123 to A.P.1086—Book 11, Second Edition

AVERY COUPLINGS

SECTION 27BA—cont.

REF. No.	NOMENCLATURE	B.S.P. Size (ins.)	MAX. WORKING PRESSURE (lbs. p.s.i.)	DETAIL	DRAWING OR PART No.	CLASS OF STORE	DENOM. OF QTY.
1	2	3	4	5	6	7	8
	COUPLINGS, half, Avery—cont.						
	COMPONENTS—cont.						
	Caps, blanking—cont.						
	AVA.64/ :—			To fit flanged and stud half couplings.	AVA.64/ :—		
8774	A	$\frac{1}{8}$	—	A	C	each
8832	B	$\frac{1}{8}$	—	B	C	"
8775	C	$\frac{1}{8}$	—	C	C	"
8901	D	$\frac{1}{8}$	—	D	C	"
8776	E	$\frac{1}{8}$	—	E	C	"
8777	F	$\frac{1}{8}$	—	F	C	"
8778	H	1	—	H	C	"
8779	J	$1\frac{1}{4}$	—	J	C	"
8833	K	$1\frac{1}{2}$	—	K	C	"
	AVA.491/ :—			To fit flanged and stud half couplings.	AVA.491/ :—		
9881	D	$\frac{1}{2}$	—	D	C	"
	AVA.492/ :—			To fit Union half couplings.	AVA.492/ :—		
9942	D	$\frac{1}{2}$	—	For Ref. No. 9940	D	C	"
9883	AVX.1584	1	—	For Ref. No. 9878	AVX.1584	C	"
	Olives :—						
8984	AVX.251	—	—	For $\frac{3}{8}$ in. couplings. Naval aviation only.	AVX.251	C	"
8983	AVX.265	—	—	For $\frac{3}{8}$ in. couplings. Naval aviation only.	AVX.265	C	"
	Sleeves, bayonet :—						
10121	AVA.558C	—	—	Naval aviation only	AVA.558C	C	"
	Spares :—						
	Washers, fibre :—						
	AVA.111/ :—			For flanged and stud half couplings. Series AVA.55, 56, 58 and 59.	AVA.111 :—		
9815	A	$\frac{1}{8}$	—	A	C	"
9816	B	$\frac{1}{8}$	—	B	C	"
9817	C	$\frac{1}{8}$	—	C	C	"
9818	D	$\frac{1}{8}$	—	D	C	"

RESTRICTED

RESTRICTED

AVERY COUPLINGS

SECTION 27BA—cont.

REF. NO.	NOMENCLATURE	R.S.P. SIZE (ins.)	MAX. WORKING PRESSURE (lbs. p.s.i.)	DETAIL	DRAWING OR PART NO.	CLASS OF STUFF	DENOM. OF QTY.
1	2	3	4	5	6	7	8
	COUPLINGS, half, Avery—cont.						
	Spares—cont.						
	Washers, fibre—cont.						
	AVA.111/—cont.						
9819	E	5/8	—	For flanged and stud half couplings. Series AVA.55, 56, 58 and 59.	AVA.111/ :— E	C	each
9820	F	3/4	—		F	C	"
9821	H	1	—		H	C	"
9822	J	1 1/4	—		J	C	"
9823	K	1 1/2	—		K	C	"
	HOSE, flexible, Avery :—						
	AVA.157/ :—						
9913	B/31	—	—	The suffix figure (e.g., 9·4) is the length in feet.	AVA.157/ :— B/31	B	"
	AVA.322/ :—			Naval aviation only	AVA.322/ :—		
9769	A/9·4	1 1/8	4,050		A/9·4	B	"
9889	A/22·5	1 1/8	4,050		A/22·5	B	"
9680	B/9·4	1 1/8	3,600		B/9·4	B	"
9681	B/16·5	1 1/8	3,600		B/16·5	B	"
9490	B/26	1 1/8	3,600		B/26	B	"
9683	C/30	1 1/8	3,000		C/30	B	"
9684	D/15	1 1/8	2,500		D/15	B	"
9886	D/1444	1 1/8	2,500		D/144	B	"
	AVA.323/ :—				AVA.323/ :—		
9685	A/14	1 1/8	4,050		A/14	B	"
9686	A/27	1 1/8	4,050		A/27	B	"
9687	A/30	1 1/8	4,050		A/30	B	"
9688	A/35	1 1/8	4,050		A/35	B	"
9689	B/14	1 1/8	3,600		B/14	B	"
9746	B/25·5	1 1/8	3,600		B/25·5	B	"
9690	B/27	1 1/8	3,600		B/27	B	"
9691	B/31	1 1/8	3,600		B/31	B	"
9885	B/144	1 1/8	3,600		R/1444	B	"

RESTRICTED

Issued with A/L 123 to A.P.1086—Book 11 Second Edition

RESTRICTED

AVERY COUPLINGS

SECTION 27BA—cont.

REF. No.	NOMENCLATURE	B.S.P. SIZE (ins.)	MAX. WORKING PRESSURE (lbs. p.s.i.)	DETAIL	DRAWING OR PART No.	CLASS OF STORE	DENOM. OF QTY.
1	2	3	4	5	6	7	8
	HOSE, flexible, Avery—cont.			The suffix figure (e.g., 9-4) is the length in feet.			
9781	AVA.325/ :— A/13-7	$\frac{1}{8}$	3,600	AVA.325/ :— A/13-7	B	each
9780	A/16	$\frac{1}{8}$	3,600	A/16	B	"
9692	AVA.370/ :— E/28	$\frac{5}{8}$	—	AVA.370/ :— E/28	B	"
9632	AVA.373/ :— A/6	$\frac{1}{8}$	—	AVA.373/ :— A/6	B	"
9633	A/11-7	$\frac{1}{8}$	—	A/11-7	B	"
9747	AVA.374/ :— C/20-8	$\frac{3}{8}$	—	AVA.374/ :— C/20-8	B	"
9722	AVX.1591/ :— 6-7	—	—	Naval aviation only	AVX.1591/6-7	B	"
9723	AVX.1592/ :— 15-2	—	—	Naval aviation only	AVX.1592/15-2	B	"
	NUTS, union :— Light alloy :— AVA.62/ :—		3,000	For connecting half-couplings.	AVA.62/ :—		
8798	A	$\frac{1}{8}$	—	A	C	"
8766	B	$\frac{1}{4}$	—	B	C	"
8767	C	$\frac{3}{8}$	—	C	C	"
8768	D	$\frac{1}{2}$	—	D	C	"
8769	E	$\frac{5}{8}$	—	E	C	"
8770	F	$\frac{3}{4}$	—	F	C	"
8771	H	1	—	H	C	"
8772	J	$1\frac{1}{4}$	—	J	C	"
8773	K	$1\frac{1}{2}$	—	K	C	"

RESTRICTED

RESTRICTED

AVERY COUPLINGS

SECTION 27BA—cont.

REF. No.	NOMENCLATURE	B.S.P. SIZE (ins.)	MAX. WORKING PRESSURE (lbs. p. i.)	DETAIL	DRAWING OR PART No.	CLASS OF STORE	DEFOM. OF QTY.
1	2	3	4	5	6	7	8
	NUTS, union - cont.						
	Steel :—		3,000	For connecting half-couplings.			
	AVA.65/: -				AVA.65/ :		
9958	B	1	—	B	C	each
9923	C	1	—	C	C	"
9693	D	1	—	D	C	"
9877	H	1	—	H	C	"
	AVA.472/: -				AVA.472/:—		
9941	D	1	—	For Ref. No. 9940. Union half.	D	C	"
9639	AVX.1977	1	—	AVX.1977	C	"
9640	AVX.1978	1	—	AVX.1978	C	"
	TOOLS :—						
8782	Spanners, key, ¼ in., special	—	—	To fit ¼ in. couplings. For fitting washers to Ref. Nos. :—	AVA.127/B	B	"
	ARD./1742/:—				ARD./1742/:—		
9979	A	—	—	9815	A	B	"
9980	B	—	—	9816	B	B	"
9981	C	—	—	9817	C	B	"
9982	D	—	—	9818	D	B	"
9983	E	—	—	9819	E	B	"
9984	F	—	—	9820	F	B	"
9985	H	—	—	9821	H	B	"
9986	J	—	—	9822	J	B	"
9987	K	—	—	9823	K	B	"
	VALVE ASSEMBLIES, Avery :—						
10122	AVA.554C	—	—	Complete. Naval aviation only	AVA.554C	B	"
	VALVES, Avery :—						
	Bodies, filter valve :—						
10114	AVA.583C	—	—	Naval aviation only	AVA.583C	B	"

RESTRICTED

Issued with AIT 123 to A.P.1086—Book 11, Second Edition

RESTRICTED

AVERY COUPLINGS

SECTION 27BA—cont.

REP. No.	NOMENCLATURE	B.S.P. SIZE (ins.)	MAX. WORKING PRESSURE (lbs. p.s.i.)	DETAIL	DRAWING OR PART No.	CLASS OF STOR ⁿ	DENOM. OF QTY.
1	2	3	4	5	6	7	8
	VALVES, Avery—cont.			Complete.			each
	Seals :—						
10119	AVA.393Y	—	—	Naval aviation only	AVA.393Y	C	
	Seals, " O " ring :—						
10243	AVX.1904	—	—	Naval aviation only	AVX.1904	C	"
10120	AVX.2090	—	—	Naval aviation only	AVX.2090	C	"
	Circlips :—						
10116	AVA.569C	—	—	Naval aviation only	AVA.569C	C	"

RESTRICTED

RESTRICTED

AVERY COUPLINGS
INDEX TO REFERENCE NUMBERS
SECTION 27BA cont.

Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.
7714	3	8778	5	9640	8	9873	2	10243	9										
7715	2	8779	5	9642	2	9877	8												
8744	4	8782	8	9643	2	9878	4												
8745	4	8793	4	9645	2	9879	3												
8746	4	8794	4	9680	6	9880	2												
8747	4	8795	4	9681	6	9881	5												
8748	4	8796	4	9683	6	9882	2												
8749	2	8798	7	9684	6	9883	5												
8750	2	8816	4	9685	6	9885	6												
8751	2	8826	4	9686	6	9886	6												
8752	2	8827	4	9687	6	9889	6												
8753	2	8828	4	9688	6	9913	6												
8754	2	8829	4	9689	6	9914	3												
8755	2	8830	4	9690	6	9923	8												
8756	3	8831	4	9691	6	9940	3												
8757	3	8832	5	9692	7	9941	8												
8758	3	8833	5	9693	8	9942	5												
8759	4	8899	3	9722	7	9958	8												
8760	4	8900	3	9723	7	9979	8												
8761	3	8901	5	9746	6	9980	8												
8762	3	8980	3	9747	7	9981	8												
8763	3	8983	5	9769	6	9982	8												
8766	7	8984	5	9780	7	9983	8												
8767	7	9011	3	9781	7	9984	8												
8768	7	9012	3	9814	3	9985	8												
8769	7	9034	2	9815	5	9986	8												
8770	7	9039	4	9816	5	9987	8												
8771	7	9128	3	9817	5	10114	8												
8772	7	9154	3	9818	5	10115	4												
8773	7	9490	6	9819	6	10116	9												
8774	5	9566	3	9820	6	10119	9												
8775	5	9632	7	9821	6	10120	9												
8776	5	9633	7	9822	6	10121	5												
8777	5	9639	8	9823	6	10122	8												

RESTRICTED

Issued with J/L 123 to J.P. 1086—Book 11, Second Edition

RESTRICTED

RESTRICTED

Issued with A/L 123 to A.P.1086, Book 11, Second Edition

PERIODICAL INSPECTION OF EQUIPMENT

STORAGE CATEGORIES

For details of different storage categories, see A.P.1086, Book 1, Second Edition, Memorandum of Instructions, Part 3.

AVERY COUPLINGS

SECTION 27BA—cont.

Unless specifically shown below, all items in this sub-section have an indefinite shelf life under normal storage conditions and are therefore in category 4.

Generic Heading	Category	Periodicity of Inspection in *Temperate Climates	
		Packaged	Unpackaged

* For method of calculating periodicity of inspection in tropical climates, see A.P.1086, Book 1, Second Edition, Memorandum of Instructions, Part 3.

RESTRICTED

Issued with A/L. 144.

**AIR PUBLICATION 1086
BOOK II
SECOND EDITION**

**SECTION 27BB
BRISTOL PLASTIC DROP TANKS AND SPARES**

**ITEMS UNDER SECTION 27BB
ARE COVERED BY VOTE 7A.2(a)**

RESTRICTED

**VOCABULARY OF ROYAL AIR FORCE EQUIPMENT
BRISTOL PLASTIC DROP TANKS AND SPARES**

SECTION 27BB

(4th February, 1959)

Ref. No.	NOMENCLATURE	DETAIL	Drawing No. or Part. No.	No. Off	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
53	CASE ASSEMBLY, for 50-gallon tank	NAVAL AVIATION ONLY	—	1	A	each
	CASE ASSEMBLY, for transit and storage of shell assembly, centre section:—	NAVAL AVIATION ONLY				
46	150-gallon tank		—	1	A	"
49	200-gallon tank		—	1	A	"
	CASE ASSEMBLY, for transit and storage of Harness Assembly:—	NAVAL AVIATION ONLY.				
47	150-gallon tank		—	1	A	"
50	200-gallon tank		—	1	A	"
	HARNESS ASSEMBLY, for nesting and shipboard storage of Shell Assembly, Nose; Shell Assembly, Aft; Fin Assembly; Fin Fairing:—	NAVAL AVIATION ONLY.				
48	150-gallon tank		—	1	A	"
51	200-gallon tank		—	1	A	"
	TANKS:—	NAVAL AVIATION ONLY.				
52	50-gallon	For Sea Venom aircraft	75.07.3001/1	2	A	"
5	100-gallon	For Gannet aircraft	75.01.2001	1	A	"
3	150-gallon, port	For Scimitar and Sea Vixen aircraft	75.06.3001/1	1	A	"
39	150-gallon, port	For Scimitar aircraft	75.08.5001/1	1	A	"
4	150-gallon, starboard	For Scimitar and Sea Vixen aircraft	75.06.3002/1	1	A	"
41	150-gallon, starboard	For Scimitar aircraft	75.08.5002/1	1	A	"

RESTRICTED

RESTRICTED

BRISTOL PLASTIC DROP TANKS AND SPARES
SECTION 27BB—cont.

Ref. No.	NOMENCLATURE	DETAIL	Drawing No. or Part No.	No. Off	Class of Store of	Denom. of Qty.
1	2	3	4	5	6	7
		<i>NAVAL AVIATION ONLY.</i>				
	TANKS—cont.					
	150-gallon—cont.					
	Spares:—					
23	Ring, sealing, shell	For Ref. Nos. 3, 39, 4, and 41	75.01.0336	1	C	each
—	Fin Assembly	Not provisioned as a separate item	75.01.0360	1	A	„
	Spares:—					
8	Bracket, group, fin attachment	75.01.0011	1	C	„
9	Fairing, fin	75.01.0307	1	C	„
10	Fin	75.01.0309	1	C	„
7	Shell Assembly, aft.	75.06.3016	1	A	„
—	Shell Assembly, centre, port	Not provisioned as a separate item	75.06.3015	1	A	„
—	Shell Assembly, centre, starboard	Not provisioned as a separate item	75.06.3014	1	A	„
	Spares:—					
13	Cap, filler	75.06.0306	1	C	„
16	Connection, butt 6-pin	75.12.0312	1	C	„
19	Duct, float switch	75.06.3302	1	C	„
17	Duct, float switch	75.06.3303	1	C	„
18	Duct, float switch	75.06.2301	1	C	„
20	Duct, vent branches	75.06.3305	1	C	„
11	Lug, adapter	75.08.0331	1	C	„
15	Piece, spider	75.06.0373	1	C	„
14	Plug, drain	75.01.0341	1	C	„
21	Protector, low level float switch	75.06.3304	1	C	„
12	Spigot	75.06.0325	1	C	„
28	Washer, drain plug	75.06.0319	1	C	„
25	Washer, joint	75.06.0318	1	C	„
26	Washer, joint	75.06.0324	1	C	„
27	Washer, sealing	75.06.0307	1	C	„
6	Shell Assembly Nose:—		75.12.0015	1	A	„
	Spares:—	For Ref. No. 6.				
22	Cap, filler	75.03.0326	1	C	„
24	Washer, filler cap	75.02.0306	1	C	„

RESTRICTED

RESTRICTED

BRISTOL PLASTIC DROP TANKS AND SPARES
SECTION 27BB—cont.

Ref. No.	NOMENCLATURE	DETAIL	Drawing No. or Part No.	No. On	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
		NAVAL AVIATION ONLY				
	TANKS—cont.					
1	200-gallon, port	For Scimitar and Sea Vixen aircraft	75.08.2001/1	1	A	each
35	200-gallon, port	For Scimitar	75.08.4001/1	1	A	"
2	200-gallon, starboard	For Scimitar and Sea Vixen aircraft	75.08.2002/1	1	A	"
38	200-gallon, starboard	For Scimitar aircraft	75.08.4002/1	1	A	"
	Spares:—	For Ref. Nos. 1, 35, 2, and 38.				
36	Ring, sealing, shell	...	75.08.0339	1	C	"
—	Fin Assembly:—	Not provisioned as a separate item	75.08.0368	1	A	"
	Spares:—					
31	Bracket, group, fin attachment	...	75.08.0367	1	C	"
33	Core, tail, without fin...	...	75.08.0309	1	C	"
32	Fairing, fin	...	75.08.0361	1	C	"
34	Fin	...	75.08.0364	1	C	"
30	Shell Assembly, aft	...	75.08.2016	1	A	"
—	Shell Assembly, centre, port	Not provisioned as a separate item	75.08.2014	1	A	"
—	Shell Assembly, centre, starboard	Not provisioned as a separate item	75.08.2015	1	A	"
	Spares:—					
45	Branches, vent pipe, complete	...	75.06.2305	1	C	"
—	Cap, filler	Ref. No. 13	—	1	—	—
43	Duct, float switch, high level	...	75.08.2304	1	C	each
44	Duct, float switch, high level	...	75.08.2302	1	C	"
42	Duct, float switch, low level	...	75.08.2307	1	C	"
—	Lug, adapter	Ref. No. 11	—	1	—	—
—	Plug, drain	Ref. No. 14	—	1	—	—
—	Protector, float switch	Ref. No. 21	—	1	—	—
37	Spigot	...	75.08.0325	1	C	each
—	Washer, drain plug	Ref. No. 28	—	1	—	—
—	Washer, lug adapter	Ref. No. 25	—	1	—	—
—	Washer, sealing...	Ref. No. 27	—	1	—	—
—	Washer, spigot, sealing	Ref. No. 26	—	1	—	—

RESTRICTED

RESTRICTED

BRISTOL PLASTIC DROP TANKS AND SPARES
SECTION 27BB—cont.

Ref. No.	NOMENCLATURE	DETAIL	Drawing No. or Part No.	No. Off	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
	TANKS—cont.	<i>NAVAL AVIATION ONLY</i>				
	200-gallon—cont.					
	Shell Assembly—cont.					
29	Shell Assembly Nose:—		75.08.0016	1	A	each
	Spares:—	For Ref. No. 29				
	Cap, filler	Ref. No. 22	—	1	—	—
	Washer, filler cap	Ref. No. 24	—	1	—	—

RESTRICTED

RESTRICTED

RESTRICTED

Issued with A/L 144 to A.P. 1086, Book 11, Second Edition

PERIODICAL INSPECTION OF EQUIPMENT

STORAGE CATEGORIES

For details of different storage categories, see A.P.1086, Book 1, Second Edition, Memorandum of Instructions, Part 3.

SECTION 27BB—cont.

Unless specifically shown below, all items in this sub-section have an indefinite shelf life under normal storage conditions and are therefore in category 4.

Generic Heading	Category	Periodicity of Inspection in *Temperate Climates	
		Packaged	Unpackaged

* For method of calculating periodicity of inspection in tropical climates, see A.P.1086, Book 1, Second Edition, Memorandum of Instructions, Part 3.

RESTRICTED

Issued with A/L 207.

**AIR PUBLICATION 1086
BOOK II
SECOND EDITION**

**SECTION 27C
AIRCRAFT LIFERAFTS, PACKS AND SPARES**

**Items under Section 27C
are covered by
VOTE 7 A.2 (a)**

RESTRICTED

VOCABULARY OF ROYAL AIR FORCE EQUIPMENT
AIRCRAFT LIFERAFTS, PACKS AND SPARES
SECTION 27C
(27th January, 1965)

PREFACE

LIFE LIMITATION :—The life limitation of the following equipment is published for the guidance of all concerned :—

Apparatus, de-salting, all sizes. Effective life is 5 years from date of manufacture stamped on the container.

Accelerator A.1. (Ref. No. 2306). Effective life is one year from date of issue to an overseas theatre.

ARRANGEMENT OF SECTION :—The equipment is arranged in the following order :—

LIFERAFTS AND LIFERAFT REPAIR SPARES (INCLUDING COTS, SURVIVAL).

LIFERAFT ASSOCIATED EQUIPMENT (INCLUDING LIFERAFT STOWAGES).

PACKS, SURVIVAL (INCLUDING REPAIR SPARES FOR PACKS).

REPAIR MATERIALS.

SERVICING EQUIPMENT.

SURVIVAL AIDS FOR LIFERAFTS AND SURVIVAL PACKS (INCLUDING SURVIVAL AID CONTAINERS).

**AIRCRAFT LIFERAFTS, PACKS AND SPARES
SECTION 27C**

Ref. No.	Nomenclature	Detail	Drawing No. or Part No.	Class of Store	Denom. of Qty.
1	2	3	4	5	6
2407	COT, survival	Carried in Transport aircraft when passengers include infants.	A.1782	B	each
1927	LIFERAFT, Type K, Mark 2	Single seater. Stowed in personal survival pack where sitting height is limited.	D.I.S.68	A	„
	Spares :—				
2377	Button, attachment	For mtg. rescue beacon	RFD/A.3372	C	„
2273	Patch, aft guy line	CQD/1081/15	C	„
2280	Patch, apron strap	C/w "D" ring	CQD/1081/37	C	„
2196	Patch, CO2 cylinder	CARD 219	C	„
1990	Patch, handling	With press studs	CQD/1081/38	C	„
2209	Patch, handling	Without press studs	CQD/1081/38	C	„
1993	Patch, inflator	CQD/1081/9	C	„
2274	Patch, lanyard	CQD/1081/20	C	„
2472	Patch, reinforcement	Mod. S.R.145	RFD/A.3868	C	„
2375	Patch, "SARAH"	RFD/A.2773	C	„
2300	Pocket, water	CQD/1081/36	C	„
2052	Valve, inflation	K.3014	C	„
	Spares :—	For Ref. No. 2052.			
2012	Washer, rubber	CQD/1081/8	C	„
1933	Valve, topping-up	CQD/1081/10	C	„
	Spares :—	For Ref. No. 1933.			
2301	Plug	CQD/1081/10	C	„
2164	LIFERAFT, Type M, Mark 2A	Used with Helicopter Rescue Pack, Ref. No. 2476, 3 seater	D.15 Card 9	A	each
	Spares :—				
2125	Knife, floating, sheath, small	Card 73—2	C	„
2192	Patch, CO2 cylinder	Card 252	C	„
2111	Patch, "D" ring	CQD/1148	C	„
2250	Patch, handling	Card 42	C	„
1995	Patch, hauling-in line	CQD/1145/6	C	„

RESTRICTED

RESTRICTED

1

AIRCRAFT LIFERAFTS, PACKS AND SPARES
SECTION 27C—cont.

1	2	3	4	5	6	
	LIFERAFT, Type M. Mark 2A—cont.	For Ref. No. 2476.				
	Spares—cont.					
1999	Patch, leak stopper	CQD/1145/8	C	each	
1996	Patch, life line	Card 53	C	"	
2168	Patch, painter and life line	Card 196	C	"	
2131	Plug, deflation	K.3971	C	"	
	Spares :—	For Ref. No. 2131				
2297	Cap, screwed	K.3895	C	"	
2298	Washer, rubber	K.3964	C	"	
2000	Pocket, bellows	CQD/1145/7	C	"	
2171	Pocket, water	Card 225	C	"	
2042	Quoit	Card 12	C	"	
2282	Valve, inflation	K.5380	C	"	
	Spares :—	For Ref. No. 2282.				
1940	Disc, rubber check	K.807	C	"	
2202	Inlet, swivel	K.3501	C	"	
2200	Socket, nipple	K.3504	C	"	
1939	Spring check	K.806	C	"	
1941	Washer	K.808	C	"	
2203	Washer	K.3502	C	"	
2210	Washer	K.3505	C	"	
1961	Valve, safety, topping up	K.2758	C	"	
	Spares :—	For Ref. No. 1961 .				
2087	CAP, dust	K.3985	C	"	
1957	Glands, rubber	K.2744	C	"	
1917	Valve-rubbers	K.2747	C	"	
2324	LIFERAFT, Type MS.5, Mark 1	n	Normal seating 5. S/s by Ref. No. 2376 (Mod. SR.160) ...	MRI/RFD/208	A	"
	Spares :—					
2617	Cover, protection, S.T.U. valve	RFD/A/6433	C	"	
—	Knife, floating, sheath, small	Ref. No. 2125				
2451	Label, instructions	RDF/A/4892	C	each	
—	Lines, rescue	Make from Ref. No. 2208				
2195	Patch, CO2 cylinder	Card 165	C	each	
2433	Patch, drogue anchorage	RFD/A/2962	C	"	

RESTRICTED

RESTRICTED

AIRCRAFT LIFERAFTS, PACKS AND SPARES
SECTION 27C—cont.

1	2	3	4	5	6
	LIFERAFT, Type MS.5, Mark 1—cont.	Ref. No. 2324.			
	Spares—cont.				
2452	Patch, eyelet	RFD/A/2960	C	each
2453	Patch, floor, handling	RFD/DY/1575	C	"
2435	Patch, floor spacing	RFD/A/2380	C	"
—	Patch, leak stopper	Ref. No. 1999	—	—	—
2454	Patch, loop, elastic	RFD/A/2935	C	each
2439	Patch, spacing	RFD/A/3657	C	"
2440	Patch, toggle	RFD/A/2877	C	"
2441	Pockets, battery	RFD/A/4194	C	"
—	Pocket, water	Ref. No. 2171	—	—	—
—	Plug, deflation	Ref. No. 2131	—	—	—
—	Spares :—	For Ref. No. 2131.	—	—	—
—	Cap, screwed	Ref. No. 2297.	—	—	—
—	Washer, rubber	Ref. No. 2298	—	—	—
2604	Plug, rubber, for S.T.U. valve	RFD/5720/63	C	each
2443	Quoit	RFD/5720/12	C	"
—	Valve, inflation	Ref. No. 2282	—	—	—
—	Spares :—	For Ref. No. 2282.	—	—	—
—	Disc, rubber, check	Ref. No. 1940	—	—	—
—	Inlet, swivel	Ref. No. 2202	—	—	—
—	Socket, nipple	Ref. No. 2200	—	—	—
—	Spring, check	Ref. No. 1939	—	—	—
—	Washer	Ref. No. 1941	—	—	—
—	Washer	Ref. No. 2203	—	—	—
—	Washer	Ref. No. 2210	—	—	—
2446	Valve, mouth inflation	K.9783	C	each
—	Valve, safety topping-up	Ref. No. 1961	—	—	—
—	Spares :—	For Ref. No. 1961.	—	—	—
—	Cap, dust	Ref. No. 2087	—	—	—
—	Gland, rubber	Ref. No. 1957	—	—	—
—	Valve-rubbers	Ref. No. 1917	—	—	—
2448	Valve, spear, Mark 3	Not for R.A.F. replacement	RFD/DE/1823	C	each

RESTRICTED

RESTRICTED

AIRCRAFT LIFERAFTS, PACKS AND SPARES

SECTION 27C—cont.

1	2	3	4	5	6
2376	LIFERAFT, Type MS.5, Mark 2	S/s by Ref. No. 2425 (Mod. SR.184) ...	MRI/RFD/208	A	each
	Spares				
	Cover, protection, S.T.V. valve	Ref. No. 2617	—	—	—
	Knife, floating, sheath, small	Ref. No. 2125	—	—	—
2449	Label, instruction sheet 1	...	RFD/A/4796	C	each
2450	Label instruction, sheet 2	...	RFD/A/4797	C	„
	Line, rescue	Make from Ref. No. 2208	—	—	—
	Patch, CO2 cylinder	Ref. No. 2195	—	—	—
	Patch, drogue anchorage	Ref. No. 2433	—	—	—
	Patch, eyelet	Ref. No. 2452	—	—	—
	Patch, floor, handling	Ref. No. 2453	—	—	—
	Patch, floor, spacing	Ref. No. 2435	—	—	—
	Patch, leak stopper	Ref. No. 1999	—	—	—
2437	Patch, loop elastic	...	RFD/A/4190	C	each
	Patch, spacing	Ref. No. 2439	—	—	—
	Patch, toggle	Ref. No. 2440	—	—	—
	Pocket, battery	Ref. No. 2441	—	—	—
	Pocket, water	Ref. No. 2171	—	—	—
	Plug, deflation	Ref. No. 2131	—	—	—
	Spares :—	For Ref. No. 2131.	—	—	—
	Cap, screwed	Ref. No. 2297	—	—	—
	Washer, rubber	Ref. No. 2298	—	—	—
	Plug, rubber, for S.T.U. valve	Ref. No. 2604	—	—	—
	Quoit	Ref. No. 2443	—	—	—
	Valve, inflation	Ref. No. 2282	—	—	—
	Spares :—	For Ref. No. 2282.	—	—	—
	Disc, rubber, check	Ref. No. 1940	—	—	—
	Inlet, swivel	Ref. No. 2202	—	—	—
	Socket, nipple	Ref. No. 2200	—	—	—
	Spring, check	Ref. No. 1939	—	—	—
	Washer	Ref. No. 1941	—	—	—
	Washer	Ref. No. 2203	—	—	—
	Washer	Ref. No. 2210	—	—	—
	Valve, mouth inflation	Ref. No. 2446	—	—	—
	Valve, safety, topping-up	Ref. No. 1961	—	—	—

RESTRICTED

RESTRICTED

AIRCRAFT LIFERAFTS, PACKS AND SPARES
SECTION 270—cont.

1	2	3	4	5	6
	LIFERAFT, Type MS.5, Mark 2—cont.	n			
	Spares—cont.	Ref. No. 2376. S/s by Ref. No. 2425			
	Spares:—	for Ref. No. 1961	—	—	—
—	Cap, dust	Ref. No. 2087	—	—	—
—	Gland, rubber	Ref. No. 1957	—	—	—
—	Valve, rubber...	Ref. No. 1917	—	—	—
—	Valve, spear, Mark 3	Ref. No. 2448	—	—	—
2425	LIFERAFT, Type MS.5, Mark 3	Normal seating 5	MRI/RFD/335	A	each
	Spares:—				
—	Cover, protection, S.T.V. valve	Ref. No. 2617	—	—	—
2583	Doubler, "Deflation only"	Naval aviation only	RFD/A/5821	C	each
2584	Doubler, "Inflate here"	Naval aviation only	RFD/A/5839	C	"
—	Knife, floating, sheath, small	Ref. No. 2125	—	—	—
2582	Label, identification	Naval aviation only	RFD/A/5838	C	each
2579	Label, instruction sheet 1		RFD/A/5938	C	"
2580	Label, instruction sheet 2		RFD/A/5939	C	"
2581	Label, sea-light battery		RFD/A/5784	C	"
2586	Life-line		RFD/A/5914	C	"
2585	Lines, hauling-in		RFD/A/5925	C	"
—	Line, rescue	Make from Ref. No. 2208	—	—	—
2576	Patch		RFD/A/5949	C	each
2570	Patch, drogue anchorage		RFD/A/5793	C	"
2606	Patch, eyelet		RFD/A/5915	C	"
2575	Patch, inflation tube cover		RFD/A/5782	C	"
2577	Patch, instruction "Right here"		RFD/A/5795	C	"
2578	Patch, instruction "Right opposite side"		RFD/A/5916	C	"
2571	Patch, leak stopper		RFD/A/5929	C	"
2572	Patch, loop, 4 in.		RFD/A/5926	C	"
2574	Patch, loop, 3 in.		RFD/A/5790	C	"
2573	Patch, loop, elastic		RFD/A/5767	C	"
2567	Patch, beacon, mounting		RFD/A/5760	C	"
2566	Patch, spacing floor		RFD/A/5837	C	"
2568	Patch, toggle		RFD/A/5780	C	"
—	Plug, deflation	Ref. No. 2131	—	—	—

RESTRICTED

RESTRICTED

5

AIRCRAFT LIFERAFTS, PACKS AND SPARES
SECTION 27C—cont.

1	2	3	4	5	6
	LIFERAFT, Type MS.5, Mark 3—cont.	Ref. No. 2425			
	Spares—cont.	For Ref. No. 2131.			
—	Cap, screwed	Ref. No. 2297	—	—	—
—	Washer, rubber	Ref. No. 2298	—	—	—
—	Plug, rubber, for S.T.U. valve	Ref. No. 2604	—	—	—
2523	Pocket, battery	RFD/A/5810	C	each
—	Pocket, water	Ref. No. 2171	—	—	—
—	Quoit	Ref. No. 2443	—	—	—
—	Valve, inflation	Ref. No. 2282	—	—	—
	Spares :—	For Ref. No. 2282			
—	Disc, rubber, check	Ref. No. 1940	—	—	—
—	Inlet, swivel	Ref. No. 2202	—	—	—
—	Socket, nipple	Ref. No. 2200	—	—	—
—	Spring, check	Ref. No. 1939	—	—	—
—	Washer	Ref. No. 1941	—	—	—
—	Washer	Ref. No. 2203	—	—	—
—	Washer	Ref. No. 2210	—	—	—
—	Valve, mouth inflation	Ref. No. 2446	—	—	—
—	Valve, safety, topping-up	Ref. No. 1961	—	—	—
	Spares :—	For Ref. No. 1961			
—	Cap, dust	Ref. No. 2087	—	—	—
—	Gland, rubber	Ref. No. 1957	—	—	—
—	Valve, rubber... ..	Ref. No. 1917	—	—	—
2647	Valve, spear, Mark 5	Introduced by Mod. S.R.383	RFD/A/8246	C	each
2636	LIFERAFT, Type MS.7, Mark 1	Normal seating 7. Introduced initially for Beagle aircraft	RFD/MKI/393	A	„
	Spares :—				
2663	Bung, $\frac{5}{16}$ in.	RFD/A/3533	C	„
—	Cover, protection, S.T.U. valve	Ref. No. 2617	—	—	—
—	Knife, floating, sheath, small	Ref. No. 2125	—	—	—
2658	Ladder	RFD/A/8630	C	each
2659	Ladder	RFD/A/8381	C	„
2662	Line, drogue retrieving	RFD/A/7731	C	„
2491	Patch, loop, 2 in.	RFD/A/5783	C	„
—	Patch, loop, 3 in.	Ref. No. 2574	—	—	—

RESTRICTED

RESTRICTED

AIRCRAFT LIFERAFTS, PACKS AND SPARES
SECTION 27C—cont.

1	2	3	4	5	6
	LIFERAFT, Type MS.7, Mark 1—cont.	Ref. No. 2636.			
	Spares—cont.				
—	Patch, loop, 4 in.	Ref. No. 2572	—	—	—
—	Patch, loop, elastic	Ref. No. 2573	—	—	—
2660	Patch, painter	RFD/A/8477	C	each
2661	Patch, tie tape	RFD/A/5946	C	”
—	Patch, toggle	Ref. No. 2568	—	—	—
—	Plug, deflation	Ref. No. 2131	—	—	—
	Spares :—	Ref. No. 2131			
—	Cap, screwed	Ref. No. 2297	—	—	—
—	Washer, rubber	Ref. No. 2298	—	—	—
2666	Plug, rubber	RFD/DE/1824	C	each
2656	Pocket, cylinder	RFD/A/8631	C	”
2615	Pocket, water	RFD/A/5850	C	”
—	Quoit	Ref. No. 2443	—	—	—
2657	Strap, righting	RFD/A/8629	C	each
2664	Tee-piece, inflation	RFD/A/4956Y	C	”
2665	Valve, inflation	K.13510	C	”
	Spares :—	For Ref. No. 2665.			
—	Disc, rubber, check	Ref. No. 1940	—	—	—
1937	Nipple, union	K.925	C	each
1936	Nuts, union	K.924	C	”
—	Socket, nipple	Ref. No. 2200	—	—	—
—	Spring, check	Ref. No. 1939	—	—	—
—	Washer	Ref. No. 1941	—	—	—
—	Washer	Ref. No. 2203	—	—	—
—	Washer	Ref. No. 2210	—	—	—
—	Valve, mouth inflation	Ref. No. 2446	—	—	—
—	Valve, safety, topping-up	Ref. No. 1961	—	—	—
	Spares :—	For Ref. No. 1961.			
—	Cap, dust	Ref. No. 2087	—	—	—
—	Gland, rubber	Ref. No. 1957	—	—	—
—	Screw, retaining	Ref. No. 1960	—	—	—
—	Valve, rubber	Ref. No. 1917	—	—	—
—	Valve, spear, Mark 5	Ref. No. 2647	—	—	—

RESTRICTED

RESTRICTED

AIRCRAFT LIFERAFTS, PACKS AND SPARES

SECTION 27C—cont.

1	2	3	4	5	6
2320	LIFERAFT, Type MS.9, Mark 1	S/s by Ref. No. 2426 (Mod. SR.184). Normal seating 9	RFD/MRI/211	A	each
	Spares :—				
—	Cover, protection, S.T.U. valve	Ref. No. 2617	—	—	—
—	Knife, floating, sheath, small	Ref. No. 2125	—	—	—
2430	Label, instruction sheet 1	—	RFD/A/3854	C	each
2431	Label, instruction sheet 2	—	RFD/A/3849	C	—
—	Lines, rescue	Make from Ref. No. 2208	—	—	—
2488	Nets, roof	—	RFD/A/4023	C	each
2432	Patch, anchorage	—	RFD/A/4214	C	—
—	Patch, anchorage, drogue	Ref. No. 2433	—	—	—
2434	Patch "D" ring	—	RFD/A/4192	C	each
—	Patch, floor spacing	Ref. No. 2435	—	—	—
2436	Patch, fort line	—	CQD/1194/16	C	each
—	Patch, loop, elastic	Ref. No. 2437	—	—	—
2438	Patch, press-stud	—	RFD/A/4021	C	each
—	Patch, spacing	Ref. No. 3439	—	—	—
—	Patch, toggle	Ref. No. 2440	—	—	—
—	Plug, deflation	Ref. No. 2131	—	—	—
—	Spares :—	For Ref. No. 2131.	—	—	—
—	Cap, screwed	Ref. No. 2297	—	—	—
—	Washer, rubber	Ref. No. 2298	—	—	—
—	Pocket, battery	Ref. No. 2441	—	—	—
2442	Pocket, C.O.2 cylinder	—	RFD/A/3409	C	each
—	Pocket, water	Ref. No. 2171	—	—	—
—	Quoit	Ref. No. 2443	—	—	—
2444	Strap, righting	—	RFD/A/3872	C	each
2445	Tee piece inflation,	—	RFD/A/3036	C	—
—	Valve, inflation	Ref. No. 2282	—	—	—
—	Spares :—	For Ref. No. 2282.	—	—	—
—	Disc, rubber, check	Ref. No. 1940	—	—	—
—	Socket, nipple	Ref. No. 2200	—	—	—
—	Spring, check	Ref. No. 1939	—	—	—
—	Washer	Ref. No. 1941	—	—	—

RESTRICTED

RESTRICTED

AIRCRAFT LIFERAFTS, PACKS AND SPARES

SECTION 270—cont.

1	2	3	4	5	6
	LIFERAFT, Type MS.9, Mark 1—cont.				
	Spares—cont.				
—	Washer	Ref. No. 2203	—	—	—
—	Washer	Ref. No. 2210	—	—	—
—	Valve, inflation, mouth	Ref. No. 2446	—	—	—
—	Valve, safety, topping-up	Ref. No. 1961	—	—	—
	Spares :—	For Ref. No. 1961.			
—	Cap, dust	Ref. No. 2087	—	—	—
—	Gland, rubber	Ref. No. 1957	—	—	—
—	Valve, rubber... ..	Ref. No. 1917	—	—	—
—	Valve, spear, Mark 3	Ref. No. 2448	—	—	—
2426	LIFERAFT, Type MS.9, Mark 2	Normal seating 9	MRI/RFD/334	A	each
	Spares :—				
—	Cover, protection, S.T.U. valve	Ref. No. 2617	—	—	—
—	Knife, floating, sheath, small	Ref. No. 2125	—	—	—
2607	Label, instruction sheet 1	RFD/A/5792	C	each
2608	Label, instruction sheet 2	RFD/A/5786	C	"
—	Lines, rescue	Make from Ref. No. 2208	—	—	—
—	Net, roof	Ref. No. 2488	—	—	—
2609	Patch, anchorage	RFD/A/5847	C	each
—	Patch, anchorage, drogue	Ref. No. 2570	—	—	—
2610	Patch, "D" ring	RFD/A/5809	C	each
2611	Patch, eyelet	RFD/A/5848	C	each
—	Patch, loop, elastic	Ref. No. 2573	—	—	—
2612	Patch, press-stud	RFD/A/5820	C	each
2496	Patch, spacing	RFD/A/5779	C	"
—	Patch, spacing, floor	Ref. No. 2566	—	—	—
—	Patch, toggle	Ref. No. 2568	—	—	—
—	Plug, deflation	Ref. No. 2131	—	—	—
	Spares :—	For Ref. No. 2131			
—	Cap, screwed	Ref. No. 2297	—	—	—
—	Washer, rubber	Ref. No. 2298	—	—	—

RESTRICTED

RESTRICTED

AIRCRAFT LIFERAFTS, PACKS AND SPARES
SECTION 27C—cont.

1	2	3	4	5	6
	LIFERAFT, Type MS.9, Mark 2—cont.	Ref. No. 2426			
	Spares—Cont.				
—	Pocket, battery	Ref. No. 2523	—	—	—
2614	Pocket, C.O.2 cylinder	RFD/A/5796	C	each
—	Pocket, water	Ref. No. 2615	—	—	—
—	Quoit	Ref. No. 2443	—	—	—
2613	Straps, righting	RFD/A/5802	C	each
—	Tee piece, inflation	Ref. No. 2445	—	—	—
—	Valve, inflation	Ref. No. 2282	—	—	—
—	Spares :—	For Ref. No. 2282.	—	—	—
—	Disc, rubber, check	Ref. No. 1940	—	—	—
—	Socket, nipple	Ref. No. 2200	—	—	—
—	Spring, check	Ref. No. 1939	—	—	—
—	Washer	Ref. No. 1941	—	—	—
—	Washer	Ref. No. 2203	—	—	—
—	Washer	Ref. No. 2210	—	—	—
—	Valve, inflation, mouth	Ref. No. 2246	—	—	—
—	Valve, safety, topping-up	Ref. No. 1961	—	—	—
—	Spares :—	For Ref. No. 1961.	—	—	—
—	Cap, dust	Ref. No. 2087	—	—	—
—	Gland rubber	Ref. No. 1957	—	—	—
—	Valve-rubbers	Ref. No. 1917	—	—	—
—	Valve, spear, Mark 5	Ref. No. 2647	—	—	—
2635	LIFERAFT, Type MS.9, Mark 3	Mk. 2 Liferaft with Air Aspiration and Boarding Ramp. Introduced initially for Andover aircraft.	MRI/RFD/392	A	each
—	Spares :—				
—	Cover, protection, S.T.U. valve	Ref. No. 2617	—	—	—
—	Knife, floating, sheath, small	Ref. No. 2125	—	—	—
2650	Label, instruction sheet 1	RFD/A/8226	C	each
2651	Label, instruction sheet 2	RFD/A/8227	C	„
—	Line, rescue	Make from Ref. No. 2208	—	—	—
—	Net, roof	Ref. No. 2488	—	—	—
2524	Patch, handling	C/w webbing, 12½ in.	RFD/A/6464/1	C	each

RESTRICTED

10

RESTRICTED

AIRCRAFT LIFERAFTS, PACKS AND SPARES

SECTION 27C—cont.

1	2	3	4	5	6
	LIFERAFT, Type MS.9, Mark 3—cont.	Ref. No. 2635			
	Spares—cont.				
2525	Patch, handling	C/w webbing, 18½ in.	RFD/A/6464/2	C	each
2672	Patch, handling	RFD/A/8379	C	„
—	Patch, toggle	Ref. No. 2568	—	—	—
—	Plug, deflation	Ref. No. 2131	—	—	—
	Spares :—	For Ref. No. 2131.			
—	Cap, screwed	Ref. No. 2297	—	—	—
—	Washer, rubber	Ref. No. 2298	—	—	—
—	Pocket, battery	Ref. No. 2523	—	—	—
2652	Pocket, cylinder	RFD/A/8377	C	each
—	Pocket, water	Ref. No. 2615	—	—	—
—	Quoit	Ref. No. 2443	—	—	—
2653	Strap, righting	RFD/A/8378	C	each
2654	Valve, inflation, Venturi type	RFD/A/8283	B	„
—	Valve, inflation, mouth	Ref. No. 2446	—	—	—
—	Valve, safety, topping-up	Ref. No. 1961	—	—	—
	Spares :—	For Ref. No. 1961.			
—	Cap, dust	Ref. No. 2087	—	—	—
—	Gland, rubber	Ref. No. 1957	—	—	—
—	Valve, rubber... ..	Ref. No. 1917	—	—	—
—	Valve, spear, Mark 5	Ref. No. 2647	—	—	—
	LIFERAFT, Type MS.26 :—				
2473	Mark 1	Normal seating 26. For built-in stowage	MRI/RFD/340	A	each
2634	Mark 2	Mk. 1 Liferaft with Air Aspiration and Boarding Ramp. Introduced initially for Andover aircraft.	MRI/RFD/390	A	„
	Spares :—	For Ref. Nos. 2473 and 2634.			
—	Cover, protection, S.T.U. valve	Ref. No. 2617	—	—	—
—	Knife, floating, sheath, small	Ref. No. 2125	—	—	—
2515	Label, instruction sheet 1	RFD/A/6486	C	each
2516	Label, instruction sheet 2	RFD/A/6487	C	„
2517	Line, hauling-in	RED/A/6506	C	„
—	Line, rescue	Make from Ref. No. 2208	—	—	—

RESTRICTED

RESTRICTED

11

AIRCRAFT LIFERAFTS, PACKS AND SPARES

SECTION 27C—cont.

1	2	3	4	5	6
	LIFERAFT. Type MS.26—cont.				
	Mark 1—cont.				
	Mark 2—cont.				
	Spares—cont.				
2518	Patch, elastic loop	RFD/A/6478	C	each
2519	Patch, handling	RFD/A/6446	C	..
—	Patch, handling	Ref. No. 2524	—	—	—
—	Patch, handling	Ref. No. 2525	—	—	—
2520	Patch, painter	RFD/A/6470	C	each
2526	Patch, tie tape...	RFD/A/6468/1	C	..
2527	Patch, tie tape...	RFD/A/6468/2	C	..
—	Plug, deflation	Ref. No. 2131	—	—	—
—	Spares :—	For Ref. No. 2131.	—	—	—
—	Cap, screwed	Ref. No. 2297	—	—	—
—	Washer, rubber	Ref. No. 2298	—	—	—
—	Pocket, battery	Ref. No. 2523	—	—	—
2616	Pocket, C.O.2 cylinder	RFD/A/7461	C	each
2655	Pocket, cylinder	For centre strut, Mk. 2 only	RFD/A/8447	C	..
—	Pocket, water	Ref. No. 2615	—	—	—
—	Quoit	Ref. No. 2443	—	—	—
2522	Strap, righting	RFD/A/6507	C	each
—	Valve, inflation	Ref. No. 2665. Mk. 1 only	—	—	—
—	Spares :—	For Ref. No. 2665.	—	—	—
—	Disc, rubber, check	Ref. No. 1940	—	—	—
—	Nipple, union	Ref. No. 1937	—	—	—
—	Nut, union	Ref. No. 1936	—	—	—
—	Socket, nipple	Ref. No. 2200	—	—	—
—	Spring, check	Ref. No. 1939	—	—	—
—	Washer	Ref. No. 1941	—	—	—
—	Washer	Ref. No. 2203	—	—	—
—	Washer	Ref. No. 2210	—	—	—
	N.B. :—Nipples, swivel, vary according to aircraft installations and are listed in Associated Equipment.				

RESTRICTED

RESTRICTED

AIRCRAFT LIFERAFTS, PACKS AND SPARES
SECTION 27C—cont.

1	2	3	4	5	6
	LIFERAFT, Type MS.26—cont.				
—	Mark 1—cont.	Ref. No. 2473.			
—	Mark 2—cont.	Ref. No. 2634.			
—	Spares—cont.	For Ref. Nos. 2473 and 2634.			
—	Valve, inflation, Venturi type	Ref. No. 2654. Mk. 2 only	—	—	—
—	Valve, safety, topping-up	Ref. No. 1961	—	—	—
—	Spares :—	For Ref. No. 1961.			
—	Cap, dust	Ref. No. 2087	—	—	—
—	Gland, rubber	Ref. No. 1957	—	—	—
—	Screw, retaining	Ref. No. 1960	—	—	—
—	Valve, rubber	Ref. No. 1917	—	—	—
—	Valve, spear, Mk. 5	Ref. No. 2647. For floor	—	—	—
2648	Valve, spear, Mk. 6	Mk. 1 only	RFD/A/8247	C	each
2243	LIFERAFT, Type S	For Naval Aviation only. Used with A.S.R. Apparatus Type "G".	Card 272	A	,
—	Spares :—				
—	Knife, floating, sheath, small	Ref. No. 2125	—	—	—
2018	Ladder, rope	Card 47	C	each
2266	Line, drogue	20 ft. long	—	C	,
2268	Line, hauling-in	Card 233	C	,
—	Patch, "D" ring	Ref. No. 2111	—	—	—
2246	Patch, drogue, anchorage	Card 32	C	,
—	Patch, handling	Ref. No. 2250	—	—	—
2251	Patch, hauling-in line	Card 54	C	each
2252	Patch, hauling-in line attachment	Card 55	C	,
—	Patch, inflator	Ref. No. 1993	—	—	—
2254	Patch, female press stud	Card 65-4	C	each
2253	Patch, male press stud	Card 65-5	C	,
—	Plug, deflation	Ref. No. 2131	—	—	—
—	Spares :—	For Ref. No. 2131.			
—	Cap, screwed	Ref. No. 2297	—	—	—
—	Washer, rubber	Ref. No. 2298	—	—	—
—	Pocket, water	Ref. No. 2171	—	—	—

RESTRICTED

RESTRICTED
13

AIRCRAFT LIFERAFTS, PACKS AND SPARES

SECTION 27C—cont.

1	2	3	4	5	6
	LIFERAFT Type S.S.—cont.				
	Spares—cont.				
2248	Pole, ridge	Card 286-3	C	each
2247	Pole, tent	Card 286-2	C	"
2303	Valve, inflation	Card 292	A	"
	Spares :—	For Ref. No. 2303.			
1938	Check	K.805	C	"
—	Disc, rubber	Ref. No. 1940	—	—	—
2305	Nipple, swivel	Card 291-4	C	each
2304	Nipple, swivel	Card 291-3	C	"
—	Socket, nipple	Ref. No. 2200	—	—	—
—	Spring, check	Ref. No. 1939	—	—	—
—	Washer	Ref. No. 1941	—	—	—
—	Washer	Ref. No. 2203	—	—	—
—	Washer	Ref. No. 2210	—	—	—
	LIFERAFT, Type S.S. :—				
2311	Mark 2	S/s by Ref. No. 2356. Single seater Liferaft for Personal Survival Packs.	MRI/RFD/152	A	each
2356	Mark 3	Type S.S. Mk. 2 with Mod. S.R.138 (lowered floor) embodied for Ref. Nos. 2311 and 2356.	MRI/RFD/241	A	"
	Spares :—				
2462	Adaptor, Type Q, valve inlet	K.10464	C	"
—	Button, attachment	Ref. No. 2377	—	—	—
2455	Patch, anchorage	RFD/DY/1566	C	each
—	Patch, beacon mounting	Ref. No. 2375	—	—	—
2456	Patch, C.O.2 cylinder	RFD/DY/ 1563/L.	C	each
—	Patch, floor handling	Ref. No. 2453	—	—	—
2458	Patch, handling	RFD/DY/1564	C	each
—	Patch, spacing	Ref. No. 2439	—	—	—
2459	Plug ,(topping-up valve)	RFD/DY/ 1574-6.	C	each
2460	Pocket, water	RFD/A/3415	C	"
2464	Visor	RFD/A/2775	C	"

RESTRICTED

RESTRICTED
14

AIRCRAFT LIFERAFTS, PACKS AND SPARES
SECTION 27C—cont.

1	2	2	4	5	6
2424	LIFERAFT, Type S.S., Mark 4 n	S/S by Ref. No. 2475. Single seater Liferaft for Personal Survival Packs.	MRI/RFD/336	A	each
	Spares :—				
—	Adaptors, Type “Q”, inlet valve	Ref. No. 2462	—	—	—
—	Button, attachment	Ref. No. 2377	—	—	—
2605	Label, instruction	RFD/A/7519	C	each
2564	Label, warning	RFD/A/6990	C	each
2503	Patch, anchorage	RFD/A/6042	C	“
2498	Patch, beacon mounting	RFD/A/6050	C	“
2489	Patch, handling	RFD/A/5919	C	“
—	Patch, loop	Ref. No. 2491	—	—	—
2493	Patch, press stud	RFD/A/6377	C	each
—	Patch, spacing	Ref. No. 2496	—	—	—
2497	Patch, spacing	RFD/A/6352	C	each
2500	Pocket, water	RFD/A/6044	C	“
2499	Visor	RFD/A/6351	C	“
	LIFERAFT, Type S.S. :—				
2475	Mark 5	Single seater Liferaft for Personal Survival Packs	MRI/RFD/342	A	each
2645	Mark 7	Initially for Type “S.A.” Pack in Vulcan aircraft.	—	A	“
	Spares :—	For Ref. Nos. 2475 and 2645.			
2622	Adaptor, inlet, type “Q”	WKA.30697	C	“
—	Button, attachment	Ref. No. 2377	—	—	—
2501	Label, canopy closure...	RFD/A/6574	C	each
—	Label, instruction	Ref. No. 2605	—	—	—
—	Label, warning	Ref. No. 2564	—	—	—
—	Patch, anchorage	Ref. No. 2503	—	—	—
—	Patch, beacon mounting	Ref. No. 2498	—	—	—
—	Patch, handling	Ref. No. 2489	—	—	—
2492	Patch, handling	RFD/A/6567	C	each
—	Patch, loop	Ref. No. 2491	—	—	—
—	Patch, press stud	Ref. No. 2493	—	—	—
—	Patch, spacing	Ref. No. 2496	—	—	—
—	Patch, spacing	Ref. No. 2497	—	—	—

RESTRICTED

RESTRICTED

AIRCRAFT LIFERAFTS, PACKS AND SPARES

SECTION 27C—cont.

1	2	3	4	5	6
	LIFERAFT, Type S.S.—cont.				
	Mark 5—cont.	Ref. No. 2475.			
	Mark 7—cont.	Ref. No. 2645.			
	Spares—cont.	For Ref. Nos. 2475 and 2645.			
—	Plug, deflation, assembly	Ref. No. 2131	—	—	—
	Spares :—	For Ref. No. 2131.			
—	Cap, screwed	Ref. No. 2297.	—	—	—
—	Washer, rubber	Ref. No. 2298	—	—	—
2494	Pocket, C.O.2 cylinder	RFD/A/6564	C	each
	Pocket, water	Ref. No. 2500		—	—
2495	Sleeve, assembly	RFD/A/8102	C	each
2504	Strip, closure, female	RFD/A/6571	C	"
2505	Strip, closure, male	RFD/A/6572	C	"
2502	Tube, inflation, 5 in.	Naval aviation only	RFD/A/2597	C	"
2490	Tube, inflation, 32 in.	Naval aviation only	RFD/A/2563	C	"
—	Valve, inflation, mouth	Naval aviation only. Ref. No. 2446	—	—	—
2560	Valve, relief	Naval aviation only	K.15729	C	each
	LIFERAFT, ASSOCIATED EQUIPMENT :—				
2371	Adaptor	For use with K Mk. 2 Liferaft (Mod. S.R.144)	K.12257	C	"
2378	Adaptor	For use with the McMurdo Sealight, under Mods. SR.167 and SR.174.	L.127/20	C	"
1902	Baler	S/S by Ref. No. 2339	Card 203	C	"
2339	Baler	For use with all types of Liferaft	MRI/RFD/213	C	"
2317	Bellows	For use with single seater Liferafths	MRI/RFD/202	C	"
1880	Bellows, breast	For use with multi seater Liferafths	CQD/2008	B	"
	Spares :—	For Ref. No. 1880.			
1944	Catch, nozzle	CQD/2008	C	"
2296	Hose, 54 in.	CQD/2008	C	"
1943	Nozzle	CQD/2008	C	"
2139	Pins, locking	CQD/2008	C	"
2408	Container, survival cot	For use with Ref. No. 2407	A.1789	B	"

RESTRICTED

RESTRICTED

AIRCRAFT LIFERAFTS, PACKS AND SPARES
SECTION 27C—cont.

1	2	3	4	5	6
	LIFERAFT ASSOCIATED EQUIPMENT—cont.				
2506	Container, Liferaft, Type A	For use with Belvedere aircraft only	MRI/RFD/337	B	each
	Spares :—				
2510	Cover, battery box	RFD/A/6848	C	"
2508	Plate, cover, Sea-light	RFD/A/6845	C	"
2507	Plate, lock, Sea-light	RFD/A/6844	C	"
2512	Seal, nose cap	RFD/A/6854/ Item 5.	C	"
2513	Seal, top shell	RFD/A/6850	C	"
2511	Shroud	RFD/A/5590	C	"
2509	Washer, Sea-light	RFD/A/7009	C	"
2625	Container, Liferaft, Type B	For use in Belfast aircraft	MRI/RFD/389	B	"
	Spares :—				
—	Cable, operating	Reference 6D/2916	—	—	—
2668	Cable, operating/painter line assy.	RFD/A/8235	C	each
2667	Handle assembly	RFD/P/8211	C	"
2669	Pocket, operating, cord	RFD/A/8230	C	"
2632	Container, Liferaft, Type C, Mk. 1	For "MS.26" Liferaft in Andover aircraft	MRI/RFD/395	B	"
	Spares :—				
2677	Cable, disconnect	WKA.30809	C	"
2670	Cable, operating	RFD/A/8725/B	C	"
2671	Handle assembly	RFD/A/8276	C	"
2633	Container, Liferaft, Type D, Mk. 1	For "MS.9" Liferaft in Andover aircraft	MRI/RFD/394	B	"
	Spares :—				
—	Cable, disconnect	Ref. No. 2677	—	—	—
2676	Cable, operating	RFD/A/8725/A	C	each
—	Handle assembly	Ref. No. 2671	—	—	—
2637	Container, Liferaft, Type E	For "MS.7" Liferaft in Beagle aircraft	MRI/RFD/396	B	each
	Spares :—				
2673	Handle assembly	RFD/A/8618	C	"
2674	Pocket, cord operating	RFD/A/8621	C	"
2326	Drogue	For use with Type "M.S." Liferrafts	MRI/RFD/200	C	"
2419	Drogue	For use with single seater Liferrafts	MRI/RFD/330	C	"
2244	Drogue	For use with Type "S" Liferrafts	MRI/RFD/200	C	"

RESTRICTED

RESTRICTED

AIRCRAFT LIFERAFTS, PACKS AND SPARES
SECTION 27C—cont.

1	2	3	4	5	6
	LIFERAFT ASSOCIATED EQUIPMENT—cont.				
	Container, Liferaft, Type E—cont.				
	<i>Spares—cont</i>				
2565	Harness, Liferaft restraint	Naval aviation only. Used with Valise stowed "MS.5" Liferaft. (Valise Ref. No. 2588)	PERTH/AK/ 368/1	C	each
2420	Hose, inflation, H.P.	For use with valise stowed Liferrafts and Types "M", Mk. 2, "J, (L) 4," "S" and MS.5" Liferrafts.	K.10813	C	"
2347	Hose, inflation, H.P. 31 in.	For use with Types "MS.9" and "MS.26" Liferrafts	K.10902	C	"
2478	Hose, inflation, H.P. 37 in.	For use with Type "MS.26" Liferrafts	WKA.27269	C	"
2336	Hose, inflation, H.P.	For use with Type "MS.20" Liferrafts	K.12078	C	"
2083	Inflators, Mark 2	S/S by Ref. No. 2317. Used with Type "K", Mk. 2 Liferaft	CQD/1192	C	"
—	Nipples, swivel :—	Used with multi-seater Liferrafts as specified in AP.1182C, Vol. 1.			
2204	0-046 in.	K.3562/046	C	"
2538	0-052 in.	K.3562/052	C	"
2480	0-11 in.	K.3562/110	C	"
2477	0-161 in.	K.3562/161	C	"
2405	Outfit, temporary repair	Stowed with multi-seater Liferrafts	MRI/RFD/249	C	"
2415	Pad, protection	For use with Type MS.9 Liferaft when used with Lindholme Type "A", Mk. 3 Rescue apparatus and in Belvedere Liferaft installations.	RFD/DE/1873	C	"
2639	Pad, protection	Used in Andover Liferaft installations	RFD/A/8024	C	"
	Paddles :—				
1894	Glove	For use with multi-seater Liferrafts where space limitation precludes stowage of Ref. No. 2240.	CQD/1159	C	"
1906	Hand, small	For use with Type K, Mk. 2 and S.S. Mk. 5 Liferrafts	CQD/1096	C	"
2240	Telescope, tubular	For use with multi-seater Liferrafts	MRI/SME/75	C	"
2170	Painter, 13 ft.	DTD/767	C	"
	Panels, operative :—				
2352	Type A	Used in Beverley, Twin Pioneer and Argosy stowages	K.10976	A	"
	Spares :—				
2387	Pillar, R.H.	K.11383	C	"
2388	Pillar, L.H.	K.11384	C	"
2389	Spring	K.11441	C	"

RESTRICTED

RESTRICTED

AIRCRAFT LIFERAFTS, PACKS AND SPARES
SECTION 27C—cont.

1	2	3	4	5	6
	LIFERAFT ASSOCIATED EQUIPMENT—cont.				
	Panels, operative—cont.				
2561	Type D	For use in Victor (Post Mod. 2576B) stowages	WKA/27606	A	each
	Pans, Liferaft :—				
2351	Type A	For use in Beverley aircraft only	K.11440A	A	"
	Spares :—				
2465	Flap, c/w pocket	WKA/29296/A	C	"
2466	Flap, plain	WKA/29858	C	"
2402	Nipple, assembly	K.12091	C	"
2474	Strap, release, assembly	K.12662	C	"
2414	Type C	For use in Twin Pioneer only	K.16537	A	"
	Spares :—				
2626	Strap, release assembly	K.26182	C	"
2540	Type D, starboard	For use in Argosy only	MRI/WK/582	A	"
	Spares :—				
2630	Strap, release assembly	WKA/30290	C	"
2541	Type D, port	For use in Argosy only	MRI/WK/583	A	"
	Spares :—				
	Strap, release, assembly	Ref. No. 2630	—	—	—
2404	Plug, blanking	For blanking off CO2 inlet on Type S.S. Liferrafts	A.4032	C	each
2641	Pocket, leak stopper, dark earth	To contain leak stoppers	RFD/A/5998	C	"
2542	Pocket, leak stopper, yellow	To contain leak stoppers	SME.35696	C	"
2399	Poles, telescopic, 4 ft.	Naval aviation only	—	B	"
2044	Sleeve, fabric	Used with "K" Mk. 2 Liferaft	CQD/1158	C	"
2403	Spanner	For removing CO2 bottle from Liferaft	A.4031	C	"
	Sponges :—				
2370	Large	For use in multi-seater Liferrafts	RFD/A/3609	C	"
2479	Small	For use in single-seater Liferrafts	RFD/A/4999	C	"
2176	Stoppers, leak	Set of six. For multi-seater Liferrafts	Card 240	C	set
	Comprising :—				
	Stoppers, rubber :—				
2181	No. 2	—	C	each
2180	No. 3	—	C	"
2179	No. 4	—	C	"

RESTRICTED

RESTRICTED

AIRCRAFT LIFERAFTS, PACKS AND SPARES
SECTION 27C—cont.

1	2	3	4	5	6
	LIFERAFT ASSOCIATED EQUIPMENT—cont.				
	Stoppers, leak—cont.				
	Comprising—cont.				
	Stoppers rubber—cont.				
2178	No. 5	—	C	each
2177	No. 6	—	C	”
1908	Stopper, wood, small	—	C	”
2182	Stoppers, leak	Set of three. For single-seater Liferaft	Card 240	C	set
	Comprising :—				
	Stoppers, rubber :—				
—	No. 2	Ref. No. 2181	—	C	each
—	No. 3	Ref. No. 2180	—	C	”
—	Stopper, wood, small	Ref. No. 1908	—	C	”
2355	Stopper, leak, clamp type	For multi-seater Liferrafts	MRI/RFD/225	C	”
	Valises :—				
	Type :—				
2333	MS.5	For Type MS.5 Liferrafts	MRI/RFD/209	B	”
2588	MS.5	For Type MS.5 Liferrafts	MRI/RFD/350	B	”
2322	MS.9	For Type MS.9 Liferrafts	MRI/RFD/212	B	”
	PACKS, SURVIVAL (INCLUDING REPAIR SPARES FOR PACKS) :—				
	PACKS, aircraft survival :—				
2379	Type A	RFD/A/2924	B	”
2380	Type B, Part A	For Hunter aircraft only	MRI/RFD/300	B	”
2381	Type B, Part B	For Hunter aircraft only	MRI/RFD/301	B	”
2476	PACK, Liferaft, helicopter rescue	For dropping to survivors	Admiralty AK.294	B	”
2486	PACK, Liferaft, waistcoat type	For helicopter crews	RFD/A/6612	B	”
	Spares :—				
2406	Connectors, quick release, male	MBEU/453 DP	B	”
2591	Lugs, waistbelt	AML/11120	C	”
2563	Release fitting	AML/11011	C	”

RESTRICTED

RESTRICTED

AIRCRAFT LIFERAFTS, PACKS AND SPARES
SECTION 27C—cont.

1	2	3	4	5	6
	PACKS, SURVIVAL, (INCLUDING REPAIR SPARES FOR PACKS)—cont.				
	PACKS, Personal survival :—				
2245	Type A, Mark 3*	For certain static seats	CQD/2051	B	each
	Spares :—				
2104	Buckle, 1 $\frac{1}{16}$ in.	CQD/1089/3	C	„
2205	Connector, quick release, male	CQD/2007	B	„
2272	Type C*	Used with chest type parachutes, S/S by Ref. No. 2485	CQD/1146	B	„
	Spares :—				
—	Connectors, quick release, male	Ref. No. 2205	—	—	—
2149	Tabs, webbing	CQD/1146/1	C	each
2485	Type CS.	Type C* pack with Mods. SR.196 and SR.302	MRI/RFD/347	B	„
	Spares :—				
—	Connectors, quick release, male	Ref. No. 2406	—	—	—
2487	Lines, lowering, c/w satchel	—	C	each
2422	Type C.C.	Naval aviation only	MRI/RFD/332	B	„
2228	Type J	Naval aviation only	MRI/SME/52	B	„
	Spares :—				
—	Connectors, quick release, male	Ref. No. 2205	—	—	—
2081	Connectors, quick release, female	CQD/2007	B	each
2314	Doublers, split	SME/37980	C	„
2468	Type J.J.	Used with Type 2H (Pre-Mod. 1150) ejection seats	MRI/RFD/338	B	„
	Spares :—				
—	Connectors, quick release, male	Ref. No. 2205	—	—	—
—	Connectors, quick release, female	Ref. No. 2081	—	—	—
2241	Type L	Naval aviation only	MRI/SME/77	B	each
	Spares :—				
2276	Carriers, oxygen bottle	SME/9089	C	„
2229	Type M	Used with Type 1 ejection seat in Canberra aircraft	MRI/SME/72	B	„
	Spares :—				
—	Connectors, quick release, male	Ref. No. 2205	—	—	—

RESTRICTED

21

RESTRICTED

AIRCRAFT LIFERAFTS, PACKS AND SPARES
SECTION 27C—cont.

1	2	3	4	5	6
	PACKS, SURVIVAL (INCLUDING REPAIR SPARES FOR PACKS)—cont.				
	PACKS, Personal Survival—cont.				
2646	Type M, Mark 2	Used with Type 2CA and 2CB ejection seats in Canberra aircraft.	—	B	each
	Spares :—				
	Connectors, quick release, male	Ref. No. 2205	—	—	—
2372	Type N	Naval aviation only	MRI/RFD/246	B	each
2319	Type Q	Used with Type 3 ejection seats where oxygen is mounted in seat pan.	MRI/RFD/133	B	"
	Spares :—				
2350	Card, zonal contents	RFD/DE/1856	C	"
	Connectors, quick release, male	Ref. No. 2406	—	—	—
2329	Lines, lowering, c/w satchel	IAC.1160	C	each
2393	Type R	Pre-Mod. SR.369	MRI/RFD/313	B	"
2599	Type R, Mark 1	Post-Mod. SR.369	MRI/RFD/387	B	"
	Spares :—				
	Card, zonal contents	Ref. No. 2350	—	—	—
	Connectors, quick release, male	Ref. No. 2406	—	—	—
2600	Type R, Mark 2	For use in Jet Provost T.3 and T.4 and Hunter Mk. 6, 9 and 10 aircraft (Post-Mod. ES.1150) and Hunter GA.11 (R.N.)	MRI/RFD/386	B	each
	Spares :—				
	Card, zonal contents	Ref. No. 2350	—	—	—
	Connectors, quick release, male	Ref. No. 2406	—	—	—
2557	Type R (Naval)	Naval aviation only	MRI/RFD/349	B	each
2409	Type S	For static and swivel seats in Canberra B(I)8 and Vulcan aircraft.	MRI/RFD/315	B	"
	Spares :—				
	Connectors, quick release, male	Ref. No. 2406	—	—	—
2644	Type S.A.	For centre (sliding) rear crew seat in Vulcan Mk. 2 aircraft (Post-Mod. 1696).	MRI/RFD/397	B	each
	Spares :—				
	Connectors, quick release	Ref. No. 2406	—	—	—

RESTRICTED

RESTRICTED

AIRCRAFT LIFERAFTS, PACKS AND SPARES
SECTION 27C—cont.

1	2	3	4	5	6
	PACKS, SURVIVAL, (INCLUDING REPAIR SPARES FOR PACKS)—cont.				
	PACKS, Personal Survival—cont.				
2587	Type S, Mark 2	For static seats in Valiant and Victor aircraft (Mod. SR.358)	MRI/RFD/388	B	each
—	Spares :—				
—	Connectors, quick release, male	Ref. No. 2406	—	—	—
2416	Type U	For 4th crew member in Canberra T.11 aircraft	MRI/RFD/317	B	each
—	Spares :—				
—	Connectors, quick release, male	Ref. No. 2205	—	—	—
—	Connectors, quick release, female	Ref. No. 2081	—	—	—
2395	Type V	For Lightning aircraft	MBEU/192DP	B	each
—	Spares :—				
—	Connectors, quick release, male	Ref. No. 2406	—	—	—
2396	Type W	For Type 3B ejection seats in Vampire T.11 aircraft	MRI/RFD/319	B	each
—	Spares :—				
—	Connection, quick release, male	Ref. No. 2205	—	—	—
2536	Type X	For Type 4GT ejection seats in Gnat T.1 aircraft	1816/223A	B	each
—	Spares :—				
—	Connectors, quick release, male	Ref. No. 2406	—	—	—
2628	Discs, rubber		1816/2117	C	each
2554	Flap, corner, front		1816/987A	C	"
2555	Flap, corner, rear		1816/989A	C	"
2550	Flap, forward... ..		1816/709	C	"
2551	Flap, port, harness attachment		1816/1653A	C	"
2553	Flap, rear		1816/715A	C	"
2552	Flap, starboard, harness attachment		1816/1655A	C	"
2556	Lines, lowering		1816/877A	C	"
2627	Nuts, special		1816/2047	C	"
2471	Type Y	For Type 3CT ejection seats in Canberra T.4 aircraft	MBEU/650DP	B	"
—	Spares :—				
—	Connectors, quick release, male	Ref. No. 2205	—	—	—
—	Connectors, quick release, female	Ref. No. 2081	—	—	—
2590	Lanyard, tracer		MBEU/250DP	C	each

RESTRICTED

RESTRICTED

AIRCRAFT LIFERAFTS, PACKS AND SPARES
SECTION 27C—cont.

1	2	3	4	5	6
	PACKS, SURVIVAL (INCLUDING REPAIR SPARES FOR PACKS—cont.				
	ASSOCIATED ITEMS TO SURVIVAL PACKS :—				
2410	Connectors, quick release, female	Attached to flying clothing, etc. and connects to Ref. No. 2406.	MBEU/451/DP	B	each
2593	Spares :— Bolts	MBEU/454/DP	C	„
	REPAIRS MATERIAL :—				
	Cord, cotton, buoyant :—				
2208	$\frac{3}{8}$ in. circ.	To make Liferaft rescue lines, etc. 75 ft. lengths	BSF.113	C	„
2167	$\frac{7}{16}$ in. circ.	} To make Liferaft painters, etc. and used with Lindholme	BSF.113	C	yds.
2028	$\frac{1}{2}$ in. circ.		BSF.113	C	„
2030	Elastic, 1 in. wide	For repairing packs	C.9335	C	„
2539	Fabric, pack, cotton duck, single ply, traffic yellow	Naval aviation only. For repairing survival packs... ..	DTD.448	C	„
2602	Fabric, pack, yellow, 2 ply	For repairing survival packs	DTD.673	C	„
	Fabrics, Liferaft :—	For minor Liferaft repairs.			
	Single ply :—				
2675	Flame, orange	RFD.164	C	„
2533	Grey	RFD.165	C	„
2206	Yellow	Proofed on face only	DTD.537	C	„
2400	Yellow	RFD.108	C	„
	Two ply :—				
2234	Blue	Optional bias. For floor	DTD.537	C	„
2530	Dark steel	Optional bias	RFD.160	C	„
2532	Flame orange	Optional bias	RFD.168	C	„
2232	Yellow	Optional bias. For buoyancy chamber	DTD.537	C	„
2401	Two ply	Dyed textile both faces	RFD.109	C	„
	Three ply :—				
2238	Blue	Optional bias. For floor	DTD.537	C	„
2531	Dark steel	Optional bias	RFD.167	C	„
2340	Yellow	Optional bias. For buoyancy chamber	DTD.537	C	„

RESTRICTED

RESTRICTED

AIRCRAFT LIFERAFTS, PACKS AND SPARES
SECTION 27C—cont.

1	2	3	4	5	6	
	REPAIR MATERIALS—cont.					
	Tape :—					
2534	25 mm. wide			RFD.118	C yds.	
2010	30 mm. wide	Yellow		DTD.537C	C "	
2013	50 mm. wide	Yellow		DTD.537C	C "	
2136	No. 2, box pleated	For valises		Card 205	C "	
	Webbing :—					
2558	Terylene, 1 in. wide	White		MBFD.21	C "	
2089	2 ply, 1 in. wide	Khaki		DTD.5506	C "	
	SERVICING EQUIPMENT :—					
2306	Accelerator A.1	Used with Repair Outfits, Ref. Nos. 2391 and 2392		KB.156	C each	
2227	Bellows, foot, inflating, Type B			Card 334	B "	
	Spares :—					
2290	Hose, rubber			Card 334	C "	
2291	Nozzle			Card 337-2	C "	
2292	Offtake			Card 337-4	C "	
2514	Clamp, packing	Used when packing Belvedere Liferaft container, Ref. No. 2506.		RFD/A.6869	B "	
1926	Manometer	For pressure testing Liferrafts and flying clothing		CQD/1181 and/1.	A "	
	Spares :—					
2293	Nipple			CQD/1188	C "	
2275	Panel, instruction			CQD/1188	C "	
2294	Plug, nipple			CQD/1188/12	C "	
2270	Scale, calibration			CQD/1188/12	C "	
2391	Outfit, repair (consumable portion)	Contains :—Accelerator A.2, rubber solution, sulphur solution, coal tar naphtha.		KB.156	C "	
2392	Outfit, repair (non-consumable portion)	Contains equipment and instructions for mixing ingredients of Ref. No. 2391.		KB.156	C "	
2222	Pump, deflation			CQD.1189	B "	
	Spares :—					
2249	Adaptor, deflation, No. 3			CQD.1189	C "	
2295	Hose, connecting			CQD.1189	C "	

RESTRICTED

RESTRICTED

25

AIRCRAFT LIFERAFTS, PACKS AND SPARES
SECTION 27C—cont.

1	2	3	4	5	6
	SERVICING EQUIPMENT—cont.				
	Spares—cont.				
2385	Spring	CQD.1189	C	each
2384	Washer, valve, leather	CQD.1189	C	"
2063	Solution, rubber	8 oz. tubes	K.B.62Q	C	"
2046	Spatula, bone, 6 in.	Card 301-4	C	"
	SURVIVAL AIDS FOR LIFERAFTS AND SURVIVAL PACKS (INCLUDING SURVIVAL AID CONTAINERS :—				
2467	Apparatus, de-salting, 2 pint	Stowed in survival packs	PERMUTIT 1284/1.	A	"
2398	Apparatus, de-salting, 6 pint	Carried in multi-seater Liferrafts	PERMUTIT 1283.	A	"
	Bags :—				
2330	Bellows	To contain equipment in multi-seater Liferrafts	EE.2330	C	"
2214	Bellows	To contain equipment in multi-seater Liferrafts	Card 41	C	"
2369	Bellows	To contain equipment in multi-seater Liferrafts	RFD/DE/1619	C	"
2386	Equipment	To contain equipment in multi-seater Liferrafts	MRI/RFD/305	B	"
2589	Equipment	Naval aviation only	MRI/RFB/383	C	"
2328	Roll	To contain equipment in survival packs	—	C	"
2327	Stores, No. 1	To contain equipment in survival packs	MRI/RFD/201	C	"
2302	Survival kit	Naval aviation only	MRI/SME/55	C	"
	Bags, waterproof :—				
2417	Type A	Naval aviation only	A/MBEU/ 67DP2.	C	"
2418	Type B	Naval aviation only	B/MBEU/ 68DP2	C	"
2640	Type C	Initially for Andover Liferaft installation	RFD/A.5355/L	C	"
2359	Candle, stearline	Stowed in survival packs	MOON.L8	C	"
2321	Carrier, water	Stowed in survival packs and with multi-seater Liferrafts	DTD.1154	C	"
2138	Cover, water, cushion	Used with Ref. No. 2134	CQD.2043	C	"
2033	Cup-cum-baler	Carried in multi-seater Liferaft	CQD.1140	C	"
2357	Cup, plastic	Stowed in survival packs	BSPO/3	C	"

RESTRICTED

RESTRICTED

AIRCRAFT LIFERAFTS, PACKS AND SPARES

SECTION 27C —cont.

1	2	3	4	5	6
	SURVIVAL AIDS FOR LIFERAFTS AND SURVIVAL PACKS (INCLUDING SURVIVAL AND CONTAINERS)—cont.				
	Cushions :—				
2423	Seat	Used with personal survival pack, Type CC...	MRI/RFD/329	B	each
2427	Seat	Used with personal survival pack, Type M ...	RFD/A/5978	B	"
2428	Seat	Used with personal survival pack, Type R ...	MRI/RFD/333	B	"
2397	Seat	Used with personal survival pack, Type W ...	MRI/RFD/320	B	"
2469	Seat	Used with personal survival pack, Type JJ ...	RFD/A/6230 item 23.	B	"
2470	Seat	Naval aviation only	MRI/RFD/341	B	"
2544	Seat	Naval aviation only	RFD/A/4426 item 5.	B	"
	Cushions, water :—				
2134	Type A	Stowed in survival packs	CQD/2052	C	"
2230	Type B	Stowed in survival packs	MRI/SME/62	C	"
2231	Type C	Stowed in survival packs	MRI/SME/63	C	"
2315	Type D	Stowed in personal survival packs	MRI/RFD/206	C	"
2215	Envelope, waterproof	Contains Lindholme instructions	CQD/1191/27	C	"
2271	Handgrip, distress, signals	Used with distress signals in survival packs and multi-seater liferafts.	ARM/66364	C	"
	Heliographs :—				
2364	2 in. × 2 in. crossed lines	—	C	"
2365	4 in. × 4 in. radial lines	—	C	"
	Inserts :—				
2392	Fibre glass	Used with Type R(N) personal survival packs, Ref. No. 2557 and Type R, Mk. 1, Ref. No. 2599.	RFD/A.7663	B	"
2601	Fibre glass	Used with Type R, Mk. 2 personal survival packs, Ref. No. 2600.	RFD/A.7985	B	"
2113	Kit, fishing	CQD/2027	C	"
2360	Knife, survival	Stowed in survival packs	Wilkinson No. 2538.	B	"
2366	Label, ground/air emergency code	Carried in survival packs and multi-seater Liferrafts ...	Card 212-2 and 251-1.	C	"

RESTRICTED

27

RESTRICTED

AIRCRAFT LIFERAFTS, PACKS AND SPARES
SECTION 27C—cont.

1	3	3	4	5	6
	SURVIVAL AIDS FOR LIFERAFTS AND SURVIVAL PACKS (INCLUDING SURVIVAL AID CONTAINERS)—cont.				
	Packs, emergency :—				
1929	Type 3	CQD/1122	B	each
	Spares :—			
2050	Label, inspection	CQD/2044	C	"
1930	Type 4	CQD/1153	B	"
	Spares :—			
	Label inspection	Ref. No. 2050	—	—	—
1919	Type 5	CQD/1154	B	each
	Spares :—			
	Label inspection	Ref. No. 2050	—	—	—
2094	Type 6	CQD.2037	B	each
	Spares :—			
2103	Buckle, 1½ in.	CQD/2037	C	"
	Label, inspection	Ref. No. 2050	—	—	—
1931	Type 7	CQD/1151	B	each
	Spares :—			
	Label, inspection	Ref. No. 2050	—	—	—
2638	Type 7A	Initially for Beagle aircraft	MRI/RFD/391	B	each
2140	Type Z	Z/Z.2566	B	"
2053	Pouch	To hold distress signals	CQD/1166	C	"
2484	Still, solar	Carried in survival packs and multi-seater Liferrafts	MRI/LBI/SS/2001.	B	"
2373	Tablets, fire making	Stowed in survival packs	—	C	Tin
2562	Tin, empty, yellow lid	Naval aviation only	RFD/A/7497	C	each

RESTRICTED

RESTRICTED

AIRCRAFT LIFERAFTS, PACKS AND SPARES

INDEX TO REFERENCE NUMBERS

SECTION 27C—cont.

Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.
1880	16	2018	13	2171	2	2241	21	2298	2	2357	26	2400	24	2437	4	2473	11	2508	17
1894	18	2028	24	2176	19	2243	13	2300	1	2359	26	2401	24	2438	8	2474	19	2509	16
1902	16	2030	24	2177	20	2244	17	2301	1	2360	27	2402	19	2439	3	2475	15	2510	17
1906	18	2033	26	2178	20	2245	21	2302	26	2364	27	2403	19	2440	3	2476	20	2511	17
1908	20	2042	2	2179	19	2246	13	2303	14	2365	27	2404	19	2441	3	2477	18	2512	17
1917	2	2044	19	2180	19	2247	14	2304	14	2366	27	2405	18	2412	8	2478	18	2513	17
1919	28	2046	26	2181	19	2248	14	2305	14	2369	26	2406	20	2443	3	2479	19	2514	25
1926	25	2050	28	2182	20	2249	25	2306	25	2370	19	2407	1	2444	8	2480	18	2515	11
1927	1	2052	1	2192	1	2250	1	2311	14	2371	16	2408	16	2445	8	2484	28	2516	11
1929	28	2053	28	2195	2	2251	13	2314	21	2372	22	2409	22	2446	3	2485	21	2517	11
1930	28	2063	26	2196	1	2252	13	2315	27	2373	28	2410	24	2448	3	2486	20	2618	12
1931	28	2081	21	2200	2	2253	13	2317	16	2375	1	2414	19	2449	4	2487	21	2519	12
1933	1	2083	18	2202	2	2254	13	2319	22	2376	4	2415	18	2450	4	2488	8	2520	12
1936	7	2087	2	2203	2	2266	13	2320	8	2377	1	2416	23	2451	2	2489	15	2522	12
1937	7	2089	25	2204	18	2268	13	2321	26	2378	16	2417	26	2452	3	2490	16	2523	6
1938	14	2094	28	2205	21	2270	25	2322	20	2379	20	2418	26	2453	3	2491	6	2524	10
1939	2	2103	28	2206	24	2271	27	2324	2	2380	20	2419	17	2454	3	2492	15	2525	11
1940	2	2104	21	2208	24	2272	21	2326	17	2381	20	2420	18	2455	14	2493	15	2526	12
1941	2	2111	1	2209	1	2273	1	2327	26	2384	26	2422	21	2456	14	2494	16	2527	12
1943	16	2113	27	2210	2	2274	1	2328	26	2385	26	2423	27	2458	14	2495	16	2530	24
1944	16	2125	1	2214	26	2275	25	2329	22	2386	26	2424	15	2459	14	2496	9	2531	24
1957	2	2131	2	2215	27	2276	21	2330	26	2387	18	2425	5	2460	14	2497	15	2532	24
1961	2	2134	27	2222	25	2280	1	2333	20	2388	18	2426	9	2462	14	2498	15	2533	24
1990	1	2136	25	2227	25	2282	2	2336	18	2389	18	2427	27	2464	14	2499	15	2534	25
1993	1	2138	26	2228	21	2290	25	2339	16	2391	25	2428	27	2465	19	2500	15	2536	23
1995	1	2139	16	2229	21	2291	25	2340	24	2392	25	2430	8	2466	19	2501	15	2538	18
1996	2	2140	28	2230	27	2292	25	2347	18	2393	22	2431	8	2467	26	2502	16	2539	24
1999	2	2149	21	2231	27	2293	25	2350	22	2395	23	2432	8	2468	21	2503	15	2540	19
2000	2	2164	1	2232	24	2294	25	2351	19	2396	23	2433	2	2469	27	2504	16	2541	19
2010	25	2167	24	2234	24	2295	25	2352	18	2397	27	2434	8	2470	27	2505	16	2542	19
2012	1	2168	2	2238	24	2296	16	2355	20	2398	26	2435	3	2471	23	2506	17	2544	27
2013	25	2170	18	2240	18	2297	2	2356	14	2399	19	2536	8	2472	1	2507	17	2550	23

RESTRICTED

29
RESTRICTED

AIRCRAFT LIFERAFTS, PACKS AND SPARES

INDEX TO REFERENCE NUMBERS—cont.

SECTION 27C—cont.

Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.
2551	23	2585	5	2630	19	2666	7												
2552	23	2586	5	2632	17	2667	17												
2553	23	2587	23	2633	17	2668	17												
2554	23	2588	20	2634	11	2669	17												
2555	23	2589	26	2635	10	2670	17												
2556	23	2590	23	2636	6	2671	17												
2557	22	2591	20	2637	17	2672	11												
2558	25	2592	27	2638	28	2673	17												
2560	16	2593	24	2639	18	2674	17												
2561	19	2599	22	2640	26	2675	24												
2562	28	2600	22	2641	19	2676	17												
2563	20	2601	27	2644	22	2677	17												
2564	15	2602	24	2645	15														
2565	18	2604	3	2646	22														
2566	5	2605	15	2647	6														
2567	5	2606	5	2648	13														
2568	5	2607	9	2650	10														
2570	5	2608	9	2651	10														
2571	5	2609	9	2652	11														
2572	5	2610	9	2653	11														
2573	5	2611	9	2654	11														
2574	5	2612	9	2655	12														
2575	5	2613	10	2656	7														
2576	5	2614	10	2657	7														
2577	5	2615	7	2658	6														
2578	5	2616	12	2659	6														
2579	5	2617	2	2660	7														
2580	5	2622	15	2661	7														
2581	5	2625	17	2662	6														
2582	5	2626	19	2663	6														
2583	5	2627	23	2664	7														
2584	5	2628	23	2665	7														

RESTRICTED

RESTRICTED

RESTRICTED

Issued with A/L. 214

AIR PUBLICATION 1086

BOOK II

SECOND EDITION

SECTION 27D

MISCELLANEOUS AIRCRAFT COVER EQUIPMENT

**Items under Section 27D
are covered by
VOTE 7 A.2.**

RESTRICTED

MINISTRY OF DEFENCE
AIR PUBLICATION 1086, BOOK 11
SECOND EDITION

VOCABULARY OF ROYAL AIR FORCE EQUIPMENT
MISCELLANEOUS AIRCRAFT COVER EQUIPMENT

SECTION 27D

(16th March, 1965)

Ref. No.	Nomenclature	Detail	Drawing or Part No.	No. Off	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
	ANDOVER, C.C.1:—					
3325	Cockpit	IZ.10017	1	B	each
3177	Pressure head	MRI/IAP/491 (amended).	2	B	"
3331	Power plant	IZ.10879	2	B	"
3334	Spinner	IZ.10975	2	B	"
3332	Wheel, main	IZ.10880	2	B	"
3333	Wheel, nose	IZ.10972	1	B	"
	ANDOVER, C.C.2:—					
—	Cockpit	Ref. No. 3325	—	1	—	—
—	Pitot head	Ref. No. 3177	—	2	—	—
3326	Power-plant	IZ.10018	2	B	each
3327	Spinner	IZ.10019	2	B	"
3328	Wheel, main	IZ.10021	2	B	"
3329	Wheel, nose	IZ.10022	1	B	"
	ANSON, Mark 19:—					
2483	Cockpit	1	B	"
2425	Engine, port	1	B	"
2426	Engine, starboard	1	B	"

A/L. 214

RESTRICTED

RESTRICTED

MISCELLANEOUS AIRCRAFT COVER EQUIPMENT

SECTION 27D—cont.

1	2	3	4	5	6	7
	ANSON, Mark 19—cont.					
2429	Heater, engine, port	Special order only	1	B	each
2436	Heater, engine, starboard	Special order only	1	B	"
3176	Pressure head	1	C	"
2427	Propeller, blade	4	C	"
2428	Spinner	2	C	"
2587	Wheel, main, port and starboard	2	C	"
	ANSON, Mark 21:—					
2734	Astrodome	1	B	"
2729	Cockpit	1	B	"
2730	Engine, port	1	B	"
2731	Engine, starboard	1	B	"
2735	Propeller	4	C	"
—	Pressure head	Ref. No. 3176	1	—	—
2732	Spinner	2	C	each
—	Wheel, main, port and starboard	Ref. No. 2587	2	—	—
	ARGOSY:—					
3225	Cockpit	1	B	each
3227	Engine, outboard	2	B	"
3252	Engine, inner port	1	B	"
3253	Engine, inner starboard	1	B	"
3339	Pitot head	2	C	"
—	Pressure head	Ref. No. 3177	2	—	—
3251	Spinner	4	B	each
3228	Wheel, main	2	B	"
3229	Wheel, nose	1	B	"
	AUSTER, AOP. 9:—					
2989	Cockpit	1	B	"
2990	Engine	1	B	"

RESTRICTED

RESTRICTED

MISCELLANEOUS AIRCRAFT COVER EQUIPMENT

SECTION 27D—cont.

1	2	3	4	5	6	7
	AUSTER, Marks 4 and 5:—					
2514	Engine and cabin	1	B each
2765	Heater, engine	1	B "
—	Pressure head	1	—
2342	Propeller	1	B each
2437	Propeller blade with spinner	1	B "
	AUSTER, Marks 6 and 7:—					
2500	Cabin	1	B "
2501	Engine	1	B "
2575	Generator	1	C "
2764	Heater, engine	1	C "
2576	Pressure head	1	C "
2502	Propeller blade	1	C "
2503	Propeller blade and spinner	1	C "
	BEAGLE B.206R:—					
3340	Cockpit	1	B "
3343	Engine, port and starboard	2	B "
3345	Nose, cone	1	B "
—	Pressure head	1	—
3344	Propeller and spinner	2	B "
3341	Wheel, main	2	B "
3342	Wheel, nose	1	B "
	BELFAST G.I.:—					
3305	Canopy	1	B "
3311	Engine, inboard	2	B "
3312	Engine, outboard	2	B "
3338	Fairing, refuelling probe	1	B "
3306	Head, ice detector	2	B "

RESTRICTED

RESTRICTED

MISCELLANEOUS AIRCRAFT COVER EQUIPMENT

SECTION 27D—cont.

1	2	3	4	5	6	7
	BELFAST C.I.—cont.					
—	Pressure head	Ref. No. 3177	5	B	each
3307	Probe, refuelling	1	B	..
3310	Spinner	4	B	..
3308	Undercarriage, main	2	B	..
3309	Undercarriage, nose	1	B	..
	BELVEDERE:—					
3180	Auxiliary gear box	1	B	..
3160	Cabin	1	B	..
3250	Engine bay, access panel	1	B	..
3181	Exhaust outlet, rear engine, port	1	B	..
3274	Exhaust outlet, rear engine, starboard	1	B	..
3182	Front engine bay, port	1	B	..
3183	Front engine bay, starboard	1	B	..
3163	Gear-box, rear	1	B	..
—	Pressure head	Ref. No. 3176	1	—	..
3179	Rear engine, bottom bay panel	1	B	each
3324	Rotor blade	8	B	..
3165	Rotor hub, front	1	B	..
3166	Rotor hub, rear	1	B	..
3164	Undercarriage wheels	2	B	..
	BEVERLEY, Mark C.1:—					
3010	Air intake, wing heater, port and starboard	2	C	..
3011	Air intake, tail heater, port and starboard	2	C	..
3007	Cockpit	1	B	..
3015	Engine and oil cooler, air intake	4	B	..
3012	Exhaust, tail heaters, port and starboard	2	C	..
3016	Fuselage heater, air intake	1	C	..
3020	Plug, cockpit heater, intake, port	1	C	..
3017	Plug, cockpit heater, intake, starboard	1	C	..
—	Pressure head	Ref. No. 3176	2	—	..
3009	Sextant, dome	1	C	each

RESTRICTED

RESTRICTED

MISCELLANEOUS AIRCRAFT COVER EQUIPMENT

SECTION 27D—cont.

1	2	3	4	5	6	7
	BEVERLEY, Mark C.1—cont.					
3008	Spinner	4	B each
3013	Undercarriage, main, bogie, port	1	B "
3014	Undercarriage, main, bogie, starboard	1	B "
	BUCCANEER:—					
3237	Air intake, port	YB3-88-455	1 B "
3238	Air intake, starboard	YB3-88-456	1 B "
3230	Cockpit, inner	YB3-88-75	1 B "
3231	Cockpit, outer	YB3-88-76	1 B "
3240	Jet pipe, port	YB3-88-1031	1 B "
3241	Jet pipe, starboard	YB3-88-1032	1 B "
3239	Nose, cone	YB3-88-994	1 B "
3236	Nose, wheel	YB3-88-80	1 B "
3234	Wheel, main, port	YB3-88-81	1 B "
3235	Wheel, main, starboard	YB3-88-82	1 B "
3232	Wing fold, port	YB3-88-77	1 B "
3233	Wing fold, starboard	YB3-88-78	1 B "
	CANBERRA, B, Mark 2, PR. Mark 3, T4, B, Mark 6, PR. Mark 7, Mark 8, and PR. Mark 9:—					
2878	Bay door	All Marks except 8 and 9	1 C "
3193	Canopy and frangible head	PR.9	1 B "
2809	Cockpit	All Marks except 8 and 9	1 B "
2993	Cockpit	Mark 8	1 B "
2991	Engine	Marks 6, 7, and 8	2 B "
2810	Engine, port and starboard	Marks 2, 3, 4 and 11	2 B "
3074	Engine, port and starboard	P.R.9	2 B "
3071	Gun pack	Marks 6 and 8. Special order only	1 B "
3175	Hinged nose, open	PR.9	1 B "

RESTRICTED

RESTRICTED

MISCELLANEOUS AIRCRAFT COVER EQUIPMENT

SECTION 27D—cont.

1	2	3	4	5	6	7
	CANBERRA, B, Mark 2, PR. Mark 3, T4, B. Mark 6, PR. Mark 7, Mark 8, and PR. Mark 9—cont.					
2811	Jet pipe, port and starboard	All Marks except 9	2	C	each
3072	Jet pipe, port	PR.9	1	B	"
3073	Jet pipe, starboard	PR.9	1	B	"
2992	Nose	Mark 8	1	B	"
2812	Nose, fuselage	Marks 2 and 3 only (Pre-mod. 262 and 646)	1	B	"
2948	Nose fuselage	Marks 2 and 3 (Post-mod. 262 and 646) and Marks 6 and 7.	1	B	"
—	Pressure head	Ref. No. 3176	1	—	—
2981	Signal discharger, crate	B., Mark 2 (Post-mod. 746)	1	B	each
2807	Wheel, main, port and starboard	2	C	"
2806	Wheel, nose, port and starboard	2	C	"
	CHIPMUNK, Mark T.10:—					
2775	Cockpit	1	B	"
2773	Engine	1	B	"
—	Pressure head	Ref. No. 3176	1	—	—
2774	Spinner	1	B	each
2872	Wheel, main, port (tropical covers)	1	B	"
2873	Wheel, main, starboard (tropical covers)	1	B	"
	COMET, Mark 2:—					
3061	Cockpit	1	B	"
2666	Pressure head	Z.985082	1	B	"
3063	Wheel, main, undercarriage	2	B	"
3062	Wheel, nose, undercarriage	1	B	"
	COMET, Mark 4C:—					
3261	Cockpit	6.Y.1857ND	1	B	"
3292	Fuel metering pitot	6-4Y.1175ND	2	B	"
3291	Ice detector head	6-4Y.1235	2	B	"
3293	"Q" pot, pitot	6-4Y.1173ND	1	B	"

RESTRICTED

RESTRICTED

MISCELLANEOUS AIRCRAFT COVER EQUIPMENT

SECTION 27D—cont.

1	2	3	4	5	6	7
	COMET, Mark 4C—cont.					
3262	Wheel, main		6-4Y.1171ND	2	B	each
3263	Wheel, nose		6-4Y.1169ND	1	B	"
	DAKOTA, Mark 4:—					
2488	Astrodome			1	B	"
2489	Cabin			1	B	"
2491	Engine, port and starboard			2	B	"
2699	Heater, engine, port			1	B	"
2700	Heater, engine, starboard			1	B	"
—	Pressure head	Ref. No. 3176		1	—	—
2492	Spinner			2	B	each
—	Wheel	Ref. No. 126JQ/500		2	—	—
	DEVON, Mark C1:--					
2563	Cockpit		61/225	1	B	each
2561	Engine, port and starboard			2	B	"
—	Pressure head	Ref. No. 3176		1	—	—
2562	Spinner		61/224	2	C	each
2564	Wheel, main, port and starboard		61/226	2	C	"
2565	Wheel, nose		61/227	1	C	"
	DOMINIE, T.1:--					
3349	Engine, bleed valve		25.Y-179A	2	B	"
3356	Engine intake, port		25.Y-191A/B	1	B	"
3357	Engine intake, starboard		25.Y-192A/B	1	B	"
3355	Fairing, jet pipe		25.Y-143A/B	2	B	"
3353	Head, ice detector		21.Y-723A	1	C	—
—	Pressure head	Ref. No. 3177		2	—	—
3358	Tail cone		25.Y-633A	1	B	each
3350	Wheel, main		25.Y-41A/B	4	B	"
3351	Wheel, nose		25.Y-199A/B	2	B	"
3352	Windscreen		25.Y-39A/B	1	B	"

RESTRICTED

7

RESTRICTED

MISCELLANEOUS AIRCRAFT COVER EQUIPMENT

SECTION 27D—cont.

1	2	3	4	5	6	7	
	FIREBRAND, Mark 5:—						
2739	Cockpit	1	B	each
2737	Engine	1	B	"
—	Pressure head	1	—	—
2740	Propeller	4	B	each
2738	Spinner	1	B	"
2664	Wheel, port and starboard	2	B	"
2665	Wheel, tail	2	B	"
	GANNET:—						
2899	Air intake, port	1	B	"
2900	Air intake, starboard	1	B	"
2901	Blades, front propeller	4	B	"
2902	Blades, rear propeller	4	B	"
2904	Cockpit, pilot and observer	1	B	"
2903	Cockpit, rear	1	B	"
2905	Engine	1	B	"
2906	Jet pipe	2	B	"
3019	Plug, generator ventilator	1	B	"
2907	Pressure head	1	B	"
2908	Spinner	1	B	"
2910	Wheel, main	2	B	"
2909	Wheel, nose	1	B	"
2968	Windmill, blade check	1	B	"
3030	Wing fold, port	1	B	"
3031	Wing fold, starboard	1	B	"
3032	Wing tip fold, port	1	B	"
3033	Wing tip fold, starboard	1	B	"
	GANNET, A.E.W.3:—						
3150	Air intake, port	1	B	"
3151	Air intake, starboard	1	B	"
3153	Blade, windmill, check	1	B	"
3148	Cover, front	1	B	"

RESTRICTED

RESTRICTED

MISCELLANEOUS AIRCRAFT COVER EQUIPMENT

SECTION 27D—cont.

1	2	3	4	5	6	7
	GANNET, A.E.W.3—cont.					
3149	Jet pipe, outlet, port	Q.Q.5087	1	B each
3194	Jet pipe, starboard	1	B "
3178	Radar	Ground trolley	1	B "
3152	Spinner	Q.Q.5093	1	B "
3154	Wing fold, upper joint, port	1	B "
3155	Wing fold, upper joint, starboard	1	B "
3156	Wing fold, lower joint, port	1	B "
3157	Wing fold, lower joint, starboard	1	B "
	GNAT:—					
3185	Cockpit and air intake	Folland. 1888-109	1	B "
3191	Jet pipe	Folland. 1388-107	1	B "
3186	Nose	Folland. 1888-269	1	B "
3189	Wheel, main	Folland. 1388-1109	1	B "
3187	Wheel, nose	Folland. 1388-1107	2	B "
	HARVARD, Mark 2B:—					
2499	Cockpit	1	B "
2498	Engine and propeller	1	B "
—	Pressure head	Ref. No. 3176	1	—
	HASTINGS, Marks C1, C2, C4 and Met. 1:—					
2617	Air intake	8	C each
2616	Cockpit and astrodome	1	B "
2614	Engine, port and starboard, inner and outer	4	B "
2768	Heater, engine	Special order only	4	B "
2379	Pressure head	For Mark C.1 only	1	B "
—	Pressure head	Ref. No. 3176. For Marks C2, C4 and Met. 1	1	—
2615	Spinner	4	B each
2557	Wheel, main, port and starboard	2	B "

RESTRICTED

RESTRICTED

MISCELLANEOUS AIRCRAFT COVER EQUIPMENT

SECTION 27D—cont.

1	2	3	4	5	6	7
	HERON:—					
2984	Canopy	Heron aircraft B.J.S.M. Washington	1	B	each
3006	Canopy	Marks 3 and 4	2	B	"
2985	Engine	All marks	4	B	"
2986	Spinner	Marks 2 and 3	4	B	"
3158	Spinner	Mark 4	14Y.617ND	4	B	"
2987	Wheel, main	All Marks	2	B	"
2988	Wheel, nose	All Marks	1	B	"
	HUNTER, all Marks:—					
3082	Cockpit	Mark 7	1	B	"
3022	Cockpit, canopy	Marks 2, 4, 6, 9 and 10	1	B	"
2999	Fuselage, centre	Marks 2, 4 and 7	1	C	"
3130	Fuselage, centre	Marks 6, 9 and 10	1	B	"
2917	Gun package	All Marks	1	B	"
—	Pressure head	Ref. No. 3177	1	—	—
	JAVELIN, all Marks:—					
3005	Bungs, scating	All Marks	2	C	each
2970	Cockpit	All Marks, except Mark 3	1	B	"
3060	Cockpit	Mark 3	1	B	"
—	Pressure head	Ref. No. 3177	2	—	—
—	Pressure head	Ref. No. 3176	4	—	—
	JET PROVOST, Marks 3 and 4:—					
3144	Cockpit and engine	K84-88-5125	1	B	each
	KIRBY CADET:—					
3170	Cockpit, front	1	C	"
3171	Cockpit, rear	1	C	"
	LIGHTNING, Marks 1, 2, 3, 4 and 5:—					
3248	Cockpit	Marks 4 and 5	EB4-88-35	1	B	"
3217	Cockpit	Marks 1, 2 and 3	EB3-88-57	1	B	"

RESTRICTED

RESTRICTED

MISCELLANEOUS AIRCRAFT COVER EQUIPMENT

SECTION 27D—cont.

1	2	3	4	5	6	7
	LIGHTNING, Marks 1, 2, 3, 4 and 5—cont.					
3247	Engine, air intake	Marks 4 and 5	EB4-88-317	1	B	each
3218	Engine, nose, air intake	Marks 1, 2 and 3	EB3-88-59	1	B	"
3219	Jet pipe	Marks 1 and 4	EB3-88-61	1	B	"
3276	Jet pipe	Marks 2, 3 and 5	EF2-88-173	1	B	"
3224	Pitot head		EB2-88-5121	1	B	"
3322	Pitot head standby instruments	Marks 3 and 5	EF.3-88-195	1	B	"
3359	Plug, generator cooling duct	Marks 3 and 5	EF.3-88-1807	1	B	"
3220	Plug, generator cooling duct	Marks 1, 2 and 5	EB3-88-63	1	B	"
3221	Plug, inward vent pipe, port		EB3-88-65	1	B	"
3222	Plug, inward vent pipe, starboard		EB3-88-66	1	B	"
3223	Spine	Marks 2 and 3. Mark 1 Pre-Mod. GE.8001	EB3-88-67	1	B	"
3249	Spine	Mark 4 and 5	EB4-88-67	1	B	"
3242	Spine	Mark 1 Post-Mod. GE.8001 and 1a	EB3-88-81	1	B	"
3091	Wheel, main		EB1-88-1055	2	B	"
3092	Wheel, nose		EB2-88-799	1	B	"
	METEOR, Mark 7:—					
2717	Cockpit			1	B	"
2414	Nacelle, port and starboard, nose and tail	Pre-Mod. 1175		2	C	"
2879	Nacelle, port and starboard, nose and tail	Post Mod. 1175		2	B	"
—	Pressure head	Ref. No. 3176		1	—	—
	METEOR, Mark 8:—					
2718	Cockpit			1	B	each
—	Nacelle, port and starboard, nose and tail	Ref. No. 2414. Pre-Mod. 1175		2	—	—
—	Nacelle, port and starboard, nose and tail	Ref. No. 2879. Post-Mod. 1175		2	—	—
—	Pressure head	Ref. No. 3176		1	—	—
	METEOR, Mark 9:—					
—	Cockpit	Ref. No. 2718		1	—	—
—	Nacelle, port and starboard, nose and tail	Ref. No. 2414. Pre-Mod. 1175		2	—	—
—	Nacelle, port and starboard, nose and tail	Ref. No. 2879. Post-Mod. 1175		2	—	—
—	Pressure head	Ref. No. 3176		1	—	—

RESTRICTED

RESTRICTED
11

MISCELLANEOUS AIRCRAFT COVER EQUIPMENT

SECTION 27D—cont.

1	2	3	4	5	6	7
	METEOR (Tropical use only):—					
2418	Wheel, front recess	Marks 7, 8 and 9	61/339	1	B	each
2419	Wheel, main recess, port	Marks 7, 8, 9, 12, 13 and 14	61/340	1	B	"
2420	Wheel, main recess, starboard	Marks 7, 8, 9, 12, 13 and 14	61/341	1	B	"
2833	Wheel, nose recess	Marks 12, 13 and 14	61/371	1	B	"
	METEOR, Mark N.F.12:—					
2866	Cockpit	1	B	each
—	Nacelle, engine, port and starboard	Ref. No. 2879	2	—	—
—	Pressure head	Ref. No. 3176	1	—	—
2922	Radome	1	B	each
	METEOR, Mark N.F.13:—					
—	Cockpit	Ref. No. 2866	1	—	—
—	Nacelle, engine, port and starboard	Ref. No. 2879	2	—	—
—	Pressure head	Ref. No. 3176	1	—	—
2849	Radome	1	B	each
	METEOR, Mark N.F.14:—					
2921	Cockpit	1	B	each
—	Nacelle, engine, port and starboard	Ref. No. 2879	2	—	—
—	Pressure head	Ref. No. 3176	1	—	—
—	Radome	Ref. No. 2922	1	—	—
	PEMBROKE C, Mark 1:—					
2927	Cockpit	1	B	each
2855	Engine, port and starboard	2	B	"
2925	Fuel tank vents	4	C	"
—	Pressure head	Ref. No. 3176	1	—	—
2874	Spinner, port and starboard	2	C	each
2839	Wheel, main, port and starboard	4	B	"

RESTRICTED

RESTRICTED

MISCELLANEOUS AIRCRAFT COVER EQUIPMENT

SECTION 27D—cont.

1	2	3	4	5	6	7
	PIONEER:—					
2946	Cockpit	1	B each
2947	Engine	1	B "
—	Pressure head	1	— "
		Ref. No. 3176				
	PROVOST:—					
2923	Cockpit	1	B each
2924	Engine	1	B "
—	Fuel tank vents	2	— "
—	Pressure head	1	— "
—	Spinner, port and starboard	1	— "
2926	Venturi	1	B each
	SCIMITAR:—					
3067	Cockpit and air intake	1	B "
3076	Engine	1	B "
3068	Nose	1	B "
3075	Nose fold	1	B "
3212	Nose, with refuelling probe	1	B "
2963	Pressure head	1	B "
3069	Wheel, main	1	B "
3070	Wheel, nose	1	B "
3077	Wing fold, port	1	B "
3078	Wing fold, starboard	1	B "
	SCOUT:—					
3258	Blade, tip moving	4	B "
3254	Cabin, lightweight	1	B "
3255	Cabin	1	B "
3260	Engine and transmission	1	B "
3256	Main rotor hub	1	B "
3257	Main rotor blades	4	B "
3337	Main rotor blades	4	B "
		Superseded by Ref. No. 3337				
		Supersedes Ref. No. 3257				
			H12-83-109			
			H12-83-115			
			H12-83-103			
			H12-83-105			
			H12-83-107			
			H12-83-215			
			H12-83-873			

RESTRICTED

RESTRICTED

MISCELLANEOUS AIRCRAFT COVER EQUIPMENT

SECTION 27D—cont.

1	2	3	4	5	6	7
	SCOUT—cont.					
3277	Tail fin and gear box		H12-83-523	—	B	each
3259	Tail rotor and gear box		H12-83-113	—	B	"
	SEA BALLIOL, T21:—					
2920	Blade			—	—	—
2712	Cockpit			1	B	each
2710	Engine			1	B	"
2715	Plug cabin, heating duct			1	B	"
—	Pressure head	Ref. No. 3176		1	B	"
2716	Radiator blank			1	B	"
2711	Spinner			1	B	"
2713	Wheel, main			2	B	"
2919	Wheel, tail			2	B	"
	SEA DEVON C.20:—					
—	Cockpit	Ref. No. 2563		1	—	—
3018	Engine, port and starboard			2	B	each
—	Pressure head	Ref. No. 3176		1	—	—
—	Spinner	Ref. No. 2562		2	—	—
—	Wheel, main, port and starboard	Ref. No. 2564		2	—	—
—	Wheel, nose	Ref. No. 2565		1	—	—
	SEAFIRE, Mark 15:—					
2457	Blade			4	B	set
2455	Cockpit			1	B	each
2454	Engine			1	B	"
—	Pressure head	Ref. No. 2379		1	—	—
2456	Spinner			1	B	each
	SEAFIRE, Mark 17:—					
—	Blade	Ref. No. 2457		4	—	—
2465	Cockpit			1	B	each
—	Engine	Ref. No. 2454		1	—	—

RESTRICTED

RESTRICTED

MISCELLANEOUS AIRCRAFT COVER EQUIPMENT

SECTION 27D—cont.

1	2	3	4	5	6	7
	SEAFIRE, Mark 17—cont.					
—	Pressure head	Ref. No. 2379	1	—	—
—	Spinner	Ref. No. 2456	1	—	—
	SEAFIRE, Mark 45:—					
2524	Blade	5	B	each
—	Cockpit	Ref. No. 2455	1	—	—
2516	Engine	1	B	each
—	Pressure head	Ref. No. 2379	1	—	—
2522	Spinner (5-bladed)	1	B	each
2523	Spinner (contra blades)	1	B	"
	SEAFIRE, Mark 46:—					
2624	Blade	5	B	"
2622	Cockpit	1	B	"
2626	Engine	1	B	"
2625	Pressure head	1	B	"
2478	Spinner	1	B	"
2467	Wheel, main, recess, port	1	B	"
2468	Wheel, main, recess, starboard	1	B	"
	SEAFIRE, Mark 47:—					
—	Blade	Ref. No. 2624	6	—	—
—	Cockpit	Ref. No. 2622	1	—	—
—	Engine	Ref. No. 2626	1	—	—
—	Pressure head	Ref. No. 2625	1	—	—
2623	Spinner	1	B	each
—	Wheel, main, recess, port	Ref. No. 2467	1	—	—
—	Wheel, main, recess, starboard	Ref. No. 2468	1	—	—
2627	Wheel, main, recess, port and starboard	2	B	each
2628	Wheel, tail	1	B	"

RESTRICTED

RESTRICTED

MISCELLANEOUS AIRCRAFT COVER EQUIPMENT

SECTION 27D—cont.

1	2	3	4	5	6	7
	SEA HAWK:—					
2869	Cockpit	1	B each
2882	Nose	1	B " "
2875	Wheel, main, port	1	B " "
2876	Wheel, main, starboard	1	B " "
2877	Wheel, nose	1	B " "
	SEA PRINCE, C, Mark 1:—					
2836	Cockpit	1	B " "
2834	Engine, Leonides, Mark 20 only	2	B " "
—	Engine (Leonides 2500 series only)	Ref. No. 2855	2	B " "
2856	Fuel tank vent	2	B each
2929	Pressure head	1	B " "
2835	Spinner, port and starboard	2	B each
—	Spinner, port and starboard	Ref. No. 2874. Split barrel prop.	2	B " "
2838	Wheel, main, port and starboard	2	B each
	SEA PRINCE, C, Mark 2:—					
2837	Cockpit	1	B " "
—	Engine, port and starboard	Ref. No. 2855	2	— " "
—	Fuel tank vent	Ref. No. 2856	4	— " "
—	Pressure head	Ref. No. 2929	1	— " "
—	Spinner, port and starboard	Ref. No. 2874	2	— " "
—	Wheel, main, port and starboard	Ref. No. 2839	4	— " "
	SEA PRINCE, T, Mark 1:—					
—	Cockpit	Ref. No. 2837	1	— " "
—	Engine (Leonides 2500 series only)	Ref. No. 2855	2	— " "
—	Fuel tank vent	Ref. No. 2856	2	— " "
—	Pressure head	Ref. No. 2929	1	— " "
—	Spinner, port and starboard	Ref. No. 2874	2	— " "
—	Wheel, main, port and starboard	Ref. No. 2839	4	— " "

RESTRICTED

RESTRICTED

MISCELLANEOUS AIRCRAFT COVER EQUIPMENT

SECTION 27D—cont.

1	2	3	4	5	6	7
	SEA VAMPIRE, Mark 21:—					
2644	Air intake, port	1	C each
2645	Air intake, starboard	1	C " "
2643	Cockpit	1	B " "
2647	Jet pipe	1	B " "
—	Pressure head	1	— " "
		Ref. No. 2666				
	SEA VAMPIRE, T.22:—					
2864	Air intake, port	1	C each
2865	Air intake, starboard	1	C " "
2918	Cockpit	1	B " "
2646	Jet pipe	1	B " "
—	Pressure head	1	— " "
		Ref. No. 2666		13.Y.127		
				13.Y.128		
				13.Y.123		
				Y.00835		
				Z.985082		
	SEA VENOM, Mark 20:—					
2853	Cockpit	1	B each
2854	Nose	1	B " "
	SEA VENOM, Marks 21 and 53:—					
2964	Cockpit	1	B " "
3048	Cockpit, air intakes, port and starboard, nose wheel recess combined.	For Mark 53 only. R.A.N. only	1	B " "
3050	Jet pipe	1	B " "
3059	Main wheel flap	1	B " "
3051	Main wheel, and main wheel recess combined, port.	1	B " "
3052	Main wheel, and main wheel recess combined, starboard.	1	B " "
2944	Nose	1	B " "
3047	Nose wheel and nose combined	For Mark 53 only. R.A.N. only	1	B " "
3049	Nose wheel recess door	1	B " "
3057	Wing fold, port	1	B " "
3058	Wing fold, starboard	1	B " "

RESTRICTED

17

RESTRICTED

MISCELLANEOUS AIRCRAFT COVER EQUIPMENT

SECTION 27D—cont.

1	2	3	4	5	6	7
	SEA VIXEN:—					
3214	Nose	1	B each
3143	"Q" feel venturi	1	B "
	SEDBERGH, TX, Mark 1:—					
2841	Cockpit	1	B "
	SHACKLETON, M.R., Mark 2:—					
2840	Air intake, cabin heating	2	C "
2883	Air intake, cabin heating, forward duct	1	C B "
2745	Astrodome	1	B B "
2744	Cockpit	1	B B "
2741	Engine, port and starboard, inner and outer	Pre-Mod. 546	4	B B "
3039	Engine, port and starboard, inner and outer	Post-Mod. 546	4	B B "
2889	Guns, nose turret	2	C B "
3102	Intake, nose, port side	1	B B "
2885	Nose	1	B B "
—	Pressure head	Ref. No. 3176	1	— "
2750	Spinner (contra prop.)	4	B each
2884	Tail fairing	1	B B "
2746	Turret mid upper	1	B B "
2749	Wheel, main, port and starboard	2	B B "
	SHACKLETON, Mark 3:—					
3042	Astro blister	1	B "
—	Autolycus, air intake	Ref. No. 3102	1	— "
3044	Cabin heater, air intake	2	C each
3040	Cockpit	1	B B "
—	Engine, port and starboard, inner and outer	Ref. No. 3039	4	— "
—	Guns, nose turret	Ref. No. 2889	2	— "
3041	Nose	1	B each
3046	Plug, cold air intakes	2	C B "
—	Spinner (Contra propeller)	Ref. No. 2750	4	— "

RESTRICTED

RESTRICTED

MISCELLANEOUS AIRCRAFT COVER EQUIPMENT

SECTION 27D—cont.

1	2	3	4	5	6	7
	SHACKLETON, Mark 3—cont.					
—	Tail fairing	Ref. No. 2884	1	—	—
—	Turret, mid upper	Ref. No. 2746	1	—	—
3043	Wheel, main, port and starboard	2	B	each
3045	Wheel, nose	1	B	"
	SHACKLETON, Mark T.4:—					
—	Astrodome	Ref. No. 2745	1	—	—
—	Cabin heating, air intake	Ref. No. 2840	3	—	—
—	Cockpit	Ref. No. 2744	1	—	—
—	Engine, port and starboard, inner and outer	Ref. No. 2741. Pre-Mod. 546	4	—	—
—	Engine, port and starboard, inner and outer	Ref. No. 3039. Post-Mod. 546	4	—	—
—	Intake, nose, port side	Ref. No. 3102	1	—	—
2743	Nose	1	B	each
—	Pressure head	Ref. No. 3176	2	—	—
—	Spinner	Ref. No. 2750	4	—	—
—	Wheels, main, port and starboard	Ref. No. 2749	2	—	—
	SKEETER, Mark 12:—					
3087	Blade, tip mooring	3	B	each
3137	Cabin	1	B	"
3140	Engine bay	1	B	"
3141	Main rotor head	1	B	"
3142	Main rotor blade	3	B	"
—	Pressure head	Ref. No. 3176	1	—	—
3138	Tail rotor blade	1	B	each
3139	Tail rotor blade with cone strap	1	B	"
3089	Tail rotor head and cone	1	B	"
	STURGEON, T.T., Mark 2:—					
2827	Cockpit	1	B	"
2825	Cupola	1	B	"
2818	Engine, port	1	B	"
2819	Engine, starboard	1	B	"

RESTRICTED

RESTRICTED

MISCELLANEOUS AIRCRAFT COVER EQUIPMENT

SECTION 27D—cont.

1	2	3	4	5	6	7
	STURGEON, T.T. Mark 2—cont.					
2826	Nose	1	B
—	Pressure head	1	—
2821	Propeller blade	1	B
2822	Radiator, port	1	B
2823	Radiator, starboard	1	B
2820	Spinner, port and starboard	1	B
2824	Wheel, main, port and starboard	1	B
2829	Wheel, tail	1	B
2828	Window, observer's	1	B
	SWIFT, Mark 7:—					
3064	Cockpit and air intake	1	B
3066	Fuselage, with cooling intake bungs	1	B
2949	Jet pipe, re-heat	1	B
2982	Nose	1	B
2933	Nose wheel recess	1	B
3079	Nose, with radar	1	B
—	Pressure head	1	—
3080	Tail plane, ram slot, port	1	B
3081	Tail plane, ram, slot, starboard	1	B
	SYCAMORE, Mark 14:—					
2950	Cockpit, bottom	1	B
2951	Cockpit, top	1	B
2952	Engine, bay, bottom	1	B
2953	Fuselage, engine bay, top	1	B
2955	Main rotor blades, folded, centre	1	B
2965	Main rotor blades, folded, port	1	B
2966	Main rotor blades, folded, starboard	1	B
2956	Main rotor, hub	1	B
2957	Tail, rotor, blades	2	B
2958	Tail, rotor, hub and blades	1	C
2954	Winch	1	B

RESTRICTED

RESTRICTED

MISCELLANEOUS AIRCRAFT COVER EQUIPMENT

SECTION 27D—cont.

1	2	3	4	5	6	7
	TWIN PIONEER:—					
3131	Cockpit	SA-B3-88-20B ..	1	B	each
3135	Engine, air intake	SA-B3-71 ..	2	C	"
3133	Engine, port	SA-C2-88-1A ..	1	B	"
3132	Engine, starboard	SA-C2-88-1B ..	1	B	"
3134	Wheels, main	SA-B3-88-20D ..	2	B	"
	VALETTA, Mark 3:—					
2857	Astrodome	5	B	"
	VALETTA, all Marks:—					
2613	Cockpit and astrodome	1	B	"
2783	Engine, port and starboard	2	B	"
—	Pressure head	Ref. No. 3176	1	—	—
2611	Spinner, port and starboard	2	B	each
2612	Wheel, main, port and starboard	2	B	"
	VALIANT, Marks B1 and B2:—					
3147	Bomb bay, pannier	69479/SII 1.1185 ..	1	B	each
2959	Cockpit	1	B	"
—	Pressure head	Ref. No. 3177	2	—	—
2960	Wheel, main	4	B	each
2961	Wheel, nose	1	B	"
	VAMPIRE, Mark 5:—					
—	Air intake, port	Ref. No. 2644	1	—	—
—	Air intake, starboard	Ref. No. 2645	1	—	—
—	Cockpit	Ref. No. 2643	1	—	—
—	Jet pipe	Ref. No. 2646	1	—	—
—	Pressure head	Ref. No. 3176	1	—	—
	VAMPIRE, T.11:—					
—	Air intake, port	Ref. No. 2864	1	—	—
—	Air intake, starboard	Ref. No. 2865	1	—	—

RESTRICTED

RESTRICTED

MISCELLANEOUS AIRCRAFT COVER EQUIPMENT

SECTION 27D—cont.

1	2	3	4	5	6	7
	VAMPIRE, T.11—cont.					
—	Cockpit	Ref. No. 2918	1	—	—
—	Jet pipe	Ref. No. 2646	1	—	—
—	Pressure head	Ref. No. 3176	1	—	—
	VARSITY, Mark T.1:—					
2844	Astrodome	1	C	each
2843	Cockpit	1	B	"
2848	Duct, heater	1	C	"
3103	Dust, air intake (Tropical)	For use when cowling is in open position. Mod. G.E.198.	2	B	"
3105	Dust, air intake group (Tropical)	Mod. G.E. 198	2	B	"
3106	Dust, exhaust (Tropical)	Mod. G.E.198	2	B	"
3104	Dust, nose wheel, aperture (Tropical)	Mod. G.E.198	1	B	"
3107	Dust, oil cooler, intake (Tropical)	Mod. G.E.198	2	B	"
2847	Engine, port and starboard	2	B	"
—	Pressure head	Ref. No. 3176	1	—	—
—	Spinner	Ref. No. 2611	1	—	—
2845	Wheel, main, port and starboard	2	B	each
2846	Wheel, nose	1	C	"
	VICTOR, Marks B1 and B2:—					
—	Bomb bay, pannier	Ref. No. 3147	1	—	—
3169	Brake, parachute door	1	B	each
3027	Cockpit	1	B	"
3028	Main wheel undercarriage	4	B	"
3029	Nose wheel undercarriage	1	B	"
	Pod, flight refuelling:—					
3323	Front	Mark 20B, for Victor B1 only	6805454	2	B	"
3271	Rear	6805415	2	B	"
—	Pressure head	Ref. No. 2963	2	—	—
3296	Ram, air turbine, intakes and outlets	801570-P1	1	B	each

RESTRICTED

RESTRICTED

MISCELLANEOUS AIRCRAFT COVER EQUIPMENT

SECTION 27D—cont.

1	2	3	4	5	6	7
	VULCAN, Marks B1 and B2:—					
—	Bomb bay, pannier	Ref. No. 3147	1	—	—
2995	Boundary layer, air bleed inlet	2	C	each
2994	Cockpit	1	B	..
3216	Condenser, intake and exhaust	Marks 1A and 2	IZ/10063	1	B	..
3001	Main wheel, undercarriage	2	B	..
3000	Nose wheel, undercarriage	1	C	..
3215	Plug, air intake	Marks 1A and 2	IZ/10064	1	B	..
3034	Plug, boundary bleed, port and starboard	2	C	..
3035	Plug, fin de-icing, inlet, port and starboard	2	C	..
3037	Plug, No. 1 and 2, tank breather, port and starboard.	Mark 1	2	B	..
3294	Plug, No. 1 and 2, tank breather, port and starboard.	Mark 2	IZ/10740	2	B	..
3038	Plug, rudder, P.F.C. inlet	1	C	..
—	Pressure head	Ref. No. 3177	2	—	—
	WESSEX, Marks 1 and 2:—	Mark 1 is peculiar to the Navy.				
3206	Cabin, heater exhaust	Mark 1	1	B	each
3202	Engine, air intake	Mark 1	1	B	..
3347	Intake, nose, air	Marks 2 and 5	WB.5-88-2489	1	B	..
3203	Jet, exhaust	Mark 1	2	B	..
—	Jet, exhaust	Mark 2. Ref. No. 3246	2	B	..
3195	Main rotor blade	Marks 1 and 2	WS.1670-10493	4	B	..
3196	Main rotor hub	Marks 1 and 2	WS.1670-10494	1	B	..
3199	Main transmission screen	Marks 1 and 2	WS.1670-10498	1	B	..
3264	Nose, cowling, intake	Mark 2	1	B	..
3201	Pylon, lower	Marks 1 and 2	WS.1670-10510	1	B	..
3209	Static vent	Marks 1 and 2	WB.5-88-576	1	B	..
3197	Tail rotor blade	Mark 2	WS.1670-10495	4	B	..
3198	Transmission, oil cooler	Marks 1 and 2	WS.1670-10496	1	B	..
3200	Tail, rotor, gear box	Marks 1 and 2	WS.1670-10499	1	B	..
3208	Tail, pylon joint (folded)	Mark 1	—	—	—
3210	Tail, rotor hub	Marks 1 and 2	WS.1670-10508	1	B	each

RESTRICTED

RESTRICTED

MISCELLANEOUS AIRCRAFT COVER EQUIPMENT

SECTION 27D—cont.

1	2	3	4	5	6	7
	WESSEX, Marks 1 and 2 - cont.					
3361	Windscreen	Mark 2. Supersedes Ref. No. 3266	WB.5-88-3181	1	B	each
3207	Windshield, radio and electrical bay	Mark 1	1	B	"
3266	Windshield, radio and electrical bay	Mark 2. Superseded by Ref. No. 3361	WB.5-88-2065	1	B	"
3204	Wheel, main	Marks 1 and 2	WB.5-88-024	2	B	"
3205	Wheel, tail	Marks 1 and 2	WB.5-88-025	1	B	"
	WHIRLWIND, Marks 1 and 3:—	Naval aircraft.				
2934	Air exhaust	WA9.88.082	1	B	"
3094	Air exhaust	WA9.88.098	1	B	"
2937	Air intake, cabin heater	WA9.88.090	1	B	"
2886	Blade, mooring	WA7.88.471	2	C	"
2938	Engine exhaust	WA9.88.083	1	B	"
2935	Main rotor blade	WA9.88.086	3	B	"
2939	Main rotor head	WA9.88.085	1	B	"
2940	Oil cooler, transmission	WA9.88.084	1	B	"
—	Pressure head	Ref. No. 3176	1	—	—
—	Static vent	Reference 26DB/122	WA9.88.220	2	B	each
2936	Tail rotor blade	WA9.88.087	2	B	"
2941	Wheel, main	WA9.88.089	2	C	"
2942	Wheel, nose	WA9.88.088	2	C	"
2943	Windshield	Superseded by Ref. No. 3024	WA9.88.081	1	B	"
3024	Windshield	Supersedes Ref. No. 2943	WA9.88.091	1	B	"
	WHIRLWIND, Marks 10 and 12	R.A.F.				
—	Blade, mooring	Ref. No. 2886	2	—	—
—	Main rotor blade	Ref. No. 2935	3	—	—
—	Main rotor head	Ref. No. 2939	1	—	—
—	Pressure head	Ref. No. 3176	1	—	—
—	Wheel, main	Ref. No. 2941	2	—	—
—	Wheel, nose	Ref. No. 2942	2	—	—

RESTRICTED

RESTRICTED

MISCELLANEOUS AIRCRAFT COVER EQUIPMENT

SECTION 27D - cont.

1	2	3	4	5	6	7
	WHIRLWIND, Marks 5, 7, 10 and 12:—	Marks 5 and 7 are Naval Aircraft				
3136	Air exhaust	Marks 5 and 7	WA9-88-389	1	B	each
3281	Air exhaust	Mod. 2071, Mark 7	WA9-88-779	2	B	"
3243	Cabin heater, air intake	Marks 10 and 12	WA9-88-757	1	B	"
3246	Engine exhaust (exhaust access doors shut)	Marks 10 and 12	WA9-88-767	1	B	"
3282	Engine exhaust	Mod. 2071, Mark 7	WA9-88-781	2	B	"
3268	Engine exhaust (engine access doors open)	Mark 10	WA9-88-765	1	B	"
3290	Engine warming muff	Mod. 2071, Mark 7	WA9-88-796	2	B	"
3278	Gear box	Mod. 2071, Mark 7	WA9-88-773	2	B	"
3272	Hoist	Marks 10 and 12	WA9-88-947	1	B	"
3284	Hoist	Mod. 2071, Mark 7	WA9-88-785	2	B	"
3285	Main blade	Mod. 2071, Mark 7	WA9-88-787	2	B	"
3288	Main rotor head	Mod. 2071, Mark 7	WA9-88-791	2	B	"
3289	Mooring	Mod. 2071, Mark 7	WA9-88-793	2	B	"
3244	Nose	Marks 10 and 12	WA9-88-759	1	B	"
3245	Oil cooler outlet	Pre-Mod. 1371, Marks 10 and 12	WA9-88-711	1	B	"
3275	Oil cooler outlet	Post-Mod. 1371, Mark 10	WA9-88-951	1	B	"
3279	Pitot head	Mod. 2071, Mark 7	WA9-88-775	2	B	"
3280	Plug starter access	Mod. 2071, Mark 7	WA9-88-777	2	B	"
3173	Tail rotor and hub, section 1	Marks 7, 8, 10 and 12. Supersedes 27D/2936. For Mark 7 only. One set consists of 27D/3173 and 3213.	WA9-88-378/1	1	B	"
3213	Tail rotor and hub, section 2	Marks 7, 8, 10 and 12	WA9-88-378/2	1	B	"
3283	Tail pylon	Mod. 2071, Mark 7	WA9-88-783	1	B	"
3174	Transmission	Mark 7. Supersedes Ref. No. 2940 for Mark 7 only.	—	—	—
3360	Windscreen and transmission	Mark 12	WA9-88-1203	1	B	each
3273	Windshield, transmission oil cooler	Mark 10	WA9-88-957	1	B	"

RESTRICTED

RESTRICTED

MISCELLANEOUS AIRCRAFT COVER EQUIPMENT

INDEX TO REFERENCE NUMBERS

SECTION 27D--cont.

Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.
2342	3	2503	3	2645	17	2749	18	2837	16	2884	18	2936	24	2981	6	3018	14	3058	17
2379	9	2514	3	2646	17	2750	18	2838	16	2885	18	2937	24	2982	20	3019	8	3059	17
2414	11	2516	15	2647	17	2764	3	2839	12	2886	24	2938	24	2984	10	3020	4	3060	10
2418	12	2522	15	2664	8	2765	3	2840	18	2889	18	2939	24	2985	10	3022	10	3061	6
2419	12	2523	15	2665	8	2768	9	2841	18	2899	8	2940	24	2986	10	3024	24	3062	6
2420	12	2524	15	2666	6	2773	6	2843	22	2900	8	2941	24	2987	10	3027	22	3063	6
2425	1	2557	9	2699	7	2774	6	2844	22	2901	8	2942	24	2988	10	3028	22	3064	20
2426	1	2561	7	2700	7	2775	6	2845	22	2902	8	2943	24	2989	2	3029	22	3066	20
2427	2	2562	7	2710	14	2783	21	2846	22	2903	8	2944	17	2990	2	3030	8	3067	13
2428	2	2563	7	2711	14	2806	6	2847	22	2904	8	2946	13	2991	5	3031	8	3068	13
2429	2	2564	7	2712	14	2807	6	2848	22	2905	8	2947	13	2992	6	3032	8	3069	13
2436	2	2565	7	2713	14	2809	5	2849	12	2906	8	2948	6	2993	5	3033	8	3070	13
2437	2	2575	3	2715	14	2810	5	2853	17	2907	8	2949	20	2994	23	3034	23	3071	5
2454	14	2576	3	2716	14	2811	6	2854	17	2908	8	2950	20	2995	23	3035	23	3072	6
2455	14	2587	2	2717	11	2812	6	2855	12	2909	8	2951	20	2999	10	3037	23	3073	6
2456	14	2611	21	2718	11	2818	19	2856	16	2910	8	2952	20	3000	23	3038	23	3074	5
2457	14	2612	21	2729	2	2819	19	2857	21	2917	10	2953	20	3001	23	3039	18	3075	13
2465	14	2613	21	2730	2	2820	20	2864	17	2918	17	2954	20	3004	24	3040	18	3076	13
2467	15	2614	9	2731	2	2821	20	2865	17	2919	14	2955	20	3005	10	3041	18	3077	13
2468	15	2615	9	2732	2	2822	20	2866	12	2920	14	2956	20	3006	10	3042	18	3078	13
2478	15	2616	9	2734	2	2823	20	2869	16	2921	12	2957	20	3007	4	3043	19	3079	20
2483	1	2617	9	2735	2	2824	20	2872	6	2922	12	2958	20	3008	5	3044	18	3080	20
2488	7	2622	15	2737	8	2825	19	2873	6	2923	13	2959	21	3009	4	3045	19	3081	20
2489	7	2623	15	2738	8	2826	20	2874	12	2924	13	2960	21	3010	4	3046	18	3082	10
2491	7	2624	15	2739	8	2827	19	2875	16	2925	12	2961	21	3011	4	3047	17	3087	19
2492	7	2625	15	2740	8	2828	20	2876	16	2926	13	2963	13	3012	4	3048	17	3089	19
2498	9	2626	15	2741	18	2829	20	2877	16	2927	12	2964	17	3013	5	3049	17	3091	11
2499	9	2627	15	2743	19	2833	12	2878	5	2929	16	2965	20	3014	5	3050	17	3092	11
2500	3	2628	15	2744	18	2834	16	2879	11	2933	20	2966	20	3015	4	3051	17	3102	18
2501	3	2643	17	2745	18	2835	16	2882	16	2934	24	2968	8	3016	4	3052	17	3103	22
2502	3	2644	17	2746	18	2836	16	2883	18	2935	24	2970	10	3017	4	3057	17	3104	22

RESTRICTED

RESTRICTED

MISCELLANEOUS AIRCRAFT COVER EQUIPMENT

INDEX TO REFERENCE NUMBERS

SECTION 27D—cont.

Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.
3105	22	3163	4	3201	23	3234	5	3266	24	3311	3	3357	7						
3106	22	3164	4	3202	23	3235	5	3268	25	3312	3	3358	7						
3107	22	3165	4	3203	23	3236	5	3271	22	3322	11	3359	11						
3130	10	3166	4	3204	24	3237	5	3272	25	3323	22	3360	25						
3131	21	3169	22	3205	24	3238	5	3273	25	3324	4	3361	24						
3132	21	3170	10	3206	23	3239	5	3274	4	3325	1								
3133	21	3171	10	3207	24	3240	5	3275	25	3326	1								
3134	21	3173	25	3208	23	3241	5	3276	11	3327	1								
3135	21	3174	25	3209	23	3242	11	3277	14	3328	1								
3136	25	3175	5	3210	23	3243	25	3278	25	3329	1								
3137	19	3176	2	3212	13	3244	25	3279	25	3331	1								
3138	19	3177	1	3213	25	3245	25	3280	25	3332	1								
3139	19	3178	9	3214	18	3246	25	3281	25	3333	1								
3140	19	3179	4	3215	23	3247	11	3282	25	3334	1								
3141	19	3180	4	3216	23	3248	10	3283	25	3337	13								
3142	19	3181	4	3217	10	3249	11	3284	25	3338	3								
3143	18	3182	4	3218	11	3250	4	3285	25	3339	2								
3144	10	3183	4	3219	11	3251	2	3283	25	3340	3								
3147	21	3185	9	3220	11	3252	2	3289	25	3341	3								
3148	8	3186	9	3221	11	3253	2	3290	25	3342	3								
3149	9	3187	9	3222	11	3254	13	3291	6	3343	3								
3150	8	3189	9	3223	11	3255	13	3292	6	3344	3								
3151	8	3191	9	3224	11	3256	13	3293	6	3345	3								
3152	9	3193	5	3225	2	3257	13	3294	23	3347	23								
3153	8	3194	9	3227	2	3258	13	3296	22	3349	7								
3154	9	3195	23	3228	2	3259	14	3305	3	3350	7								
3155	9	3196	23	3229	2	3260	13	3306	3	3351	7								
3156	9	3197	23	3230	5	3261	6	3307	4	3352	7								
3157	9	3198	23	3231	5	3262	7	3308	4	3353	7								
3158	10	3199	23	3232	5	3263	7	3309	4	3355	7								
3160	4	3200	23	3233	5	3264	23	3310	4	3356	7								

RESTRICTED

Issued with A/L.49

**AIR PUBLICATION 1086
BOOK II
SECOND EDITION**

**SECTION 27DA
MISCELLANEOUS AIRCRAFT PRESERVATION
COVERS (ADMIRALTY)**

**Items under Section 27DA
are covered by
VOTE 7 A. 2 (a)**

RESTRICTED

VOCABULARY OF ROYAL AIR FORCE EQUIPMENT
MISCELLANEOUS AIRCRAFT PRESERVATION COVERS (ADMIRALTY)

SECTION 27DA
(4th March, 1954)

Ref. No.	Joint-Service Reference	Nomenclature	Detail	Drawing or Part No.	No. off	Class of Store	Denom. of Qty.	Carton Unit Qty.
1	2	3	4	5	6	7	8	9

FIREFLY

1		COVERS, SET COMPLETE			1	B	each	1 set
		Comprising of the following covers:—							
25		Ash bomb		FFPC/24	1	B	..	1
26		Auxiliary tank		25	1	B	..	1
18		Belly patch		17	1	B	..	1
5		Cockpit, front pilot's		14	1	B	..	1
6		Cockpit, pilot's		5	1	B	..	1
9		Cockpit, rear		8	1	B	..	1
4		Engine		3	1	B	..	1
12		Fin and rudder		11	1	B	..	1
7		inset panel, port		6	1	B	..	1

RESTRICTED

RESTRICTED

MISCELLANEOUS AIRCRAFT PRESERVATION COVERS (ADMIRALTY)

SECTION 27DA—cont.

Ref. No.	Joint-Service Reference	Nomenclature	Detail	Drawing or Part No.	No. off	Class of Store	Denom. of Qty.	Carton Unit, Qty.
1	2	3	4	5	6	7	8	9

FIREFLY—cont.

COVERS, SET COMPLETE—cont.

Comprising of the following covers—cont.

8		Inset panel, starboard		FFPC/ 7	1	B	each	1
13		Lower rudder and fuselage		12	1	B	"	1
21		Mainplane, centre, port		20	1	B	"	1
22		Mainplane, centre, starboard		21	1	B	"	1
19		Mainplane, inner, port		18	1	B	"	1
20		Mainplane, inner, starboard		19	1	B	"	1
3		Propeller blade		2	4	B	"	4
11		Rear fuselage, lower		10	1	B	"	1
10		Rear fuselage, top		9	1	B	"	1
2		Spinner		1	1	B	"	1
17		Stub plane and wing root, port		16	1	B	"	1
16		Stub plane and wing root, starboard		15	1	B	"	1
14		Tailplane, port		13	1	B	"	1

RESTRICTED

RESTRICTED

MISCELLANEOUS AIRCRAFT PRESERVATION COVERS (ADMIRALTY)

SECTION 27DA—cont.

Ref. No.	Joint-Service Reference	Nomenclature	Detail	Drawing or Part No.	No. off.	Class of Store	Depen- dency.	Carton Unit Qty.
1	2	3	4	5	6	7	8	9

FIREFLY—cont.

COVERS, SET COMPLETE—cont.

Comprising of the following covers—cont.

15		Tail plane, starboard	FFPC/14	1	B	each	1
27		Undercarriage and oleo, port	16	1	B	„	1
28		Undercarriage and oleo, starboard	26	1	B	„	1
29		Wheel, port	28	1	B	„	1
30		Wheel, starboard	29	1	B	„	1
23		Wing tip, port	22	1	B	„	1
24		Wing tip, starboard	23	1	B	„	1

RESTRICTED

RESTRICTED

MISCELLANEOUS AIRCRAFT PRESERVATION COVERS (ADMIRALTY)

SECTION 27DA—*cont.*

Ref. No.	Joint-Service Reference	Nomenclature	Detail	Drawing or Part No.	No. off	Class of Store	Denom. of Qty.	Carbon Unit Qty.
1	2	3	4	5	6	7	8	9

SEAFURY

31		COVERS, SET COMPLETE		1	B	each	1 set
		Comprising of the following covers:—						
47		Centre section, port	SFPC/16	1	B	"	1
45		Centre section, starboard	14	1	B	"	1
46		Centre section, under	15	1	B	"	1
35		Cockpit	4	1	B	"	1
33		Engine and power plant	2	1	B	"	1
40		Fin and rudder	9	1	B	"	1
34		Fuselage, front	3	1	B	"	1
36		Fuselage, rear, No. 1	5	1	B	"	1
37		Fuselage, rear, No. 2	6	1	B	"	1
53		Propeller blades	22	5	B	"	5
32		Spinner	1	1	B	"	1
41		Tail plane, port	10	1	B	"	1
39		Tail plane, starboard	8	1	B	"	1

RESTRICTED

RESTRICTED

MISCELLANEOUS AIRCRAFT PRESERVATION COVERS (ADMIRALTY)

SECTION 27DA—cont.

Ref. No.	Joint-Service Reference	Nomenclature	Detail	Drawing or Part No.	No. off	Class of Store	Denom. of Qty.	Carton Unit Qty.
1	2	3	4	5	6	7	8	9

SEAFURY—cont.

COVERS, SET COMPLETE—cont.

Comprising of the following covers—cont.

51		Undercarriage, port	SFPC/20	1	B	each	1
52		Undercarriage, starboard	21	1	B	"	1
38		Wedge, rear	7	1	B	"	1
49		Wing, inner, port	18	1	B	"	1
43		Wing, inner, starboard	12	1	B	"	1
50		Wing, outer, port	19	1	B	"	1
42		Wing, outer, starboard	11	1	B	"	1
48		Wing root, port	17	1	B	"	1
44		Wing root, starboard	13	1	B	"	1

RESTRICTED

RESTRICTED

MISCELLANEOUS AIRCRAFT PRESERVATION COVERS (ADMIRALTY)

INDEX TO REFERENCE NUMBERS

SECTION 27DA—cont.

Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.
1	1										
2	2										
3	2										
4	1										
5	1										
6	1										
7	1										
8	2										
9	1										
10	2										
11	2										
12	1										
13	2										
14	2										
15	3										
16	2										
17	2										
18	1										
19	2										
20	2										
21	2										
22	2										
23	3										
24	3										
25	1										
26	1										
27	3										
28	3										
29	3										
30	3										
31	4										
32	4										
33	4										
34	4										
35	4										
36	4										
37	4										
38	5										
39	4										
40	4										
41	4										
42	5										
43	5										
44	5										
45	4										
46	4										
47	4										
48	5										
49	5										
50	5										
51	5										
52	5										
53	4										

RESTRICTED

Issued with A/L 213.

**AIR PUBLICATION 1086
BOOK II
SECOND EDITION**

SECTION 27F

**AIRCRAFT PUMPS AND
FUELLING EQUIPMENT, AIRBORNE
(OTHER THAN FLIGHT REFUELLING LTD., EQUIPMENT)**

**Items under Section 27F
are covered by
VOTE 7 A.2**

RESTRICTED

**VOCABULARY OF ROYAL AIR FORCE EQUIPMENT
AIRCRAFT PUMPS AND FUELLING EQUIPMENT, AIRBORNE
(OTHER THAN FLIGHT REFUELLING LTD., EQUIPMENT)**

**SECTION 27F
(12th May, 1965)**

Ref. No.	Nomenclature	Detail	Drawing or Part No.	No. off	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
	COUPLINGS:—					
	Avory Hardoll:—					
	Aircraft Unit:—					
5861	$\frac{3}{4}$ in.	Methanol/water Special for Dart engine	CC.704/S/2		B	each
5552	$\frac{3}{4}$ in.	Hose type	CC.706/S/2		B	"
2832	$1\frac{1}{2}$ in.	Square flange, 4 holes. Superseded by Ref. No. 6649	CC.200/S/2		B	"
6649	$1\frac{1}{2}$ in.	Square flange, 4 holes. Supersedes Ref. No. 2832	CC.302/S/2/ Mk. 2/SP.1		B	"
6301	$1\frac{1}{2}$ in.	Round flange, 8 holes	CC.302/S/2/Mk. 2		B	"
5553	$1\frac{1}{2}$ in.	Square flange, 4 holes. Superseded by Ref. No. 6532	CC.202/S/2		B	"
6532	$1\frac{1}{2}$ in.	Square flange, 4 holes. Supersedes Ref. No. 5553	CC.302/S/2/Mk. 2/ SP.2		B	"
2782	Spares:— Cap assembly	For $1\frac{1}{2}$ in. aircraft units	CC.201	1	B	"
	Aircraft unit:—					
5173	$1\frac{1}{2}$ in.	Oil Square flange, 4 holes	CC.200/S/X		B	"
2718	Aircraft unit, Mark 2 $1\frac{1}{2}$ in.	Pressure refuelling 4 point square flange. Alternative to Ref- erence 27FR/2227	FC.110 Mk. 2		B	"

RESTRICTED

RESTRICTED

**AIRCRAFT PUMPS AND FUELLING EQUIPMENT, AIRBORNE
(OTHER THAN FLIGHT REFUELLING LTD., EQUIPMENT)
SECTION 27F—cont.**

1	2	3	4	5	6	7
	COUPLINGS—cont.					
	Avory Hardoll—cont.					
	Aircraft unit, Mark 2—cont.	Pressure refuelling				
	Spares:—					
—	"O" ring, fuel seal	Reference 4K/2767	—	1	—	—
—	"O" ring, fuel seal	Reference 4K/2768	—	1	—	—
2754	Valve, sub-assembly	FC.585	1	C	each
6844	1½ in.	8 point round flange. Alternative to Reference 27FR/2370	FC.113 Mk. 2		B	"
	Spares:—					
—	"O" ring, fuel seal	Reference 4K/2767	—	1	—	—
—	"O" ring, fuel seal	Reference 4K/2768	—	1	—	—
6843	Seating, valve	FC.577	1	C	each
—	Valve, sub-assembly	Ref. No. 2754	—	1	—	—
2767	1½ in.	4 point, square flange	FC.246 Mk. 2		B	each
	Spares:—					
—	"O" ring, fuel seal	Reference 4K/2767	—	1	—	—
—	"O" ring, fuel seal	Reference 4K/2768	—	1	—	—
—	Seating, valve	Ref. No. 6843	—	1	—	—
—	Valve, sub-assembly	Ref. No. 2754	—	1	—	—
2788	2½ in.	4 point, square flange	FC.103 Mk. 2		B	each
	Spares:—					
—	"O" ring, fuel seal	Reference 4K/2767	—	1	—	—
—	"O" ring, fuel seal	Reference 4K/2768	—	1	—	—
—	Seating, valve	Ref. No. 6843	—	1	—	—
2764	Valve, sub-assembly	FC.586	1	C	each
2597	2½ in.	8 point round flange. Alternative to Reference 27FR/2232	FC.129 Mk. 2		B	"
	Spares:—					
—	"O" ring, fuel seal	Reference 4K/2767	—	1	—	—
—	"O" ring, fuel seal	Reference 4K/2768	—	1	—	—
—	Seating, valve	Ref. No. 6843	—	1	—	—
—	Valve, sub-assembly	Ref. No. 2764	—	1	—	—

RESTRICTED

RESTRICTED

**AIRCRAFT PUMPS AND FUELLING EQUIPMENT, AIRBORNE
(OTHER THAN FLIGHT REFUELLING LTD., EQUIPMENT)
SECTION 27F—cont.**

1	2	3	4	5	6	7
	COUPLINGS—cont.					
	Avory Hardoll—cont.					
	Aircraft unit, Mark 2—cont.					
2763	2½ in.	Pressure refuelling 4 point, square flange	FC.248 Mk. 2		B	each
—	Spares:—					
—	“O” ring, fuel seal	Reference 4K/2767	—	1	—	—
—	“O” ring, fuel seal	Reference 4K/2768	—	1	—	—
—	Seating, valve	Ref. No. 6843	—	1	—	—
—	Valve, sub-assembly	Ref. No. 2764	—	1	—	—
7626	4 in.	4 point, square flange	FC.603		B	each
	Accessories:—					
2228	Cap, sealing	For Mark 2 aircraft units Lightweight cap and attachment chain	FC.109		B	”
	Spares:—					
2757	Chain and jump link, sub-assembly	FC.540	1	C	”
2758	Plate, seal support	FC.222	1	C	”
2721	Cap, sealing	Combined access door and sealing cap	FC.441		B	”
	Spares:—					
2759	Body blanking cap	FC.459	1	B	”
2760	Chain and jump link sub-assembly	FC.458	1	C	”
2762	Handle, sub-assembly	FC.453	1	B	”
2761	Plate, cover assembly	FC.456	1	C	”
—	Plate, seal support	Ref. No. 2758	—	1	—	—
	Avory Hardoll or Flight Refuelling:—					
	Aircraft units:—					
2227	1½ in.	The Avory Hardoll version is superseded by Ref. No. 2718	Flight Refuelling C.0724000/1		A	each
2370	1½ in.	The Avory Hardoll version is superseded by Ref. No. 6844	C.0724000/3		B	”
2232	2½ in.	The Avory Hardoll version is superseded by Ref. No. 2597	C.0725000/2		A	”
	FILTERS, Fuel, King Aircraft Type:—					
2506	Clamp, toggle	C.4174		C	”
2510	Element	Superseded by Ref. No. 2507	M.F.F.A.71A		C	”
						A/L.218

RESTRICTED

RESTRICTED

**AIRCRAFT PUMPS AND FUELLING EQUIPMENT, AIRBORNE
(OTHER THAN FLIGHT REFUELLING LTD., EQUIPMENT)
SECTION 27F—cont.**

1	2	3	4	5	6	7
	FILTERS, Fuel, King Aircraft Type—cont.					
2507	Element	Supersedes Ref. No. 2510	M.F.F.A.116		C	each
2505	Filter, fuel	100 gal. per hour	B.5185		A	"
2508	Ring sealing	D.4035		C	"
	FITTINGS, Fuel, Gloster Equipment Type					
—	Adapter, ground pressurisation	AWE.133-3		B	"
	Consisting of:—					
6733	Cap, sealing	AWE.133-3-8	1	C	"
6732	Connection, inlet	AWE.133-3-7	1	C	"
6735	Pivot, cable	AWE.133-3-5	1	C	"
6734	Seal	AWE.133-3-6	1	C	"
6736	Wire, retaining, assembly	AWE.133-3-9	1	C	"
6694	Cap, filler	AWE.192-4		A	"
	Spares:—					
6695	Cap, filler	AWE.192-4-7	1	C	"
6697	Chain assembly	AWE.192-1-35	1	C	"
6698	Lever assembly	AWE.192-4-020	1	B	"
6700	"O" Ring	WSP.125/2	1	C	"
6699	Pin	AWE.192-4-29	1	C	"
6701	Ring, rubbing	AWE.192-4-17	1	C	"
6696	Seal	WSP.126-1	1	C	"
6623	Cap, sealing	AWE.191-1		A	"
	Spares:—					
6681	Bolt	WSP.104-47	1	C	"
6682	Cap, sealing, sub-assembly	AWE.191-1-05	1	B	"
6683	Chain and retaining tabs, assembly	AWE.191-1-06	1	C	"
6680	Circlip	1500-E-380	1	C	"
6679	"O" Ring	AWE.191-1-19	2	C	"
6678	Seal	AWE.191-1-15	1	C	"
6676	Spring	WSP.100-190	1	C	"
6677	Washer	WSP.103-35	1	C	"
6703	Control, high temperature, bi-metal	AWE.111-16		B	"
	Spares:—					
6705	Adapter	For Ref. No. 6703	AWE.111-16-20	1	C	"
6704	Bolt, jet	AWE.111-16-10	1	C	"

RESTRICTED

RESTRICTED

AIRCRAFT PUMPS AND FUELLING EQUIPMENT, AIRBORNE
(OTHER THAN FLIGHT REFUELLING LTD., EQUIPMENT)
SECTION 27F—cont.

1	2	3	4	5	6	7
	FITTINGS, Fuel, Gloster Equipment Type—cont.					
6706	Control, low temperature, bi-metal	AWE.111-15		B	each
6622	Coupling, refuelling	AWE.190-14		A	"
	Spares:—	For Ref. No. 6622				
6675	Bush	AWE.190-1-6	1	C	"
6670	Seal	AWE.190-1-16	1	C	"
6671	Shroud	AWE.190-1-17	1	C	"
6672	Spring	WSP.100-177	1	C	"
6673	Spring	WSP.100-178	1	C	"
6674	Valve, stem assembly	AWE.190-1-018	1	B	"
6707	Fitter and restrictor	AWE.150-3		B	"
6829	Tube, fuel dip	115-1		B	"
	Spares:—	For Ref. No. 6829				
6838	Circlip, internal	Anderton type	1300- $\frac{5}{16}$ in.	1	C	"
6832	Guide, valve	115-1-8	1	C	"
6830	Housing, filler valve	115-1-6	1	C	"
6837	Pin, lock	115-1-20	1	C	"
6833	Push rod assembly	115-1-022	1	C	"
6836	Seal, "O" ring, $\frac{3}{4}$ in. i/d. \times 0.103 in.	WSP.125/8	1	C	"
6834	Spring	WSP.100/258	1	C	"
6831	Tube, sight	115-1-7C	1	C	"
6835	Washer, felt	115-1-16	1	C	"
6745	Valve, air, shut off	AWE.110-6		B	"
	Spares:—	For Ref. No. 6745				
6810	Diaphragm	WSP.101-14	3	C	"
6811	Valve, spring	AWE.110-3-8	1	C	"
6812	Valve, stem assembly	AWE.110-6-16	1	C	"
6814	Washer, sealing	AWE.110-6-13	2	C	"
6813	Washer, special	AWE.110-3-13	1	C	"
	Valves:—					
6737	Butterfly	AWE.113-13		B	"
6729	Check	AWE.150-9		B	"
6446	Float, air vent	AWE.180-2		B	"

RESTRICTED

RESTRICTED

AIRCRAFT PUMPS AND FUELLING EQUIPMENT, AIRBORNE
(OTHER THAN FLIGHT REFUELLING LTD., EQUIPMENT)
SECTION 27F—cont.

1	2	3	4	5	6	7
	FITTINGS, Fuel, Gloster Equipment Type—cont.					
	Valves—cont.					
	Float air vent—cont.					
	Spares:—	For Ref. No. 6446				
6451	Arm, float	AWE.180/1/24	1	C	each
6452	Bush, fulcrum	AWE.180/1/13	1	C	"
6453	Float assembly	AWE.180/1/017	1	C	"
6454	Pin, fulcrum	AWE.180/1/15	1	C	"
6455	Plug, valve	AWE.180/1/16	1	C	"
6456	Valve assembly	AWE.180/1/012	1	C	"
6449	Fuel flow proportioner.. .. .	Supersedes Ref. No. 6448	AWE.108-20		A	"
6448	Fuel flow proportioner.. .. .	Superseded by Ref. No. 6449	AWE.108-17		A	"
6684	Fuel/no air	AWE.106-2		B	"
6685	Fuel/no air	AWE.106-3		B	"
6702	Mixing	AWE.125-6		A	"
6716	Non-return	AWE.124-11		B	"
	Spares:—	For Ref. No. 6716				
6720	Collar	AWE.124-11-12	4	C	"
6717	Spindle	AWE.124-11-10	1	C	"
6719	Spring, torsion	WSP.100-189	2	C	"
6718	Valve, flap	AWE.124-11-026	2	B	"
6689	Valve, non-return	AWE.124-13		B	"
6688	Valve, non-return	AWE.124-14		B	"
6690	Valve, non-return	AWE.124-15		B	"
7606	Valve, non-return	AWE.124-20		B	"
6693	Valve, non-return	AWE.124-25		B	"
6691	Valve, non-return	AWE.124-26		C	"
6692	Valve, non-return	AWE.124-27		C	"
6839	Valve, non-return	124-28B		B	"
	Spares:—	For Ref. No. 6839				
7228	Arm, stop	124-28-100	1	C	"
7235	Circlip	Anderton type	1400- $\frac{7}{32}$ in.	1	C	"
7236	Circlip	Anderton type	1400- $\frac{1}{4}$ in.	1	C	"
7231	Disc	WSP.103-94	1	C	"
7224	Lever	124-28-6	1	C	"

RESTRICTED

RESTRICTED

**AIRCRAFT PUMPS AND FUELLING EQUIPMENT, AIRBORNE
(OTHER THAN FLIGHT REFUELLING LTD., EQUIPMENT)
SECTION 27F—cont.**

1	2	3	4	5	6	7
	FITTINGS, Fuel, Gloster Equipment Type—cont.					
	Valve, non-return—cont.					
	Spares—cont.	For Ref. No. 6839				
7227	Pin, shear	124-28-13	1	C	each
7226	Pin, stop	124-28-9	1	C	"
7223	Plate, valve	124-28-5	1	C	"
7232	Screw, locking	WSP.104-76	1	C	"
7225	Shaft	124-28-7	1	C	"
7229	Spring	WSP.100-284	1	C	"
7230	Spring	WSP.100-285	1	C	"
7233	Washer	Klingerstatite type	WSP.103-96	1	C	"
7234	Washer	Tufnol type	WSP.103-103	1	C	"
6721	Valve, non-return	AWE.124-50		B	"
	Spares:—	For Ref. No. 6721				
6724	Bolt, special	WSP.104-51/44	2	C	"
6722	Bracket	AWE.124-50-11	2	C	"
6725	Flap, valve	AWE.124-50-026	2	C	"
6723	Spindle	AWE.124-50-10	1	C	"
6726	Spring, torsion	AWE.124-50-5	2	C	"
6727	Washer	WSP.103-43	A/R	C	"
6728	Washer	AWE.124-50-14	1	C	"
6738	Valve, non-return	AWE.124-51		B	"
	Spares:—	For Ref. No. 6738				
6739	Bolt	WSP.104-51-49	2	C	"
—	Bracket	Ref. No. 6722	—	2	—	—
6741	Flap valve	AWE.124-51-07	2	C	each
—	Spindle	Ref. No. 6723	—	1	—	—
6740	Spring torsion	WSP.100-203	2	C	each
—	Washer	Ref. No. 6727	—	A/R	—	—
—	Washer	Ref. No. 6728	—	1	—	—
6708	Valve, non-return	AWE.124-55		B	each
	Spares;—	For Ref. No. 6708				
6715	Bobbin	AWE.124-55-24	1	C	"
6710	Bolt, special	WSP.104-56-53	2	C	"

RESTRICTED

7

RESTRICTED

**AIRCRAFT PUMPS AND FUELLING EQUIPMENT, AIRBORNE
(OTHER THAN FLIGHT REFUELLING LTD., EQUIPMENT)
SECTION 27F—cont.**

1	2	3	4	5	6	7			
	FITTINGS, Fuel, Gloster Equipment Type—cont.								
	Valve, non-return—cont.								
	Spares—cont.								
		For Ref. No. 6708							
6709	Bracket	AWE.124-55-11	2	C	each
6714	Collar	AWE.124-55-13	2	C	"
6711	Spindle	AWE.124-55-10	1	C	"
6713	Spring, torsion	AWE.124-55-5	2	C	"
6712	Valve, flap	AWE.124-55-027	1	C	"
	Valves:—								
6809	Pressure relief	WGE.124-29		B	"
6742	Reducing	AWE.109-10		A	"
6743	Reducing	AWE.109-34		A	"
6686	Reducing	AWE.109-35		A	"
6744	Reducing	AWE.109-36		A	"
6730	Restrictor	AWE.150-10		B	"
6447	Shut off, air	AWE.110-14		A	"
7553	Vent, inward/outward	AWE.131-14		A	"
	FITTINGS, Fuel, Hobson Type:—								
	Proportioner, fuel:—								
	Type 333:—								
5016	Mark 1, 5-way	Superseded by Ref. No. 6363		A	"
6363	Mark 1B, 5-way	Superseded by Ref. No. 6435. Supersedes Ref. No. 5016		A	"
5225	Mark 2, wing	Superseded by Ref. No. 6355		A	"
6355	Mark 2A, wing	Supersedes Ref. No. 5225. Superseded by Ref. No. 6438		A	"
6435	Mark 3, 5-way	Supersedes Ref. No. 6363		A	"
6438	Mark 4, wing, port	Supersedes Ref. No. 6355		A	"
	Type 334:—								
5017	Mark 1, 5-way	Superseded by Ref. No. 6364		A	"
6364	Mark 1B, 5-way	Superseded by Ref. No. 6436		A	"
5226	Mark 2, wing	Superseded by Ref. No. 6356. Supersedes Ref. No. 5017		A	"

RESTRICTED

RESTRICTED

**AIRCRAFT PUMPS AND FUELLING EQUIPMENT, AIRBORNE
(OTHER THAN FLIGHT REFUELLING LTD., EQUIPMENT)
SECTION 27F—cont.**

1	2	3	4	5	6	7
	FITTINGS, Fuel, Hobson Type—cont.					
	Proportioner, fuel—cont.					
	<i>Type 334—cont.</i>					
6356	Mark 2A, wing	Supersedes Ref. No. 5226. Superseded by Ref. No. 6439			A	each
6436	Mark 3, 5-way	Supersedes Ref. No. 6364			A	"
6439	Mark 4, wing, starboard	Supersedes Ref. No. 6356			A	"
	<i>Type 335:—</i>					
5018	Mark 1, 6-way	Superseded by Ref. No. 6365			A	"
6365	Mark 1B, 6-way	Superseded by Ref. No. 6437. Supersedes Ref. No. 5018			A	"
5227	Mark 2, fuselage	Superseded by Ref. No. 6357			A	"
6357	Mark 2A, fuselage	Supersedes Ref. No. 5227. Superseded by Ref. No. 6440			A	"
6437	Mark 3, 6-way	Supersedes Ref. No. 6365			A	"
6440	Mark 4, fuselage	Supersedes Ref. No. 6357			A	"
	<i>Accessories:—</i>					
5191	Container, special to contents	For Hobson fuel flow proportioners, Types 333 and 334			A	"
5365	Container, special to contents	For Hobson fuel flow proportioners, Type 335			A	"
	<i>Tools:—</i>					
5459	Spanner, actuator retaining nut	CHA.117770		C	"
5461	Tool, bush, CH.114454	CHA.119812		C	"
5457	Tool, removal transfer tube	CHA.111205		C	"
	FITTINGS, Fuel, Rotol Type:—					
	Proportioner, Type F.F.P.:—					
2602	2/2			A	"
	<i>Spares:—</i>					
2942	Ring, sealing	RA.37926		C	"
2952	Ring, sealing	RA.37721		C	"
2953	Ring, sealing	RA.50151		C	"
2954	Quill	RA.45564		C	"

RESTRICTED

RESTRICTED

**AIRCRAFT PUMPS AND FUELLING EQUIPMENT, AIRBORNE
(OTHER THAN FLIGHT REFUELLING LTD., EQUIPMENT)
SECTION 27F—cont.**

1	2	3	4	5	6	7
	FITTINGS, Fuel, RotoI Type—cont.					
	Proportioner, Type F.F.P.—cont.					
2734	6/5	Superseded by Ref. No. 2790			A	each
2733	6/6	Superseded by Ref. No. 2789			A	"
2790	6/9	Superseded by Ref. No. 2882			A	"
2789	6/10	Superseded by Ref. No. 2884			A	"
2882	6/13	Superseded by Ref. No. 2976			A	"
2884	6/14	Superseded by Ref. No. 2978			A	"
2976	6/15	Supersedes Ref. No. 2882			A	"
2978	6/16	Supersedes Ref. No. 2884			A	"
	Spares:—					
5114	Adapter inlet	RA.46393/1		C	"
5013	Backing piece	RA.52686		C	"
5006	Seal	RA.52687		C	"
5012	Sealing ring	RA.47147		C	"
2735	8/1	Superseded by Ref. No. 2791			A	"
2791	8/2	Superseded by Ref. No. 2883			A	"
2883	8/4	Superseded by Ref. No. 2977			A	"
2977	8/5	Supersedes Ref. No. 2883			A	"
	Accessories:—	For RotoI fuel proportioners				
5212	Container, special to contents	Port and starboard versions only			A	"
5524	Container, special to contents	Fuselage versions only			A	"
5182	Shaft, operating	For Ref. Nos. 2790, 2789 and 2791	RA.52690		C	"
6662	Ram, air turbine	6.1403.0002		A	"
	Spares:—					
6819	Bobbin, screwed	$\frac{3}{8}$ in.—24 UNF—2A	6.1403.6010	2	C	"
6822	Quill	6.1403.6033	1	C	"
6820	Screw, locating	6.1403.6025	4	C	"
6821	Spinner assembly	6.1403.2012	1	B	"
	Ram, air turbine attachment:—					
	Consisting of:—					
6824	Connection, drain, $\frac{1}{4}$ in. B.S.P.	6.1403.6083	1	C	"
6818	Connection, inlet, $\frac{1}{8}$ in. B.S.P.	6.1403.6082	1	C	"

RESTRICTED

RESTRICTED

**AIRCRAFT PUMPS AND FUELLING EQUIPMENT, AIRBORNE
(OTHER THAN FLIGHT REFUELLING LTD., EQUIPMENT)
SECTION 27F—cont.**

1	2	3	4	5	6	7
	FITTINGS, Fuel, RotoI Type—cont.					
	Ram, air turbine attachment—cont.					
	Consisting of—cont.					
6826	Plate, lock	6.1403.6026	1	C	each
6823	Ring, mounting	6.1403.3017	1	B	"
6825	Ring, retaining	P.300.782	1	C	"
	Valves:—					
2785	Non-return	Superseded by Ref. No. 2786	FV.1/2		A	"
2856	Non-return	Supersedes Ref. No. 2785	FV.1/4		A	"
2786	Relief surge pressure	SRV.1/1		A	"
	FITTINGS, Fuel, Saunders Type:—					
2667	Cock, $\frac{1}{8}$ in. B.S.P.	F11.AO.1		B	"
2594	Cock, $\frac{1}{4}$ in. T.P.:— Aero, 3-way	Naval aviation only	501.B.A.80		A	"
	Accessories:—					
2595	Handle	Naval aviation only	A.102/7		C	"
2823	Ring, gland	Naval aviation only	1580		C	"
2824	Screw adjuster	Naval aviation only	6014		C	"
2825	Screw adjuster pin	Naval aviation only	6430		C	"
2820	Slipper	Naval aviation only	5772		C	"
2819	Spindle, serrated	Naval aviation only	M.2473		C	"
2822	Spring	Naval aviation only	1578		C	"
2821	Thrust pad	Naval aviation only	6734		C	"
	Cock, $\frac{1}{4}$ in. B.S.P.:—					
2243	2-way	1002		B	"
2421	Cock, $\frac{3}{8}$ in. B.S.P.	N.1003		A	"
2259	Cock, $\frac{1}{2}$ in. B.S.P.	3004		B	"
2261	Cock, $\frac{1}{2}$ in. B.S.P.	F.20A04		B	"
2518	Cock, $\frac{1}{2}$ in. B.S.P.	20-C-04		B	"
	Cock, $\frac{3}{4}$ in. B.S.P.:—					
1967	3-way	1106B		B	"
	Spares:—					
2062	Pin, cotter	For Ref. No. 1967	1260	1	C	"

RESTRICTED

RESTRICTED

**AIRCRAFT PUMPS AND FUELLING EQUIPMENT, AIRBORNE
(OTHER THAN FLIGHT REFUELLING LTD., EQUIPMENT)
SECTION 27F—cont.**

1	2	3	4	5	6	7
	FITTINGS, Fuel, Saunders Type—cont.					
	Cock, ½ in. B.S.P.—cont.					
	3-way—cont.					
	Spares—cont.					
2065	Ring, gland	1084	2	C	each
2071	Screw, adjusting	5528	1	C	"
2076	Slipper	5770	1	C	"
2105	Washer	1278	1	C	"
1970	3-way	1106K		B	"
	Spares:—	For Ref. No. 1970				
—	Pin, cotter	Ref. No. 2062		1	—	—
—	Ring, gland	Ref. No. 2065		2	—	—
—	Screw, adjusting	Ref. No. 2071		1	—	—
—	Slipper	Ref. No. 2076		1	—	—
2081	Spindle	5732/4	1	C	each
—	Washer	Ref. No. 2105		1	—	—
1972	3-way	1106N		B	each
	Spares:—	For Ref. No. 1972				
—	Pin, cotter	Ref. No. 2062		1	—	—
—	Ring, gland	Ref. No. 2065		2	—	—
—	Screw, adjusting	Ref. No. 2071		1	—	—
—	Slipper	Ref. No. 2076		1	—	—
—	Washer	Ref. No. 2105		1	—	—
2151	3-way	2032Q		A	each
	Spares:—	For Ref. No. 2151				
2026	Ball, for handle	3030	1	C	"
—	Nuts, stiff, standard hexagon, mild steel, 2 B.A.	Reference 28M/10288		1	—	—
1972	Plate, stop	Naval aviation only	6050/B	1	C	each
—	Pin, cotter	Ref. No. 2062		1	—	—
—	Ring, gland	Ref. No. 2065		2	—	—
—	Screw, adjusting	Ref. No. 2071		1	—	—
—	Slipper	Ref. No. 2076		1	—	—
2095	Spring, for handle	1403	1	C	each
—	Washer	Ref. No. 2105		1	—	—

RESTRICTED

RESTRICTED

**AIRCRAFT PUMPS AND FUELLING EQUIPMENT, AIRBORNE
(OTHER THAN FLIGHT REFUELLING LTD., EQUIPMENT)
SECTION 27F—cont.**

1	2	3	4	5	6	7
	FITTINGS, Fuel, Saunders Type—cont.					
	Cock, ½ in. B.S.P.—cont.					
2277	4-way	1106P	B each
2279	Cock, in. B.S.P.	E.31A05	A "
2717	Cock, in. B.S.P.	30K.05	B "
2186	Cock, in. B.S.P.	3006	B "
2260	Cock, in. B.S.P.	E.3006	A "
2276	Cock, in. B.S.P.	L.3006	B "
2679	Cock, in. B.S.P.	30M.06	A "
	Cock, in. B.S.P.:—					
2174	3-way	5870/H	A "
2447	Hot air	206AA80	A "
	Cock, 1 in. B.S.P.:—					
1973	2-way	1316B	A "
	Spares:—					
—	Pin, cotter	For Ref. No. 1973	—
—	Ring, gland	Ref. No. 2062	—
—	Slipper	Ref. No. 2065	—
—	Washer	Ref. No. 2076	—
1974	2-way	Ref. No. 2105	5738/5
	Spares:—					
—	Pin, cotter	1316J	A each
—	Ring, gland	For Ref. No. 1974	—
—	Slipper	Ref. No. 2062	—
—	Washer	Ref. No. 2065	—
1975	2-way	Ref. No. 2076	—
	Spares:—					
—	Pin, cotter	Ref. No. 2105	—
—	Ring, gland	1316Q	A each
—	Slipper	For Ref. No. 1975	—
—	Washer	Ref. No. 2062	—
	Ref. No. 2065					
	Ref. No. 2076					
	Ref. No. 2105					

RESTRICTED

RESTRICTED

**AIRCRAFT PUMPS AND FUELLING EQUIPMENT, AIRBORNE
(OTHER THAN FLIGHT REFUELLING LTD., EQUIPMENT)
SECTION 27F—cont.**

1	2	3	4	5	6	7
	FITTINGS, Fuel, Saunders Type—cont.					
	Cock, 1 in. B.S.P.—cont.					
1988	2-way	2734B		A	each
	Spares:—	For Ref. No. 1988				
—	Circlip	Ref. No. 2034		1	—	—
2043	Gasket	1994	1	—	—
2029	Gasket, rubber	2916	1	C	each
2060	Nut, collar	2928	1	C	"
—	Pin, cotter	Ref. No. 2062		1	—	—
—	Ring, gland	Ref. No. 2065		2	—	—
—	Screw, adjusting	Ref. No. 2071		1	—	—
2074	Seal, rubber	6256	1	C	each
2079	Spindle	5732/2	1	C	"
—	Washer	Ref. No. 2105		1	—	—
—	Washer	Ref. No. 2108		1	—	—
2005	2-way	6120B		A	each
	Spares:—	For Ref. No. 2005				
—	Pin, cotter	Ref. No. 2062		1	—	—
—	Ring, gland	Ref. No. 2065		2	—	—
—	Screw, adjusting	Ref. No. 2067		1	—	—
2073	Seal, flange	6104	1	C	each
—	Slipper	Ref. No. 2076		1	—	—
—	Spindle	Ref. No. 2086		1	—	—
—	Washer	Ref. No. 2105		1	—	—
2006	2-way	6120L		A	each
	Spares:—	For Ref. No. 2006				
2061	Nut, flange	6102	1	C	"
—	Pin, cotter	Ref. No. 2062		1	—	—
—	Ring, gland	Ref. No. 2065		2	—	—
—	Screw, adjusting	Ref. No. 2067		1	—	—
—	Seal, flange	Ref. No. 2073		1	—	—
—	Slipper	Ref. No. 2076		1	—	—
—	Spindle	Ref. No. 2086		1	—	—
—	Washer	Ref. No. 2105		1	—	—

RESTRICTED

RESTRICTED

**AIRCRAFT PUMPS AND FUELLING EQUIPMENT, AIRBORNE
(OTHER THAN FLIGHT REFUELLING LTD., EQUIPMENT)
SECTION 27F—cont.**

1	2	3	4	5	6	7
	FITTINGS, Fuel, Saunders Type—cont.					
	Cock, 1 in. B.S.P.—cont.					
2007	2-way	6120F		B	each
	Spares:—	For Ref. No. 2007				
2041	Flange	6106/3	1	C	"
—	Nut, flange	Ref. No. 2061		1	—	—
—	Pin, cotter	Ref. No. 2062		1	—	—
—	Ring, gland	Ref. No. 2065		2	—	—
—	Screw, adjusting	Ref. No. 2071		1	—	—
—	Seal, flange	Ref. No. 2073		1	—	—
—	Slipper	Ref. No. 2076		1	—	—
—	Spindle	Ref. No. 2080		1	—	—
—	Washer	Ref. No. 2105		1	—	—
2008	2-way	6120G		B	each
	Spares:—	For Ref. No. 2008				
2042	Flange	6106/4	1	C	"
2057	Lever	6218	1	C	"
—	Nut, flange	Ref. No. 2061		1	—	—
—	Pin, cotter	Ref. No. 2062		1	—	—
—	Ring, gland	Ref. No. 2065		2	—	—
—	Screw, adjusting	Ref. No. 2071		1	—	—
—	Seal, flange	Ref. No. 2073		1	—	—
—	Slipper	Ref. No. 2076		1	—	—
—	Spindle	Ref. No. 2081		1	—	—
—	Washer	Ref. No. 2105		1	—	—
2240	2-way	E.31A08		A	each
2442	2-way	31A08		A	"
2175	3-way	Naval aviation only	1402N		A	"
2443	3-way, L.H.	S.36		A	"
2455	Hot air	Naval aviation only	108BA01		A	"
2915	Cock, 1½ in. B.S.P.	E42.G.10		A	"
2916	Cock, 1½ in. B.S.P.	110.DA.02		A	"
2917	Cock, 1½ in. B.S.P.	110.CA.02		A	"
2918	Cock, 1½ in. B.S.P.	E41.B.10		A	"

RESTRICTED

RESTRICTED

**AIRCRAFT PUMPS AND FUELLING EQUIPMENT, AIRBORNE
(OTHER THAN FLIGHT REFUELLING LTD., EQUIPMENT)
SECTION 27F—cont.**

1	2	3	4	5	6	7
	FITTINGS, Fuel, Saunders Type—cont.					
	Cock, 1½ in. B.S.P.:—					
1989	2-way	3361E		A each
	Spares:—					
—	Pin, cotter	For Ref. No. 1989		
—	Ring, gland	Ref. No. 2062	1	—
—	Screw, adjusting	Ref. No. 2065	2	—
—	Slipper	Ref. No. 2071	1	—
—	Spindle	Ref. No. 2076	1	—
—	Washer	Ref. No. 2079	1	—
—	Washer	Ref. No. 2105	1	—
1990	2-way	3361K		A each
	Spares:—					
2037	Nut, collar	4532	1	C "
—	Pin, cotter	Ref. No. 2062	1	—
—	Ring, gland	Ref. No. 2065	2	—
—	Screw, adjusting	Ref. No. 2071	1	—
—	Slipper	Ref. No. 2076	1	—
—	Spindle	Ref. No. 2079	1	—
—	Washer	Ref. No. 2105	1	—
2106	Washer	1594	1	C each
	Cocks, 1½ in. B.S.P.:—					
1993	2-way	3362M		A "
	Spares:—					
2045	Guard, chain	3032/2	1	C "
—	Pin, cotter	Ref. No. 2062	1	—
—	Ring, gland	Ref. No. 2065	2	—
—	Slipper	Ref. No. 2076	1	—
—	Washer	Ref. No. 2105	1	—
1994	2-way	3362R		A each
	Spares:—					
—	Pin, cotter	For Ref. No. 1994		
—	Pin, cotter	Ref. No. 2062	1	—

RESTRICTED

RESTRICTED

**AIRCRAFT PUMPS AND FUELLING EQUIPMENT, AIRBORNE
(OTHER THAN FLIGHT REFUELLING LTD., EQUIPMENT)
SECTION 27F—cont.**

1	2	3	4	5	6	7
	FITTINGS, Fuel, Saunders Type—cont.					
	Cocks, 1½ in. B.S.P.—cont.					
	2-way—cont.					
	Spares—cont.	For Ref. No. 1994				
—	Ring, gland	Ref. No. 2065		2	—	—
—	Screw, adjusting	Ref. No. 2071		1	—	—
—	Slipper	Ref. No. 2076		1	—	—
—	Washer	Ref. No. 2105		1	—	—
1995	2-way	3362S		A	each
	Spares:—	For Ref. No. 1995				
—	Pin, cotter	Ref. No. 2062		1	—	—
—	Ring, gland	Ref. No. 2065		2	—	—
—	Screw, adjusting	Ref. No. 2071		1	—	—
—	Slipper	Ref. No. 2076		1	—	—
—	Washer	Ref. No. 2105		1	—	—
2203	2-way	40G10		A	each
2206	2-way	Supersedes Ref. No. 2154	E.42F10		A	"
2226	2-way	42A10		A	"
2237	2-way	E.42A10		A	"
2289	2-way	4010		A	"
2290	2-way	L.4010		A	"
2914	Cock, 1½ in. B.S.P.	110.BR.02		A	"
2937	Cock, 1½ in. B.S.P.	E.51.J.12		A	"
5163	Cock, 1½ in. B.S.P.	E.60.B.12		A	"
	Cock, 1½ in. B.S.P.:—					
2225	2-way	L.51B12		A	"
2288	2-way	E.51A12		A	"
2291	2-way	5012		A	"
2913	2-way	E.51.C.12		A	"
2818	Cock, 1½ in. B.S.P., non-return	712.AB.02		A	"
	Cock, 1½ in. B.S.P.:—					
2268	2-way	60A14		A	"
2920	Cock, 2 in. B.S.P.	E.60.J.16		A	"

A/L.218

RESTRICTED

RESTRICTED

**AIRCRAFT PUMPS AND FUELLING EQUIPMENT, AIRBORNE
(OTHER THAN FLIGHT REFUELLING LTD., EQUIPMENT)
SECTION 27F—cont.**

1	2	3	4	5	6	7
	FITTINGS, Fuel, Saunders Type—cont.					
	Cock, 2 in. S.P.:—					
2674	Aero	Superseded by Ref. No. 2840	216.CB.80		A	each
2675	Aero	Superseded by Ref. No. 2841	216.CC.80		A	"
	Cock, 2 in. S.P., aero:—					
2840	Multi-way	Supersedes Ref. No. 2674	216.CH.80		A	"
2841	Multi-way	Supersedes Ref. No. 2675	216.CJ.80		A	"
	Spares:—					
2929	Sealing, "O" ring	SVS.102.B10		C	"
2910	Spindle, "O" ring	SVS.101.G6		C	"
	Cock, 2½ in. B.S.P.:—					
2238	2-way	F.80B20		A	"
	Spares:—					
2854	Ring, clamping	A.202		C	"
2828	Ring, sealing	SVS.102/B.7		C	"
2865	Ring, "D", sealing	SVS.102/D.7		C	"
2752	Seal	70.20.34		C	"
5159	Cock, 2½ in. S.P., aero	G.80.D.20		A	"
2815	Cock, 3 in. aero	G.80.D.24		A	"
2440	Cock, aero	10H03		B	"
2441	Cock, aero	31-C-05		B	"
2500	Cock, auxiliary fuel system	20-F-04		B	"
1996	Cock, box	3919F		A	"
	Spares:—	For Ref. No. 1996				
2030	Basket, seal	2444/2	1	C	"
2031	Basket, seal	2548/2	1	C	"
—	Guard, chain	Ref. No. 2045		2	—	—
—	Pin, cotter	Ref. No. 2062		2	—	—
—	Ring, gland	Ref. No. 2065		6	—	—
—	Slipper	Ref. No. 2076		1	—	—
2100	Valve, insert, main, c/w baskets seal	2260/E	1	C	each
—	Washer	Ref. No. 2105		2	—	—

RESTRICTED

RESTRICTED

**AIRCRAFT PUMPS AND FUELLING EQUIPMENT, AIRBORNE
(OTHER THAN FLIGHT REFUELLING LTD., EQUIPMENT)
SECTION 27F—cont.**

1	2	3	4	5	6	7
	FITTINGS, Fuel, Saunders Type—cont.					
1998	Cock, box		3920/F		A	each
	Spares:—	For Ref. No. 1998				
—	Basket, seal	Ref. No. 2030		1	—	—
—	Basket, seal	Ref. No. 2031		1	—	—
—	Pin, cotter	Ref. No. 2062		2	—	—
—	Ring, gland	Ref. No. 2065		6	—	—
—	Screw, adjusting	Ref. No. 2070		1	—	—
—	Sleeve, retaining	Ref. No. 2114		1	—	—
—	Slipper	Ref. No. 2076		1	—	—
—	Spindle	Ref. No. 2088		1	—	—
—	Spindle	Ref. No. 2091		1	—	—
—	Transfer	Ref. No. 2099		1	—	—
—	Valve, insert, main, c/w baskets, seal ..	Ref. No. 2100		1	—	—
—	Washer	Ref. No. 2105		2	—	—
—	Washer, key	Ref. No. 2107		2	—	—
—	Washer, retaining	Ref. No. 2109		1	—	—
—	Wheel, chain	Ref. No. 2111		2	—	—
2737	Cock, cross feed		L.50.H.12		A	each
2739	Cock, engine blower, air		106.AA.01		A	"
2285	Cock, fuel		42B10		A	"
2286	Cock, fuel	Naval aviation only	42C10		A	"
2304	Cock, fuel		20A04		B	"
2305	Cock, fuel	Naval aviation only	L.20A04		A	"
2449	Cock, fuel		L.31A04		A	"
2450	Cock, fuel		T.2042G04		B	"
2533	Cock, fuel	R.H. Naval aviation only	20A03		B	"
2534	Cock, fuel	L.H. Naval aviation only	L.20A03		A	"
2738	Cock, fuel		40K.10		A	"
	Cock, fuel:—					
2385	1 in. B.S.P.		10G.02		B	"
2584	3-way	Hastings Mod. No. 1060	M.2944		A	"
2736	Cock, isolation		E.50.J.12		A	"
2741	Cock, on-off		106.CR.03		A	"

RESTRICTED

RESTRICTED

**AIRCRAFT PUMPS AND FUELLING EQUIPMENT, AIRBORNE
(OTHER THAN FLIGHT REFUELLING LTD., EQUIPMENT)
SECTION 27F—cont.**

1	2	3	4	5	6	7
	FITTINGS, Fuel, Saunders Type—cont.					
	Cock, vacuum:—					
1984	½ in. B.S.P.	2670B	A	each
	Spares:—					
2021	Adapter	2930	1	C
2022	Adapter	2926/4	1	C
—	Basket, rubber	Ref. No. 2029	1	—
2039	Filter, air	2920A	1	C
—	Gasket	Ref. No. 2043	1	—
2376	Handle	A.102/5	1	C
—	Nut, collar	Ref. No. 2060	1	—
—	Pin, cotter	Ref. No. 2062	1	—
—	Ring, gland	Ref. No. 2065	2	—
—	Screw, adjusting	Ref. No. 2071	1	—
—	Seal, rubber	Ref. No. 2074	1	—
2083	Spindle	5763/1	1	C
—	Washer	Ref. No. 2105	1	—
1986	⅓ in. B.S.P.	2670R	A	each
	Spares:—					
—	Adaptor	Ref. No. 2021	1	—
—	Adaptor	Ref. No. 2022	1	—
—	Basket, rubber	Ref. No. 2029	1	—
—	Filter, air	Ref. No. 2039	1	—
—	Gasket	Ref. No. 2043	1	—
—	Handle	Ref. No. 2076	1	—
—	Nut, collar	Ref. No. 2060	1	—
—	Pin, cotter	Ref. No. 2063	1	—
—	Ring, gland	Ref. No. 2065	2	—
—	Screw, adjusting	Ref. No. 2071	1	—
—	Seal, rubber	Ref. No. 2074	1	—
2075	Shaft, extension handle	1990J	1	C

RESTRICTED

RESTRICTED

**AIRCRAFT PUMPS AND FUELLING EQUIPMENT, AIRBORNE
(OTHER THAN FLIGHT REFUELLING LTD., EQUIPMENT)
SECTION 27F—cont.**

1	2	3	4	5	6	7
	FITTINGS, Fuel, Saunders Type—cont.					
	Cock, vacuum—cont.					
	$\frac{1}{2}$ in. B.S.P.—cont.					
	Spares—cont.	For Ref. No. 1986		1	—	—
—	Spindle	Ref. No. 2083		1	—	—
—	Washer	Ref. No. 2105			A	each
1985	$\frac{5}{8}$ in. B.S.P.	2670/Q			
	Accessories:—	For Ref. No. 1985				
2241	Handle assembly	A.102/3	1	C	"
	Spares:—	For Ref. No. 1985				
—	Basket, rubber	Ref. No. 2029		1	—	—
—	Filter, air	Ref. No. 2039		1	—	—
—	Handle	Ref. No. 2049		1	—	—
—	Handle	Ref. No. 2376		1	—	—
—	Nut, collar	Ref. No. 2060		1	—	—
—	Pin, cotter	Ref. No. 2062		1	—	—
—	Ring, gland	Ref. No. 2065		1	—	—
—	Screw, adjusting	Ref. No. 2071		1	—	—
—	Seal, rubber	Ref. No. 2074		1	—	—
—	Spindle	Ref. No. 2083		1	—	—
—	Washer	Ref. No. 2105		1	—	—
	Valves:—					
5005	$\frac{1}{4}$ in. B.S.P., S.P.	102.DC.01		A	each
2853	$\frac{1}{4}$ in. B.S.P.	703.AA.04		A	"
2876	$\frac{1}{4}$ in. B.S.P.	NS.1003		C	"
2991	$\frac{1}{4}$ in. B.S.P.	103.AA.02		A	"
2938	$\frac{1}{4}$ in. high pressure	903AA.01—L		A	"
2247	$\frac{1}{4}$ in. B.S.P., non-return	N.1104		C	"
2944	$\frac{1}{4}$ in. T.P. aero	T.20204		B	"
2890	$\frac{1}{4}$ in. B.S.P., S.P.	105.CL.03		A	"
2891	$\frac{1}{4}$ in. B.S.P., S.P. aero	105.CR.03		A	"
2948	$\frac{1}{4}$ in. B.S.P., S.P. aero	105 AB.03L		B	"

RESTRICTED

RESTRICTED

**AIRCRAFT PUMPS AND FUELLING EQUIPMENT, AIRBORNE
(OTHER THAN FLIGHT REFUELLING LTD., EQUIPMENT)
SECTION 27F—cont.**

1	2	3	4	5	6	7
	FITTINGS, Fuel, Saunders Type—cont.					
	Valves—cont.					
2949	1 in. B.S.P., S.P. aero	105.AR.03L		B	each
2996	1 in. B.S.P., S.P. aero	105.BA.04L		A	"
2878	1 in. N.R., hot air	Supersedes Ref. No. 2536	705.AA.03		A	"
2740	1 in. P/R.S./P, aero	105.BR.02/1		A	"
2947	1 in. pressure relief	705.AA.01—L		A	"
5162	1 in. B.S.P., aero	108.AE.04		A	"
5164	1 in. B.S.P., aero	108.BE.04		A	"
5165	1 in. B.S.P., aero	108.HC.02		A	"
5000	1 in. B.S.P. M.W. PR/SP aero	Jet Provost 3 aircraft	208.EA.11		A	"
2999	1 in. B.S.P. M.W.T.P., port	Jet Provost 3 aircraft	508.AD.80L		A	"
2998	1 in. B.S.P. M.W.T.P., starboard	Jet Provost 3 aircraft	508.AC.80L		A	"
2248	1 in. B.S.P., non-return	N.1208		C	"
	Accessories:—					
2606	Spring	N.1208/14		C	"
2605	Washer	N.1208/9		C	"
2950	1 in. S.P. aero	108.AA.04L		B	"
2975	1 in. S.P. aero	Superseded by Ref. No. 5366	108.AD.01		A	"
2013	1½ in. B.S.P.:— 3-way	3194C		A	"
	Spares:—					
—	Handle	Ref. No. 2047		1	—	—
—	Pin, cotter	Ref. No. 2062		1	—	—
—	Ring, gland	Ref. No. 2065		2	—	—
—	Washer	Ref. No. 2105		1	—	—
2924	1½ in. B.S.P., N.R.	710.BB.02		A	each
2925	1½ in. B.S.P., N.R.	Superseded by Ref. No. 5523	710.AB.02		A	"
2955	1½ in. B.S.P., N.R.	NS.1310		A	"
2453	1½ in. B.S.P., drain	Naval aviation only	710.AA.04		A	"
2945	1½ in. B.S.P., drain	102.BA.01		C	"

RESTRICTED

RESTRICTED

**AIRCRAFT PUMPS AND FUELLING EQUIPMENT, AIRBORNE
(OTHER THAN FLIGHT REFUELLING LTD., EQUIPMENT)
SECTION 27F—cont.**

1	2	3	4	5	6	7
	FITTINGS, Fuel, Saunders Type—cont.					
	Valves—cont.					
2242	1½ in. B.S.P., gate	812.BR.03	A	each
2838	1½ in. B.S.P., high pressure	904.AB.01	A	"
2017	1½ in. B.S.P., high pressure	6020D	A	"
	Spares:—					
2167	Lever, operating	6030C	1	C
—	Nut, stiff, standard hexagon, mild steel, 2 B.A.	Ref. 28M/10288		1	—
—	Pin, cotter	Ref. No. 2062		1	—
—	Ring, gland	Ref. No. 2065		3	—
—	Slipper	Ref. No. 2076		1	—
—	Washer	Ref. No. 2105		1	—
2931	1½ in. B.S.P., pressure relief	E.52.A.12	A	each
2881	1½ in. B.S.P., S.P. aero	51.B.12	A	"
2826	1½ in. S.P. aero	Superseded by Ref. No. 5180	212.AP.02	A	"
2827	1½ in. S.P. aero	Superseded by Ref. No. 5181	212.AS.02	A	"
5127	1½ in. S.P. multi-way, hot air	212.AA.81	A	"
5112	2 in. S.P. aero	116.BA.02	A	"
5111	2½ in. N.R.	H.80.K.20	A	"
5110	3 in. S.P. aero	124.BA.04	A	"
5113	Aero	712.BA.05	A	"
2731	Gate	Naval aviation only	816.BA.03	A	"
2911	Multi-way	216.BA.03	A	"
2014	Non-return	5390D	B	"
2016	Non-return	Naval aviation only	5970B	A	"
2019	Non-return	6130B	B	"
2020	Non-return	6150C	C	"
2249	Non-return	N.1310	A	"
2264	Non-return	N.1206	B	"
2274	Non-return	Superseded by Ref. No. 2519	6240B	C	"
2272	Non-return	Naval aviation only	N.13F/10	A	"

RESTRICTED

RESTRICTED

**AIRCRAFT PUMPS AND FUELLING EQUIPMENT, AIRBORNE
(OTHER THAN FLIGHT REFUELLING LTD., EQUIPMENT)
SECTION 27F—cont.**

1	2	3	4	5	6	7
	FITTINGS, Fuel, Saunders Type—cont.					
	Valves—cont.					
2302	Non-return	6270B		C	each
2384	Non-return	Naval aviation only	N.17A04		B	"
2519	Non-return	Supersedes Ref. No. 2274	NS.1205		C	"
	Spares:—	For Ref. No. 2519				
2850	Springs	N.1205/14		C	"
2673	Non-return	702.AA.02		B	"
2923	Non-return	N.13.H.10		A	"
2863	Non-return	NS.25-A-02		C	"
2864	Non-return	N.1205		C	"
	Spares:—	For all valves, non-return				
2921	Handle	A.104/1		C	"
2964	Handle	A.102/17		C	"
2834	Lever assembly	A.115/1		C	"
2835	Lever assembly	A.118/2		C	"
2982	Lever assembly	A.118/3		C	"
2926	Relief, $\frac{1}{4}$ in.	702.AD.02		A	"
2962	Selector, 1 in. B.S.P.	108.FR.04		A	"
2963	Selector, $1\frac{1}{4}$ in. B.S.P.	110.BR.03		A	"
2966	Valve unit, coupled	C.101/1		A	"
	Spares:—					
2940	Ring, sealing	5112/5		C	"
2742	Valve, vent	51A/12		A	"
	FITTINGS, Fuel, S.P.E. Type:—					
6394	Cone, union reducing	SPE.3182		C	"
2379	Float mechanism	For use with Ref. No. 2262. Naval aviation only	1823		A	"
5554	Plate, blanking, by-pass	SPE.10752		C	"
5367	Valve, float	Supersedes Ref. No. 2968. Superseded by Ref. No. 6660	SPE.2530, Mk. 3		A	"
	Valves, float:—					
2490	Type FV.1250/H.T., Mark 5	Naval aviation only	SPE.1850		A	"

RESTRICTED

RESTRICTED

AIRCRAFT PUMPS AND FUELLING EQUIPMENT, AIRBORNE
(OTHER THAN FLIGHT REFUELLING LTD., EQUIPMENT)
SECTION 27F—cont.

1	2	3	4	5	6	7
	FITTINGS, Fuel, S.P.E. Type—cont.					
	Valves, float—cont.					
2262	Type FV.1250/S, Mark 5	1½ in. B.S.P. side fitting	SPE.1821		A	each
2909	Type FV.1250/S, Mark 6	Superseded by Ref. No. 5854			A	"
5854	Type FV.1250/S, Mark 7	Supersedes Ref. No. 2909. Superseded by Ref. No. 6459			A	"
6459	Type FV.1250/S, Mark 8	Supersedes Ref. No. 5854			A	"
6660	Valve, float control, FCV/A Mark 1	Supersedes Ref. No. 5367. Superseded by Ref. No. 7671	SPE.20261		A	"
7671	Valve, float control, FCV/A, Mark 2	Supersedes Ref. No. 6660			A	"
2831	Valve, hot air	Type NA.1000. Mark 2	SPE.2191		A	"
7670	Valve, hydraulic	SPE.015377		A	"
	Valves:—					
2281	Non-return	SPE.1924		A	"
2295	Non-return	Superseded by Ref. No. 2831	SPE.1735		A	"
2298	Non-return, Type P.33A	Superseded by Ref. No. 6641	SPE.1708		A	"
2299	Non-return, Type P.36A, Mark 2	SPE.1721		A	"
2448	Non-return	Supersedes Ref. No. 2207	SPE.1957		A	"
2456	Non-return	¾ in. B.S.P.	SPE.1935		A	"
2746	Non-return	SPE.1760		A	"
2787	Non-return	SPE.1766		A	"
2912	Non-return	N.1500		A	"
5555	Non-return	2 in. B.S.P.	RV.2000/05		A	"
6441	Non-return	Supersedes Ref. No. 2298	SPE.2708		A	"
	Valves, non-return:—					
	Non-spring loaded:—					
	¾ in. B.S.P.:—					
2207	Type N.375, Mark 1	Superseded by Ref. No. 2448	SPE.1747		A	"
	Spring loaded:—					
	¼ in. B.S.P.:—					
2267	Type P.29A, Mark 2	Superseded by Ref. No. 5598	SPE.1700		A	"
5598	Type P.29A, Mark 3	Supersedes Ref. No. 2267	SPE.2700		A	"
5897	Type P.29A, Mark 4	SPE.2549		A	"

RESTRICTED

RESTRICTED

AIRCRAFT PUMPS AND FUELLING EQUIPMENT, AIRBORNE
(OTHER THAN FLIGHT REFUELLING LTD., EQUIPMENT)
SECTION 27F—cont.

1	2	3	4	5	6	7
	FITTINGS, Fuel, S.P.E. Type—cont.					
	Valves, non-return—cont.					
	Spring loaded—cont.					
	$\frac{3}{8}$ in. B.S.P.:—					
2156	Type P.28A, Mark 2	SPE.1701	A	each
	$\frac{1}{2}$ in. B.S.P.:—					
2179	Type P.35A, Mark 2	Superseded by Ref. No. 5556	SPE.1702	A	"	
5556	Type P.35A, Mark 3	Supersedes Ref. No. 2179	SPE.2702	A	"	
5557	Type P.35A, Mark 4	SPE.2551	A	"	
	$\frac{5}{8}$ in. B.S.P.:—					
2165	Type 30A, Mark 2	Superseded by Ref. No. 5176 Naval aviation only	SPE.1703	A	"	
5176	Type P.30A, Mark 3	Supersedes Ref. No. 2165	SPE.2703	A	"	
	$\frac{3}{4}$ in. B.S.P.:—					
2155	Type 22A, Mark 2	SPE.1704	B	"	
6346	Type P.22A, Mark 3	SPE.2704	B	"	
	1 in. B.S.P.:—					
2145	Type P.23A, Mark 2	Superseded by Ref. No. 5323	SPE.1705	A	"	
5323	Type P.23A, Mark 3	Supersedes Ref. No. 2145	SPE.2705	A	"	
2125	Type P.23A/S	Naval aviation only	SPE.1297	A	"	
5214	Type P.23A/WG, Mark 1	SPE.16292	A	"	
	$1\frac{1}{4}$ in. B.S.P.:—					
2152	Type P.24A, Mark 2	Superseded by Ref. No. 5178	SPE.1706	B	"	
5178	Type P.24A, Mark 3	Supersedes Ref. No. 2152	SPE.2706	B	"	
	Spares:—					
5390	Ring, joint	SPE.1092	C	"	
5898	Type P.24A, Mark 4	SPE.2555	A	"	
	$1\frac{1}{2}$ in. B.S.P.:—					
2161	Type P.32A, Mark 2	Superseded by Ref. No. 5213	SPE.1707	A	"	
5213	Type P.32A, Mark 3	Supersedes Ref. No. 2161	SPE.2707	A	"	
	Valves:—					
2974	Relief	SPE.2431	A	"	
2995	Relief	SPE.2200	A	"	
2933	Relief, Type RV.1000/35, Mark 1	SPE.2114	A	"	
2970	Vent	SPE.2340	A	"	

RESTRICTED

RESTRICTED

**AIRCRAFT PUMPS AND FUELLING EQUIPMENT, AIRBORNE
(OTHER THAN FLIGHT REFUELLING LTD., EQUIPMENT)
SECTION 27—cont.**

1	2	3	4	5	6	7	
	FITTINGS, Fuel, S.P.E. Type—cont.						
	Valves—cont.						
2971	Vent	SPE.2341	A each	
	Vent outward:—						
2969	Type OV., Mark 1	Superseded by Ref. No. 5522	SPE.2333	A "	
5522	Type OV.2, Mark 1	Supersedes Ref. No. 2969	SPE.2562	A "	
	Spares:—						
5571	Diaphragm	SPE.2317	C "	
5572	Diaphragm	SPE.2321	C "	
5186	Type OV.4, Mark 1	SPE.2300	A "	
5559	Type OV.5, Mark 1	SPE.2605	A "	
5558	Type OV.5, Mark 2	SPE.2680, Mark 2	A "	
	Spares:—						
5895	Cover, vent valve	SPE.2307	C "	
	FITTINGS, Fuel, Vickers Type:—						
	Cocks, $\frac{1}{8}$ in. B.S.P.:—						
	2-way:—						
2142	Screw and screw straight through	C.174	C "	
451	3-way, with "L" plug	A.271	A "	
2753	Drain	Mark A	A.5268/A	C "	
	Spares:—						
2879	Plug, dust	For Ref. No. 2753	A.5268/11	C "	
2218	Drain	Mark B	A.5268/B	C "	
	Cocks, $\frac{1}{4}$ in. B.S.P.:—						
	2-way:—						
2121	Screw and hose, straight through	D.347	C "	
2134	Screw and screw, "L" type	D.544	C "	
2119	Screw and screw, straight through	D.253	C "	
2722	3-way	Naval aviation only	D.1862	A "	
	3-way:—						
1962	Open bottom, straight through plug	D.894	A "	
1960	With "L" plug	D.349	A "	
2131	With "T" plug	Supersedes Ref. No. 1898	D.517	A "	

AIRCRAFT PUMPS AND FUELLING EQUIPMENT, AIRBORNE
(OTHER THAN FLIGHT REFUELLING LTD., EQUIPMENT)
SECTION 27F—cont.

1	2	3	4	5	6	7
	FITTINGS, Fuel, Vickers Type—cont.					
	Cocks, $\frac{1}{4}$ in. B.S.P.—cont.					
2214	Drain	Mark A	A.5269		C	each
2205	Drain	Mark B	A.5269		C	"
	Spares:—					
5706	Chain	A.5269/13		C	"
5705	Plug	A.5269/11		C	"
	Cocks, $\frac{3}{8}$ in. B.S.P.:—					
	2-way:—					
2120	Screw and screw, straight through	Supersedes Ref. No. 454	D.250		C	"
2140	Screw and screw, straight through	E.250		A	"
	3-way:—					
2141	Screw and screw plug	D.406		A	"
2159	With "T" plug	Supersedes Ref. No. 455	D.256		C	"
	Cocks, $\frac{1}{2}$ in. B.S.P.:—					
	2-way:—					
2135	Screw and hose, straight through	D.309		A	"
456	Screw and screw, straight through	Superseded by Ref. No. 2128	C.249		A	"
2128	Screw and screw, straight through	Supersedes Ref. No. 456	D.249		C	"
2723	3-way	D.1978		A	"
	3-way:—					
2136	With "L" plug	D.407		C	"
2377	Cocks, $\frac{3}{8}$ in. B.S.P.	Naval aviation only	D.647		A	"
	Spare:—					
2497	Ring, joint	Naval aviation only	225/92100		A	"
	Cocks, $\frac{3}{8}$ in. B.S.P.:—					
	2-way:—					
2137	Screw and screw, straight through	Supersedes Ref. No. 458	D.251		A	"
	3-way:—					
1895	With "L" plug	Superseded by Ref. No. 6657	C.398		A	"
6657	With "L" plug	Supersedes Ref. No. 1895	D.398		A	"
2143	With "T" plug	Supersedes Ref. No. 459	D.258		A	"

RESTRICTED

RESTRICTED

**AIRCRAFT PUMPS AND FUELLING EQUIPMENT, AIRBORNE
(OTHER THAN FLIGHT REFUELLING LTD., EQUIPMENT)
SECTION 27F—cont.**

1	2	3	4	5	6	7
	FITTINGS, Fuel, Vickers Type—cont.					
	Cocks, ¼ in. B.S.P.:—					
	2-way:—					
2287	Screw and hose	D.264	A	each
2138	Screw and screw, straight through	Supersedes Ref. No. 460	D.254	A	"
	3-way:—					
2132	With "L" plug	D.399	A	"
1902	With "T" plug	Superseded by Ref. No. 2122	C.318	A	"
2122	With "T" plug	Supersedes Ref. No. 1902	D.318	A	"
	Cocks, ⅜ in. B.S.P.:—					
	2-way:—					
2130	Screw and screw, straight through	D.246	A	"
	Cocks, 1 in. B.S.P.:—					
	2-way:—					
1963	Screw and screw, straight through	Supersedes Ref. No. 462	D.255	A	"
	3-way:—					
1892	With "L" plug	C.487	A	"
1925	With "T" plug	Naval aviation only	C.285	A	"
	Cocks, 1½ in. B.S.P.:—					
1965	2-way, straight through	D.332	A	"
2234	2-way	A.5192J	A	"
	Accessories:—					
2236	Coupling	A.5172/23	C	"
	3-way:—					
1964	With "T" plug	D.590	A	"
	Cocks, 1½ in. B.S.P.:—					
2235	2-way	"R" type	A.5192K	A	"
	Accessories:—					
—	Coupling	For Ref. No. 2235		—	—
2258	2-way	Ref. No. 2236	A.5293K	A	each
	"R" type					
	Cocks, 1½ in. flight refuelling connections:—					
2213	L.P. Type R	Superseded by Ref. No. 2867	A.5369K	A	"
2867	L.P. type	Supersedes Ref. No. 2213	A.5823K	A	"

RESTRICTED

RESTRICTED

AIRCRAFT PUMPS AND FUELLING EQUIPMENT, AIRBORNE
(OTHER THAN FLIGHT REFUELLING LTD., EQUIPMENT)
SECTION 27F—cont.

1	2	3	4	5	6	7
	FITTINGS, Fuel, Vickers Type—cont.					
	Cocks, 1½ in. B.S.P.:—					
2297	2-way	“R” type	A.5262L		A	each
2300	Cock, 2 in. B.S.P.	A.5192M		A	”
5806	Cock, 2 in. B.S.P.	A.6046, Mk. M, Sht. 1		A	”
2928	Cock, fuel	D.5725		A	”
2994	Cock, fuel	A.5920		A	”
2956	Cock, fuel, jettison	A.5780		A	”
2526	Cock, fuel	D.897		A	”
	Cocks, fuel:—					
2475	1½ in. B.S.P.	A.5634K		A	”
2967	1½ in. B.S.P., 3-way	D.5828		A	”
2466	2 in. B.S.P.	A.5262M		A	”
	Cocks, fuel priming:—					
2452	5-way	D.5193		A	”
2829	Cock, isolation	D.1885		A	”
	Cocks, vacuum:—					
2451	4-way	A.5349		A	”
5583	Coupling	A.5241/3		C	”
5551	Valve	A.5881		A	”
2992	Valve, jettison	A.5920, Sheet 3		A	”
	Valves:—					
2251	Non-return	Superseded by Ref. No. 2862	A.5179M		A	”
2294	Non-return	A.5434		A	”
2296	Non-return	A.5534		A	”
2669	Non-return	A.5287B		A	”
2743	Non-return	A.5287C		C	”
2744	Non-return	A.5287D		A	”
2745	Non-return	A.5287E		C	”
2817	Non-return	A.5500B		C	”
2816	Non-return	A.5500F		A	”
2843	Non-return	A.5426A		B	”

RESTRICTED

RESTRICTED

**AIRCRAFT PUMPS AND FUELLING EQUIPMENT, AIRBORNE
(OTHER THAN FLIGHT REFUELLING LTD., EQUIPMENT)
SECTION 27F—cont.**

1	2	3	4	5	6	7
	FITTINGS, Fuel, Vickers Type—cont.					
	Valves—cont.					
2860	Non-return	Supersedes Ref. No. 2216	A.5287F		A	each
2862	Non-return	Supersedes Ref. No. 2251	A.5287M		A	"
2783	Non-return	A.5494F		A	"
	Non-return:—					
2230	1/2 in. B.S.P.	A.738		C	"
2293	in. B.S.P.	Superseded by Ref. No. 2669	A.5179B		C	"
2158	in. B.S.P.	Superseded by Ref. No. 2743	A.5179C		C	"
2875	in. B.S.P.	A.5500C		A	"
2219	in. B.S.P.	Superseded by Ref. No. 2744	A.5179D		A	"
2467	in. B.S.P.	A.5247		B	"
2578	in. B.S.P.	A.5500D		A	"
2389	in. B.S.P.	A.5500E		A	"
2216	in. B.S.P.	Superseded by Ref. No. 2860	A.5179F		A	"
	Accessories:—					
2571	Ring, joint	Naval aviation only	A.5013/113		C	"
2572	Shim	Naval aviation only	A.5179/45		C	"
2568	Guide, valve	Naval aviation only	A.5013/129		C	"
2569	Guide, valve	Naval aviation only	A.5013/81		C	"
2570	Spring, valve	Naval aviation only	A.5013/155		C	"
2182	1 in. B.S.P.	Superseded by Ref. No. 2668	A.5179H		A	"
	Accessories:—					
2576	Ring, joint	A.5013/115		C	"
2577	Shim	A.5179/47		C	"
2573	Guide, valve	A.5179/63		C	"
2574	Guide, valve	A.5013/151		C	"
2575	Spring, valve	A.5013/157		C	"

RESTRICTED

RESTRICTED

**AIRCRAFT PUMPS AND FUELLING EQUIPMENT, AIRBORNE
(OTHER THAN FLIGHT REFUELLING LTD., EQUIPMENT)
SECTION 27F—cont.**

1	2	3	4	5	6	7	
	FITTINGS, Fuel, Vickers Type—cont.						
	Valves—cont.						
	Non-return—cont.						
2280	1 in. B.S.P.	Naval aviation only	A.5505H		A	each	
2301	1 in. B.S.P.	A.5412H		A	"	
2668	1 in. B.S.P.	Supersedes Ref. No. 2182	A.5287H		A	"	
2888	1 in. B.S.P.	A.5494H		A	"	
2190	1¼ in. B.S.P.	Superseded by Ref. No. 2405	A.5179 J		A	"	
2382	1¼ in. B.S.P.	A.5500 J		A	"	
2405	1¼ in. B.S.P.	Supersedes Ref. No. 2190	A.5287 J		A	"	
2837	1¼ in. B.S.P.	A.5494 J		A	"	
2941	1¼ in. B.S.P.	A.5713, Mark 5		A	"	
2189	1½ in. B.S.P.	Superseded by Ref. No. 2861	A.5179K		A	"	
2861	1½ in. B.S.P.	Supersedes Ref. No. 2189	A.5287K		A	"	
2231	1½ in. B.S.P.	A.5365K		A	"	
2383	2 in. B.S.P.	A.5500M		A	"	
2836	2 in. B.S.P.	A.5778M		A	"	
1912	Valve, Relief, Mark 1, non-return	Male thread each end	A.476		A	"	
	Valves, Relief, Mark 2, non-return:—						
	Horizontal:—						
467	½ in. B.S.P.	A.165		A	"	
468	⅝ in. B.S.P.	A.171		A	"	
7257	PRIMER, pump	Kigass pattern	C.2586		B	"	
	PRIMERS:—						
	Type B:—						
1331	No. 1	Kigass pattern. Complete with:— Adapter, inlet and outlet ½ in. B.S.P., Drg. No. B.358/8. For ⅝ in. pipe collar, A.G.S. 709A. Nipple, A.G.S.713A. Sleeve, outer, A.G.S.711A.	D.722		B	"	

RESTRICTED

RESTRICTED

**AIRCRAFT PUMPS AND FUELLING EQUIPMENT, AIRBORNE
(OTHER THAN FLIGHT REFUELLING LTD., EQUIPMENT)
SECTION 27F—cont.**

1	2	3	4	5	6	7
	PRIMERS—cont.					
	Type B—cont.					
1871	No. 2	Kigass pattern. Complete with:— Adapter, inlet and outlet, $\frac{1}{4}$ in. B.S.P., Drg. No. E.242. For $\frac{1}{4}$ in. pipe and collar, A.G.S. 709B. Nipple, A.G.S.713B. Sleeve, outer, A.G.S.711B.	D.722		B	each
1886	No. 4	Complete with:— Adapter, inlet, $\frac{1}{8}$ in. B.S.P., Drg. No. B.358. For $\frac{3}{16}$ in. pipe and collar, A.G.S.709A. Adapter, outlet, $\frac{1}{4}$ in. B.S.P., Drg. No. B.342. For $\frac{1}{4}$ in. pipe and collar, A.G.S. 709B. Nipple, A.G.S.713A. Nipple, A.G.S.713B. Sleeve, outer, A.G.S.711A. Sleeve, outer, A.G.S.711B.	D.722		B	"
	Spares:—					
1051	Adapter, union, $\frac{1}{4}$ in. B.S.P.	AD.8731/2		C	"
2391	Ball, phosphor-bronze, $\frac{1}{16}$ in. dia	Naval aviation only				
1052	Body, union, $\frac{1}{8}$ in. B.S.P.	AD.8556/1		C	each
2392	Handle	Naval aviation only	E.726			
2393	Nut, lock	Naval aviation only	E.729			
2394	Pin, taper	Naval aviation only	E.730			
2395	Plunger	Naval aviation only	E.725			
2396	Spring, inlet	Naval aviation only	E.733			
2397	Spring, outlet	Naval aviation only	E.734			
1053	Spring, valve, long	AD.8556/3		C	each
2398	Union	Naval aviation only	E.735			
2399	Union	Naval aviation only	E.342			

RESTRICTED

RESTRICTED
33

**AIRCRAFT PUMPS AND FUELLING EQUIPMENT, AIRBORNE
(OTHER THAN FLIGHT REFUELLING LTD., EQUIPMENT)
SECTION 27F—cont.**

1	2	3	4	5	6	7
	PRIMERS—cont.					
	Type B—cont.					
	Spares—cont.					
1054	Valve, ball	AD.8556/4		C	each
1055	Washer	AD.8556/2		C	"
2400	Washer	E.259/6		—	—
2499	Type K.20	D.1773		B	each
1878	Type K.40	∩			B	"
		Kigass pattern				
		Kigass pattern. Complete with:—				
		Adapter, inlet, ¼ in. B.S.P., Drg. No. 310. For ¼ in. pipe and collar, A.G.S.709B.				
		Adapter, outlet, ¼ in. B.S.P., Drg. No. 311. For ¼ in. pipe and collar. A.G.S.709B.				
		Nipple, A.G.S.713B.				
		Sleeve, outer, A.G.S.711B.				
		Superseded by Ref. No. 2163.				
	Spares:—					
1887	Adapter, union, ¼ in., inlet	E.310		C	"
1888	Adapter, union, ¼ in., outlet	E.311		C	"
1889	Spring, valve, inlet	E.247		C	"
1890	Spring, valve, outlet	E.283		C	"
1891	Washer	E.259/5		C	"
2163	Type K.40, Mark 2	D.1681		B	"
	Spares:—					
—	Adapter, union, ¼ in., inlet	Ref. No. 1887			—	—
—	Adapter, union, ¼ in., outlet	Ref. No. 1888			—	—
2390	Ball, phosphor-bronze, ½ in. dia			—	—
2177	Gasket	D.1672		C	each
2220	Housing	D.1674		C	"
2222	Nut, gland	D.1677		C	"
2178	Seal	D.1673		C	"
2221	Spacer	D.1676		C	"
—	Spring, valve, inlet	Ref. No. 1889			—	—
—	Spring, valve, outlet	Ref. No. 1890			—	—
—	Washer	Ref. No. 1891			—	—

RESTRICTED

RESTRICTED

**AIRCRAFT PUMPS AND FUELLING EQUIPMENT, AIRBORNE
(OTHER THAN FLIGHT REFUELLING LTD., EQUIPMENT)
SECTION 27F—cont.**

1	2	3	4	5	6	7
	PRIMERS—cont.					
2164	Type K.40N, Mark 2	Kigass pattern. Supersedes Ref. No. 1957. Naval aviation only	D.1683		B	each
	Spares:—					
—	Adapter, union, ¼ in., inlet	Ref. No. 1887			—	—
—	Adapter, union, ¼ in. outlet	Ref. No. 1888			—	—
—	Ball, phosphor-bronze, ¼ in. dia	Ref. No. 2390. Naval aviation only			—	—
—	Gasket	Ref. No. 2177			—	—
2408	Handle	Naval aviation only	E.308		—	—
—	Housing	Ref. No. 2220			—	—
2224	Nameplate, K.40N, Mark 2	Naval aviation only	D.1679		C	each
—	Nut, gland	Ref. No. 2222			—	—
2407	Nut, lock	Naval aviation only	E.278		—	—
—	Seal	Ref. No. 2178			—	—
—	Spacer	Ref. No. 2221			—	—
—	Spring, valve, inlet	Ref. No. 1889			—	—
—	Spring, valve, outlet	Ref. No. 1890			—	—
—	Washer	Ref. No. 1891			—	—
5185	Type K.40/0	Kigass pattern. Superseded by Ref. No. 5520	D.2315		B	each
5520	Type K.40/0, Mark 2	Kigass pattern. Supersedes Ref. No. 5185	D.2417		B	"
	Spares:—					
5601	Union	E.2325		C	"
1966	Type K.45, Mark 3	Kigass pattern. Superseded by Ref. No. 2217. For Devon Aircraft			B	"
2217	Type K.45, Mark 4	Kigass pattern. Supersedes Ref. No. 1966. For Devon Aircraft			B	"
	PUMPS					
2747	De-icing windscreen	(Exp. 4273)	M.2603		A	"
	Fuel, hand:—					
1885	Type P.9A, Mark 3B	Less union, self priming, standard, for carburettor priming and carburettor de-icing	GA/S/1050		A	"

RESTRICTED

RESTRICTED

**AIRCRAFT PUMPS AND FUELLING EQUIPMENT, AIRBORNE
(OTHER THAN FLIGHT REFUELLING LTD., EQUIPMENT)
SECTION 27F—cont.**

1	2	3	4	5	6	7
	PUMPS—cont.					
	Fuel, hand—cont.					
	Type P.9A, Mark 3B—cont.					
	Spares:—	For Ref. No. 1885				
	Flanged end assemblies:—					
1929	Bolt	S.1047		C	each
1934	Bolt, knob	SPE.1/A		C	"
1928	Diaphragm	2 layers	S.972		C	"
1935	Knob	2 half sections	SPE.3000		C	"
1930	Nut, bolt	S.1566		C	"
1936	Nut, knob bolt, locking	SPE.2		C	"
—	Pin, shackle, steel, $\frac{1}{4}$ in. dia \times 0.60 in. lg	Reference 28P/886				—
—	Pin, shackle, steel, $\frac{1}{4}$ in. dia \times 0.65 in. lg	Reference 28P/867				—
—	Pin, split, M.S., $\frac{1}{16}$ in. \times $\frac{1}{2}$ in. lg	Reference 28P/1201				—
1938	Plate, back, diaphragm	461		C	each
1939	Plate, front	459/A		C	"
1931	Washer, bolt			C	"
—	Washer, steel, bright, 0.26 in. i/d \times 0.60 in. o/d	Reference 28W/3072. For bolt and pin				—
1933	Lever operating sub-assemblies	Complete with brushes	S.1163		C	each
	Valve assemblies:—	Suction and delivery				
	Spares:—					
1943	Ball, valve relief	S.888		C	"
1944	Body, valve relief	S.1030		C	"
—	Bolt, M.S., non-stainless, hexagon head, 2 B.A. \times 2 in. lg	Reference 28D/7173				—
1926	Cage	SPE.10		C	each
1927	Circlip, retaining	SPE.14		C	"
1947	Cup, spring retaining	S.1029		C	"
1932	Disc, valve	SPE.8		C	"

RESTRICTED

RESTRICTED

AIRCRAFT PUMPS AND FUELLING EQUIPMENT, AIRBORNE
(OTHER THAN FLIGHT REFUELLING LTD., EQUIPMENT)
SECTION 27F—cont.

1	2	3	4	5	6	7
	PUMPS—cont.					
	Fuel, hand—cont.					
	Type P.9A, Mark 3B—cont.					
	Spares—cont.	For Ref. No. 1885				
	Valve assemblies—cont.	Suction and delivery				
	Spares—cont.					
—	Plug, flanged, brass, $\frac{3}{8}$ in. B.S.P. ..	Reference 28R/1398. Blanking valve chamber			—	—
1955	Ring, valve joint	Soft rubber	SPE.5C		C	each
1956	Spring, valve	SPE.15		C	"
1948	Spring, valve relief	S.1031		C	"
1942	Washer, blanking relief	S.1205		C	"
—	Washer, jointing, thin, 0.66 in. i/d × 0.90 in. o/d	Reference 28W/9592			—	—
1945	Washer, packing, relief valve joints ..	6 thin	S.1107		C	each
1946	Washer, packing, relief valve joints ..	3 thick	S.1108		C	"
1949	Washer, packing, relief valve joints	S.1032		C	"
	Valve chambers:—					
	Spares:—					
—	Bolt, M.S., non-stainless, hexagon head, 2 B.A. × 2 in. lg	Reference 28D/7173			—	—
—	Nut, steel, mild, plain, R.H. thread, 2 B.A.	Reference 28M/5316			—	—
—	Plug, flanged, brass, $\frac{3}{8}$ in. B.S.P. ..	Reference 28R/1398			—	—
1941	Sleeve, delivery section	} These items are required for early version { of pump only	S.420B		C	each
1940	Sleeve, delivery section		S.420		C	"
—	Union, reducing, brass, $\frac{1}{4}$ in. × $\frac{3}{8}$ in. B.S.P.	Reference 28V/3790			—	—
—	Union, standard, brass, $\frac{3}{8}$ in. × $\frac{3}{8}$ in. B.S.P.	Reference 28V/3781			—	—
6362	Lucas, fuel boost		FBP.104		A	each
	Spares:—	For Ref. No. 6362				
7637	Bolt	GTS.74-12	2	C	"
7636	Clamp assembly	7540162	1	C	"
7638	Gasket	7540167	1	C	"
7635	Motor, hydraulic, sub-assembly	77540760	1	A	"
7639	Outlet connection assembly	7540164	1	C	"

A/L.218

RESTRICTED

RESTRICTED

**AIRCRAFT PUMPS AND FUELLING EQUIPMENT, AIRBORNE
(OTHER THAN FLIGHT REFUELLING LTD., EQUIPMENT)
SECTION 27F—cont.**

1	2	3	4	5	6	7
	PUMPS—cont.					
	Rotax:—					
1870	Type No. 1128, less flange	n For windscreen wipers and sprayers. Naval aviation only. Superseded by Ref. No. 2162	SIS.359		A	each
	Accessories:—					
1879	Flange, 2 $\frac{11}{16}$ in. dia	Naval aviation only			C	"
	Spares:—					
1951	Pin, gland nut	Brass, 15 S.W.G. × 0.500 in. lg. Naval aviation only	N.59884		C	"
1952	Washer	Leather chrome	N.59879		C	"
1954	Washer, gland	Leather chrome for adjustable needle ..	N.59869		C	"
1953	Washer, gland, packing	Leather chrome. Superseded by Ref. No. 2877. Naval aviation only	N.59862		C	"
2877	Washer, gland, packing	Supersedes Ref. No. 1953	N.120258		C	"
2162	Type M.2601	Superseded by Ref. No. 2672	M.2601		A	"
	Accessories:—	Required only when Ref. No. 2162 replaces Ref. No. 1870				
2185	Adapter	N.83286	1	C	"
2183	Flange	N.83284	1	C	"
2184	Piece, distance	N.83285	3	C	"
2208	Screw	NK.1717L	3	C	"
—	Screw, metal, steel, 4 B.A. × $\frac{3}{8}$ in. lg	Reference 28S/2809		3	—	—
—	Washer, grover	Reference 37A/2845		3	—	—
	Spares:—					
—	Pin, gland nut	Ref. No. 1951			—	—
—	Washer	Ref. No. 1952			—	—
2153	Washer, fibre	Naval aviation only	N.59859		C	each
—	Washer, gland	Ref. No. 1954			—	—
—	Washer, gland packing	Ref. No. 1953			—	—
2672	Rotax	Supersedes Ref. No. 2162	M.2601/1		B	each
	S.P.E.:—					
3033	Package, 3 cell, c/w pump	Pump S.P.E. PAT. 4021, Mark 2	E.4004006		A	"
3034	Package, forward transfer, c/w pump ..	Pump S.P.E. PAT. 2701, Mark 2	E.4004007		A	"

RESTRICTED

RESTRICTED

**AIRCRAFT PUMPS AND FUELLING EQUIPMENT, AIRBORNE
(OTHER THAN FLIGHT REFUELLING LTD., EQUIPMENT)
SECTION 27F—cont.**

1	2	3	4	5	6	7
	PUMPS—cont.					
	S.P.E.—cont.					
3035	Package, rear transfer, c/w pump	Pump S.P.E. PAT. 1801, Mark 2	E.4004004		A	each
3534	Pump, fuel, c/w valve, pressure-reducing, J.481A	PAT.30000A		A	"
	Accessories:—					
7543	Container, special-to-contents	For Ref. No. 3534			A	"
7674	Pump, fuel, P.F.R. 9000, Mark 4	HI-VALVE. For Mark 20B POD.	SPE.24041		A	"
	RECUPERATORS, fuel:—					
	S.P.E. type:—					
2303	Type P.R.C.25, Mark 1	Superseded by Ref. No. 2792	SPE.3237		A	"
2792	Type P.R.C.25, Mark 2	Supersedes Ref. No. 2303			A	"
2870	Type P.R.C.25, Mark 3	Supersedes Ref. No. 2792			A	"
2457	Type P.R.C.25A, Mark 1	Superseded by Ref. No. 2793	SPE.3309		A	"
2793	Type P.R.C.25A, Mark 2	Supersedes Ref. No. 2457			A	"
2871	Type P.R.C.25A, Mark 3	Supersedes Ref. No. 2793			A	"
	Spares:—	For Type P.R.C.25 series				
6210	Bag	SPE.3845		B	"
5409	Pipe, joint	SPE.3269A		C	"
5412	Ring, joint	SPE.3314		C	"
2275	Type P.R.C.40, Mark 1	Superseded by Ref. No. 2732	EXS.6947		A	"
2732	Type P.R.C.40, Mark 2	Supersedes Ref. No. 2275			A	"
2868	Type P.R.C.40, Mark 3	Supersedes Ref. No. 2732	SPE.3889		A	"
	Spares:—					
6205	Bag	SPE.3846		B	"
—	Pipe, joint	Ref. No. 5409			—	—
—	Ring, joint	Ref. No. 5412			—	—
2959	Type P.R.C.40B, Mark 1	SPE.3960		A	each
5109	Type P.R.C.50A	Superseded by Ref. No. 5577			A	"
5577	Type P.R.C.50A, Mark 2	Supersedes Ref. No. 5109			A	"
2229	Type P.R.C.60A, Mark 1	Superseded by Ref. No. 2719	EXS.6207		A	"
	Spares:—					
2283	Bag, fuel	EXS.6286		B	"

AIRCRAFT PUMPS AND FUELLING EQUIPMENT, AIRBORNE
(OTHER THAN FLIGHT REFUELLING LTD., EQUIPMENT)
SECTION 27F—cont.

1	2	3	4	5	6	7
	RECUPERATORS, fuel—cont.					
	S.P.E. type—cont.					
2719	Type P.R.C.60A, Mark 2	Superseded by Ref. No. 2780. Supersedes Ref. No. 2229			A	each
	Spares:—					
2935	Housing	S.P.E. Mod. No. 64	SPE.3570		C	"
2965	Spring	S.P.E. Mod. No. 64	SPE.3271		C	"
2780	Type P.R.C.60A, Mark 3	Supersedes Ref. No. 2719			A	"
2869	Type P.R.C.60A, Mark 4	Supersedes Ref. No. 2780			A	"
5015	Type P.R.C.60B, Mark 1		SPE.15035		A	"
	Spares:—	For Ref. Nos. 2869 and 5015				
5161	Bag		SPE.3848		B	"
—	Pipe, joint	Ref. No. 5409			—	—
—	Ring, joint	Ref. No. 5412			—	—
2678	Type R.C.05A, Mark 2	Naval aviation only			A	each
5382	Type R.C.20D, Mark 1 modified	Supersedes Ref. No. 5001	SPE.3183 plus JP.806		B	"
	Spares:—	For Ref. No. 5382				
5009	Adapter, air bleed		SPE.3332	1	C	"
6211	Bag		SPE.3179		B	"
7683	Bag	Supersedes Ref. No. 6211 on removal of recuperator	SPE.20919	1	B	"
5010	Filter, sub-assembly		SPE.3331	1	C	"
2802	Joint, valve casing		SPE.101017	1	C	"
7666	Ring, stiffening		SPE.3181	2	C	"
6397	Shim, spring pressure adjusting		SPE.3193A/D		C	"
6396	Spring, relief valve		SPE.15151		C	"
7667	Stud, ring and orifice plate		SPE.3883	2	B	"
7668	Top casting		SPE.3322	1	C	"
6212	Union, $\frac{3}{8}$ in. B.S.P.		SPE.3192		C	"
6213	Union, $\frac{1}{4}$ in. B.S.P.		SPE.15261		C	"
6333	Valve, relief assembly		SPE.3185	1	B	"
6398	Valve, relief, casting assembly		SPE.3241		C	"
6395	Valve, sub-assembly		SPE.3222		C	"
5011	Washer, joint		SPE.3213	2	C	"

RESTRICTED

RESTRICTED

**AIRCRAFT PUMPS AND FUELLING EQUIPMENT, AIRBORNE
(OTHER THAN FLIGHT REFUELLING LTD., EQUIPMENT)
SECTION 27—cont.**

1	2	3	4	5	6	7
	RECUPERATORS, fuel—cont.					
	S.P.E. type—cont.					
5001	Type R.C.20D, Mark 1.. .. .	Superseded by Ref. No. 5382			A	each
5851	Type R.C.021G, Mark 3	Interchangeable with Ref. No. 6221 ..			A	"
	Spares:—					
5223	Bag	SPE.3776		B	"
2808	Bolt, special, 4 B.A.	SPE.3532		C	"
6214	Union, ¼ in. B.S.P. restrictor	SPE.15085		C	"
2809	Valve, sediment drain	C.5883		B	"
6221	Type R.C.021H, Mark 3	Interchangeable with Ref. No. 5851 ..	SPE.15347		A	"
	Spares:—					
—	Bag	Ref. No. 5223.. .. .			—	—
—	Bolt, special, 4 B.A.	Ref. No. 2808.. .. .			—	—
—	Union, ¼ in., B.S.P., restricted	Ref. No. 6214.. .. .			—	—
2532	Type R.C.38, Mark 2	Superseded by Ref. No. 2727			A	each
2727	Type R.C.38A, Mark 3	Superseded by Ref. No. 2842. Supersedes Ref. No. 2532			A	"
2842	Type R.C.38A, Mark 4	Supersedes Ref. No. 2727			A	"
2932	Type R.C.38A, Mark 5	Supersedes Ref. No. 2842			A	"
	Accessories:—					
5608	Container, special to contents	For Type R.C.38 series			A	"
	Spares:—					
6207	Bag	SPE.15132		B	"
6208	Ring, sealing	SPE.3347		C	"
6209	Washer, joint	SPE.3304		C	"
2866	Type R.C.60F, Mark 2	Naval aviation only	SPE.3369		A	"
2930	Type R.C.60G, Mark 3	Naval aviation only	SPE.3893		A	"

RESTRICTED

RESTRICTED

**AIRCRAFT PUMPS AND FUELLING EQUIPMENT, AIRBORNE
(OTHER THAN FLIGHT REFUELLING LTD., EQUIPMENT)**

SECTION 27F—cont.

INDEX TO REFERENCE NUMBERS

Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.
451	27	1930	36	1966	35	2026	12	2122	29	2174	13	2228	3	2277	13	2383	32	2455	15
456	28	1931	36	1967	11	2029	14	2125	26	2175	15	2229	39	2279	13	2384	24	2456	25
467	32	1932	36	1970	12	2030	18	2128	28	2177	34	2230	31	2280	32	2385	19	2457	39
468	32	1933	36	1972	12	2031	18	2130	29	2178	34	2231	32	2281	25	2389	31	2466	30
1051	33	1934	36	1973	13	2037	16	2131	27	2179	26	2232	3	2283	39	2390	34	2467	31
1052	33	1935	36	1974	13	2039	20	2132	29	2182	31	2234	29	2285	19	2391	33	2475	30
1053	33	1936	36	1975	13	2041	15	2134	27	2183	38	2235	29	2286	19	2392	33	2490	24
1054	34	1938	36	1984	20	2042	15	2135	28	2184	38	2236	29	2287	29	2393	33	2497	28
1055	34	1939	36	1985	21	2043	14	2136	28	2185	38	2237	17	2288	17	2394	33	2499	34
1331	32	1940	37	1986	20	2045	16	2137	28	2186	13	2238	18	2289	17	2395	33	2500	18
1870	38	1941	37	1988	14	2057	15	2138	29	2189	32	2240	15	2290	17	2396	33	2505	4
1871	33	1942	37	1989	16	2060	14	2140	28	2190	32	2241	21	2291	17	2397	33	2506	3
1878	34	1943	36	1990	16	2061	14	2141	28	2203	17	2242	23	2293	31	2398	33	2507	4
1879	38	1944	36	1993	16	2062	11	2142	27	2205	28	2243	11	2294	30	2399	33	2508	4
1885	35	1945	37	1994	16	2065	12	2143	28	2206	17	2247	21	2295	25	2400	34	2510	3
1886	33	1946	37	1995	17	2071	12	2145	26	2207	25	2248	22	2296	30	2405	32	2518	11
1887	34	1947	36	1996	18	2073	14	2151	12	2208	38	2249	23	2297	30	2407	35	2519	24
1888	34	1948	37	1998	19	2074	14	2152	26	2213	29	2251	30	2298	25	2408	35	2526	30
1889	34	1949	37	2005	14	2075	20	2153	38	2214	28	2252	29	2299	25	2421	11	2532	41
1890	34	1951	38	2006	14	2076	12	2155	26	2216	31	2259	11	2300	30	2440	18	2533	19
1891	34	1952	38	2007	15	2079	14	2156	26	2217	35	2260	13	2301	32	2441	18	2534	19
1892	29	1953	38	2008	15	2081	12	2158	31	2218	27	2261	11	2302	24	2442	15	2568	31
1895	28	1954	38	2013	22	2083	20	2159	28	2219	31	2262	25	2303	39	2443	15	2569	31
1902	29	1955	37	2014	23	2095	12	2161	26	2220	34	2264	23	2304	19	2447	13	2570	31
1912	32	1956	37	2016	23	2100	18	2162	38	2221	34	2267	25	2305	19	2448	25	2571	31
1925	29	1960	27	2017	23	2105	12	2163	34	2222	34	2268	17	2370	3	2449	19	2572	31
1926	36	1962	27	2019	23	2106	16	2164	35	2224	35	2272	23	2376	20	2450	19	2573	31
1927	36	1963	29	2020	23	2119	27	2165	26	2225	17	2274	23	2377	28	2451	30	2574	31
1928	36	1964	29	2021	20	2120	28	2167	23	2226	17	2275	39	2379	24	2452	30	2575	31
1929	36	1965	29	2022	20	2121	27	2172	12	2227	3	2276	13	2382	32	2453	22	2576	31

RESTRICTED

RESTRICTED

**AIRCRAFT PUMPS AND FUELLING EQUIPMENT, AIRBORNE
(OTHER THAN FLIGHT REFUELLING LTD., EQUIPMENT)**

SECTION 27F—*cont.*

INDEX TO REFERENCE NUMBERS

Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.
2577	31	2737	19	2790	10	2842	41	2910	18	2949	22	3034	38	5178	26	5557	26	6346	26
2578	31	2738	19	2791	10	2843	30	2911	23	2950	22	3035	39	5182	10	5558	27	6355	8
2584	19	2739	19	2792	39	2850	24	2912	25	2952	9	3534	39	5185	35	5559	27	6356	9
2594	11	2740	22	2793	39	2853	21	2913	17	2953	9	5000	22	5186	27	5571	27	6357	9
2595	11	2741	19	2802	40	2854	18	2914	17	2954	9	5001	41	5191	9	5572	27	6362	37
2597	2	2742	24	2808	41	2856	11	2915	15	2955	22	5005	21	5212	10	5577	39	6363	8
2602	9	2743	30	2809	41	2860	31	2916	15	2956	30	5006	10	5213	26	5583	30	6364	8
2605	22	2744	30	2815	18	2861	32	2917	15	2959	39	5009	40	5214	26	5598	25	6365	9
2606	22	2745	30	2816	30	2862	31	2918	15	2962	24	5010	40	5223	41	5601	35	6394	24
2667	11	2746	25	2817	30	2863	24	2920	17	2963	24	5011	40	5225	8	5608	41	6395	40
2668	32	2747	35	2818	17	2864	24	2921	24	2964	24	5012	10	5226	8	5705	28	6396	40
2669	30	2752	18	2819	11	2865	18	2923	24	2965	40	5013	10	5227	9	5706	28	6397	40
2672	38	2753	27	2820	11	2866	41	2924	22	2966	24	5015	40	5323	26	5806	30	6398	40
2673	24	2754	2	2821	11	2867	29	2925	22	2967	30	5016	8	5365	9	5851	41	6435	8
2674	18	2757	3	2822	11	2868	39	2926	24	2969	27	5017	8	5367	24	5854	25	6436	9
2675	18	2758	3	2823	11	2869	40	2928	30	2970	26	5018	9	5382	40	5861	1	6437	9
2678	40	2759	3	2824	11	2870	39	2929	18	2971	27	5109	39	5390	26	5895	27	6438	8
2679	13	2760	3	2825	11	2871	39	2930	41	2974	26	5110	23	5409	39	5897	25	6439	9
2717	13	2761	3	2826	23	2875	31	2931	23	2975	22	5111	23	5412	39	5898	26	6440	9
2718	1	2762	3	2827	23	2876	21	2932	41	2976	10	5112	23	5457	9	6205	39	6441	25
2719	40	2763	3	2828	18	2877	38	2933	26	2977	10	5113	23	5459	9	6207	41	6446	5
2721	3	2764	2	2829	30	2878	22	2935	40	2978	10	5114	10	5461	9	6208	41	6447	8
2722	27	2767	2	2831	25	2879	27	2937	17	2982	24	5127	23	5520	35	6209	41	6448	6
2723	28	2780	40	2832	1	2881	23	2938	21	2991	21	5159	18	5522	27	6210	39	6449	6
2727	41	2782	1	2834	24	2882	10	2940	24	2992	30	5161	40	5524	10	6211	40	6451	6
2731	23	2783	31	2835	24	2883	10	2941	32	2994	30	5162	22	5551	30	6212	40	6452	6
2732	39	2785	11	2836	32	2884	10	2942	9	2995	26	5163	17	5552	1	6213	40	6453	6
2733	10	2786	11	2837	32	2888	32	2944	21	2996	22	5164	22	5553	1	6214	41	6454	6
2734	10	2787	25	2838	23	2890	21	2945	22	2998	22	5165	22	5554	24	6221	41	6455	6
2735	10	2788	2	2840	18	2891	21	2947	22	2999	22	5173	1	5555	25	6301	1	6456	6
2736	19	2789	10	2841	18	2909	25	2948	21	3033	38	5176	26	5556	26	6333	40	6459	25

RESTRICTED

RESTRICTED

AIRCRAFT PUMPS AND FUELLING EQUIPMENT, AIRBORNE
(OTHER THAN FLIGHT REFUELLING LTD., EQUIPMENT)

SECTION 27F—cont.

INDEX TO REFERENCE NUMBERS

Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.
6532	1	6694	4	6724	7	6821	10	7234	7										
6622	5	6695	4	6725	7	6822	10	7235	6										
6623	4	6696	4	6726	7	6823	11	7236	6										
6649	1	6697	4	6727	7	6824	10	7257	32										
6657	28	6698	4	6728	7	6825	11	7543	39										
6660	25	6699	4	6729	5	6826	11	7553	8										
6662	10	6700	4	6730	8	6829	5	7606	6										
6670	5	6701	4	6732	4	6830	5	7626	3										
6671	5	6702	6	6733	4	6831	5	7635	37										
6672	5	6703	4	6734	4	6832	5	7636	37										
6673	5	6704	4	6735	4	6833	5	7637	37										
6674	5	6705	4	6736	4	6834	5	7638	37										
6675	5	6706	5	6737	5	6835	5	7639	37										
6676	4	6707	5	6738	7	6836	5	7666	40										
6677	4	6708	7	6739	7	6837	5	7667	40										
6678	4	6709	8	6740	7	6838	5	7668	40										
6679	4	6710	7	6741	7	6839	6	7670	25										
6680	4	6711	8	6742	8	6843	2	7671	25										
6681	4	6712	8	6743	8	6844	2	7674	39										
6682	4	6713	8	6744	8	7223	7	7683	40										
6683	4	6714	8	6745	5	7224	6												
6684	6	6715	7	6809	8	7225	7												
6685	6	6716	6	6810	5	7226	7												
6686	8	6717	6	6811	5	7227	7												
6688	6	6718	6	6812	5	7228	6												
6689	6	6719	6	6813	5	7229	7												
6690	6	6720	6	6814	5	7230	7												
6691	6	6721	7	6818	10	7231	6												
6692	6	6722	7	6819	10	7232	7												
6693	6	6723	7	6820	10	7233	7												

RESTRICTED

RESTRICTED
 45

RESTRICTED

Issued with A/L 167.

**AIR PUBLICATION 1086
BOOK II
SECOND EDITION**

**SECTION 27G
AIRCRAFT BRAKE SYSTEM EQUIPMENT
(OTHER THAN DUNLOP)**

**Items under Section 27G
are covered by
VOTE 7 A. 2 (a)**

RESTRICTED

224J-11-2

VOCABULARY OF ROYAL AIR FORCE EQUIPMENT
AIRCRAFT BRAKE SYSTEM EQUIPMENT

(Other than Dunlop)

SECTION 27G

(9th February, 1962)

NOTE:—Dunlop Aircraft brake system equipment is listed in the following Air Publications:—

- (1) Aircraft brake system equipment—Dunlop—A.P.4515C, Vol. 3, Part 1.
- (2) Aircraft brake system equipment—Dunlop (not shown in A.P.4515C, Vol. 3, Part 1) *See* relevant Airframe Vol. 3.

Ref. No.	Nomenclature	Detail	Drawing or Part No.	No. off	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
4068	BRAKE UNIT ASSEMBLIES:—	Fitted to wheels: Reference 27A/				
4073	Type 868/50P, Mark 3	880B, Mark 3	2788	4	A	each
	Type 892/50P	892B	2854	2	A	"
		Superseded by Ref. No. 4096.				
	Spares:—					
	Bags, pressure	Ref. No. 4848		1	—	—
	Banjos	Ref. No. 4842		1	—	—
	Bolts, banjo	Ref. No. 4843		1	—	—
	Bolts, stem	Ref. No. 4844. Superseded by Ref. No. 4737		1	—	—
	Bolts, stem	Ref. No. 4737. Supersedes Ref. No. 4844		1	—	—
	Caps, dust	Reference 36R/29293	FBS.100/9	1	—	—
	Lining assemblies	Ref. No. 4845. Superseded by Ref. 5306		6	—	—
	Lining assemblies	Ref. No. 5306. Supersedes Ref. No. 4845		6	—	—
	Lockwashers, flat, internal teeth, steel, 0.116 in. i.d., 0.250 in. e.d., 0.018 in. thick	Reference 28L/11066	1204	6	—	—
	Plates, cover	Ref. No. 4846		1	—	—
	Screws, metal, steel, roundhead, 6 B.A. × $\frac{3}{16}$ in. long.	Reference 28S/6302	AGS.245/28	6	—	—
			A/L 167			

RESTRICTED

RESTRICTED

AIRCRAFT BRAKE SYSTEM EQUIPMENT

SECTION 27G—cont.

1	2	3	5	5	6	7
BRAKE UNIT ASSEMBLIES—cont.		Fitted to wheels:	Reference 27A/			
	Type 892/50P—cont.					
	Spares:—cont.					
—	Springs, return	Ref. No. 4847	—	6	—	—
—	Washers, sealing	Ref. No. 4740	—	1	—	—
—	Washers, sealing	Ref. No. 4850	—	2	—	—
—	Washers, stem sealing	Ref. No. 4849	—	1	—	—
4071	Type 913/50M	931B	2820	—	2	A each
	Spares:—					
4851	Cams, operating	913/54	1	C "
4852	Plates, bearing	913/59	2	C C "
4853	Shoes, brake assemblies	913/53	2	C C pair
4854	Springs	913/57	2	C C each
4855	Stops, cable	913/56	1	C C "
4856	Washers	913/60	2	C C "
4136	Type 922/50M	922B	3861	—	2	A "
	Spares:—					
5615	Backplates	922/52	1	B "
5613	Cams, operating	906/54	1	C C "
5614	Levers	906/55	1	C C "
5606	Linings, brake	906/56	2	C C "
—	Nuts	Reference 28L/12931	A.27/ET	1	—
5608	Pins	906/61	4	C each
—	Pins	Reference 28P/9429619	SP.9/C5	1	—
5611	Plates, bearing	906/57	1	C each
5612	Plates, facing	906/60	2	C "
—	Rivets	Reference 28Q/10011	AS.16D/305	10	—
5605	Shoes	906/53	1	B pair
5607	Springs	906/62	4	C C each
5610	Washers	906/59	2	C "
—	Washers	Reference 28L/9419136	SP.4Z/E	1	—
4074	Type 952/50P	952B	2978	—	4	A each
	Spares:—					
4884	Bags, pressure	952/51SP	1	C "
				A/L.167		

RESTRICTED

RESTRICTED

AIRCRAFT BRAKE SYSTEM EQUIPMENT

SECTION 27G—cont.

1	2	3	4	5	6	7
	BRAKE UNIT ASSEMBLIES—cont.	Fitted to wheels:	Reference 27A/			
	Type 952/50P—cont.					
	Spares:—cont.					
—	Bolts, steel, mild, non-stainless, hexagon head, ¼ in. B.S.F. × 0.75 in. long.	Reference 28D/7000	6A1/3E	5	—	—
4744	Cages	866/59	1	C	each
4880	Flanges, loose	868/67SP	1	C	..
4882	Lining assemblies	Set of 6. Superseded by Ref. No. 5284	868/63	1	C	set
5284	Lining assemblies	Set of 6. Supersedes Ref. No. 4882	952/53	1	C	..
—	Lockwashers, tab, angle, 0.26 in. i.d., 22 S.W.G.	Reference 28L/680	AGS.195/1	5	—	—
4881	Screws, nozzle	868/60	1	C	each
4883	Springs	868/62	6	C	..
4747	Washers, cage	866/60	1	C	..
4748	Washers, sealing	866/61	1	C	..
4084	Type 959/50DH	959D	3138	2	A	each
	Spares:—					
—	Cages, banjo joint washers	Reference 27VC/6	795/22	3	—	—
5025	Elements, pressure	886/51	1	C	each
5026	Pads, friction	959/59	2	C	..
5027	Springs, return	886/64	1	C	..
—	Washers, joint banjo	Reference 27VC/9	795/21	3	—	—
4097	Type 973/50P	892B	2854	2	A	each
		Alternative to Ref. No. 4096.				
	Spares:—					
—	Bags, pressure	Ref. No. 4848	—	1	—	—
—	Banjos	Ref. No. 4842	—	1	—	—
—	Bolts, banjo	Ref. No. 4843	—	1	—	—
—	Bolts, stem	Ref. No. 4844. Superseded by Ref. No. 4737	—	1	—	—
—	Bolts, stem	Ref. No. 4737. Supersedes Ref. No. 4844	—	1	—	—
5181	Caps, dust	Reference 36R/29243	FBS.100/A	1	—	—
—	Flanges, detachable	973/52	1	C	each
—	Lining assemblies	Ref. No. 4845. Superseded by Ref. No. 5306	—	6	—	—
—	Lining as-semblies	Ref. No. 5306. Supersedes Ref. No. 4845	—	6	—	—
—	Lockwashers, flat internal teeth, steel, 0.116 in. i.d. × 0.250 in. e.d. × 0.018 in. thick.	Reference 28L/11066	1204	6	—	—
			A/L.167			

RESTRICTED

RESTRICTED

AIRCRAFT BRAKE SYSTEM EQUIPMENT

SECTION 27G—cont.

1	2	3	4	5	6	7
	BRAKE UNIT ASSEMBLIES—cont.	Fitted to wheels:	Reference 27A/			
	Type 973/50P—cont.					
	Spares—cont.					
—	Plates, cover	Ref. No. 4846	—	1	—	—
—	Screws, metal, steel, roundhead, 6 B.A. × $\frac{3}{16}$ in. long.	Reference 28S/6302	AGS.245/28	6	—	—
—	Springs, return	Ref. No. 4847	—	6	—	—
—	Washers, sealing	Ref. No. 4740	—	1	—	—
—	Washers, sealing	Ref. No. 4850	—	2	—	—
—	Washers, stem sealing	Ref. No. 4849	—	1	—	—
4096	Type 975/50P	892B	2854	2	A	each
	Supersedes Ref. No. 4073.					
4848	Spares:—					
	Bags, pressure	892/51	1	C	..
4842	Banjos	892/60	1	C	..
4843	Bolts, banjo	892/61	1	C	..
4844	Bolts, stem	Superseded by Ref. No. 4737	892/56	1	C	..
4737	Bolts, stem	Supersedes Ref. No. 4844	945/53	1	C	..
—	Caps, dust	Reference 36R/29243	FBS.100/9	1	—	—
5180	Flanges, detachable	972/52	1	C	each
4845	Lining assemblies	Superseded by Ref. No. 5306	892/63	6	C	..
5306	Lining assemblies	Supersedes Ref. No. 4845	973/54	6	C	..
—	Lockwashers, flat, internal teeth, steel, 0.116 in. i.d., 0.250 in. e.d., 0.018 in. thick	Reference 28L/11066	1204	6	—	—
4846	Plates, cover	892/55	1	C	each
—	Screws, metal, steel, roundhead, 6 B.A. × $\frac{3}{16}$ in. long.	Reference 28S/6302	AGS.245/28	6	—	—
4847	Springs, return	892/54	6	C	each
4740	Washers, sealing	892/58	1	C	..
4850	Washers, sealing	892/62	2	C	..
4849	Washers, stem sealing	892/57	1	C	..
4121	Type 980/50DP	980D	3595	2	A	..
		Supersedes by Ref. No. 4137				
			AL 20			
			A/L.167			

RESTRICTED

RESTRICTED

AIRCRAFT BRAKE SYSTEM EQUIPMENT

SECTION 27G—cont.

1	2	3	4	5	6	7
	BRAKE UNIT ASSEMBLIES—cont.	Fitted to wheels:	Reference 27A/			
	Type 980/50DP—cont.					
	Spares:—					
5378	Adjusters		980/53	1	C	each
—	Banjoes	Ref. No. 4842	—	1	—	—
—	Bolts, banjo	Ref. No. 4843	—	1	—	—
5380	Carriers	Superseded by Ref. No. 5786	980/55	1	B	each
5786	Carriers, pad	Supersedes Ref. No. 5380	980/71	1	B	..
—	Circlips, internal, for bores 1 ⁵ / ₃₂ in. to 1 ⁹ / ₁₆ in.	Reference 28N/13730	—	10	—	—
5381	Discs		980/54	2	B	each
5383	Pads, friction		980/56	40	C	..
5382	Pads, housing		980/60	10	C	..
5384	Pistons		980/57	10	C	..
5385	Pistons, sealing		980/62	10	C	..
5386	Rings, lubricating		980/59	10	C	..
5387	Rings, piston		980/58	10	C	..
5388	Washers		980/61	20	C	..
5379	Washers, sealing		980/63	10	C	..
—	Washers, sealing	Ref. No. 4850	—	2	—	—
4137	Type 980/50DP, Mk. 2	980D	3595	2	A	each
		Supersedes Ref. No. 4121.				
	Spares:—					
—	Adjusters	Ref. No. 5378	—	1	—	—
—	Banjo	Ref. No. 4842	—	1	—	—
—	Bolts, banjo	Ref. No. 4843	—	1	—	—
—	Carriers	Ref. No. 5380. Superseded by Ref. No. 5786	—	1	—	—
—	Carriers, pad	Ref. No. 5786, Supersedes Ref. No. 5380	—	1	—	—
—	Circlips, internal for bores 1 ⁵ / ₃₂ in. to 1 ⁹ / ₁₆ in.	Reference 28N/13730	—	10	—	—
5658	Discs		980/70	2	A	each
—	Pads, friction	Ref. No. 5383	—	40	—	—
—	Pads, housing	Ref. No. 5382	—	10	—	—
—	Pistons	Ref. No. 5384	—	10	—	—
—	Pistons, sealing	Ref. No. 5385	—	10	—	—
—	Rings, lubricating	Ref. No. 5386	—	10	—	—
			A/L.167			

RESTRICTED

RESTRICTED

AIRCRAFT BRAKE SYSTEM EQUIPMENT

SECTION 27G—cont.

1	2	3	4	5	6	7
	BRAKE UNIT ASSEMBLIES—cont.	Fitted to wheels:	Reference 27A/			
	Type 980/50DP—cont.					
	<i>Spare—cont.</i>					
—	Rings, piston	Ref. No. 5387	—	10	—	—
5587	Rivets, $\frac{1}{4}$ in. long	980/67	36	C	each
5588	Rivets, $\frac{5}{16}$ in. long	980/68	20	C	"
5589	Rivets, $\frac{7}{16}$ in. long	980/69	4	C	"
—	Washers	Ref. No. 5388	—	20	—	—
—	Washers, sealing	Ref. No. 5379	—	10	—	—
—	Washers, sealing	Ref. No. 4850	—	2	—	—
4193	Type 993/50DH	1009/D	4308	4	A	each
	<i>Spare:—</i>					
6179	Backplates, assembly	993/52	1	B	"
6183	Banjos	987/65	1	C	"
6180	Bolts	993/54	9	C	"
6182	Bolts, banjo	987/66	1	C	"
6181	Bolts, swivel	987/62	2	C	"
—	Caps, dust	Reference 28N/11332	—	1	—	—
6184	Carriers, brake assembly	993/53	1	B	each
	Consisting of:—					
6196	Pads	993/57	3	C	"
6197	Pads	—	—	—	—
6198	Pin	993/59	3	C	each
6199	Rivets, ferodo	C.S.	12	C	"
—	Carriers, sub assembly	Not provisioned as a complete item.	993/53/1	—	—	—
	Consisting of:—					
6195	Plates, abutment	987/53/1/2	6	C	each
—	Rivets, ferodo	Ref. No. 6199	—	6	—	—
6185	Discs	993/56	1	B	each
6186	Pistons	987/54	1	C	"
6187	Plates, pressure assembly	993/55	1	B	"
	Consisting of:—					
—	Pads	Ref. No. 6196	—	3	—	—
—	Pads	Ref. No. 6197	—	3	—	—
			A/L.167			

RESTRICTED

RESTRICTED

AIRCRAFT BRAKE SYSTEM EQUIPMENT

SECTION 27G—cont.

1	2	3	4	5	6	7
	BRAKE UNIT ASSEMBLIES—cont.	Fitted to wheels:				
	Type 993/50DH—cont.	Reference 27A/				
	Spares—cont.					
—	Pins	Ref. No. 6198	—	3	—	—
—	Rivets, ferodo	Ref. No. 6199	—	6	—	—
—	Plates, pressure, sub-assembly	Not provisioned as a complete item	993/55/1			
—	Consisting of:—					
—	Plates, abutment	Ref. No. 6195	—	6	—	—
—	Rivets, ferodo	Ref. No. 6199	—	12	—	—
6188	Rings, insulating	987/58	1	C	each
6189	Rings, sealing	987/59	1	C	..
6190	Rings, sealing	987/60	1	C	..
6191	Screws, bleed	C.77/16	2	C	..
6192	Washers	C.77/17	2	C	..
—	Washers	Reference 28F/8225	—	2	—	—
—	Washers, tab	Reference 28W/9416316	—	9	—	—
4048	Type A.7832, port	A.H.8943	2467	1	A	each
—	Spares:—					
—	Banjo bodies, union, single end, for pipes, $\frac{3}{8}$ in. o.d.	Reference 28F/9423236	AGS.1132A	1	—	—
—	Bolts, banjo, for pipes, $\frac{3}{8}$ in. o.d.	Reference 28F/9423226	AGS.1135A	1	—	—
4717	Cylinders	A.7843	1	C	each
4716	Lining assemblies	A.7839	2	C	..
4715	Plates, torque assemblies	A.7834	1	C	..
4719	Screws	A.7842	2	C	..
4718	Springs	A.7845	1	C	..
—	Washers, jointing, copper, 0.39 in. i.d., 0.56 in. o.d. 0.08 in. thick	Reference 28F/1139	AGS.1139A	2	—	—
—	Washers, steel, bright, 0.26 in. i.d., 0.60 in. o.d.	Reference 28W/3072	AGS.160D	2	—	—
4049	Type A.7833, starboard	A.H.8943	2467	1	A	each
—	Spares:—					
—	Banjo bodies, union, single end, for pipes $\frac{3}{8}$ in. o.d.	Reference 28F/9423236	AGS.1132A	1	—	—
			A/L.167			

RESTRICTED

RESTRICTED

AIRCRAFT BRAKE SYSTEM EQUIPMENT

SECTION 27G—cont.

1	2	3	4	5	6	7
	BRAKE UNIT ASSEMBLIES—cont.	Fitted to wheels:	Reference 27A/			
	Type A.7833, starboard—cont.					
	Spares—cont.					
—	Bolts, banjo, for pipes, $\frac{3}{16}$ in. e.d.	Reference 28F/9423226	AGS.1135A	1	—	—
—	Cylinders	Ref. No. 4717	—	1	—	—
—	Lining assemblies	Ref. No. 4716	—	2	—	—
—	Plates, torque assemblies	Ref. No. 4715	—	1	—	—
—	Screws	Ref. No. 4719	—	2	—	—
—	Springs	Ref. No. 4718	—	1	—	—
—	Washers, jointing, copper, 0.39 in. i.d., 0.56 in. e.d. 0.08 in. thick	Reference 28F/11339	AGS.1139A	2	—	—
—	Washers, steel, bright, 0.26 in. i.d., 0.60 in. e.d.	Reference 28W/3072	AGS.160D	2	—	—
4088	Type E.11048	E.11161	—	2	A	each
	Spares:—					
5051	Adapters, bleeder plug	For 2 $\frac{1}{2}$ in. bore. Reference 28N/12612	E.11219	1	C	—
—	Circlips, internal, cylinder head	Superseded by Ref. No. 5888	AGS.2030/96	1	—	—
5054	Discs	Supersedes Ref. No. 5054	E.11055-2	1	C	each
5888	Discs	For use with Ref. No. 5054	E.12942	1	C	—
5717	Linings, inboard	For use with Ref. No. 5888	E.11846	1	C	—
5889	Linings, inboard	For use with Ref. No. 5054	E.12943	1	C	—
5718	Linings, outboard	For use with Ref. No. 5888	E.11847	1	C	—
5890	Linings, outboard	Reference 28R/2429633	E.12944	1	C	—
—	Plugs, dust, protection, metal, $\frac{1}{8}$ in. B.S.P.	Reference 28R/2429633	AGS.59/5A	1	—	—
5046	Plugs, inlet	E.11149	1	C	each
5044	Screws, bleeder	E.11218	2	C	—
—	Seals, cylinder head, "Dowty"	Reference 27Q/14137	S.P.901B/6	1	—	—
—	Seals, piston, "Dowty"	Reference 27Q/14136	S.P.900B/33	1	—	—
—	Washers, 0.459 in. i.d. x 0.82 in. o.d.	For $\frac{1}{16}$ in. dia. bolts. Reference 28W/9419478	S.P.15/L	2	—	—
5045	Washers, bleeder screw	E.11060-1	2	C	each
4094	Type E.30374	E.30362	—	2	A	—
	Spares:—	Superseded by Ref. No. 4129.				
—	Caps, dust protection, metal, deep drawn, $\frac{1}{8}$ in. B.S.P.	For Ref. No. 4094.	Reference 28N/11403	AGS.596/A	1	—
			A/L.167			

RESTRICTED

RESTRICTED

AIRCRAFT BRAKE SYSTEM EQUIPMENT

SECTION 27Q—cont.

1	2	3	4	5	6	7
	BRAKE UNIT ASSEMBLIES—cont.	Fitted to wheels:	References 27A/			
	Type E.30374—cont.					
	<i>Spares—cont</i>					
5075	Discs	E.11503	1	A each
5067	Heads, cylinder	E.11501	1	B "
5065	Housings	E.30361	1	B "
5073	Linings, thick	E.11502-1	1	A "
5074	Linings, thin	E.11502-2	1	C "
—	Locknuts, stainless steel, high tensile, R.H. thread $\frac{3}{8}$ in. B.S.F.	Reference 28L/14766	A.27/JT	1	—
5069	Nuts, adjusting screw	E.11670	1	C each
5066	Pistons	E.11671	1	C "
—	Plugs, standard, light alloy, $\frac{1}{8}$ in. B.S.P.	Reference 28R/6340	AGS.566/A	1	—
5076	Retaining ring assemblies	E.30360	1	B each
—	Rivets, aluminium, L36, anodic finish, countersunk 90°, $\frac{3}{16}$ in. dia. \times $\frac{1}{4}$ in. long.	Reference 28Q/12315	AS.160/604	4	—
—	Rivets, aluminium, L36, anodic finish, snaphead, $\frac{3}{16}$ in. dia. \times $\frac{3}{16}$ in. long.	Reference 28Q/4900	AS.155/303	4	—
5070	Screws, adjusting	E.11675	1	C each
—	Screws, bleeder	Ref. No. 5072	—	1	—
5071	Screws, cylinder head	E.11218-2	6	C each
—	Seals, adjusting screw	Reference 27Q/13682	SP.900B-3	1	—
—	Seals, nut	Reference 27Q/14002	SP.900B	1	—
—	Seals, piston	Reference 27Q/14203	SP.901B-2	2	—
5068	Springs, piston return	E.11672	1	C each
5598	Studs, cylinder head	E.20102	3	C "
—	Union adapters, for pipes, $\frac{3}{16}$ in. o.d.	Reference 28F/9493	AGS.1105/A	1	—
—	Washers	Reference 28W/9419402	SP.13/C	3	—
—	Washers, bleeder screw	Ref. No. 5045	—	1	—
—	Washers, jointing, 0.39 in. i.d., 0.56 in. e.d., 0.08 in. thick	Reference 28F/8225	AGS.1138/A	2	—
4129	Type E.30660	E.30362	3242	—	—	A each
		Superseded by Ref. No. 4199.				
				A/L.167		

RESTRICTED

RESTRICTED

AIRCRAFT BRAKE SYSTEM EQUIPMENT

SECTION 27G—cont.

1	2	3	4	5	6	7
	BRAKE UNIT ASSEMBLIES—cont.	Fitted to wheels:	Reference 27A/			
	Type E.30660—cont.					
	Spares:—					
—	Caps, dust protection	Reference 28N/11403	AGS.596/A	1	—	—
—	Discs	Ref. No. 5075	—	1	—	—
5551	Heads, cylinder	E.20362	1	ⓐ	each
—	Housings	Ref. No. 5065	—	1	—	—
—	Linings, thick	Ref. No. 5073	—	1	—	—
—	Linings, thin	Ref. No. 5074	—	1	—	—
5553	Nuts, self-adjusting pin	9510894	1	C	each
5552	Pins, grip, self-adjusting	9510895	1	C	..
5549	Pistons	E.20305	1	ⓐ	..
—	Plugs, standard, light alloy 1/8 in. B.S.P	Reference 28R/6340	AGS 566/A	1	—	—
—	Retaining ring assemblies	Ref. No. 5076	—	1	—	—
—	Rivets, aluminium, L36, anodic finish, counter-sunk 90°, 3/16 in. dia. × 1/4 in. long.	Reference 28Q/12315	AS.160/604	4	—	—
—	Rivets, aluminium, L36, anodic finish, snaphead 3/8 in. dia. × 1/8 in. long.	Reference 28Q/4900	AS.155/303	4	—	—
—	Screws, bleeder	Ref. No. 5072	—	1	—	—
—	Screws, cylinder head	Ref. No. 5071	—	6	—	—
—	Seals, "O" ring	Reference 27Q/16662	SP.900B-5	1	—	—
—	Seals, piston	Reference 27Q/14203	SP.901B-2	1	—	—
5550	Springs, return	E.12389	1	C	each
—	Union adapters, for pipes, 3/16 in. o.d.	Reference 28F/9493	AGS.1105/A	1	—	—
—	Washers, bleeder screw	Ref. No. 5045	—	1	—	—
—	Washers, jointing, 0.39 in. i.d., 0.56 in. o.d., 0.08 in. thick	Reference 28F/8225	AGS.1138/A	2	—	—
5712	Washers, spacer	E.12565	3	—	—
		E.30996	4258			
		E.31012	4412			
4199	Type E.30997	Supersedes Ref. No. 4129	—	2	A	each
	Spares:—					
—	Caps, dust protection	Reference 28N/11403	AGS.596/A	1	—	—
6265	Discs	E.20790	1	C	each
			A/L.167			

RESTRICTED

RESTRICTED

AIRCRAFT BRAKE SYSTEM EQUIPMENT

SECTION 27G—cont.

1	2	3	4	5	6	7
	BRAKE UNIT ASSEMBLIES—cont.					
	Type E.30997—cont.					
	<i>Spares—cont.</i>	Fitted to wheels:	Reference 27A/			
6268	Discs, guide bracket	E.20395	1	B each
	Consisting of:—					
6269	Pads	E.12513	1	C "
6270	Rivets	E.12442	1	C "
—	Heads, cylinder	Ref. No. 5551	—	1	—
—	Housings	Ref. No. 5065	—	1	—
6266	Linings	E.13159	1	C each
6267	Linings	E.13160	1	C "
—	Nuts, self-adjusting pin	Ref. No. 5553	—	1	—
—	Pins, grip, self-adjusting	Ref. No. 5552	—	1	—
—	Pistons	Ref. No. 5549	—	1	—
—	Plugs, standard, light alloy $\frac{1}{8}$ in. B.S.P.	Reference 28R/6340	AGS.566/A	1	—
—	Rivets, aluminium, L36, anodic finish, counter-sunk 90° , $\frac{3}{16}$ in. dia. \times $\frac{1}{4}$ in. long	Reference 28Q/12315	AS.160/604	4	—
—	Rivets, aluminium, L36, anodic finish, snap-head, $\frac{3}{32}$ in. dia. \times $\frac{3}{16}$ in. long.	Reference 28Q/4900	AS.155/303	4	—
—	Screws, bleeder	Ref. No. 5072	—	1	—
—	Screws, cylinder head	Ref. No. 5071	—	3	—
—	Seals, "O" ring	Reference 27Q/16662	SP.900B-5	1	—
—	Seals, piston	Reference 27Q/14203	SP.901B-2	1	—
—	Springs, return	Ref. No. 5550	—	1	—
—	Union adapters for pipes $\frac{3}{16}$ in. o.d.	Reference 28F/9493	AGS.1105/A	1	—
—	Washers, bleeder screw	Ref. No. 5045	—	1	—
—	Washers, jointing, 0.39 in. i.d., 0.56 in. o.d., 0.08 in. thick	Reference 28F/8225	AGS.1138/A	1	—
—	Washers, spacing	Ref. No. 5712	—	2	—
					3	—
				A/L.167		

RESTRICTED

RESTRICTED

AIRCRAFT BRAKE SYSTEM EQUIPMENT

SECTION 27G—cont.

1	2	3	4	5	6	7
	CYLINDERS, MASTER, BRAKE CONTROL ASSEMBLIES:—					
2388	Type E.30420	—	A	each
	Spares:—					
—	Caps, dust protection, metal, deep drawn, $\frac{1}{8}$ in. B.S.P.	Reference 28N/11403	AGS.596/A	2	—	—
2394	Cylinders	E.20064	1	C	each
2399	Fork ends	E.11533	1	C	„
2677	Latch, parking	E.12264	1	C	„
—	Locknuts, steel, medium tensile, thin, $\frac{5}{16}$ in. B.S.F.	Reference 28L/13326	—	1	—	—
2396	Pistons	E.11737	1	C	each
2395	Plugs	E.11742	1	C	„
2404	Rings, retaining	E.11741	1	C	„
5072	Screws, 2 B.A.	E.11218-5	4	C	„
—	Screws, metal, steel, roundhead, 4 B.A. $\times \frac{1}{4}$ in. long.	Reference 28S/3426	AGS.245/20	1	—	—
2409	Seals, distributor	DE.050	1	C	each
2401	Seals, jointing	E.11738	1	C	„
—	Seals, "O" ring	Reference 27Q/14001	—	2	—	—
—	Seals, "O" ring	Reference 27Q/14003	—	1	—	—
2397	Springs	E.11200	1	C	each
2398	Springs	E.11493	1	C	„
2403	Springs, return	E.11739	1	C	„
—	Union adaptors, for pipes, $\frac{3}{8}$ in. o.d.	Reference 28F/9493	—	2	—	—
2400	Washers, fibre	E.11499	1	C	each
—	Washers, bleeder screw	Ref. No. 5045	—	4	—	—
—	Washers, jointing, 0.39 in. i.d., 0.56 in. e.d., 0.08 in. thick.	Reference 28F/8225	AGS.1138/A	2	—	—
—	Washers, mild steel, thin, 0.048 in. thick, 0.202 in i.d., 0.391 in. e.d.	Reference 28W/9419402	SP.13/C	1	—	—
			A/L.167			

RESTRICTED

RESTRICTED

AIRCRAFT BRAKE SYSTEM EQUIPMENT

SECTION 27G—cont.

1	2	3	4	5	6	7	
	NOTE:—For entitlement		see relevant scale of unit equipment				
	TOOLS:—	For servicing and repair of Palmers Brake Unit Assemblies, Types 980/50DP, Ref. No. 4121 and 980/50DP, Mk. 2, Ref. No. 4137.					
5669	Cylinders, master	T.8292	—	B	each	
5670	Gauges	G.6972	—	B	"	
2346	Keys, tubular	T.706/4	—	B	"	
2347	Screwdrivers, special	T.706/5	—	B	"	
	VALVES, BRAKE RELAY ASSEMBLIES:—						
	Palmer type:—						
2520	Type C.73. A.P./200	—	—	A	"	
2521	Type C.73. AS./200	—	—	A	"	
	Spares:—						
	Banjos	Reference 27V.C./4	795/15	3	—	—	
2523	Bolts, banjo	C.70/4	3	C	each	
	Bolts, steel, high tensile, non-stainless, hexagon head, $\frac{3}{8}$ in. B.S.F. \times 3.15 in. long.	Reference 28D/13659	A.25/25J	—	—	—	
	Cages, banjo joint washer	Reference 27V.C./6	795/22	—	—	—	
2529	Caps, end	C.73A/6	1	C	each	
2538	Caps, end	C.64/33	1	C	"	
2522	Excluders	C.73A/10	2	C	"	
2525	Guides, spring	C.73A/5	1	C	"	
2536	Nuts, internal	C.73A/14	1	C	"	
	Nuts, stiff, thin, hexagon, mild steel, $\frac{3}{8}$ in. B.S.F.	Reference 28M/10332	AGS.2002/J/1	1	—	—	
2532	Plunger assemblies	C.73A/7/200	1	C	each	
2527	Plungers	C.73A/4	1	C	"	
2526	Rings, sealing	C.73A/9	1	C	"	
2531	Rings, sealing	C.70/6	1	C	"	
			A/L.167				

RESTRICTED

2241-11-9

RESTRICTED

AIRCRAFT BRAKE SYSTEM EQUIPMENT

SECTION 27G—cont.

1	2	3	4	5	6	7
	VALVES, BRAKE RELAY ASSEMBLIES—cont.					
	Palmer type—cont.					
	Type C.73. AS./200—cont.					
	Spares—cont.					
2524	Springs	C.73A/3	1	C	each
2530	Springs	C.73A/11	1	C	"
2533	Tappets, valve	C.70/3	1	C	"
—	Valve, inlet	Ref. No. 2319	C.64/22	1	C	"
2535	Washers	C.73A/13	1	C	"
2534	Washers, gland	726/27	1	C	"
—	Washers, joint, banjo	Reference 27V.C./9	795/21	6	—	—
—	Washers, mild steel, thin, 0.048 in. thick 0.395 in. i.d., 0.70 in. e.d.	Reference 28W/5310/9419466	SP.13/J	1	—	—
2528	Washers, sealing	C.73A/8	1	C	each
2537	Washers, sealing	C.73A/12	1	C	"
	VALVES, SHUTTLE:—					
2687	Type E.20432	—	—	A	each
	Spares:—					
2689	Couplings, pipe	E.12564	2	C	"
2688	Pistons, shuttle	E.12553	1	C	"
2690	Screws, bleeder	E.12570	2	C	"
—	Seals, bonded	Reference 28F/12047	AGS.1186/A	2	—	—
—	Seals, bonded	Reference 28F/14656	AGS.1186/2	2	—	—
—	Seals, "O" ring	Reference 27Q/14365	SP.900B/6	2	—	—

RESTRICTED

41

RESTRICTED

AIRCRAFT BRAKE SYSTEM EQUIPMENT

INDEX TO REFERENCE NUMBERS

SECTION 27G—cont.

Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.
2346	13	2687	14	4845	4	5074	9	5613	2	6267	11						
2347	13	2688	14	4846	4	5075	9	5614	2	6268	11						
2388	12	2689	14	4847	4	5076	9	5615	2	6269	11						
2394	12	2690	14	4848	4	5180	4	5658	5	6270	11						
2395	12	4048	7	4849	4	5181	3	5669	13								
2396	12	4049	7	4850	4	5284	3	5670	13								
2397	12	4068	1	4851	2	5306	4	5712	10								
2398	12	4071	2	4852	2	5378	5	5717	8								
2399	12	4073	1	4853	2	5379	5	5718	8								
2400	12	4074	2	4854	2	5380	5	5786	5								
2401	12	4084	3	4855	2	5381	5	5888	8								
2403	12	4088	8	4856	2	5382	5	5889	8								
2404	12	4094	8	4880	3	5383	5	5890	8								
2409	12	4096	4	4881	3	5384	5	6179	6								
2520	13	4097	3	4882	3	5385	5	6180	6								
2521	13	4121	4	4883	3	5386	5	6181	6								
2522	13	4129	9	4884	2	5387	5	6182	6								
2523	13	4136	2	5025	3	5388	5	6183	6								
2524	14	4137	5	5026	3	5549	10	6184	6								
2525	13	4193	6	5027	3	5550	10	6185	6								
2526	13	4199	10	5044	8	5551	10	6186	6								
2527	13	4715	7	5045	8	5552	10	6187	6								
2528	14	4716	7	5046	8	5553	10	6188	7								
2529	13	4717	7	5051	8	5587	6	6189	7								
2530	14	4718	7	5054	8	5588	6	6190	7								
2531	13	4719	7	5065	9	5589	6	6191	7								
2532	13	4737	4	5066	9	5598	9	6192	7								
2533	14	4740	4	5067	9	5605	2	6195	6								
2534	14	4744	3	5068	9	5606	2	6196	6								
2535	14	4747	3	5069	9	5607	2	6197	6								
2536	13	4748	3	5070	9	5608	2	6198	6								
2537	14	4842	4	5071	9	5610	2	6199	6								
2538	13	4843	4	5072	12	5611	2	6265	10								
2677	12	4844	4	5073	9	5612	2	6266	11								

RESTRICTED

RESTRICTED

22A-1-10

A/L 167

**PERIODICAL INSPECTION OF EQUIPMENT
STORAGE CATEGORIES**

For details of different storage categories see A.P. 1086, Book 1, Second Edition, Memorandum of Instructions, Part 3.

AIRCRAFT BRAKE SYSTEM EQUIPMENT

SECTION 27G

Unless specifically shown below all items in this sub-section have an indefinite shelf life under normal storage conditions and are therefore in category 4.

Generic Heading	Category	Periodicity of Inspection in *Temperate Climates	
		Packaged	Unpackaged
BRAKE UNITS	1	3 years	1 year
VALVES	1	3 years	1 year

A/L.167

* For method of calculating periodicity of inspection in tropical climates see A.P. 1086, Book 1, Second Edition, Memorandum of Instructions, Part 3.

RESTRICTED

Issued with A/L. 215

**AIR PUBLICATION 1086
BOOK II
SECOND EDITION**

**SECTION 27H
MISCELLANEOUS AIRCRAFT EQUIPMENT**

**ITEMS UNDER SECTION 27H
ARE COVERED BY VOTE 7A.(2)**

RESTRICTED

VOCABULARY OF ROYAL AIR FORCE EQUIPMENT
MISCELLANEOUS AIRCRAFT EQUIPMENT
SECTION 27H
(17th March, 1965)

Ref.	Nomenclature	Detail	Drawing or Part No.	No. Off	Class of Store	Denom of Qty.
1	2	3	4	5	6	7
3243	BAG, stowage	673356.. .. .		B	each
3244	BAG, stowage	673343.. .. .		B	"
2794	BIN, garbage	Pedal operated. For use on Shackleton and transport aircraft entering Canada.			B	"
3051	BOTTLE, water	Bulpitt S.136		A	"
3392	CARGO RELEASE UNIT, Mk. 1, electro magnet.	RSP. 1070	1	A	"
	Spares—					
3763	Actuator switch	RSP. 412			"
3770	Beam	RSP. 2197			"
3776	Blanking fuse..	RSP.711			"
3571	Bolt, special	RSP. 468	1	C	"
3573	Bumper	RSP. 530	2	C	"
3768	Bumper latch..	RSP. 513			"
3769	Bushing, solenoid	RSP. 514			"
3758	Connector assembly	RSP. 609			"
3678	Cover, solenoid	RSP. 3100	1	C	"
3771	Extension spring	RSP. 705			"
3762	Hand lever	RSP. 404			"

RESTRICTED

1

RESTRICTED

MISCELLANEOUS AIRCRAFT EQUIPMENT

SECTION 27H—cont.

1	2	3	4	5	6	7
	CARGO RELEASE UNIT, Mk. 1, electro magnet—cont.					
	Spares—cont.					
3754	Latching indicator assembly	RSP. 481			each
3759	Latch lever assembly	RSP. 2263			"
3774	Micro switch	RSP. 707			"
3861	Micro switch	BZ-7 RW 822 to 823	1	C	"
3773	Pin	RSP. 706			"
3761	Pin actuator	RSP. 399			"
3760	Plunger trunnion	RSP. 397			"
3775	Screw	RSP. 708			"
3766	Screw	RSP. 485			"
3767	Screw connector	RSP. 486			"
3757	Screw, striker assembly	RSP. 484			"
3753	Solenoid, arm assembly	RSP. 470/1			"
3566	Solenoid, c/w nut and cable connection	RSP. 478	1	B	"
3764	Spring, actuator	RSP. 441			"
3751	Spring assembly	Supersedes Ref. No. 3569	RSP. 701			"
3567	Spring lever	RSP. 512	1	C	"
3568	Spring load, beam	RSP. 406	1	C	"
3569	Spring, retractor latch	RSP. 476	1	C	"
3756	Spring striker	RSP. 704			"
3772	Striker assembly	RSP. 710			"
3755	Striker, block	RSP. 703			"
3765	Trunnion	RSP. 459			"
3752	Window inspection	Supersedes Ref. No. 3570	RSP. 702			"
3570	Window, inspection c/w screens	RSP. 586	1	C	"
3777	Wire, shear	Naval aircraft only	RSP. 709			"
2768	CASE, transparent	For pilot's notes	SIS. 1790		C	"
3181	CLIP	For use with flexible hose connections in folding wings.	Fairey DJ/11/J825		C	"

RESTRICTED

RESTRICTED

MISCELLANEOUS AIRCRAFT EQUIPMENT

SECTION 27H—cont.

1	2	3	4	5	6	7
1969	COUPLING	For use with pneumatic brakes. For use with Seals, rubber, Ref. No. 1967.	A.H.O. 1984		C	each
1949	CUSHION, standard	For pilot type seat	Drq. No. Irving 454A and 454B		C	"
	FRAMES, inspection—	Wood's type.				
1193	4 in. × 4 in.	2 in. openings	A.G.S. 583		C	"
1194	6 $\frac{3}{8}$ in. × 6 $\frac{3}{8}$ in.	4 $\frac{3}{8}$ in. openings	A.G.S. 582		C	"
	FREIGHT HOLDING GEAR—					
3218	Block, packing	673301		C	"
3217	Chain	673591		C	"
3215	Hook 'S'	673504		C	"
3216	Strainer	673502		C	"
	FREIGHT LASHING GEAR—	For use in Transport aircraft, and heavy dropping platform.				
3225	Chain, lashing, 5,000 lb. 7 ft. length	MA/14/1/3		C	"
3226	Chain, lashing, 5,000 lb., 12 ft. length	MA/14/1/2		C	"
3227	Chain, lashing, 5,000 lb., 15 ft. length	MA/14/1/1		C	"
3233	Chain, lashing, 10,000 lb. 7 ft. length	MA/18/8/4		C	"
3234	Chain, lashing, 10,000 lb., 12 ft. length	MA/18/8/3		C	"
3235	Chain, lashing, 10,000 lb., 15 ft. length	MA/18/8/2		B	"
3232	Coupling, quick release, 5,000 lb.	6900/100		B	"
3236	Coupling, quick release, 10,000 lb.	7000/100		B	"
3231	Hook, tension, 5,000 lb.	Aerolex, C.1405, sht. 1		C	"
3228	Web, lashing, 5,000 lb., 7 ft. length	Aerolex, C.1407, sht. 1		C	"
3229	Web, lashing, 5,000 lb., 12 ft. length	Aerolex, C.1407, sht. 1		B	"
3230	Web, lashing, 5,000 lb., 15 ft. length	Aerolex, C.1407, sht. 1		B	"
2757	GROMMET, rubber	For use with Newey's fasteners	A.9527000		C	"
	HELICOPTER LIFTING GEAR—					
3638	Strop, 80 ft.	Aerolex 1068/Sht. 1 Issue 2			"

RESTRICTED

3

RESTRICTED

MISCELLANEOUS AIRCRAFT EQUIPMENT

SECTION 27H—cont.

1	2	3	4	5	6	7
3616	HELICOPTER LIFTING GEAR—cont. Strop, 8 ft. and swivel hook assembly	MRI/GQ/441/Issue B			each
	Comprising—					
3670	Adapter, swivel hook	Aerolex 1062/Sht. 2 ..	1	C	..
3653	Hook, swivel	GQ.31740/Issue 1 ..	1	C	..
	Spares—	For Ref. No. 3653				
3660	Boss	Aerolex, 1062/2 ..	1	C	..
3655	Clip, retaining	Aerolex, 1081/2 ..	1	C	..
3654	Hook	Aerolex, 1081/1 ..	1	C	..
3659	Housing	Aerolex, 1055/2 ..	1	C	..
3667	Nut, thin	Aerolex, 1055/14 ..	1	C	..
3669	Pin	Aerolex, 1062/3 ..	1	C	..
3665	Pin, pivot	Aerolex, 1055/12 ..	1	C	..
3666	Plug	Aerolex, 1055/13 ..	2	C	..
3668	Race, thrust	HT. $\frac{2}{3}$ R. & M. ..	1	B	..
3658	Rivet, spring	Aerolex, 1081/5 ..	1	C	..
3662	Screws, locking	Aerolex, 1055/6 ..	1	C	..
3656	Spring	Aerolex, 1081/3 ..	1	C	..
3657	Spring	Aerolex, 1081/4 ..	2	C	..
3661	Tab, locking	Aerolex, 1055/5 ..	1	C	..
3663	Washer	Aerolex, 1055/7 ..	1	C	..
3664	Washer, fibre	Aerolex, 1055/10 ..	1	C	..
3671	Strop, 8 ft.	GQ.20573/Issue 1	1	C	..
1991	HOLDER, engine data card	D.17415		C	..
	HOOKS—					
2415	Arrester	For Sea Mosquito aircraft	CD.43494		A	..
3384	Arrester	Sea Hawk, Gannet, Marks 1, 2 4 and 5 ..			A	..
3385	Arrester			A	..
	Arrester—	Complete with tension bar and damper ..				
2185	8,000 lb.	Welded plate type for Seafire, Marks 2, 3, 15 ..	CD.40793		A	..
3214	15,000 lb.	Supersedes Ref. No. 2297	NA.31434		A	..
	Forged type—					
2543	S.32.F	For Seafire, Marks 15, 17, 45, 46 and 47 aircraft	CD.32056		A	..

RESTRICTED

RESTRICTED

MISCELLANEOUS AIRCRAFT EQUIPMENT

SECTION 27H—cont.

1	2	3	4	5	6	7
	HOOKS—cont.					
	Forged type—cont.					
2541	S.64.F	U For Firebrand Mark 2 aircraft. Superseded by Ref. No. 3055.	CD.32058		A	each
3055	S.64.FS	For Firebrand Mark 2 aircraft. Supersedes Ref. No. 2541.	NA.40183		A	..
2542	S.80.F		CD.32059, CD.40793 ..		A	..
3177	S.80.FS		NA.40271		A	..
	Sting type, welded—					
2311	S.32.W	For Seafire Mark 15 aircraft and navalised version of Spitfire aircraft.	CD.43350		A	..
2312	S.64.W	For Firebrand aircraft	CD.43352		A	..
2350	V.80 (10-0) W		CD.31186		A	..
	Fixed nose, built up type—					
1942	7,000 lb. N.P.		AD.15614		A	..
1943	10,500 lb. N.P.		AD.15610		A	..
2164	Quick attachment fid safety complete	For air lever fids of torpedoes.. .. .	B.A.C. drg. No. 248440		B	..
3241	Quick release		673337		C	..
2026	INDICATOR, luminised 'D'	For locating dinghy stowage in darkness ..	R.D.S. 3/RF.413T.1 ..		C	..
	MIRROR, aircraft, rear view—					
2017	Type B		G.A.W.10147 and all detailed drawings.		B	..
	Spares—					
2042	Glass	C/w acid proof mill-board packing pieces		C	..
	MOUNTINGS, anti-vibration—					
	Magnetic, square plate, medium duty—	Rubber disc type. R.A.E. Spec. G.963 ..	GA. Drg. No. IN.13154			
2781	Load rating 2 lb.		C	..
2782	Load rating, 4 lb.		C	..
2783	Load rating 6 lb.		C	..
2784	Load rating 8 lb.		C	..
2785	Load rating 10 lb.		C	..
2786	Load rating 12 lb.		C	..

RESTRICTED

RESTRICTED

MISCELLANEOUS AIRCRAFT EQUIPMENT

SECTION 27H—cont.

1	2	3	4	5	6	7
	MOUNTINGS, anti-vibration—cont.	Rubber disc type R.A.E. Spec. G.963 ..	GA Drg. No. IN.13154			
	Non-magnetic, square plate, light duty—					
2947	Load rating $\frac{1}{4}$ lb.		C	each
2948	Load rating $\frac{1}{2}$ lb.		C	..
2949	Load rating 1 lb.		C	..
2950	Load rating 2 lb.		C	..
2951	Load rating 3 lb.		C	..
2952	Load rating 4 lb.		C	..
3219	Load rating 6 lb.		C	..
3365	Load rating 22 lb.	Jet Provost Mark 3	P.150	2	B	..
	NETS, cargo—					
2778	8 ft. 6 in. x 6 ft. 6 in.	For securing Metply cases	TCDU/324/ENG		A	..
3583	Light	For transport aircraft	JG.643		A	..
2777	Small	For securing Metply cases	TCDU/319/ENG		A	..
3778	NET, helicopter	Tor training purposes only	—	—	—
3346	PANNIER, freight, bomb bay	For Valiant and Vulcan aircraft	67479 /sht. 1107		A	..
	Spares—					
3405	Assembly hoist stowage	67479/sht. 1225		A	..
3424	Axle	67479/7079	1	C	..
3423	Axle, forward and rear wheels	67479/7253	2	C	..
3403	Bracket	67479/sht. 1211		B	..
3741	Buckle.. .. .	For training purposes only		C	..
3425	Collar, retaining axle, forward and rear wheels.	67479/7251	2	C	..
			67479/pt. 7671		B	..
3412	Cover, anchor fitting	67479/pt. 7672		B	..
3413	Cover, anchor fitting	67479/sht. 1185	1	C	..
3426	Cover, waterproof assembly			
3578	'D' ring	Vickers Pt. No. 1567		C	..
3427	Guard, main wheels	67479/7147	2	C	..
3409	Hoist stowage bracket	67479/sht. 1213		C	..
3410	Hoist stowage support	67479 pt. 7685		C	..
3407	Mini hoist, stowage bracket	67479/sht. 123		C	..

RESTRICTED

RESTRICTED

MISCELLANEOUS AIRCRAFT EQUIPMENT

SECTION 27H—cont.

1	2	3	4	5	6	7
	PANNIER, freight, bomb bay—cont.	For Valient and Vulcan aircraft	67479/sht. 1107.			
	Spares—cont.					
3418	Mini hoist, stowage bracket..		67479/sht. 1233		C	each
3417	Mini hoist, stowage fitting ..		67479/sht. 1235		C	"
3414	Packing		67479/pt. 7673		C	"
3400	Panel		67479/sht. 1147		C	"
3408	Reinforcing bracket		67479/pt. 7545		C	"
3401	Stowage box		67479/sht. 1227		B	"
3406	Stowage box support		67479/pt. 7643		B	"
3411	Stowage box support		67479/pt. 7644		B	"
3415	Stowage box support		67479/pt. 7642		B	"
3416	Stowage box support		67479/pt. 7641		B	"
3404	Stowage flap hoist handle		67479/sht. 1229		B	"
3402	Towing arm		67479/sht. 1209		B	"
3399	Wheel	12 in. x 2 $\frac{1}{4}$ in. for Ref. No. 3346	VHG. 12, Sorrey Tyre Co.		A	"
3428	Wheel c/w tyre	Main bogie assembly	VHG. 12, Sorrey Tyre Co.	4	A	"
3429	Wheel c/w tyre	Front and rear bogie assembly	CC/1	2	C	"
2103	PIECE, tee, $\frac{3}{16}$ in. dia. tubing		AHO.464		C	"
	PLATES—					
	Aluminium—					
3168	Modification	For Naval aircraft only	FR.1300		—	—
3169	Repair/reconditioning	For Naval aircraft only	FR.1301		—	—
3170	Brass, repair/reconditioning	For Naval aircraft only	FR.1301		—	—
2302	Identification	Power plant assemblies. For fitting to airframe structure.	SIS.1785		C	each
2538	Identification	Power plant assemblies. For fitting to power plant.	SIS.1786		C	"
3239	PLUG, towing		D1719C		B	"
3373	RESTRAINT ASSEMBLY, forward and aft..	Consisting of Ref. Nos. 3371 and 3372	1	A	"
3372	Restraint barrier, aft		S.1061	2	A	"

RESTRICTED

RESTRICTED

MISCELLANEOUS AIRCRAFT EQUIPMENT

SECTION 27H—cont.

1	2	3	4	5	6	7
	RESTRAINT ASSEMBLY, forward and aft	Consisting of Ref. Nos. 3371 and 3372 ..				
	<i>cont.</i>					
3371	Restraint barrier, forward	S.1060	1	A	each
	Spares—					
3579	Chain-lock, Harley	Aerolex 180, sht. 1A	12	A	"
3580	End-fitting	Trianco TG.36881 ..	12	C	"
3245	ROPE, towing, nylon	BM.657/2C		B	"
3737	SACK-HOLDER	W.M.9	—	—	—
	SANITARY EQUIPMENT—					
2926	Binette	For Valetta C.2 aircraft	92389—SH.29		A	each
2927	Cabinets, towel	For Valetta C.2 aircraft	92389—SH.23		A	"
2928	Closet	For Valetta C.2 aircraft	A.5030—SH.1		A	"
	Spares—					
2930	Filter, inner	A.5030-111	1	C	"
2931	Filter, outer	A.5030-103	1	C	"
2932	Hinge, lid	A.5030	1	C	"
2933	Hinge, seat	A.5030-83	2	C	"
2934	Nut	A.5030-93	1	C	"
2935	Plug, group	A.5030—SH.3	1	C	"
2936	Plug, end	A.5030-9	1	C	"
2929	Pump, diaphragm	A.5030—SH.7	1	C	"
2937	Spring	A.5030-79	1	C	"
3299	Closet Vickers, chemical	Vickers 2138, sht. 301 Issue No. 4	2	A	"
	Spares—					
3300	Bellows, double-acting type, flush pump..	For Comet aircraft	2138/SH.29	1	C	"
3316	Bolt, countersunk	2138/35	1	C	"
3321	Bolt, hinge	2138/67	1	C	"
3863	Bracket, locating	2138/225	1	C	"
3331	Clip	2138/211	4	C	"
3306	Clip, hose sluice pipe	2138/SH.107	2	C	"
3323	Cone	2138/85	1	C	"

RESTRICTED

RESTRICTED

MISCELLANEOUS AIRCRAFT EQUIPMENT

SECTION 27H—cont.

1	2	3	4	5	6	7
	SANITARY EQUIPMENT— cont.					
	Closet, Vickers, chemical—cont.					
	Spares—cont.					
3862	Connection		2138/227	1	C	each
3750	Container		2138/SH.105	1	B	"
3313	Container and funnel assembly		2138/SH.153	1	C	"
3369	Cover inspection perspex		2138/123	1	C	"
3309	Cover, top		2138/SH.145	1	C	"
3350	Cover top assembly		2138/SH.91	1	C	"
3368	Diaphragm		2138/33	1	C	"
3389	Drain outlet		2138/109	1	C	"
3352	Filter		2138/SH.99	1	C	"
3319	Filter		2138/45	1	C	"
3305	Flange and hose connection		2138/SH.41	1	C	"
3314	Flap, pan		2138/3	1	C	"
3367	Fork end	Part of Ref. No. 3303		2	C	"
3332	Hinge		2138/281	1	C	"
3333	Hinge		2138/282	1	C	"
3735	Hinge assembly	Supersedes Ref. No. 3310	2237/SH.79	1	C	"
3353	Hinge assembly		2138/SH.15	1	C	"
3311	Hinge assembly, port		2138/SH.149	1	C	"
3355	Hinge assembly, port		2138/SH.45	1	C	"
3354	Hinge assembly, starboard		2138/SH.43	1	C	"
3312	Hinge assembly, starboard		2138/SH.151	1	C	"
3359	Hinge, bottom half		2138/59	2	C	"
3339	Hinge, bottom half		2138/401	2	C	"
3864	Hook		960/G.E.C.	3	C	"
3336	Lever flap		2138/365	1	C	"
3348	Lid, hinge seat assembly		2138/SH.13	1	A	"
3733	Lid, plastic	Supersedes Ref. No. 330	2237/SH.29	1	C	"
3317	Nut		2138/37	1	C	"
3320	Nut, hinge dome		2138/61	2	C	"
3340	'O' ring, Gaco		OR.14-R.132	1	C	"
3341	'O' ring, Gaco		OR.48-R.132	2	C	"
3325	Packing		2138/113	1	C	"

RESTRICTED

RESTRICTED

MISCELLANEOUS AIRCRAFT EQUIPMENT

SECTION 27H—cont.

1	2	3	4	5	6	7
	SANITARY EQUIPMENT—cont.					
	Closet, Vickers, chemical—cont.					
	Spares—cont.					
3349	Pan assemblies	2138/SH.93	1	A	each
3351	Pipe, flushing assembly	2138/SH.97	1	A	..
3329	Pipe, sluice	2138/147	1	C	..
3360	Pipe, sluice	2138/293	1	C	..
3304	Pipe, sluice assembly	2138/SH.39	1	C	..
3356	Pipe, sluice assembly	2138/SH.65	1	C	..
3370	Pipe, flushing assembly	2138, sht. 79	2	C	..
3315	Plate end, bellows	2138/9	1	C	..
3334	Ring, sealing	2138/335	1	C	..
3338	Ring, wire, inner	2138/377	8	C	..
3303	Rod, connecting assembly	2138/SH.25	1	C	..
3362	Rubo, gasket	2138/533	1	C	..
3326	Seal, rubber	2138/31	1	C	..
3328	Seal, rubber	2138/143	1	C	..
3734	Seat, plastic	Supersedes Ref. No. 3308	2237/SH.89	1	B	..
3330	Spring	2138/171	1	C	..
3337	Spring, flap	2138/371	1	C	..
3335	Strip, synthetic rubber, sealing	2138/341	1	C	..
3391	Suction box	2138/315	1	B	..
3318	Tube	2138/41	1	C	..
3617	Tube, distance	2138/129	C	..
3343	Valve, flap	2138/13	1	C	..
3358	Valve, flap assembly	2138/113	1	C	..
3302	Valve, flap assembly	2138/SH.231	1	C	..
3324	Washer, rubber	2138/103	1	C	..
3327	Washer, sealing	2138/133	2	C	..
3322	Washer, special	2138/75	1	C	..
3374	Closet, Vickers, chemical	Supersedes 27H/3299	2138, sheet 301/A/DH	1	A	..
	Spares—					
3394	Assembly of plunger	2138/sht. 21	1	C	..
3393	Bracket	2138/257	8	B	..
3378	Bellows, special C.F.2	2237/sht. 15	1	C	..

RESTRICTED

RESTRICTED

MISCELLANEOUS AIRCRAFT EQUIPMENT

SECTION 27H—cont.

1	2	3	4	5	6	7
	SANITARY EQUIPMENT—cont.					
	Closet, Vickers, chemical—cont.					
	Spares—cont.	Supersedes 27H/3299	2138, sheet 301/A/DH			
3379	Clip	2237/sht. 25	1	C	each
3383	Clip, liner	2207/89	2	C	"
3381	Clip, pipe flushing	2237/sht. 55	2	C	"
3377	Clip, support	2138/431	3	C	"
3395	Elbow, flushing pipe	2138/311HD	1	C	"
3397	Packing	2138/259	6	C	"
3376	Pipe flushing	2138/429	1	C	"
3375	Pipe, sluice	2138/sh. 171	1	C	"
3380	Plate, end bellows	2237/sh. 31	1	C	"
3396	Rubber seal	2138/287	1	C	"
3382	Valve flap, silicone rubber	2237/69	1	C	"
3431	Closet, Vickers, chemical	Comet 4C	2237/1	4	A	"
	Spares—					
3442	Bearing, oilite counter shaft	CT.173 × ½	2	C	"
3440	Bellows, end plate	2237/sht. 31	1	C	"
—	Bellows, special C.F.2	Ref. No. 3378	1	—	—
3437	Bolt, counter shaft	2237/9	1	C	each
3637	Bolt, lid hinge	2237/129	1	C	"
—	Clip, pipe flushing	Ref. No. 3381	1	—	—
3438	Clip, pipe sluicing, ring and container	2237/17	1	C	each
3390	Counter shaft assembly	2138/sht 7	1	C	"
3588	Discharge assembly	2237/sht. 47	1	C	"
3651	Drain, outlet	2237/sht. 51	1	C	"
3587	Flap assembly	2237/sht. 43	1	C	"
3441	Lever, bellows pump	2138/25	1	C	"
3434	Lid, plastic and hinge assembly	2237/sht. 35	1	B	"
3436	Nut, domed, counter shaft bolt	2237/11	2	C	"
3586	Pipe, connector	2237/sht. 13	1	C	"
3435	Pipe, flushing, polythene	2237/67	1	C	"
3439	Pipe, sluicing	2237/15	1	C	"
3432	Spring, counter shaft, return	2138/417	1	C	"
3433	Spring, seat retaining	2237/51	1	C	"

RESTRICTED

RESTRICTED

MISCELLANEOUS AIRCRAFT EQUIPMENT

SECTION 27H—cont.

1	2	3	4	5	6	7
	SANITARY EQUIPMENT—cont.					
	Closet, Vickers, chemical—cont.	Comet 4C			
	Spares—cont.					
3636	Tube, distance	2138/119		C	each
2255	Container, urine	Doped fabric. For use by pilots in bomber, fighter and transport command.		B	"
	Accessories—					
2315	Clip, fuselage	Drg. No. Beresford E.20002.		C	"
2316	Funnel	Drg. No. Beresford D.20001.		C	"
3224	Container, urine, Mark 2	Supersedes Ref. No. 2255		C	"
	Lavatories, Elsan type—					
2488	PFAL.3	Flush type		B	"
2410	SA. Mark 2	16345/Mark 2.. .. .		B	"
3246	SA. Mark 2	28455, Issue 1		A	"
3249	SA. Mark 3	18855		A	"
2487	SA/RAE/5	Chemical container type	23937, Issue 5, serial No. 731.		B	"
3247	SA/RAE/5	20455, Issue 5		A	"
3749	SA/RE/5/2A	1	B	"
	SEALS, rubber—					
1964	A.H.O. 1360/1	For use with pneumatic brakes. For use with coupling Reference 28F/5721, A.G.S. 904A.		C	grs.
1965	A.H.O. 1360/2	For use with coupling, Reference 28F/5722, A.G.S. 904B.		C	"
1966	A.H.O. 1360/3	For use with coupling, Reference 28F/5723, A.G.S. 904BB.		C	"
1967	A.H.O. 1360/4	For use with coupling, Ref. No. 1969		C	"
1968	A.H.O. 1350/5	For use with coupling, Reference 28F/5604, A.G.S. 904C.		C	"

RESTRICTED

RESTRICTED

MISCELLANEOUS AIRCRAFT EQUIPMENT

SECTION 27H—cont.

1	2	3	4	5	6	7
	SEATS—					
1977	Special type	Rumbold pattern	RG.145		A	each
	Consisting of—					
1979	Canvas portion	Padded seat and back in one piece		A	"
—	Clip, hose, Type J or Type S, complete, Mark 1.	Reference 28E/8183	8	—	—
1978	Frame	1	C	each
1982	Pad, fixing	4	C	"
2254	Plate, link	6 in. x 2 in. For lengthening safety belt		C	"
1981	Strap, L.H.	L.A.R.3/13	1	C	"
1980	Strap, R.H.	L.A.R.3/13	1	C	"
3238	SOCKET, towing	D.1717B		B	"
3242	SPREADER, block	6372005		B	"
2296	STOWAGE	For pilot's check lists		C	"
2759	STOWAGE	For signal cartridges	AS.2249		A	"
	Accessories—					
2760	Clip	AS.2252	4	C	"
3223	STOWAGE, S.B.A.C.	For vacuum flask	AS.452		B	"
	STRAPS—					
3222	Lashing	For use in Canberra bomb trolleys	Aerolex 1411, sht. 1		B	"
2776	Lashing, Type P	For use on transport aircraft	C.48/31, Issue D		C	"
2762	Stretcher support	C.47/126		C	"
3182	TABLE, dining	For Valetta C.2 aircraft	65941, sht. 25		A	"
3240	TRAIL, saddle	673103.. .. .		B	"
						A/L 215

RESTRICTED

RESTRICTED

MISCELLANEOUS AIRCRAFT EQUIPMENT

SECTION 27H—cont.

1	2	3	4	5	6	7
—	VALVE, cabin pressure control, Mark 6 ..	Reference 27KD/22. For automatic regulation of cabin pressure with altitude. For mosquito PR.34 aircraft.	G.A.498102		—	—
	Accessories—					
2031	Flange attachment assembly	K(SE) 115-1 and 2 ..	1	C	each
	Spares—					
2075	Cap, blank	K(SE) 115-2 ..	1	C	..
2030	Flanged union assembly	K(SE) 113	1	C	..
1936	VIZOR, blind flying	Complete, Kodak pattern	270, series 11 ..		A	..
	WINCH EQUIPMENT—					
3739	Hoist	Alouette	Type 76300	—	—	—
3740	Winch	Belvedere	Type AH.102	1	A	each
3742	Anvil assembly	77512144	1	C	..
3844	Block, terminal	77512438		C	..
3801	Bolt	77512522		C	..
3839	Bolt	77512643		C	..
3843	Bolt	77512639		C	..
3816	Bolt, fixing	77512271		C	..
3813	Bolt, hex. head	77512472		C	..
3817	Bolt, hex. head	77512272		C	..
3786	Bracket	77512076		C	..
3822	Bracket assembly	77512167		C	..
3745	Cable assembly	WK.84-101	1	C	..
3780	Cable assembly	77512579		C	..
3746	Cable	WK.84-117	1	C	..
3787	Cable, cutter, body	77512188		C	..
3811	Clip, retainer	77512287		C	..
3812	Clip, retainer	77512286		C	..
3853	Control valve assembly	77512300		A	..
3821	Cooler assembly	77512243		C	..
3842	Cover	77512133		C	..
3852	Cover	77512298		C	..
3847	Cover assembly	77512540		C	..

RESTRICTED

RESTRICTED

MISCELLANEOUS AIRCRAFT EQUIPMENT

SECTION 27H—cont.

1	2	3	4	5	6	7
	WINCH EQUIPMENT—cont.					
	Winch—cont.	Belvedere.	Type AH.102			
3829	Cover, filter	77512292		C	each
3808	Cover, shield	77512254		C	"
3849	Crank assembly	77512241		B	"
3743	Cutter assembly	77512242	1	C	"
3803	Edging for hook	77512299		C	"
3827	Element support	77512304		C	"
3830	Filter, body	77512301		C	"
3831	Filter, element	77512319		C	"
3796	Gasket..	77512209		C	"
3805	Gasket..	77512251		C	"
3818	Gasket..	77512358		C	"
3837	Hand contact assembly	77512145		B	"
3851	Harness assembly	77512923		B	"
3781	Hook assembly	77513150		B	"
3783	Insulator	77512176		C	"
3807	Joint	77512252		C	"
3788	Joint ring	77512270		C	"
3826	Lever	77512275		C	"
3859	Lever	77512681		C	"
3790	Lock washer	77512186		C	"
3782	Lubricator	77512280		C	"
3860	Micro-switch	77512230		C	"
3828	Nozzle	77512293		C	"
3824	Nut	77512003		C	"
3841	Nut	77512005		C	"
3815	Nut, nyloc	77512875		C	"
3833	Piece distance	77512310		C	"
3850	Piping assembly	77512255		C	"
3848	Resistance assembly	77512257		C	"
3799	Ring 'O'	77512452		C	"
3825	Ring 'O'	77512446		C	"
3835	Ring, sealing	77512385		C	"
3836	Ring, sealing	77512455		C	"

RESTRICTED

RESTRICTED

MISCELLANEOUS AIRCRAFT EQUIPMENT

SECTION 27H—cont.

1	2	3	4	6	6	7
	WINCH EQUIPMENT—cont.					
	Winch—cont.	Belvedere.	Type AH. 102			
3784	Screw	77512277	C	each
3809	Screw	77512653	C	"
3823	Screw	77512273	C	"
3845	Screw	77512661	C	"
3856	Screw	77512793	C	"
3789	Screw, cheese hd.	77512499	C	"
3797	Screw, cheese hd.	77512475	C	"
3800	Screw, cheese hd.	77512871	C	"
3806	Screw, cheese hd.	77512589	C	"
3819	Screw, cheese hd.	77512587	C	"
3794	Screw, fixing	77512268	C	"
3804	Screw, fixing	77512072	C	"
3792	Shaft	77512183	C	"
3744	Sheer wire	77512231	C	"
3854	Shield assembly	77512357	C	"
3791	Sleeve, cable guide	77512184	C	"
3838	Solenoid assembly	77513032	A	"
3793	Spring	77512189	C	"
3820	Strip, paper	77512789	C	"
3846	Strip, paper	77512734	C	"
3798	Tube	77512253	C	"
3857	Union assembly	77512416	C	"
3858	Union assembly	77512415	C	"
3785	Washer	77512618	C	"
3814	Washer	77512487	C	"
3840	Washer, fan	77512816	C	"
3855	Washer, fan	77512817	C	"
3802	Washer, grover	77512489	C	"
3810	Washer, grover	77512488	C	"
3795	Washer, joint	77512266	C	"
3834	Washer, screwed	77512359	C	"
3832	Washer, spacing	77512360	C	"

RESTRICTED

RESTRICTED

MISCELLANEOUS AIRCRAFT EQUIPMENT

SECTION 27H—cont.

1	2	3	4	5	6	7
WING EQUIPMENT—cont.						
3738	Winch	Scout	Type AH. 101 ..	1	A	each
3748	Grip, control	704-440	1		"
3747	Valve and filter	PVF. 1-1A	1		"

RESTRICTED

RESTRICTED

**MISCELLANEOUS AIRCRAFT EQUIPMENT
INDEX TO REFERENCE NUMBERS
SECTION 27H—cont**

Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.
1193	3	2316	12	2936	8	3235	3	3325	9	3369	9	3408	7	3571	1	3733	9
1194	3	2350	5	2937	8	3236	3	3326	10	3370	10	3409	6	3573	1	3734	10
1936	14	2410	12	2947	6	3238	13	3327	10	3371	8	3410	6	3578	6	3735	9
1942	5	2415	4	2948	6	3239	7	3328	10	3372	7	3411	7	3579	8	3737	8
1943	5	2487	12	2949	6	3240	13	3329	10	3373	7	3412	6	3580	8	3738	17
1949	3	2488	12	2950	6	3241	5	3330	10	3374	10	3413	6	3583	6	3739	14
1964	12	2538	7	2951	6	3242	13	3331	8	3375	11	3414	7	3586	11	3740	14
1965	12	2541	5	2952	6	3243	1	3332	9	3376	11	3415	7	3587	11	3741	6
1966	12	2542	5	3051	1	3244	1	3333	9	3377	11	3416	7	3588	11	3742	14
1967	12	2543	4	3055	5	3245	8	3334	10	3378	10	3417	7	3616	4	3743	15
1968	12	2757	3	3168	7	3246	12	3335	10	3379	11	3418	7	3617	10	3744	16
1969	3	2759	13	3169	7	3247	12	3336	9	3380	11	3423	6	3636	12	3745	14
1977	13	2760	13	3170	7	3249	12	3337	10	3381	11	3424	6	3637	11	3746	14
1978	13	2762	13	3177	5	3299	8	3338	10	3382	11	3425	6	3638	3	3747	17
1979	13	2768	2	3181	2	3300	8	3339	9	3383	11	3426	6	3651	11	3748	17
1980	13	2776	13	3182	13	3302	10	3340	9	3384	4	3427	6	3653	4	3749	12
1981	13	2777	6	3214	4	3303	10	3341	9	3385	4	3428	7	3654	4	3750	9
1982	13	2778	6	3215	3	3304	10	3343	10	3389	9	3429	7	3655	4	3751	2
1991	4	2781	5	3216	3	3305	9	3346	6	3390	11	3431	11	3656	4	3752	2
2017	5	2782	5	3217	3	3306	8	3348	9	3391	10	3432	11	3657	4	3753	2
2026	5	2783	5	3218	3	3309	9	3349	10	3392	1	3433	11	3658	4	3754	2
2030	14	2784	5	3219	6	3311	9	3350	9	3393	10	3434	11	3659	4	3755	2
2031	14	2785	5	3222	13	3312	9	3351	10	3394	10	3435	11	3660	4	3756	2
2042	5	2786	5	3223	13	3313	9	3352	9	3395	11	3436	11	3661	4	3757	2
2075	14	2794	1	3224	12	3314	9	3353	9	3396	11	3437	11	3662	4	3758	1
2103	7	2926	8	3225	3	3315	10	3354	9	3397	11	3438	11	3663	4	3759	2
2164	5	2927	8	3226	3	3316	8	3355	9	3399	7	3439	11	3664	4	3760	2
2185	4	2928	8	3227	3	3317	9	3356	10	3400	7	3440	11	3665	4	3761	2
2254	13	2929	8	3228	3	3318	10	3358	10	3401	7	3441	11	3666	4	3762	1
2255	12	2930	8	3229	3	3319	9	3359	9	3402	7	3442	11	3667	4	3763	1
2296	13	2931	8	3230	3	3320	9	3360	10	3403	6	3566	2	3668	4	3764	2
2302	7	2932	8	3231	3	3321	8	3362	10	3404	7	3567	2	3669	4	3765	2
2311	5	2933	8	3232	3	3322	10	3365	6	4305	6	3568	2	3670	4	3766	2
2312	5	2934	8	3233	3	3323	8	3367	9	3406	7	3569	2	3671	4	3767	2
2315	12	2935	8	3234	3	3324	10	3368	9	3407	6	3570	2	3678	1	A/L	215

RESTRICTED

RESTRICTED

MISCELLANEOUS AIRCRAFT EQUIPMENT
INDEX TO REFERENCE NUMBERS—cont.
SECTION 27H—cont.

Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.
3768	1	3804	16	3839	14												
3769	1	3805	15	3840	16												
3770	1	3806	16	3841	15												
3771	1	3807	15	3842	14												
3772	2	3808	15	3843	14												
3773	2	3809	16	3844	14												
3774	2	3810	16	3845	16												
3775	2	3811	14	3846	16												
3776	1	3812	14	3847	14												
3777	2	3813	14	3848	15												
3778	6	3814	16	3849	15												
3780	14	3815	15	3850	15												
3781	15	3816	14	3851	15												
3782	15	3817	14	3852	14												
3783	15	3818	15	3853	14												
3784	16	3819	16	3854	16												
3785	16	3820	16	3855	16												
3786	14	3821	14	3856	16												
3787	14	3822	14	3857	16												
3788	15	3823	16	3858	16												
3789	16	3824	15	3859	15												
3790	15	3825	15	3860	15												
3791	16	3826	15	3861	2												
3792	16	3827	15	3862	9												
3793	16	3828	15	3863	8												
3794	16	3829	15	3864	9												
3795	16	3830	15														
3796	15	3831	15														
3797	16	3832	16														
3798	16	3833	15														
3799	15	3834	16														
3800	16	3835	15														
3801	14	3836	15														
3802	16	3837	15														
3803	15	3838	16														

RESTRICTED

RESTRICTED

RESTRICTED

Issued with A/L 216

AIR PUBLICATION 1086

BOOK II

SECOND EDITION

SECTION 27HS
AIRCRAFT SEATS — GENERAL

**ITEMS UNDER SECTION 27HS
ARE COVERED BY VOTE 7A.(2)**

RESTRICTED

VOCABULARY OF ROYAL AIR FORCE EQUIPMENT
AIRCRAFT SEATS—GENERAL

SECTION 27HS

25th March, 1965.

RESTRICTED

Ref. No.	NOMENCLATURE	DETAIL	Drawing or Part No.	No. Off	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
2701	ASHTRAY	Complete with bracket. For Transport Command aircraft.	Ronson 500		C	each
2713	Bracket	Ronson 501		C	"
2938	CHAIR, dining	Valetta C.2 aircraft	65941/SH.23		A	"
	SEATS :—					
2939	Lounge	Valetta C.2 aircraft	65941-sh. 1		A	"
	Accessories :—					
3386	Cushion, head	For seat, Ref. No. 2939	63941-191	1	C	"
2166	Passenger type	Rumbold pattern. Standard. For use of important persons in aircraft of Transport Command.	J.I.P./43		A	"
	Accessories :—					
2240	Cover, loose		B	set
2179	Fittings, fixed	J.I.P./43/1	2	C	"
2178	Fittings, removable	J.I.P./43/2/A, B, C, D	2	C	"
2696	Plate, floor	J.I.P./43/36, 2nd issue	2	C	"

RESTRICTED

AIRCRAFT SEATS—GENERAL

SECTION 27HS—cont.

1	2	3	4	5	6	7
	SEATS :—cont.					
3363	Passenger type, rearward facing	Series 2196	Vickers, Mark 33		A	each
	Accessories :—	For Ref. No. 3363.				
3582	Ashtray	2122/Sht. 29		C	"
3364	Cover, loose	1	B	"
3652	Tables, seat	2151/Sht. 19	1	B	"
3388	Passenger type, unit, double	Argosy and Comet 4C	SM.260/2		A	"
3615	Passenger type, unit, double	SM.261/2		A	"
3732	Passenger type, unit, double	SM.262-2	1	A	"
3387	Passenger type, unit, triple	Argosy and Comet	SM.260/1		A	"
3614	Passenger type, unit, triple	SM.261/1		A	"
	Spares :—	For Ref. Nos. 3387, 3388, 3614, 3615 and 3732.				
3552	Arm rest, centre	SM.260-213		B	"
3453	Arm rest, centre, L.H.	SM.260-212		B	"
3445	Arm rest, centre, R.H.	SM.260-211		B	"
3444	Arm rest, side, L.H.	SM.210-152		B	"
3443	Arm rest, side, R.H.	SM.210-151		B	"
3455	Ash tray	SM.210-190		C	"
3456	Back seat assembly	Superseded by Ref. No. 20100	SM.210 402		B	"
20100	Back, seat	Supersedes Ref. No. 3456	SM-261/5		B	"
3504	Bar pivot, rear	SM.260-232		C	"
3544	Bearing	SM.210-423		C	"
3713	Bearing	SM.260-162		C	"
20138	Bearing	SM.262-39	1	C	"
20139	Bearing	SM.262-40	1	C	"
3449	Bellcrank	SM.210-242		C	"
3554	Bellcrank	SM.210-257		C	"
3460	Bellcrank	SM.210-330		C	"
3461	Bellcrank	SM.210-426		C	"
3462	Bellcrank	SM.210-258		C	"
3463	Bellcrank	SM.260-18		C	"
3486	Belt, seat	E.3-530F		B	"

RESTRICTED

RESTRICTED

AIRCRAFT SEATS—GENERAL

SECTION 27HS—cont.

1	2	3	4	5	6	7
	SEATS—cont.					
	Passenger type, unit, double/triple—cont.					
	Spares—cont.	For Ref. Nos. 3387, 3388, 3614 3615 and 3732—cont.				
3684	Block, distance	SM.260-148		C	each
3487	Bolt, belt attachment	SM.210-41		C	"
3673	Bolt, c/sk. head	SM.260-270		C	"
3672	Bolt, hex. head	SM.260-269		C	"
3488	Bolt, leg pivot	SM.260-97		C	"
3489	Bolt, leg attachment	SM.260-98		C	"
3490	Bolt, leg attachment (top)	SM.260-116		C	"
3556	Bolt, leg attachment (top)	SM.260-33		C	"
3557	Bolt, leg attachment	SM.210-30		C	"
3676	Bolt, leg attachment	SM.260-273		C	"
3714	Bolt, pivot	SM.260-266		C	"
3595	Bracket, adjustment	SM.210-343		C	"
3491	Bracket, assembly, pivot leg	SM.260-179		C	"
3492	Bracket, assembly, pivot leg	SM.260-180		C	"
3633	Bracket, attachment	SM.210-151		C	"
3634	Bracket, attachment	SM.260-152		C	"
3727	Bracket, clip	SM.260-231		C	"
3624	Bracket, cross tube support	SM.260-210		C	"
3493	Bracket, folding leg	SM.260-171		C	"
3494	Bracket, folding leg	SM.260-172		C	"
3495	Bracket, leg attachment	SM.260-145		C	"
3496	Bracket, leg attachment	SM.260-146		C	"
3691	Bracket, pivot	SM.260-275		C	"
3619	Bracket, spigot attachment (single)	SM.260-177		C	"
3620	Bracket, spigot attachment (double)	SM.260-178		C	"
20141	Bracket, support	SM.260-290	1	C	"
20147	Bracket, support	SM.260-289	1	C	"
20149	Bracket, support	SM.260-282	1	C	"
20150	Bracket, support	SM.260-279	1	C	"

RESTRICTED

RESTRICTED

3

AIRCRAFT SEATS—GENERAL

SECTION 27HS—cont.

1	2	3	4	5	6	7
	SEATS—cont.					
	Passenger type, unit, double/triple—cont.					
	Spares—cont.					
3631	Bracket, support tube	...	SM.260-193		C	each
3632	Bracket, support tube	...	SM.260-194		C	"
3618	Bracket, Z.E.D.	...	SM.260-132		C	"
3710	Bush	SM.210-163		C	"
3712	Bush	SM.260-64		C	"
3466	Button, push	...	SM.210-171		C	"
3457	Cap, blanking	...	SM.210-484		C	"
3446	Cap, finishing, front	...	SM.260-215		C	"
3553	Cap, finishing, front	...	SM.260-217		C	"
3555	Cap, finishing, front	...	SM.210-480		C	"
3454	Cap, finishing, front	...	SM.260-216		C	"
3464	Cap, finishing, front	...	SM.210-298		C	"
3447	Cap, finishing, rear	...	SM.260-214		C	"
3465	Cap, finishing, rear	...	SM.210-302		C	"
3499	Cap, finishing, rear	...	SM.260-218		C	"
3497	Cap, finishing, side arm	...	SM.260-219		C	"
3498	Cap, finishing, side arm	...	SM.260-220		C	"
3505	Circlip	...	Anderton E.396		C	"
3592	Clip	SM.210-319		C	"
3500	Clip, heel restraint	...	SM.260-129		C	"
3558	Container, life jacket	...	SM.210-478		C	"
3593	Cover	...	SM.210-352		C	"
3594	Cover, blank	...	SM.210-399		C	"
3501	Cushion, seat, c/w cover	...	SM.210-485		B	"
3681	Cushion, seat, c/w cover	...	SM.261-6		B	"
3706	Dowel	...	SM.210-531		C	"
3458	End fitting	...	SM.210-307		C	"
3720	Fairlead	...	SM.210-221		C	"
20132	Finisher	...	SM.262-53	1	C	"

RESTRICTED

RESTRICTED

AIRCRAFT SEATS—GENERAL

SECTION 27HS—cont.

1	2	3	4	5	6	7
	SEATS—cont.					
	Passenger type, unit, double/triple—cont.					
	<i>Spares—cont.</i>					
20133	Finisher	SM.262-54	1	C	each
20134	Finisher	SM.262-57	1	C	"
20135	Finisher	SM.262-58	1	C	"
3692	Forkend	SM.210-75		C	"
3589	Guide, button push	SM.260-221		C	"
3597	Guide, button push	SM.210-146		C	"
3520	Guide, foot, spigot, front	SM.260-83		C	"
3521	Guide, foot, spigot, rear	SM.260-84		C	"
3704	Guide, spring	SM.210-529		C	"
3502	Guide, spring, locking pin	SM.260-93		C	"
3545	Holder, glass	SM.210-193		C	"
3697	Housing	SM.210-520		C	"
3627	Housing, foot spigot, front	SM.260-153		C	"
3628	Housing, foot spigot, front	SM.260-154		C	"
3625	Housing, foot spigot, rear	SM.260-174		C	"
3629	Housing, foot spigot, rear	SM.260-155		C	"
3630	Housing, foot, spigot, rear	SM.260-156		C	"
3506	Housing, foot, spigot and lock, front	SM.260-90		C	"
3626	Housing, foot, spigot and shear pin	SM.260-175		C	"
3559	Leg assembly, L.H.	SM.260-31		B	"
3560	Leg assembly, R.H.	SM.260-32		B	"
3518	Leg folding assembly	SM.260-10		B	"
3546	Leg, table	SM.210-433		C	"
3547	Leg table	SM.210-434		C	"
3700	Lever	SM.210-524		C	"
3728	Lever, locking	SM.260-244		C	"
3507	Lever, locking	SM.260-108		C	"
3522	Lever, locking	SM.260-227		C	"
3467	Link	SM.210-65		C	"

RESTRICTED

RESTRICTED

AIRCRAFT SEATS—GENERAL

SECTION 27HS—cont.

1	2	3	4	5	6	7
	SEATS—cont.					
	Passenger type, unit, double/triple—cont.					
	Spares—cont.					
3450	Link, assembly	SM.210-119		C	each
3523	Link, locking lever	SM.210-106		C	"
3468	Link, sub assembly	SM.210-225A		C	"
3469	Link, sub assembly	SM.210-225B		C	"
3470	Locknut	SM.210-512		C	"
3591	Lug, cushion support	SM.210-305		C	"
3471	Mechanism, recline sub-assembly	...	SM.210-170		C	"
3472	Nut, adjusting screw	SM.210-357		C	"
3690	Packing	SM.260-149		C	"
3688	Packing	SM.210-503		C	"
3719	Pad, heel restraint	SM.260-142		C	"
3695	Pawl	SM.210-215		C	"
3711	Piece, distance	SM.210-235		C	"
3533	Pillow	SM.271-471		C	"
3527	Pin, attachment	SM.260-225		C	"
3508	Pin, grooved	$\frac{3}{32}$ in. \times $\frac{1}{16}$ in. long	J. Mills GP.1		C	"
3524	Pin, grooved	$\frac{1}{16}$ in. \times $\frac{3}{32}$ in. long	J. Mills GP.1		C	"
3525	Pin, grooved	$\frac{1}{16}$ in. \times $\frac{3}{32}$ in. long	J. Mills GP.1		C	"
3526	Pin, grooved	$\frac{1}{8}$ in. \times 1 in. long	J. Mills GP.1		C	"
3708	Pin, grooved $\frac{1}{8}$ in. \times $\frac{3}{8}$ in. long	$\frac{1}{8}$ in. \times $\frac{3}{8}$ in. long	Type GP.2		C	"
3726	Pin, guide	SM.260-31/A		C	"
20140	Pin, guide	SM.260-31/B	2	C	"
3474	Pin, link	SM.210-395		C	"
3475	Pin, link	SM.210-502		C	"
3528	Pin, link pivot	SM.260-229		C	"
3534	Pin, locking	SM.210-406		C	"
3623	Pin, locking	SM.260-113		C	"
3596	Pin, pivot	SM.210-454		C	"
3600	Pin, pivot	SM.210-447		C	"

RESTRICTED

RESTRICTED

AIRCRAFT SEATS—GENERAL

SECTION 27HS —cont.

1	2	3	4	5	6	7
	SEATS—cont.					
	Passenger type, unit, double/triple—cont.					
	Spares—cont.					
3601	Pin, pivot	SM.210-448	...	C	each
3602	Pin, pivot	SM.210-449	...	C	"
3603	Pin, pivot	SM.210-275	...	C	"
3598	Pin, pivot	SM.210-445	...	C	"
3599	Pin, pivot	SM.210-446	...	C	"
3612	Pin, pivot	SM.210-507	...	C	"
3707	Pin, pivot	SM.210-509/C	...	C	"
3689	Pin, pivot	SM.260-19	...	C	"
3536	Pin, quick release	SM.260-115	...	C	"
3729	Pin, quick release	SM.260-115 x 2	...	C	"
3509	Pin, spring, self lock	$\frac{1}{8}$ in. x $\frac{13}{32}$ in. long	C	"
3510	Pin, self lock	$\frac{1}{8}$ in. x $\frac{9}{16}$ in. long	C	"
3709	Pin, self lock	$\frac{1}{16}$ in. x $\frac{1}{4}$ in. long	C	"
3716	Pin, self lock	$\frac{1}{16}$ in. x $\frac{3}{8}$ in. long	C	"
3717	Pin, self lock	$\frac{1}{16}$ in. x $\frac{1}{2}$ in. long	C	"
3718	Pin, self lock	$\frac{1}{8}$ in. x 1 in. long	C	"
3473	Pivot, link sub-assembly	SM.210-334	...	C	"
3503	Pivoting assembly	SM.260-9	...	B	"
20148	Plate	SM.262-66	...	1	"
3564	Plate, anchor nut	SM.240-84	...	C	"
3535	Plate, anchor nut	SM.210-508	...	C	"
3687	Plate, cover	SM.210-260	...	C	"
3699	Plate, saddle	SM.210-523	...	C	"
20144	Plate, securing	SM.262-293	...	2	"
20153	Plate, securing	SM.260-278	...	1	"
3698	Plate, side	SM.210-521	...	C	"
3694	Plate, stop	SM.210-209	...	C	"
3608	Plate, stop	SM.210-461	...	C	"
20142	Plate, stud	SM.260-291	...	1	"

RESTRICTED

7

RESTRICTED

AIRCRAFT SEATS—GENERAL

SECTION 27HS—cont.

1	2	3	4	5	6	7
	SEATS—cont.					
	Passenger type, unit, double/triple—cont.					
	Spares—cont.					
20143	Plate, stud	SM.260-292	1	C	each
20151	Plate, stud	SM.260-283	1	C	"
20152	Plate, stud	SM.260-280	1	C	"
3511	Plug, foot spigot	SM.260-114		C	"
3548	Plug, stop	SM.210-436		C	"
3696	Pushrod	SM.210-76		C	"
3703	Rack	SM.210-208		C	"
3705	Ratchet	SM.210-530		C	"
3613	Recline mechanism	Supersedes Ref. No. 3471	SM.210-518		C	"
3537	Restraint, heel	SM.260-15		B	"
3565	Restraint, heel	SM.210-466		B	"
3622	Rod, locking	SM.260-112		C	"
3451	Rod, push	SM.210-236		C	"
3448	Screw	2 B.A. × $\frac{1}{4}$ in. long	GKN.1121		C	"
3538	Screw	2 B.A. × $\frac{1}{4}$ in. long	GKN.1120		C	"
3539	Screw	2 B.A. × $\frac{1}{4}$ in. long	GKN.1121		C	"
3540	Screw	2 B.A. × $\frac{1}{4}$ in. long	GKN.1121		C	"
3541	Screw	4 B.A. × $\frac{1}{4}$ in. long	GKN.1121		C	"
3476	Screw, adjusting	SM.210-333		C	"
3514	Shear, pin	SM.260-107		C	"
3529	Shear, pin	SM.260-85		C	"
3679	Sleeve, flanged	SM.210-306		C	"
3512	Spigot, foot	SM.260-89		C	"
3530	Spigot, foot	SM.260-86		C	"
3674	Spigot, foot	SM.260-86 × 2		C	"
3562	Spigot, foot	SM.260-241		C	"
3561	Spigot, top	SM.210-25		C	"
3722	Spire, nut	SNU.0524		C	"
3604	Spool, hinge	SM.210-173		C	"

RESTRICTED

RESTRICTED

AIRCRAFT SEATS—GENERAL

SECTION 27HS—cont.

1	2	3	4	5	6	7
	SEATS—cont.					
	Passenger type, unit, double/triple—cont.					
	Spares—cont.					
3605	Spool, hinge	SM.210-174		C	each
3574	Spring	For Ref. No. 3455	SM.210-191		C	"
3478	Spring	SM.210-490		C	"
3621	Spring, automatic lock	SM.260-133		C	"
3452	Spring, button	SM.210-196		C	"
3550	Spring, glass holder	SM.210-495		C	"
3519	Spring, leaf	SM.210-228		C	"
3459	Spring, locking	SM.210-308		C	"
3693	Spring, override	SM.210-197		C	"
3477	Spring, return	SM.210-345		C	"
3549	Spring, stop	SM.210-430		C	"
3513	Spring, shear pins, leg attachment	SM.260-94		C	"
3701	Spring, torque	SM.210-525		C	"
3611	Spring, trigger	SM.210-118		C	"
3680	Squab	SM.261-3		B	"
3606	Squab, seat back	SM.210-148		B	"
3607	Stop	SM.210-435		C	"
3715	Stop	SM.260-91		C	"
3543	Stowage, life jacket	SM.260-22		B	"
20146	Strap	SM.260-236	2	C	"
20154	Strap	SM.260-234	1	C	"
20145	Strap, retaining	SM.260-285	2	C	"
3682	Strip, kicking	SM.260-20		C	"
3683	Strip, kicking	SM.260-21		C	"
3723	Strip, kicking	SM.260-223		C	"
3724	Strip, kicking	SM.260-224		C	"
20136	Strip, kicking	SM.262-49	1	C	"
20137	Strip, kicking	SM.262-50	1	C	"
3609	Strip, packing	SM.210-462		C	"

RESTRICTED

RESTRICTED

9

AIRCRAFT SEATS—GENERAL

SECTION 27HS—cont.

1	2	3	4	5	6	7
	SEATS—cont.					
	Passenger type, unit double/triple—cont.					
	Spares—cont.					
3542	Stud, leg attachment, top rear beam	SM.260-99 ...		C	each
3635	Support	SM.210-80 ...		C	"
3590	Support group	SM.210-363 ...		C	"
3702	Tie bar S/A	SM.210-532 ...		C	"
3479	Tie rod	SM.210-443A ...		C	"
3480	Tie rod	SM.210-270 ...		C	"
3481	Tie rod	SM.210-441 ...		C	"
3482	Tie rod	SM.210-499 ...		C	"
3483	Tie rod	SM.210-433B ...		C	"
3484	Tie rod	SM.210-17 ...		C	"
3551	Topic table	SM.210-496 ...		C	"
3610	Trigger	SM.210-361 ...		C	"
3531	Tube	SM.260-100 ...		C	"
3721	Tube, bearing	SM.210-234 ...		C	"
3516	Tube cross	SM.260-9A ...		C	"
3725	Tube, distance	SM.210-274 ...		C	"
3685	Tube, distance	SM.210-274A ...		C	"
3686	Tube, distance	SM.210-274B ...		C	"
3515	Tube support assembly	SM.260-250 ...		C	"
3563	Tube support assembly	SM.260-251 ...		C	"
3485	Turnbuckle	SM.210-440 ...		C	"
3532	Washer, link attachment	SM.260-102 ...		C	"
3517	Washer, shim	SM.260-240 ...		C	"
	S.B.A.C. :—					
	Spares :—	These are common spares for the S.B.A.C. standard seat. Specific to type spares can be found in relative airframe schedule of spares, Vol. 3, Part 1.				
3202	Bolt, bearing	AS.2073 ...	2	C	"
3198	Bracket, main bearing	AS.2091 ...	2	C	"

RESTRICTED

RESTRICTED

AIRCRAFT SEATS—GENERAL

SECTION 27HS—cont.

1	2	3	4	5	6	7
	SEATS—cont.					
	S.B.A.C.—cont.					
	Spares—cont.					
3188	Bush, bearing	For pilot's seat assembly	AS.2074	1	C	each
3204	Bush		AS.2081	2	C	"
3197	Button, press	For handle assembly	AS.2076	1	C	"
3192	Clip, spring	For pilot's seat assembly	AS.2104	2	C	"
3211	Collar, stop	For pilot's seat assembly	AS.2124	1	C	"
3195	Grip, handle	For handle assembly	AS.2083	1	C	"
3206	Link, attachment		AS.2093	2	C	"
3201	Nut		AS.2082	2	C	"
3189	Plate, attachment	For pilot's seat assembly	AS.2143	1	C	"
3190	Plate, attachment	For pilot's seat assembly	AS.2144	1	C	"
3193	Plunger	For torque tube assembly	AS.2128	1	C	"
3187	Quadrant assembly	For pilot's seat assembly	AS.2107	1	C	"
3191	Rivet, tubular	For pilot's seat assembly	AS.2097	5	C	"
3194	Rod, plunger	For handle assembly	AS.2075	1	C	"
3196	Spring, plunger	For handle assembly	AS.2077	1	C	"
3205	Unit, assister		AS.2092	1	C	"
3186	Upholstering, seat back	For pilot's seat assembly	AS.2125	1	C	"
3199	Washer		AS.2099	2	C	"
3200	Washer		AS.2078	3	C	"
3203	Washer, shim		AS.2080	2	C	"
3730	Swivel :—		S1-001		A	"
20155	Swivel (Port)	Victor B (K) 1 and B (K) 1A aircraft	805292.C1	1	A	"
20156	Swivel (Stbd.)	Victor B (K) 1 and B (K) 1A aircraft	805292.C2	1	A	"
	Spares :—	For Ref. Nos. 3730, 20155 and 20156.				
20159	Adapter assembly		S1-002-1	1	A	"
20060	Adapter		MX2468-309A		C	"
20025	Adjuster		805166.C26		C	"

RESTRICTED

RESTRICTED

AIRCRAFT SEATS—GENERAL

SECTION 27HS—cont.

1	2	3	4	5	6	7
	SEATS—cont.					
	Swivel—cont.					
	Spares—cont.					
20108	Adjuster	805239.C2	...	C	each
20126	Axle, aft	S1-010/3	...	C	"
20125	Axle, forward	S1-009/3	...	C	"
20087	Axle, forward, port	S1-009/1	...	C	"
20088	Axle, forward, starboard	S1-009/2	...	C	"
20089	Axle, stub, aft, port	S1-010/1	...	C	"
20090	Axle, stub, aft, starboard	S1-010/2	...	C	"
20032	Ball catch	$\frac{3}{8}$ in. \times $\frac{5}{16}$ in.	Stedall 892	...	C	"
20045	Base casting	805260.C1	...	B	"
20081	Bearing	12. DU.OS	...	C	"
20114	Bearing	805166.C16	...	C	"
20047	Bearing, roller	805266.C3	...	C	"
20020	Bolt	805160.C24	...	C	"
20023	Bolt	805160.C26	...	C	"
20092	Bolt, $\frac{1}{4}$ in.	S1-002/4	...	C	"
20091	Bolt, $\frac{1}{4}$ in.	S1-002/2	...	C	"
20061	Bottle	MX2648-249B	...	C	"
20084	Bracket, assembly	805235.C1	...	C	"
20101	Bracket, assembly	805230.C1	...	C	"
20076	Bracket, support	805172.C15	...	C	"
20069	Bush	805205.C2	...	C	"
20115	Bush	805166.C39	...	C	"
20160	Bush	Supersedes Ref. No. 20069	805205.C7	...	1	C
20022	Cable, assembly	805160.C23	...	C	"
20042	Cable, assembly	805236.C1	...	C	"
20093	Casting	S1-007	B	"
20157	Casting, base	805289.C	...	1	B
20035	Catch, harness	805176.C9	...	C	"
20131	Clip	805251.CA2	...	1	C

RESTRICTED

RESTRICTED

AIRCRAFT SEATS—GENERAL

SECTION 27HS—cont.

1	2	3	4	5	6	7
	SEATS—cont.					
	Swivel—cont.					
	Spares—cont.					
20067	Clip, harness, retaining	...	805240.C5		C	each
20085	Collar	...	S.135/D		C	"
20033	Collar, $\frac{3}{4}$ in.	...	S.135/J		C	"
20083	Cover, handle	...	805250.CA1		C	"
20109	Covering	...	805239.C3		C	"
20062	Cushion	...	MX2468-248C		C	"
20057	Dish	...	805176.C3		C	"
20064	Fairing, port	...	805247.C1		C	"
20058	Fairing, port	...	805268.C1		C	"
20065	Fairing, starboard	...	805247.C2		C	"
20059	Fairing, starboard	...	805268.C2		C	"
20008	Forkend	...	80541.C9		C	"
20027	Forkend	...	805166.C11		C	"
20026	Forkend	...	805166.C25		C	"
20007	Forkend	...	805172.C11		C	"
20116	Forkend	...	805166.C8		C	"
20082	Handle, assembly	...	805204.CA4		C	"
20037	Handle	...	805233.C3		C	"
20086	Handwheel	...	805239.C10		C	"
20110	Housing	...	805239.C5		C	"
20104	Leg, front, port	...	805166C/A.35		C	"
20105	Leg, front, starboard	...	805166C/A.36		C	"
20102	Leg, rear, port	...	805166C/A.55		C	"
20103	Leg, rear, starboard	...	805166C/A.56		C	"
20011	Lever, assembly	...	80541.C8		C	"
20016	Lever, assembly	...	805160.C9		C	"
20006	Lever	...	805172.C8		C	"
20070	Lever	...	805205.C5		C	"
20094	Lever	...	S1-014/1		C	"

RESTRICTED

RESTRICTED

AIRCRAFT SEATS—GENERAL

SECTION 27HS—cont.

1	2	3	4	5	6	7
	SEATS—cont.					
	Swivel—cont.					
	Spares—cont.					
20017	Lever assembly		805160.C10		C	each
20018	Lever assembly		805160.C15		C	"
20012	Lever assembly		805170.C22		C	"
20041	Lever assembly		805231.C1		C	"
20031	Mechanism assembly		805166.C/A2		B	"
20068	Packing		805240.C4		C	"
20066	Pad, parachute support		805210.C1		C	"
20106	Pan back assembly		805174.C1		C	"
20107	Pan seat assembly		805175.C1		C	"
20071	Piece, distance		805159.CA29		C	"
20036	Piece, distance		805176.C10		C	"
20014	Pin		805160.C6		C	"
20021	Pin		805160.C18		C	"
20055	Pin		805166.C13		C	"
20030	Pin		805166.C28		C	"
20048	Pin, lock		805266.C4		C	"
20095	Pin, lock	Port	805266.C5		C	"
20096	Pin, lock	Starboard	805266.C6		C	"
20127	Pin, lock		805266.C7		C	"
20161	Pin, lock		805160.C29	1	C	"
20063	Pipe, assembly		805237.C2		C	"
20077	Plate, rubbing		805172.C19		C	"
20072	Plate, side		805159.CA31		C	"
20073	Plate, side		805159.CA39		C	"
20074	Plate, side		805159.CA40		C	"
20003	Plug		805260.C4		C	"
20049	Plunger assembly		805160.C1		C	"
20019	Plunger	Superseded by Ref. No. 20158	805160.C22		C	"
20158	Plunger	Supersedes Ref. No. 20019		C	"

RESTRICTED

RESTRICTED

AIRCRAFT SEATS—GENERAL

SECTION 27HS—cont.

1	2	3	4	5	6	7
	SEATS—cont.					
	Swivel—cont.					
	Spares—cont.					
20129	Rail assembly	B	each
20009	Rod	C	"
20054	Rod	C	"
20099	Rod	C	"
20097	Roller	C	"
20128	Roller	C	"
20013	Roller	C	"
20028	Roller	C	"
20029	Roller	C	"
20040	Roller	C	"
20010	Roller and bearing	C	"
20079	Seat bearing, aft	C	"
20113	Seat, group	B	"
20005	Shim	C	"
20051	Sleeve	C	"
20052	Spigot	C	"
20046	Socket, bearing	C	"
20117	Socket, port	C	"
20119	Socket, port	C	"
20118	Socket, starboard	C	"
20120	Socket, starboard	C	"
20121	Spoke	C	"
20122	Spoke	C	"
20123	Spoke	C	"
20034	Spring	C	"
20015	Spring	C	"
20050	Spring	C	"
20024	Spring	C	"
20001	Stop	C	"
			S1-008;1			
			802312.C14			
			805166.C9			
			802312.C15			
			S1-011/1			
			S1-011/2			
			805160.C5			
			805166.C24			
			805166.C44			
			805233.C8			
			80541.C2-3			
			805172.C20			
			805159.C51			
			805260.C6			
			805160.C25			
			805166.C27			
			805266.C2			
			805170.C1			
			805171.C1			
			805170.C2			
			805171.C2			
			S.177MH/3/8 × 1-25			
			AS.168MH/3/8 × 1-25			
			24S.168LT/3/8 × 1-75			
			805176.C8			
			S.151/3/4 × 16 × N.18			
			S.151/3/4 × 166 × N.7			
			S.151/9/16 × 16 × N.20			
			805260.C2			

RESTRICTED

RESTRICTED

AIRCRAFT SEATS—GENERAL

SECTION 27HS—cont.

1	2	3	4	5	6	7
	SEATS—cont.					
	Swivel—cont.					
	Spares—cont.					
20002	Stop	805260.C3		C	each
20004	Stop	805260.C5		C	"
20124	Stop	805160.C8		C	"
20039	Stop, forward	805233.C7		C	"
20038	Stop, rear	805233.C6		C	"
20075	Thigh rest assembly	805239.C1		B	"
20056	Tie bar	805166.C18		C	"
20043	Trunnion	805239.C11		C	"
20078	Tube assembly	805172.C16		C	"
20080	Tube, torque	805160.CA7		C	"
20053	Washer	805166.C29		C	"
20098	Washer	S1-002/3		C	"
20111	Washer	805239.C13		C	"
20112	Washer	805239.C14		C	"
3250	Troop, single assembly, c/w lap-strap	For Beverley and Comet aircraft	6585/503		A	"
3251	Troop, double assembly, c/w lap-strap	For Beverley and Comet aircraft	6585/505		A	"
3252	Troop, triple assembly, c/w lap-strap	For Beverley and Comet aircraft	6585/507		A	"
	Spares :—	For Ref. Nos. 3250, 3251 and 3252.				
3581	Ancillary equipment	Beverley seats	6585 2069		C	"
3254	Back seat upholstered assembly	Superseded by Ref. No. 3293	6585/661	1	A	"
3293	Back seat upholstered assembly	Supersedes Ref. No. 3254	6585/2241	1	A	"
3288	Bolster	For Comet aircraft	BOA/D/21347		C	"
3261	Bolt, channel assembly	6585/551	1	C	"
3277	Bolt, mushroom head, shouldered	6585/719	1	C	"
3270	Bolt, sleeve, heel-pedal	6585/581	1	C	"
3584	Bracket	6585/609		C	"
3281	Bush, arm rest hinge	6585/647	1	C	"
3257	Bush, tray support	6585/751	2	C	"

RESTRICTED

RESTRICTED

AIRCRAFT SEATS—GENERAL

SECTION 27HS—cont.

1	2	3	4	5	6	7
	SEATS—cont.					
	Troop, single/double/triple assembly, c/w lap-strap—cont.					
	Spares—cont.	For Ref. Nos. 3250, 3251 and 3252.				
3263	Cable assembly	6585/587	1	C	each
3262	Cable assembly	6585/553	2	C	"
3279	Catch	6585/1653	1	C	"
3287	Chair	For Comet aircraft	2187/7		A	"
3255	Clip, tray stowage	6585/741	1	C	"
3276	Container, ash, arm-rest	...	6585/739	1	C	"
3577	Cover	For seat	6585/373	1	C	"
3289	Cover, bolster	For Comet aircraft	BOA/D/21351/1		C	"
3292	Cover, head-rest	For Comet aircraft	S/K/212/34		C	"
3366	Cover, seat, back	6585/371	1	B	"
3266	Eye-bolt	¼ in. B.S.F.	6585/613	2	C	"
3260	Guard, heel assembly	...	6585/681	1	C	"
	Spares :—	For Ref. No. 3260.				
3648	Bush	6585/721	2	C	"
3645	Catch	6585/697	1	C	"
3641	Channel	6585/687	1	C	"
3649	Cleat, heel guard	6585/695	1	C	"
3650	Cleat, heel guard	6585/696	1	C	"
3646	Gusset plate	6585/689	4	C	"
3644	Hinge, assembly	6585/701	2	C	"
3643	Socket	6585/693	2	C	"
3642	Spigot	6585/691	2	C	"
3647	Stop	6585/699	2	C	"
3640	Strut, seat support, lower	...	6585/658	2	C	"
3639	Strut, seat support, upper	...	6585/683	2	C	"
3264	Hinge	6585/649	1	C	"
3265	Hinge	6585/650	1	C	"

RESTRICTED

RESTRICTED
17

AIRCRAFT SEATS—GENERAL

SECTION 27HS—cont.

1	2	3	4	5	6	7
	SEATS—cont.					
	Troop, single/double/triple assembly, c/w lap-strap—cont.					
	Spares—cont.	For Ref. Nos. 3250, 3251 and 3252.				
3278	Hinge	6585/519	1	C	each
3273	Lever, heel-pedal	6585/795	1	C	"
3267	Link, connecting	6585/651	2	C	"
3274	Pad, heel-pedal, rubber	6585/797	1	C	"
3259	Pan, upholstered, seat assembly	Supplied less Ref. No. 3258	6585/603	1	C	"
3290	Pillow	For Comet aircraft	D/01/39D/64		C	"
3291	Pillow-case	S/K/164/70		C	"
3283	Pin attachment, to floor pick-ups	6585/717		C	"
3285	Plug-end, seat, floor shackle	6585/663		C	"
3284	Plug-end, seat, floor shackle	6585/671		C	"
3275	Rest, arm, upholstered assembly	6585/1647		B	"
3258	Rivet, tray support	6585/753	2	C	"
3575	Rubber filling	For seat back	6585/2241/3	1	C	"
3576	Rubber filling	For seat	6585/603/10	1	C	"
3253	Seat unit assembly	6585/501	1	A	"
3282	Spacer	6585/1645	2	C	"
3272	Spring, check, floor joint assembly	6585/723	2	C	"
3268	Spring, tension	6585/593	1	C	"
3280	Spring, tension, arm-rest, hinge	6585/1675	1	C	"
3271	Spring, tension, seat unit assembly	6585/619	2	C	"
3256	Spring, tray, stowage clip	6585/743	1	C	"
3269	Stop, spring attachment	6585/591	1	C	"
3286	Stowage, life-jacket assembly	6585/1683	1	C	"
3298	Strut, bracing	6585/654	1	C;	"
3297	Strut, bracing	6585/653	1	C	"
3342	Strut, diagonal	6585/615	1	C	"

RESTRICTED

RESTRICTED

AIRCRAFT SEATS—GENERAL

SECTION 27HS—cont.

1	2	3	4	5	6	7
	SEATS—cont.					
	Troop, single/double/triple assembly, c/w lap-strap—cont.					
	Spares—cont.	For Ref. Nos. 3250, 3251 and 3252.				
3347	Trays, troop seat, c/w support tubes	6585/2527		A	each
3295	Trunnion, cable	6585/565	3	C	"
3296	Trunnion, cable	6585/567	3	C	"
2176	Troop transport type	Christie Tyler pattern. For use in troop transport- ation aircraft.	PAS/ST/4, sht. 4 ...		A	"
	Accessories :—					
2532	Cover, loose		B	set
	Consisting of :—					
	Covers :—					
2535	Arm rest	PAS/ST/4/42, sht. 5 ...	2	B	each
2534	Head rest	PAS/ST/4/39/A, B, C, sht. 4.	1	B	"
2537	L.H. side, ear flap	PAS/ST/4/40, sht. 7 ...	1	B	"
2533	Main seat	PAS/ST/4/41/A, B, C ...	1	B	"
2536	R.H. side, ear flap	PAS/ST/4/40/sh. 7 ...	1	B	"
—	Fittings, fixed	Ref. No. 2179	J.I.P./43/1		—	—
—	Fittings, removable	Ref. No. 2178	J.I.P./43/1/A, B, C, D ...		—	—
2697	Plate, floor	PAS/ST/4, issue B ...		C	set
2943	Troop transport, rearward facing	Supersedes Ref. No. 2773	671427 L.2		A	each
	Accessories :—					
3128	Arm, rest	671427 L.11	2	C	"
3126	Cushion, back	671427 L.6	1	B	"
3127	Cushion, seat	671427 L.7	1	A	"
2734	V.I.P.	Rumbold Spec. AR.38		A	"
3213	V.I.P.	For Hastings C.4 aircraft. Supersedes Ref. No. 27H/3180.	9402 L.6		C	"

RESTRICTED

RESTRICTED

AIRCRAFT SEATS—GENERAL
INDEX TO REFERENCE NUMBERS
SECTION 27HS—cont.

Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.
2166	1	3195	11	3267	18	3342	18	3466	4	3497	4	3528	6	3559	5	3606	9	3642	17
2176	19	3196	11	3268	18	3347	19	3467	5	3498	4	3529	8	3560	5	3607	9	3643	17
2178	1	3197	11	3269	18	3363	2	3468	6	3499	4	3530	8	3561	8	3608	7	3644	17
2179	1	3198	10	3270	16	3364	2	3469	6	3500	4	3531	10	3562	8	3609	9	3645	17
2240	1	3199	11	3271	18	3366	17	3470	6	3501	4	3532	10	3563	10	3610	10	3646	17
2532	19	3200	11	3272	18	3386	1	3471	6	3502	5	3533	6	3564	7	3611	9	3647	17
2533	19	3201	11	3273	18	3387	2	3472	6	3503	7	3534	6	3565	8	3612	7	3648	17
2534	19	3202	10	3274	18	3388	2	3473	7	3504	2	3535	7	3574	9	3613	8	3649	17
2535	19	3203	11	3275	18	3443	2	3474	6	3505	4	3536	7	3575	18	3614	2	3650	17
2536	19	3204	11	3276	17	3444	2	3475	6	3506	5	3537	8	3576	18	3615	2	3652	2
2537	19	3205	11	3277	16	3445	2	3476	8	3507	5	3538	8	3577	17	3618	4	3672	3
2696	1	3206	11	3278	18	3446	4	3477	9	3508	6	3539	8	3581	16	3619	3	3673	3
2697	19	3211	11	3279	17	3447	4	3478	9	3509	7	3540	8	3582	2	3620	3	3674	8
2701	1	3213	19	3280	18	3448	8	3479	10	3510	7	3541	8	3584	16	3621	9	3676	3
2713	1	3250	16	3281	16	3449	2	3480	10	3511	8	3542	10	3589	5	3622	8	3679	8
2734	19	3251	16	3282	18	3450	6	3481	10	3512	8	3543	9	3590	10	3623	6	3680	9
2938	1	3252	16	3283	18	3451	8	3482	10	3513	9	3544	2	3591	6	3624	3	3681	4
2939	1	3253	18	3284	18	3452	9	3483	10	3514	8	3545	5	3592	4	3625	5	3682	9
2943	19	3254	16	3285	18	3453	2	3484	10	3515	10	3546	5	3593	4	3626	5	3683	9
3126	19	3255	17	3286	18	3454	4	3485	10	3516	10	3547	5	3594	4	3627	5	3684	3
3127	19	3256	18	3287	17	3455	2	3486	2	3517	10	3548	8	3595	3	3628	5	3685	10
3128	19	3257	16	3288	16	3456	2	3487	3	3518	5	3549	9	3596	6	3629	5	3686	10
3186	11	3258	18	3289	17	3457	4	3488	3	3519	9	3550	9	3597	5	3630	5	3687	7
3187	11	3259	18	3290	18	3458	4	3489	3	3520	5	3551	10	3598	7	3631	4	3688	6
3188	11	3260	17	3291	18	3459	9	3490	3	3521	5	3552	2	3599	7	3632	4	3689	7
3189	11	3261	16	3292	17	3460	2	3491	3	3522	5	3553	4	3600	6	3633	3	3690	6
3190	11	3262	17	3293	16	3461	2	3492	3	3523	6	3554	2	3601	7	3634	3	3691	3
3191	11	3263	17	3295	19	3462	2	3493	3	3524	6	3555	4	3602	7	3635	10	3692	5
3192	11	3264	17	3296	19	3463	2	3494	3	3525	6	3556	3	3603	7	3639	17	3693	9
3193	11	3265	17	3297	18	3464	4	3495	3	3526	6	3557	3	3604	8	3640	17	3694	7
3194	11	3266	17	3298	18	3465	4	3496	3	3527	6	3558	4	3605	9	3641	17	3695	6

RESTRICTED

RESTRICTED

AIRCRAFT SEATS—GENERAL
INDEX TO REFERENCE NUMBERS
SECTION 27HS—cont.

Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.
3696	8	3727	3	20027	13	20059	13	20090	12	20121	15	20153	7						
3697	5	3728	5	20028	15	20060	11	20091	12	20122	15	20154	9						
3698	7	3729	7	20029	15	20061	12	20092	12	20123	15	20155	11						
3699	7	3730	11	20030	14	20062	13	20093	12	20124	16	20156	11						
3700	5	3732	2	20031	14	20063	14	20094	13	20125	12	20157	12						
3701	9	20001	15	20032	12	20064	13	20095	14	20126	12	20158	14						
3702	10	20002	16	20033	13	20065	13	20096	14	20127	14	20159	11						
3703	8	20003	14	20034	15	20066	14	20097	15	20128	15	20160	12						
3704	5	20004	16	20035	12	20067	13	20098	16	20129	15	20161	14						
3705	8	20005	15	20036	14	20068	14	20099	15	20131	12								
3706	4	20006	13	20037	13	20069	12	20100	2	20132	4								
3707	7	20007	13	20038	16	20070	13	20101	12	20133	5								
3708	6	20008	13	20039	16	20071	14	20102	13	20134	5								
3709	7	20009	15	20040	15	20072	14	20103	13	20135	5								
3710	4	20010	15	20041	14	20073	14	20104	13	20136	9								
3711	6	20011	13	20042	12	20074	14	20105	13	20137	9								
3712	4	20012	14	20043	16	20075	16	20106	14	20138	2								
3713	2	20013	15	20045	12	20076	12	20107	14	20139	2								
3714	3	20014	14	20046	15	20077	14	20108	12	20140	6								
3715	9	20015	15	20047	12	20078	16	20109	13	20141	3								
3716	7	20016	13	20048	14	20079	15	20110	13	20142	7								
3717	7	20017	14	20049	14	20080	16	20111	16	20143	8								
3718	7	20018	14	20050	15	20081	12	20112	16	20144	7								
3719	6	20019	14	20051	15	20082	13	20113	15	20145	9								
3720	4	20020	12	20052	15	20083	13	20114	12	20146	9								
3721	10	20021	14	20053	16	20084	12	20115	12	20147	3								
3722	8	20022	12	20054	15	20085	13	20116	13	20148	7								
3723	9	20023	12	20055	14	20086	13	20117	15	20149	3								
3724	9	20024	15	20056	16	20087	12	20118	15	20150	3								
3725	10	20025	11	20057	13	20088	12	20119	15	20151	8								
3726	6	20026	13	20058	13	20089	12	20120	15	20152	8								

RESTRICTED

RESTRICTED
22

RESTRICTED

Issued with A/L. 170

**AIR PUBLICATION 1086
BOOK II
SECOND EDITION**

SECTION 27KB

AIRCRAFT CONTROLS—ROLLER CHAINS

**ITEMS UNDER SECTION 27KB
ARE COVERED BY VOTE 7A.2(a)**

RESTRICTED

VOCABULARY OF ROYAL AIR FORCE EQUIPMENT
AIRCRAFT CONTROLS—ROLLER CHAINS
SECTION 27KB
(13th April, 1962)

Ref. No.	NOMENCLATURE	DETAIL.	Class of Store	Denom. of Qty.
1	2	3	4	5
	CHAINS, ROLLER, C/W END FITTINGS:—	8 MM. PITCH (B.S.1).		
	AS.200/:-			
167	17P	B	each
1	25P	B	"
279	27P	B	"
2	29P	B	"
3	31P	B	"
4	35P	B	"
5	37P	B	"
6	41P	B	"
7	43P	B	"
8	47P	B	"
273	49P	B	"
9	51P	B	"
257	53P	B	"
248	55P	B	"
284	59P	B	"
10	61P	B	"
185	63P	Naval aviation only ..	B	"
11	67P	B	"
12	69P	B	"
249	91P	B	"

A/L. 170

RESTRICTED

RESTRICTED

AIRCRAFT CONTROLS—ROLLER CHAINS

SECTION 27KB—cont.

1	2	3	4	5
	CHAINS, ROLLER, C/W END FITTINGS—cont.	8 MM. PITCH (B.S.1).		
	AS.200/—cont.			
297	119P	B	each
186	183P	Naval aviation only	B	"
	AS.201/;—			
14	21P	B	"
15	23P	B	"
16	27P	B	"
17	31P	B	"
18	35P	B	"
19	41P	Naval aviation only	B	"
20	43P	B	"
187	45P	B	"
21	49P	B	"
188	55P	Naval aviation only	B	"
22	63P	B	"
23	65P	B	"
24	67P	B	"
25	69P	B	"
26	81P	B	"
27	85P	B	"
28	99P	B	"
29	115P	B	"
30	117P	B	"
31	119P	B	"
208	129P	B	"
32	131P	B	"
33	133P	B	"
35	139P	B	"
231	141P	Naval aviation only	B	"
37	145P	B	"
39	165P	B	"
40	175P	B	"
41	187P	B	"
42	201P	B	"
323	203P	B	"

RESTRICTED

RESTRICTED

AIRCRAFT CONTROLS—ROLLER CHAINS

SECTION 27KB—cont.

1	2	3	4	5
	CHAINS, ROLLER, C/W END FITTINGS—cont.	8 MM. PITCH (B.S.1).		
	AS.201/—cont.			
325	213P	B	each
300	215P	Naval aviation only	B	"
232	217P	B	"
	AS.204/;—			
168	17P	B	"
44	27P	B	"
222	35P	B	"
45	43P	B	"
46	47P	B	"
308	81P	Naval aviation only	B	"
309	85P	Naval aviation only	B	"
169	95P	B	"
	AS.208/;—			
189	45P	Naval aviation only	B	"
190	105P	Naval aviation only	B	"
191	221P	Naval aviation only	B	"
302	239P	Naval aviation only	B	"
	AS.900/;—			
223	27P	B	"
339	39P	Naval aviation only	B	"
210	41P	B	"
305	53P	B	"
255	79P	B	"
160	81P	B	"
49	117P	B	"
276	127P	B	"
278	129P	B	"
50	135P	B	"
51	153P	B	"
	AS.902/;—			
310	37P	B	"
211	51P	B	"
53	67P	B	"

RESTRICTED

RESTRICTED

AIRCRAFT CONTROLS—ROLLER CHAINS

SECTION 27KB—cont.

1	2	3	4	5
	CHAINS, ROLLER, C/W END FITTINGS—cont.	8 MM. PITCH (B.S.1).		
	AS.902/—cont.			
55	117P	B	each
56	123P	B	"
57	125P	B	"
	AS.908/ :—			
172	3P	B	"
224	17P	B	"
58	19P	B	"
59	21P	B	"
173	25P	B	"
61	27P	B	"
233	29P	B	"
225	37P	B	"
62	39P	B	"
331	41P	B	"
63	43P	B	"
64	45P	B	"
65	47P	B	"
226	49P	B	"
66	55P	B	"
67	59P	B	"
68	61P	B	"
69	63P	B	"
70	65P	B	"
71	67P	B	"
72	69P	B	"
73	71P	B	"
74	73P	B	"
75	75P	B	"
76	77P	B	"
218	79P	B	"
77	81P	B	"
192	83P	B	"
281	107P	B	"
80	109P	B	"
		Naval aviation only		

RESTRICTED

RESTRICTED

AIRCRAFT CONTROLS—ROLLER CHAINS

SECTION 27KB—cont.

1	2	3	4	5
	CHAINS, ROLLER, C/W END FITTINGS—cont.	8 MM. PITCH (B.S.1).		
	AS.908/—cont.			
81	119P	B	each
82	125P	B	"
283	131P	B	"
83	135P	B	"
84	235P	B	"
	AS.909/—			
174	2P	B	"
175	28P	B	"
85	34P	B	"
87	44P	B	"
240	52P	B	"
312	54P	B	"
193	61P	Naval aviation only ..	B	"
250	62P	B	"
286	68P	B	"
266	70P	B	"
267	72P	B	"
217	78P	Naval aviation only ..	B	"
268	84P	B	"
92	88P	B	"
360	92P	B	"
176	98P	B	"
93	100P	B	"
291	114P	B	"
94	120P	B	"
269	124P	B	"
287	128P	B	"
251	130P	B	"
277	134P	Naval aviation only ..	B	"
95	136P	B	"
96	142P	B	"
288	146P	B	"
194	181P	Naval aviation only ..	B	"

RESTRICTED

RESTRICTED

AIRCRAFT CONTROLS—ROLLER CHAINS

SECTION 27KB—cont.

1	2	3	4	5
	CHAINS, ROLLER, C/W END FITTINGS—cont.	8 MM. PITCH (B.S.1).		
	AS.909/—cont.			
261	189P	Naval aviation only	B	each
195	198P	Naval aviation only	B	"
196	200P	Naval aviation only	B	"
197	224P	Naval aviation only	B	"
98	274P	B	"
99	276P	B	"
100	282P	B	"
101	614P	B	"
102	616P	B	"
	AS.910/ :—			
332	35P	B	"
198	47P	Naval aviation only	B	"
199	51P	Naval aviation only	B	"
200	106P	Naval aviation only	B	"
201	171P	Naval aviation only	B	"
	AS.989/ :—			
177	49P	B	"
	AS.990/ :—			
221	38P and 58P	B	"
	AS.1166/ :—			
219	41P	B	"
	AS.1167/ :—			
220	41P	B	"
	AS.1172/ :—			
103	65P	B	"
104	69P	B	"
105	73P	B	"
304	97P	B	"
317	109P	B	"
318	125P	B	"
350	153P	B	"
319	155P	B	"
	AS.1176/ :—			
106	43P	B	"

RESTRICTED

RESTRICTED

AIRCRAFT CONTROLS—ROLLER CHAINS

SECTION 27KB—cont.

1	2	3	4	5
	CHAINS, ROLLER, C/ W END FITTINGS—cont.	8 MM. PITCH (B.S.1).		
	AS.1177/: —			
236	65P	B	each
301	77P	B	"
237	149P	B	"
299	153P	B	"
238	165P	B	"
239	199P	B	"
	AS.5550/: —			
320	37P	B	"
	AS.5557/: —			
227	37P	B	"
321	45P	B	"
213	65P	Non-reversible	B	"
256	67P	Naval aviation only ..	B	"
214	73P	Non-reversible	B	"
215	81P	Non-reversible	B	"
274	85P	Naval aviation only ..	B	"
290	93P	B	"
	AS.5566/: —			
354	121P	Naval aviation only ..	B	"
	AS.5582/: —			
228	34P	B	"
292	38P	B	"
241	64P	B	"
242	76P	B	"
243	84P	B	"
244	88P	B	"
245	92P	B	"
246	100P	B	"
247	104P	B	"
289	110P	B	"
	AS.5589/: —			
334	14P	B	"
313	38P	Non-reversible	B	"

RESTRICTED

RESTRICTED

AIRCRAFT CONTROLS—ROLLER CHAINS

SECTION 27KB—cont.

1	2	3	4	5
	CHAINS, ROLLER, C/W END FITTINGS—cont.	8 MM. PITCH (B.S.1).		
	AS.5589/—cont.			
322	54P	B	each
229	86P	B	"
314	102P	Non-reversible	B	"
	AS.5593/ :—			
333	41P	B	"
298	43P	B	"
	AS.5598/ :—			
275	77P	Naval aviation only	B	"
	AS.5605/ :—			
303	65P	B	"
	AS.6862/ :—			
259	69P	B	"
	Spares :—	FOR 8 MM. PITCH (B.S.1).		
180	Connectors, chain, AS.178, 4 BA	Internal thread	C	"
181	Connectors, chain, AS.179, L.H., 4 BA	Internal thread	C	"
315	Connectors, chain, AS.1323, L.H., 4 BA	C	"
156	Nuts and bolts, AS.168/1	C	"
184	Spools, AS.188	C	"
	AS.210/ :—	3/8 in. PITCH (B.S.2).		
107	31P	B	"
108	33P	B	"
109	37P	B	"
111	53P	B	"
	AS.211/ :—			
254	21P	B	"
209	33P	B	"
115	35P	B	"
158	41P	B	"
117	53P	B	"
159	59P	B	"
118	67P	B	"
324	71P	B	"
316	97P	B	"

RESTRICTED

RESTRICTED

AIRCRAFT CONTROLS—ROLLER CHAINS

SECTION 27KB—cont.

1	2	3	4	5
	CHAINS, ROLLER, C/W END FITTINGS—cont.	$\frac{3}{8}$ in. PITCH (B.S.2).		
	A.S.216/:-			
119	25P	B	each
120	29P	B	"
122	33P	B	"
124	37P	B	"
	AS.911/:-			
352	87P	Naval aviation only ..	B	"
351	93P	Naval aviation only ..	B	"
355	287P	Naval aviation only ..	B	"
	AS.913/:-			
356	225P	Naval aviation only ..	B	"
	AS.923/:-			
285	37P	B	"
202	39P	Naval aviation only ..	B	"
203	45P	Naval aviation only ..	B	"
262	47P	B	"
131	61P	B	"
132	63P	B	"
258	73P	B	"
204	85P	Naval aviation only ..	B	"
253	87P	Naval aviation only ..	B	"
353	91P	Naval aviation only ..	B	"
	AS.924/:-			
136	40P	B	"
161	48P	B	"
205	54P	Naval aviation only ..	B	"
270	64P	B	"
340	76P	Naval aviation only ..	B	"
182	78P	B	"
294	80P	B	"
295	82P	B	"
252	84P	B	"
271	126P	B	"
341	166P	Naval aviation only ..	B	"

RESTRICTED

RESTRICTED

AIRCRAFT CONTROLS—ROLLER CHAINS

SECTION 27KB—cont.

1	2	3	4	5
	CHAINS, ROLLER, C/W END FITTINGS—cont.	$\frac{3}{8}$ in. PITCH (B.S.2).		
	AS.924/—cont.			
347	184P	Naval aviation only	B	each
	AS.5606/—			
346	29P	Naval aviation only	B	"
	AS.5653/—			
345	28P	Naval aviation only	B	"
	Spares:—	FOR $\frac{3}{8}$ in. PITCH (B.S.2).		
358	Connectors chain, L.H., AS.181	Naval aviation only	C	"
357	Connectors chain, R.H., AS.180	Naval aviation only	C	"
157	Nuts and bolts, AS.168/2	C	"
359	Spool cable, AS.190	Naval aviation only	C	"
	AS.232/—	$\frac{1}{2}$ in. PITCH (B.S.4).		
140	57P	B	"
141	59P	B	"
142	61P	B	"
	AS.944/—			
145	23P	B	"
146	29P	B	"
349	43P	B	"
260	47P	Naval aviation only	B	"
148	51P	B	"
348	53P	B	"
162	57P	B	"
163	61P	B	"
164	65P	B	"
	AS.945/—			
149	66P	B	"
	AS.246/—	$\frac{1}{2}$ in. PITCH (B.S.6).		
150	25P	B	"
	AS.247/—			
263	35P	B	"
282	37P	B	"
151	39P	B	"
306	83P	Naval aviation only	B	"

RESTRICTED

RESTRICTED

AIRCRAFT CONTROLS—ROLLER CHAINS

SECTION 27KB—cont.

1	2	3	4	5
	CHAINS, ROLLER, G/W END FITTINGS—cont.	½ in. PITCH (B.S.6).		
	AS.252/:-			
152	25P	B	each
338	81P	Naval aviation only	B	"
	AS.927/:-			
342	91P	Naval aviation only	B	"
	AS.930/:-			
361	55P	B	"
343	65P	Naval aviation only	B	"
	AS.947/:-			
264	17P	B	"
311	35P	B	"
327	45P	B	"
328	53P	B	"
293	83P	Naval aviation only	B	"
344	87P	Naval aviation only	B	"
234	91P	B	"
	AS.948/:-			
230	10P	B	"
	AS.951/:-			
265	15P	B	"
280	35P	B	"
329	55P	B	"
326	65P	B	"
235	81P	B	"
	AS.971/:-			
206	47P	Naval aviation only	B	"
207	55P	Naval aviation only	B	"
154	59P	B	"
	AS.976/:-			
335	6P	Naval aviation only	B	"
336	122P	Naval aviation only	B	"
	AS.978/:-			
337	9P	Naval aviation only	B	"

RESTRICTED

RESTRICTED

AIRCRAFT CONTROLS—ROLLER CHAINS

SECTION 27KB—cont.

1	2	3	4	5
	CHAINS, ROLLER, C/W END FITTINGS—cont. AS.1133/: —	$\frac{1}{2}$ in. PITCH (B.S.6).		
272	17P/29P/17P	B	each
183	Spares: — Nuts and bolts, AS.168/6	FOR $\frac{1}{2}$ in. PITCH.	C	,

RESTRICTED

RESTRICTED

AIRCRAFT CONTROLS—ROLLER CHAINS

INDEX TO REFERENCE NUMBERS

SECTION 27KB—cont.

Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.
1	1	39	2	81	5	140	10	185	1	221	6	255	3	289	7	325	3	360	5
2	1	40	2	82	5	141	10	186	2	222	3	256	7	290	7	326	11	361	11
3	1	41	2	83	5	142	10	187	2	223	3	257	1	291	5	327	11		
4	1	42	2	84	5	145	10	188	2	224	4	258	9	292	7	328	11		
5	1	44	3	85	5	146	10	189	3	225	4	259	8	293	11	329	11		
6	1	45	3	87	5	148	10	190	3	226	4	260	10	294	9	331	4		
7	1	46	3	92	5	149	10	191	3	227	7	261	6	295	9	332	6		
8	1	49	3	93	5	150	10	192	4	228	7	262	9	297	2	333	8		
9	1	50	3	94	5	151	10	193	5	229	8	263	10	298	8	334	7		
10	1	51	3	95	5	152	11	194	5	230	11	264	11	299	7	335	11		
11	1	53	3	96	5	154	11	195	6	231	2	265	11	300	3	336	11		
12	1	55	4	98	6	156	8	196	6	232	3	266	5	301	7	337	11		
14	2	56	4	99	6	157	10	197	6	233	4	267	5	302	3	338	11		
15	2	57	4	100	6	158	8	198	6	234	11	268	5	303	8	339	3		
16	2	58	4	101	6	159	8	199	6	235	11	269	5	304	6	340	9		
17	2	59	4	102	6	160	3	200	6	236	7	270	9	305	3	341	9		
18	2	61	4	103	6	161	9	201	6	237	7	271	9	306	10	342	11		
19	2	62	4	104	6	162	10	202	9	238	7	272	12	308	3	343	11		
20	2	63	4	105	6	163	10	203	9	239	7	273	1	309	3	344	11		
21	2	64	4	106	6	164	10	204	9	240	5	274	7	310	3	345	10		
22	2	65	4	107	8	167	1	205	9	241	7	275	8	311	11	346	10		
23	2	66	4	108	8	168	3	206	11	242	7	276	3	312	5	347	10		
24	2	67	4	109	8	169	3	207	11	243	7	277	5	313	7	348	10		
25	2	68	4	111	8	172	4	208	2	244	7	278	3	314	8	349	10		
26	2	69	4	115	8	173	4	209	8	245	7	279	1	315	8	350	6		
27	2	70	4	117	8	174	5	210	3	246	7	280	11	316	8	351	9		
28	2	71	4	118	8	175	5	211	3	247	7	281	4	317	6	352	9		
29	2	72	4	119	9	176	5	213	7	248	1	282	10	318	6	353	9		
30	2	73	4	120	9	177	6	214	7	249	1	283	5	319	6	354	7		
31	2	74	4	122	9	180	8	215	7	250	5	284	1	320	7	355	9		
32	2	75	4	124	9	181	8	217	5	251	5	285	9	321	7	356	9		
33	2	76	4	131	9	182	9	218	4	252	9	286	5	322	8	357	10		
35	2	77	4	132	9	183	12	219	6	253	9	287	5	323	2	358	10		
37	2	80	4	136	9	184	8	220	6	254	8	288	5	324	8	359	10	A/L	170

RESTRICTED

RESTRICTED

**PERIODICAL INSPECTION OF EQUIPMENT
STORAGE CATEGORIES**

For details of different storage categories, see A.P. 1086, Book 1, Second Edition, Memorandum of Instructions, Part 3.

**AIRCRAFT CONTROLS—ROLLER CHAINS
SECTION 27KB—cont.**

Unless specifically shown below, all items in this sub-section have an indefinite shelf life under normal storage conditions and are therefore in category 4.

Generic Heading	Category	Periodicity of Inspection in *Temperate Climates	
		Packaged	Unpackaged

* For method of calculating periodicity of inspection in tropical climates, see A.P. 1086, Book 1, Second Edition, Memorandum of Instructions, Part 3.

RESTRICTED

Issued with A/L 217

**AIR PUBLICATION 1086
BOOK II
SECOND EDITION**

**SECTION 27N
AIRBORNE FIRE-FIGHTING EQUIPMENT**

**Items under Section 27N
are covered by
VOTE 7 A. 2.**

RESTRICTED

VOCABULARY OF ROYAL AIR FORCE EQUIPMENT
AIRBORNE FIRE-FIGHTING EQUIPMENT
SECTION 27N

(30th March, 1965)

Ref. No.	Nomenclature	Detail	Drawing No.	Class of Store	Denom. of Qty.
1	2	3	4	5	6
1	AXE, fire	F.B. Helved		B	each
156	BRACKET	For Valiant aircraft (Mod. No. 2265)	29B/367	B	"
215	BRACKET	Pyrene	ALD.100	B	"
117	BRACKET, light alloy	For use with Extinguishers, fire, methyl bromide, automatic, dual head, 12 lb. capacity.	10B	B	"
	EXPLOSION SUPPRESSION EQUIPMENT,				
	(Graviner):				
248	Arrester, surge	E.810	C	"
173	Block, terminal	E.502	C	"
202	Block, terminal	E.510	C	"
199	Block, terminal, c/w socket	E.587	C	"
183	Bolt, column	E.204	C	"
184	Conductor	E.228	C	"
201	Conductor	E.627	C	"
205	Detector	Superseded by Ref. No. 217	E.188	A	"
165	Detector	Superseded by Ref. No. 218	E.680	A	"
217	Detector	Supersedes Ref. No. 205	E.782	B	"
218	Detector	Supersedes Ref. No. 165	E.783	B	"
302	Detector, earth lead	E.478	C	"
213	Flange, outer	E.125	C	"
171	Fuse	E.301	C	"
					A/L 217

RESTRICTED

RESTRICTED

AIRBORNE FIRE-FIGHTING EQUIPMENT

SECTION 27N—cont.

1	2	3	4	5	6
	EXPLOSION SUPPRESSION EQUIPMENT, (Graviner)—cont.				
176	Fuse	E.302	C	each
177	Fuse	E.304	C	"
204	Fuse	E.303	C	"
169	Gasket	E.161	C	"
170	Holder, fuse	E.318	B	"
259	Holder, fuse	E.101	B	"
167	Holder, lamp	E.181	B	"
230	Holder, lamp, test	Supersedes by Ref. No. 230	E.781	B	"
178	Lead	Supersedes but interchangeable with Ref. No. 167..	E.178	C	"
225	Lead, earth	E.742	C	"
186	Piece, packing	E.336	C	"
182	Plate, detector	E.186	C	"
174	Plate, pivot	E.504	C	"
185	Plate, pivot	E.270	C	"
180	Plate, shorting	E.155	C	"
164	Power pack	E.483, Mark 2	A	"
168	Ring, stud	E.332	C	"
175	Screw	E.518	C	"
231	Spacer	E.414	C	"
187	Spacer, ¼ in.	E.401	C	"
188	Spacer, 1 in.	E.402	C	"
189	Spacer, 1½ in.	E.403	C	"
190	Spacer, 1¾ in.	E.404	C	"
191	Spacer, 1¾ in.	E.405	C	"
192	Spacer, 2 in.	E.406	C	"
226	Spacer, 2¼ in.	E.407	C	"
193	Spacer, 2½ in.	E.408	C	"
194	Spacer, 2¾ in.	E.409	C	"
195	Spacer, 3 in.	E.410	C	"
196	Spacer, 3¼ in.	E.411	C	"
197	Spacer, 3½ in.	E.413	C	"
198	Spacer, 4¼ in.	E.415	C	"

RESTRICTED

RESTRICTED

AIRBORNE FIRE-FIGHTING EQUIPMENT

SECTION 27N—cont.

1	2	3	4	5	6
	EXPLOSION SUPPRESSION EQUIPMENT, (Graviner)—cont.				
210	Suppressor	E.556	A	each
234	Suppressor	Supersedes Ref. No. 172	E.771	A	..
292	Suppressor, 100 cc.	E.557	C	..
179	Suppressor, 175 cc.	E.121	A	..
181	Suppressor, dummy, 175 cc.	E.165	A	..
200	Suppressor, dummy, 100 cc.	E.626	A	..
214	Tag	E.180	C	..
257	Trip units, over-voltage, Mark 3	Supersedes Ref. No. 163	E.841	A	..
163	Voltage trip unit	Superseded by Ref. No. 257	E.723	A	..
166	Washer, tab	E.521	C	..
	EXTINGUISHERS, fire— Accessories, (Graviner)—				
212	Bolt, trunnion	For Valiant, Mod. 2523	B.397	C	..
13	Bracket	Type D		B	..
68	Bracket, hinged	2B	B	..
95	Bracket	For Meteor aircraft	3B	B	..
87	Bracket	Superseded by Ref. No. 115 when stocks are exhausted	4B	B	..
115	Bracket	For 6 lb. single head extinguishers. Light Alloy. Supersedes Ref. No. 87.	7B	B	..
116	Bracket	Light Alloy, supersedes Ref. No. 88	8B	B	..
111	Bracket	For 6 lb. dual head extinguishers	9B	C	..
106	Bracket	For hand extinguishers, types 25H, 27H, and 28H. Supersedes Ref. No. 85.	11B	C	..
112	Bracket	For Ref. No. 109. Double strap. Naval aviation only	12B	B	..
142	Bracket	With clips. For Ref. No. 109, for Vampire T.11	17B	B	..
85	Bracket	For extinguishers types 25H, 27H and 28H. Superseded by Ref. No. 106.	25B	C	..
149	Bracket	For Ref. No. 84	27B	C	..
334	Bracket	For Extinguisher, type 58A	33B	B	..
270	Bracket	36B	B	..
240	Cap, sealing	For Vulcan S.T. 1/52	A.359	C	..

RESTRICTED

RESTRICTED

AIRBORNE FIRE-FIGHTING EQUIPMENT

SECTION 27N—cont.

1	2	3	4	5	6
	EXTINGUISHERS, fire—cont.				
	Accessories, (Graviner)—cont.				
151	Cap, sealing	For Ref. No. 70. Superseded by Ref. No. 246 ..	H.130	C	each
23	Cap, sealing, nozzle	For Ref. No. 12. Superseded by Ref. No. 247 ..	H.155	C	"
246	Cap, sealing, nozzle	For Ref. No. 70. Supersedes Ref. No. 151 ..	H.221	C	"
247	Cap, sealing, nozzle	For Ref. No. 84. Supersedes Ref. No. 23 ..	H.222	C	"
64	Distributor body, 5-way	7P	B	"
301	Fuse, Mk. 3	A.490	C	"
344	Fuse	A.1003	C	"
343	Holder assembly	A.656	C	"
300	Indicator "Bottle used"	A.456	B	"
25	Nozzle	Air intake. 2-way banjo body. For Ref. No. 12 ..	2P	B	"
65	Nozzle	Air intake $\frac{5}{8}$ in. jet. For Ref. No. 69 ..	3P	B	"
	Spares—	For Ref. No. 65.			
79	Body	P.115	C	"
82	Washer, bottom	P.107	C	"
83	Washer, top	P.108	C	"
78	Nozzle	Air intake $\frac{7}{8}$ in. jet	4P	B	"
	Spares—	For Ref. No. 78.			
	Body	Ref. No. 79			
80	Jet, $\frac{7}{8}$ in.	P.118	C	each
	Plug	Ref. No. 81			
	Washer, bottom	Ref. No. 82			
	Washer, top	Ref. No. 83			
114	Nozzle	Spray, 90° cone, $\frac{1}{4}$ in. bore discharge. Supersedes Ref. No. 110. Superseded by Ref. No. 223.	P.191	C	each
274	Nozzle	Spray, 110° cone, full spread, $\frac{1}{2}$ in. bore	P.256	B	"
266	Nozzle	For Ref. No. 264	P.257	B	"
267	Nozzle	For Ref. No. 264	P.260	B	"
219	Nozzle	$\frac{1}{2}$ in. bore, 60° cone. Full spread. Naval aviation only. Supersedes Ref. No. 161.	P.2500	B	"
222	Nozzle	$\frac{3}{4}$ in. bore, 60° cone, $\frac{2}{3}$ spread. Naval aviation only. Supersedes Ref. No. 160.	P.2510	B	"
278	Nozzle	110° cone	P.2550	B	"

RESTRICTED

RESTRICTED

AIRBORNE FIRE-FIGHTING EQUIPMENT

SECTION 27N—cont.

1	2	3	4	5	6
	EXTINGUISHERS, fire—cont.				
	Accessories, (Graviner)—cont.				
223	Nozzle	$\frac{3}{4}$ in. bore, 110° cone, $\frac{2}{3}$ spread. Supersedes Ref. Nos. 110 and 114.	P.2570	C	each
221	Nozzle	$\frac{5}{8}$ in. bore, 110° cone, $\frac{2}{3}$ spread. Supersedes Ref. No. 144	P.2580	C	"
220	Nozzle	$\frac{1}{2}$ in. bore, 110° cone, $\frac{2}{3}$ spread. Supersedes Ref. No. 143	P.2590	C	"
224	Nozzle	$\frac{1}{4}$ in. bore. flat discharge, full spread. Naval aviation only.	P.2600	B	"
92	Piece "T"	$\frac{3}{8}$ in. C × $\frac{3}{8}$ in. C × $\frac{1}{2}$ in. U. For Ref. No. 66	P.128	B	"
74	Piece "T"	$\frac{3}{8}$ in. C × $\frac{1}{2}$ in. C × $\frac{3}{4}$ in. U. For Ref. No. 69	P.134	C	"
75	Piece "T"	$\frac{3}{8}$ in. C × $\frac{3}{8}$ in. C × $\frac{3}{4}$ in. U. For Ref. No. 69	P.137	C	"
272	Strap assembly	With mod. B.T. 119 embodied	B.343	C	"
319	Strap assembly	Used with Ref. Nos. 146 and 147	B.396	C	"
347	Strap and backbone		B.450 Sht. 1	C	"
348	Support		B.449 Sht. 1	C	"
336	Transfer		249/37	C	"
76	Union, bulkhead	$\frac{3}{4}$ in. U. × $\frac{3}{4}$ in. U.	P.136	C	"
	Spares—	For Ref. No. 76			
119	Piece "T"	Naval aviation only	P.127/A	C	"
120	Plug, blanking	Naval aviation only	P.132/A	C	"
89	Union, bulkhead	$\frac{3}{4}$ in. U. × $\frac{3}{8}$ in. U.	P.139	B	"
294	Union, double-ended	For Ref. No. 146	A.125	C	"
293	Valve, non-return		A.520	C	"
342	Washer, nozzle		H.129	C	"
	Accessories, (Pyrene)—				
283	Head, diffusion		PHA.	C	"
129	Horn, diffuser		ALD.31	C	"
284	Hose and plug assembly		H.P.2B	A	"
279	Nozzle		CNF.3/32L	C	"
280	Nozzle		CNF.1/8LC	C	"
281	Nozzle		CNF.3/16LC	C	"
130	Plug		ALD.65	C	"
285	Socket		PHS/LT	C	"
128	Socket, bottle-head		ALD.29	C	"

RESTRICTED

RESTRICTED

AIRBORNE FIRE-FIGHTING EQUIPMENT

SECTION 27N—cont.

1	2	3	4	5	6
	EXTINGUISHER, fire, bromochlorodifluoromethane, hand—				
299	2½ lbs.	Supersedes Ref. Nos. 84 and 239	34H	A	each
339	3 lb.	Duo-head	142A	A	"
	EXTINGUISHER, fire, chlorobromomethane, hand—				
239	2½ lbs.	Supersedes Ref. No. 84. Superseded by Ref. No. 299	30H	A	"
	EXTINGUISHER, fire, chlorobromomethane, automatic—				
288	1 lb.	Type 63A	A.540	A	"
	EXTINGUISHERS, fire, C.O.2 gas—				
131	2½ lbs.	Pyrene. Hand type	CD.2½ PG.	A	"
127	11 lbs.	Duo-head (Pyrene). Superseded by Ref. No. 251	ALD.28	A	"
251	11 lbs.	Supersedes Ref. No. 127. Duo-head (Pyrene). Without discharge indicator.	DCD.11L.	A	"
282	11 lbs.	Duo-head (Pyrene). With discharge indicator	DCD.11XL	A	"
	EXTINGUISHERS, fire, methyl bromide, automatic				
97	1 lb., ½ in., bore discharge	Superseded by Ref. No. 162	15A	A	"
162	1 lb., ½ in., bore discharge	Alternative to Ref. No. 97 on certain aircraft originally fitted with integral cartridges. Naval aviation only.	15AX	A	"
289	1 lb.	Single head	37A	A	"
14	6 lb., ½ in. bore discharge	2A	A	"
	Spares—				
121	Washers	Naval aviation only	B.105/A	C	"
67	6 lb., ½ in., bore discharge	Superseded by Ref. No. 105	11A	A	"
105	6 lb., ½ in., bore discharge	Supersedes Ref. No. 67 for Vampire aircraft only	21A	A	"
66	6 lb., ¾ in. bore discharge	Superseded by Ref. Nos. 100 and 152 when stocks are exhausted.	4A	A	"
152	6 lb., ¾ in. bore discharge	Alternative to Ref. Nos. 66 and 100 on certain aircraft originally fitted extinguishers with integral cartridge.	4AX	A	"

RESTRICTED

RESTRICTED

AIRBORNE FIRE-FIGHTING EQUIPMENT

SECTION 27N—cont.

1	2	3	1	5	6
	EXTINGUISHERS, fire, methyl bromide, auto-				
	matic—cont.				
100	6 lb., in. bore discharge	Single head. Supersedes Ref. No. 66	12A	A	each
101	6 lb., in. bore discharge	Dual head. Supersedes Ref. No. 98	17A	A	"
109	6 lb., in. bore discharge	Supersedes Ref. No. 67 for Venom aircraft only	20A/266	A	"
315	6 lb., in. bore discharge	Dual head, wire wound, pressure relief	58A	A	"
145	6 lb., in. bore discharge	Single head, 250 p.s.i. Type 39A	A.390	A	"
148	6 lb., in. bore discharge	Duo head, 250 p.s.i. Type 42A	A.393	A	"
232	6 lb.	Dual head	61A		
346	9 lb.	141A	A	"
153	12 lb., 3/4 in. bore discharge	Alternative to Ref. Nos. 69 and 99 on certain aircraft originally fitted with extinguishers with integral cartridge.	5AX	A	"
155	12 lb., 3/4 in. bore discharge	Alternative to Ref. Nos. 77 and 102 on certain aircraft originally fitted with extinguishers with integral cartridges.	8AX	A	"
99	12 lb., 3/4 in. bore discharge	Single head	13A	A	"
233	12 lb.	Dual Head	62A	A	"
102	12 lb., in. bore discharge	Dual head. Supersedes Ref. No. 77	14A	A	"
126	12 lb., in. triple head	A.165	A	"
146	12 lb., in. bore discharge	Single head. Type 40A	A.391	A	"
147	12 lb., in. bore discharge	Duo head. Type 41A	A.392	A	"
264	12 lb., in. bore discharge	Type 57A. Dual head		A	"
211	12 lb., in. triple head	Type 70A	A.575	A	"
276	12 lb., triple head	Type 71A. Pressure relief		A	"
	EXTINGUISHERS, fire, methyl bromide, hand				
	type—				
2	No. 3	Medium charged. Superseded by Ref. No. 84		A	"
12	No. 5	1 1/4 lb. capacity. Superseded by Ref. No. 84	5H	A	"
84	Trigger type	2 1/2 lb. capacity, supersedes Ref. No. 2. Superseded by Ref. No. 239.	25H	A	"

RESTRICTED

RESTRICTED

AIRBORNE FIRE-FIGHTING EQUIPMENT

SECTION 27N—cont.

1	2	3	4	5	6
	EXTINGUISHERS, fire, water/glycol, hand type—				
70	Trigger type	1½ lb. capacity	27H	A	each
	Spares—				
141	Refill	H.179	C	..
137	Tab, break	H.192	C	..
118	Washer	H.122/A	C	..
	FIRE-DETECTOR UNITS—				
49	Continuous type		A	..
	Accessories—				
52	Holder, flash cord	For Ref. No. 49		C	..
	Spares—				
43	Body	D.101	C	..
51	Washer, locking	D.107	C	..
61	Continuous type	Body	D.132	A	..
72	Non-resetting	2D	C	..
	Spares—				
—	Body	For Ref. No. 72		—	—
73	Head, finned type	Ref. No. 43		—	—
287	Periscope	(Pyrene)	D.102	C	each
90	Resetting	180°C. operation. Superseded by Ref. No. 338	UFV/1	C	..
122	Resetting	230°C. operation	5D.5D/2-3	B	..
91	Resetting	300°C. operation. Superseded by Ref. No. 340	19D/3	A	..
108	Resetting	300°C. operation. Single entry. Superseded by Ref. No. 350	4D.4D/2-3	A	..
123	Resetting	330°C. operation	13D/3/D.423	A	..
107	Resetting	450°C. operation. Double entry. Superseded by Ref. No. 136	42D/3	A	..
136	Resetting	Supersedes Ref. No. 107. Superseded by Ref. No. 341	10D/4	A	..
335	Resetting		115D/4	A	..
333	Resetting		130.D/3	B	..
330	Resetting		150.D/01/180	A	..
307	Resetting		150.D/01/225	A	..
			150.D/01/400	A	..

RESTRICTED

RESTRICTED

AIRBORNE FIRE-FIGHTING EQUIPMENT

SECTION 27N—cont.

1	2	3	4	5	6
	FIRE-DETECTOR UNITS—cont.				
338	Resetting	Supersedes Ref. No. 90	150.D/07/180	A	each
340	Resetting	Supersedes Ref. No. 91	150.D/01/300	A	"
341	Resetting	Supersedes Ref. No. 136	150.D/01/450	A	"
350	Resetting	Supersedes Ref. No. 108	150.D/07/300	A	"
132	Smoke	(Pyrene)	PSDA.1/G.4	A	"
286	Smoke	(Pyrene)	PSD/A.1/G4/DH	A	"
320	Smoke	(Pyrene)	PSD/A.1/G4/H	A	"
	Spares—	For Ref. Nos. 132, 286 and 320.			
321	Cell, photo-electric, balancing	51/50099	B	"
322	Cell, photo-electric, detecting	51/50100	B	"
209	Holder, lamp, filament	51/90031	C	"
—	Lamp, filament, 45 volt, 75 watt	Reference 5L/2624	—	—	—
—	Plug, 5 pin, 7 amp.	Reference 5X/7142	—	—	—
324	Relay, power	51/50161	B	each
323	Relay, sensitive	51/50098	B	"
325	Resistor, for lamps, filament	51/50130	C	"
326	Switch, micro	51/50102	C	"
332	Smoke	(Pyrene)	M.S.D.1.	A	"
317	FUSE, indicator	Supersedes Ref. No. 171 except for explosion suppression.	A.984	C	"
241	HOLDER, fuse, Mark 1	For use with automatic fire extinguishers	A.381	C	"
260	INDICATOR, pressure relief	A 513	C	"
265	INDICATOR, pressure relief	A 594	C	"
	Spares—				
308	Nylon disc and sealing plug	For Ref. Nos. 260 and 265	A.515	C	"
331	OVERHEAT CONTROL UNIT	160.D/4	B	"

RESTRICTED

RESTRICTED

AIRBORNE FIRE-FIGHTING EQUIPMENT

SECTION 27N—cont.

1	2	3	4	5	6
	SWITCHES—				
254	Base, crashtrip relay unit	C.508	A	each
303	Crash	(Pyrene)	PCS/2AW	A	"
139	Crashtrip	Type 11C. Naval aviation only. Superseded by Ref. No.256.	C.299	A	"
253	Crashtrip, relay unit	C.509	B	"
255	Crashtrip, single element	Type 34C		B	"
256	Crashtrip, double element	Undrilled, type 12C. Supersedes Ref. No. 139		B	"
263	Crashtrip, triple element	12C/473/1	B	"
125	Deflection, skin, crash	9C	C.217	A	"
135	Delay and time	TDS/HP/3A	A	"
56	Delay and time	Venner type. Superseded by Ref. No. 113		A	"
113	Delay and time	Venner type. Supersedes Ref. No. 56		A	"
298	Delay and time	Venner type. Supersedes Ref. No. 227	TDS/HP/8B	A	"
	Accessories—	For Ref. Nos. 56 and 113.			
242	Cover, terminal	Venner type	Z.9591	C	"
337	Gasket, neoprene diaphragm	Venner type. Supersedes Ref. No. 244	Z.11944/N	C	"
244	Gasket, rubber diaphragm	Venner type for push button. Superseded by Ref. No. 337.	Z.11944	C	"
245	Gasket, rubber	Venner, type. For top cover	Z.11954	C	"
329	Gasket, terminal block	Venner type	Z.12073	C	"
57	Plate, adaptor	For Ref. Nos. 56 and 113		B	"
243	Ring, rubber, sealing	Venner type. For push button cover	Z.11988	C	"
318	Sleeve, grommet (terminal)	Venner type	Z.8915	C	"
20	Inertia	6g, 6 point	1C	A	"
93	Inertia	3g Unidirectional. Single point	8C	A	"
94	Inertia	4½g Unidirectional. Single point	10C	A	"
	Spares—	For Ref. Nos. 93 and 94			
345	Cover, terminal block assembly	C.273	C	"
207	Gasket, terminal base	C.190	C	"
206	Gasket, terminal cover	C.189	C	"
208	Sleeve, cable entry	S.106	C	"
277	Temperature	Supersedes Ref. No. 124	118D/4	A	"

RESTRICTED

RESTRICTED
10

AIRBORNE FIRE-FIGHTING EQUIPMENT

SECTION 27N—cont.

INDEX TO REFERENCE NUMBERS

Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.
1	1	85	3	125	10	170	2	204	2	244	10	287	8	336	5		
2	7	87	3	126	7	171	1	205	1	245	10	288	6	337	10		
12	7	89	5	127	6	173	1	206	10	246	4	289	6	338	9		
13	3	90	8	128	5	174	2	207	10	247	4	292	3	339	6		
14	6	91	8	129	5	175	2	208	10	248	1	293	5	340	9		
20	10	92	5	130	5	176	2	209	9	251	6	294	5	341	9		
23	4	93	10	131	6	177	2	210	3	253	10	298	10	342	5		
25	4	94	10	132	9	178	2	211	7	254	10	299	6	343	4		
43	8	95	3	135	10	179	3	212	3	255	10	300	4	344	4		
49	8	97	6	136	8	180	2	213	1	256	10	301	4	345	10		
51	8	99	7	137	8	181	3	214	3	257	3	302	1	346	7		
52	8	100	7	139	10	182	2	215	1	259	2	303	10	347	5		
56	10	101	7	141	8	183	1	217	1	260	9	307	8	348	5		
57	10	102	7	142	3	184	1	218	1	263	10	308	9	350	9		
61	8	105	6	145	7	185	2	219	4	264	7	315	7				
64	4	106	3	146	7	186	2	220	5	265	9	317	9				
65	4	107	8	147	7	187	2	221	5	266	4	318	10				
66	6	108	8	148	7	188	2	222	4	267	4	319	5				
67	6	109	7	149	3	189	2	223	5	270	3	320	9				
68	3	111	3	151	4	190	2	224	5	272	5	321	9				
70	8	112	3	152	6	191	2	225	2	274	4	322	9				
72	8	113	10	153	7	192	2	226	2	276	7	323	9				
73	8	114	4	155	7	193	2	230	2	277	10	324	9				
74	5	115	3	156	1	194	2	231	2	278	4	325	9				
75	5	116	3	162	6	195	2	232	7	279	5	326	9				
76	5	117	1	163	3	196	2	233	7	280	5	329	10				
78	4	118	8	164	2	197	2	234	3	281	5	330	8				
79	4	119	5	165	1	198	2	239	6	282	6	331	9				
80	4	120	5	166	3	199	1	240	3	283	5	332	9				
82	4	121	6	167	2	200	3	241	9	284	5	333	8				
83	4	122	8	168	2	201	1	242	10	285	5	334	3				
84	7	123	8	169	2	202	1	243	10	286	9	335	8				

RESTRICTED

11
RESTRICTED

RESTRICTED

Issued with A/L 202

**AIR PUBLICATION 1086
BOOK II
SECOND EDITION**

**SECTION 27P
EMERGENCY AND SPECIAL RATIONS**

**Items under Section 27P
are covered by
VOTE 6 A 1**

RESTRICTED

**VOCABULARY OF ROYAL AIR FORCE EQUIPMENT
EMERGENCY AND SPECIAL RATIONS**

**SECTION 27P
(20th May, 1964)**

Ref. No.	Nomenclature	Contents	Detail	Class of Store	Denom. of Qty.
1	2	3	4	5	6
22	CIGARETTES	Tubes of 7	For survival packs and M.S. dinghies	C	tube
	Component :—				
122	Tube, aluminium	—	„
29	MILK, condensed, sweetened	7 oz. cans	For search and rescue apparatus	C	can
25	RATIONS, emergency, flying, Mark 4 ...	Glucose toffees, waterproof bag ...	For search and rescue and survival packs ...	C	tin
	Component :—				
125	Bag, waterproof	—	bag
	RATIONS, emergency, Mark 5 :—		For survival packs and M.S. dinghies.		
28	Land mass supplement	To be used only with Ref. No. 27	B	box
	Components :—				
228	Bags, water/food, 0·0025 in.	—	bag
128	Container, land mass supplement	—	tin
328	Opener, can	—	each
27	Universal components	Note. —All rations now in aircraft and S.E.S.'s should be those labelled "Pkd. 11/59" and fastened with green self-adhesive tape.	B	box
	Components :—				
227	Bags, water/food, 0·01 in.	—	bag
127	Container, Universal component	—	tin

RESTRICTED

RESTRICTED

1

EMERGENCY AND SPECIAL RATIONS

SECTION 27P—cont.

1	2	3	4	5	6
12	SOUP	In self-heating cans, nominal quantity 13 ozs.	For marine craft and mountain rescue teams ...	C	can
16	TABLETS, water purifying	Bottles of 15 "Halazone" tablets ...	For survival packs	C	bot.
8	WATER, canned	Nominal quantity 16 ozs.	For :—(A) Aircraft multi-seater dinghy installations (B) Search and rescue apparatus. (C) Underground storage (M.U.'s). (D) Survival packs.	C	can

RESTRICTED

RESTRICTED

RESTRICTED

PERIODICAL INSPECTION OF EQUIPMENT—STORAGE CATEGORIES

For details of storage categories, see A.P.1086, Book 1, Second Edition, Memorandum of Instructions, Part 3.

EMERGENCY AND SPECIAL RATIOMS

SECTION 27P

Generic Heading	Contractual Warranty	Category Storage	Periodicity of Inspection in *Temperate Climates	
			Packaged	Unpackaged
<p>The Aeronautical Inspection Services may, as necessary, delegate responsibility for the inspection of emergency rations (except cigarettes) to Medical Officers. They may also refer Category 1 items to Ministry of Defence (Army Dept.) analysts with a view to establishing a storage life beyond the contractual warranty period.</p>				
CIGARETTES (tubes of 7)	1 year	1	After 1 year; thereafter every 3 months	After 1 year; thereafter every 3 months
MILK, CONDENSED, SWEETENED ... (7 oz. cans)	1 year	1	After 1 year; thereafter every 3 months	After 1 year; thereafter every 3 months
SOUP (in self-heating cans)	1 year	1	6 months	6 months
TABLETS, WATER PURIFYING ...	2 years	1	6 months	6 months
WATER, CANNED	3 years	3	1 year	1 year
<p>NOTE.—Periodicity of inspection should be begun from date of manufacture. Reduction overseas * should be by one-third irrespective of degree of humidity. For method of calculating periodicity of inspection in tropical climates, see A.P. 1086, Book 1, Second Edition, memorandum of Instructions, Part 3.</p>				

RESTRICTED

Issued with A/L 199

**AIR PUBLICATION 1086
BOOK 11
SECOND EDITION**

SECTION 27QA
DOWTY SEALS AND SEALING RINGS

**Items under Section 27QA
are covered by
VOTE 7 A.2**

RESTRICTED

VOCABULARY OF ROYAL AIR FORCE EQUIPMENT
DOWTY SEALS AND SEALING RINGS
SECTION 27QA

(1st January, 1964)

NOTE—All items are Class 'C' Store of Equipment and the Denom. of Quantity 'Each'

Ref. No.	Nomenclature	Detail	Part No. or Drawing No.	
1	2	3	4	
	RINGS, sealing—		Dowty Rotol Ltd.	Dowty Seals Ltd.
	'H' Section			
	Syn. rubber, AM.78,	Shore Hardness 70°. Colour Ident. 3 red spots.		
	Internal dia. (inches)			
1260	0.239	Naval aviation only		GD.1923/5
1266	1.171	Naval aviation only		GD.1923/22
	'O' Gasket—			
	Synth. rubber, ACCR.190-H52—	Shore Hardness 84°—95°. Colour Ident. 1 white spot.		
	Internal dia. (inches)—			
1017894	0.301	7-50060-704	GD.1373/3
1017895	0.351	7-50060-705	GD.1373/4
545	0.414	7-50060-706	GD.1373/5
1017896	0.468	7-50060-708	GD.1373/6
1009403	0.644	7-50060-710	GD.1373/8
1017897	0.755	7-50060-712	GD.1373/10
1017898	0.924		GD.1373/12
	RINGS, back-up—			
	Leather—			
	Internal dia. (inches)—			
924	0.343		GD.1580/4
1093	0.406		GD.1580/5

RESTRICTED

RESTRICTED

DOWTY SEALS AND SEALING RINGS

SECTION 27QA—cont.

1	2	3	4	
	RINGS, sealing—cont.			
	'O' Gasket—cont.			
	Synth. rubber, ACCR.190-H52—cont.	Shore Hardness 84°-95°. Colour Ident. 1 white spot—cont.		
	Internal dia. (inches)—cont.			
1017899	1-171	7-50060-716	GD.1373/16
1017900	1-475	7-50060-720	GD.1373/20
	Viton A.1M967—			
	Internal dia. (inches)—			
1293	0-239	7-50040-702	GD.2398/2
	Rectangular Section—			
	Synth. rubber, DTD.560, Grade C—	Shore Hardness 62°-71°		
	Internal dia. (inches)—			
678	0-440		GD.1760/C
	Synth. rubber, Viton A.1M967—			
	Internal dia. (inches)—			
978	0-176		GD.2157/3
828	0-301	Naval aviation only		GD.2157/6
829	0-364	Naval aviation only		GD.2157/7
	Square Section—			
	Synth. rubber, ACCR.190-H52—	Shore Hardness 84°-95°		
	Internal dia. (inches)—			
679	0-597	Naval aviation only		GD.1377/C
680	2-330		GD.2013/C
	Synth. rubber, ACCR.270-H2—	Shore Hardness 65°-77°. Colour Ident. 1 green spot		
	Internal dia. (inches)—			
909	1-969		GD.2015
733	1-969		GD.2017
	Synth. rubber, ACCR.190-H52—	Shore Hardness 84°-95°		
	Internal dia. (inches)—			
2	2-865	Naval aviation only		SP.597/1
3	3-665		SP.597/4
4	1-000		SP.597/5
5	2-420		SP.597/9
6	2-160		SP.597/10
7	0-78C		SP.597/11
8	0-550	Naval aviation only		SP.597/14

RESTRICTED

RESTRICTED

DOWTY SEALS AND SEALING RINGS

SECTION 27QA—cont.

1	2	3	4
	RINGS, sealing—cont.		
	Synth. rubber, ACCR.190-H52—cont.	Shore Hardness 84°—95°—cont.	
	Internal dia. (inches)—cont.		
9	0-820	SP.597/18
10	0-490	SP.597/19
11	2-950	Naval aviation only	SP.597/22
12	1-420	SP.597/23
13	0-770	SP.597/24
14	0-830	SP.597/25
15	0-590	Naval aviation only	SP.597/26
16	1-905	SP.597/38
17	0-960	SP.597/41
18	2-200	SP.597/42
19	1-120	SP.597/43
20	1-460	SP.597/44
21	4-810	SP.597/45
22	0-970	SP.597/48
23	0-863	SP.597/49
24	1-000	SP.597/50
25	2-630	SP.597/55
26	0-595	SP.597/57
27	1-270	SP.597/62
28	3-295	SP.597/63
29	2-880	SP.597/64
30	1-885	SP.597/65
31	3-520	SP.597/71
32	2-672	Naval aviation only	SP.597/73
33	1-670	SP.597/79
34	0-520	SP.597/80
35	0-580	SP.597/85
36	0-290	SP.597/87
37	0-520	SP.597/88
38	1-850	SP.597/92
39	0-410	SP.597/94

DESYDIAFEN

3

RESTRICTED

DOWTY SEALS AND SEALING RINGS

SECTION 27QA—cont.

1	2	3	4
	RINGS, sealing—cont.		
	Synth. rubber, ACCR.190-H52—cont.	Shore Hardness 84°—95°—cont.	
	Internal dia. (inches)—cont.		
40	0-630	SP.597/96
41	2-850	SP.597/98
42	0-377	SP.597/100
43	0-590	Naval aviation only	SP.597/102
44	0-770	SP.597/112
45	2-980	SP.597/113
46	0-595	SP.597/122
47	0-920	SP.597/123
48	3-350	SP.597/124
49	0-558	SP.597/127
50	2-810	SP.597/128
921	2-380	Naval aviation only	SP.597/129
51	0-290	SP.597/130
52	0-833	SP.597/133
1294	0-590	SP.597/136
	RINGS, sealing 'O'—		
	Synth. rubber, ACCR.190-H52—	Shore Hardness 84°—95°. Colour Ident. 1 white spot	
	Internal dia. (inches)—		
228	0-070	SP.900/4
229	0-100	SP.900/4
230	0-114	SP.900/1
231	0-145	7-50060-101
9440406	0-176	7-500601-102
233	0-208	7-500601-103
234	0-239	7-50060-104
9429514	0-301	7-50060-105
236	0-364	7-50060-106
237	0-362	7-50060-107
238	0-424	7-50060-108
239	0-487	7-50060-109
1007954	0-549	7-50060-110
241	0-612	7-50060-111
			7-50060-112

RESTRICTED

RESTRICTED

DOWTY SEALS AND SEALING RINGS

SECTION 27QA—cont.

1	2	3	4
	RINGS, sealing 'O'—cont. Synth. rubber, ACCR.190-H52—cont. Internal dia. (inches)— <i>cont.</i>	Shore Hardness 84°—95°. Colour Ident. 1 white spot— <i>cont.</i>	
242	0-674	7-50060-113 SP.900/13
243	0-737	7-50060-114 SP.900/14
244	0-734	7-50060-115 SP.900/15
245	0-796	7-50060-116 SP.900/16
246	0-859	7-50060-117 SP.900/17
247	0-921	7-50060-118 SP.900/18
248	0-984	7-50060-119 SP.900/19
249	1-046	7-50060-120 SP.900/20
1011353	1-109	7-50060-121 SP.900/21
251	1-171	7-50060-122 SP.900/22
252	1-234	7-50060-123 SP.900/23
253	1-296	7-50060-124 SP.900/24
254	1-359	7-50060-125 SP.900/25
255	1-421	7-50060-126 SP.900/26
256	1-484	7-50060-127 SP.900/27
257	1-475	7-50060-128 SP.900/28
258	1-600	7-50060-129 SP.900/29
259	1-725	7-50060-130 SP.900/30
260	1-850	7-60060-131 SP.900/31
261	2-100	7-50060-133 SP.900/33
262	2-225	7-50060-134 SP.900/34
803	2-600	7-50060-137 SP.900/37
263	2-725	7-50060-138 SP.900/38
696	2-850	7-50060-139 SP.900/39
1074	2-975	7-50060-140 SP.900/40
264	3-100	7-50060-141 SP.900/41
1075	3-225	7-50060-142 SP.900/42
9700246	3-350	7-50060-143 SP.900/43
265	3-850	7-50060-147 SP.900/47
266	4-725	7-50060-154 SP.900/54
1089	5-600	7-50060-161 SP.900/61

RESTRICTED

RESTRICTED

DOWTY SEALS AND SEALING RINGS

SECTION 27QA—cont.

1	2	3	4
	RINGS, sealing 'O'—cont.		
	Synth. rubber, ACCR.270-H2—	Shore Hardness 65°—77°. Colour Ident. 1 green spot	
	Internal dia. (inches)—		
1011354	0-070	SP.900B/1
933	0-100	SP.900B/2
9429515	0-114	SP.900B/3
268	0-145	SP.900B/4
2000872	0-176	SP.900B/5
270	0-208	SP.900B/6
9429639	0-239	SP.900B/7
9433706	0-301	SP.900B/8
9429516	0-364	SP.900B/9
274	0-362	SP.900B/10
275	0-424	SP.900B/11
9429517	0-487	SP.900B/12
9431640	0-549	SP.900B/13
1011355	0-612	SP.900B/14
279	0-674	SP.900B/15
1015078	0-737	SP.900B/16
1017885	0-734	SP.900B/17
282	0-796	SP.900B/18
1017886	0-859	SP.900B/19
284	0-921	SP.900B/20
285	0-984	SP.900B/21
9471019	1-046	SP.900B/22
287	1-109	SP.900B/23
1017887	1-171	SP.900B/24
289	1-234	SP.900B/25
290	1-296	SP.900B/26
1017888	1-359	SP.900B/27
9128766	1-484	SP.900B/28
846	1-475	SP.900B/29
293	1-600	SP.900B/30
294	1-725	SP.900B/31
1134	1-850	SP.900B/31

RESTRICTED

RESTRICTED

DOWTY SEALS AND SEALING RINGS

SECTION 27QA—cont.

1	2	3	4
	RINGS, sealing 'O'—cont.		
	Synth. rubber, ACCR.270-H2—cont.	Shore Hardness 65°—77°. Colour Ident. 1 green spot—cont.	
	Internal dia. (inches)—cont.		
295	1-975	7-50010-132 SP.900B/32
296	2-100	7-50010-133 SP.900B/33
847	2-225	7-50010-134 SP.900B/34
9495378	2-600	7-50010-137 SP.900B/37
1039	2-725	7-50010-138 SP.900B/38
726	2-850	7-50010-139 SP.900B/39
298	3-100	7-50010-141 SP.900B/41
9143239	3-350	7-50010-143 SP.900B/43
9458072	3-600	7-50010-145 SP.900B/45
299	3-725	7-50010-146 SP.900B/46
1235	4-350	Naval aviation only	7-50010-151 SP.900B/51
974	7-975	7-50010-172 SP.900B/72
9458073	12-475	7-50010-181 SP.900B/81
9458071	13-475	7-50010-183 SP.900B/83
	Synth. rubber, ACCR.640-H10—	Shore Hardness 40°—52°. Colour Ident. 1 blue spot	
	Internal dia. (inches)—		
1258	0-100	SP.900C/3
9144678	0-796	SP.900C/16
307	0-859	SP.900C/17
1040	0-984	SP.900C/19
308	1-109	SP.900C/21
309	1-171	SP.900C/22
310	1-296	SP.900C/24
891	1-475	SP.900C/28
9471133	1-850	SP.900C/31
9703371	3-850	SP.900C/47
996	6-975	SP.900C/68
	Synth. rubber, ACCR.190-H52—	Shore Hardness 84°—95°. Colour Ident. 1 white spot	
	Internal dia. (inches)—		
1017389	1-609	7-50060-301 SP.901/1
312	1-734	7-50060-302 SP.901/2
313	1-859	7-50060-303 SP.901/3

RESTRICTED

RESTRICTED

DOWTY SEALS AND SEALING RINGS

SECTION 27QA—cont.

1	2	3	4
	RING, sealing 'O'—cont.		
	Synth rubber, ACCR.270-H52—cont.		
	Internal dia. (inches)—cont.	Shore Hardness 84°—95°. Colour Ident. 1 white spot—cont.	
314	1-984	7-50060-304 SP.901/4
315	2-109	7-50060-305 SP.901/5
316	2-234	7-50060-306 SP.901/6
317	2-359	7-50060-307 SP.901/7
318	2-484	7-50060-308 SP.901/8
319	2-609	7-50060-309 SP.901/9
320	2-734	7-50060-310 SP.901/10
321	2-859	7-50060-311 SP.901/11
9467108	2-984	7-50060-312 SP.901/12
323	3-109	7-50060-313 SP.901/13
324	3-234	7-50060-314 SP.901/14
325	3-359	7-50060-315 SP.901/15
326	3-484	7-50060-316 SP.901/16
327	3-609	7-50060-317 SP.901/17
328	3-734	7-50060-318 SP.901/18
329	3-859	7-50060-319 SP.901/19
330	3-984	7-50060-320 SP.901/20
331	4-109	7-50060-321 SP.901/21
332	4-234	7-50060-322 SP.901/22
333	3-359	7-50060-323 SP.901/23
1008767	4-484	7-50060-324 SP.901/24
335	4-609	7-50060-325 SP.901/25
336	4-734	7-50060-326 SP.901/26
932	5-109	7-50060-329 SP.901/29
338	5-234	7-50060-330 SP.901/30
1135	5-359	7-50060-331 SP.901/31
339	5-484	7-50060-332 SP.901/32
340	5-984	7-50060-336 SP.901/36
9009261	6-734	7-50060-339 SP.901/39
342	7-984	7-50060-344 SP.901/44
343	8-234	7-50060-345 SP.901/45

RESTRICTED

RESTRICTED

DOWTY SEALS AND SEALING RINGS

SECTION 27QA—cont.

1	2	3	4
	RINGS, sealing 'O'—cont.		
	Synth. rubber, AGCR.270-H2—	Shore Hardness 65°—77°. Colour Ident. 1 green spot	
	Internal dia. (inches)—		
1236	1-609	7-50010-301 SP.901B/1
344	1-734	7-50010-302 SP.901B/2
345	1-859	7-50010-303 SP.901B/3
1068	1-984	7-50010-304 SP.901B/4
1017889	2-109	7-50010-305 SP.901B/5
347	2-234	7-50010-306 SP.901B/6
1015080	2-359	7-50010-307 SP.901B/7
1015077	2-484	7-50010-308 SP.901B/8
1263	2-609	7-50010-309 SP.901B/9
1012618	2-734	7-50010-310 SP.901B/10
349	2-984	7-50010-312 SP.901B/12
1342	3-109	7-50010-313 SP.901B/13
9492983	3-234	Naval aviation only	7-50010-314 SP.901B/14
350	3-359	7-50010-315 SP.901B/15
351	3-484	7-50010-316 SP.901B/16
9469358	3-609	7-50010-317 SP.901B/17
1017890	3-734	7-50010-318 SP.901B/18
9152193	3-859	7-50010-319 SP.901B/19
1005983	3-984	7-50010-320 SP.901B/20
958	4-109	7-50010-321 SP.901B/21
1121	4-609	7-50010-325 SP.901B/25
353	4-859	7-50010-327 SP.901B/27
1201	4-984	7-50010-328 SP.901B/28
354	5-109	7-50010-329 SP.901B/29
997	6-484	7-50010-338 SP.901B/38
355	7-234	7-50010-341 SP.901B/41
9703840	7-484	7-50010-342 SP.901B/42
1232	9-484	7-50010-350 SP.901B/50
	Synth. rubber, AGCR.640-H10—	Shore Hardness 40°—52°. Colour Ident. 1 blue spot	
	Internal dia. (inches)—		
356	1-609	SP.901C/1
1353	1-734	SP.901C/2

RESTRICTED

RESTRICTED

DOWTY SEALS AND SEALING RINGS

SECTION 27QA—cont.

1	2	3	4
	RINGS, sealing, 'O'—cont.		
	Synth. rubber, ACGR.640-H10—cont.	Shore Hardness 40°—52°. Colour Ident. 1 blue spot—cont.	
	Internal dia. (inches)—cont.		
734	1-984	SP.901C/4
1008766	2-109	SP.901C/5
998	2-234	SP.901C/6
357	2-609	SP.901C/9
358	3-109	SP.901C/13
999	3-234	SP.901C/14
1050	3-734	SP.901C/18
9462479	4-234	SP.901C/22
1012616	5-234	SP.901C/30
771	6-234	Naval aviation only	SP.901C/37
359	6-734	SP.901C/39
9155468	9-484	SP.901C/50
	Synth. rubber, DTD.560, Grade C—	Shore Hardness 62°—71°. Colour Ident. 1 red spot and 1	
	Internal dia. (inches)—	green spot	
389	0-070	SP.910/1
697	0-100	SP.910/2
390	0-100	SP.910/3
391	0-114	SP.910/4
392	0-145	SP.910/5
393	0-176	SP.910/6
394	0-208	SP.910/7
395	0-239	SP.910/8
396	0-301	SP.910/9
397	0-364	SP.910/10
398	0-362	SP.910/11
399	0-424	SP.910/12
400	0-487	SP.910/13
401	0-549	SP.910/14
402	0-612	SP.910/15
403	0-674	
404	0-737	
405	0-734	

RESTRICTED

RESTRICTED

DOWTY SEALS AND SEALING RINGS

SECTION 27QA—cont.

1	2	3	4
	RINGS, sealing, 'O'—cont.		
	Synth. rubber, DTD.560, Grade C—cont.	Shore Hardness 62°—71°. Colour ident. 1 red spot and 1 green spot—cont.	
	Internal dia. (inches)—cont.		
406	0.796	SP.910/16
407	0.859	SP.910/17
1017891	0.921	SP.910/18
409	0.984	SP.910/19
410	1.046	SP.910/20
411	1.109	SP.910/21
412	1.171	SP.910/22
413	1.234	SP.910/23
414	1.296	SP.910/24
415	1.359	SP.910/25
416	1.421	SP.910/26
417	1.484	SP.910/27
418	1.475	SP.910/28
419	1.725	SP.910/30
420	1.850	SP.910/31
1071	1.975	SP.910/32
1003	2.350	SP.910/35
421	2.600	SP.910/37
422	3.850	SP.910/47
	Synth. rubber, DTD.560, Grade A—	Shore Hardness 84°—96°. Colour Ident. 1 red spot, 1 white spot	
	Internal dia. (inches)—		
912	0.176	SP.910A/3
1014	0.364	SP.910A/7
423	0.362	SP.910A/8
424	0.424	SP.910A/9
425	0.612	SP.910A/12
426	0.674	SP.910A/13
1015	0.737	SP.910A/14
427	0.921	SP.910A/18
428	0.984	SP.910A/19
429	1.046	SP.910A/20
		Naval aviation only	

RESTRICTED

RESTRICTED

DOWTY SEALS AND SEALING RINGS

SECTION 27QA—cont.

1	2	3	4
	RINGS, sealing, 'O'—cont.		
	Synth. rubber, DTD.560, Grade A—cont.	Shore Hardness 84°—96°. Colour Ident. 1 red spot, 1 white spot—cont.	
	Internal dia. (inches)—cont.		
1000	1-109	SP.910A/21
430	1-171	SP.910A/22
431	1-234	SP.910A/23
432	1-296	SP.910A/24
433	1-359	SP.910A/25
434	1-421	SP.910A/26
435	1-484	SP.910A/27
	Synth. rubber, DTD.560, Grade B—	Shore Hardness 72°—83°. Colour Ident. 1 red spot, 1 brown spot	
	Internal dia. (inches)—		
2004836	0-176	SP.910B/3
436	0-208	SP.910B/4
2004838	0-239	SP.910B/5
438	0-362	SP.910B/8
1276	0-487	SP.910B/10
727	0-549	SP.910B/11
767	0-612	SP.910B/12
439	0-734	SP.910B/15
440	0-796	SP.910B/16
1346	0-984	Naval aviation only	SP.910B/19
899	1-109	Naval aviation only	SP.910B/21
900	1-234	SP.910B/23
1277	1-484	SP.910B/27
901	1-600	SP.910B/29
441	1-975	SP.910B/32
442	3-100	SP.910B/41
783	3-600	SP.910B/45
784	7-975	SP.910B/72
9700237	10-975	SP.910B/78
	Synth. rubber, DTD.560, Grade D—	Shore Hardness 50°—61°. Colour Ident. 1 red spot, 1 blue spot	
	Internal dia. (inches)—		
707	0-674	Naval aviation only	SP.910D/13
443	1-171	SP.910D/22

RESTRICTED

RESTRICTED

DOWTY SEALS AND SEALING RINGS

SECTION 27QA—cont.

1	2	3	4
	RINGS, sealing 'O'—cont.		
	Synth. rubber, DTD.560, Grade D—cont.	Shore Hardness 50°—61°. Colour Ident. 1 red spot, 1 blue spot— <i>cont.</i>	
	Internal dia. (inches)— <i>cont.</i>		
1061	1-234	Naval aviation only	SP.910D/23
889	1-359	SP.910D/25
892	1-484	SP.910D/27
444	2-475	SP.910D/36
	Synth. rubber, DTD.560, Grade C—	Shore Hardness 62°—71°. Colour Ident. 1 red spot, 1 green spot	
	Internal dia. (inches)—		
445	1-609	SP.911/1
446	1-734	SP.911/2
447	1-859	SP.911/3
448	1-984	Naval aviation only	SP.911/4
449	2-109	SP.911/5
450	2-234	SP.911/6
451	2-359	SP.911/7
452	2-484	SP.911/8
453	2-609	SP.911/9
454	2-734	SP.911/10
1001	2-859	SP.911/11
455	2-984	SP.911/12
456	3-109	SP.911/13
839	3-234	SP.911/14
1002	3-359	SP.911/15
457	3-484	SP.911/16
762	3-609	SP.911/17
458	4-109	SP.911/21
763	4-234	Naval aviation only	SP.911/22
981	4-734	SP.911/26
459	4-984	SP.911/28
460	5-109	Naval aviation only	SP.911/29
461	5-234	Naval aviation only	SP.911/30
1085	5-484	SP.911/32
1041	5-609	SP.911/33

RESTRICTED

RESTRICTED

DOWTY SEALS AND SEALING RINGS

SECTION 27QA—cont.

1	2	3	4
	RINGS, sealing 'O'—cont.		
	Synth. rubber, DTD.560, Grade C—cont.	Shore Hardness 62°—71°. Colour Ident. 1 red spot, 1 green spot—cont.	
	Internal dia. (inches)—cont.		
1086	5-734	SP.911/34
1148	5-984	SP.911/36
973	6-734	SP.911/39
	Synth. rubber, DTD.560, Grade A—	Shore Hardness 84°—96°. Colour Ident. 1 red spot, 1 white spot	
	Internal dia. (inches)—		
462	1-609	SP.911A/1
463	1-734	SP.911A/2
464	1-859	SP.911A/3
465	1-984	SP.911A/4
466	2-109	SP.911A/5
467	2-234	SP.911A/6
468	2-359	SP.911A/7
469	2-484	SP.911A/8
470	2-609	SP.911A/9
471	2-734	Naval aviation only	SP.911A/10
472	2-859	SP.911A/11
473	2-984	SP.911A/12
474	3-109	SP.911A/13
989	3-234	SP.911A/14
475	3-359	SP.911A/15
476	3-484	SP.911A/16
477	3-609	SP.911A/17
478	3-734	SP.911A/18
479	3-859	SP.911A/19
480	3-984	SP.911A/20
990	4-359	SP.911A/23
991	4-484	SP.911A/24
992	4-609	SP.911A/25
993	4-734	SP.911A/26
976	4-859	SP.911A/27
994	8-484	SP.911A/46

RESTRICTED

RESTRICTED

DOWTY SEALS AND SEALING RINGS

SECTION 27QA—cont.

1	2	3	4
	RINGS, sealing, 'O'—cont.		
	Synth. rubber, DTD.560, Grade B—	Shore Hardness 72°—83°. Colour Ident. 1 red spot, 1 brown spot	
	Internal dia. (inches)—		
481	1-609	SP.911B/1
972	1-984	SP.911B/4
708	2-109	Naval aviation only	SP.911B/5
863	2-234	SP.911B/6
735	2-359	SP.911B/7
482	2-734	SP.911B/10
483	3-109	SP.911B/13
484	3-484	SP.911B/16
485	3-609	SP.911B/17
486	5-359	SP.911B/31
	Synth. rubber, DTD.560, Grade D—	Shore Hardness 50°—61°. Colour Ident. 1 red spot, 1 blue spot	
	Internal dia. (inches)—		
487	2-734	SP.911D/10
1062	2-859	Naval aviation only	SP.911D/11
1063	3-234	Naval aviation only	SP.911D/14
	Synth. rubber, ACCR.190—	Shore Hardness 84°—95°. Colour Ident. 1 white spot	
	Internal dia. (inches)—		
9700248	0-426	7-50060-501 SP.915/1
9454372	0-489	7-50060-502 SP.915/2
9439026	0-551	7-50060-503 SP.915/3
491	0-614	7-50060-504 SP.915/4
492	0-676	7-50060-505 SP.915/5
9440045	0-739	7-50060-506 SP.915/6
9429519	0-801	7-50060-507 SP.915/7
9700241	0-864	7-50060-508 SP.915/8
496	0-926	7-50060-509 SP.915/9
9455494	0-989	7-50060-510 SP.915/10
1009404	1-051	7-50060-511 SP.915/11
498	1-114	7-50060-512 SP.915/12
9429640	1-176	7-50060-513 SP.915/13
499	1-239	7-50060-514 SP.915/14
9453473	1-301	7-50060-515 SP.915/15

RESTRICTED

RESTRICTED

DOWTY SEALS AND SEALING RINGS

SECTION 27QA—cont.

1	2	3	4
	RINGS, sealing 'O'—cont.		
	Synth. rubber, ACCR.190—cont.		
	Internal dia. (inches)— <i>cont.</i>	Shore Hardness 84°—95°. Colour Ident. 1 white spot— <i>cont.</i>	
798	1-364	7-50060-516 SP.915/16
799	1-428	7-50060-517 SP.915/17
800	1-490	7-50060-518 SP.915/18
801	1-553	7-50060-519 SP.915/19
500	1-615	7-50060-520 SP.915/20
9009158	1-740	7-50060-521 SP.915/21
502	1-865	7-50060-522 SP.915/22
503	1-990	7-50060-523 SP.915/23
504	2-115	7-50060-524 SP.915/24
505	2-240	7-50060-525 SP.915/25
506	2-735	SP.915/29
1011356	3-360	SP.915/34
507	3-485	SP.915/35
9700242	3-610	SP.915/36
897	3-735	SP.915/37
9700243	3-860	SP.915/38
9700244	3-985	SP.915/39
9453042	4-610	SP.915/44
9453043	4-970	SP.915/47
9700245	5-095	SP.915/48
	Synth. rubber, ACCR.270—		
	Internal dia. (inches)—	Shore Hardness 65°—77°. Colour Ident. 1 green spot	
508	0-426	7-50010-501 SP.915B/1
509	0-489	7-50010-502 SP.915B/2
9429641	0-551	7-50010-503 SP.915B/3
511	0-614	7-50010-504 SP.915B/4
9429642	0-676	7-50010-505 SP.915B/5
512	0-739	7-50010-506 SP.915B/6
9429520	0-801	7-50010-507 SP.915B/7
9439662	0-926	7-50010-509 SP.915B/9
9429521	0-989	7-50010-510 SP.915B/10
9429608	1-051	7-50010-511 SP.915B/11

RESTRICTED

RESTRICTED

DOWTY SEALS AND SEALING RINGS

SECTION 27QA—cont.

1	2	3		4
	RINGS, sealing, 'O'—cont.			
	Synth. rubber, ACCR.270—cont.			
	Internal dia. (inches)—cont.	Shore Hardness 65°—77°. Colour Ident. 1 green spot—cont.		
1030	1-114	Naval aviation only	7-50010-512	SP.915B/12
515	1-176	7-50010-513	SP.915B/13
1031	1-239	Naval aviation only	7-50010-514	SP.915B/14
894	1-364	7-50010-516	SP.915B/16
9429643	1-490	7 50010-518	SP.915B/18
9429644	1-615	7-50010-520	SP.915B/20
1265	1-740	7-50010-521	SP.915B/21
516	1-865	7-50010-522	SP.915B/22
9469425	1-990	7-50010-523	SP.915B/23
895	2-115	7-50010-524	SP.915B/24
9430903	2-615	7-50010-528	SP.915B/28
934	3-110	Naval aviation only		SP.915B/32
517	3-235		SP.915B/33
952	3-610		SP.915B/36
518	6-095	Naval aviation only		SP.915B/56
	Synth. rubber, ACCR.640—	Shore Hardness 40°—52°. Colour Ident. 1 blue spot		
	Internal dia. (inches)—			
1036	0-426		SP.915C/1
9128588	0-614		SP.915C/4
9148084	0-676		SP.915C/5
9148083	0-739		SP.915C/6
9995425	0-801		SP.915C/7
873	0-864		SP.915C/8
9148081	0-926		SP.915C/9
9469359	0-989		SP.915C/10
1042	1-239		SP.915C/15
9495301	1-364		SP.915C/16
9470746	1-490		SP.915C/18
9140251	1-990		SP.915C/23
520	2-240		SP.915C/25
9469266	2-365		SP.915C/26
9469242	2-735		SP.915C/28

RESTRICTED

RESTRICTED

DOWTY SEALS AND SEALING RINGS

SECTION 27QA—cont.

1	2	3	4
	RINGS, sealing 'O'—cont.		
	Synth. rubber, ACCR.640—cont.	Shore Hardness 40°—52°. Colour Ident. 1 blue spot—cont.	
	Internal dia. (inches)—		
9462469	3.735	SP.915C/37
9155467	4.235	SP.915C/41
	Synth. rubber, DTD.560, Grade C—	Shore Hardness 62°—71°. Colour Ident. 1 red spot, 1 green spot	
	Internal dia. (inches)—		
521	0.426	SP.916/1
522	0.489	SP.916/2
523	0.551	SP.916/3
524	0.614	SP.916/4
525	0.676	SP.916/5
526	0.739	SP.916/6
527	0.801	SP.916/7
1017892	0.864	SP.916/8
529	0.926	SP.916/9
530	0.989	SP.916/10
732	1.051	SP.916/11
531	1.114	SP.916/12
867	1.176	SP.916/13
532	1.239	SP.916/14
1017893	1.301	SP.916/15
1352	1.364	SP.916/16
879	1.428	Naval aviation only	SP.916/17
868	1.490	SP.916/18
533	1.615	SP.916/20
765	1.740	SP.916/21
824	1.865	SP.916/22
534	1.990	SP.916/23
869	2.115	SP.916/24
535	2.240	Naval aviation only	SP.916/25
536	2.365	SP.916/26
736	2.490	SP.916/27
960	2.615	SP.916/28
537	3.110	SP.916/32

RESTRICTED

RESTRICTED

DOWTY SEALS AND SEALING RINGS

SECTION 27QA—cont.

1	2	3	4
	RINGS, sealing, 'O'—cont.		
	Synth. rubber DTD.560, Grade C—cont.	Shore Hardness 62°—71°. Colour Ident. 1 red spot, 1 green spot—cont.	
877	Internal dia. (inches)—cont.	Naval aviation only	SP.916/35
1254	3-485	Naval aviation only	SP.916/36
	3-610	Shore Hardness 84°—96°. Colour Ident. 1 red spot, 1 white spot	
	Synth. rubber, DTD.560, Grade A—		
	Internal dia. (inches)—		
817	6-845	Shore Hardness 72°—83°. Colour Ident. 1 red spot, 1 brown spot	SP.916A/62
	Synth. rubber, DTD.560, Grade B—		
	Internal dia. (inches)—		
1024	1-114	Shore Hardness 50°—61°. Colour Ident. 1 red spot, 1 blue spot.	SP.916B/12
9452646	1-990	Naval aviation only	SP.916B/23
	Synth. rubber, DTD.560, Grade D—		
	Internal dia. (inches)—		
538	0-676	Naval aviation only	SP.916D/5
968	0-739	SP.916D/6
539	0-936	SP.916D/9
1348	1-553	Naval aviation only	SP.916D/19
	Synth. rubber, AM.67—	Colour Ident. 1 white spot, 1 blue spot	
	Internal dia. (inches)—		
840	0-676	SP.919/5
841	0-801	SP.919/7
842	0-864	SP.919/8
843	0-989	SP.919/10
	Synth. rubber, ACCR. 190-H52—		
	Internal dia. (inches)—	Shore Hardness 84°—95°. Colour Ident. 1 white spot	
9702785	0-575	GD.1065
53	0-475	GD.1143
540	5-110	GD.1144
541	3-620	GD.1146
542	0-620	GD.1179
543	0-565	GD.1185
	Synth. rubber, AM.8—		
	Internal dia. (inches)—	Shore Hardness 74°—78°. Colour Ident. 2 brown spots	
360	1 $\frac{3}{8}$	GD.1308/1
361	1 $\frac{1}{4}$	GD.1308/2

RESTRICTED

RESTRICTED

DOWTY SEALS AND SEALING RINGS

SECTION 27QA—cont.

1	2	3	4
	RINGS, sealing, 'O'—cont.		
	Synth. rubber, AM.8—cont.		
	Internal dia. (inches)— <i>cont.</i>	Shore Hardness 74°—78°. Colour Ident. 2 brown spots— <i>cont.</i>	
362	2	GD. 1308/4
363	2 $\frac{1}{8}$	GD. 1308/5
364	2 $\frac{1}{4}$	GD. 1308/6
365	2 $\frac{1}{2}$	GD. 1308/8
9482686	2 $\frac{7}{8}$	GD. 1308/11
366	3	GD. 1308/15
1017130	3 $\frac{1}{4}$	GD. 1308/16
1321	3 $\frac{5}{8}$	GD. 1308/17
9482808	4	GD. 1308/20
	Synth. rubber, A.M.13—	Shore Hardness 63°—68°. Colour Ident. 1 brown spot, 1	
	Internal dia. (inches)	green spot	
885	1 $\frac{1}{2}$	GD. 1308B/2
9495060	3	GD. 1308B/12
9495061	5 $\frac{1}{2}$	GD. 1308B/32
1009720	9	GD. 1308B/48
	Synth. rubber, AM.8—	Shore Hardness 74°—78°. Colour Ident. 2 brown spots	
	Internal dia. (inches)—		
367	$\frac{3}{8}$	GD. 1309/1
905	$\frac{1}{2}$	GD. 1309/2
819	$\frac{5}{8}$	GD. 1309/3
820	$\frac{3}{4}$	GD. 1309/4
368	$\frac{7}{8}$	GD. 1309/5
369	1	GD. 1309/6
370	1 $\frac{1}{8}$	GD. 1309/7
371	1 $\frac{1}{4}$	GD. 1309/9
372	1 $\frac{3}{8}$	GD. 1309/11
373	1 $\frac{1}{2}$	GD. 1309/13
374	1 $\frac{3}{4}$	GD. 1309/14
375	2	GD. 1309/15
376	2 $\frac{1}{8}$	GD. 1309/16
377	2 $\frac{1}{4}$	GD. 1309/17
378	2 $\frac{3}{8}$	GD. 1309/18

RESTRICTED

RESTRICTED

DOWTY SEALS AND SEALING RINGS

SECTION 27QA—cont.

1	2	3	4
	RINGS, sealing, 'O'—cont.		
	Synth. rubber, AM.8—cont.		
	Internal dia. (inches)— <i>cont.</i>	Shore Hardness 74°—78°. Colour Ident. 2 brown spots— <i>cont.</i>	
379	1 $\frac{1}{8}$	GD.1309/21
380	1 $\frac{1}{4}$	GD.1309/23
381	1 $\frac{3}{8}$	GD.1309/25
382	1 $\frac{7}{8}$	GD.1309/26
383	1 $\frac{1}{2}$	GD.1309/27
	Synth. rubber AM.13—		
	Internal dia. (inches)—	Shore Hardness 63°—68°. Colour Ident. 1 brown spot, 1 green spot	
5802881	1 $\frac{1}{16}$	GD.1309B/4
385	1 $\frac{1}{4}$	GD.1309B/5
9494877	1 $\frac{3}{8}$	GD.1309B/12
386	1	GD.1309B/19
387	1 $\frac{1}{2}$	GD.1309B/27
388	1 $\frac{3}{4}$	GD.1309B/31
1122	2 $\frac{1}{8}$	GD.1309B/33
1123	4	GD.1309B/48
1129	6 $\frac{1}{2}$	GD.1309B/66
1130	4 $\frac{1}{2}$	GD.1309B/88
	Synth. rubber, DTD.560, Grade D—		
	Internal dia. (inches)—	Shore Hardness 50°—61°. Colour Ident. 1 red spot, 1 green spot	
1099	1-170	GD.1432D/16
	Rubber, AM.17—		
	Internal dia (inches)—	Shore Hardness 60°—65°. Colour Ident. 1 yellow spot, 1 green spot	
983	0-301	GD.1436B/6
	Rubber, AM.88—		
	Internal dia (inches)—	Shore Hardness 84°—95°. Colour Ident. 1 yellow spot, 1 red spot	
963	0-674	GD.1436C/13
962	0-796	GD.1436C/16
	Rubber, AM.17—		
	Internal dia. (inches)—	Shore Hardness 60°—65°. Colour Ident. 1 yellow spot, 1 green spot	
914	0-489	GD.1439B/2

RESTRICTED

DOWTY SEALS AND SEALING RINGS

SECTION 27QA—cont.

1	2	3	4
	RINGS, sealing, 'O'—cont.		
	Synth. rubber, AM.32—	Shore Hardness 60°—70°. Colour Ident. 2 green spots,	
	Internal dia. (inches)—	1 yellow spot	
1009309	0-239	GD.1440/5
1009308	0-301	GD.1440/6
548	0-424	GD.1440/9
1007953	0-549	GD.1440/11
1007962	1-359	GD.1440/25
	Synth. rubber, AM.40—	Shore Hardness 80°—90°. Colour Ident. 2 green spots, 1	
	Internal dia. (inches)—	1 brown spot	
1207	0-114	GD.1440A/1
1157	0-176	GD.1440A/3
1213	0-208	GD.1440A/4
1158	0-239	GD.1440A/5
1159	0-301	GD.1440A/6
1160	0-364	GD.1440A/7
1161	0-362	GD.1440A/8
1204	0-424	GD.1440A/9
1249	0-487	GD.1440A/10
1312	0-549	GD.1440A/11
1162	0-612	GD.1440A/12
1208	0-674	GD.1440A/13
1209	0-737	GD.1440A/14
1210	0-734	GD.1440A/15
1212	0-796	GD.1440A/16
1163	0-859	GD.1440A/17
1164	1-359	GD.1440A/25
1165	1-421	GD/1440A/26
1206	1-484	GD.1440A/27
	Synth. rubber, AM.109—	Shore Hardness 70°—80°. Colour Ident. 3 green spots	
	Internal dia. (inches)—		
1166	0-114	GD.1440B/1
1167	0-424	GD.1440B/9
1168	0-487	GD.1440B/10
1169	0-549	GD.1440B/11

RESTRICTED

RESTRICTED

DOWTY SEALS AND SEALING RINGS

SECTION 27QA—cont.

1	2	3	4
	RINGS, sealing, 'O'—cont.		
	Synth. rubber, AM.109—cont.		
	Internal dia. (inches)— <i>cont.</i>	Shore Hardness 70°—80°. Colour Ident. 3 green spots— <i>cont.</i>	
1170	0-737	GD.1440B/14
1211	0-734	GD.1440B/15
1171	1-359	GD.1440B/25
	Synth. rubber, AM.40—		
	Internal dia. (inches)—	Shore Hardness 80°—90°. Colour Ident. 2 green spots, 1 brown spot	
1219	1-609	GD.1442A/1
1220	1-859	GD.1442A/3
1172	2-234	GD.1442A/6
1173	2-359	GD.1442A/7
1174	2-609	GD.1442A/9
1221	2-734	GD.1442A/10
1175	2-984	GD.1442A/12
1222	4-859	GD.1442A/27
	Synth. rubber, AM.109—		
	Internal dia. (inches)—	Shore Hardness 70°—80°. Colour Ident. 3 green spots	
1223	2-234	GD.1442B/6
	Synth. rubber, AM.40—		
	Internal dia. (inches)—	Shore Hardness 80°—90°. Colour Ident. 2 green spots, 1 brown spot	
1224	0-614	GD.1443A/4
1176	0-864	GD.1443A/8
	Synth. rubber, AM.109—		
	Internal dia. (inches)—	Shore Hardness 70°—80°. Colour Ident. 3 green spots	
1177	0-426	GD.1443B/1
1178	0-551	GD.1443B/3
1179	0-739	GD.1443B/6
	Synth. rubber, AM.40—		
	Internal dia. (inches)—	Shore Hardness 80°—90°. Colour Ident. 2 green spots, 1 brown spot	
1180	0-239	GD.1444A/2
1181	0-301	GD.1444A/3
1234	0-351	GD.1444A/4

23
RESTRICTED

DOWTY SEALS AND SEALING RINGS

SECTION 27QA—cont.

1	2	3		4
	RINGS, sealing, 'O'—cont.			
	Synth. rubber, AM.40—cont.			
	Internal dia. (inches)—cont.	Shore Hardness 80°—90°. Colour Ident. 2 green spots 1 brown spot—cont.		
1182	0-414		GD.1444A/5
1183	0-468		GD.1444A/6
1184	0-644		GD.1444A/8
1185	0-755		GD.1444A/10
1186	0-924		GD.1444A/12
	Synth. rubber, ACCR.190-H52—			
	Internal dia. (inches)—	Shore Hardness 84°—95°. Colour Ident. 1 white spot		
1012617	0-797	7-50060-401	GD.1453/1
550	0-862	7-50060-402	GD.1453/2
551	0-924	7-50060-403	GD.1453/3
552	0-987	7-50060-404	GD.1453/4
553	1-049	7-50060-405	GD.1453/5
554	1-112	7-50060-406	GD.1453/6
742	1-299	7-50060-409	GD.1453/9
555	1-362	7-50060-410	GD.1453/10
1248	1-424	Naval aviation only	7-50060-411	GD.1453/11
743	1-549	7-50060-413	GD.1453/13
896	1-607	7-50060-414	GD.1453/14
556	1-799	7-50060-417	GD.1453/17
716	1-862	7-50060-418	GD.1453/18
557	1-925	7-50060-419	GD.1453/19
941	2-112	Naval aviation only	7-50060-422	GD.1453/22
558	2-175	7-50060-423	GD.1453/23
926	2-237	Naval aviation only	7-50060-424	GD.1453/24
744	2-300	7-50060-425	GD.1453/25
1261	2-362	7-50060-426	GD.1453/26
559	2-425	7-50060-427	GD.1453/27
927	2-487	Naval aviation only	7-50060-428	GD.1453/28
560	2-612	7-50060-430	GD.1453/30
925	2-800	Naval aviation only	7-50060-433	GD.1453/33

RESTRICTED

RESTRICTED

DOWTY SEALS AND SEALING RINGS

SECTION 27QA—cont.

1	2	3	4
	RINGS, sealing, 'O'—cont.		
	Synth. rubber, ACCR.270—	Shore Hardness 65°—77°. Colour Ident. 1 green spot	
	Internal dia. (inches)—		
1056	0-862	7-50010-402 GD.1453B/2
561	0-987	7-50010-404 GD.1453B/4
984	1-112	7-50010-406 GD.1453B/6
1055	1-299	7-50010-409 GD.1453B/9
712	1-362	7-50010-410 GD.1453B/10
1238	1-424	7-50010-411 GD.1453B/11
1017725	1-549	7-50010-413 GD.1453B/13
9494869	1-674	7-50010-415 GD.1453B/15
563	1-987	7-50010-420 GD.1453B/20
1187	2-237	7-50010-424 GD.1453B/24
562	2-362	7-50010-426 GD.1453B/26
564	2-800	7-50010-433 GD.1453B/33
	Synth. rubber, ACCR.640—	Shore Hardness 40°—52°. Colour Ident. 1 blue spot	
	Internal dia. (inches)—		
964	0-862	GD.1453C/2
9144663	1-049	GD.1453C/5
1136	1-112	Naval aviation only	GD.1453C/6
9448033	1-237	GD.1453C/8
565	1-549	GD.1453C/13
566	1-862	GD.1453C/18
729	2-425	GD.1453C/27
	Synth. rubber, ACCR.190-H52—	Shore Hardness 84°—95°. Colour Ident. 1 white spot	
	Internal dia. (inches)—		
1046	0-812	Naval aviation only	GD.1454/12
1045	0-937	Naval aviation only	GD.1454/14
567	2-187	GD.1454/34
1080	5-625	GD.1454/68
1081	5-750	GD.1454/69
	Synth. rubber, ACCR.270—	Shore Hardness 66°—77°. Colour Ident. 1 green spot	
	Internal dia. (inches)—		
1008200	2-250	GD.1454B/35

RESTRICTED

RESTRICTED

DOWTY SEALS AND SEALING RINGS

SECTION 27QA—cont.

1	2	3	4
	RINGS, sealing, 'O'—cont.		
	Synth. rubber, DTD.560, Grade C—	Shore Hardness 62°—71°. Colour Ident. 1 red spot, 1 green spot	
	Internal dia. (inches)—		
756	0.799	GD.1456/1
757	0.862	GD.1456/2
977	0.924	GD.1456/3
935	0.987	Naval aviation only	GD.1456/4
1017901	1.049	GD.1456/5
864	1.112	GD.1456/6
865	1.174	GD.1456/7
568	1.237	Naval aviation only	GD.1456/8
1351	1.299	GD.1456/9
825	1.362	Naval aviation only	GD.1456/10
569	1.674	Naval aviation only	GD.1456/15
1084	1.737	GD.1456/16
1292	1.799	GD.1456/17
1059	1.862	Naval aviation only	GD.1456/18
570	1.987	Naval aviation only	GD.1456/20
1051	2.050	Naval aviation only	GD.1456/21
759	2.175	GD.1456/23
866	2.300	GD.1456/25
571	2.362	GD.1456/26
	Synth. rubber, DTD.560, Grade A—	Shore Hardness 84°—96°. Colour Ident. 1 red spot, 1 white spot	
	Internal dia. (inches)—		
572	2.800	GD.1456A/33
	Synth. rubber, DTD.560, Grade B—	Shore Hardness 72°—83°. Colour Ident. 1 red spot, 1 brown spot	
	Internal dia. (inches)—		
573	1.925	GD.1456B/19
861	2.175	GD.1456B/23
902	2.237	GD.1456B/24
1275	2.362	GD.1456B/26
965	2.425	GD.1456B/27
966	2.487	GD.1456B/28
862	2.550	GD.1456B/29
939	2.800	GD.1456B/33

RESTRICTED

RESTRICTED

DOWTY SEALS AND SEALING RINGS

SECTION 27QA—cont.

1	2	3	4
	RINGS, sealing, 'O'—cont.		
	Synth. rubber, DTD.560, Grade D—	Shore Hardness 50°—61°. Colour Ident. 1 red spot, 1 blue spot	
1064	Internal dia. (inches)— 2.300	Naval aviation only	GD 1456D/25
1065	2.800	Naval aviation only	GD.1456D/33
	Synth. rubber, DTD.560, Grade C—	Shore Hardness 62°—71°. Colour Ident. 1 red spot, 1 green spot	
985	Internal dia. (inches)— 2.500	GD.1457/39
	Rubber, AM.15—	Shore Hardness 84°—95°. Colour Ident. 1 yellow spot, 1 white spot	
986	Internal dia. (inches)— 0.239	GD.1459/2
	Rubber, AM.17—	Shore Hardness 60°—65°. Colour Ident. 1 yellow spot, 1 green spot	
878	Internal dia. (inches)— 0.239	GD.1459B/2
1128	0.301	GD.1459B/3
1127	0.351	GD.1459B/4
	Synth. rubber, DTD.560, Grade C—	Shore Hardness 62°—71°. Colour Ident. 1 red spot, 1 green spot	
760	Internal dia. (inches), miniature series— $\frac{1}{16}$	GD.1512/3
574	$\frac{3}{32}$	GD.1512/4
	Synth. rubber, A.M.67—	Colour Ident. 1 white spot, 1 blue spot	
1038	Internal dia. (inches)— 1.984	GD.1602.4
	Synth. rubber, ACCR.640-H10—	Shore Hardness 40°—52°. Colour Ident. 1 blue spot	
575	Internal dia. (inches)— 0.154	GD.1687/-
	Synth. rubber, ACCR.190-H52—	Shore Hardness 84°—95°. Colour Ident. 1 white spot	
576	Internal dia. (inches)— 2.862	GD.1702,-
	Synth. rubber, A.M.78—	Colour Ident. 3 red spots	
9995019	Internal dia. (inches)— 0.114	GD.1801/1
950	0.145	Naval aviation only	GD.1801/2
9995047	0.176	Naval aviation only	GD.1801/3

RESTRICTED

27

RESTRICTED

DOWTY SEALS AND SEALING RINGS

SECTION 27QA—cont.

1	2	3	4
	RINGS, sealing, 'O'—cont.		
	Synth. rubber, AM.78—cont.	Colour Ident. 3 red spots—cont.	
	Internal dia. (inches)—cont.		
9995020	0-208	GD.1801/4
9995021	0-239	GD.1801/5
9995048	0-301	GD.1801/6
9995036	0-364	GD.1801/7
9703738	0-362	GD.1801/8
1012213	0-424	GD.1801/9
9995037	0-487	GD.1801/10
1013123	0-549	GD.1801/11
9139755	0-612	GD.1801/12
1152	0-674	GD.1801/13
1012214	0-734	GD.1801/15
1133	0-796	Naval aviation only	GD.1801/16
884	0-859	GD.1801/17
1325	0-921	GD.1801/18
1012215	0-984	GD.1801/19
1017390	1-109	GD.1801/21
1012216	1-234	GD.1801/23
944	1-359	GD.1801/25
908	1-484	GD.1801/27
1131	1-850	Naval aviation only	GD.1801/31
1014045	1-975	GD.1801/32
1011194	2-100	GD.1801/33
1014046	2-475	GD.1801/36
1013122	2-725	GD.1801/38
9995038	3-350	GD.1801/43
1058	3-725	Naval aviation only	GD.1801/46
9453048	4-225	GD.1801/50
1013120	4-725	GD.1801/54
9702719	7-475	GD.1801/70
	Synth. rubber, AM.80—	Colour Ident. 2 red spots, 1 blue spot	
	Internal dia. (inches)—		
1282	0-114	GD.1801A/1
814	0-176	GD.1801A/3

RESTRICTED

RESTRICTED

DOWTY SEALS AND SEALING RINGS

SECTION 27QA—cont.

1	2	3	4
	RINGS, sealing, 'O'—cont.		
	Synth. rubber, AM.80—cont.	Colour Ident. 2 red spots, 1 blue spot—cont.	
	Internal dia. (inches)—cont.		
1283	0.239	GD.1801A/5
1037	0.364	GD.1801A/7
887	0.612	GD.1801A/12
769	0.796	Naval aviation only	GD.1801A/16
1285	0.859	GD.1801A/17
577	0.984	GD.1801A/19
770	1.046	Naval aviation only	GD.1801A/20
1280	1.109	GD.1801A/21
	Synth. rubber, AM.78—	Colour Ident. 3 red spots	
	Internal dia. (inches)—		
9471860	1 1/4	GD.1802/7
	Synth. rubber, A.M.78—	Colour Ident. 3 red spots	
	Internal dia. (inches)—		
1326	1.609	GD.1803/1
9995039	1.734	GD.1803/2
9995022	1.859	GD.1803/3
1327	1.984	GD.1803/4
1328	2.104	GD.1803/5
1017394	2.359	GD.1803/7
1330	2.734	GD.1803/10
9471861	2.859	GD.1803/11
1331	2.984	GD.1803/12
1332	3.109	GD.1803/13
1017391	3.359	GD.1803/15
1017392	4.234	GD.1803/22
1017393	5.609	GD.1803/33
9448281	6.984	GD.1803/40
	Synth. rubber, AM.80—	Colour Ident. 2 red spots, 1 blue spot	
	Internal dia. (inches)—		
1244	1.734	Naval aviation only	GD.1803A/2
1286	1.984	GD.1803A/4
812	2.234	GD.1803A/6

RESTRICTED

RESTRICTED

DOWTY SEALS AND SEALING RINGS

SECTION 27QA—cont.

1	2	3	4
	RINGS, sealing, 'O'—cont.		
	Synth. rubber, AM.80—cont.		
	Internal dia. (inches)— <i>cont.</i>	Colour Ident. 2 red spots, 1 blue spot— <i>cont.</i>	
754	3-234	GD.1803A/14
1287	3-609	GD.1803A/17
	Synth. rubber, AM.78—	Colour Ident. 3 red spots	
	Internal dia. (inches)—		
1347	0-799	Naval aviation only	GD.1804/1
730	1-112	Naval aviation only	GD.1804/6
731	1-299	Naval aviation only	GD.1804/9
578	2-987	Naval aviation only	GD.1804/36
	Synth. rubber, AM.80—	Colour Ident. 2 red spots, 1 blue spot	
	Internal dia. (inches)—		
746	0-799	GD.1804A/1
1288	0-862	GD.1804A/2
893	0-924	GD.1804A/3
888	0-987	GD.1804A/4
1067	1-237	GD.1804A/8
747	1-362	GD.1804A/10
745	1-612	GD.1804A/14
1125	1-799	GD.1804A/17
748	1-862	GD.1804A/18
749	2-487	GD.1804A/28
1289	2-612	GD.1804A/30
	Synth. rubber, AM.78—	Colour Ident. 3 red spots	
	Internal dia. (inches)—		
9995023	0-489	GD.1805/2
9995024	0-551	GD.1805/3
9995025	0-614	GD.1805/4
827	0-676	GD.1805/5
9995026	0-801	GD.1805/7
1082	0-926	GD.1805/9
9995027	0-989	GD.1805/10
9995028	1-051	GD.1805/11

RESTRICTED

RESTRICTED

DOWTY SEALS AND SEALING RINGS

SECTION 27QA—cont.

1	2	3	4
	RINGS, sealing, 'O'—cont.		
	Synth. rubber, AM.78—cont.	Colour Ident. 3 red spots—cont.	
	Internal dia. (inches)—cont.		
9995029	1-114	GD.1805/12
9995046	1-239	GD.1805/14
9995030	1-301	GD.1805/15
1246	1-490	Naval aviation only	GD.1805/18
9995031	1-615	GD.1805/20
9995032	1-740	GD.1805/21
9995033	2-365	GD.1805/26
9463825	3-235	GD.1805/33
1011196	3-735	GD.1805/37
	Synth. rubber, AM.80—	Colour Ident. 3 red spots	
	Internal dia. (inches)—		
1708	0-301	GD.1807/3
1012424	0-351	GD.1807/4
1245	0-414	Naval aviation only	GD.1807/5
930	0-468	GD.1807/6
1087	0-644	GD.1807/8
922	0-755	Naval aviation only	GD.1807/10
920	0-924	Naval aviation only	GD.1807/12
	Synth. rubber, AM.80—	Colour Ident. 2 red spots, 1 blue spot	
	Internal dia. (inches)—		
979	0-239	GD.1807A/2
1069	0-301	GD.1807A/3
813	0-351	GD.1807A/4
	Synth. rubber, AM.78—	Colour Ident. 3 red spots	
	Internal dia. (inches)—		
1013	2-187	GD.1808/34
	Rubber, AM.60—	Colour Ident. 1 yellow spot, 1 blue spot	
	Internal dia. (inches)—		
913	0-154	GD.1846/-
	Synth. rubber, ACCR.190-H52—	Shore Hardness 84°—95°	
	Internal dia. (inches)—		
54	1-487	GD.1849/- A/L 199

RESTRICTED

RESTRICTED

DOWTY SEALS AND SEALING RINGS

SECTION 27QA—cont.

1	2	3	4
	RINGS, sealing, 'O'—cont.		
	Synth. rubber, AM.13—		
	Internal dia. (inches)—	Shore Hardness 63°—68°. Colour Ident. 1 brown spot.	
9439587	0-924	1 brown spot	GD.1880B/3
	Synth. rubber, AM.75—		
	Internal dia. (inches)—	Shore Hardness 84°—96°. Colour Ident. 1 orange spot,	
786	0-239	1 white spot	GD.1891A/5
787	0-301		GD.1891A/6
788	0-424		GD.1891A/9
789	0-487		GD.1891A/10
790	0-549		GD.1891A/11
785	1-484		GD.1891A/27
	Synth. rubber, AM.74—		
	Internal dia. (inches)—	Shore Hardness 73°—83°. Colour Ident. 1 orange spot,	
9703220	0-176	1 brown spot	GD.1891B/3
9702293	0-239		GD.1891B/5
9448216	0-364		GD.1891B/7
1142	0-362		GD.1891B/8
1091	0-487		GD.1891B/10
816	0-612		GD.1891B/12
9702294	0-674		GD.1891B/13
1359	0-737		GD.1891B/14
713	0-734		GD.1891B/15
792	0-984		GD.1891B/19
791	1-850		GD.1891B/31
579	2-100	Naval aviation only	GD.1891B/33
1307	2-225		GD.1891B/34
580	4-475		GD.1891B/52
1023	4-600	Naval aviation only	GD.1891B/53
	Synth. rubber, AM.73—		
	Internal dia. (inches)—	Shore Hardness 62°—72°. Colour Ident. 1 orange spot,	
581	0-070	1 green spot	GD.1891C/1
582	0-100		GD.1891C/2
583	0-114		GD.1891C/1
584	0-145		GD.1891C/2
			7-50020-101
			7-50020-102

RESTRICTED

RESTRICTED

DOWTY SEALS AND SEALING RINGS

SECTION 27QA—cont.

1	2	3	4
	RINGS, sealing 'O'—cont.		
	Synth. rubber, AM.73—cont.		
	Internal dia. (inches)— <i>cont.</i>	Shore Hardness 62°—72°. Colour Ident. 1 orange spot, 1 green spot— <i>cont.</i>	
585	0-176	7-50020-103 GD.1891C/3
586	0-208	7-50020-104 GD.1891C/4
587	0-239	7-50020-105 GD.1891C/5
588	0-301	7-50020-106 GD.1891C/6
589	0-364	7-50020-107 GD.1891C/7
590	0-362	7-50020-108 GD.1891C/8
591	0-424	7-50020-109 GD.1891C/9
592	0-487	7-50020-110 GD.1891C/10
593	0-549	7-50020-111 GD.1891C/11
594	0-612	7-50020-112 GD.1891C/12
595	0-674	7-50020-113 GD.1891C/13
596	0-737	7-50020-114 GD.1891C/14
597	0-734	7-50020-115 GD.1891C/15
598	0-796	7-50020-116 GD.1891C/16
599	0-859	7-50020-117 GD.1891C/17
600	0-921	7-50020-118 GD.1891C/18
601	0-984	7-50020-119 GD.1891C/19
721	1-109	Naval aviation only	7-50020-121 GD.1891C/21
602	1-171	7-50020-122 GD.1891C/22
603	1-234	7-50020-123 GD.1891C/23
604	1-296	7-50020-124 GD.1891C/24
605	1-421	7-50020 126 GD.1891C,26
606	1-484	7-50020-127 GD.1891C/27
607	7-475	7-50020-170 GD.1891C/70
608	7-725	7-50020-171 GD.1891C/71
	Synth. rubber, AM.72—		
	Internal dia. (inches)—	Shore Hardness 50°—61°. Colour Ident. 1 orange spot, 1 yellow spot	
1301	0-176	GD.1891D/3
1295	0-239	GD.1891D/5
5802882	0-301	7-50005-018 GD.1891D/6
5808703	0-364	GD.1891D/7
1306	0-487	GD.1891D/10

RESTRICTED

RESTRICTED

DOWTY SEALS AND SEALING RINGS

SECTION 27QA—cont.

1	2	3	4
	RINGS, sealing, 'O'—cont.		
	Synth. rubber, AM.72—cont.		
	Internal dia. (inches)— <i>cont.</i>	Shore Hardness 50°—61°. Colour Ident. 1 orange spot, 1 yellow spot	
1303	0.549	GD.1891D/11
1304	0.612	GD.1891D/12
	Synth. rubber, AM.75—		
	Internal dia. (inches)—	Shore Hardness 84°—96°. Colour Ident. 1 orange spot, 1 white spot	
793	2.359	GD.1893A/7
1252	4.109	Naval aviation only	GD.1893A/21
1253	4.234	Naval aviation only	GD.1893A/22
	Synth. rubber, AM.74—		
	Internal dia. (inches)—	Shore Hardness 73°—83°. Colour Ident. 1 orange spot, 1 brown spot	
782	1.734	GD.1893B/2
768	2.109	GD.1893B/5
1094	2.234	GD.1893B/6
612	3.234	GD.1893B/14
9459040	3.609	GD.1893B/17
1096	4.734	GD.1893B/26
1070	5.234	GD.1893B/30
1097	8.234	GD.1893B/45
	Synth. rubber, AM.73—		
	Internal dia. (inches)—	Shore Hardness 62°—72°. Colour Ident. 1 orange spot, a green spot	
698	1.609	7-50020-301 GD.1893C/1
699	1.734	7-50020-302 GD.1893C/2
700	1.859	7-50020-303 GD.1893C/3
609	2.234	7-50020-306 GD.1893C/6
1016260	2.359	7-50020-307 GD.1893C/7
1016261	2.734	7-50020-310 GD.1893C/10
611	2.859	7-50020-311 GD.1893C/11
701	2.984	7-50020-312 GD.1893C/12
711	3.109	7-50020-313 GD.1893C/13
613	3.359	7-50020-315 GD.1893C/15
614	3.484	7-50020-316 GD.1893C/16
615	3.859	7-50020-319 GD.1893C/19
702	4.109	7-50020-321 GD.1893C/21

RESTRICTED

RESTRICTED

DOWTY SEALS AND SEALING RINGS

SECTION 27QA—cont.

1	2	3	4
	RINGS, sealing, 'O'—cont.		
	Synth. rubber, AM.73—cont.		
	Internal dia. (inches)— <i>cont.</i>	Shore Hardness 62°—72°. Colour Ident. 1 orange spot, 1 green spot	
703	4-359	7-50020-323 GD.1893C/23
704	4-484	7-50020-324 GD.1893C/24
1090	4-734	7-50020-326 GD.1893C/26
1118	4-859	7-50020-327 GD.1893C/27
616	4-984	7-50020-328 GD.1893C/28
617	5-234	7-50020-330 GD.1893C/30
618	6-234	7-50020-337 GD.1893C/37
705	7-234	7-50020-341 GD.1893C/41
619	9-984	7-50020-352 GD.1893C/52
	Synth. rubber, AM.72—		
	Internal dia. (inches)—	Shore Hardness 50°—61°. Colour Ident. 1 orange spot, 1 yellow spot	
1308	6-984	GD.1893D/40
1309	9-734	GD.1893D/51
	Synth. rubber, AM.75—		
	Internal dia. (inches)—	Shore Hardness 84°—96°. Colour Ident. 1 orange spot, 1 white spot	
620	2-612	GD.1894A/30
	Synth. rubber, AM.74—		
	Internal dia. (inches)—	Shore Hardness 73°—83°. Colour Ident. 1 orange spot, 1 brown spot	
9702295	1-299	GD.1894B/9
9702296	1-424	GD.1894B/11
9702297	1-925	GD.1894B/19
	Synth. rubber, AM.73—		
	Internal dia. (inches)—	Shore Hardness 62°—72°. Colour Ident. 1 orange spot, 1 green spot	
621	0-799	7-50020-401 GD.1894C/1
622	0-862	7-50020-402 GD.1894C/2
623	0-924	7-50020-403 GD.1894C/3
624	0-987	7-50020-404 GD.1894C/4
625	1-049	7-50020-405 GD.1894C/5
626	1-112	7-50020-406 GD.1894C/6
627	1-174	7-50020-407 GD.1894C/7
628	1-237	7-50020-408 GD.1894C/8

RESTRICTED

RESTRICTED

DOWTY SEALS AND SEALING RINGS

SECTION 27QA—cont.

1	2	3	4
	RINGS, sealing, 'O'—cont.		
	Synth. rubber, AM.73—cont.		
	Internal dia. (inches)— <i>cont.</i>	Shore Hardness 62°—72°. Colour Ident. 1 orange spot, 1 green spot— <i>cont.</i>	
629	1.299	7-50020-409 GD.1894C/9
720	1.362	Naval aviation only	7-50020-410 GD.1894C/10
630	1.424	7-50020-411 GD.1894C/11
631	1.487	7-50020-412 GD.1894C/12
632	1.549	7-50020-413 GD.1894C/13
633	1.664	7-50020-415 GD.1894C/15
634	1.737	7-50020-416 GD.1894C/16
635	1.799	7-50020-417 GD.1894C/17
636	1.862	7-50020-418 GD.1894C/18
637	1.925	7-50020-419 GD.1894C/19
638	2.050	Naval aviation only	7-50020-421 GD.1894C/21
639	2.237	7-50020-424 GD.1894C/24
706	2.300	7-50020-425 GD.1894C/25
640	2.550	7-50020-429 GD.1894C/29
641	2.612	7-50020-430 GD.1894C/30
642	2.675	7-50020-431 GD.1894C/31
643	2.800	7-50020-433 GD.1894C/33
	Synth. rubber, AM.72—		
	Internal dia. (inches)—	Shore Hardness 50°—61°. Colour Ident. 1 orange spot, 1 yellow spot	
1300	0.799	GD.1894D/1
1302	0.862	GD.1894D/2
1299	0.924	GD.1894D/3
1141	1.237	GD.1894D/8
	Synth. rubber, AM.75—		
	Internal dia. (inches)—	Shore Hardness 84°—96°. Colour Ident. 1 orange spot, 1 white spot	
644	0.614	GD.1895A/4
1112	0.676	GD.1895A/5
1117	0.989	GD.1895A/10
1116	1.239	GD.1895A/14
1115	1.865	GD.1895A/22
906	3.360	GD.1895A/34
1113	5.220	GD.1895A/49
1114	5.845	GD.1895A/54

RESTRICTED

RESTRICTED

DOWTY SEALS AND SEALING RINGS

SECTION 27QA—cont.

1	2	3	4
	RINGS, sealing 'O'—cont.		
	Synth. rubber, AM.74—		
	Internal dia. (inches)—	Shore Hardness 73°—83°. Colour Ident. 1 Orange spot, 1 brown spot	
1333	0.489	GD.1895B/2
9713484	0.614	GD.1895B/4
970	0.864	GD.1895B/8
967	1.114	GD.1895B/12
822	1.740	GD.1895B/21
971	2.735	GD.1895B/29
1072	3.235	GD.1895B/33
737	6.845	GD.1895B/62
	Synth. rubber, AM.73—		
	Internal dia. (inches)—	Shore Hardness 62°—72°. Colour Ident. 1 orange spot, 1 green spot	
645	0.426	7-50020-501 GD.1895C/1
646	0.489	7-50020-502 GD.1895C/2
647	0.551	7-50020-503 GD.1895C/3
648	0.614	7-50020-504 GD.1895C/4
649	0.676	7-50020-505 GD.1895C/5
650	0.739	7-50020-506 GD.1895C/6
651	0.801	7-50020-507 GD.1895C/7
652	0.864	7-50020-508 GD.1895C/8
1355	0.926	7-50020-509 GD.1895C/9
653	0.989	7-50020-510 GD.1895C/10
654	1.151	7-50020-512 GD.1895C/12
1354	1.176	7-50020-513 GD.1895C/13
655	1.239	7-50020-514 GD.1895C/14
722	1.301	7-50020-515 GD.1895C/15
656	1.364	7-50020-516 GD.1895C/16
657	1.428	7-50020-517 GD.1895C/17
658	1.490	7-50020-518 GD.1895C/18
659	1.553	7-50020-519 GD.1895C/19
660	1.615	7-50020-520 GD.1895C/20
661	1.865	7-50020-522 GD.1895C/22
662	1.990	7-50020-523 GD.1895C/23
663	2.115	7-50020-524 GD.1895C/24

RESTRICTED

RESTRICTED

DOWTY SEALS AND SEALING RINGS

SECTION 27QA—cont.

1	2	3	4	
	RINGS, sealing 'O'—cont.			
	Synth. rubber, AM.73—cont.			
	Internal dia. (inches)— <i>cont.</i>	Shore Hardness 62°—72°. Colour Ident. 1 orange spot, 1 green spot— <i>cont.</i>		
937	2-240	7-50020-525	GD.1895C/25
664	2-365	7-50020-526	GD.1895C/26
665	2-490	7-50020-527	GD.1895C/27
666	2-615	7-50020-528	GD.1895C/28
667	2-860		GD.1895C/30
668	2-985		GD.1895C/31
669	3-110		GD.1895C/32
670	3-485		GD.1895C/35
671	3-610		GD.1895C/36
672	3-860		GD.1895C/38
673	3-985		GD.1895C/39
674	4-360		GD.1895C/42
675	4-735		GD.1895C/45
676	5-345	Naval aviation only		GD.1895C/50
	Synth. rubber, AM.72—			
	Internal dia. (inches)—	Shore Hardness 50°—61°. Colour Ident. 1 orange spot, 1 yellow spot		
1298	0-426		GD.1895D/1
1104	0-489		GD.1895D/2
5802883	0-614		GD.1895D/4
5802884	0-676		GD.1895D/5
5802885	0-801		GD.1895D/7
5802886	0-864		GD.1895D/8
5802887	1-865		GD.1895D/22
1146	1-990	Naval aviation only		GD.1895D/23
1105	2-615		GD.1895D/28
1106	2-860		GD.1895D/30
	Synth. rubber, AM.74—			
	Internal dia. (inches)—	Shore Hardness 73°—83°. Colour Ident. 1 orange spot, 1 brown spot		
1092	0-755		GD.1897B/10
692	1-171		GD.1897B/16
	Synth. rubber, AM.73—			
	Internal dia. (inches)—	Shore Hardness 62°—72°. Colour Ident. 1 orange spot, 1 green spot		
1102	0-301	7-50020-703	GD.1897C/3

RESTRICTED

RESTRICTED

DOWTY SEALS AND SEALING RINGS

SECTION 27QA—cont.

1	2	3	4
	RINGS, sealing, 'O'—cont.		
	Synth. rubber, AM.73—cont.		
	Internal dia. (inches)— <i>cont.</i>	Shore Hardness 62°—72°. Colour Ident. 1 orange spot. 1 green spot— <i>cont.</i>	
1357	0-414	7-50020-705
1358	0-644	7-50020-708
	Synth. rubber, AM.72—	Shore Hardness 50°—61°. Colour Ident. 1 orange spot, 1 yellow spot	
	Internal dia. (inches)—		
871	0-250	GD.1898D/3
870	0-312	GD.1898D/4
1137	0-375	GD.1898D/5
1138	0-500	GD.1898D/7
1139	0-563	GD.1898D/8
1140	1-250	GD.1898D/19
1005	2-750	GD.1898D/43
	Silicone rubber, E.340—	Shore Hardness 80°	
	Internal dia. (inches)—		
772	0-176	GD.2001A/3
795	0-239	GD.2001A/5
1132	0-301	Naval aviation only	GD.2001A/6
773	1-359	GD.2001A/25
774	2-475	GD.2001A/36
775	2-925	GD.2001A/40
850	3-100	Naval aviation only	GD.2001A/41
1066	4-600	Naval aviation only	GD.2001A/53
	Silicone rubber, E.340—	Shore Hardness 70°	
	Internal dia. (inches)—		
1025	0-239	GD.2001B/5
1044	0-301	GD.2001B/6
9468784	0-362	GD.2001B/8
677	1-109	GD.2001B/21
849	2-225	Naval aviation only	GD.2001B/34
	Silicone rubber, E.340—	Shore Hardness 60°	
	Internal dia. (inches)—		
823	0-114	Naval aviation only	GD.2001C/1
9482753	0-208	GD.2001C/4

RESTRICTED

RESTRICTED

DOWTY SEALS AND SEALING RINGS

SECTION 27QA—cont.

1	2	3	4
	RINGS, sealing, 'O'—cont.		
	Silicone rubber, E.340—	Shore Hardness 60°—cont.	
	Internal dia. (inches)—		
9482755	0-239	GD.2001C/5
9482756	0-364	GD.2001C/7
1018104	0-549	GD.2001C/11
781	1-359	GD.2001C/25
9470347	3-475	GD.2001C/44
9468731	3-850	GD.2001C/47
9482761	9-475	GD.2001C/75
	Silicone rubber, E.340—	Shore Hardness 70°	
	Internal dia. (inches)—		
780	1-609	GD.2003B/1
947	1-984	GD.2003B/4
851	2-859	Naval aviation only	GD.2003B/11
852	3-109	Naval aviation only	GD.2003B/13
9469233	3-234	Naval aviation only	GD.2003B/14
9469232	3-359	GD.2003B/15
9469234	3-609	GD.2003B/17
948	4-109	Naval aviation only	GD.2003B/21
853	5-109	Naval aviation only	GD.2003B/29
	Silicone rubber, E.340—	Shore Hardness 70°	
	Internal dia. (inches)—		
854	1-112	Naval aviation only	GD.2004B/6
855	1-424	Naval aviation only	GD.2004B/11
938	1-612	Naval aviation only	GD.2004B/14
856	1-674	Naval aviation only	GD.2004B/15
857	2-175	Naval aviation only	GD.2004B/23
858	2-675	Naval aviation only	GD.2004B/31
1311	2-800	GD.2004B/33
	Silicone rubber, E.340—	Shore Hardness 60°	
	Internal dia. (inches)—		
9482750	0-799	GD.2004C/1
9482759	1-174	GD.2004C/7
9468887	1-487	GD.2004C/12

RESTRICTED

RESTRICTED

DOWTY SEALS AND SEALING RINGS

SECTION 27QA—cont.

1	2	3	4
	RINGS, sealing, 'O'—cont.		
	Silicone rubber, E.340—	Shore Hardness 80°	
9454477	Internal dia. (inches)— 6.845		GD.2005/62
	Silicone rubber, E.340—	Shore Hardness 70°	
818	Internal dia. (inches)— 0.614		GD.2005B/4
859	1.051	Naval aviation only	GD.2005B/11
	Silicone rubber, E.340—	Shore Hardness 60°	
9482751	Internal dia. (inches)— 0.426		GD.2005C/1
9482754	0.489		GD.2005C/2
9482757	0.551		GD.2005C/3
9468785	1.114		GD.2005C/12
9482752	1.239		GD.2005C/14
1324	1.615		GD.2005C/20
	Silicone rubber, E.340—	Shore Hardness 80°	
1256	Internal dia. (inches)— 0.187	Naval aviation only	GD.2008/2
1356	0.312		GD.2008/4
	Silicone, rubber, E.340—	Shore Hardness 70°	
860	Internal dia. (inches)— 0.312	Naval aviation only	GD.2008B/4
	Silicone rubber, E.340—	Shore Hardness 60°	
9482760	Internal dia. (inches)— 0.812		GD.2008C/12
	Synth rubber, AM.90—	Shore Hardness 65°—71°. Colour Ident. 2 red spots, 1 violet spot	
804	Internal dia. (inches)— 0.176		GD.2061/3
718	0.301		GD.2061/6
717	0.364		GD.2061/7
1268	0.362		GD.2061/8
719	0.424		GD.2061/9
1344	0.612		GD.2061/12
1269	0.734		GD.2061/15

RESTRICTED

RESTRICTED

DOWTY SEALS AND SEALING RINGS

SECTION 27QA—cont.

1	2	3	4
	RINGS, sealing, 'O'—cont.		
	Synth. rubber, AM.90—cont.		
	Internal dia. (inches)— <i>cont.</i>	Shore Hardness 65°—71°. Colour Ident. 2 red spots, 1 violet spot— <i>cont.</i>	
1270	0.859	GD.2061/17
1271	1.484	GD.2061/27
	Synth. rubber, AM.90—		
	Internal dia. (inches)—	Shore Hardness 65°—71°. Colour Ident. 2 red spots, 1 violet spot.	
811	0.987	GD.2064/4
810	1.174	GD.2064/7
	Synth. rubber, AM.90—		
	Internal dia. (inches)—	Shore Hardness 65°—71°. Colour Ident. 2 red spots, 1 violet spot	
808	0.426	GD.2065/1
809	0.551	GD.2065/3
807	0.739	GD.2065/6
	Synth. rubber, AM.90—		
	Internal dia. (inches)—	Shore Hardness 65°—71°. Colour Ident. 2 red spots, 1 violet spot	
805	0.239	GD.2067/2
806	0.351	GD.2067/4
1273	0.644	GD.2067/8
	Synth. rubber, AM.85—		
	Internal dia. (inches)—	Naval aviation only Shore Hardness 78°—85°. Colour Ident. 1 violet spot, 1 brown spot	
1011	0.114	Naval aviation only	GD.2071/1
831	0.176	GD.2071/3
928	0.239	GD.2071/5
1240	0.364	Naval aviation only	GD.2071/7
931	0.362	GD.2071/8
832	1.109	GD.2071/21
755	1.725	GD.2071/30
833	3.600	GD.2071/45
	Synth. rubber, AM.84—		
	Internal dia. (inches)—	Shore Hardness 65°—75°. Colour Ident. 1 violet spot, 1 green spot	
5802888	0.070	GD.2071B/4
5802891	0.208	GD.2071B/4
5802889	0.239	GD.2071B/5
5802890	0.301	GD.2071B/6

RESTRICTED

RESTRICTED

DOWTY SEALS AND SEALING RINGS

SECTION 27QA—cont.

1	2	3	4
	RINGS, sealing, 'O'—cont.		
	Synth. rubber, AM.85—		
	Internal dia. (inches)—	Shore Hardness 78°—85°. Colour Ident. 1 violet spot, 1 brown spot	
834	5-109	GD.2073/29
1016	5-734	GD.2073/34
881	8-234	GD.2073/45
	Synth. rubber, AM.85—		
	Internal dia. (inches)—	Shore Hardness 78°—85°. Colour Ident. 1 violet spot, 1 brown spot	
1017	1-112	GD.2074/6
1018	1-612	GD.2074/14
	Synth. rubber, AM.84—		
	Internal dia. (inches)—	Shore Hardness 65°—75°. Colour Ident. 1 violet spot, 1 green spot	
5802892	0-799	GD.2074B/1
5802894	1-799	GD.2074B/17
	Synth. rubber, AM.85—		
	Internal dia. (inches)—	Shore Hardness 78°—85°. Colour Ident. 1 violet spot, 1 brown spot	
1019	0-551	GD.2075/3
1241	0-614	GD.2075/4
1020	0-676	GD.2075/5
1242	1-176	GD.2075/13
1243	1-364	GD.2075/16
942	2-735	GD.2075/19
	Synth. rubber, AM.84—		
	Internal dia. (inches)—	Shore Hardness 65°—75°. Colour Ident. 1 violet spot, 1 green spot	
5802893	0-676	GD.2075B/5
5802895	0-864	GD.2075B/8
1255	1-114	GD.2075B/12
	Synth. rubber, AM.85—		
	Internal dia. (inches)—	Shore Hardness 78°—85°. Colour Ident. 1 violet spot, 1 brown spot	
1147	0-301	GD.2077/3
5808401	0-351	GD.2077/4
1101	0-414	GD.2077/5
1021	0-468	GD.2077/6
5808402	0-644	GD.2077/8
1026	0-755	GD.2077/10

RESTRICTED

RESTRICTED

DOWTY SEALS AND SEALING RINGS

SECTION 27QA—cont.

1	2	3	4
	RINGS, sealing, 'O'—cont.		
	Synth. rubber, AM.85—cont.		
	Internal dia. (inches)— <i>cont.</i>	Shore Hardness 78°—85°. Colour Ident. 1 violet spot, 1 brown spot— <i>cont.</i>	
940	0.924	GD.2077/12
1027	1.171	GD.2077/16
1028	1.475	GD.2077/20
	Synth. rubber, AM.84—		
	Internal dia. (inches)—	Shore Hardness 65°—75°. Colour Ident. 1 violet spot, a green spot	
1100	0.468	GD.2077B/6
	Synth. rubber, AM.67—		
	Internal dia. (inches)—	Colour Ident. 1 blue spot, 1 white spot	
844	0.414	GD.2111/5
845	0.468	GD.2111/6
1079	0.644	GD.2111/8
	Synth. rubber, AM.80—		
	Internal dia. (inches)—	Colour Ident. 2 red spots, 1 blue spot	
1126	0.154	GD.2219/-
	Synth. rubber, 1M.1109—		
	Internal dia. (inches)—		
1320	0.468	7-50030-706 GD.2417/6
1145	1.475	GD.2417/20
	Silicone rubber—		
	Internal dia. (inches)—		
9468730	1.051	Mat. Spec. DP.2463	GD.2487
9468783	13.470	Mat. Spec. E.340—60°	GD.2489
9472617	10.950	Mat. Spec. E.340—60°	GD.2490
9468925	0.152	Mat. Spec. E.340—60°	GD.2491
	Synth. rubber, 1M.1113—		
	Internal dia. (inches)—		
1297	0.487	GD.2492/1
	Synth. rubber, 1M.1150—		
	Internal dia. (inches)—	Colour Ident. 2 green spots, 1 red spot	
1343	0.362	7-50050-108 GD.2521/8
	Silicone rubber—		
	Internal dia. (inches)—	Medium shrink—60°	
1108	1.223	M.42/60A/213

RESTRICTED

44

RESTRICTED

DOWTY SEALS AND SEALING RINGS

SECTION 27QA—cont.

1	2	3	4
	RINGS, sealing 'O'—cont.		
	Silicone rubber—cont.		
	Internal dia. (inches)— <i>cont.</i>	Medium shrink—60°— <i>cont.</i>	
1110	1.470	M 42/60A/222
1109	1.719	M 42/60A/224
1111	2.213	M 42/60A/228
	RINGS, spiral, back-up—		
	Fluon (P.T.F.E.)—		
	Internal dia. (inches)—		
1012	1.8	Naval aviation only	GD.1471/1
1189	1.4	GD.1471/5
1190	1.6	GD.1471/6
1239	1.6	GD.1471/7
1033	1.6	Naval aviation only	GD.1471/8
1205	1.6	GD.1471/9
1191	1.6	GD.1471/10
1034	1.6	Naval aviation only	GD.1471/11
1192	1.6	GD.1471/12
1035	1.6	Naval aviation only	GD.1471/13
1143	1.6	GD.1471/14
1215	1.6	GD.1471/15
1218	1.6	GD.1471/16
1193	1.6	GD.1471/17
1216	1.6	GD.1471/18
1262	1	GD.1471/19
1217	1 ¹ / ₁₆	GD.1471/23
1194	1 ¹ / ₈	GD.1471/25
1195	1 ⁷ / ₁₆	GD.1471/26
1214	1 ¹ / ₂	GD.1471/27
	Fluon (P.T.F.E.)—		
	Internal dia. (inches)—		
1227	1 ⁵ / ₈	GD.1472/1
1228	1 ⁷ / ₈	GD.1472/3

RESTRICTED

RESTRICTED

DOWTY SEALS AND SEALING RINGS

SECTION 27QA—cont.

1	2	3	4
	RINGS, spiral, back-up—cont.		
	Fluon (P.T.F.E.)—cont.		
	Internal dia. (inches)—cont.		
1196	2 $\frac{1}{4}$	GD.1472/6
1197	2 $\frac{3}{8}$	GD.1472/7
1198	2 $\frac{1}{2}$	GD.1472/9
1229	2 $\frac{3}{4}$	GD.1472/10
1199	3	GD.1472/12
956	3 $\frac{1}{4}$	GD.1472/14
1230	3 $\frac{1}{2}$	GD.1472/16
1200	5	GD.1472/28
1231	9 $\frac{1}{2}$	GD.1472/50
	RINGS, split—		
	Synth. resin bonded fabric—	BSS.972A	
	External dia. (inches)—		
1267	2-602	GD.1533/-
	RINGS, 'U' plain type—		
	Synth. rubber, ACCR.190-H.52—	Shore Hardness 84°—95°	
	Shaft dia. — Bore dia. (inches)		
681	3-750 — 4-500	GD.1147
682	2-375 — 3-125	GD.1521
683	2-1875 — 3-000	GD.1522
684	1-520 — 2-167	GD.1523
685	1-270 — 1-980	GD.1530
687	1-460 — 1-920	GD.1766
1279	1-532 — 1-982	U.129A
			GD.1822
1278	1-312 — 1-687	U.126
			GD.1908
1334	3-125 — 3-750	U.155
			GD.1924
1323	3-562 — 4-187	Naval aviation only	U.162A
			GD.1975

RESTRICTED

RESTRICTED

DOWTY SEALS AND SEALING RINGS

SECTION 27QA—cont.

1	2	3	4
	RINGS, wiper—		
	Synth. rubber, AGCR.190-H52—		
	Internal dia. (inches)—	Shore Hardness 84°—95°	
55	0-465	SP.818/1
56	0-525	SP.818/2
57	0-585	SP.818/3
58	0-645	SP.818/4
59	0-710	SP.818/5
60	0-760	SP.818/6
61	0-830	SP.818/7
62	0-890	SP.818/8
63	0-955	SP.818/9
64	1-015	SP.818/10
65	1-080	SP.818/11
66	1-200	SP.818/13
797	1-260	SP.818/14
67	1-325	SP.818/15
68	1-385	SP.818/16
69	1-450	SP.818/17
70	1-510	SP.818/18
71	1-630	SP.818/20
72	1-695	SP.818/21
73	1-815	SP.818/23
74	1-940	SP.818/25
75	2-085	SP.818/26
76	2-210	SP.818/27
77	2-455	SP.818/29
78	2-705	SP.818/31
79	2-950	SP.818/33
1076	3-200	SP.818/35
80	3-700	SP.818/39
81	3-831	SP.818/40
750	3-950	SP.818/41
82	4-230	SP.818/42
83	5-940	SP.818/57
751	6-945	SP.818/64

RESTRICTED

RESTRICTED

DOWTY SEALS AND SEALING RINGS

SECTION 27QA—cont.

1	2	3	4
	SEALS, all metal—		
	Steel, S.95—		
	Internal dia. (inches)—		
84	0-503	GD.2081/B1
	SEALS, bonded—		
	Synth. rubber, ACCR.190-H52	Shore Hardness 84°—95°. Colour Black	
	Internal dia. (inches)—		
85	0-120	SP.837A/1
86	0-205	SP.837A/3
87	0-270	SP.837A/4
88	0-340	SP.837A/5
89	0-407	SP.837A/6
90	0-460	SP.837A/7
91	0-540	SP.837A/8
92	0-585	SP.837A/9
93	0-650	SP.837A/11
94	0-679	SP.837A/12
95	0-715	SP.837A/13
96	0-775	SP.837A/14
97	0-847	SP.837A/15
98	0-924	SP.837A/17
	Synth. rubber, DTD.560, Grade A and light alloy—	Shore Hardness 84°—96° (40° to +40°C) Colour Red	
	Internal dia. (inches)—		
99	0-162	SP.837B/2
100	0-205	SP.837B/3
101	0-270	SP.837B/4
102	0-340	SP.837B/5
103	0-407	SP.837B/6
104	0-460	SP.837B/7
105	0-540	SP.837B/8
106	0-585	SP.837B/9
107	0-650	SP.837B/11
108	0-679	SP.837B/12

RESTRICTED

RESTRICTED

DOWTY SEALS AND SEALING RINGS

SECTION 27QA—cont.

1	2	3	4
	SEALS, bonded—cont.		
	Synth. rubber, DTD.560, Grade A and light alloy—cont.	Shore Hardness 84°—96° (40° to +40°C) Colour Red—cont.	
	Internal dia. (inches)—cont.		
1052	0-715	SP.837B/13
109	0-775	SP.837B/14
110	0-847	SP.837B/15
111	0-924	SP.837B/17
112	1-064	SP.837B/20
113	1-155	SP.837B/21
761	1-285	Naval aviation only	SP.837B/23
114	1-333	SP.837B/24
115	1-415	SP.837B/25
116	1-535	SP.837B/26
117	1-906	SP.837B/29
118	2-035	SP.837B/30
	Synth. rubber, AM.8 and steel—		
	Internal dia. (inches)—	Shore Hardness 74°—78°. Colour Ident. 2 brown spots in rubber bore, 1 white spot	
121	0-205	GD.1138/1
714	0-540	GD.1138/6
122	0-774	GD.1138/8
123	0-924	GD.1138/9
124	1-064	GD.1138/10
	Synth. rubber, AM.75 and steel—		
	Internal dia. (inches)—	Shore Hardness 84°—96°. Colour Ident. 1 orange spot on rubber bore, 1 white spot	
125	0-205	GD.1138B/1
126	0-270	GD.1138B/2
127	0-340	GD.1138B/3
128	0-407	GD.1138B/4
129	0-460	GD.1138B/5
130	0-540	GD.1138B/6
131	0-650	GD.1138B/7
132	0-774	GD.1138B/8
133	0-924	GD.1138B/9
134	1-064	GD.1138B/10

RESTRICTED

RESTRICTED

DOWTY SEALS AND SEALING RINGS

SECTION 27QA—cont.

1	2	3	4
	SEALS, bonded—cont.		
	Synth. rubber, AM.75 and steel—cont.	Shore Hardness 84°—96°. Colour Ident. 1 orange spot on	
	Internal dia. (inches)— <i>cont.</i>	rubber bore, 1 white spot— <i>cont.</i>	
135	1-155	GD.1138E/11
136	1-285	GD.1138E/12
137	1-405	GD.1138E/13
138	1-689	GD.1138E/15
	Synth. rubber, AM.8 and light alloy—	Shore Hardness 74°—78°	
	Internal dia. (inches)—		
120	2-735	GD.1288/-
	Synth. rubber, AM.8 and Steel—	Shore Hardness 74°—78°	
	Internal dia. (inches)—		
139	0-205	GD.1307/3
140	0-270	GD.1307/4
141	0-340	GD.1307/6
144	0-407	GD.1307/A
1310	0-460	GD.1307/10
145	0-540	GD.1307/B
146	0-622	GD.1307/BB
147	0-679	GD.1307/C
148	0-847	GD.1307/D
142	0-955	GD.1307/14
149	1-212	GD.1307/G
150	1-333	GD.1307/H
151	1-689	GD.1307/J
152	1-906	GD.1307/K
143	2-385	GD.1307/23
	Synth. rubber, AM.75 and steel—	Shore Hardness 84°—96°. Colour Ident. 1 orange spot,	
	Internal dia. (inches)—	1 white spot on rubber bore	
153	0-162	GD.1368/2
154	0-205	GD.1368/3
155	0-326	GD.1368/6
156	0-340	GD.1368/7
159	0-407	GD.1368/A
1149	0-460	GD.1368/9

RESTRICTED

RESTRICTED

DOWTY SEALS AND SEALING RINGS

SECTION 27QA—cont.

1	2	3	4
	SEALS, bonded—cont.		
	Synth. rubber, AM.75 and steel—cont.	Shore Hardness 84°—96°. Colour Ident. 1 orange spot,	
	Internal dia. (inches)— <i>cont.</i>	1 white spot on rubber bore— <i>cont.</i>	
160	0-540	GD.1368/B
157	0-585	GD.1368/10
1360	0-622	GD.1368/BB
1296	0-650	GD.1368/11
161	0-679	GD.1368/C
158	0-715	GD.1368/12
162	0-774	GD.1368/CC
163	0-847	GD.1368/D
164	0-924	GD.1368/E
165	1-064	GD.1368/F
166	1-333	GD.1368/H
	Synth. rubber, ACCR.190-H52 and Steel	Shore Hardness 84°—95°	
	Internal dia. (inches)—		
167	1-064	GD.1403/-
	Synth. rubber, DTD.560, Grade A and steel—	Shore Hardness 84°—96°	
	Internal dia. (inches)—		
168	0-120	GD.1483/1
169	0-162	GD.1483/2
170	0-205	GD.1483/3
171	0-270	GD.1483/4
172	0-275	GD.1483/5
173	0-340	GD.1483/7
183	0-407	GD.1483/A
174	0-440	GD.1483/8
175	0-460	GD.1483/9
184	0-540	GD.1483/B
176	0-585	GD.1483/10
185	0-622	GD.1483/BB
177	0-650	GD.1483/11
186	0-679	GD.1483/C
178	0-715	GD.1483/12

RESTRICTED

RESTRICTED

DOWTY SEALS AND SEALING RINGS

SECTION 27QA—cont.

1	2	3	4
	SEALS, bonded—cont.		
	Synth. rubber, DTD.560, Grade A and steel—cont.	Shore Hardness 84°—96°—cont.	
	Internal dia. (inches)—cont.		
187	0-774	GD.1483/CC
188	0-847	GD.1483/D
189	0-924	GD.1483/E
179	0-955	GD.1483/13
190	1-064	GD.1483/F
180	1-155	GD.1483/14
191	1-212	GD.1483/G
181	1-285	GD.1483/15
192	1-333	GD.1483/H
182	1-415	GD.1483/16
193	1-689	GD.1483/J
194	1-906	GD.1483/K
195	2-160	GD.1483/L
196	2-385	GD.1483/M
	Synth. rubber, Silastic 261 and Steel	Light brown	
	Internal dia. (inches)—		
802	0-205	Naval aviation only	GD.1527/3
9467011	0-847	GD.1527/D
9463127	1-064	GD.1527/F
9467012	1-689	GD.1527/J
	Synth. rubber, AM.78 and Steel—	2 Grooves	
	Internal dia. (inches)—		
693	0-162	GD.1718/2
197	0-205	GD.1718/3
9995040	0-270	GD.1718/4
694	0-275	GD.1718/5
9995041	0-326	GD.1718/6
724	0-340	GD.1718/7
9995042	0-407	GD.1718/A
1345	0-440	Naval aviation only	GD.1718/8
199	0-460	GD.1718/9

RESTRICTED

RESTRICTED

DOWTY SEALS AND SEALING RINGS

SECTION 27QA—cont.

1	2	3	4
	SEALS, bonded—cont.		
	Synth. rubber, AM.78 and Steel—cont.		
	Internal dia. (inches)— <i>cont.</i>	2 Grooves— <i>cont.</i>	
9995043	0-540	GD.1718/B
9995034	0-585	GD.1718/10
9995044	0-622	GD.1718/BB
1032	0-650	Naval aviation only	GD.1718/11
205	0-679	GD.1718/C
1010	0-715	GD.1718/12
9995045	0-774	GD.1718/CC
207	0-847	GD.1718/D
208	0-924	GD.1718/E
209	1-064	GD.1718/F
1009	1-155	Naval aviation only	GD.1718/14
1007	1-172	Naval aviation only	GD.1718/FF
9463126	1-212	GD.1718/G
201	1-285	GD.1718/15
9702458	1-333	GD.1718/H
9995035	1-415	GD.1718/16
898	1-535	GD.1718/17
212	1-689	GD.1718/J
728	1-906	GD.1718/K
915	2-385	GD.1718/M
	Rubber, Silastomer 152 and Metal—		
	Internal dia. (inches)—		
776	3-525	Naval aviation only	GD.1944/A
777	2-995	Naval aviation only	GD.1944/B
778	2-265	Naval aviation only	GD.1944/C
779	1-705	Naval aviation only	GD.1944/D
	Synth. rubber AM.75 and light alloy—		
	Internal dia. (inches)—	Shore Hardness 84°—96°. Colour Ident. 1 orange spot, 1 white spot	
919	0-407	GD.2014/A
936	0-440	GD.2014/8
7003699	0-460	GD.2014/9
872	0-540	GD.2014/B

RESTRICTED

RESTRICTED

DOWTY SEALS AND SEALING RINGS

SECTION 27QA—cont.

1	2	3	4
	SEALS, bonded—cont.		
	Synth. rubber, AM.75 and light alloy—cont.	Shore Hardness 84°—96°. Colour Ident. 1 orange spot,	
	Internal dia. (inches)— <i>cont.</i>	1 white spot— <i>cont.</i>	
1274	0.585	GD.2014/10
1291	0.622	GD.2014/11
119	0.679	GD.2014/C
876	0.715	GD.2014/12
916	0.775	GD.2014/CC
1259	0.847	GD.2014/D
875	0.924	GD.2014/E
874	1.333	GD.2014/H
	Rubber, Viton 'A' and Mild Steel—		
	Internal dia. (inches)—		
830	0.465	Naval aviation only	GD.2166/9
	SEALS, composite—		
	Synth. rubber, ACCR.390 and Steel—		
710	3.030	Naval aviation only	PD.2788
	Synth. rubber, AM.85 and steel—	Shore Hardness 78°—85°. Colour Ident. 1 violet spot, 1	
	Internal dia. (inches)—	brown spot on rubber bore	
835	0.407	GD.2292/A
836	0.540	GD.2292/B
837	0.847	GD.2292/D
838	0.924	GD.2292/E
	SEALS, dust cap—		
	Synth. rubber, ACCR.270-H2—	Shore Hardness 65°—77°	
	Internal dia. (inches)—		
222	0.380	GD.1713/A
223	0.520	GD.1713/B
923	0.600	Naval aviation only	GD.1713/BB
224	0.650	GD.1713/C
225	0.750	GD.1713/CC
9452625	0.850	GD.1713/D
1095	0.900	GD.1713/E

RESTRICTED

RESTRICTED

DOWTY SEALS AND SEALING RINGS

SECTION 27QA—cont.

1	2	3	4
	SEALS, 'J' type— Silicone fluorinated, L.S.53— Internal dia. (inches)—		
227	3-720	GD 2009
	SEALS, Rod— Synth. Rubber, ACGR.270-H2— Internal dia. (inches)—	Shore Hardness 65°—77°	
1203	0-376	Naval aviation only	GD.1450
	WASHERS, dust cap— Synth. rubber— Internal dia. (inches)—	Medium Shore	
213	0-180	SP.880/A
9452626	0-260	SP.880/B
215	0-300	SP.880/BB
216	0-370	SP.880/C
1124	0-420	SP.880/CC
217	0-480	SP.880/D
218	0-600	SP.880/E
219	0-750	SP.880/F
220	0-850	SP.880/G
221	0-950	SP.880/H
766	1-240	SP.880/J
	WASHERS, sealing, Composite— Synth. rubber AM.75 and steel— Internal dia. (inches)—	Shore Hardness 84°—96°. Colour Ident. 1 orange spot, 1 white spot on rubber bore	
1054	0-954	GD.1504/E
	WASHERS, 'Seloc'—external teeth— Synth. rubber, AM.13 (and metal)— Internal dia. (inches)—		
1057	0-120	GD.1259/1
688	0-152	GD.1259/2

RESTRICTED

RESTRICTED

DOWTY SEALS AND SEALING RINGS

SECTION 27QA—cont.

1	2	3	4
	WASHERS, 'Seloc'—external teeth—cont.		
	Synth. rubber AM.13 (and metal)—cont.		
	Internal dia. (inches)— <i>cont.</i>		
689	0.195	GD.1259/3
1043	0.260	GD.1259/4
690	0.385	GD.1259/6
691	0.515	GD.1259/8
9152793	0.640	GD.1259/10
	Synth. rubber, AM.13 (and metal)—		
	Internal dia. (inches)—		
1013118	0.120	GD.1321/1
723	0.260	GD.1321/4

RESTRICTED

RESTRICTED

DOWTY SEALS AND SEALING RINGS

SECTION 27QA cont.

INDEX TO REFERENCE NUMBERS

N.A.T.O. GROUP/CLASS 5330

NOTE: It should be noted that all 7-digit reference numbers are identical for R.A.F. and N.A.T.O. use and in these cases the former R.A.F. references are included in this index. When N.A.T.O. numbers are required for external use, the U.K. National Code Number of '99' is to be quoted, and the full identification is to be shown as follows:

**N.A.T.O. Group/Class
5330**

**U.K. National Code
99**

**Reference No.
1005983**

Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.
2	2	27	3	52	4	77	47	102	48	127	49	152	50	177	51
3	2	28	3	53	19	78	47	103	48	128	49	153	50	178	51
4	2	29	3	54	31	79	44	104	48	129	49	154	50	179	52
5	2	30	3	55	47	80	47	105	48	130	49	155	50	180	52
6	2	31	3	56	47	81	47	106	48	131	49	156	50	181	52
7	2	32	3	57	47	82	47	107	48	132	49	157	51	182	52
8	2	33	3	58	47	83	47	108	48	133	49	158	51	183	51
9	3	34	3	59	47	84	48	109	49	134	49	159	50	184	51
10	3	35	3	60	47	85	48	110	49	135	50	160	51	185	51
11	3	36	3	61	47	86	48	111	49	136	50	161	51	186	51
12	3	37	3	62	47	87	48	112	49	137	50	162	51	187	52
13	3	38	3	63	47	88	48	113	49	138	50	163	51	188	52
14	3	39	3	64	47	89	48	114	49	139	50	164	51	189	52
15	3	40	4	65	47	90	48	115	49	140	50	165	51	190	52
16	3	41	4	66	47	91	48	116	49	141	50	166	51	191	52
17	3	42	4	67	47	92	48	117	49	142	50	167	51	192	52
18	3	43	4	68	47	93	48	118	49	143	50	168	51	193	52
19	3	44	4	69	47	94	48	119	54	144	50	169	51	194	52
20	3	45	4	70	47	95	48	120	50	145	50	170	51	195	52
21	3	46	4	71	47	96	48	121	49	146	50	171	51	196	52
22	3	47	4	72	47	97	48	122	49	147	50	172	51	197	52
23	3	48	4	73	47	98	48	123	49	148	50	173	51	199	52
24	3	49	4	74	47	99	48	124	49	149	50	174	51	201	53
25	3	50	4	75	47	100	48	125	49	150	50	175	51	205	53
26	3	51	4	76	47	101	48	126	49	151	50	176	5	207	53

RESTRICTED

RESTRICTED

DOWTY SEALS AND SEALING RINGS

SECTION 27QA—cont.

INDEX TO REFERENCE NUMBERS

Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.
208	53	248	5	298	7	343	8	379	21	414	11	448	13	481	15
209	53	249	5	299	7	344	9	380	21	415	11	449	13	482	15
212	53	251	5	307	7	345	9	381	21	416	11	450	13	483	15
213	55	252	5	308	7	347	9	382	21	417	11	451	13	484	15
215	55	253	5	309	7	349	9	383	21	418	11	452	13	485	15
216	55	254	5	310	7	350	9	385	21	419	11	453	13	486	15
217	55	255	5	312	7	351	9	386	21	420	11	454	13	487	15
218	55	256	5	313	7	353	9	387	21	421	11	455	13	491	15
219	55	257	5	314	8	354	9	388	21	422	11	456	13	492	15
220	55	258	5	315	8	355	9	389	10	423	11	457	13	496	15
221	55	259	5	316	8	356	9	390	10	424	11	458	13	498	15
222	54	260	5	317	8	357	10	391	10	425	11	459	13	499	15
223	54	261	5	318	8	358	10	392	10	426	11	460	13	500	16
224	54	262	5	319	8	359	10	393	10	427	11	461	13	502	16
225	54	263	5	320	8	360	19	394	10	428	11	462	14	503	16
227	55	264	5	321	8	361	19	395	10	429	11	463	14	504	16
228	4	265	5	323	8	362	20	396	10	430	12	464	14	505	16
229	4	266	5	324	8	363	20	397	10	431	12	465	14	506	16
230	4	268	6	325	8	364	20	398	10	432	12	466	14	507	16
231	4	270	6	326	8	365	20	399	10	433	12	467	14	508	16
233	4	274	6	327	8	366	20	400	10	434	12	468	14	509	16
234	4	275	6	328	8	367	20	401	10	435	12	469	14	511	16
236	4	279	6	329	8	368	20	402	10	436	12	470	14	512	16
237	4	282	6	330	8	369	20	403	10	438	12	471	14	515	17
238	4	284	6	331	8	370	20	404	10	439	12	472	14	516	17
239	4	285	6	332	8	371	20	405	10	440	12	473	14	517	17
241	4	287	6	333	8	372	20	406	11	441	12	474	14	518	17
242	5	289	6	335	8	373	20	407	11	442	12	475	14	520	17
243	5	290	6	336	8	374	20	409	11	443	12	476	14	521	18
244	5	293	6	338	8	375	20	410	11	444	13	477	14	522	18
245	5	294	6	339	8	376	20	411	11	445	13	478	14	523	18
246	5	295	7	340	8	377	20	412	11	446	13	479	14	524	18
247	5	296	7	342	8	378	20	413	11	447	13	480	14	525	18

RESTRICTED

RESTRICTED

DOWTY SEALS AND SEALING RINGS

SECTION 27QA - cont.

INDEX TO REFERENCE NUMBERS

Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.
526	18	564	25	597	33	631	36	664	38	699	34	735	15	776	53
527	18	565	25	598	33	632	36	665	38	700	34	736	18	777	53
529	18	566	25	599	33	633	36	666	38	701	34	737	37	778	53
530	18	567	25	600	33	634	36	667	38	702	34	742	24	779	53
531	18	568	26	601	33	635	36	668	38	703	35	743	24	780	40
532	18	569	26	602	33	636	36	669	38	704	35	744	24	781	40
533	18	570	26	603	33	637	36	670	38	705	35	745	30	782	34
534	18	571	26	604	33	638	36	671	38	706	36	746	30	783	12
535	18	572	26	605	33	639	36	672	38	707	12	747	30	784	12
536	18	573	26	606	33	640	36	673	38	708	15	748	30	785	32
537	18	574	27	607	33	641	36	674	38	710	54	749	30	786	32
538	19	575	27	608	33	642	36	675	38	711	34	750	47	787	32
539	19	576	27	609	34	643	36	676	38	712	25	751	47	788	32
540	19	577	29	611	34	644	36	677	39	713	32	754	30	789	32
541	19	578	30	612	34	645	37	678	2	714	49	755	42	790	32
542	19	579	32	613	34	646	37	679	2	716	24	756	26	791	32
543	19	580	32	614	34	647	37	680	2	717	41	757	26	792	32
545	1	581	32	615	34	648	37	681	46	718	41	759	26	793	34
548	22	582	32	616	35	649	37	682	46	719	41	760	27	795	39
550	24	583	32	617	35	650	37	683	46	720	36	761	49	797	47
551	24	584	32	618	35	651	37	684	46	721	33	762	13	798	16
552	24	585	33	619	35	652	37	685	46	722	37	763	13	799	16
553	24	586	33	620	35	653	37	687	46	723	56	765	18	800	16
554	24	587	33	621	35	654	37	688	55	724	52	766	55	801	16
555	24	588	33	622	35	655	37	689	56	726	7	767	12	802	52
556	24	589	33	623	35	656	37	690	56	727	12	768	34	803	5
557	24	590	33	624	35	657	37	691	56	728	53	769	29	804	41
558	24	591	33	625	35	658	37	692	38	729	25	770	29	805	42
559	24	592	33	626	35	659	37	693	52	730	30	771	10	806	42
560	24	593	33	627	35	660	37	694	52	731	30	772	39	807	42
561	25	594	33	628	35	661	37	696	5	732	18	773	39	808	42
562	25	595	33	629	36	662	37	697	10	733	2	774	39	809	42
563	25	596	33	630	36	663	37	698	34	734	10	775	39	810	42

RESTRICTED

RESTRICTED

DOWTY SEALS AND SEALING RINGS

SECTION 27QA—cont.

INDEX TO REFERENCE NUMBERS

Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.
811	42	847	7	884	28	926	24	972	15	1014	11	1052	49	1091	32
812	29	849	39	885	20	927	24	973	14	1015	11	1054	55	1092	38
813	31	850	39	887	29	928	42	974	7	1016	43	1055	25	1093	1
814	28	851	40	888	30	930	31	976	14	1017	43	1056	25	1094	34
816	32	852	40	889	13	931	42	977	26	1018	43	1057	55	1095	54
817	19	853	40	891	7	932	8	978	2	1019	43	1058	28	1096	34
818	41	854	40	892	13	933	6	979	31	1020	43	1059	26	1097	34
819	20	855	40	893	30	934	17	981	13	1021	43	1061	13	1099	21
820	20	856	40	894	17	935	26	983	21	1023	32	1062	15	1100	44
822	37	857	40	895	17	936	53	984	25	1024	19	1063	15	1101	43
823	39	858	40	896	24	937	38	985	27	1025	39	1064	27	1102	38
824	18	859	41	897	16	938	40	986	27	1026	43	1065	27	1104	38
825	26	860	41	898	53	939	26	989	14	1027	44	1066	39	1105	38
827	30	861	26	899	12	940	44	990	14	1028	44	1067	30	1106	38
828	2	862	26	900	12	941	24	991	14	1030	17	1068	9	1108	44
829	2	863	15	901	12	942	43	992	14	1031	17	1069	31	1109	45
830	54	864	26	902	26	944	28	993	14	1032	53	1070	34	1110	45
831	42	865	26	905	20	947	40	994	14	1033	45	1071	11	1111	45
832	42	866	26	906	36	948	40	996	7	1034	45	1072	37	1112	36
833	42	867	18	908	28	950	27	997	9	1035	45	1074	5	1113	36
834	43	868	18	909	2	952	17	998	10	1036	17	1075	5	1114	36
835	54	869	18	912	11	956	46	999	10	1037	29	1076	47	1115	36
836	54	870	39	913	31	958	9	1000	12	1038	27	1078	31	1116	36
837	54	871	39	914	21	960	18	1001	13	1039	7	1079	44	1117	36
838	54	872	53	915	53	962	21	1002	13	1040	7	1080	25	1118	35
839	13	873	17	916	54	963	21	1003	11	1041	13	1081	25	1121	9
840	19	874	54	919	53	964	25	1005	39	1042	17	1082	30	1122	21
841	19	875	54	920	31	965	26	1007	53	1043	56	1084	26	1123	21
842	19	876	54	921	4	966	26	1009	53	1044	39	1085	13	1124	55
843	19	877	19	922	31	967	37	1010	53	1045	25	1086	14	1125	30
844	44	878	27	923	54	968	19	1011	42	1046	25	1087	31	1126	44
845	44	879	18	924	1	970	37	1012	45	1050	10	1089	5	1127	27
846	6	881	43	925	24	971	37	1013	31	1051	26	1090	35	1128	27

RESTRICTED

RESTRICTED

DOWTY SEALS AND SEALING RINGS

SECTION 27QA—cont.

INDEX TO REFERENCE NUMBERS

Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.
1129	21	1169	22	1204	22	1241	43	1280	29	1325	28				
1130	21	1170	23	1205	45	1242	43	1282	28	1326	29				
1131	28	1171	23	1206	22	1243	43	1283	29	1327	29				
1132	39	1172	23	1207	22	1244	29	1285	29	1328	29				
1133	28	1173	23	1208	22	1245	31	1286	29	1330	29				
1134	6	1174	23	1209	22	1246	31	1287	30	1331	29				
1135	8	1175	23	1210	22	1248	24	1288	30	1332	29				
1136	25	1176	23	1211	23	1249	22	1289	30	1333	37				
1137	39	1177	23	1212	22	1252	34	1291	54	1334	46				
1138	39	1178	23	1213	22	1253	34	1292	26	1342	9				
1139	39	1179	23	1214	45	1254	19	1293	2	1343	44				
1140	39	1180	23	1215	45	1255	43	1294	4	1344	41				
1141	36	1181	23	1216	45	1256	41	1295	33	1345	52				
1142	32	1182	24	1217	45	1258	7	1296	51	1346	12				
1143	45	1183	24	1218	45	1259	54	1297	44	1347	30				
1145	44	1184	24	1219	23	1260	1	1298	38	1348	19				
1146	38	1185	24	1220	23	1261	24	1299	36	1351	26				
1147	43	1186	24	1221	23	1262	45	1300	36	1352	18				
1148	14	1187	25	1222	23	1263	9	1301	33	1353	9				
1149	50	1189	45	1223	23	1265	17	1302	36	1354	37				
1152	28	1190	45	1224	23	1266	1	1303	34	1355	37				
1157	22	1191	45	1227	45	1267	46	1304	34	1356	41				
1158	22	1192	45	1228	45	1268	41	1306	33	1357	39				
1159	22	1193	45	1229	46	1269	41	1307	32	1358	39				
1160	22	1194	45	1230	46	1270	42	1308	35	1359	32				
1161	22	1195	45	1231	46	1271	42	1309	35	1360	51				
1162	22	1196	46	1232	9	1273	42	1310	50						
1163	22	1197	46	1234	23	1274	54	1311	40						
1164	22	1198	46	1235	7	1275	26	1312	22						
1165	22	1199	46	1236	9	1276	12	1320	44						
1166	22	1200	46	1238	25	1277	12	1321	20						
1167	22	1201	9	1239	45	1278	46	1323	46						
1168	22	1203	55	1240	42	1279	46	1324	41						

RESTRICTED

RESTRICTED

DOWTY SEALS AND SEALING RINGS

SECTION 27QA—cont.

INDEX TO REFERENCE NUMBERS

Ref. No.	Old Ref. No.	Page No.	Ref. No.	Old Ref. No.	Page No.	Ref. No.	Old Ref. No.	Page No.
1005983	352	9	1015078	280	6	5802881	384	21
1007953		22	1015080		9	5802882	1305	33
1007954	240	4	1016260	610	34	5802883		38
1007962		22	1016261		34	5802884		38
1008200		25	1017130		20	5802885		38
1008766		10	1017389	311	7	5802886		38
1008767	334	8	1017390	907	28	5802887		38
1008308		22	1017391		29	5802888		42
1009309		22	1017392		29	5802889		42
1009403	546	1	1017393		29	5802890	1088	42
1009404	752	15	1017394	1329	29	5802891		42
1009720		20	1017725		25	5802892		43
1011194		28	1017885	281	6	5802893		43
1011196		31	1017886	283	6	5802894		43
1011353	250	5	1017887	288	6	5802895		43
1011354		6	1017888	291	6	5808401		43
1011355	278	6	1017889	346	9	5808402		43
1011356		16	1017890	904	9	5808703		33
1012213	949	28	1017891	408	11	7003699	917	53
1012214	883	28	1017892	528	18	9009158		16
1012215	1247	28	1017893	764	18	9009261		8
1012216	1073	28	1017894	886	1	9128588	796	17
1012424	929	31	1017895	544	1	9128766	292	6
1012616		10	1017896	740	1	9139755	955	28
1012617	549	24	1017897	741	1	9140251		17
1012618	348	9	1017898	547	1	9143239	739	7
1013118	1322	56	1017899	1098	2	9144663		25
1013120		28	1017900		2	9144678		7
1013122		28	1017901	758	26	9148081	957	17
1013123	1151	28	1018104		40	9148083	519	17
1014045		28	2000872	269	6	9148084		17
1014046		28	2004836	961	12	9152193		9
1015077	709	9	2004838	437	12	9152793		56

RESTRICTED

RESTRICTED

DOWTY SEALS AND SEALING RINGS

SECTION 27QA—cont.

INDEX TO REFERENCE NUMBERS

Ref. No.	Old Ref. No.	Page No.	Ref. No.	Old Ref. No.	Page No.	Ref. No.	Old Ref. No.	Page No.
9155467		18	9453473	1264	15	9471019	286	6
9155468		10	9454372	489	15	9471133		7
9429514	235	4	9454477		41	9471860		29
9429515	267	6	9455494	497	15	9471861		29
9429516	273	6	9458071		7	9472617		44
9429517	276	6	9458072	975	7	9482686		20
9429519	494	15	9458073		7	9482750		40
9429520	513	16	9459040		34	9482751		41
9429521	514	16	9462469		18	9482752		41
9429608	1060	16	9462479		10	9482753		39
9429639	271	6	9463126	210	53	9482754		41
9429640	1107	15	9463127		52	9482755		40
9429641	510	16	9463825		31	9482756		40
9429642	1237	16	9467011		52	9482757		41
9429643		17	9467012		52	9482759		40
9429644	953	17	9467108	322	8	9482760		41
9430903	1053	17	9468730		44	9482761		40
9431640	277	6	9468731		40	9482808		20
9433706	272	6	9468783		44	9492983	1120	9
9439026	9700247	15	9468784		39	9494869	1017726	25
9439587		32	9468785		41	9494877		21
9439662	1029	16	9468887		40	9495060		20
9440045	9700240	15	9468925		44	9495061		20
9440406	232	4	9469232		40	9495301		17
9448033	1119	25	9469233		40	9495378	725	7
9448216	738	32	9469234		40	9700237		12
9448281		29	9469242		17	9700241	495	15
9452625	226	54	9469266		17	9700242		16
9452626	214	55	9469358		9	9700243		16
9452646		19	9469359		17	9700244	982	16
9453042	1047	16	9469425		17	9700245		16
9453043	753	16	9470347		40	9700246		5
9453048	1049	28	9470746		17	9700248	488	15

RESTRICTED

RESTRICTED

DOWTY SEALS AND SEALING RINGS

SECTION 27QA *cont*

INDEX TO REFERENCE NUMBERS

Ref. No.	Old Ref No	Page No.	Ref. No	Old Ref. No.	Page No.	Ref. No.	Old Ref. No.	Page No.
9702293		32	9995039		29			
9702294		32	9995040	198	52			
9702295		35	9995041	794	52			
9702296		35	9995042	202	52			
9702297	821	35	9995043	203	53			
9702458	211	53	9995044	204	53			
9702719		28	9995045	206	53			
9702785		19	9995046	1156	21			
9703220		32	9995047	826	27			
9703371		7	9995048	951	28			
9703738	1150	28	9995425	945	17			
9703840		9						
9713484	969	37						
9995019		27						
9995020		28						
9995021	943	28						
9995022		29						
9995023	1153	30						
9995024		30						
9995025		30						
9995026		30						
9995027	959	30						
9995028	1154	30						
9995029	1155	31						
9995030		31						
9995031		31						
9995032		31						
9995033		31						
9995034	200	53						
9995035	1008	53						
9995036	882	28						
9995037		28						
9995038		28						

RESTRICTED

RESTRICTED

RESTRICTED

Issued with A/L. 115.

AIR PUBLICATION 1086
BOOK II
SECOND EDITION

SECTION 27U

AIRBORNE HEATERS

HEAT EXCHANGE TYPE FOR CABIN AND FUEL HEATING
COMBUSTION HEATERS FOR SHACKLETON AND MARATHON
AIRCRAFT ONLY

ITEMS UNDER SECTION 27U
ARE COVERED BY VOTE 7A32 (a)
(EXCEPT REF NO 488 AND ASSOCIATED)
EQUIPMENT WHICH IS COVERED BY
VOTE 7G3)

RESTRICTED

VOCABULARY OF ROYAL AIR FORCE EQUIPMENT
AIRBORNE HEATERS
HEAT EXCHANGE TYPE FOR CABIN AND FUEL HEATING
COMBUSTION HEATERS FOR BEVERLEY, SHACKLETON AND MARATHON AIRCRAFT
SECTION 27U
(8th April, 1957)

RESTRICTED

Ref. No.	NOMENCLATURE	DETAIL	Drawing or Part No.	No. Off	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
	CONTROL UNITS:—	BEVERLEY C, MARK 1.				
	Air Mass Flow:—					
550	Type AMF4/1-1	Superseded by Ref. No. 820	} For use with Ref. No. 520. } For use with Ref. No. 676.	SXD.24711 ..	1	A each
820	Type AMF4/1-2	Supersedes Ref. No. 550		1	A "
551	Type AMF2½/1-1	Superseded by Ref. No. 686		SXD.25072 ..	1	A "
686	Type AMF2½/2-2	Supersedes Ref. No. 551		SXD.27185 ..	1	A "
	Electrical:—					
518	Type LCI/1A	Used with Ref. Nos. 516 and 519	V.7400066 ..	5	A	"
	Spares:—					
—	Coil, booster, Rotax NB16	Reference 37A/1809	1	—	—
—	Relay, Carpenter, type 5 A7	Reference 5CW/6179	1	—	—
—	Relay, Carpenter, type 6B-13	Reference 5CW/6254	1	—	—
—	Switch, time delay, Rotax, type D8427	Reference 5CW/6174	1	—	—
522	Type LC3/3C	Used with Ref. No. 520	V.7400131 ..	1	A	each
	Spares:—					
—	Coil, booster, Rotax NB16	Reference 37A/1809	1	—	—
—	Switch, time delay, Rotax, type S437	Reference 5CW/6175	1	—	—
525	Type LC4/4D	Used with Ref. No. 676	V.7400144 ..	1	A	each
	Spares:—					
—	Coil, booster, Rotax NB16	Reference 37A/1809	1	—	—
—	Switch, time delay, Rotax D8427	Reference 5CW/6174	1	—	—

RESTRICTED

AIRBORNE HEATERS
HEAT EXCHANGE TYPE FOR CABIN AND FUEL HEATING
COMBUSTION HEATERS FOR BEVERLEY, SHACKLETON AND MARATHON AIRCRAFT
SECTION 27U—cont.

1	2	3	4	5	6	7	
	CONTROL UNITS—cont.	BEVERLEY C, MARK 1.					
	Electrical—cont.						
528	Type LC5/5E	Used with Ref. No. 719	V.7400040	1	A	each	
	Spares:—						
—	Coil, booster, Rotax NB16	Reference 37A/1809	1	—	—	
—	Clamp, cable	Reference 10H/959316	1	—	—	
—	Gasket, union	Reference 10H/962234	1	—	—	
—	Outlet, straight	Reference 10H/9970061	1	—	—	
—	Plug, Mark 4, 2-way	Reference 10H/9560270	1	—	—	
—	Relay, Carpenter, 5 A71	Reference 5CW/6178	2	—	—	
—	Suppressors, radio interference, type P No. 1	Reference 5CY/1002	1	—	—	
—	Switch, time delay, Rotax D8427	Reference 5CW/6174	1	—	—	
	Fuel:—						
517	Type HCU1/1E	Used with Ref. No. 516	V.17125-36	5	A	each	
521	Type HCU2/2B	Used with Ref. No. 520	V.7250089	1	A	"	
524	Type HCU3/3C	Used with Ref. No. 676	V.7250069	1	A	"	
527	Type HCU5/5D	Used with Ref. No. 719	V.7250111	1	A	"	
	HEATERS, COMBUSTION:—						
516	Anti-icing, Type 4AP/1-1	SXE.22088	2	A	"	
519	Anti-icing, Type 4AP/1-2	SXE.22089	3	A	"	
520	Space, Type 4SP/1-1	SXE.23455	1	A	"	
	Spares:—	For Ref. Nos. 516, 519 and 520.					
680	Actuator and Gear-box, type AGB1/1A	For Ref. No. 516 only	Ref. Nos. 599, 630, 678, 28P/12349 and 28W/14319 may be required when changing these items.	V.7270022	2	A	"
681	Actuator and Gear-box, type AGB2/2A	For Ref. No. 519 only		V.7270086	3	A	"
682	Actuator and Gear-box, type AGB3/3B	For Ref. No. 520 only		V.7270101	1	A	"
804	Assembly, burner, type CSH/61	Y.7930297	1	C	"	
799	Connector, type LBH	B.4517	1	C	"	
630	Gasket	SXA.23707	1	C	"	
661	Packing, silicone rubber	SXA.24071	2	C	"	
678	Pin, clevis	SXA.13408	2	C	"	

(6473) 240765. Wt. 15074-BN3843. 3.500. 10/63. A., P. & S., Ltd. 332.

RESTRICTED

RESTRICTED
 1A

AIRBORNE HEATERS
HEAT EXCHANGE TYPE FOR CABIN AND FUEL HEATING
COMBUSTION HEATERS FOR BEVERLEY, SHACKLETON AND MARATHON AIRCRAFT ONLY
SECTION 27U—cont.

Ref.	NOMENCLATURE	DETAIL	Drawing or Part No.	No. Off	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
		BEVERLEY C, MARK 1—cont.				
	HEATERS, Combustion—cont.					
	Space—cont.					
	Spares—cont.					
—	Pin, split	Reference 28P/12645		—	—	—
—	Pin, split	Reference 28P/12349		—	—	—
648	Plug, igniter, type KL100	Ref. Nos. 642, 799, 644, 643, 647 and References 28L/12248, 28P/12645 and 28W/14886 may be required in association with a change of this item.	BK.1019	1	A	each
656	Sensing element	For Ref. Nos. 516 and 519	V.7260025	1	B	“
647	Steeve, locking	SXA.18898	1	C	“
649	Spring, return	SXA.16145	1	C	“
—	Switch, overheat	Reference 5CW/5110	FHO/A/98	—	—	—
599	Washer	SXA.12073	4	C	“
642	Washer	SXA.16268	2	C	“
—	Washer	Reference 28W/14319	—	—	—
644	Washer, tab	SXA.13085	2	C	each
—	Washer, tab	Reference 28L/12248	—	—	—
643	Washer, joint	SXA.25918	1	C	each
—	Washer, spring	Reference 28W/14886	—	—	—
523	Space, Type 2$\frac{1}{2}$SP/1-1	Superseded by Ref. No. 676	SXE.23453	1	A	each
676	Space, Type 2$\frac{1}{2}$SP/2-2	Supersedes Ref. No. 523	SXE.26589	1	A	“
	Spares:—	For Ref. Nos. 523 and 676.				
683	Actuator and Gear-box, type AG4/4B	Ref. Nos. 631, 763, 630, 678, 755 and 28P/12349 may be required in association with a change of this item.	V.7270099	1	A	“
631	Bolt, 2 B.A.	SXA.23912	2	C	“
763	Clip	SXB.27623	1	C	“
—	Gasket	Ref. No. 630	1	—	—
768	Packing, silicone rubber	SXA.23929	4	C	each
—	Pin, clevis	Ref. No. 678	1	—	—
755	Pin, link	1	C	each

RESTRICTED

1B

Issued with A/L. 145 to A.P. 1086, Book 11, Second Edition.

RESTRICTED

AIRBORNE HEATERS
HEAT EXCHANGE TYPE FOR CABIN AND FUEL HEATING
COMBUSTION HEATERS FOR BEVERLEY, SHACKLETON AND MARATHON AIRCRAFT ONLY
SECTION 27U—cont.

Ref.	NOMENCLATURE	DETAIL	Drawing or Part No.	No. Off	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
	HEATERS, Combustion—cont.	BEVERLEY C, MARK 1—cont.				
	Space—cont.					
	Spares—cont.					
—	Pin, split	Reference 28P/12349		1	—	—
598	Plug, igniter	B.2022	1	A	each
764	Sprayer, type CSH.66	X.7911134	1	C	"
—	Switch, combustion, type FOH/A/515	Reference 5CW/6272. Superseded by Ref. No. 824		—	—	—
824	Switch, combustion, type ECSI/1A	Supersedes Ref. No. 5CW/6272		1	A	each
—	Switch, overheat, type FHO/A/525	Reference 5CW/6273		—	—	—
—	Spring, return	Ref. No. 649		1	—	—
821	Valve, solenoid, type SC5/2B		1	A	each
526	Space, Type $\frac{1}{2}$ SP/1-1	Pre-mod. LM.6	SXE.23451	1	A	each
719	Space, Type $\frac{1}{2}$ SP/1-2	Post-mod. LM.6	SXE.31603	1	A	"
	Spares:—	For Ref. Nos. 526 and 719.				
571	Bolt	SXA.24629	2	C	"
—	Bolt, 2BA		—	—	—
—	Clip, hose	Reference 28B/8184		—	—	—
817	Cup, motorised, type MRC.2/1A		1	A	each
	Spares:—	For Ref. No. 817.				
—	Brushes	For motor pull on type D.6, PM/S, special		—	—	—
—	Springs, brush		—	—	—
591	Fan unit, complete	F.24578	1	A	each
	Spares:—	For Ref. No. 591.				
—	Motor, B.T.H., type LD.1209, form 7F	Reference 5UD/6568		—	—	—
564	Hose, coupling	SXA.24506	1	C	each
573	Nozzle, feed, assembly, type DF1/1A...	X.7910820	1	C	each
592	Packing, silicone rubber, external mounting	SXA.24193	2	C	"
583	Plug, igniter	Ref. Nos. 579, 575, 574, and 631, may be required in association with a change of this item.	KL.101	1	A	"
574	Setscrew	SXA.23909	6	C	"
718	Switch, combustion, type FOS.2/2A	Pre-mod. LM.11	X.7650052	1	A	"

RESTRICTED

10

RESTRICTED

AIRBORNE HEATERS
HEAT EXCHANGE TYPE FOR CABIN AND FUEL HEATING
COMBUSTION HEATERS FOR BEVERLEY, SHACKLETON AND MARATHON AIRCRAFT ONLY
SECTION 27U—cont.

Ref. No.	NOMENCLATURE	DETAIL	Drawing or Part No.	No. Off	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
		BEVERLEY C, MARK 1—cont.				
	HEATERS, Combustion—cont.					
	Space, Type ½ SP/1-1 and 1-2—cont.					
	Spares:—cont.					
—	Switch, combustion, type ECS.1/1A	Ref. No. 824. Post-mod. LM.11		—	—	—
	Switch, overheat, type FHO/A/525	Reference 5CW/6273		—	—	—
579	Washer, packing	SXA.23587	1	C	each
575	Washer, packing	SXA.23588	1	C	each
730	Washer, sealing	SXA.24840	1	C	"
729	Washer, sealing	SXA.24839	1	C	"
572	Washer, sealing	SXA.24272	1	C	"
—	Washer, spring	Reference 28L/416642		8	C	"
735	Washer, tab	SXA.24851	1	C	each
—	Washer, tab	Reference 28L/12248		27	—	—
—	Washer, tab	Reference 28L/12356		2	—	—

RESTRICTED

Issued with A/I. 145 to A.P. 1086, Book 11, Second Edition.
 ID

RESTRICTED

AIRBORNE HEATERS
HEAT EXCHANGE TYPE FOR CABIN AND FUEL HEATING
COMBUSTION HEATERS FOR SHACKLETON AND MARATHON AIRCRAFT ONLY
SECTION 27U—cont.

Ref. No.	NOMENCLATURE	DETAIL	Drawing or Part No.	No. Off	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
	FIREFLY, MARKS 1, 2 and 3					
15	HEATERS, cabin	<i>Naval aviation only</i>	E.1119 ..	1	A	each
	Spares :—					
241	Adapters, petcock	E.1119-24 ..	—	C	"
238	Blocks	A.1119-A ..	—	C	"
236	Channels, panel	C/w bracket	C.1119-4 ..	—	C	"
237	Covers, angle	B.1119-23 ..	—	C	"
225	Fins, centre	B.1119-3 ..	—	C	"
242	Flanges, drain	A.1119-25 ..	—	C	"
245	Nuts, 2 B.A.	4AI/CP ..	—	C	"
227	Packings, corner	E.1119-5 ..	—	C	"
229	Panels, bottom	C.1119-7 ..	—	C	"
232	Panels, side	A.1119-10 ..	—	C	"
228	Panels, top	C.1119-6 ..	—	C	"
239	Pipes	C/w Avimo sleeve	B.1119-21 ..	—	C	"
240	Pipes	C/w Avimo sleeve	B.1119-22 ..	—	C	"
243	Rods, tie	A.1409 ..	—	C	"
230	Tanks	B.1119-8 ..	—	C	"
231	Tanks	B.1119-9 ..	—	C	"
237	Tanks	B.1119-17 ..	—	C	"
233	Tanks, channel	B.1119-11 ..	—	C	"
234	Tanks, channel	B.1119-12 ..	—	C	"
235	Tanks, channel	B.1119-13 ..	—	C	"
236	Tanks, channel	B.1119-14 ..	—	C	"
238	Tubes, spacing	A.1119-19 ..	—	C	"
244	Washers, brass	A.830 ..	—	C	"

RESTRICTED

RESTRICTED

AIRBORNE HEATERS
HEAT EXCHANGE TYPE FOR CABIN AND FUEL HEATING
COMBUSTION HEATERS FOR SHACKLETON AND MARATHON AIRCRAFT ONLY
SECTION 27U—cont.

Ref. No.	NOMENCLATURE	DETAIL	Drawing or Part No.	No. Of	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
		FIREFLY, MARK 7				
283	HEATERS, cabin		QJW	—	A	each
		LINCOLN, MARK 2				
90	HEATERS, cabin:—					
89	Fuselage	For gun turrets	QGB	1	A	"
	Starboard		QGA	1	A	"

RESTRICTED

RESTRICTED

AIRBORNE HEATERS
HEAT EXCHANGE TYPE FOR CABIN AND FUEL HEATING
COMBUSTION HEATERS FOR SHACKLETON AND MARATHON AIRCRAFT ONLY
SECTION 27U—cont.

Ref. No.	NOMENCLATURE	DETAIL	Drawing or Part No.	No. Off	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
	MARATHON, T.11					
397	HEATERS, cabin		XH1/GE ..	1	A	each
398	Associated equipment:—					
	Box assemblies, ignition		I/1/C ..	1	A	"
—	Spares:—					
	Booster coils	Reference 37A/1813		—	—	—
548	Cable assemblies, high tension		IE3C/1.C ..	—	C	—
—	Plugs, single, aluminium, waterproof, 2-pole	Reference 5X/6326		—	—	—
—	Plugs, single, steel, fireproof and waterproof, Size A, 2-pole,	Reference 5X/6001		—	—	—
—	Suppressors, radio interference, Type P, No. 1	Reference 5CY/1002		—	—	—
549	Studs, cover attachment		1I/1/C ..	—	C	each
399	Controllers, heater		H.13/B ..	1	A	"
—	Spares:—					
546	Inserts, filter assembly		B.31606 ..	—	C	—
547	Nuts, cap, small		2H/12/A ..	—	C	—
543	Springs, regulator, half heat		7R/1/A ..	—	C	—
544	Springs, regulator, full heat		7R/3/A ..	—	C	—
545	Valve assemblies		R1/1/B ..	—	C	—
—	Valves, oil dilution	Reference 27V/3462		—	—	—
—	Spares:—					
368	Adapters, jet		2J/12/A ..	1	C	each
510	Clips, cover, long		26X/1/D ..	—	C	"
541	Clips, cover, short		25X/1/D ..	—	C	"
362	Collars, locking, adapter pipe		1B/4/3 ..	—	C	"
373	Cones		7J/12/A ..	—	C	"
375	Filters, element assembly		1I/6 ..	—	C	"
535	Gaskets, air inlet		7B/3/C ..	—	C	"
358	Gaskets, plate cover		2B/3/C ..	—	C	"

RESTRICTED

RESTRICTED

AIRBORNE HEATERS
HEAT EXCHANGE TYPE FOR CABIN AND FUEL HEATING
COMBUSTION HEATERS FOR SHACKLETON AND MARATHON AIRCRAFT ONLY
SECTION 27U—cont.

Ref. No.	NOMENCLATURE	DETAIL	Drawing or Part No.	No. Of	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
	MARATHON, T.11—cont.					
	HEATERS, cabin—cont.					
	Spares—cont.					
353	Jets	J/12/A	1	C	each
360	Nuts, cap	5B/3/C	—	C	"
365	Nuts, gland	2BE1/3/C	—	C	"
540	Plates, access to sparking plug	36/X/1	—	C	"
359	Plates, end, cover, inlet, fuel	3B/3/C	—	C	"
364	Plugs, electrode	1BE1/3/C	—	C	"
555	Plugs, sparking	BE1/3/C	1	C	"
372	Retainers, cone	6J/12/A	—	C	"
513	Retainers, sparking plug	10B1/3/C	1	C	"
370	Shoes, spring retaining	4J/12/A	—	C	"
369	Springs, filter, retaining	3J/12/A	—	C	"
—	Switches, micro, A.M. design, Type 1A	Reference 5CW/4098	—	—	—
—	Valves, by-pass	Reference 26FP/3252	—	—	—
366	Washers, plug, sealing, electrode	3BE1/3/C	1	C	each
536	Washers, sealing	ST/10	1	C	doz.
361	Washers, sealing	24H/12	—	C	each
374	Washers, sealing	6J/6/A	—	C	"
367	Washers, sealing	4BE1/3/C	—	C	"
371	Washers, spring retaining	5J/12/A	—	C	"
537	Washers, tab	ST/27	1	C	doz.

RESTRICTED

RESTRICTED

AIRBORNE HEATERS
HEAT EXCHANGE TYPE FOR CABIN AND FUEL HEATING
COMBUSTION HEATERS FOR SHACKLETON AND MARATHON AIRCRAFT ONLY
SECTION 27U—cont.

Ref. No.	NOMENCLATURE	DETAIL	Drawing or Part No.	No. Of	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
	MARATHON, T.11—cont.					
488	TROLLEYS, GROUND TEST, TYPE A	For aircraft heaters	G.M.10701 ..	1	A	each
	Accessories:—					
561	Adapters	For coupling test trolley for testing of heaters installed in aircraft.	G.M./D/7984	1	C	"
	Spares:—					
531	Adapters, 2½ in.	G.M.9174 ..	2	C	"
533	Adapters, "Y" branch, 2½ in. × 5 in.	G.M.7626 ..	1	C	"
—	Belting, vee, rubber, laminated link, 40° angle, ½ in. (Whittle).	Reference 3B/2806	—	—	—
530	Couplings, hose, female, 2½ in.	G.M.1083 ..	3	C	each
529	Couplings, hose, male, 2½ in.	G.M.1082 ..	3	C	"
532	Hose, asbestos, 5 in. bore (18 ft. lengths)	G.M.8314A ..	1	C	"
538	Hose, rubber, 2½ in. bore (20 ft. lengths)	G.M.29384 ..	3	C	"

RESTRICTED

RESTRICTED

AIRBORNE HEATERS
HEAT EXCHANGE TYPE FOR CABIN AND FUEL HEATING
COMBUSTION HEATERS FOR SHACKLETON AND MARATHON AIRCRAFT ONLY
SECTION 27U *cont*

Ref. No.	NOMENCLATURE	DETAIL	Drawing or Part No.	No. Off	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
	MOSQUITO, MARK T.3					
	HEATERS, cabin:—					
4	Port	QAF. or W.S. 8630-P.	1	A	each
5	Starboard	QAJ. or W.S. 8630-S.	1	A	"
	<i>Spares:—</i>					
	<i>Naval aviation only.</i>					
162	Angles, bottom reinforcing	QAJ.9		C	"
164	Casings, drilled	QAJ.14		C	"
161	Casings, plain	QAJ.7		C	"
163	Channels, top distance	QAJ.13		C	"
160	Retainers, tie bolt	QAJ.17		C	"
223	Retainers, tie bolt	STD.525-6		C	"
224	Rivets	STD.589-Y-22		C	"
222	Rivets, flat head	STD.589-Z-21		C	"
157	Tank assemblies, bottom	QAF/B		C	"
155	Tank assemblies, top	QAF/A		C	"
156	Tank assemblies, top	QAJ/A		C	"
—	Washers, drain plug			
		Reference 27B/2384			

RESTRICTED

RESTRICTED

AIRBORNE HEATERS
HEAT EXCHANGE TYPE FOR CABIN AND FUEL HEATING
COMBUSTION HEATERS FOR SHACKLETON AND MARATHON AIRCRAFT ONLY
SECTION 27U—cont.

Ref. No.	NOMENCLATURE	DETAIL	Drawing or Part No.	No. Off	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
	MOSQUITO, MARK (T.T.) 35					
8	HEATERS, cabin	Superseded by Ref. No. 273	Q.E.R. ..	1	A	each
	Spares :—	<i>Naval aviation only.</i>				
250	Block assemblies		Q.E.R.103 ..	—	C	"
259	Bosses		Q.E.R.20 ..	—	C	"
257	Brackets		Q.E.R.17 ..	—	C	"
251	Casing assemblies		Q.E.R.105 ..	—	C	"
252	Casing assemblies, inner		Q.E.R.106 ..	—	C	"
253	Cover assemblies, end		Q.E.R.107 ..	—	C	"
261	Felt, flap		Q.E.R.23 ..	—	C	"
254	Flaps	Complete	Q.E.R.15 ..	—	C	"
260	Glands, screw		Q.E.R.21 ..	—	C	"
262	Jointings, Hallite		Q.E.R.24 ..	—	C	"
263	Pieces, distance		Q.E.R.25 ..	—	C	"
255	Plates, end		Q.E.R.10 ..	—	C	"
256	Plates, flap, vertical		Q.E.R.13 ..	—	C	"
264	Retainers, tie		STD.562-8 ..	—	C	"
265	Rivets	For flap felt	STD.589-Y-25 ..	—	C	"
258	Spindles		Q.E.R.19 ..	—	C	"
248	Tank assemblies, inlet		Q.E.R.101 ..	—	C	"
249	Tank assemblies, outlet		Q.E.R.102 ..	—	C	"
273	HEATERS, cabin	Supersedes Ref. No. 8. Alternative to Ref. No. 286	Q.J.V. ..	1	A	"
	Spares :—	<i>Naval aviation only.</i>				
278	Block assemblies		Q.J.V.103 ..	—	C	"
280	Casing assemblies		Q.J.V.105 ..	—	C	"
281	Casing assemblies, inner		Q.J.V.106 ..	—	C	"
282	Cover assemblies, end		Q.J.V.107 ..	—	C	"
279	Tank assemblies, inlet		Q.J.V.101 ..	—	C	"

RESTRICTED

RESTRICTED

AIRBORNE HEATERS
HEAT EXCHANGE TYPE FOR CABIN AND FUEL HEATING
COMBUSTION HEATERS FOR SHACKLETON AND MARATHON AIRCRAFT ONLY
SECTION 27U—cont.

Ref. No.	NOMENCLATURE	DETAIL	Drawing or Part No.	No. Of	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
	MOSQUITO, MARK (T.T.) 35—cont.					
286	HEATERS, cabin	Alternative to Ref. No. 273	E.4632 ..	1	A	each
—	HEATERS, cabin:—					
—	Port	Ref. No. 6. Superseded by Ref. No. 274	1		—
—	Port	Ref. No. 274. Supersedes Ref. No. 6	1	—	—
—	Starboard	Ref. No. 7. Superseded by Ref. No. 275	1	—	—
—	Starboard	Ref. No. 275. Supersedes Ref. No. 7	1	—	—
—	Spares:—					
—	Plugs, drain	Reference 25B/1447	—	—	—
—	Washers, drain plug	Reference 25B/1211	—	—	—

RESTRICTED

RESTRICTED

AIRBORNE HEATERS
HEAT EXCHANGE TYPE FOR CABIN AND FUEL HEATING
COMBUSTION HEATERS FOR SHACKLETON AND MARATHON AIRCRAFT ONLY
SECTION 27U—cont.

Ref. No.	NOMENCLATURE	DETAIL	Drawing or Part No.	No. Off	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
	PEMBROKE, MARK C.1					
	BOILERS:—					
501	Port	} Not required on aircraft to Mod. 221 standard	E.3798 ..	1	A	each
502	Starboard		E.3797 ..	1	A	"
505	TANKS, pressure balance	Not required on aircraft to Mod. 221 standard ..	C.3940 ..	1	A	"
	SEA BALLIOL, MARK 21					
—	HEATERS, cabin	Ref. No. 354	1	—	—
	Spares:—					
—	Plugs, flanged, light alloy, ¼ in.	Reference 28R/6569	—	—	—
—	Washers, drain plug	Reference 27B 2384	—	—	—
—	HEATERS, cabin	Ref. No. 355	—	—	—
	Spares:—					
—	Plugs, flanged, light alloy, ¼ in.	Reference 28R 6569	—	—	—
—	Washers, fibre jointing, thin	Reference 28W 6718	—	—	—
	SEA PRINCE C, MARKS 1 and 2, and T Mark 1					
	BOILERS:—					
—	Port	Ref. No. 501	1	—	—
—	Starboard	Ref. No. 502	1	—	—
	TANKS:—					
—	Pressure balance	Ref. No. 505. For Sea Prince C, Mark 2 only	1	—	—
563	Pressure balance	For Sea Prince C, Mark 1 and T Mark 1 only ..	6081	1	A	each

RESTRICTED

RESTRICTED

AIRBORNE HEATERS
HEAT EXCHANGE TYPE FOR CABIN AND FUEL HEATING
COMBUSTION HEATERS FOR SHACKLETON AND MARATHON AIRCRAFT ONLY
SECTION 27U—cont.

Ref. No.	NOMENCLATURE	DETAIL	Drawing or Part No.	No. Off	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
	SHACKLETON, MARKS 1 and 2 and T MARK 4					
	HEATER INSTALLATIONS:—	Fitted to 11th aircraft onwards.				
	Consisting of:—					
268	Cylinders, heater fuel control		H.23	3	A	each
267	Heaters	Superseded by Ref. No. 357. (In rear and midships position.) Daniels spray type XH/1M/D.	C/CH, Mark 1	3	A	"
357	Heaters	Supersedes Ref. No. 267. Daniels spray type XH/1M/E.	C/CH, Mark 2	3	A	"
	Spares :—	<i>For use with Ref. Nos. 267 and 357.</i>				
514	Adapters, inlet pipe		4BF/3/C	1	C	"
—	Adapters, jet	Ref. No. 368		—	—	—
509	Bands, clamping		X1/1/D	1	C	each
515	Bolts, banjo		3X/1/A	1	C	"
379	Bolts, banjo		1B/3/C	—	C	"
—	Clips, cover, long	Ref. No. 510		1	—	—
511	Clips, cover, short		27X/1/M/D	1	C	each
—	Collars, locking, adapter, pipe	Ref. No. 362		—	—	—
—	Cones	Ref. No. 373		—	—	—
552	Cylinders, brass		31E/3/I	3	C	each
—	Filters, element assembly	Ref. No. 375		—	—	—
534	Gaskets (between burner and chamber)		17X/1/B	1	C	each
—	Gaskets, air inlet	Ref. No. 535		1	—	—
—	Gaskets, plate cover	Ref. No. 358		—	—	—
—	Jets	Ref. No. 353		1	—	—
—	Nuts, cap	Ref. No. 360		—	—	—
—	Nuts, gland	Ref. No. 365		—	—	—
363	Plates, access, sparking plug		36X/1M/D	—	C	each
—	Plates, end, cover, inlet, fuel	Ref. No. 359		—	—	—
—	Plugs, electrode	Ref. No. 364		—	—	—

RESTRICTED

Issued with A/L. 115 to A.P. 1086, Book 11, Second Edition.
11

RESTRICTED

AIRBORNE HEATERS
HEAT EXCHANGE TYPE FOR CABIN AND FUEL HEATING
COMBUSTION HEATERS FOR SHACKLETON AND MARATHON AIRCRAFT ONLY
SECTION 27U—cont.

Ref. No.	NOMENCLATURE	DETAIL	Drawing or Part No.	No. Off	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
	SHACKLETON, MARKS 1 and 2 and T MARK 4—cont.					
	HEATER INSTALLATIONS—cont.					
	Consisting of—cont.					
	Heaters—cont.					
	Spares—cont.					
—	Plugs, sparking	Ref. No. 555	—	—	—
—	Retainers, cone	Ref. No. 372	—	—	—
—	Retainers, sparking plug	Ref. No. 513	1	—	—
—	Shoes, spring retaining	Ref. No. 370	—	—	—
—	Springs, filter retaining	Ref. No. 369	—	—	—
—	Switches, micro, A.M. design type 1A	Reference 5CW/4098	—	—	—
512	Unions, banjo	4X/1/B	—	C	each
—	Washers, plug, sealing, electrode	Ref. No. 366	1	—	—
—	Washers, sealing	Ref. No. 361	—	—	—
—	Washers, sealing	Ref. No. 374	—	—	—
—	Washers, sealing	Ref. No. 367	—	—	—
—	Washers, sealing	Ref. No. 536	1	—	—
—	Washers, spring, retaining	Ref. No. 371	—	—	—
—	Washers, tab	Ref. No. 537	1	—	—
—	Valves, by-pass	Reference 26FP, 3252	—	—	—
269	Valves, rated flow	J, 7, A	3	A	each
—	Spares:—					
376	Brackets, installation	23H1/1/A	—	C	"
377	Filters, inlet	1F/4/A	—	C	"
378	Filters, outlet	2F 4/A	—	C	"
—	Associated equipment:—					
276	Filters, fuel	C.39337	2	B	"
277	Filters, fuel	C.31677	2	B	"

RESTRICTED

RESTRICTED

AZ

AIRBORNE HEATERS
HEAT EXCHANGE TYPE FOR CABIN AND FUEL HEATING
COMBUSTION HEATERS FOR SHACKLETON AND MARATHON AIRCRAFT ONLY
SECTION 27U—cont.

Ref. No.	NOMENCLATURE	DETAIL	Drawing or Part No.	No. Of	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
	SHACKLETON, MARKS 1 and 2 and T MARK 4—cont.					
120	HEATERS, cabin, Janitrol	Fitted to first 10 aircraft only	ABV/50D/H.7	1	A	each
	Spares :—					
207	Adapter ring assemblies		42A.63	—	C	"
131	Blocks, connector		41A.42	—	C	"
136	Caps, gasket filter		26405 ..	—	C	"
137	Cartridges, fuel filter		26422 ..	—	C	"
221	Clamps		40A.50	—	C	"
219	Clamps, exhaust to relief valve		46A.41	—	C	"
215	Clips, tube		42A.66	—	C	"
139	Diaphragms		57724-C	—	C	"
211	Elbows, control train		AN.914-1D	—	C	"
135	Elbows, gasket		44A.06	—	C	"
126	Filter assemblies		37A.77	—	C	"
204	Gasket assemblies		A.35A.71	—	C	"
208	Grommets, neoprene		AN.931-4-7	—	C	"
121	Heads, gasket		35A.29	—	C	"
201	Heads, nipple		AN.911-1	—	C	"
128	Heads, vaporizing		41A.08	—	C	"
130	Igniter assemblies		41A.37	—	C	"
205	Jacket assemblies		42A.79	—	C	"
141	Modulators, cone		54A-63	—	C	"
209	Nipples, flared, tube, fuel		AN.816-4D	—	C	"
218	Nuts, screw, filter bracket		AN.372-10-32	—	C	"
206	Nuts, self-locking, jacket clip		AN.372-83-2	—	C	"
129	Nuts, terminal flex		41A-36	—	C	"
203	Plates, cover drain		A.44.A.03	—	C	"
134	Regulators		A.42.A.27	—	C	"
190	Screws, filister head		AN.500A8-8	—	C	"

RESTRICTED

RESTRICTED

AIRBORNE HEATERS
HEAT EXCHANGE TYPE FOR CABIN AND FUEL HEATING
COMBUSTION HEATERS FOR SHACKLETON AND MARATHON AIRCRAFT ONLY
SECTION 27U—cont.

Ref. No.	NOMENCLATURE	DETAIL	Drawing or Part No.	No. Off	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
SHACKLETON, MARKS 1 and 2 and T MARK 4—cont.						
HEATERS, cabin, Janitrol—cont.						
<i>Spares—cont.</i>						
220	Screws, filister head	For relief valve sleeve	AN.500A8-4 ..	—	C	each
217	Screws, filter bracket	AN.501-10-28 ..	—	C	"
216	Screws, tube clip	AN.515-8-8 ..	—	C	"
138	Seat assemblies	57708-B ..	—	C	"
127	Strips, metering	39A-19 ..	—	C	"
142	Switches, thermal	43A-01 ..	—	A	"
124	Switches, thermal igniter	36A.19 ..	—	A	"
123	Switches, thermal overheat	37A.67 ..	—	A	"
210	Tees, internal pipe thread, fuel	AN.917-1 ..	—	C	"
122	Tips, metering	J.36A-12 ..	—	C	"
125	Tips, metering	36A.55 ..	—	C	"
212	Tube assemblies, fuel	42A.55 ..	—	C	"
213	Tube assemblies, fuel	42A.58 ..	—	C	"
214	Tube assemblies, fuel	42A.59 ..	—	C	"
202	Tubes, elbows, flared, fuel	AN.822-4D ..	—	C	"
132	Valve assemblies	41A.47 ..	—	C	"
133	Valve assemblies, fuel, solenoid	42A-20 ..	—	C	"
140	Valves, solenoid	46A-38 ..	—	C	"
200	Washers, vaporizer head	45A-28 ..	—	C	"

RESTRICTED

RESTRICTED

AIRBORNE HEATERS
HEAT EXCHANGE TYPE FOR CABIN AND FUEL HEATING
COMBUSTION HEATERS FOR SHACKLETON AND MARATHON AIRCRAFT ONLY
SECTION 27U—cont.

Ref. No.	NOMENCLATURE	DETAIL	Drawing or Part No.	No. Of	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
	SHACKLETON, MARKS 1 and 2 and T MARK 4—cont.					
560	TROLLEYS, GROUND TEST, TYPE A	Ref. No. 488 (for aircraft heaters)	1	—	—
	Accessories :—					
	Adapters	For coupling test trolley. For testing of heaters installed in Shackleton, Marks 2 and 3 (with Mod. 414 embodied).	GM/D/3276 ..	1	C	each
	Spares :—					
—	Adapters, 2½ in.	Ref. No. 531	2	—	—
—	Adapters, "Y" branch, 2½ in. x 5 in.	Ref. No. 533	1	—	—
—	Belting, vee, rubber, laminated link, 40° angle, ½ in. (Whittle).	Reference 3B/2806	—	—	—
—	Couplings, hose, female, 2½ in.	Ref. No. 530	3	—	—
—	Couplings, hose, male, 2½ in.	Ref. No. 529	2	—	—
—	Hose, asbestos, 5 in. bore (18 ft. lengths)	Ref. No. 532	1	—	—
—	Hose, rubber, 2½ in. bore (20 ft lengths)	Ref. No. 538	3	—	—

RESTRICTED

RESTRICTED

AIRBORNE HEATERS
HEAT EXCHANGE TYPE FOR CABIN AND FUEL HEATING
COMBUSTION HEATERS FOR SHACKLETON AND MARATHON AIRCRAFT ONLY
SECTION 27U—cont.

Ref. No.	NOMENCLATURE	DETAIL	Drawing or Part No.	No. Off	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
SHACKLETON, MARK 3						
539	HEATERS, combustion	100,000 B.Th.U.	D.Y.A.100	3	A	each
553	Associated equipment:— Controllers, heater	H.28/B	3	A	"
	Spares:—					
710	Bars, fuel	7H/27	1	C	"
708	Gaskets	5H/28	1	C	"
714	Gaskets	6H/27	1	C	"
711	Gaskets, filter sealing	2H/27	1	C	"
—	Inserts, filter assembly	Ref. No. 546	—	—	—
713	Regulators	R/5	1	B	each
709	Screws, orifice	8H/27	1	C	"
712	Tops, filter body	1H/27	1	C	"
554	Valves, rated flow	J.8/B	3	A	"
	Spares:—					
—	Filters, element assembly	Ref. No. 375	1	—	—
—	Filters, inlet	Ref. No. 377	1	—	"
	Spares:—					
690	Adapters, ignition jet	D.Y.A.100/2005	2	C	each
692	Adapters, vaporizer jet	D.Y.A.100/2001	1	C	"
696	Bars, fuel	D.Y.A.100/2004	2	C	"
694	Bars, fuel drain	D.Y.A.100/2003	2	C	"
701	Bodies, outer assembly	D.Y.A.100/21.. .. .	1	B	"
700	Bolts, burner mounting	ST.78	8	C	"
697	Clip assemblies	D.Y.A.100/3	1	C	"
707	Covers, thermostat	D.Y.A.100/1003	1	C	"
702	Gaskets, burner	D.Y.A.100/0003	1	C	"
705	Gaskets, cover plate	D.Y.A.100/1002	4	C	"
693	Gaskets, vaporizer jet	D.Y.A.100/2002	1	C	"

RESTRICTED

RESTRICTED

AIRBORNE HEATERS
HEAT EXCHANGE TYPE FOR CABIN AND FUEL HEATING
COMBUSTION HEATERS FOR SHACKLETON AND MARATHON AIRCRAFT ONLY
SECTION 27U—cont.

Ref. No.	NOMENCLATURE	DETAIL	Drawing or Part No.	No. Of	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
	SHACKLETON, MARK 3—cont.					
	HEATERS, combustion—cont.					
	Spares—cont.					
695	Grommets	SIC.2889 ..	4	C	each
689	Jets, igniter	J/20B ..	2	B	" "
691	Jets, vaporizer	J/20A ..	1	B	" "
688	Pipes, fuel	D.Y.A.100/22	1	C	" "
687	Pipes, fuel, vaporizer assembly	D.Y.A.100/23	1	C	" "
706	Rings, sealing	D.Y.A.100/2007	1	C	" "
703	Screws, adjustment	C.R.S.10418 ..	1	C	" "
699	Seals, combustion, air	D.Y.A.100/0004	1	C	" "
698	Seals, ignition shroud	D.Y.A.100/0002	2	C	" "
704	Springs	D.Y.A.100/1006	4	C	" "
—	TROLLEYS, GROUND TEST, TYPE A	Ref. No. 488 (for aircraft heaters)	1	—	—
	Accessories :—					
—	Adapters	Ref. No. 560	1	—	—
	Spares :—					
—	Adapters, 2½ in.	Ref. No. 531	2	—	—
—	Adapters, "Y" branch, 2½ in. × 5 in.	Ref. No. 533	1	—	—
—	Belting, vee, rubber, laminated link, 40° angle, ½ in. (Whittle).	Reference 3B/2806	—	—	—
—	Couplings, hose, female, 2½ in.	Ref. No. 530	3	—	—
—	Couplings, hose, male, 2½ in.	Ref. No. 529	3	—	—
—	Hose, asbestos, 5 in. bore (18 ft. lengths)	Ref. No. 532	1	—	—
—	Hose, rubber, 2½ in. bore (20 ft. lengths)	Ref. No. 538	3	—	—

RESTRICTED

RESTRICTED

AIRBORNE HEATERS
HEAT EXCHANGE TYPE FOR CABIN AND FUEL HEATING
COMBUSTION HEATERS FOR SHACKLETON AND MARATHON AIRCRAFT ONLY
SECTION 27U—cont.

Ref. No.	NOMENCLATURE	DETAIL	Drawing or Part No.	No. Of	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
559	HEATERS, fuel	VALIANT B, MARKS 1, B (PR) and B (PR) K.1	D.257-63A . .	4	A	each

RESTRICTED

RESTRICTED

AIRBORNE HEATERS
HEAT EXCHANGE TYPE FOR CABIN AND FUEL HEATING
COMBUSTION HEATERS FOR BEVERLEY, SHACKLETON AND MARATHON AIRCRAFT ONLY

INDEX TO REFERENCE NUMBERS

SECTION 27U—cont.

Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.
4	7	157	7	224	7	257	8	360	5	513	5	545	4	644	1B	705	16		
5	7	160	7	225	2	258	8	361	5	514	11	546	4	647	1B	706	17		
8	8	161	7	226	2	259	8	362	4	515	11	547	4	648	1B	707	16		
15	2	162	7	227	2	260	8	363	11	516	1A	548	4	649	1B	708	16		
89	3	163	7	228	2	261	8	364	5	517	1A	549	4	656	1B	709	16		
90	3	164	7	229	2	262	8	365	5	518	1	550	1	661	1A	710	16		
120	13	199	13	230	2	263	8	366	5	519	1A	551	1	676	1B	711	16		
121	13	200	14	231	2	264	8	367	5	520	1A	552	11	678	1A	712	16		
122	14	201	13	232	2	265	8	368	4	521	1A	553	16	680	1A	713	16		
123	14	202	14	233	2	266	1	369	5	522	1	554	16	681	1A	714	16		
124	14	203	13	234	2	267	11	370	5	523	1B	555	5	682	1A	718	16		1D
125	14	204	13	235	2	268	11	371	5	524	1A	559	18	683	1B	719	16		1C
126	13	205	13	236	2	269	12	372	5	525	1	560	15	686	1	729	16		1D
127	14	206	13	237	2	273	8	373	4	526	1C	561	6	687	17	730	16		1D
128	13	207	13	238	2	276	12	374	5	527	1A	563	10	688	17	735	16		1D
129	13	208	13	239	2	277	12	375	4	528	1A	564	1C	689	17	755	16		1C
130	13	209	13	240	2	278	8	376	12	529	6	571	1C	690	16	763	16		1B
131	13	210	14	241	2	279	8	377	12	530	6	572	1D	691	17	764	16		1C
132	14	211	13	242	2	280	8	378	12	531	6	573	1C	692	16	768	16		1B
133	14	212	14	243	2	281	8	379	11	532	6	574	1C	693	16	799	16		1A
134	13	213	14	244	2	282	8	397	4	533	6	575	1D	694	16	804	16		1A
135	13	214	14	245	2	283	3	398	4	534	11	579	1D	695	17	817	16		1C
136	13	215	13	248	8	286	9	399	4	535	4	583	1C	696	16	820	16		1A
137	13	216	14	249	8	287	2	488	16	536	5	591	1C	697	16	821	16		1C
138	14	217	14	250	8	288	2	501	10	537	5	592	1C	698	17	824	16		1C
139	13	218	13	251	8	353	5	502	10	538	6	598	1C	699	17				
140	14	219	13	252	8	354	1	505	10	539	16	599	1B	700	16				
141	13	220	14	253	8	355	1	509	11	540	5	630	1A	701	16				
142	14	221	13	254	8	357	11	510	4	541	4	631	1B	702	16				
155	7	222	7	255	8	358	4	511	11	543	4	642	1B	703	17				
156	7	223	7	256	8	359	5	512	12	544	4	643	1B	704	17				

RESTRICTED

Issued with A/L 145 to A.P. 1086, Book 11, Second Edition

RESTRICTED

RESTRICTED

Issued with A/L. 115 to A.P. 1086, Book 11, Second Edition.

20

PERIODICAL INSPECTION OF EQUIPMENT—STORAGE CATEGORIES

For details of different storage categories see A.P. 1086, Book 1, Second Edition, Memorandum of Instructions, Part 3.

AIRBORNE HEATERS

HEAT EXCHANGE TYPE FOR CABIN AND FUEL HEATING

COMBUSTION HEATERS FOR SHACKLETON AND MARATHON AIRCRAFT ONLY

SECTION 27U

Unless specifically shown below all items in this sub-section have an indefinite shelf life under normal storage conditions and are therefore in category 4.

Generic Heading	Category	Periodicity of Inspection in *Temperate Climates	
		Packaged	Unpackaged
HEATERS, cabin	1	3	1

* For method of calculating periodicity of inspection in tropical climates, see A.P. 1086, Book 1, Second Edition, Memorandum of Instructions, Part 3.

RESTRICTED

RESTRICTED

Issued with A/L. 151.

**AIR PUBLICATION, 1086
BOOK II
SECOND EDITION**

**SECTION 27UA
AIRCRAFT CABIN COOLING EQUIPMENT**

**Items under Section 27UA
are covered by
VOTE 7 A.2 (a)**

RESTRICTED

VOCABULARY OF ROYAL AIR FORCE EQUIPMENT
AIRCRAFT CABIN COOLING EQUIPMENT
SECTION 27UA

(7th September, 1959)

Ref. No.	NOMENCLATURE	DETAIL	Drawing or Part No.	No. Off	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
		BRITANNIA 252 AND MARK 1				
883	GOLD AIR UNIT, T.F. 10, Mark 4A	100419	2	A	each
884	EXTRACTOR, Water, Type W.E. 120, Mark 1	21808	2	A	"
	Associated item:—					
1138	Adapter, drain	22534	2	C	"
	Spares:—					
869	Gasket, outer shell joint	21868	2	C	"
1429	Plate, coalescer	103798	4	C	"
870	Spring, relief valve	21870	1	C	"
	HEAT EXCHANGERS:—					
1136	Air/air, L.H.	} Marston type	D.102-44A	1	A	"
1137	Air/air, R.H.		D.102-45A	1	A	"

RESTRICTED

RESTRICTED

1

AIRCRAFT CABIN COOLING EQUIPMENT

SECTION 27UA—cont.

Ref. No.	NOMENCLATURE	DETAIL	Drawing or Part No.	No. Off	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
	CANBERRA, MARKS B2 (embodying Mod. 5 or Mod. 2523), B.6, B.8, P.R. (embodying Mod. 1005), P.R. 7 and T.4.					
	CLAMPS:—	Installation items.				
517	Half	50002	24	C	each
518	Segmented	50270	6	C	"
382	GOLD AIR UNIT, A.C.R.E.9, Mark 10E	23414	1	A	"
	Associated item:—					
976	Dipstick and filler, oil level	23421 HX	1	C	"
	Spares:—					
410	Bolt, banjo, $\frac{1}{8}$ in. B.S.P.	23463	1	C	"
748	Valve, venting, non-return	A.120068	1	B	"
	COOLERS:—					
492	Primary	}	For Marks 6 and 8, P.R., Marks 3 and 7 and T., Mark 4	1	A	"
491	Secondary			1	A	"
510	EXTRACTOR, water, Type W.E.30, Mark 2A	η Superseded by Ref. No. 555	22697A	1	A	"
	Associated item:—					
516	Adapter, drain	22688	1	C	"
555	EXTRACTOR, water, Type W.E.30, Mark 2B	Supersedes Ref. No. 510	22697B	1	A	"
	Spares:—					
683	Gasket	22634	2	C	"
666	Ring, joint	22670/A	As req.	C	"
668	Ring, joint	22670/C	As req.	C	"
669	Ring, joint	22669	As req.	C	"
717	Valve assembly	103335	1	C	"

RESTRICTED

RESTRICTED

AIRCRAFT CABIN COOLING EQUIPMENT

SECTION 27UA—cont.

Ref. No.	NOMENCLATURE	DETAIL	Drawing or Part No.	No. Off	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
	CANBERRA, MARK P.R. 9					
1241	CLAMP, $\frac{3}{4}$ in.	50087	8	C	each
	CLAMPS:—					
—	Half	Ref. No. 517		22	—	—
1201	Half	50001	34	C	each
1209	Half, $1\frac{1}{2}$ in.	50097	94	C	"
—	GOLD AIR UNIT, A.C.R.E. 9, Mark 10.E	Ref. No. 382	23414	1	—	—
	Associated item:—					
—	Dipstick and filler, oil level	Ref. No. 976		1	—	—
	Spares:—					
—	Bolt, banjo, $\frac{1}{2}$ in. B.S.P.	Ref. No. 410		1	—	—
—	Valve, venting, non-return	Ref. No. 748		1	—	—
1216	DUCT, guard, frost, Type D.F.G., $1\frac{1}{2}$ in.	151077	1	B	each
1217	EXTRACTOR, water, Type W.E.5, Mark 9	119173	1	A	"
1213	EXTRACTOR, water, Type W.E.30, Mark 10	103640	1	A	"
	Associated item:—					
1427	Adapter, drain	119198	1	C	"
	HEAT EXCHANGERS:—					
1219	Air/air	Marston type	D.555-4A	1	A	"
957	Air/air, primary	D.106-42A	1	A	"
958	Air/air, secondary	D.106-43A	1	A	"
	VALVES:—					
1203	Control, C.V.25, Mark 2A	151063	1	A	"
1713	Control, flow, C.V.20, Mark 7	151151	1	A	"

RESTRICTED

RESTRICTED

AIRCRAFT CABIN COOLING EQUIPMENT

SECTION 27UA—cont.

Ref. No.	NOMENCLATURE	DETAIL	Drawing or Part No.	No. Off.	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
	CANBERRA, MARK P.R. 9—cont.					
	VALVES—cont.					
1714	Control, flow, C.V.20, Mark 8	151153	1	A	each
1056	Control, rotary, manual, $\frac{5}{8}$ in. Mark 2	108226	1	A	"
1205	Non-return, NR/R-1 $\frac{1}{2}$, Mark 1	151067	1	A	"
1426	Non-return, 1 $\frac{1}{2}$, Mark 1	151134	1	A	"

RESTRICTED

RESTRICTED

AIRCRAFT CABIN COOLING EQUIPMENT

SECTION 27UA—cont.

Ref. No.	NOMENCLATURE	DETAIL	Drawing or Part No.	No. Off.	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
	COMET 1A AND C, MARK 2					
742	COLD AIR UNIT, B.T. 15, Mark 1A	For C. Mark 2 aircraft only	24305	1	A	each
745	HEAT EXCHANGERS:— Air/air, primary, L.H.	AD.1370A	1	A	"
746	Air/air, primary, R.H.	AD.1370B	1	B	"

RESTRICTED

RESTRICTED

AIRCRAFT CABIN COOLING EQUIPMENT

SECTION 27UA—cont.

Ref. No.	NOMENCLATURE	DETAIL	Drawing or Part No.	No. Off	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
	HUNTER F., MARKS 1, 2, 4, 5 and 6					
401	COLD AIR UNIT, A.C.R.E.9, Mark 6W	23407	1	A	each
	Associated equipment:—					
973	Dipstick and filler, oil level	For Hunter F. Marks 1 and 4 only ..	23421 KX	1	B	"
972	Dipstick and filler, oil level	For Hunter F. Marks 2 and 5 only ..	23421 GX	1	B	"
974	Dipstick and filler, oil level	For Hunter F. Mark 6 only	23421 LX	1	B	"
	Spares:—					
—	Bolt, banjo, 1/8 in. B.S.P.	Ref. No. 401		1	—	—
—	Valve, venting, non-return	Ref. No. 542		1	—	—
395	EXTRACTOR, water, Type W.E.15, Mark 1A ..	Superseded by Ref. No. 553	23704A	1	A	each
553	EXTRACTOR, water, Type W.E.15, Mark 1B ..	Supersedes Ref. No. 395	23704B	1	A	"
	Associated item:—					
515	Adapter, drain	For Ref. Nos. 395 and 553.	23782	1	C	"
	Spares:—					
561	Coalescer assembly	103138	1	C	"
632	Gasket	23772	1	C	"
633	Ring, joint	23775	As req.	C	"
634	Ring, joint	23774A	As req.	C	"
636	Ring, joint	23774C	As req.	C	"
566	Valve and housing assembly	103187	1	C	"
384	INTER-COOLER	For Hunter F., Marks 1, 2, 4 and 5 only ..	D.119-3A	1	A	"
385	PRE-COOLER	For Hunter F., Marks 1, 2, 4, and 5 only ..	D.119-4A	1	A	"

RESTRICTED

RESTRICTED

AIRCRAFT CABIN COOLING EQUIPMENT

SECTION 27UA—cont.

Ref. No.	NOMENCLATURE	DETAIL	Drawing or Part No.	No. Off	Class of Store	Denom of Qty.
1	2	3	4	5	6	7
	HUNTER T. MARKS 7 and 8					
380	COLD AIR UNIT, A.C.R.E.9, Mark 8W.	23411	1	A	each
—	Associated item:— Dipstick and filler, oil level	Ref. No. 973	23421/KX	1	—	—
891	EXTRACTOR, water, Type W.E. 30, Mark 7	103441	1	A	each
—	Associated item:— Adapter, drain	Ref. No. 515		1	—	—
	Spares:—	For Ref. No. 891.				
1192	Coalescer, inner	103357	1	B	each
1193	Coalescer, outer	103365	1	B	"
1194	Gasket	103367	1	C	"
	HEAT EXCHANGERS:—					
1719	Air/air	For T. Mark 7 only	D.113-7A	2	A	"
881	Air/air	For T. Mark 8 only	D.119-7A	2	A	"
1008	VALVE, control, flow, Type CV.9, Mark 1	120264	1	A	"
—	Spares:—					
	Ring, sealing	Reference 27QA/563	G.D.1453B/20	1	C	"
1180	Shim	120085	As req.	C	"
1181	Shim	120087	As req.	C	"

RESTRICTED

RESTRICTED

AIRCRAFT CABIN COOLING EQUIPMENT

SECTION 27UA—cont.

Ref. No.	NOMENCLATURE	DETAIL	Drawing or Part No.	No. Off	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
	JAVELIN F. (A.W.), MARKS 1, 2, 4, 5 and 6 and T., MARK 3					
507	COLD AIR UNIT, Mark 10N..	23412	1	A	each
	Associated equipment:—					
975	Dipstick and filler, oil level	Supersedes Ref. No. 513	23421MX	1	B	"
513	Filler, oil level	Superseded by Ref. No. 975	23422D	1	B	"
	Spares:—					
—	Bolt, banjo, $\frac{1}{8}$ in. B.S.P.	Ref. No. 410		1	—	—
	Valve, venting, non-return	Ref. No. 542		1	—	—
508	EXTRACTOR, water, Type W.E.30, Mark 3 ..	Superseded by Ref. No. 556	103001	1	A	each
556	EXTRACTOR, water, Type W.E.30, Mark 3A ..	Supersedes Ref. No. 508	103001A	1	A	"
	Spares:—					
691	Coalescer assembly	103173	1	C	"
—	Gasket	Ref. No. 683		2	—	—
693	Gasket	103080	1	C	each
699	Shell and relief valve assembly	103199	1	C	"
451	INTER-COOLER, air	Marston type	D.211-2A	1	A	"
450	PRE-COOLER	D.211-1A	1	A	"

RESTRICTED

RESTRICTED

2

AIRCRAFT CABIN COOLING EQUIPMENT

SECTION 27UA—cont.

Ref. No.	NOMENCLATURE	DETAIL	Drawing or Part No.	No. Off	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
	JAVELIN F. (A.W.), MARKS 7 and 8					
—	GOLD AIR UNIT, Mark 10N	Ref. No. 507. Pre-mod. 789. Superseded by Ref. No. 948 on aircraft embodying mod. 789.		1	—	—
	Associated item:—					
—	Dipstick and filler, oil level	Ref. No. 975		1	—	—
783	GOLD AIR UNIT, Type B.T.7-1A	On aircraft embodying Mod. 568	140003	1	A	each
949	EXTRACTOR, water, Type W.E.5, Mark 2	For air ventilated suits	119006	1	A	"
	Spares:—					
1183	Coalescer assembly	119109	1	C	"
1543	Shim, 0.002 in. thick	119113/A	2	C	"
1544	Shim, 0.003 in. thick	119113/B	2	C	"
1545	Shim, 0.010 in. thick	119113/C	5	C	"
—	EXTRACTOR, water, Type W.E.30, Mark 3A	Ref. No. 556		1	—	—
	Spares:—					
—	Coalescer assembly	Ref. No. 691		1	—	—
—	Gasket	Ref. No. 683		2	—	—
—	Gasket	Ref. No. 693		1	—	—
—	Shell and relief valve assembly	Ref. No. 699		1	—	—
964	HEAT-EXCHANGER	Marston type	D.211-7A	1	A	each
968	HEAT-EXCHANGER, air/air	Missile cooling system	D.211-3A	1	A	"
472	INTER-COOLER	For air ventilated suits	D.149-2A	1	A	"
—	INTER-COOLER, air	Ref. No. 451		1	—	—

RESTRICTED

RESTRICTED

AIRCRAFT CABIN COOLING EQUIPMENT

SECTION 27UA—cont.

Ref. No.	NOMENCLATURE	DETAIL	Drawing or Part No.	No. Off	Class of Store	Denom of Qty.
1	2	3	4	5	6	7
	LIGHTNING F. MARK 1 AND TRAINER					
	CLAMPS:—					
—	$\frac{3}{8}$ in.	Ref. No. 1241		14	—	—
1208	2 in.	G.43/C	12	C	each
1243	2 in.	G.43/A	2	C	"
1502	2 in.	G.43/D	2	C	"
1242	Half	G.43/B	6	C	"
—	Half, $1\frac{1}{2}$ in.	Ref. No. 1209		22	—	—
1206	Half, 2 in.	50096	22	C	each
1634	COLD AIR UNIT, Type R.U. 45. 03					
—	EXTRACTOR, water, W.E. 30, Mark 1A					
—	Spares:—					
—	Gasket	Ref. No. 683		2	—	—
—	Ring, joint	Ref. No. 666		As req.	—	—
—	Ring, joint	Ref. No. 668		As req.	—	—
—	Ring, joint	Ref. No. 669		As req.	—	—
—	Valve and housing assembly	Ref. No. 687		1	—	—
	HEAT EXCHANGERS:—					
774	Air/air	Cabin air conditioning	D.158-10A	1	A	each
1050	Air/air	Auxiliary air system	D.555-2A	1	A	"
1052	Air/air	Radar bay cooling	D.603-1A	1	A	"
1210	Air/air	Air ventilated suit system	D.934-1A	1	A	"
1428	Air/boiling water	Cabin air conditioning	D.695-2A	1	A	"

RESTRICTED

RESTRICTED

AIRCRAFT CABIN COOLING EQUIPMENT

SECTION 27UA—cont.

Ref. No.	NOMENCLATURE	DETAIL	Drawing or Part No.	No. Off	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
METEOR N.F., MARK 14 AIRCRAFT IN F.E.A.F. ONLY						
	CLAMPS:—	Installation items.				
—	Half	Ref. No. 517		26	—	—
522	Half	50003	12	C	each
381	GOLD AIR UNIT, A.C.R.E.9, Mark 8E	23410	1	A	"
514	Associated item:— Filler, oil level	23422F	1	B	"
	COUPLINGS:—	Installation items.				
519	Grooved	50021	8	C	"
523	Grooved	50036	2	C	"
520	Plain	50041	1	C	"
524	Plain	50056	2	C	"
405	EXTRACTOR, water, Type W.E.30, Mark 1	Superseded by Ref. No. 554	22699	1	A	"
—	Associated item:— Adapter, drain	Ref. No. 516		1	—	—
554	EXTRACTOR, water, Type W.E.30, Mark 1A	Supersedes Ref. No. 405	22699A	1	A	each
—	Spare:— Gasket	Ref. No. 683		2	—	—
—	Ring, joint	Ref. No. 666		As req.	—	—
—	Ring, joint	Ref. No. 668		As req.	—	—
—	Ring, joint	Ref. No. 669		As req.	—	—
687	Valve and housing assembly	103198	1	C	each
404	INTER-COOLER	D.182-4A	1	A	"
403	PRE-COOLER	D.182-3A	1	A	"

RESTRICTED

RESTRICTED

AIRCRAFT CABIN COOLING EQUIPMENT

SECTION 27UA—cont.

Ref. No.	NOMENCLATURE	DETAIL	Drawing or Part No.	No. Off	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
	METEOR N.F., MARK 14 AIRCRAFT IN F.E.A.F. ONLY—cont.					
521	RINGS:—	Installation items.				
	Sealing	50062	14	C	each
525	Sealing	50063	7	C	"

RESTRICTED

RESTRICTED

AIRCRAFT CABIN COOLING EQUIPMENT

SECTION 27UA—cont.

Ref. No.	NOMENCLATURE	DETAIL	Drawing or Part No.	No. Off	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
	SCIMITAR F. MARK 1					
1007	GOLD AIR UNIT, Type RU.20-06	Naval aviation only		1	A	each
	Spare:—					
1061	Gasket	Naval aviation only	CA.1097	1	C	"
894	Gasket	Naval aviation only	CA.1094	1	C	"
893	Lubricator	Naval aviation only	2CA.1127A	1	C	"
1160	Pad, felt	Naval aviation only	CA.2650	1	C	"
1176	Pipe unit	Naval aviation only	CA.2672	1	C	"
895	Screw	Naval aviation only	CA.3362	2	C	"
1177	Screw, 8B.A., countersunk head × $\frac{5}{8}$ in. long ..	Naval aviation only	A41/Z/20	6	C	"
890	EXTRACTOR, water, Type WE.30, Mark 6	Naval aviation only	103231	1	A	"
	Spare:—					
663	Bolt	103052	17	C	"
568	Coalescer assembly	103163	1	C	"
1133	Cover, transport	G.49E	1	C	"
898	Cover, transport	G.49K	1	C	"
1188	Gaiter	Naval aviation only	103323	1	C	"
—	Gasket	Ref. No. 683		2	—	—
1186	Lagging, inlet end	Naval aviation only	103291	1	C	each
1187	Lagging, outlet end	Naval aviation only	103290	1	C	"
—	Ring, joint	Ref. No. 668		As req.	—	—
—	Ring, joint	Ref. No. 669		As req.	—	—
—	Ring, joint, (flat)	Ref. No. 666		As req.	—	—
667	Ring, joint, (flat)	22670B	As req.	C	each
576	Tube, bank, assembly	22638	1	C	"

RESTRICTED

RESTRICTED

AIRCRAFT CABIN COOLING EQUIPMENT

SECTION 27UA—cont.

Ref. No.	NOMENCLATURE	DETAIL	Drawing or Part No.	No. Off	Class of Store	Denom. of Qty.	
1	2	3	4	5	6	7	
	SEA HAWK, MARKS 1 and 2, F.B., MARK 3 and F.G.A., MARK 4						
—	COLD AIR UNIT	Reference 26AQ/3281. Naval aviation only	B.190419	1	—	—	
	Associated equipment:—						
959	Filler, oil level	Supersedes Ref. No. 513	23421/PX	1	B	each	
—	Filler, oil level	Ref. No. 513. Superseded by Ref. No. 959		1	—	—	
	Spares:—						
—	Bolt, banjo, 1/8 in. B.S.P.	Ref. No. 410	} Naval aviation only.	1	—	—	
1197	Cap and dipstick	Supersedes Ref. No. 737		120244	1	C	each
408	Cover, transport			23468	2	C	
441	Plate, identification			23477	1	C	"
407	Plate, identification			23489	1	C	"
299	Plate, name			10457	1	C	"
623	Ring, sealing			21792	1	C	"
542	Valve, venting, non-return		A.120020	1	C	"	
766	DIFFUSER, swing	For Sea Hawk F.G.A., Mark 4 only. Naval aviation only.	120075	2	C	"	
538	EXTRACTOR, water, Type W.E.15, Mark 2 ..	For Sea Hawk F.G.A., Mark 4 only. Naval aviation only.	23707	1	A	"	
	Spares:—						
649	Bolt	} Naval aviation only	23795	13	C	"	
650	Coalescer assembly		103160	1	C	"	
651	Cover, transport		50390B	2	C	"	
—	Gasket	Ref. No. 632		—	—	—	
653	Ring, joint	} Naval aviation only	23793A	As req.	C	each	
654	Ring, joint		23793B	As req.	C	"	
655	Ring, joint		23793C	As req.	C	"	
660	Ring, sealing		23794	1	C	"	
647	Spring, valve		23773	1	C	"	
565	Tube, bank		23760	1	C	"	

RESTRICTED

RESTRICTED

AIRCRAFT CABIN COOLING EQUIPMENT

SECTION 27UA—cont.

Ref. No.	NOMENCLATURE	DETAIL	Drawing or Part No.	No. Off.	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
	SEA HAWK, MARKS 1 and 2, F.B., MARK 3 and F.G.A., MARK 4—cont.					
—	INTER-COOLER	Ref. No. 472		1	—	—
471	PRE-COOLER	Naval aviation only	D.149-1A	1	A	each

RESTRICTED

Issued with A/L. 161 to A.P. 1086, Book 11, Second Edition.
 15

RESTRICTED

AIRCRAFT CABIN COOLING EQUIPMENT

SECTION 27UA—cont.

Ref. No.	NOMENCLATURE	DETAIL	Drawing or Part No.	No. Off	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
		SEA VAMPIRE				
272	COLD AIR UNIT, A.C.R.E. Mark 1A	16601	1	A	each
	Spares:—					
338	Bolt, 1/4 in. B.S.F.	} Naval aviation only } Ref. No. 299	16651	1	C	"
300	Cover, transport		16697	2	C	"
301	Cover, transport		16694	2	C	"
291	Plate, identification		20721	1	C	"
—	Plate, name			1	C	—
315	Ring, sealing			1	C	each
289	Ring, sealing			16669	1	C
290	Washer, tab		16671	4	C	"
			11169	4	C	"
284	INTER-COOLER, air	D.12/1A or QKD	1	A	"

RESTRICTED

RESTRICTED

AIRCRAFT CABIN COOLING EQUIPMENT

SECTION 27UA—cont.

Ref. No.	NOMENCLATURE	DETAIL	Drawing or Part No.	No. Off	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
	SEA VENOM F. (A.W.), MARK 20					
—	COLD AIR UNIT, A.C.R.E.S, Mark 1A	Ref. No. 272		1	—	—
	Spares:—					
—	Bolt, ¼ in. B.S.F.	Ref. No. 338	} Naval aviation only }	1	—	—
—	Cover, transport	Ref. No. 300		2	—	—
—	Cover, transport	Ref. No. 301		2	—	—
—	Plate, identification	Ref. No. 291		1	—	—
—	Plate, name	Ref. No. 299		1	—	—
—	Ring, sealing	Ref. No. 315		1	—	—
—	Ring, coupling	Ref. No. 289		4	—	—
—	Washer, tab	Ref. No. 290		—	—	—
—	INTER-COOLER. air	Ref. No. 284		1	—	—
285	PRE-COOLER	D.12 2A	1	A	each

RESTRICTED

RESTRICTED

AIRCRAFT CABIN COOLING EQUIPMENT

SECTION 27UA—cont.

Ref. No.	NOMENCLATURE	DETAIL	Drawing or Part No.	No. Off	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
	SEA VENOM F. (A.W.), MARK 21					
—	COLD AIR UNIT, A.C.R.E.8 Mark 1A .. n	Ref. No. 272. Superseded by Ref. No. 579 on aircraft embodying Mods. N.584 and N.766.		1	—	—
	Spares:—	Naval aviation only.				
—	Bolt, ¼ in. B.S.F.	Ref. No. 338		1	—	—
—	Cover, transport	Ref. No. 300		2	—	—
—	Cover, transport	Ref. No. 301		2	—	—
—	Plate, identification	Ref. No. 291		1	—	—
—	Plate, name	Ref. No. 299		1	—	—
—	Ring, sealing	Ref. No. 315		1	—	—
579	COLD AIR UNIT, A.C.R.E.9, Mark 6EA	Supersedes Ref. No. 272 on aircraft embodying Mods. N. 584 and N.766.	120001	1	A	each
	Spares:—					
744	Adapter, oil filler	Installation item	23691	1	A	"
—	Bolt, banjo, ¼ in. B.S.P.	Ref. No. 410		1	—	—
—	Cover, transport	Ref. No. 408. Naval aviation only		4	—	—
—	Plate, identification	Ref. No. 407. Naval aviation only		1	—	—
756	Plate, identification	Naval aviation only	120160	1	C	each
—	Plate, name	Ref. No. 299. Naval aviation only		1	—	—
—	Vent plug and valve assembly	Ref. No. 542		1	—	—
743	DIFFUSER, swing	On aircraft to Mods. N.584 and N.766 standard.	120102	2	C	each
775	EXTRACTOR, water, Type W.E.15, Mark 3	On aircraft to Mods. N.584 and N.766 standard.	103235	1	A	"
	Spares:—					
630	Bolt	Naval aviation only	23790	13	C	"
—	Coalescer assembly	Ref. No. 561		1	—	—
631	Cover, transport	Naval aviation only	50390E	2	D	each

RESTRICTED

RESTRICTED

AIRCRAFT CABIN COOLING EQUIPMENT

SECTION 27UA—cont.

Ref. No.	NOMENCLATURE	DETAIL	Drawing or Part No.	No. Off	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
	SEA VENOM F. (A.W.), MARK 21—cont.					
	EXTRACTOR, water, Type W.E.15, Mark 3—cont.					
	Spares—cont.					
—	Gasket	Ref. No. 632		2	—	—
—	Ring, joint	Ref. No. 633		1	—	—
—	Ring, joint	Ref. No. 634		As req.	—	—
635	Ring, joint	Naval aviation only	23774B	As req.	—	—
—	Ring, joint	Ref. No. 636	Ref. No. 636	As req.	—	—
—	Spring, valve	Ref. No. 647. Naval aviation only		1	—	—
—	Tube, bank	Ref. No. 565. Naval aviation only		1	—	—
—	INTER-COOLER, air	Ref. No. 284. Superseded by Ref. No. 738 on aircraft embodying Mods. N.584 and N.766.		1	—	—
738	INTER-COOLER, air	Supersedes Ref. No. 284 on aircraft embodying Mods. N.584 and N.766.	D.12/3A	1	A	each
—	PRE-COOLER	Ref. No. 285		1	—	—

RESTRICTED

RESTRICTED

AIRCRAFT CABIN COOLING EQUIPMENT

SECTION 27UA—cont.

Ref. No.	NOMENCLATURE	DETAIL	Drawing or Part No.	No. Off	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
	SEA VENOM F. (A.W.), MARK 22					
—	COLD AIR UNIT, A.C.R.E.9, Mark 6EA	Ref. No. 579		1	—	—
	Spares:—					
—	Adapter	Ref. No. 744		1	—	—
—	Bolt, banjo, 1/8 in. B.S.P.	Ref. No. 410		1	—	—
—	Cover, transport	Ref. No. 408. Naval aviation only		4	—	—
—	Plate, identification	Ref. No. 407. Naval aviation only		1	—	—
—	Plate, identification	Ref. No. 756. Naval aviation only		1	—	—
—	Plate, name	Ref. No. 299. Naval aviation only		1	—	—
—	Vent plug and valve assembly	Ref. No. 542		1	—	—
—	DIFFUSER, swing	Ref. No. 743		2	—	—
—	EXTRACTOR, water, Type W.E.15, Mark 3	Ref. No. 775		1	—	—
	Spares:—					
—	Bolt	Ref. No. 630. Naval aviation only		13	—	—
—	Coalescer assembly	Ref. No. 561		1	—	—
—	Cover, transport	Ref. No. 631. Naval aviation only		2	—	—
—	Gasket	Ref. No. 632		2	—	—
—	Ring, joint	Ref. No. 633		1	—	—
—	Ring, joint	R3f. No. 634		As req.	—	—
—	Ring, joint	Ref. No. 635. Naval aviation only		As req.	—	—
—	Ring, joint	Ref. No. 636		As req.	—	—
—	Spring, valve	Ref. No. 647. Naval aviation only		1	—	—
—	Tube, bank	Ref. No. 565. Naval aviation only		1	—	—
—	INTER-COOLER, air	Ref. No. 738		1	—	—
—	PRE-COOLER	Ref. No. 285		1	—	—

RESTRICTED

RESTRICTED

AIRCRAFT CABIN COOLING EQUIPMENT

SECTION 27UA—cont.

Ref. No.	NOMENCLATURE	DETAIL	Drawing or Part No.	No. Off	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
	SEA VIXEN, (F.A.W.) MARK 1					
787	COLD AIR UNIT, Type R.U.40/02	On 7th and subsequent aircraft. Naval aviation only.		1	A	each
	Spares:—					
—	Washer, mild steel, thin (0.048 in. thick):— 0.202 in. int. diam. x 0.391 in. ext. diam. ..	Reference 28W/12252	SP.13/C	—	—	—
889	EXTRACTOR, water, Type W.E.30, Mark 5	Naval aviation only	103018	1	A	each
952	HEAT-EXCHANGER	Naval aviation only	D.62-6A	1	A	"
953	HEAT-EXCHANGER	Naval aviation only	D.62-7A	1	A	"

RESTRICTED

RESTRICTED

AIRCRAFT CABIN COOLING EQUIPMENT

SECTION 27UA—cont.

Ref. No.	NOMENCLATURE	DETAIL	Drawing or Part No.	No. Off	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
	SWIFT F.R., MARK 5					
990	CLEANER, momentum type, Type, M.C.1, Mark 1	120269	1	A	each
350	GOLD AIR UNIT, A.C.R.E.9, Mark 8N	23408	1	A	"
	Associated equipment:—					
1300	Cap c/w cable end and dipstick	120336	1	C	"
—	Filler, oil, c/w dip-tray	Reference 26SS/7868		—	—	—
	Spares:—					
—	Bolt, banjo, 1/4 in. B.S.P.	Ref. No. 410		1	—	—
—	Valve, venting, non-return		1	—	—
545	COOLER, block	D.226-6A	1	A	each
—	EXTRACTOR, water, Type W.E.30, Mark 1 ..	η Ref. No. 405. Superseded by Ref. No. 554		1	—	—
—	EXTRACTOR, water, Type W.E.30, Mark 1A ..	Ref. No. 554. Supersedes Ref. No. 405 ..		1	—	—
	Spares:—					
—	Gasket	Ref. No. 683		2	—	—
—	Ring, joint	Ref. No. 666		As req.	—	—
—	Ring, joint	Ref. No. 668		As req.	—	—
—	Ring, joint	Ref. No. 669		As req.	—	—
—	Valve and housing assembly	Ref. No. 687		1	—	—

RESTRICTED

RESTRICTED

AIRCRAFT CABIN COOLING EQUIPMENT

SECTION 27UA—cont.

Ref. No.	NOMENCLATURE	DETAIL	Drawing or Part No.	No. Off.	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
	VALIANT B. (K.), MARK 1 and B. (P.R.), MARK 1					
536	COLD AIR UNIT, Type B.T.9, Mark 2B	On aircraft to pre-mod 806 standard ..	D.109003	1	A	each
882	COLD AIR UNIT, Type B.T.9, Mark 2C	On aircraft to post-mod. 806 standard ..	109204	1	A	"
481	EXTRACTOR, water, Type W.E.60, Mark 3	22583	1	A	"
	Associated item:—					
970	Gaiter, lagging	103485	1	C	"
	Spares:—					
—	Coalescer assembly	Ref. No. 871		1	—	—
—	Gasket	Ref. No. 872		1	—	—
—	Gasket	Ref. No. 873		1	—	—
—	Nut	Ref. No. 876		1	—	—
—	Pin	Ref. No. 793		2	—	—
880	Plate, valve	103313	1	C	each
—	Ring, sealing, delivery end	Ref. No. 874		1	—	—
—	Ring, sealing, inlet end	Ref. No. 875		1	—	—
—	Spindle valve	Ref. No. 878		1	—	—
—	Spring, relief valve	Ref. No. 879		1	—	—
539	FILTER, air	21662	1	A	each
	HEATERS:—					
396	Flood, cabin	D.191-2A	1	A	"
349	Main cabin	D.29-1A	1	A	"

RESTRICTED

RESTRICTED

AIRCRAFT CABIN COOLING EQUIPMENT

SECTION 27UA—cont.

Ref. No.	NOMENCLATURE	DETAIL	Drawing or Part No.	No. Off	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
	VAMPIRE, MARKS 9 and T.11					
—	COLD AIR UNIT, A.C.R.E.3, Mark 1A	Ref. No. 272. For Mark T.11 only ..		1	—	—
	Spares:—					
—	Ring, sealing	Ref. No. 289		4	—	—
—	Washer, tab	Ref. No. 290		4	—	—
351	Washer, waxed paper	20746	2	C	each
352	Washer, waxed paper	20747	2	C	"
271	COLD AIR UNIT, A.C.R.E.3, Mark 1B	For Mark 9 only	16602	1	A	"
	Spares:—					
—	Ring, sealing	Ref. No. 289		4	—	—
—	Washer, tab	Ref. No. 290		4	—	—
—	Washer, waxed paper	Ref. No. 351		2	—	—
—	Washer, waxed paper	Ref. No. 352		2	—	—

RESTRICTED

RESTRICTED

AIRCRAFT CABIN COOLING EQUIPMENT

SECTION 27UA—cont.

Ref. No.	NOMENCLATURE	DETAIL	Drawing or Part No.	No. Off	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
		VENOM, MARK F.B. 4				
—	COLD AIR UNIT, A.C.R.E.8, Mark 1A	Ref. No. 272. Pre-Mod. 467		1	—	—
	Spares:—					
—	Ring, sealing	Ref. No. 289		4	—	—
—	Washer, tab	Ref. No. 290		2	—	—
—	Washer, waxed paper	Ref. No. 351		2	—	—
—	Washer, waxed paper	Ref. No. 352		2	—	—
—	COLD AIR UNIT, A.C.R.E.9, Mark 6EA	Ref. No. 579. Post-Mod. 467.		1	—	—
	Associated item:—					
—	Adapter, oil filler	Ref. No. 744		2	—	—
1297	EXTRACTOR, water, W.E. 14, Mark 1	For Venom aircraft embodying Mod. 467 ..	103684	1	A	each
	HEAT EXCHANGERS:—					
—	Air/air	Ref. No. 284. Pre-Mod. 467		1	—	—
—	Air/air	Ref. No. 285		1	—	—
—	Air/air	Ref. No. 738. Post-Mod. 467		1	—	—
962	INTER-COOLER	Supersedes Ref. No. 284 in aircraft embodying Mod. 467.	D.12/5A	1	A	each

RESTRICTED

RESTRICTED

AIRCRAFT CABIN COOLING EQUIPMENT

SECTION 27UA—cont.

Ref. No.	NOMENCLATURE	DETAIL	Drawing or Part No.	No. Off	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
	VICTOR B., MARK 1					
1006	COLD AIR UNIT, Type R.U. 75-01	Supersedes Ref. No. 578. Mod. C.C.A./1050 refers.		1	A	each
1423	COLD AIR UNIT, Type R.U. -75-02	Supersedes Ref. No. 1006 from 28th aircraft on Mod. C.C.A./1149.		1	A	"
469	COOLER	Marston Excelsior type	D.122-5A	1	A	"
470	EXTRACTOR, water, Type W.E.60, Mark 4	22584	1	A	"
—	Associated item:— Gaiter, lagging	Ref. No. 970		1	—	—
	Spares:—					
871	Coalescer assembly	103195	1	C	each
872	Gasket	22550	1	C	"
873	Gasket	22548	1	C	"
876	Nut	103285	1	C	"
793	Pin	8850/C	2	C	"
877	Plate, valve	103314	1	C	"
874	Ring, sealing, delivery end	22551	1	C	"
875	Ring, sealing, inlet end	22552	1	C	"
878	Spindle, valve	103287	1	C	"
879	Spring, relief valve	103286	1	C	"
1290	PLATE, orifice	C.A.2822	1	B	"
	VALVES, flow augmentor:—					
532	Type F.G.X.2, Mark 1	106005	1	A	"
1049	Type F.G.2, Mark 2	Supersedes Ref. No. 532. Victor Mod. 599 and G.G. Mod. 127 refer.	106007	1	A	"
1430	Type F.G.2, Mark 3	Supersedes Ref. No. 1049. G.G.P. Mod. 184 refers.	106092	1	A	"

RESTRICTED

RESTRICTED

AIRCRAFT CABIN COOLING EQUIPMENT

SECTION 27UA—cont.

Ref No	Nomenclature	Detail	Drawing or Part No.	No. off	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
		VICTOR B, MARK 2				
1536	COLD AIR UNIT, Type T.F.10, Mark 7	100535	1	A	each
—	EXTRACTOR, water, Type W.E.60, Mark 4 ..	Ref. No. 470		1	—	—
—	Associated item:—					
—	Gaiter, lagging	Ref. No. 970		1	—	—
—	Spares:—					
—	Coalescer assembly	Ref. No. 871		1	—	—
—	Gasket	Ref. No. 872		1	—	—
—	Gasket	Ref. No. 873		1	—	—
—	Nut	Ref. No. 876		1	—	—
—	Pin	Ref. No. 793		2	—	—
—	Plate, valve	Ref. No. 880		1	—	—
—	Ring, sealing, delivery end	Ref. No. 874		1	—	—
—	Ring, sealing, inlet end	Ref. No. 875		1	—	—
—	Spindle, valve	Ref. No. 878		1	—	—
—	Spring, relief valve	Ref. No. 879		1	—	—
1547	HEAT EXCHANGER, air/air	D.863-1A	1	A	each

RESTRICTED

Issued with A/I. 157 to A.P. 1086, Book 11, Second Edition.

RESTRICTED

AIRCRAFT CABIN COOLING EQUIPMENT

SECTION 27UA—cont.

Ref. No.	NOMENCLATURE	DETAIL	Drawing or Part No.	No. Off	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
	VULCAN B., MARKS 1 and 2					
—	COLD AIR UNIT ASSEMBLY	For air ventilated suit system. (Spares details are included in A.P. 4515R, Vol. 3, Pt. 1.)		—	—	—
493	COLD AIR UNIT, Type B.T.15, Mark 2A		24308	1	A	each
1730	EXTRACTOR, water	For air ventilated suit system. (Spares details are included in A.P. 4515R, Vol. 3, Pt. 1.)	518490	1	A	"
—	EXTRACTOR, water, Type W.E.60, Mark 3	Ref. No. 481		1	—	—
969	Associated item:— Gaiter, lagging		103540	1	C	each
—	Spares:— Coalescer assembly	Ref. No. 871		1	—	—
—	Gasket	Ref. No. 872		1	—	—
—	Gasket	Ref. No. 873		1	—	—
—	Nut	Ref. No. 876		1	—	—
—	Pin	Ref. No. 793		2	—	—
—	Plate, valve	Ref. No. 880		1	—	—
—	Ring, sealing, delivery end	Ref. No. 874		1	—	—
—	Ring, sealing, inlet end	Ref. No. 875		1	—	—
—	Spindle, valve	Ref. No. 878		1	—	—
—	Spring, relief valve	Ref. No. 879		1	—	—
487	HEAT-EXCHANGER, single, primary	Marston Excelsior type	D.150-4A	1	A	each

RESTRICTED

RESTRICTED

AIRCRAFT CABIN COOLING EQUIPMENT

SECTION 27UA—cont.

Ref. No.	NOMENCLATURE	DETAIL	Drawing or Part No.	No. Off	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
	WYVERN, MARK 4					
—	EXTRACTOR, water, Type W.E.5, Mark 2	Ref. No. 949		1	—	—
	Spares:—					
—	Coalescer assembly	Ref. No. 1183. Naval aviation only ..		1	—	—
1184	Spring, valve	119114	1	C	each
1182	Valve and coalescer assembly	119100	1	A	"
762	HEAT-EXCHANGER, Type H.X.1, Mark 1	Superseded by Ref. No. 950	C.108190	1	A	"
950	HEAT-EXCHANGER, Type H.X.1, Mark 2	Supersedes Ref. No. 762	108229	1	A	"
	Spares:—					
763	Ring, sealing	Naval aviation only	O.S.29	1	C	"
764	Ring, sealing	Naval aviation only	O.S.30	1	C	"
761	VALVE, flow control, Type C.V.1, Mark 1	108174	1	A	"

RESTRICTED

RESTRICTED

**AIRCRAFT CABIN COOLING EQUIPMENT
INDEX TO REFERENCE NUMBERS**

SECTION 27UA—cont.

Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.
271	24	470	26	561	6	742	5	890	13	1137	1	1423	26				
272	16	471	15	565	14	743	18	891	7	1138	1	1426	4				
284	16	472	9	566	6	744	18	893	13	1160	13	1427	3				
285	17	481	23	568	13	745	5	894	13	1176	13	1428	10				
289	16	487	27	576	13	746	5	895	13	1177	13	1429	1				
290	16	491	2	579	18	748	2	898	13	1180	7	1430	26				
291	16	492	2	623	14	756	18	949	9	1181	7	1502	10				
299	14	493	27	630	18	761	28	950	28	1182	28	1543	9				
300	16	507	8	631	18	762	28	952	21	1183	9	1544	9				
301	16	508	8	632	6	763	28	953	21	1184	28	1545	9				
315	16	510	2	633	6	764	28	957	3	1186	13	1634	10				
338	16	513	8	634	6	766	14	958	3	1187	13	1713	3				
349	23	514	11	635	19	744	10	959	14	1188	13	1714	4				
350	22	515	6	636	6	775	18	962	25	1192	7	1719	7				
351	24	516	2	647	14	783	9	964	9	1193	7	1730	27				
352	24	517	2	649	14	787	21	968	9	1194	7						
380	7	518	2	650	14	793	26	969	27	1197	14	1536	26A				
381	11	519	11	651	14	869	1	970	23	1201	3	1547	26A				
382	2	520	11	653	14	870	1	972	6	1203	3						
384	6	521	12	654	14	871	26	973	6	1205	4						
385	6	522	11	655	14	872	26	974	6	1206	10						
395	6	523	11	660	14	873	26	975	8	1208	10						
396	23	524	11	663	13	874	26	976	2	1209	3						
401	6	525	12	666	2	875	26	990	22	1210	10						
403	11	532	26	667	13	876	26	1006	26	1213	3						
404	11	536	23	668	2	877	26	1007	13	1216	3						
405	11	538	14	669	2	878	26	1008	7	1217	3						
407	14	539	23	683	2	879	26	1049	26	1219	3						
408	14	542	14	687	11	880	23	1050	10	1241	3						
410	3	545	22	691	8	881	7	1052	10	1242	10						
441	14	553	6	693	8	882	23	1056	4	1243	10						
450	8	554	11	699	8	883	1	1062	13	1290	26						
451	8	555	2	717	2	884	1	1133	13	1297	25						
469	26	556	8	738	19	889	21	1136	1	1300	22						

RESTRICTED

RESTRICTED

RESTRICTED

Issued with A/L. 151 to A.P. 1086, Book 11, Second Edition.

30

PERIODICAL INSPECTION OF EQUIPMENT—STORAGE CATEGORIES

For details of different storage categories see A.P. 1086, Book 1, Second Edition, Memorandum of Instructions, Part 3.

AIRCRAFT CABIN COOLING EQUIPMENT

SECTION 27UA

Unless specifically shown below all items in this sub-section have an indefinite shelf life under normal storage conditions and are therefore in category 4.

Generic Heading	Category	Periodicity of Inspection in *Temperate Climates	
		Packaged	Unpackaged
AIRCRAFT CABIN COOLING EQUIPMENT.	1	3 years	1½ years

* For method of calculating periodicity of inspection in tropical climates see A.P. 1086, Book 1 Second Edition, Memorandum of Instructions, Part 3.

RESTRICTED

Issued with A/L 212

**AIR PUBLICATION 1086
BOOK II
SECOND EDITION**

SECTION 27V

AIRCRAFT CONTROLS—TEDDINGTON

**Items under Section 27V
are covered by
VOTE 7 A.2 (a)**

RESTRICTED

VOCABULARY OF ROYAL AIR FORCE EQUIPMENT
AIRCRAFT CONTROLS—TEDDINGTON
SECTION 27V
(10th March, 1965)

N.B.—For applicabilities for Section 27V see relevant Airframe and Engine, Vol. 3.

Ref. No.	Nomenclature	Detail	Part No.	No. off	Class of Store	D'nom of Qty.
1	2	3	4	5	6	7
5334	BELLOWS— SSB/A/461	Vulcan Mod. No. 177			B	each
6596	BRACKET AND SOLENOID ASSEMBLY	FMA-SA-396	1	A	..
6577	BRACKET AND SOLENOID	FMA-SA-387	2	A	..
5057	COCKS, isolation— FKH/A/48			A	..
5269	CONTROLLERS, flow— FOA/A/7	Redundant when Vulcan Mod. 176 is incorporated..			A	..
5063	DRIERS, air— FOD/A/1 Spares—			A	..
5519	Adapters	FOD-123		C	..
5520	Connections, top	FOD-210		C	..
5521	Containers, sub	FOD-SA-153		C	..
5508	Cover, sub-assembly	FOD-SA-209		C	..
5522	Cover, sub-assembly	FOD-SA. 154		C	..
5419	Gauze, filter	FOD-156		C	..
5420	Gauze, filter	FOD-208		C	..
5523	Housings	FOD-212		C	..
					A/L.	212

RESTRICTED

RESTRICTED

AIRCRAFT CONTROLS—TEDDINGTON

SECTION 27V—cont.

1	2	3	4	5	6	7
	DRIERS, air—cont.					
	FOD/A/1—cont.					
	Spares—cont.					
5380	Rings, clamp	COM-6304-14		C	each
5068	Rings, 'O'	FOD-149		C	"
5064	Seals	COM-6335		C	"
5524	Washer, seal	COM-6090-9		C	"
5082	FOD/A/5			A	"
	Spares—					
5511	Adapters	FOD-146		C	"
5514	Clamps	COM-6304-10		C	"
5512	Connections, top	FOD-213		C	"
5513	Containers, sub-assembly	FOD-SA-161		B	"
5515	Housings	FOD-214		C	"
5517	Screws, drive	COM-5091-4		C	"
5324	Springs	FOD/168		C	"
5516	Springs	FOD/167		C	"
5518	Washer, seal	COM-6090-11		C	"
	FILTERS, restrictor—					
5076	FLC/A/7			A	"
5062	FLC/A/8			B	"
	Spares—					
5455	Bodies, filter	To service FLC-A-7 and FLC-A-8.		C	"
5460	Caps, protection			C	"
5461	Caps, protection			C	"
5462	Caps, protection			C	"
5463	Caps, protection			C	"
5459	Covers, end			C	"
5077	Filters, roll assembly	FLC/SA/120		C	"
5078	Rings, 'O'	FLC/105		C	"
5079	Rings, 'O'	FLC/129		C	"
5080	Seals	FLC/125		C	"
5457	Sleeve, filter supporting			C	"

RESTRICTED

RESTRICTED

AIRCRAFT CONTROLS—TEDDINGTON

SECTION 27V—cont.

1	2	3	4	5	6	7
	FILTERS, restrictor—cont.					
	FLC/A/8—cont.					
	Spares—cont.					
5458	Tubes, centre			C	each
5081	Unions, restrictor			C	"
	Tools—	To service FLC-A-7 and FLC-A-8.	FLC/SA/127			
5428	Spanners, key			B	,
	JACKS, electro-pneumatic—					
	Double-acting—					
2766	FQ/A/262			A	"
2768	FQ/A/419			A	"
2769	FQ/A/494			A	"
	Spares—					
2774	Boots, rubber	For use with FQ jacks	FQ/A/404		C	"
	Single-acting—					
2248	FBG/A/395			A	"
2531	FBG/A/471			A	"
	Accessories—					
2114	Brackets, FBG/A/79			B	"
2110	Brackets, FBG/A/143			B	"
	Spares—					
2802	Swivels, link assembly	For all FBG jacks	FBG/SA/539		C	"
	JACKS, pneumatic—					
2128	EY/A/50			A	"
2486	EY/A/106			A	"
	MODULATORS, flow—					
5270	FMY/A/2	Redundant when Vulcan Mod. 176 is incorporated..			A	"
	PUMP INJECTOR ASSEMBLY—					
5283	FMT/A/20	(For record purposes only, not provisioned as a spare)	FMT/A/20		—	—
	Spares—	To service FMT-A-20.				
5749	Bushes	FKH-858		C	each
					A/L.	212

RESTRICTED

RESTRICTED

AIRCRAFT CONTROLS—TEDDINGTON

SECTION 27V—cont.

1	2	3	4	5	6	7
	PUMP INJECTOR ASSEMBLY—cont.					
	FMT/A/20—cont.					
	Spares—cont.					
5762	Cleats, retaining	FKH-119		C	each
5755	Levers	FKH-863		C	"
5751	Levers	FKH-859		C	"
5748	Pins, clevis	FKH-693		C	"
5754	Plates	FKH-862		C	"
5743	Shims	FKH-303		C	"
5750	Spacers	FKH-857		C	"
5752	Spacers	FKH-848		C	"
5753	Spacers	FKH-866		C	"
5769	Washer, plain	COM-5339-6		C	"
5768	Washers, spring, $\frac{5}{16}$ in. B.S.F.	COM-5331-4		C	"
5318	FMT/A/21	(For record purposes only, not provisioned as a spare)	FMT/A/21			
	Spares—	To service FMT-A-21.				
—	Bushes	Ref. No. 5749				
—	Cleats, retaining	Ref. No. 5762				
5763	Cleats, retaining	FMT-147		C	each
—	Levers	Ref. No. 5755				
—	Lever	Ref. No. 5751				
—	Pin, clevis	Ref. No. 5748				
—	Plates	Ref. No. 5754				
—	Shims	Ref. No. 5743				
—	Spacers	Ref. No. 5750				
—	Spacers	Ref. No. 5753				
—	Spacers	Ref. No. 5752				
5766	Plates, support	FMT-173		C	each
5288	FMT/A/22	(For record purposes only, not provisioned as a spare)	FMT/A/22			
	Spares—	To service FMT-A-22.				
5747	Levers, operating	FKH-692		C	"
5758	Shims	FKH-1109		C	"
5759	Shims	FKH-1110		C	"
5760	Shims	FKH-1111		C	"
5761	Shims	FKH-1112		C	"

RESTRICTED

RESTRICTED

AIRCRAFT CONTROLS—TEDDINGTON

SECTION 27V—cont.

1	2	3	4	5	6	7
	PUMP, INJECTOR ASSEMBLY—cont.					
	FMT/A/22—cont.					
	Spares—cont.					
5744	Spacers	FKH-687		C	each
5745	Spacers	FKH-688		C	"
5746	Spacers	FKH-689		C	"
5282	FMT/A/23		FMT/A/23.			
	Spares—	(For record purposes only, not provisioned as a spare)				
—	Bushes	To service FMT-A-23.				
—	Cleats, retaining	Ref. No. 5749			—	—
—	Lever	Ref. No. 5762			—	—
—	Levers	Ref. No. 5751			—	—
—	Pins, clevis	Ref. No. 5755			—	—
—	Plates	Ref. No. 5748			—	—
—	Shims	Ref. No. 5754			—	—
5756	Shims	Ref. No. 5743			—	—
5757	Shims	FKH-335-3		C	each
—	Spacers	FKH-335-4		C	"
—	Spacers	Ref. No. 5752			—	—
—	Spacers	Ref. No. 5753			—	—
—	Spacers	Ref. No. 5750			—	—
—	Washer, spring, $\frac{5}{16}$ in. B.S.F.	Ref. No. 5768			—	—
—	Washers	Ref. No. 5769			—	—
	THERMOSTATS—					
	Single Merlin—					
2775	BGA/5400	Ref. No. 1464 with Mod. BGA.1 incl.			A	each
2776	BGA/5401	Ref. No. 2028 with Mod. BGA.1 incl.			A	"
1464	Yellow nameplate and locking barrel	For use 30% on Glycol systems	BGA/3798		A	"
	VALVES—					
	Air-Gas—					
5073	FLA/A/4			A	"
	Spares—	To service FLA-A-4 valves.				
5650	Air valve seats	FLA-130		C	"
5646	Back plate and valve assemblies	FLA-SA-167		C	"
					A/L.	212

RESTRICTED

5

RESTRICTED

AIRCRAFT CONTROLS—TEDDINGTON

SECTION 27V—cont.

1	2	3	4	5	6	7
	VALVES—cont.					
	Air-Gas—cont.					
	FLA/A/4—cont.					
	Spares—cont.					
5655	Base plate and diaphragm assemblies	FLA-SA-272		C	each
5648	Bolts	FLA-193		C	"
5654	Bolts	FLA-206		C	"
5644	Connectors, outlet	FLA-150		C	"
5649	Nuts	FLA-127		C	"
5651	Shims	FLA-249		C	"
5911	Shims	FLA-257-1		C	"
5912	Shim	FLA-257-2		C	"
5913	Shims	FLA-257-3		C	"
5653	Testing washers	FLA-177		C	"
5710	Washers	COM.5656		C	"
5711	Washer, spring	COM.5330-3		C	"
5059	FLA/A/8			A	"
	Spares—	To service FLA-A-8 valves.				
—	Air valve seats	Ref. No. 5650			—	—
—	Back plate valve assemblies	Ref. No. 5646			—	—
5647	Base plate and diaphragm assemblies	FLA-A-277		C	each
—	Bolts	Ref. No. 5648			—	—
—	Connectors, outlet	Ref. No. 5644			—	—
5709	Nuts	COM.5985		C	each
—	Nuts	Ref. No. 5649			—	—
—	Shims	Ref. No. 5651			—	—
—	Shims	Ref. No. 5911			—	—
—	Shims	Ref. No. 5912			—	—
—	Shims	Ref. No. 5913			—	—
—	Testing washers	Ref. No. 5653			—	—
—	Washers	Ref. No. 5710			—	—
—	Washers, spring	Ref. No. 5711			—	—

RESTRICTED

RESTRICTED

AIRCRAFT CONTROLS—TEDDINGTON

SECTION 27V—cont.

1	2	3	4	5	6	7
	VALVES—cont.					
	Anti-surge—					
2314	FFA/A/34	For Ref. No. 2314.			A	each
	Spares—					
4139	Seals, oil		COM/5132		C	"
5183	Washers, tab, FFA/42				C	"
2803	FFA/A/62				A	"
3039	FFA/A/140				A	"
2852	FFA/A/195				A	"
4208	FFA/A/250				A	"
	Spares—					
5559	Washers	For Ref. No. 4208	FFA-223		C	"
5596	FFA/A/505				A	"
4100	FGR/A/3				A	"
	Butterfly—					
5593	FMP/A/42				A	"
5336	FMP/A/55				A	"
	Spares—	To service FMP-A-55				
5803	Screws, hex. head, 4 B.A.		COM-5729-8		C	"
5335	FMP/A/57				A	"
	Spares—	To service FMP-A-57.				
	Screws, hex. head, 4 B.A.	Ref. No. 5803				
5388	FMP/A/58	Superseded by Ref. No. 5564			A	each
5276	FMP/A/64	Replaces Ref. No 5263			A	"
	Spares—	To service FMP-A-64.				
5772	Bolts, D-head		FMP-1293		C	"
5805	Circlips		COM.6014-1		C	"
5773	Filters		FMP-1270		C	"
5771	Flange, spacers		FMP-1292		C	"
5804	Nuts, full		COM.6321-3		C	"
5770	Plates, locating		FMP-1291		C	"
5339	FMP/A/71				A	"
5383	FMP/A/75				A	"
	Spares—	To service FMP-A-75.				
5774	Bolts, D-head		FMP-1257		C	"
					A/L.	212

RESTRICTED

RESTRICTED

AIRCRAFT CONTROLS—TEDDINGTON

SECTION 27V—cont.

1	2	3	4	5	6	7
	VALVES—cont.					
	Butterfly—cont.					
	Spares—cont.					
—	Circlips	Ref. No. 5805			—	—
—	Filters	Ref. No. 5773			—	—
—	Nuts, full	Ref. No. 5804			—	—
5342	FMP/A/76			A	each
5321	FMP/A/87			A	"
5370	FMP/A/90			A	"
	Tools—					
5429	Spanners, key	To service FMP-A-90 valves	AJT-1971		B	"
5389	FMP/A/91	Superseded by Ref. No. 5507			A	"
5390	FMP/A/92			A	"
	Spares—	To service FMP-A-92.				
5777	Bolts, D-head	FMP.1732		C	"
5775	Bolts, D-head	FMP-2189		C	"
5778	Clamps	FMP.1723		C	"
5776	Covers, plate	FMP-2193		C	"
5779	Forks	FMP-1724		C	"
5780	Pins, connecting	FMP-1726		C	"
5807	Rings, retaining	COM.6097-10		C	"
5808	Washers, plain, 4 B.A.	COM.5740-5		C	"
—	Washers, tab, 2 B.A.	Ref. No. 5806			—	—
5391	FMP/A/93			A	each
	Spares—	To service FMP-A-93.				
—	Bolts, D-head	Ref. No. 5777			—	—
—	Clamps	Ref. No. 5778			—	—
5781	Forks	FMP-1727		C	each
5782	Linkage covers	FMP-1730		C	"
—	Pins, connecting	Ref. No. 5780			—	—
—	Rings, retaining	Ref. No. 5807			—	—
5809	Screws, hex. head	COM.5729-16		C	each
—	Washers, plain 4 B.A.	Ref. No. 5808			—	—

RESTRICTED

RESTRICTED

AIRCRAFT CONTROLS—TEDDINGTON

SECTION 27V—cont.

1	2	3	4	5	6	7
	VALVES—cont.					
	Butterfly—cont.					
5406	FMP/A/102	Victor Mod. 2198			A	each
	Spares—	To service FMP-A-102.				
5783	Bolt, D-head, B.S.F.		FMP-2458		C	"
—	Circlips	Ref. No. 5805			—	—
—	Filters	Ref. No. 5773			—	—
5392	FMP/A/105				A	each
	Spares—	To service FMP-A-105.				
5784	Plates, cover		FMP-2186	C		"
5810	Screws		COM.5326-S14	C		"
—	Washers, plain 4 B.A.	Ref. No. 5808			—	—
5393	FMP/A/108				A	each
5695	FMP/A/122				A	"
5394	FMP/A/132				A	each
	Spares—	To service FMP-A-132.				
5793	Angles, bracket		FMP-2892		C	"
5795	Bolts, special		FMP-2894		C	"
5785	Covers		FMP-SA-2891		C	"
5797	Lugs, mounting		FMP-2244		C	"
5798	Lugs, mounting		FMP-2245		C	"
5792	Mounting plates, top		FMP-2892		C	"
5790	Mounting plates, bottom		FMP-2893		C	"
5796	Pins		FMP-2900		C	"
5811	Screws, hex. head, 2 B.A.		COM.5728-18		C	"
5812	Screws, hex. head, 2 B.A.		COM.5728-14		C	"
5786	Shims, -002 in., thick		FMP-2246-A		C	"
5787	Shims, -003 in., thick		FMP-2246-B		C	"
5788	Shims, -005 in. thick.		FMP-2246-C		C	"
5789	Shims, -010 in. thick.		FMP-2246-D		C	"
5791	Sleeves		FLJ-165		C	"
5794	Spacers		FHK-198		C	"
5806	Washers, tab, 2 B.A.		COM.6089-2		C	"
5799	Washers, tab, 2 B.A.		FKH-384		C	"
5395	FMP/A/137				A	"
					A/L	212

RESTRICTED

RESTRICTED

AIRCRAFT CONTROLS—TEDDINGTON

SECTION 27V—cont.

1	2	3	4	5	6	7
	VALVES—cont.					
	Butterfly—cont.					
5557	FMP/A/143	Naval aviation only			A	..
5561	FMP/A/145			A	..
5578	FMP/A/154			A	..
5728	FMP/A/160			A	..
5727	FMP/A/162			A	..
5417	FMP/A/170			A	..
5415	FMP/A/174	Superseded by Ref. No. 6567			A	..
5416	FMP/A/175	Superseded by Ref. No. 6568			A	..
	Spares—	To service FMP-A-170, 174 and 175 valves.				
	Screws, hex. head, 4 B.A.	Ref. No. 5803			—	—
5813	Washers, tab	COM.6089-8		C	each
5412	FMP/A/179			A	..
	Spares—	To service FMP-A-179 valves.				
	Bolts, D-head	Ref. No. 5774			—	—
	Circlips	Ref. No. 5805			—	—
	Filters	Ref. No. 5773			—	—
	Nuts, full	Ref. No. 5804			—	—
5507	FMP/A/181	Supersedes Ref. No. 5389			A	each
	Spares—	To service FMP-A-181 valves.				
	Clamps	Ref. No. 5778			—	—
5800	Coverplate	FMP-1741		C	each
	Forks	Ref. No. 5781			—	—
	Washers	Ref. No. 5806			—	—
	Washers, plain, 4 B.A.	Ref. No. 5808			—	—
5545	FMP/A/189	Naval aviation only			A	each
5575	FMP/A/190			A	..
	Spares—	To service FMP-A-190 valves.				
5801	Brackets	FMP.3742		C	..
5814	Screws, hex. head	COM.5729-10		C	..
	Washers, tab, 4 B.A.	Ref. No. 5813			—	—
5576	FMP/A/191			A	each
	Spares—	To service FMP-A-192 valves.				
	Screws	Ref. No. 5803			—	—
	Washers, tab, 4 B.A.	Ref. No. 5813			—	—

RESTRICTED

RESTRICTED

AIRCRAFT CONTROLS—TEDDINGTON

SECTION 27V—cont.

1	2	3	4	5	6	7
	VALVES—cont.					
	Butterfly—cont.					
5564	FMP/A/192	Supersedes Ref. No. 5388			A	each
5546	FMP/A/193			A	"
5547	FMP/A/194	Naval aviation only			A	"
6573	FMP/A/201		1 per Assy.	A	"
5558	FMP/A/204	Naval aviation only			A	"
6420	FMP/A/206		1	A	"
6421	FMP/A/207		2	A	"
5548	FMP/A/210	Naval aviation only			A	"
5726	FMP/A/217			A	"
—	Spares—	To service FMP-A-217 valves.				
—	Circlips	Ref. No. 5805			—	—
—	Filters	Ref. No. 5773			—	—
5802	Pedestals	FMP-1968		C	each
5815	Screws, hex. head, 4 B.A.	COM.5726-16		C	"
5696	FMP/A/220			A	"
—	Spares—	To service FMP-A-220 valves.				
—	Bolts, 'D' head	Ref. No. 5774			—	—
—	Circlips	Ref. No. 5805			—	—
—	Nuts, full	Ref. No. 5804		—	—	—
9499319	FMP/A/235			A	each
—	Spares—	To service FMP/A/235 Valves.				
6586	Bolt, 'D' head, No. 10 U.N.F.	FMP-3380		C	"
6585	Stud, No. 10 U.N.F.	FMP-3381	2	C	"
5724	FMP/A/240	Supersedes Ref. No. 5528			A	"
—	Spares—	To service FMP-A-240 valves.				
—	Screws, hex. head, 4BA	Ref. No. 5803			—	—
5722	FMP/A/241	Supersedes Ref. No. 5391			A	each
—	Spares—	To service FMP-A-241 valves.				
—	Washers, tab, 2BA	Ref. No. 5806			—	—
6405	FMP/A/248	Teddington Mod. 1453			A	each

RESTRICTED

RESTRICTED

AIRCRAFT CONTROLS—TEDDINGTON

SECTION 27V—cont.

1	2	3	4	5	6	7
	VALVES—cont.					
	Butterfly—cont.					
6410	FMP/A/261	To service FMP/A/261 Valves.			A	each
	Spares—					
6589	Bolt, 'D' head		FMP-4647	3	C	"
6590	Stud, special, No. 10		FMP-4633	1	C	"
6591	Washer, plain		COM-6838-4	4	C	"
6592	Washer, spring		COM-6857-4	4	C	"
6411	FMP/A/262				A	"
6567	FMP/A/298	Supersedes Ref. No. 5415		1	A	"
	Spares—	To service FMP/A/298 Valves.		1	A	"
6579	Cover, housing, terminal		FMP-3353	1	C	"
6568	FMP/A/299	Supersedes Ref. No. 5416		1	A	"
6562	FMP/A/300	Supersedes Ref. No. 5393		1	A	"
6422	FMP/A/310			4	A	"
	Spares—					
6606	Bolt, fixing, No. 10 U.N.F.		FMP-7113	4	C	"
6607	Nut, special, No. 32 U.N.F.		FMP-7114	4	C	"
6587	FMP/A/311			2	A	"
	Spares—	To service FMP/A/311 Valves				
6588	Bolt, 'D' head		FMP-1369	—	C	"
—	Bolt, fixing, No. 10 U.N.F.	Ref. No. 6606		—	—	—
—	Nut, special, No. 32 U.N.F.	Ref. No. 6607		—	—	—
6593	FMP/A/316			2	A	each
	Carbon-plug—					
5306	FOZ/A/6				A	"
5358	FOZ/A/7				A	"
5337	FOZ/A/29				A	"
5400	FOZ/A/41				A	"
5413	FOZ/A/44				B	"
5509	FOZ/A/45	Replaces Ref. No. 5395			A	"
5573	FOZ/A/48				A	"
6429	FOZ/A/51	Supersedes Ref. No. 5573			A	"

RESTRICTED

RESTRICTED

AIRCRAFT CONTROLS—TEDDINGTON

SECTION 27V—cont.

1	2	3	4	5	6	7
	VALVES—cont.					
	Control—					
5560	FRH/A/4			A	each
5597	FRH/A/6	Supersedes Ref. No. 5560			A	"
	Electro-hydraulic—					
3041	FAC/A/350			A	"
3042	FAC/A/360			A	"
	Spares—					
5381	Valves, pilot	To service FAC/A/350 and FAC/A/360 valves	FAC-SA-366		C	"
6553	FAC/A/500	Supersedes Ref. No. 3041			A	"
6554	FAC/A/501	Supersedes Ref. No. 3042			A	"
	Electro-magnetic—					
4862	FKF/A/5	Introduced by Vampire Mod. 3296			A	"
9007736	Electro-magnetic (actuator)— FAW/A/505			B	"
	Electro-pneumatic—					
2177	ES/A/69			A	"
2138	ES/A/110			A	"
3452	ES/A/380			A	"
3453	ES/A/390			A	"
4125	ES/A/430			A	"
	Spares—	To service ES. A-390 and 430 valves.				
5627	Connectors, inlet	ES-327		C	"
5698	Covers, terminal block	FGY-SA-155		C	"
5622	Filter, assemblies	ES. SA. 391		C	"
5624	Nuts, round	FGB-336		C	"
5626	Pins, locking	FGB-418		C	"
5628	Rings, seal	FQ-435		C	"
5699	Screws, cover securing	FCP-110		C	"
5630	Screws, terminal	FAP. SA. 128		C	"
5625	Studs	ES-369		C	"
5629	Washers, rubber seal	FQF-144		C	"
5623	Washers, seal	ES. 418		C	"
3971	FKD/A/3			A	"
5131	FKD/A/5			A	"
					A/L	212

RESTRICTED

RESTRICTED

AIRCRAFT CONTROLS—TEDDINGTON

SECTION 27V—cont.

1	2	3	4	5	6	7
	VALVES—cont.					
	Electro-pneumatic—cont.					
5262	FMA/A/12	Incorporating stainless steel liners (Teddington Mod. No. 677). To service FMA/A/12 valves.			A	each
	Spares—					
5329	Bolts	FMA-137		C	"
5330	Bolts	6144/4		C	"
5332	Bolts	FKH/958		C	"
5349	Bolts	COM.6144/5		C	"
5665	Carbons, gate	FMA-147		C	"
5331	Nuts	FKH/1181		C	"
5346	Nuts	FMA/220		C	"
5348	Rings 'O'	COM.6308		C	"
5343	Rings, sealing	FMA/124		C	"
5344	Rings, sealing	FMA/139		C	"
5347	Rings, sealing	COM.6285		C	"
5350	Rings, sealing	COM.6602		C	"
5295	Washers, tab	FMA.140		C	"
5296	Washers, tab	FMA.141		C	"
5345	Washers, tab	FMA.143		C	"
5265	FMA/A/13	Incorporating stainless steel liners (Teddington Mod.) No. 677). To service FMA-A-13 valves			A	"
	Spares—					
—	Carbons, gate	Ref. No. 5665			—	—
—	Rings, carbon large	Ref. No. 5667			—	—
—	Washers, 'O' ring seal	Ref. No. 5715			—	—
—	Washers, tab	Ref. No. 5666			—	—
5313	FMA/A/16			A	each
5338	FMA/A/19			A	"
5565	FMA/A/51			A	"
	Spares—	To service FMA-A-51 valves.				
5664	Bolts	FMA-169		C	"
5669	Bolts, 'D' head	FMA-177		C	"
5670	Bolts, 'D' head	FMA-176		C	"

RESTRICTED

RESTRICTED

AIRCRAFT CONTROLS—TEDDINGTON

SECTION 27V—cont.

1	2	3	4	5	6	7
	VALVES—cont.					
	Electro-pneumatic—cont.					
	FMA/A/51—cont.					
	Spares—cont.					
5671	Bolts, 'D' head	FMA-178		C	each
5672	Bolts, 'D' head	FMA-175		C	"
—	Carbons, gate	Ref. No. 5665			—	—
5673	Nuts, castellated	FMA-182		C	each
—	Rings, carbon large	Ref. No. 5667			—	—
5719	Split pin	COM-5442-48		C	each
5668	Washers, 'O' ring seal	FMA-170		C	"
5717	Washers, plain	COM-6024-1		C	"
5718	Washers, tab	COM-6023-6		C	"
5720	Washers, plain	COM-5974-3		C	"
5716	Washers, spring	COM-6026-6		C	"
	Emergency relief—					
4925	FLP/A/6			A	"
4942	FLP/A/8			A	"
	Engine charge temperature control—					
2809	FFR/A/1	Model FFR6 incl.			B	"
	Fuel, plate type—					
4118	FKG/A/30			A	"
	Fuel tank pressure control—					
2145	FAZ/A/77			A	"
2702	FAZ/A/140			A	"
	Gate—					
5161	FKG/A/28			B	"
	Spares—	To service FKG/A/28 valves.				
5361	Bars, locking	FKG-148		C	"
5363	Clips, retaining	FKG-112		C	"
5362	Cranks, arm and gate	FKG-SA-123		C	"
5635	Cranks, ram and gate assembly	FKG-SA-496		C	"
5371	Gaskets, Hallite	FKG-157		C	"
5372	Gaskets, Hallite	FKG-106		C	"

RESTRICTED

RESTRICTED

AIRCRAFT CONTROLS—TEDDINGTON

SECTION 27V—cont.

1	2	3	4	5	6	7
	VALVES—cont.					
	Gate—cont.					
	FKG/A/28—cont.					
	Spares—cont.					
5707	Nuts	COM-5333-7		C	each
5563	Rings	FKG-493		C	"
5376	Rings, Gaco	COM-5842		C	"
5374	Rings, Nitrate, seal	FKG-205		C	"
5375	Rings, seal, lead	FKG-120		C	"
5360	Screws, socket	COM.5601-14		C	"
5703	Screws, socket	COM.5601-17		C	"
5704	Screws, socket	COM.5601-16		C	"
5706	Screws, socket	COM.5601-13		C	"
5378	Shims	FKG-A-109		C	"
5568	Springs	FKG-146		C	"
5636	Spindles, operating	FKG-486		C	"
5637	Washers, backing	FKG-491		C	"
5638	Washers, backing	FKG-492		C	"
5373	Washers, backing	FKG-119		C	"
5633	Washers, flat	FKG-117		C	"
5639	Washers, plain	FKG-162		C	"
5702	Washers, plain 2 BA	COM.5342-3		C	"
5631	Washers, skid	FKG-121		C	"
5634	Washers, skid	FKG-108		C	"
5632	Washers, spring	FKG-118		C	"
5701	Washers, spring, 2 BA	COM.5330-3		C	"
5580	FKG/A/37			A	"
	Spares—					
—	Cranks, ram and gate assembly	To service FKG-A-37 valves			—	—
—	Nuts	Ref. No. 5635			—	—
5642	Nuts, anchor	Ref. No. 5707			C	each
—	Screws, socket	Ref. No. 5704			—	—
5643	Shafts, operating	Ref. No. 5636	FKG-487		C	each
—	Spindles, operating	Ref. No. 5637			—	—
—	Washers, backing				—	—

RESTRICTED

RESTRICTED

AIRCRAFT CONTROLS—TEDDINGTON

SECTION 27V—cont.

1	2	3	4	5	6	7
	VALVES—cont.					
	Gate—cont.					
	FKG/A/37—cont.					
	Spares—cont.					
—	Washers, backing	Ref. No. 5638			—	—
—	Washers, flat	Ref. No. 5633			—	—
—	Washers, plain, 2 BA	Ref. No. 5702			—	—
—	Washers, skid	Ref. No. 5631			—	—
—	Washers, skid	Ref. No. 5634			—	—
—	Washers, spring	Ref. No. 5632			—	—
—	Washers, spring, 2 BA	Ref. No. 5701			—	—
4286	FKH/A/2			A	each
4285	FKH/A/3			A	..
4795	FKH/A/9			A	..
5016	FKH/A/17			A	..
5264	FKH/A/55			A	..
5017	FKH/A/56			A	..
5095	FKH/A/59			A	..
	Spares—	To service FKH-A-59			—	—
—	Nuts, full, 2 BA			—	—
5302	FKH/A/91			A	each
	Spares—	To service FKH-A-91 valves				
5737	Pins, shackle			C	..
5738	Washers			C	..
5307	FKH/A/96			A	..
5277	FKH/A/1503	Naval aviation only			A	..
5298	FKH/A/1507			A	..
5320	FKH/A/1522			A	..
5352	FKH/A/1525			A	..
5311	FKH/A/1529			A	..
5297	FKH/A/1535			A	..
5341	FKH/A/1537			A	..
5574	FKH/A/1541	Repair of Valiant Tanker Equipment			A	..
5354	FKH/A/1543			A	..
5377	FKH/A/1544			A	..
5301	FKH/A/5047	Valve and actuator assembly			A/L	212

RESTRICTED

RESTRICTED

AIRCRAFT CONTROLS—TEDDINGTON

SECTION 27V—cont.

1	2	3	4	5	6	7
	VALVES—cont.					
	Gate 2 in.—					
4072	FKH/A/4			A	each
	Gate 3 in.—					
4071	FKH/A/1			A	..
4363	FKH/A/36			A	..
	Spares—	To service FKH-A-36 valves				
5740	Nuts, plain 2 BA	COM-6025-5		C	..
	Gate 4 in.—					
5322	FKG/A/31			B	..
	Spares—	To service FKG-A-31 valves				
—	Cranks, ram and gate assembly	Ref. No. 5635			—	—
—	Screws, socket	Ref. No. 5704			—	—
—	Screws, socket	Ref. No. 5706			—	—
—	Spindles, operating	Ref. No. 5636			—	—
5640	Spindles, operating	FKG-845		C	each
—	Washers, backing	Ref. No. 5637			—	—
5641	Washers, backing	FKG-498		C	each
—	Washers, backing	Ref. No. 5638			—	—
6408	Washers, backing	FKG-498		C	each
—	Washers, flat	Ref. No. 5633			—	—
—	Washers, plain 2 BA	Ref. No. 5702			—	—
—	Washers, skid	Ref. No. 5631			—	—
—	Washers, skid	Ref. No. 5634			—	—
—	Washers, spring	Ref. No. 5632			—	—
—	Washers, spring, 2 BA	Ref. No. 5701			—	—
6430	FKG/A/40			A	each
	Spares—	To service FKG/A/40 valves				
6580	Flange, outlet	FKG-559	1	C	..
6583	Retainer, seal ring	FKG-616	1	C	..
6582	Ring, seal	FKG-567	1	C	..
6581	Ring, seal	FKG-568	1	C	..
6584	Shim, 0-010 in. thk.	FKG-628	I/R	C	..
6571	FKG/A/47		4	A	..

RESTRICTED

RESTRICTED

AIRCRAFT CONTROLS—TEDDINGTON

SECTION 27V—cont.

1	2	3	4	5	6	7
	VALVES—cont.					
	Header tank relief—					
2158	DS/A/298	Naval aviation only			A	each
2712	DS/A/343			A	"
2740	DS/A/347			A	"
2778	DS/A/370			B	"
2174	Tool, spanner	For adapters. For special use in installation and adjustment of D.S. valves only.	R.R.0281		B	"
2156	GD/A/92	Naval aviation only			A	"
	Hot air:					
4859	FKH/A/6			A	"
5056	FKH/A/37			A	"
5058	FKH/A/39	With follow-up resistor			A	"
	Spares—	To service FKH-A-39 valves.				
5730	Adapters, flange	FKH-2168		C	"
—	Screws, hex. head, 2 B.A.	Ref. No. 5741			—	—
5070	FKH/A/40			A	each
	Spares—	To service FKH-A-40 valves.				
5731	Flanged union	FKH-616		C	"
5742	'O' Rings	COM-6322		C	"
5816	Washers plain 1/4 in. B.S.F.	COM-5339-5		C	"
5765	Washers, spring	COM-5331-3		C	"
5072	FKH/A/41			A	"
	Spares—	To service FKH-A-41 valves.				
5733	Adapters, flange union, 2 in.	FKH-2044		C	"
5729	Gaskets	FKH-293		C	"
5900	Screws	COM-5329-S5		C	"
			-11			
5071	FKH/A/51			A	"
	Spares—	To service FKH-A-51 valves.				
—	Nuts, full 2 B.A.	Ref. No. 5901			—	—
—	Washers, plain 2 BA	Ref. No. 5677			—	—
—	Washers, spring 2BA.	Ref. No. 5676			—	—
4860	FKH/A/61	Superseded by Ref. No. 5310 and 6402			A	each
5083	FKH/A/63			A	"
					A/L	212

RESTRICTED

RESTRICTED

AIRCRAFT CONTROLS—TEDDINGTON

SECTION 27V—cont.

1	2	3	4	5	6	7
	VALVES—cont.					
	Hot air—cont.					
	FKH/A/63—cont.					
	Spares—	To service FKH-A-63 valves.				
5732	Adapters, flange coupling	FKH-233		C	each
5280	FKH/A/69			A	..
5590	FKH/A/1508			A	..
	Spares—	To service FKH-A-1508 valves.				
—	Nuts, plain	Ref. No. 5740			—	—
5902	Washers, plain 2 BA.	COM. 5974		C	each
5525	FKH/A/1511	Naval aviation only			A	..
5278	FKH/A/1512			A	..
	Spares—	To service FKH-A-1512 valves.				
—	Gaskets	Ref. No. 5729			—	—
5379	FKH/A/1513	Naval aviation only			A	each
5526	FKH/A/1514	Naval aviation only			A	..
5310	FKH/A/1536	Supersedes Ref. No. 4860. Superseded by Ref. Nos. 6402 and 6403.			A	..
	Spares—	To service FKH-A-1536 valves.				
—	Nuts, full 2 BA	Ref. No. 5901			—	—
—	Washers, spring	Ref. Nos. 5676			—	—
—	Washers, plain	Ref. No. 5677			—	—
5581	FKH/A/1545	Superseded by Ref. No. 6566			A	each
	Spares—	To service FKH-A-1545 valves.				
5739	Valves adapter	FKH-1992		C	..
5903	Washers, spring, ¼ in. B.S.F.	COM-6111-3		C	..
5591	FKH/A/1547			A	..
5697	FKH/A/1556	Supersedes Ref. No. 5264			A	..
	Spares—	To service FKH-A-1556 valves.				
—	Nuts, full 2 BA	Ref. No. 5901			—	—
6566	FKH/A/1557	Supersedes Ref. No. 5581			A	each
5723	FKH/A/1559	Supersedes Ref. No. 5352			A	..
5819	FKH/A/1560	Supersedes Ref. No. 5083			A	..
	Spares—	To service FKH-A-1560				
—	Screws	Ref. No. 5900			—	—

RESTRICTED

RESTRICTED

AIRCRAFT CONTROLS—TEDDINGTON

SECTION 27V—cont.

1	2	3	4	5	6	7
	VALVES—cont.					
	Hot air—cont.					
6402	FKH/A/1562	Supersedes Ref. Nos. 4860 and 5310			A	each
6403	FKH/A/1563	Supersedes Ref. No. 5310			A	"
	Hot air, 1½ in.					
4282	FKH/A/16			A	"
	Hot air, 2 in.:					
4281	FKH/A/15			A	"
	Spares—	To service FKH-A-15 valves.				
	Gaskets	Ref. No. 5729			—	—
5741	Screws, hex. head 2 BA	COM-6322		C	each
	Inward relief—					
3799	FLS/A/1			A	"
	Master control—					
3458	FLE/A/3			A	"
5060	FLE/A/4			A	"
	Spares—	To service FLE-A-4 valves.				
5658	Lock rings	FAC-206		C	"
5659	Lock rings	FLE-103		C	"
5660	Lock rings	FAC-152		C	"
5075	FLE/A/6			A	"
	Spares—	To service FLE-A-6 valves.				
	Discs, filter	Ref. No. 5658			—	—
5645	Lock rings	FLD-127		C	each
	Lock rings	Ref. Nos. 5659			—	—
	Lock rings	Ref. No. 5660			—	—
	Mixing 2 in.—					
4073	FKH/A/5			A	each
	Non-return—					
5396	FQF/A/1	Superseded by Ref. No. 5589			A	"
5589	FQF/A/5	Superseded by Ref. No. 6407			A	"
6407	FQF/A/6	Supersedes Ref. No. 5589			A	"
	Oil dilution—					
2687	FAW/A/220	12-volt			B	"
					A/L	212

RESTRICTED

RESTRICTED

AIRCRAFT CONTROLS—TEDDINGTON

SECTION 27V—cont.

1	2	3	4	5	6	7
	VALVES—cont.					
	Oil dilution—cont.					
3779	FAW/A/221	Model 2			B	each
3462	FAW/A/228			B	"
	Spares—				B	"
5818	Cover, terminal	For FAW-A/228, 325, 501	FAW-206		B	"
2800	FAW/A/330	Superseded by Ref. No. 4011			B	"
4011	FAW/A/330	Model 2. Supersedes Ref. No. 2800			B	"
5910	FAW/A/510	Teddington Modification No. 1356			B	"
5764	FAW/A/520	Supersedes Ref. No. 5418			A	"
4209	FGH/A/160			A	"
3038	FGH/A/165			A	"
	Accessories—					
4796	Jet, No. 1	FAW/146		C	"
2690	Jet, Type C, No. 2	0-070 in. hole	FAW/106		B	"
2691	Jet, Type C, No. 3	0-089 in. hole	FAW/145		C	"
2806	Jet, Type C, No. 4	0-105 in. hole	FAW/299		C	"
2908	Jet Type C, No. 6	0-120 in. hole	FAW/328		C	"
3966	Jet, Type E	0-120 in. hole. For use with Ref. Nos. 3038 and 4209.	FGH/152		C	"
	Spares—					
5186	Screws	For FAW valves	COM.5327/S/ 18		C	"
5185	Washers, tab	For FAW valves	FAW/343		C	"
	Pressure and vacuum relief—					
2338	FBN/A/100			A	"
	Pressure maintaining—					
2147	EV/A/135/155			B	"
	Pressure ratio control—					
5054	FKH/A/47			A	"
	Pressure reducing:					
3459	FLD/A/2.. .. .	Superseded by Ref. No. 6574			A	"
5061	FLD/A/5..			A	"

RESTRICTED

RESTRICTED

AIRCRAFT CONTROLS—TEDDINGTON

SECTION 27V—cont.

1	2	3	4	5	6	7
	VALVES—cont.					
	Pressure reducing—cont.					
	FLD/A/5—cont.					
	Spares—	To service FLD-A-2 and 5 valves				
5444	Bellows, assembly	FLD-SA-131		C	each
5433	Circlips, relief cover	COM-5351-7		C	"
5450	Connector and filter assemblies	Superseded by Ref. No. 6563	FLD-SA-170		C	"
6563	Connector and filter assemblies	Supersedes Ref. No. 5450	FLD-SA-248		C	"
5657	Connectors	FLD-155		C	"
5446	Covers	FLD-135		C	"
5434	Covers, for relief valve	FLD-SA-148		C	"
5431	Filter assemblies	CB-SA-72		C	"
5445	Gaskets	FLD-105		C	"
5443	Gaskets	FLD-134		C	"
5448	Plates, locking	FLD-110		C	"
5432	Rings, joint	FQ-185		C	"
5452	Rings, sealing	COM.6067		C	"
5439	Screws, 4 BA	COM.5601-4		C	"
5449	Screws, cheesehead, 8 BA	COM.5316-5-4		C	"
5440	Screws, locking, 4 BA	FLD-152		C	"
5447	Screws, cheesehead, 4 BA	COM-5724-22		C	"
5436	Shims, 0.030 in.	FLD-160		C	"
5437	Shims, 0.010 in.	FLD-159		C	"
5435	Springs, for relief valve	FLD-122		C	"
5454	Springs, tension	FLD-107		C	"
5442	Valves, chamber	FLD-137		C	"
5453	Valves, head	FLD-169		C	"
5438	Valves, relief assembly	FLD-SA-131		C	"
5441	Washers, tab special	FLD-161		C	"
	Tools—	To service FLD-A-2 and FLD-A-5 valves				
5425	Fixtures, test	AJF-1335		A	"
6574	FLD/A/14	Supersedes Ref. No. 3459		4	A	"
3796	FLQ/A/1			A	"
	Spares—					
5281	Rings, 'O'	Superseded by Ref. No. 5333	FLQ-105		C	"
					A/L	212

RESTRICTED

RESTRICTED

AIRCRAFT CONTROLS—TEDDINGTON

SECTION 27V—cont.

1	2	3	4	5	6	7
	VALVES—cont.					
	Pressure reducing—cont.					
	FLQ/A/1—cont.					
	Spares—cont.					
5333	Rings, 'O'	Mod. No. 828. Supersedes Ref. No. 5281	FLQ/272		C	each
5279	Seals, diaphragm	Superseded by Ref. No. 5323	FLQ/104		C	"
5323	Seals, diaphragm	Mod. No. 828. Supersedes Ref. No. 5279	FLQ/266		C	"
5688	Screws	FKY-128		C	"
5687	Washers, seal	FLQ-164		C	"
5713	Washers, spring	COM.5330-7		C	"
5714	Washers, spring	COM.5737-7		C	"
5098	FLQ/A/3	For Valiant Mod. No. 1512 (special order only) ..			A	"
	Spares—	To service FLQ-A-3 valves				
5661	Connectors	FLQ-242		C	"
—	Washers, seal	Ref. No. 5687			A	"
5398	FLX/A/13			A	each
5527	FLX/A/21	Supersedes Ref. No. 5398. Superseded by Ref. No. 6404			A	"
	Spares—	To service FLX-A-21 valves				
5662	Connectors	FLX-584		C	"
5663	Connectors	FLX.420		C	"
6404	FLX/A/24	Supersedes Ref. No. 5527			A	"
5099	FPE/A/1	For Valiant Mod. No. 1512 (special order only) ..			A	"
	Pressure regulator—					
5316	FPJ/A/5003	Superseded by Ref. No. 5407			A	"
5407	FPJ/A/5003	Supersedes Ref. No. 5316			A	"
5689	FPJ/A/5024	Supersedes Ref. No. 5407			A	"
5317	FPJ/A/6004	Superseded by Ref. No. 5401			A	"
5401	FPJ/A/5018	Supersedes Ref. No. 5317			A	"
6414	FRK/A/23		4	A	"
5594	FRK/A/28			A	"
	Pressure relief—					
4924	FLP/A/5			A	"
5097	FPC/A/1			A	"
	Spares—	To service FPC-A-1 valves				
5679	Gaskets	FPC-104		C	"

RESTRICTED

RESTRICTED

AIRCRAFT CONTROLS—TEDDINGTON

SECTION 27V—cont.

1	2	3	4	5	6	7
	VALVES—cont.					
	Pressure relief—cont.					
	FPC/A/1—cont.					
	Spares—cont.					
5684	Gaskets	FPC-108		C	each
5683	Nuts, special	FPC-111		C	"
5681	Pins, securing	FPC-110		C	"
5686	Screws, countersunk	COM.6110-18		C	"
5682	Screws, special	FPC-109		C	"
5680	Springs, clips	FPC. 117		C	"
5685	Valve head and ring assemblies	FPC-SA-130		C	"
6424	FTT/A/2		2	A	"
	Pressurisation—					
3456	FLA/A/3			A	"
	Restrictor, c/w air-filter—					
3460	FLC/A/5			A	"
	Solenoid—					
2854	FGB/A/4			A	"
5201	FGB/A/10			A	"
5365	FGB/A/11			A	"
5312	FGB/A/14	Superseded by Ref. No. 5387		A	"
5414	FGB/A/16			A	"
	Spares—					
5674	Filter and body assemblies			C	"
5387	FGB/A/19	Supersedes Ref. No. 5312 by Conway Mod. No. 129..		A	"
5579	FGB/A/22			B	"
5529	FAW/A/350			B	"
5399	FAW/A/501			A	"
6560	FAW/A/527			B	"
6561	FAW/A/536			B	"
	Spares—					
—	Covers, terminal	Ref. No. 5818		—	—
5418	FAW/A/508			A	each
6412	FAW/A/515		4	B	"
6413	FAW/A/525		2	B	"
6576	FAW/A/535		1	A	"
					A/L.	212

RESTRICTED

RESTRICTED

AIRCRAFT CONTROLS—TEDDINGTON

SECTION 27V—cont.

1	2	3	4	5	6	7
	VALVES—cont.					
	Temperature control—					
5053	FKH/A/35		A	each
5069	FKH/A/50		A	"
	Spares—					
5736	Collars, distance		C	"
5735	Mounting plates		C	"
5901	Nuts, full 2 BA		C	"
5734	Shim, steel 0-005		C	"
5676	Washers, spring		C	"
5677	Washer, plain 2 BA		C	"
5351	FOW/A/2		A	"
6570	FOY/A/5008		A	"
	Thermostatic—					
5267	FBZ/A/470		A	"
2805	FGP/A/1		A	"
	Thermostatic, for oil cooler—					
2162	FBZ/A/230		A	"
2249	FBZ/A/266		A	"
2772	FBZ/A/330		A	"
4097	FBZ/A/400		A	"
	Vent—					
3457	FLB/A/5	n	Superseded by Ref. No. 4584		A	"
4584	FLB/A/11	Supersedes Ref. No. 3457. Introduced by Teddington Mod. No. 591.		A	"
5074	FLB/A/12		A	"
5325	FLB/A/44		A	"
	Spares—					
5472	Back plates assemblies	To service FLB-A-12 valves	FLB-SA-179	C	"
5532	Base plates	To service FLB-A-44 valves	FLB-SA-1043	C	"
5468	Bellows assembly	To service FLB-A-12 and 44 valves	FLB-SA-150	C	"
5475	Bushes,	To service FLB-A-12 valves	FLB-168	C	"
5541	Bushes, friction guide	To service FLB-A-44 valves		C	"
5473	Cage and ball assemblies	To service FLB-A-12 valves	FLB-SA-192	B	"
5495	Centralising springs	To service FLB-A-12 valves	FLB-120	C	"

RESTRICTED

RESTRICTED

AIRCRAFT CONTROLS—TEDDINGTON

SECTION 27V—cont.

1	2	3	4	5	6	7
	VALVES—cont.					
	Vent—cont.					
	FBL/A/12 and FLB/A/44—cont.					
	Spares—cont.					
5542	Clips, friction at guide bush	To service FLB-A-44 valves			C	each
5656	Connector, assemblies	To service FLB-A-12 and FLB-A-44 valves ..	FLB-SA-529		C	"
5531	Diaphragm assemblies	To service FLB-A-12 and FLB-A-44 valves ..	FLB-SA-760		C	"
5506	Filters	To service FLB-A-12 valves	FKH-242		C	"
5486	Glands, ring	To service FLB-A-12 valves	FLB-124		C	"
5499	Glands, ring	To service FLB-A-12 valves	FLB-141		C	"
5482	Glands, sealing	To service FLB-A-12 valves	FLB-125		C	"
5494	Glands, sealing	To service FLB-A-12 valves	FLB-137		C	"
5501	Glands, sealing	To service FLB-A-12 valves	FLB-140		C	"
5483	Glands, sealing shim	To service FLB-A-12 valves	FLB-145		C	"
5533	Heads, valve	To service FLB-A-44 valves	FLB-SA-982		C	"
5530	Housings, bottom	To service FLB-A-12 and FLB-A-44 valves ..	FLB-SA-526		B	"
5490	Pressure springs	To service FLB-A-12 valves	FLB-194		C	"
5477	Screws, locking	To service FLB-A-12 valves	FHD-114		C	"
5476	Screws, special 2 BA	To service FLB-A-12 valves	FLB-199		C	"
5479	Seals	To service FLB-A-12 valves	FAC-187		C	"
5535	Shims 0-005 in. thick	To service FLB-A-12 and FLB-A-44 valves ..	FLP-229		C	"
5536	Shims 0-010 in. thick	To service FLB-A-12 and FLB-A-44 valves ..	FLP-230		C	"
5539	Shims, 0-010 in. thick	To service FLB-A-12 and FLB-A-44 valves ..			C	"
5540	Shims, 0-003 in. thick	To service FLB-A-12 and FLB-A-44 valves ..			C	"
5500	Shims, washer	To service FLB-A-12 valves	FLB-136		C	"
5537	Spacers at diaphragm	To service FLB-A-12 and FLB-A-44 valves ..	FLB-1111		C	"
5480	Springs, adjuster	To service FLB-A-12 valves	FLB-164		C	"
5496	Springs, housing	To service FLB-A-12 valves	FLB-108		C	"
5481	Springs, inward	To service FLB-A-12 valves	FLB-110		C	"
5497	Springs, main	To service FLB-A-12 valves	FLB-142		C	"
5498	Springs, outer housing	To service FLB-A-12 valves	FLB-129		C	"
5493	Springs, retainer	To service FLB-A-12 valves	FLB-267		C	"
5504	Steel balls	To service FLB-A-12 valves	COM-5921		C	"
5474	Tops cap	To service FLB-A-12 valves	FLB-SA-196		C	"
5465	Tops, housing	To service FLB-A-12 and 44 valves	FLB-SA-173		C	"
					A/L	212

RESTRICTED

RESTRICTED
27

AIRCRAFT CONTROLS—TEDDINGTON

SECTION 27V—cont.

1	2	3	4	5	6	7
	VALVES—cont.					
	Vent—cont.					
	FLB/A/12 and 44—cont.					
	Spares—cont.					
5502	Unions, reducing	To service FLB-A—12 valves	FLB-528		C	each
5505	Valves, ball	To service FLB-A-12 valves	COM-348		C	"
5534	Valves, disc	To service FLB-A-12 valves	FLB-759		C	"
5467	Valves, head	To service FLB-A-12 and 44 valves	FLB-SA-230		C	"
5487	Valves, seat nut	To service FLB-A-12 valves	FLB-107		C	"
5488	Valves, seat	To service FLB-A-12 valves	FLB-133		C	"
5469	Valves, seat housing	To service FLB-A-12 and 44 valves	FLB-SA-176		C	"
5478	Washers, friction	To service FLB-A-12 valves	FAC-130		C	"
5484	Washers, shim	To service FLB-A-12 valves	FLB-139		C	"
5485	Washers, shim	To service FLB-A-12 valves	FLB-241		C	"
5538	Washers, backing, at diaphragm	To service FLB-A-12 and 44 valves			C	"
	Tools—	To service FLB-A-12 and 44 valves.				
5510	Assembly fixture	AJT-1708		A	"
5422	Base and spanner, special	AJT-1456		A	"
5423	Fixture, test	AJT-1644		B	"
5424	Fixture, test	AJT-1328		A	"
5430	Fixture, test	PTR-24		A	"
5426	Screwdriver, special	AJT-1642		B	"
5427	Spanner, box	AJT-1555		B	"
5397	FLB/A/46			A	"
5569	FLB/A/67			A	"
6569	FLB/A/87		2	A	"
5570	FLS/A/7			A	"
	Water—					
4814	FAW/A/325			B	"
	Spares—					
—	Covers, terminal	Ref. No. 5818			—	—
	VERNATHERMS—					
	Thermostatic—					
5566	FHS/A/13			A	"

RESTRICTED

RESTRICTED

AIRCRAFT CONTROLS—TEDDINGTON
SECTION 27V—cont.
INDEX TO REFERENCE NUMBERS

Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.
1464	5	2803	7	4209	22	5073	5	5283	3	5341	17	5389	8	5432	23	5472	26	5510	28
2110	3	2805	26	4281	21	5074	26	5288	4	5342	8	5390	8	5433	23	5473	26	5511	2
2114	3	2806	22	4282	21	5075	21	5295	14	5343	14	5391	8	5434	23	5474	27	5512	2
2128	3	2809	15	4285	17	5076	2	5296	14	5344	14	5392	9	5435	23	5475	26	5513	2
2138	13	2852	7	4286	17	5077	2	5297	17	5345	14	5393	9	5436	23	5476	27	5514	2
2145	15	2854	25	4363	18	5078	2	5298	17	5346	14	5394	9	5437	23	5477	27	5515	2
2147	22	2908	22	4584	26	5079	2	5301	17	5347	14	5395	9	5438	23	5478	28	5516	2
2156	19	3038	22	4795	17	5080	2	5302	17	5348	14	5396	21	5439	23	5479	27	5517	2
2158	19	3039	7	4796	22	5081	3	5306	12	5349	14	5397	28	5440	23	5480	27	5518	2
2162	26	3041	13	4814	28	5082	2	5307	17	5350	14	5398	24	5441	23	5481	27	5519	1
2174	19	3042	13	4859	19	5083	19	5310	20	5351	26	5399	25	5442	23	5482	27	5520	1
2177	13	3452	13	4860	19	5095	17	5311	17	5352	17	5400	12	5443	23	5483	27	5521	1
2248	3	3453	13	4862	13	5097	24	5312	25	5354	17	5401	24	5444	23	5484	28	5522	1
2249	26	3456	25	4924	24	5098	24	5313	14	5358	12	5406	9	5445	23	5485	28	5523	1
2314	7	3457	26	4925	15	5099	24	5316	24	5360	16	5407	24	5446	23	5486	27	5524	2
2338	22	3458	21	4942	15	5131	13	5317	24	5361	15	5412	10	5447	23	5487	28	5525	20
2486	3	3459	22	5016	17	5161	15	5318	4	5362	15	5413	12	5448	23	5488	28	5526	20
2531	3	3460	25	5017	17	5183	7	5320	17	5363	15	5414	25	5449	23	5490	27	5527	24
2687	21	3462	22	5053	26	5185	22	5321	8	5365	25	5415	10	5450	23	5493	27	5529	25
2690	22	3779	22	5186	22	5322	18	5322	18	5370	8	5416	10	5452	23	5494	27	5530	27
2691	22	3796	23	5056	19	5201	25	5323	24	5371	15	5417	10	5453	23	5495	26	5531	27
2702	15	3799	21	5057	1	5262	14	5324	2	5372	15	5418	25	5454	23	5496	27	5532	26
2712	19	3966	22	5058	19	5264	17	5325	26	5373	16	5419	1	5455	2	5497	27	5533	27
2740	19	3971	13	5059	6	5265	14	5329	14	5374	16	5420	1	5457	2	5498	27	5534	28
2766	3	4011	22	5060	21	5267	26	5330	14	5375	16	5422	28	5458	3	5499	27	5535	27
2768	3	4071	18	5061	22	5269	1	5331	14	5376	16	5423	28	5459	2	5500	27	5536	27
2769	3	4072	18	5062	2	5270	3	5332	14	5377	17	5424	28	5460	2	5501	27	5537	27
2772	26	4073	21	5063	1	5276	7	5333	24	5378	16	5425	23	5461	2	5502	28	5538	28
2774	3	4097	26	5064	2	5277	17	5334	1	5379	20	5426	28	5462	2	5504	27	5539	27
2775	5	4100	7	5068	2	5278	20	5335	7	5380	2	5427	28	5463	2	5505	28	5540	27
2776	5	4118	15	5069	26	5279	24	5336	7	5381	13	5428	3	5465	27	5506	27	5541	26
2778	19	4125	13	5070	19	5280	20	5337	12	5383	7	5429	8	5467	28	5507	10	5542	27
2800	22	4139	7	5071	19	5281	23	5338	14	5387	25	5430	28	5468	26	5508	1	5545	10
2802	3	4208	7	5072	19	5282	5	5339	7	5388	7	5431	23	5469	28	5509	12	A/L	122

RESTRICTED

RESTRICTED

AIRCRAFT CONTROLS—TEDDINGTON
SECTION 27V—cont.
INDEX TO REFERENCE NUMBERS

Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.
5546	11	5626	13	5661	24	5706	16	5745	5	5780	8	5814	10	6562	12				
5547	11	5627	13	5662	24	5707	16	5746	5	5781	8	5815	11	6563	23				
5548	11	5628	13	5663	24	5709	6	5747	4	5782	8	5816	19	6566	20				
5557	10	5629	13	5664	14	5710	6	5748	4	5783	9	5818	22	6567	12				
5558	11	5630	13	5665	14	5711	6	5749	3	5784	9	5819	20	6568	12				
5559	7	5631	16	5668	15	5713	24	5750	4	5785	9	5900	19	6569	28				
5560	13	5632	16	5669	14	5714	24	5751	4	5786	9	5901	26	6570	26				
5561	10	5633	16	5670	14	5716	15	5752	4	5787	9	5902	20	6571	18				
5563	16	5634	16	5671	15	5717	15	5753	4	5788	9	5903	20	6573	11				
5564	11	5635	15	5672	15	5718	15	5754	4	5789	9	5910	22	6574	23				
5565	14	5636	16	5673	15	5719	15	5755	4	5790	9	5911	6	6576	25				
5566	28	5637	16	5674	25	5720	15	5756	5	5791	9	5912	6	6577	1				
5568	16	5638	16	5676	26	5722	11	5757	5	5792	9	5913	6	6579	12				
5569	28	5639	16	5677	26	5723	20	5758	4	5793	9	6402	21	6580	18				
5570	28	5640	18	5679	24	5724	11	5759	4	5794	9	6403	21	6581	18				
5573	12	5641	18	5680	25	5726	11	5760	4	5795	9	6404	24	6582	18				
5574	17	5642	16	5681	25	5727	10	5761	4	5796	9	6405	11	6583	18				
5575	10	5643	16	5682	25	5728	10	5762	4	5797	9	6407	21	6584	18				
5576	10	5644	6	5683	25	5729	19	5763	4	5798	9	6408	18	6585	11				
5578	10	5645	21	5684	25	5730	19	5764	22	5799	9	6410	12	6586	11				
5579	25	5646	5	5685	25	5731	19	5765	19	5800	10	6411	12	6587	12				
5580	16	5647	6	5686	25	5732	20	5766	4	5801	10	6412	25	6588	12				
5581	20	5648	6	5687	24	5733	19	5768	4	5802	11	6413	25	6589	12				
5589	21	5649	6	5688	24	5734	26	5769	4	5803	7	6414	24	6590	12				
5590	20	5650	5	5689	24	5735	26	5770	7	5804	7	6420	11	6591	12				
5591	20	5651	6	5695	9	5736	26	5771	7	5805	7	6421	11	6592	12				
5593	7	5653	6	5696	11	5737	17	5772	7	5806	9	6422	12	6593	12				
5594	24	5654	6	5697	20	5738	17	5773	7	5807	8	6424	25	6596	1				
5596	7	5655	6	5698	13	5739	20	5774	7	5808	8	6429	12	6606	12				
5597	13	5656	27	5699	13	5740	18	5775	8	5809	8	6430	18	6607	12				
5622	13	5657	23	5701	16	5741	21	5776	8	5810	9	6553	13						
5623	13	5658	21	5702	16	5742	19	5777	8	5811	9	6554	13						
5624	13	5659	21	5703	16	5743	4	5778	8	5812	9	6560	25						
5625	13	5660	21	5704	16	5744	5	5779	8	5813	10	6561	25						

RESTRICTED

RESTRICTED

RESTRICTED

Issued with A/L 178.

**AIR PUBLICATION 1086
BOOK II
SECOND EDITION**

**SECTION 27VC
AIRCRAFT CONTROLS—PALMER'S**

**ITEMS UNDER SECTION 27VC
ARE COVERED BY VOTE 7 A.2 (a)**

RESTRICTED

AIR MINISTRY
AIR PUBLICATION 1086 BOOK 11
SECOND EDITION

VOCABULARY OF ROYAL AIR FORCE EQUIPMENT
AIRCRAFT CONTROLS—PALMER'S
SECTION 27VC
(27th June, 1962)

REF. No.	NOMENCLATURE	DETAIL	DRAWING OR PART No.	No. OFF	CLASS OF STORE	DENOM OF QTY.
1	2	3	4	5	6	7
76	COMPENSATORS, resonance assembly	For Belvedere aircraft	C.80	4	B	each
	Spares:—					
77	Bands, index	C.80/8	1	C	..
78	Bolts, lock	C.80/5	1	C	..
79	Caps, end	C.80/2	1	C	..
80	Carriers, spring	C.80/3	2	C	..
81	Eye-bolts	C.80/7	1	C	..
82	Fork-ends	C.80/4	1	C	..
84	Pins, pivot	C.80/10	1	C	..
87	Springs, disc " Schnorr "	40 × 20— 3 × 25	8	C	..
83	Springs, housing	C.80/1	1	C	..
85	Screws, grub	C.80/9	1	C	..
86	Washers, lock	C.80/6	1	C	..
	CYLINDERS:—					
22	Master	Superseded by Ref. No. 70	C.66/C	1	A	..
70	Master, Mark 2	Supersedes Ref. No. 22	C.66/C	1	A	..
	Spares:—	For Ref. Nos. 22 and 70				
26	Caps	C.66/9	1	C	..
23	Rings, piston, sealing	C.66/5	1	C	..
25	Springs	C.66/8	1	C	..
24	Washers, cup	C.66/4	1	C	..

RESTRICTED

RESTRICTED

AIRCRAFT CONTROLS—PALMER'S

SECTION 27VC—cont.

1	2	3	4	5	6	7
72	CYLINDERS—cont. Master, Mark 3	For Sycamore, Mark 14. Supersedes Ref. Nos. 22 and 70	C.66/C Mark 3	1	A	each
	Spares:—					
—	Caps, end	Reference 28N/11403		—	—	—
74	Plugs, end	C.66/16	1	C	each
73	Washers sealing	C.66/15	1	C	..
89	FILTERS	For Hunter Marks 6, 9, 10 (fuel systems) ..	D.10721	1	B	..
	Spares:—					
90	Element	“Not now provisioned as a spare”	D.2054	1	C	..
	HOSE :—					
17	24 in.	With end fittings	H.87	1	B	..
	PEDALS, rudder :—	For Jet Provost aircraft.				
36	Port	C.73/BP	1	B	..
37	Starboard	C.73/BS	1	B	..
	Spares :—					
46	Bushes, oilite	CT.4	2	C	..
6	Cages, banjo joint washer	795/22	6	C	..
42	Nuts, lock	C.73B/10	1	C	..
43	Pads, brake pedal	C.73B/8	1	C	..
44	Pads, rudder pedal	C.73B/7	1	C	..
38	Pedals, brake, port	C.73B/3	1	B	..
39	Pedals, brake, starboard	C.73B/4	1	B	..
40	Pins, link	C.73B/6	1	C	..
45	Pivots	C.73B/5	1	C	..
41	Screws, adjusting	C.73B/9	1	C	..
9	Washers, joint, banjo	795/21	6	C	..
19	RESERVOIRS, oil	C.66D	1	A	..
	Spares :—					
21	Washers	C.66/13	1	C	..
20	Washers, cap	C.66/7	1	C	..

RESTRICTED

RESTRICTED

AIRCRAFT CONTROLS—PALMER'S

SECTION 27VC—cont.

1	2	3	4	5	6	7
	VALVES :—					
75	Pressure reducing	For anti-G. system, Hunter, Mark 7. .. .	C.58/B	1	A	each
88	Reducing	For Javelin, Marks 8 and 9. .. .	C.107	1	A	"
27	Reducing	Required for Anti-G equipment	C.58	—	A	"
47	VALVES, recuperator	For Victor aircraft	C.69	2	A	"
	Spares :—					
48	Unions, inlet	C.69/8	1	C	"
49	Washers, joint	C.69/9	1	C	"

RESTRICTED

RESTRICTED

RESTRICTED

**PERIODICAL INSPECTION OF EQUIPMENT
STORAGE CATEGORIES**

For details of different storage categories see A.P.1086, Book 1, Second Edition, Memorandum of Instructions, Part 3.

AIRCRAFT CONTROLS—PALMER'S

SECTION 27VC—cont.

Unless specifically shown below, all items in this sub-section have an indefinite shelf life under normal storage conditions, and are therefore in category 4.

Generic Heading	Category	Periodicity of Inspection in *Temperate Climates	
		Packaged	Unpackaged
VALVES, reducing	1	1 year	1 year

* For method of calculating periodicity of inspection in tropical climates see AP. 1086, Book 1, Second Edition, Memorandum of Instructions, Part 3.

RESTRICTED

Issued with A/L 181

**AIR PUBLICATION 1086
BOOK II
SECOND EDITION**

SECTION 27W

**AIRCRAFT HYDRAULIC AND UNDERCARRIAGE
EQUIPMENT OF STANDARD DESIGN**

**Items under Section 27W are covered by
VOTE 7.A 2**

RESTRICTED

4083-6-4

VOCABULARY OF ROYAL AIR FORCE EQUIPMENT
AIRCRAFT HYDRAULIC AND UNDERCARRIAGE EQUIPMENT
OF STANDARD DESIGN
SECTION 27W
(30th July, 1962)

Ref. No.	NOMENCLATURE	DETAIL	Part No.	Class of Store	Denom. of Qty.
1	2	3	4	5	6
1	PUMP, hand, auxiliary, Type 2 group	UM.501	A	each
	Accessories:—				
1073	Handle	Complete with grip	UMC.528/529	C	"
	Spares:—				
1000	Body, pump	UMC.503	C	"
—	Bolt, 2 BA	Reference 28D/6999	6A1/9C	—	—
1001	Bush	UMC.525	C	each
1075	Bush, oversize	UMC.532	C	"
1003	Guide, valve	UMC.508	C	"
—	Locknut, 2 BA	Reference 28M/753	A.16Y/CT	—	—
1005	Nut, gland	UMC.519	C	each
1006	Nut, piston rod	UMC.523	C	"
1009	Pin, lever	UMC.524	C	"
1008	Pin, piston	UMC.522	C	"
—	Pin, split	Reference 28P/19233	AGS.166/1	—	—
—	Pin, split	Reference 28P/1008915	SP.9.A4	—	—
1007	Piston	UMC.510	C	each
1010	Plate, locking	UMC.520	C	"
—	Plug, 1/4 in. B.S.P.	Reference 28R/9143883	AGS.595B	—	—
—	Plug, 3/8 in. B.S.P.	Reference 28R/11421	AGS.595C	—	—
1011	Ring, piston	UMC.511	C	each
1012	Ring, piston	UMC.516	C	"
1076	Ring, sealing	UMC.541	C	"
1015	Ring, sealing rubber	UMC.506	C	"

A/L 181.

RESTRICTED

RESTRICTED

AIRCRAFT HYDRAULIC AND UNDERCARRIAGE EQUIPMENT OF STANDARD DESIGN
SECTION 27W—cont.

1	2	3	4	5	6
	PUMP, hand, auxiliary, Type 2 Group—cont.				
	Spares—cont.				
1014	Rod, piston		UMC.513	C	each
—	Screw	Reference 28S/9435712	AGS.247/L0	—	—
1016	Screw, locking		UMC.527	C	each
1018	Seat, spherical		UMC.512	C	..
1017	Seat, valve		UMC.507	C	..
1019	Seating		UMC.505	C	..
1020	Sleeve, piston		UMC.514	C	..
1021	Socket, handle		UMC.521	C	..
1022	Spring, valve		UMC.526	C	..
1023	Stem, valve		UMC.500	C	..
—	Washer	Reference 28W/3069		—	—
1025	Washer, guide		UMC.518	C	each
—	Washer, spring, 2 BA	Reference 28W/3098	AGS.162/C	—	—
1024	Washer, tab		UMC.504	C	each
1026	Wire, locking		UMC.515	C	..
	VALVES, non-return group:—				
7	$\frac{3}{16}$ in. \times $\frac{3}{16}$ in.		UMC.703	A	..
	Spares:—				
1049	Spring		UMC.723	C	..
1056	Union	Superseded by Ref. No. 1077	UMC.722	C	..
1077	Unions	Supersedes Ref. No. 1050	AIR.106754	C	..
1070	Valves		UMC.720	C	..
—	Washer	Reference 28F/10463	AGS.1139/C	—	—
8	$\frac{1}{4}$ in. \times $\frac{1}{4}$ in.		UMC.704	A	each
	Spares:—				
—	Spring	Ref. No. 1049		—	—
1051	Union	Superseded by Ref. No. 1078	UMC.725	C	each
1078	Unions	Supersedes Ref. No. 1051	AIR.106758	C	..
—	Valves	Ref. No. 1070	—	—	—
—	Washer	Reference 28F/10463		—	—

RESTRICTED

RESTRICTED

AIRCRAFT HYDRAULIC AND UNDERCARRIAGE EQUIPMENT OF STANDARD DESIGN
SECTION 27W—cont.

1	2	3	4	5	6
9	VALVES, non-return group—cont. $\frac{5}{16}$ in. \times $\frac{5}{16}$ in.		UMC.705	A	each
	Spares:—				
1052	Spring		UMC.729	C	"
1053	Union	Superseded by Ref. No. 1079	UMC.728	C	"
1079	Union	Supersedes Ref. No. 2710/1053	AIR.106762	C	"
1062	Valve		UMC.726	C	"
—	Washer	Reference 28F/10465		—	—
10	$\frac{3}{8}$ in. \times $\frac{3}{8}$ in.		UMC.706	A	each
	Spares:—				
1065	Body, valve		UMC.730	A	"
—	Spring	Ref. No. 1052		—	—
1054	Union	Superseded by Ref. No. 1080	UMC.731	C	each
1080	Union	Supersedes Ref. No. 27W/1054	AIR.106766	C	"
—	Washer	Reference 28F/10465		—	—
12	$\frac{1}{2}$ in. \times $\frac{1}{2}$ in.		UMC.708	A	each
	Spares:—				
1055	Spring		UMC.735	C	"
1082	Union		AIR.106774	C	"
1064	Valve		UMC.732	C	"
—	Washer	Reference 28F/10466		—	—
2	VALVES, thermal relief group		UMC.602	A	each
5	VALVES, thermal relief group		UMC.632	A	"
	Spares:—				
—	Ball, $\frac{3}{4}$ in. diam.	Post Mod. No. UMC.602/M5		—	—
1059	Body, valve	Reference 2A/9500573	UMC.640	C	each
1030	Cap, valve, inlet		UMC.627	C	"
1029	Cap, valve, outlet		UMC.626	C	"
1067	Rod, push		UMC.644	C	"
1034	Seal, sleeve	For Ref. No. 2	UMC.604	C	"
1047	Seal, sleeve	For Ref. No. 5	UMC.635	C	"
1068	Sleeve		UMC.645	C	"
1032	Spring		UMC.603	C	"
1066	Washer		UMC.643	C	"
—	Washer	Reference 28F/10463		—	—

RESTRICTED

RESTRICTED

AIRCRAFT HYDRAULIC AND UNDERCARRIAGE EQUIPMENT OF STANDARD DESIGN

SECTION 27W—cont.

INDEX TO REFERENCE NUMBERS

Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.
1	1	1023	2	1078	2														
2	3	1024	2	1079	3														
5	3	1025	2	1080	3														
7	2	1026	2	1082	3														
8	2	1029	3																
9	3	1030	3																
10	3	1032	3																
12	3	1034	3																
1000	1	1047	3																
1001	1	1049	2																
1003	1	1050	2																
1005	1	1051	2																
1006	1	1052	3																
1007	1	1053	3																
1008	1	1054	3																
1009	1	1055	3																
1010	1	1059	3																
1011	1	1062	3																
1012	1	1064	3																
1014	2	1065	3																
1015	1	1066	3																
1016	2	1067	3																
1017	2	1068	3																
1018	2	1070	2																
1019	2	1073	1																
1020	2	1075	1																
1021	2	1076	1																
1022	2	1077	2																

RESTRICTED

RESTRICTED

**PERIODICAL INSPECTION OF EQUIPMENT
STORAGE CATEGORIES**

For details of different storage categories see A.P.1086, Book 1, Second Edition, Memorandum of Instructions, Part 3.

**AIRCRAFT HYDRAULIC AND UNDERCARRIAGE EQUIPMENT OF STANDARD DESIGN
SECTION 27W**

Unless specifically shown below all items in this sub-section have an indefinite shelf life under normal storage conditions and are therefore in category 4.

Generic Heading	Category	Periodicity of Inspection in *Temperate Climates	
		Packaged	Unpackaged
PUMPS, hand,	1	3 years	1 year

* For method of calculating periodicity of inspection in tropical climates see A.P.1086, Book .., Second Edition, Memorandum of Instructions, Part 3.

RESTRICTED

Issued with A/L. 67.

**AIR PUBLICATION 1086
BOOK II
SECOND EDITION**

SECTION 27WW

AIRCRAFT WINDSCREEN WIPER EQUIPMENT

**Items under Section 27WW are covered by
VOTE 7.A 2(a)**

RESTRICTED

VOCABULARY OF ROYAL AIR FORCE EQUIPMENT
AIRCRAFT WINDSCREEN WIPER EQUIPMENT
(Other than Dunlop Equipment, for which see A.P. 4515C, Vol. 3, Part 1)

SECTION 27WW
(28th January, 1955)

RESTRICTED

RESTRICTED

1

Ref. No.	Joint Service Reference	NOMENCLATURE	DETAIL	Part No.	No. of	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7	8
		ANSON, MKS. 20 T.21 and T.22					
		WIPER, WINDSCREEN—HOUDAILLE					
7		ARMS, ACTUATING	137A issue 3	2	C	each
5		BLADES	137A/C/D	2	C	"
2		GEAR-BOXES, c/w Spindle	141 issue 3	2	A	"
176		Spares :—					
		Grommets, rubber	No. 132	1	C	"
6		Spindles	141 issue 3	1	C	"
3		HOUSINGS	136A/137A issue 3	2	C	"

AIRCRAFT WINDSCREEN WIPER EQUIPMENT
SECTION 27WW—cont.

Ref. No.	Joint Service Reference	NOMENCLATURE	DETAIL	Part No.	No. of	Class. of store	Denom. of Qty.
1	2	3	4	5	6	7	8
		BEAUFIGHTER T.10					
		WIPER, WINDSCREEN—HOUDAILLE					
		ARMS, ACTUATING	Ref. No. 7		1	—	—
		BLADES	Ref. No. 5		1	—	—
		GEARBOXES	Ref. No. 2		1	—	—
		Spares :—					
		Grommets, rubber	Ref. No. 176		1	—	—
		Spindles	Ref. No. 6		1	—	—
		HOUSINGS	Ref. No. 3		1	—	—

AL 201

RESTRICTED

RESTRICTED

AIRCRAFT WINDSCREEN WIPER EQUIPMENT
SECTION 27WW—cont.

Ref. No.	Joint Service Reference	NOMENCLATURE	DETAIL	Part No.	No. of	Class of Store	Denom. of Qty.	
1	2	3	4	5	6	7	8	
		BRIGAND—B. MK. 1, MET. MK. 3, T. MK. 4 and T. MK. 5						
		WIPER, WINDSCREEN—HOUDAILLE						
		ARMS, ACTUATING	Ref. No. 7	—	1	—	—	
		BLADES	Ref. No. 5	—	1	—	—	
		GEARBOXES	Ref. No. 2	—	1	—	—	
		Spares :—						
		Grommets	Ref. No. 176	—	1	—	—	
		Spindles	Ref. No. 6	—	1	—	—	
		HOUSINGS	Ref. No. 3	—	1	—	—	

AL 201

RESTRICTED

RESTRICTED

**AIRCRAFT WINDSCREEN WIPER EQUIPMENT
SECTION 27WW—cont.**

Ref. No.	Joint Service Reference	NOMENCLATURE	DETAIL	Part No.	No. of	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7	8
		BUCKMASTER, MK. 1					
		WIPER, WINDSCREEN—HOUDAILLE					
		ARMS, ACTUATING	Ref. No. 7		2		
		BLADES	Ref. No. 5		2		
		GEAR-BOXES	Ref. No. 2		2		
		Spares :—					
		Grommets, rubber	Ref. No. 176		1		
		Spindles	Ref. No. 6		1		
		HOUSINGS	Ref. No. 3		2		

AL 207.

4

Issued with A/L. 67 to A.P. 1086, Book II, Second Edition.

RESTRICTED

RESTRICTED

AIRCRAFT WINDSCREEN WIPER EQUIPMENT
SECTION 27WW—cont.

Ref. No.	Joint Service Reference	NOMENCLATURE	DETAIL	Part No.	No. off	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7	8
		DEVON C.1					
		WIPER, WINDSCREEN—ROTAX					
13		WIPER, WINDSCREEN, ASSEMBLIES, COMPLETE.	ZA.1901/2	1	A	each
		Spare :—					
11		Arm, actuating assemblies	N.92296	1	B	" "
14		Blades	N.99707	1	C	" "
9		Housing and crankshaft, assemblies	N.99286	1	C	" "
10		Springs	N.92272	1	C	" "

RESTRICTED

RESTRICTED

AIRCRAFT WINDSCREEN WIPER EQUIPMENT
SECTION 27WW—cont.

Ref. No.	Joint Service Reference	NOMENCLATURE	DETAIL	Part No.	No. off	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7	8
		HERON, SERIES 2					
		WIPER, WINDSCREEN—ROTAX					
—		WIPER, WINDSCREEN, ASSEMBLIES, COMPLETE.	Ref. No. 13	—	1	—	—
		Spares :—					
—		Arm, actuating, assemblies	Ref. No. 11	—	1	—	—
—		Blades	Ref. No. 14	—	1	—	—
—		Housing and crankshaft assemblies	Ref. No. 9	—	1	—	—
—		Springs	Ref. No. 10	—	1	—	—

RESTRICTED

RESTRICTED

**AIRCRAFT WINDSCREEN WIPER EQUIPMENT
SECTION 27WW—cont.**

Ref. No.	Joint Service Reference	NOMENCLATURE	DETAIL	Part No.	No. off	Class of Store	Denom. of Qty.	
1	2	3	4	5	6	7	8	
		LINCOLN, MK. 2						
		WIPER, WINDSCREEN—HOUDAILLE						
—		ARMS, ACTUATING	Ref. No. 7	—	1	—	—	
—		BLADES	Ref. No. 5	—	1	—	—	
—		GEAR-BOXES, C/W SPINDLE	Ref. No. 2	—	1	—	—	
—		Spares :—						
—		Grommets, rubber	Ref. No. 176	—	1	—	—	
—		Spindles	Ref. No. 6	—	1	—	—	
—		HOUSINGS	Ref. No. 3	—	1	—	—	

RESTRICTED

RESTRICTED

AIRCRAFT WINDSCREEN WIPER EQUIPMENT
SECTION 27WW—cont.

Ref. No.	Joint Service Reference	NOMENCLATURE	DETAIL	Part No	No. off	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7	8
		SUNDERLAND, MK. 5					
		WIPER, WINDSCREEN—HOUDAILLE					
4		ARMS, ACTUATING	136A issue 3	2	B	each
—		BLADES	Ref. No. 5	—	2	—	—
1		GRANK RODS, LOWER PORTIONS	136A issue 5	2	C	each
—		GEAR-BOXES, C/W SPINDLE	Ref. No. 2	—	2	—	—
—		Spares :—					
—		Grommets, rubber	Ref. No. 176	—	1	—	—
—		Spindles	Ref. No. 6	—	1	—	—
—		HOUSINGS	Ref. No. 3	—	2	—	—

AL 201

RESTRICTED

RESTRICTED

Issued with J. L. 67 to F.P. 1086, Book 11, Second Edition.

AIRCRAFT WINDSCREEN WIPER EQUIPMENT

SECTION 27WW—cont.

REL. NO.	JOINT SERVICE REFERENCE	NOMENCLATURE	DETAIL	DRAWING OR PART NO.	NO. OR	CLASS. OF STERE	DENOM. OF QTY.	
1	2	3	4	5	6	7	8	
		SYCAMORE H.C., MKS. 10, 11, 12, 13 and 14						
		WIPER, WINDSCREEN—LUCAS						
228		ARMS, ACTUATING, L.H.	Pre-Mod 73	741837	1	B	each	
227		ARMS, ACTUATING, R.H.	Pre-Mod 73	741836	1	B	"	
229		BLADES	Pre-Mod 73	741680	2	C	"	
		WIPER, WINDSCREEN—ROTAX						
460		ARM, WIPER ASSEMBLIES	Mod 731	N 127062	2	B	"	
461		BLADES, WIPER	Mod 731	N 127063	2	C	"	

RESTRICTED

Issued with A/L 103 to A.P. 1086, Book 11, Second Edition

RESTRICTED

**AIRCRAFT WINDSCREEN WIPER EQUIPMENT
SECTION 27WW—cont.**

Ref. No.	Joint Service Reference	NOMENCLATURE	DETAIL	Part No.	No. off	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7	8
		VALETTA C., MKS. 1, 2 and 3					
		WIPER, WINDSCREEN—HOUDAILLE					
—		ARMS, ACTUATING	Ref. No. 7	—	2	—	—
222		BLADES	ACO.7586	2	C	each
—		GEAR-BOXES, C/W SPINDLE	Ref. No. 2	—	2	—	—
—		Spares :—					
—		Grommets, rubber	Ref. No. 176	—	1	—	—
—		Spindles	Ref. No. 6	—	1	—	—
—		HOUSINGS	Ref. No. 3	—	2	—	—

RESTRICTED

RESTRICTED

Issued with A/L. 67 to A.P. 1086, Book II, Second Edition.

**AIRCRAFT WINDSCREEN WIPER EQUIPMENT
SECTION 27WW—cont.**

Ret. No.	Joint Service Reference	NOMENCLATURE	DETAIL	Part No.	No. of	Class of Stone	Desig- num. of Q'y.
1	2	3	4	5	6	7	8
		VARSITY, T., MK. 1					
		WIPER, WINDSCREEN—HOUDAILLE					
—		ARMS, ACTUATING	Ref. No. 7	—	2	—	—
—		BLADES	Ref. No. 222	—	2	—	—
—		HOUSINGS	Ref. No. 3	—	2	—	—

RESTRICTED

RESTRICTED

**AIRCRAFT WINDSCREEN WIPER EQUIPMENT
SECTION 27WW—cont.**

Ref. No.	Joint Service Reference	NOMENCLATURE	DETAIL	Part No.	No. off	Class of Store.	Denom. of Qty.
1	2	3	4	5	6	7	8
		VIKING, MK. 2					
		WIPER, WINDSCREEN—HOUDAILLE					
—		ARMS, ACTUATING	Ref. No. 7	—	2	—	—
—		BLADES	Ref. No. 222	—	2	—	—
—		GEAR-BOXES, C/W SPINDLE	Ref. No. 2	—	2	—	—
—		Spares :—					
—		Grommets, rubber	Ref. No. 176	—	1	—	—
—		Spindles	Ref. No. 6	—	1	—	—
—		HOUSINGS	Ref. No. 3	—	2	—	—

AL 201

RESTRICTED

RESTRICTED

Issued with A/L. 67 to A.P. 1086, Book II, Second Edition.

RESTRICTED

Issued with A/L. 67 to A.P. 1086, Book 11, Second Edition.

PERIODICAL INSPECTION OF EQUIPMENT

STORAGE CATEGORIES

For details of different storage categories see A.P. 1086, Book 1, Second Edition, Memorandum of Instructions, Part 3.

AIRCRAFT WINDSCREEN WIPER EQUIPMENT

SECTION 27WW

Unless specifically shown below, all items in this sub-section have an indefinite shelf life under normal storage conditions, and are therefore in category 4.

Generic Heading	Category	Periodicity of Inspection in *Temperate Climates	
		Packaged	Unpackaged
BLADES	2	3 years	1 year
VALVES, CONTROL	1	5 years	1 year
WIPERS, WINDSCREEN, HOUDAILLE	1	3 years	1 year
WIPERS, WINDSCREEN, ROTAX ..	1	3 years	1 year

*For method of calculating periodicity of inspection in tropical climates see A.P. 1086, Book 1, Second Edition, Memorandum of Instructions, Part 3.

RESTRICTED

Issued with A/L 182

**AIR PUBLICATION 1086
BOOK II
SECOND EDITION**

SECTION 27Z

**TURNER DUPLEX HAND PUMPS FOR AIRCRAFT
HYDRAULIC SYSTEMS**

**Items under Section 27Z
are covered by
VOTE 7 A. 2**

RESTRICTED

VOCABULARY OF ROYAL AIR FORCE EQUIPMENT
TURNER DUPLEX HAND PUMPS
FOR
AIRCRAFT HYDRAULIC SYSTEMS
SECTION 27Z
(1st August, 1962)

Ref. No.	Nomenclature	Detail	Part No.	No. off	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
1	PUMPS, hand	Less handle. For use on Canberra and Mosquito aircraft.	Duplex 77C.1275	...	A	each
	Accessories:—					
1021	Handles	For Mosquito aircraft, Mark 3, only	97/C.1748	...	C	"
—	Bolts, steel, mild, non-stainless, hex. head, 2 B.A. × 1.5 in. long.	Reference 28D/94357110		...	—	—
—	Locknuts, steel, plain, 2 B.A.	Reference 28M/753		...	—	—
—	Washers, steel, spring, thick, single:— 0.20 in. int. diam. × 16 S.W.G.	Reference 28W/3098		...	—	—
1020	Handles	For Mosquito aircraft, all Marks except Mark 3	91/D.1643	...	C	each
—	Bolts, steel, mild, non-stainless, hex. head, 2 B.A. × 1.5 in. long.	Reference 28D/94357110		...	—	—
—	Locknuts, steel, plain, 2 B.A.	Reference 28M/753		...	—	—
—	Washers, steel spring, thick, single:— 0.20 in. int. diam. × 16 S.W.G.	Reference 28W/3098		...	—	—
1022	Spares:— Balls, valve		77/D.1298	...	C	each
—	Bolts:— Steel, mild, non-stainless, hex. head, 2 B.A. × 0.6 in. long.	Reference 28D/7030		...	—	—

RESTRICTED

RESTRICTED

TURNER DUPLEX PUMPS FOR AIRCRAFT HYDRAULIC EQUIPMENT

SECTION 27Z—cont.

1	2	3	4	5	6	7
	PUMPS, hand—cont.					
	Spares—cont.					
—	Bushes	Reference 27W/1001	—	—
—	Clips:—					
—	Hose, Type J or S complete, Mark 1	Reference 28E/9128961	—	—
1001	Relief valve	77/D.1292	C	each
1002	Gaiters	In halves	...	77/D.1333	C	—
1003	Gaiters	77/D.1334	C	—
—	Guides, valve	Reference 28W/1003	—	—
—	Nuts:—					
—	Gland	Reference 27W/1005	—	—
—	Piston rod	Reference 27W/1006	—	—
—	Stiff, standard hex. mild steel, 6 B.A.	Reference 28M/10286	—	—
—	Pins:—					
—	Cotter, split, $\frac{1}{32}$ in. \times $\frac{1}{2}$ in. long	Reference 28P/1008915	—	—
1005	Lever fulcrum	77/D.1304	C	each
—	Piston rod swivel	Reference 27W/1008	—	—
—	Split, mild steel, $\frac{1}{16}$ in. \times $\frac{1}{2}$ in.	Reference 28P/19233	—	—
—	Taper, standard, mild steel, $\frac{1}{16}$ in. \times 1 in. long	Reference 28P/1007781	—	—
1006	Pistons	77/D.1285	C	each
—	Plates:—					
1007	Cover	77/D.1288	C	—
—	Locking	Reference 27W/1010	—	—
—	Plugs, dust, protection, metal, $\frac{3}{8}$ in. B.S.P.	Reference 28R/9143883	—	—
—	Rings:—					
—	Piston	Reference 27W/1011	—	—
1008	Piston gland	17D.1331	C	each
—	Sealing	Reference 27W/1076	—	—
—	Sealing, rubber	Reference 27W/1015	—	—
1009	Washer, sealing	UMC.506 or 76/D.1245	—	—
1010	Rockers, handle	77/D.1300	C	each
—	Rods, piston	Reference 27W/1014	C	—
—	Screws:—					
—	Metal steel, cheesehead, 6 B.A. \times $\frac{1}{2}$ in. long	Reference 28S/9419437	—	—
—	Metal steel, cheesehead, 4 B.A. \times $\frac{1}{4}$ in. long	Reference 28S/9435712	—	—
1011	Special	77/D.1296	C	each

RESTRICTED

RESTRICTED

TURNER DUPLEX PUMPS FOR AIRCRAFT HYDRAULIC EQUIPMENT

SECTION 27Z—cont.

1	2	3	4	5	6	7
	PUMPS, hand—cont.					
	Spares—cont.					
1012	Seatings, inlet valve	77/D.1287		C	each
	Seats:—					
—	Spherical	Reference 27W/1018			—	—
—	Valve	Reference 27W/1017			—	—
	Sleeves:—					
1013	Piston	77/D.1286		C	each
1014	Spring, retaining	77/D.1295		C	"
	Springs:—					
1015	Relief valve	77/D.1291		C	"
—	Valve	Reference 27W/1022			—	—
—	Stems, valve	Reference 27W/1023			—	—
	Washers:—					
1016	Guide	77/D.1332		C	each
1017	Sealing	77/D.1301		C	"
1018	Sealing, rubber	77/D.1299		C	"
1019	Spring	77/D.1294		C	"
—	Stainless steel, special, bright:—					
—	0-12 in. int. diam. × 1 in. ext. diam.	Reference 28W/6334			—	—
—	Steel, spring, thick, single:—					
—	0-20 in. int. diam.	Reference 28W/3098			—	—
—	Wire, locking	Reference 27W/1026			—	—
2	PUMPS, hand	578C.10889	1	A	each
	Spares:—					
1047	Bushes	578E.23444	4	C	"
—	Guides, valve	Reference 27W/1003			—	—
—	Handles, complete with grip	Reference 27W/1073			—	—
—	Nuts, piston rod	Reference 27W/1006			—	—
1048	Pistons	578C.23442	1	C	each
	Pins:—					
1050	Lever fulcrum	578E.23445	1	C	"
1049	Swivel, piston rod	578E.23443	1	C	"

RESTRICTED

3

RESTRICTED

TURNER DUPLEX PUMPS FOR AIRCRAFT HYDRAULIC EQUIPMENT

SECTION 27Z—cont.

1	2	3	4	5	6	7
	PUMPS, hand—cont.					
	Spares—cont.					
	Plates:—					
—	Locking	Reference 27W/1010	—	—	—
	Rings:—					
—	Piston	Reference 27W/1011	—	—	—
—	Piston, gland	Reference 27W/1012	—	—	—
—	Rubber, sealing	Reference 27W/1015	—	—	—
1051	Sealing	76D.1235	1	C	each
1052	Rods, piston...	578/E.23473	1	C	„
	Screws, locking	Reference 27W/1016	—	—	—
	Seats:—					
—	Spherical	Reference 27W/1018	—	—	—
—	Valve	Reference 27W/1017	—	—	—
	Sleeves:—					
—	Piston	Reference 27W/1020	—	C	each
1057	Spanner, special	HP.1221	1	C	„
	Springs:—					
—	Valve	Reference 27W/1022	—	—	—
1053	Stems, valve	578E.23441	1	C	„
1054	Washers	578E.23004	1	C	„
	Washers:—					
—	Guide	Reference 27W/1025	—	—	—
—	Tab	Reference 27W/1024	—	—	—
—	Wire, locking	Reference 27W/1026	—	—	—
4	PUMPS, hand duplex	C/w. handle, socket, grip and fork end	704/C/10912	1	A	each
	Spares:—					
1058	Handle, hand pump	704/D/10913	1	B	„
3	PUMPS, hand, less handle	This item is identical with Ref. No. 2 except there is no handle.	700/C/10904	1	A	„
	Spares:—					
—	Spanner, special	Ref. No. 1057	1	—	—

RESTRICTED

RESTRICTED

TURNER DUPLEX PUMPS FOR AIRCRAFT HYDRAULIC EQUIPMENT

SECTION 27Z—cont.

1	2	3	4	5	6	7	
	SPECIAL SERVICING TOOLS:—	ONLY to be demanded in accordance with A.P.1303 G., Vol. 1.					
1032	Clamp, piston	H.P.257	—	—	each	
1023	Depressor for inlet valve springs	H.P.1119	—	—	"	
1041	Fixture assembly	H.P.1102	—	—	"	
1042	Fixture turnover	H.P.1108	—	—	"	
1036	Gauge, plug	H.P.1045	—	—	"	
1043	Handle, lapping	H.P.1148	—	—	"	
1040	Punch and block	H.P.1040	—	—	"	
1037	Reamer, hand	H.P.1112	—	—	"	
1046	Ring piston, oversize	77E.1236	—	—	"	
1055	Ring piston, oversize	77E.1237	—	—	"	
1024	Spanner, for relief valve caps	H.P.1116	—	—	"	
1025	Spanner, inlet valve unit	H.P.1118	—	—	"	
1033	Spanner, piston gland nut	H.P.234	—	—	"	
1045	Spanner, special	H.P.222	—	—	"	
1056	Tool assembly	H.P.224	—	—	"	
1029	Tool, piston, gland assembly	H.P.225	—	—	"	
1028	Tool, piston	H.P.1142	—	—	"	
1039	Tool, valve, seat assembly	H.P.253	—	—	"	

RESTRICTED

RESTRICTED

PERIODICAL INSPECTION OF EQUIPMENT

STORAGE CATEGORIES

For details of different storage categories, see A.P.1086, Book 1, Second Edition, Memorandum of Instructions, Part 3.

TURNER DUPLEX HAND PUMPS FOR AIRCRAFT HYDRAULIC SYSTEMS

SECTION 27Z

Unless specifically shown below, all items in this sub-section have an indefinite shelf life under normal storage conditions, and are therefore in category 4.

Generic Heading	Category	Periodicity of Inspection *Temperate Climates	
		Packaged	Unpackaged
GAITERS	1	3 years	1 year
PISTON GLANDS	1	3 years	1 year
PUMPS, hand	1	3 years	1 year
SEALING	1	3 years	1 year
SEALING, RUBBER	1	3 years	1 year

*For method of calculating periodicity of inspection in tropical climates, see A.P.1086, Book 1, Second Edition, Memorandum of Instructions, Part 3.

A/L 182

RESTRICTED

Issued with A/L 179.

**AIR PUBLICATION 1086
BOOK II
SECOND EDITION**

SECTION 27ZA

EXACTOR SELF-SEALING COUPLINGS

**Items in this Section
are covered by
VOTE 7 A 2 (a)**

RESTRICTED

396J-6-2

VOCABULARY OF ROYAL AIR FORCE EQUIPMENT
EXACTOR SELF-SEALING COUPLINGS
SECTION 27ZA
(27th June, 1962)

Ref. No.	NOMENCLATURE	DETAIL	Drawing or Part No.	5	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
35 2	BODIES, male, fuel 1 in.	C.15059	2	B	each
37	CONNECTIONS	Part No. C.15510 preferred	C.15189 or C.15510	1	A	„
38	CONNECTIONS	Part No. C.15511 preferred	C.15190 or C.15511	1	A	„
119	CONNECTIONS, drop tank air:— Spares:—		C.19847	4	B	„
120	Seals	C.19849	4	C	„
118	CONNECTIONS, drop tank delivery:— Spares:—		C.19833	4	B	„
117	Seals	C.19835	4	B	„
116	CONNECTIONS, drop tank transfer:— Spares:—			—	B	„
—	Seals	Ref. No. 117		4	—	—
26	CONNECTIONS, pipe	For use on jettisonable fuel tanks. For Javelin F(AW) Mark 1 aircraft.	13057	—	C	each
34	COUPLINGS	For use with the Sea Hawk plastic drop tanks.	M.23772-2	—	B	„
39	COUPLINGS	C.16248	2	B	„

A/L 179.

RESTRICTED

RESTRICTED

EXACTOR SELF SEALING COUPLINGS
SECTION 27ZA—cont.

1	2	3	4	5	6	7
52	COUPLINGS	C.15980	2	B	each
67	COUPLINGS, combined fuel and air:— Female half of the 1 in. × ½ in.:—	C.18220	2	A	..
	Spares:—					
78	Adaptors, female	C.16208	1	C	..
71	Bodies, air-valve	C.18225	1	C	..
69	Bodies, fuel valve	C.18222	1	C	..
79	" O " rings (B.S. 1806)	OS. 11 Spec.	2	C	..
			Hallprene 33			
80	" O " rings (B.S. 1806)	OS. 14 Spec.	1	C	..
			Hallprene			
68	Rings, sealing	C.15100	1	C	..
73	Rings, seal	C.18204	2	C	..
76	Springs	C.16213	1	C	..
72	Springs, conical	C.16218	1	C	..
77	Valves, sealing	C.16210	1	C	..
74	Valves, sealing	C.16217	1	C	..
75	Valves, spindle centre member	C.16216	1	C	..
70	Valves, stem	C.16209	1	C	..
112	COUPLINGS, drop tank, aircraft, half air	C.19838	4	B	..
	Spares:—					
113	Seals, lip	C.19899	4	C	..
114	Seals, valve	C.19843	4	C	..
115	Springs	C.19845	—	C	..
	COUPLINGS, drop tank:—					
	Female half:—					
59	1 in.	C.12768 or C.17512	2	B	..
65	1¼ in.	C.16429	1	B	..
66	1½ in.	C.15767 or C.17527	1	B	..

RESTRICTED

RESTRICTED

EXACTOR SELF-SEALING COUPLINGS
SECTION 27ZA—cont.

1	2	3	4	5	6	7
105	COUPLINGS, female half assembly	C.14755B	2	B	each
	Spares:—					
107	Seals, valve	C.16136	2	C	„
106	Springs	C.16422	2	C	„
104	COUPLINGS, female half assembly:—					
	Spares:—					
—	Seals, valve	Ref. No. 35		2	—	—
44	Springs	C.12911	2	C	each
98	COUPLINGS, female half assembly, complete	C.19172	1	B	„
	Spares:—					
100	Seals, valve sub-assembly	C.17514	1	C	„
99	Springs	C.4424	1	C	„
101	COUPLINGS, female half assembly, complete	C.18953	1	B	„
	Spares:—					
103	Seals, valve sub-assembly	C.17008	1	C	„
102	Springs	C.8745	1	C	„
47	COUPLINGS, fuel	Supersedes Ref. No. 24	C.16753 or C.16750	2	B	„
	Spares:—					
64	Seals	8737A	1	C	„
108	COUPLINGS, fuel drop tank, aircraft, half	C.19824	4	B	„
	Spares:—					
110	Seals	C.19829	8	C	„
109	Seals, lip	C.20073	16	C	„
111	Springs	C.19831	8	C	„
33	COUPLINGS, half	For use with the Bristol type Sea Hawk tank fuel system.	12915A or 14079	—	B	„

RESTRICTED

RESTRICTED

EXACTOR SELF-SEALING COUPLINGS
SECTION 27ZA—cont.

1	2	3	4	5	6	7
81	COUPLINGS, hose half:— Liquid:— $\frac{1}{2}$ in., Freon	For use with vapour cooling package 102 Mark 3. Vulcan, Victor, Blue steel application. (Sir George Godfrey and partners).	C.19007	1	B	each
82	Spares:— Circlips	Anderton Type 1000/175	4	C	„
86	Circlips	For Victor aircraft only	C.17760	2	C	„
92	Nuts, coupling	C.19253	2	C	„
93	Rings “ O ”	R.T. 0515 CR. 14638	1	C	„
83	Rings, thrust	C.19250	2	C	„
88	Seals, oil	C.17730	2	C	„
89	Sleeves (hose half)	C.19252	2	C	„
84	Springs	C.17762	2	C	„
94	Springs	C.17761	2	C	„
87	Springs, seat	C.19251	2	C	„
91	Sleeves, guide	C.19252	2	C	„
85	Valves, bonded	C.17740	2	C	„
90	Valves, spindle	C.17759	2	C	„
95	Vapour:— $\frac{1}{2}$ in. Freon	For use with vapour cooling package 102 Mark 3. (Sir George Godfrey and Partners, Ltd.). Victor, aircraft, Blue steel application.	C.18915	1	B	„
96	Spares:— Rings “ O ”	For Ref. No. 95, Spares for Ref. No. 95 are common also to Ref. No. 81.	RT. 0516 CR. 1463B	1	C	„
	COUPLINGS, pipe, self-sealing:—					
	Aircraft, female half:—					
18	$\frac{3}{8}$ in. B.S.P.	For Wyvern aircraft	4423	—	B	„
19	1 in. B.S.P.	For Wyvern aircraft	4610	—	B	„
	Aircraft, male half:—					
16	$\frac{3}{8}$ in. B.S.P.	For Wyvern aircraft	4418A	—	B	„
17	1 in. B.S.P.	For Wyvern aircraft	4609	—	B	„
20	1 in. B.S.P.	For Wyvern aircraft	5784A	—	B	„

RESTRICTED

RESTRICTED

EXACTOR SELF-SEALING COUPLINGS
SECTION 27ZA—cont.

1	2	3	4	5	6	7
	COUPLINGS, pipe, self sealing — cont.					
9	Refuelling, $\frac{3}{4}$ in. B.S.P.	Aircraft connection	5915	—	B	each
10	Refuelling, 1 in. B.S.P.	Aircraft connection	5918	—	B	"
	Refuelling, female half:—					
4	1 in.	Ground connection	6134	—	A	"
	Spares:—					
13	Caps, dust	C/w attaching chain	7197A	—	C	"
12	Caps, dust	7198A	—	C	"
11	Caps, filler	6155	—	C	"
21	1 $\frac{1}{4}$ in.	Ground connection. For use with PHOENIX refuellers.	7883	—	A	"
29	Screws, cheesehead, 2 B.A.	For use with Ref. 21	9314	—	C	"
14	$\frac{3}{4}$ in. B.S.P.	5916	—	B	"
15	1 in. B.S.P.	5919	—	B	"
24	2 in. B.S.P.	For Valiant aircraft	8749	—	B	"
	Refuelling, male half:—	Aircraft connection. For use with steel drop tanks.				
5	1 in. long	6133	—	B	"
6	1 in. short	6193	—	B	"
	Refuelling, male half:—	Aircraft connection. For use with light alloy drop tanks.				
7	Port	6690	—	B	"
8	Starboard	6694	—	B	"
	COUPLINGS, triple, self-sealing:—	For use with drop tanks fitted to Javelin F (AW), Marks 1 and 2.				
	Aircraft, female half (port):—					
31	$\frac{1}{2}$ in., 1 in., and 1 $\frac{1}{2}$ in. B.S.P. connections	12349	—	A	"
	Aircraft, female half (starboard):—					
32	$\frac{1}{2}$ in., 1 in., and 1 $\frac{1}{2}$ in. B.S.P. connections	12350	—	A	"
	Spares:—	For Ref. Nos. 31 and 32.				
49	Seals	11800	—	C	"
50	Seals, large	11799	—	C	"
51	Seals, small	12039	—	C	"
27	ELBOWS, pipe, large	For use on jettisonable fuel tanks. For Javelin F(AW) Mark 1 aircraft.	13055	—	C	"

RESTRICTED

RESTRICTED

5

3551-1-3

EXACTOR SELF-SEALING COUPLINGS
SECTION 27ZA—cont.

1	2	3	4	5	6	7
28	ELBOWS, pipe, small	For use on jettisonable fuel tanks. For Javelin F(AW) Mark I aircraft.	13053	—	C	each
35	SEALS, valve extractor	For use on the Sea Hawk	12874	—	C	,,

RESTRICTED

RESTRICTED

PERIODICAL INSPECTION OF EQUIPMENT—STORAGE CATEGORIES

For details of different storage categories *see* A.P. 1086, Book 1, Second Edition, Memorandum of Instructions, Part 3.

EXACTOR SELF-SEALING COUPLING

SECTION 27ZA

Unless specifically shown below all items in this sub-section have an indefinite shelf life under normal storage conditions and are therefore in category 4.

GENERIC HEADING	CATEGORY	PERIODICITY OF INSPECTION IN *TEMPERATE CLIMATES	
		PACKAGED	UNPACKAGED

* For method of calculating periodicity of inspection in tropical climates *see* A.P. 1086, Book 1, Second Edition, Memorandum of Instructions, Part 3.

RESTRICTED

Issued with A/L 190.

**AIR PUBLICATION 1086
BOOK II
SECOND EDITION**

**SECTION 40C
PROPELLER AND PROPELLER ACCESSORY
CASES AND RACKS**

**Items under Section 40C
are covered by
VOTE 7 B.2**

RESTRICTED

**VOCABULARY OF ROYAL AIR FORCE EQUIPMENT
PROPELLER AND PROPELLER ACCESSORY CASES AND RACKS**

SECTION 40C—cont.

(17th July, 1963)

Rei. No.	Nomenclature	Detail	Drawing No. or Part No.	No. Of	Class of Store	Denom. of Qty.
1	2	3	4	5	6	7
360	CASES, blade: - Type TL.4000, less fittings	For Gannet propeller blades. Naval aviation only ..	TL.4000	3 blades	A	each
	Components:— Fittings, internal:— Type:—					
361	TL.4023	For Gannet front blades. Naval aviation only	TL.4023	1	B	set
362	TL.4025	For Gannet rear blades. Naval aviation only	TL.4025	1	B	..
	CASES, constant speed control unit:—					
354	Type PC.5689A, less fittings	For Beverley and Britannia C.S.C.U.	PC.5689A	1	A	each
	Components: - Fittings, internal:— Type: -					
355	PC.5692A	For Beverley C.S.C.U.	PC.5692A	1	A	set
356	PC.5690A	For Britannia C.S.C.U.	PC.5690A	1	A	..
368	Type TL.4058, less fittings	For Argosy C.S.C.U. or feathering pump	TL.4058	1	A	each
	Components:— Case, inner:—					
369	Type TL.4059	For Argosy C.S.C.U. or feathering pump	TL.4059	1	B	..

RESTRICTED

RESTRICTED

PROPELLER AND PROPELLER ACCESSORY CASES AND RACKS

SECTION 40C—cont.

1	2	3	4	5	6	7
	CASES, feathering pump:—					
357	Type PC.6019A, less fittings	For Beverley and Britannia feathering pump	PC.6019A	1	A	each
	Components:—					
	Case, inner, with internal fittings:—					
	Type:—					
358	PC.6119A	For Beverley feathering pump	PC.6119A	1	A	set
359	PC.6118A	For Britannia feathering pump	PC.6118A	1	A	..
—	Type TL.4058, less fittings	Ref. No. 368. For Argosy feathering pump or C.S.C.U.	—	1	—	—
	Components:—					
	Case inner:—					
—	Type TL.4059	Ref. No. 369 For Argosy feathering pump or C.S.C.U.	—	1	—	—
	CASES, propeller:—					
	Type:—					
142	C.2	For Auster and Chipmunk propellers. Dims. 8 ft. × 1 ft. 4 in. × 1 ft. 1 in. Superseded by Ref. No. 300	V.166	1	A	each
156	C.91	For Dakota propellers. Dims. 9 ft. 9 in. × 2 ft. 2 in. × 1 ft. 8 in. Superseded by Ref. No. 500.	V.133	1	A	..
157	C.95	For American A5 propellers. Dims. 10 ft. 10 in. × 2 ft. × 1 ft. 10 in. Superseded by Ref. No. 500.	V.134	1	A	..
183	C.109	For Hastings, Lincoln and Valetta propellers. Dims. 10 ft. 8 in. × 2 ft. 4 in. × 1 ft. 4 in. Superseded by Ref. No. 600.	V.151	1	A	..
211	C.137	For Hastings, Lincoln and Valetta propellers. Dims. 12 ft. × 2 ft. × 1 ft. 8 in. Superseded by Ref. No. 600	V.171	1	A	..
238	C.146	For Anson propeller	V.184	1	A	..
300	Type C.S.P.I., less fittings	For Auster and Chipmunk propellers. Dims. 8 ft. × 1 ft. 2 in. × 11 $\frac{1}{2}$ in.	C.S.P.I.	1	A	..
	Components:—					
	Fittings internal:—					
	Type:—					
307	C.S.P. 1/F.7	For Chipmunk propeller	C.S.P.1/F.7	1	C	set
310	C.S.P.1/F.10	For Auster 9 propeller	CSP.1/F.10	1	C	..
311	C.S.P.1/F.11	For Auster 6 and 7 propeller	CSP.1/F.11	1	C	..

RESTRICTED

RESTRICTED

PROPELLER AND PROPELLER ACCESSORY CASES AND RACKS

SECTION 40C—cont.

1	2	3	4	5	6	7
	CASES, propeller—cont					
400	Type C.S.P.2, less fittings	For Anson and Heron propellers. Dims. 9 ft. 3 $\frac{3}{4}$ in. × 1 ft. × 1 ft. 1 $\frac{1}{8}$ in.	CSP.2	1	A	each
	Components:—					
	Fittings, internal					
402	Type CSP.2/F.2	For Anson propeller	CSP.2/F.2	1	C	set
500	Type C.S.P.3, less fittings	For 3-bladed propellers. Dims. 10 ft. 10 in. × 2 ft. × 1 ft. 10 in. Superseded by Ref. No 2100.	CSP 3	1	A	each
	Components:—					
	Fittings internal:—					
	Type:—					
519	CSP.3/F.19	For Shackleton front propeller	CSP.3/F.19	1	B	set
520	CSP.3/F.20	For Shackleton rear propeller	CSP 3/F.20	1	B	"
523	CSP.3/F.23	For Pembroke and Pioneer propellers	CSP 3/F.23	1	B	"
524	CSP.3/F.24	For Provost propeller	CSP.3/F.24	1	B	"
600	Type CSP.4, less fittings	For Hastings, Lincoln and Valetta propellers. Dims. 10 ft. 6 in. × 2 ft. 4 in. × 1 ft. 4 $\frac{1}{2}$ in.	CSP.4	1	A	each
	Components:—					
	Fittings, internal:—					
	Type:—					
601	CSP.4/F1	For Valetta propeller	CSP.4/F1	1	B	set
602	CSP.4/F2	For Hastings propeller	CSP.4/F.2	1	B	"
603	CSP.4/F3	For Lincoln propeller	CSP 4/F 3	1	B	"
800	Type CSP.6, less fittings	For Varsity propeller Dims 12 ft. × 2 ft 4 $\frac{1}{2}$ in. × 1 ft. 8 in.	CSP 6	1	A	each
	Components:—					
	Fittings, internal:—					
	Type CSP.6/F.5	For Varsity propeller	CSP.6/F.5	1	B	set
1000	Type CSP.8, less fittings	For Devon propeller. Dims 6 ft × 1 ft 4 in. × 1 ft.	CSP.8	1	A	each
	Components:—					
	Fittings, internal.—					
1001	Type CSP.8/F 1	For Devon propeller	CSP.8/F.1	1	B	set

RESTRICTED

RESTRICTED

PROPELLER AND PROPELLER ACCESSORY CASES AND RACKS

SECTION 40C—cont.

1	2	3	4	5	6	7
1800	CASES, propeller—cont. Type CSP.9, less fittings	For Beverley and Britannia propellers. Dims. 10 ft. 11 in. × 4 ft. 8 in. × 3 ft. 3 in. plus 4 in. for battens. 6 in. to be added to width to allow for shackles.	PC.4015A	1	A	each
	Components:—					
	Carton packs:—	For Beverley propeller				
289	Group A	PC.4128A/1	1	C	set
290	Group B	PC.4129A/1	1	C	..
291	Group C	PC.4130A/1	1	C	..
	Carton packs:—	For Britannia propeller				
295	Group A	PC.4538A	1	C	..
296	Group B	PC.4539A	1	C	..
297	Group C	PC.5059A	1	C	..
287	Covers, Texacoon	For Beverley blades	PC.4194A	4 per propeller	A	..
288	Covers, Texacoon	For Beverley power slip ring assembly	PC.4195A	1	A	..
	Fittings internal:—					
	Type:—					
1801	CSP.9/F.1	For Beverley propeller	PC.4148A	1	A	..
1802	CSP.9/F.2	For Britannia propeller	PC.4529A/3	1	A	..
293	Kit, bandolier, with desiccant	For Beverley Texacoon covers	—	4	C	set
292	Kit, sealing	For Beverley Texacoon covers	—	1	C	..
285	Ring, transport mounting	For Beverley, power slip ring assembly	PC.4146	1	A	each
1900	Type CSP.17 less fittings	For Gannet, Seamew, and Wyvern propellers. Naval aviation only.	CSP.17	1	A	..
	Components:—					
	Fittings, internal:—					
1901	Type CSP.17/F1	For Seamew propeller, Naval aviation only	CSP.17/F.1	1	B	set
2100	Type PC.5427A, less fittings	For 3-bladed propellers	PC.5427A	1	A	each
	Components:—					
	Fittings, internal:—					
2101	Type PC.5428A	For Twin Pioneer propeller	PC.5428A	1	B	set

RESTRICTED

RESTRICTED

PROPELLER AND PROPELLER ACCESSORY CASES AND RACKS

SECTION 40C—cont.

1	2	3	4	5	6	7
	CASES, Propeller—cont.					
2200	Type TL. 4066, less fittings	For Argosy propeller	TL.4066	1	A	each
	Components:—					
2201	Fittings, internal:— Type TL. 4070	For Argosy propeller	TL. 4070	1	B	set
	CASES, spinner:—					
	Type:—					
217	C.141	For Lincoln spinner. Dims. 3 ft. 3 in. × 3 ft. 1 in. × 2 ft. 4½ in. Superseded by Ref. No. 1200.	V.173	1	A	each
251	C.304	For Chipmunk spinner. Dims. 2 ft. 5½ in. × 2 ft. 5½ in. × 2 ft. 10¼ in. Superseded by Ref. No. 1500.	7MU/566	1	A	..
255	C.308	For Shackleton front spinner. Dims. 1 ft. 7 in. × 3 ft. ½ in. × 3 ft. 1 in. Superseded by Ref. No. 1300.	7MU/617	1	A	..
256	C.309	For Shackleton rear spinner. Dims. 2 ft. 6 in. × 2 ft. 9 in. × 2 ft. 9 in. Superseded by Ref. No. 1600.	7MU/619	1	A	..
261	C.314	For Hastings spinner. Superseded by Ref. No. 1200.	7MU/684	1	A	..
1200	Type CSS1, less fittings	For Hastings, Lincoln, Valetta and Varsity spinners and for Beverley and Britannia spinner shell assemblies.	PPCO/S/1000	1	A	..
	Components:—					
	Fittings, internal:—					
	Type:—					
1202	PPCO/S/101	For Hastings spinner	PPCO/S/101	1	B	set
1203	PPCO/S/102	For Lincoln spinner	PPCO/S/102	1	B	..
1207	PPCO/S/106	For Valetta spinner	PPCO/S/106	1	B	..
1209	PPCO/S/108	For Varsity spinner	PPCO/S/108	1	B	..
1212	PC.4167A	For Beverley spinner shell assembly	PC.4167A	1	B	..
1213	PC.5097A	For Britannia spinner shell assembly	PC.5097A	1	B	..
1300	Type CSS.2, less fittings					
	Components:—					
	Fittings, internal:—					
1302	Type PPCO/S/124	For Shackleton front spinner	PPCO/S/124.	1	B	..

RESTRICTED

RESTRICTED

PROPELLER AND PROPELLER ACCESSORY CASES AND RACKS

SECTION 40C—cont.

1	2	3	4	5	6	7
	CASES, spinner—cont.					
1400	Type CSS.3, less fittings	For Anson, Devon, Pembroke and Provost spinners ..	PPCO/S/ 3000.	1	A	each
	Components:—					
	Fittings, internal:—					
	Type:—					
1401	PPCO/S/146	For Devon and Pembroke spinners.	PPCO/S/ 146.	1	B	set
1402	PPCO/S/147	For Anson spinner	PPCO/S/ 147.	1	B	..
1403	PPCO/S/148	For Provost spinner	PPCO/S/ 148.	1	B	..
1500	Type CSS.4, less fittings	For Chipmunk spinner	PPCO/S/ 4000.	1	A	each
	Components:—					
	Fittings, internal:—					
	Type PPCO/2/169	For Chipmunk spinner	PPCO/S/ 169.	1	B	set
1600	Type CSS.5, less fittings	For Shackleton rear spinner, Beverley and Britannia spinner backplate units.	PPCO/S/ 5000	1	A	each
	Components:—					
	Fittings, internal:—					
	Type:—					
1605	PC.4101A	For Beverley spinner backplate with fan assembly ..	PC.4101A	1	B	set
1606	PC.4520	For Britannia spinner backplate unit	PC.4520	1	B	..
1607	PC.5078A	For Shackleton rear spinner	PC.5078A	1	B	..
2000	Type CSS.6	For Argosy spinner and Gannet (Naval) spinner.. ..	PPCO/S/ 6000.	1	A	each
	CASES, translation unit:—					
249	Type C.302	For Shackleton translation unit	C.302	1	A	..
	CRATES, spinner:—					
219	Type 40C/219	For Anson 2CM spinners. Dims. 1 ft. 10 in. x 1 ft. 10 in. x 2 ft. 3 in.	40C/219	1	C	..

RESTRICTED

RESTRICTED

PROPELLER AND PROPELLER ACCESSORY CASES AND RACKS
SECTION 40C—cont.

1	2	3	4	5	6	7
220	CRATES, spinner—cont Type 40C/220	For Rotal 4 CM spinners. Dims. 3 ft. 5 in. x 3 ft. 9 in.	40C/220	1	C	each
180	RACKS, storage:— Type R.5	For De-Havilland 3-bladed propellers and Rotal 3-bladed No. 5 size propellers.	V.114	1	A	.
197	Type R.19	For Hastings, Lincoln and Valetta propellers	V.132	1	A	..
270	Type R.28, less arbors	For Beverley and Britannia propellers. Superseded by Ref. No. 273.	PC.3660	2	A	..
	Components:—					
	Arbors:—					
	Type:—					
271	TL.4069	For Argosy propellers. For use with Rack Ref. No. 273.	TL.4069	2 per rack.	A	..
272	PC.3628	For Beverley and Britannia propellers. For use with Rack Ref. Nos. 270 or 273.	PC.3628	2 per rack.	A	..
273	Type 2 PC.3660, less arbors	For Argosy, Beverley and Britannia propellers	2PC.3660	2	A	.
				propellers.		
365	Type TL.4063, less arbors:—	For Gannet propellers. Naval aviation only	TL.4063	2	A	..
				propellers.		
	Components:—					
	Arbors:					
	Type:—					
366	TL.4064	For Gannet front propeller Naval aviation only	TL.4064	1	A	..
367	TL.4065	For Gannet rear propeller. Naval aviation only	TL.4065	1	A	.

RESTRICTED

RESTRICTED

PROPELLER AND PROPELLER ACCESSORY CASES AND RACKS

INDEX TO REFERENCE NUMBERS

SECTION 40C—cont.

Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.
142	2	307	2	1200	5														
156	2	310	2	1202	5														
157	2	311	2	1203	5														
180	7	354	1	1207	5														
183	2	355	1	1209	5														
197	7	356	1	1212	5														
211	2	357	2	1213	5														
217	5	358	2	1300	5														
219	6	359	2	1302	5														
220	7	360	1	1400	6														
238	2	361	1	1401	6														
249	6	362	1	1402	6														
251	5	365	7	1403	6														
255	5	366	7	1500	6														
256	5	367	7	1501	6														
261	5	368	1	1600	6														
270	7	369	1	1605	6														
271	7	400	3	1606	6														
272	7	402	3	1607	6														
273	7	500	3	1800	4														
285	4	519	3	1801	4														
287	4	520	3	1802	4														
288	4	523	3	1900	4														
289	4	524	3	1901	4														
290	4	600	3	2000	6														
291	4	601	3	2100	4														
292	4	602	3	2101	4														
293	4	603	3	2200	5														
295	4	800	3	2201	5														
296	4	805	3																
297	4	1000	3																
300	2	1001	3																

RESTRICTED

RESTRICTED

RESTRICTED

Issued with A/L168

**AIR PUBLICATION 1086
BOOK II
SECOND EDITION**

SECTION 40E

**AIRBORNE HEATER AND COOLER, OIL COOLER
AND RADIATOR CASES**

**ITEMS UNDER SECTION 40E
ARE COVERED BY VOTE 7A 2(a)**

RESTRICTED

VOCABULARY OF ROYAL AIR FORCE EQUIPMENT
AIRBORNE HEATER AND COOLER, OIL COOLER AND RADIATOR CASES
SECTION 40E

(23rd March, 1962.)

NOTE:— (i) All items are Class "A".
(ii) All items are "each".

Ref. No.	Nomenclature	Used for Undermentioned Items (References)	Drawing or Part No.	Detail
1	2	3	4	5
	CASES, airborne heater and cooler: -			
212	Lightweight	27U/4 and 5	E757/EX	
213	Lightweight	27U/6, 7, 274 and 275	CH/54/KC	
214	Lightweight	27U/8, 273 and 286	CH/55/KC	
222	Lightweight	27U/89	Alternative to Ref. No. 224
224	Lightweight	27U/89	CH/65/KC	Alternative to Ref. 222
377	Wooden	27UA/271 and 272	20756	
381	Wooden	27UA/350, 381, 382, 383 401 and 507	Godfrey 23518	
389	Wooden	27UA/536	D109033	
	CASES, fuel cooler:			
318	Wooden	27B/2383	27B/2383/CON	
	CASES, oil cooler: --			
344	Lightweight	27B/2706	E747EX	
331	Wooden	27B/2282 and 2283	E678EX	
347	Wooden	27B/2348, 2349, 2783 and 2784	E801EX	
333	Wooden	27B/2667, 2709 and 2729	E680EX	
343	Wooden	27B/2698	E746EX	

RESTRICTED

RESTRICTED

AIRBORNE HEATER AND COOLER, OIL COOLER AND RADIATOR CASES

SECTION 40E—cont.

1	2	3	4	5
	CASES, oil cooler:—cont.			
373	Wooden	27B/2737	E4462	Naval aviation only.
380	Wooden	27B/2738	E.4742	
374	Wooden	27B/2748 and 2815	GE5010, issue 2	
363	Wooden	27B/2770, 2750 and 2716	GE5000, sheets 1 and 2	
375	Wooden	27B/2786	GE5011	
382	Wooden	27B/2819	WS11693	
388	Wooden	27B/2829	JWL.467	
391	Wooden	27B/2835	E5688	
386	Wooden	27B/2902 and 3064	E5475, issue 1	
385	Wooden	27B/2911 and 2912	7MU/755	
387	Wooden	27B/2941	E5472	
390	Wooden	27B/2946	E5567	
392	Wooden	27B/2994	E.5746	
419	Wooden	27B/3048	WS.12885	
397	Wooden	27B/3091	WS.12330	
398	Wooden	27B/2994	E.5746 issue 2	
399	Wooden	27B/3116	E.6168	
410	Wooden	27B/3100	E.5791	
411	Wooden	27B/3115	WS.12560	
414	Wooden	27B/3156	WS.12725	
417	Wooden	27B/3162	WS.12880	
418	Wooden	27B/3238	90059	
	CASES, radiator:—			
351	Wooden	25B/190 and 274	E805EX	Naval aviation only.
350	Wooden	25B/191 and 275	GE4012	
352	Wooden	25B/228	E802EX	
348	Wooden	25B/232, 233, 243 and 276	E804EX	
340	Wooden	25B/263 and 264	E690EX	
371	Wooden	25B/266	GE4003, sheets 1, 2 and 3	
384	Wooden	25B/278	Q4/1A, 2A and 3A	
378	Wooden	25B/280 and 1459	C9/4A, 5A and 6A	
379	Wooden	25B/281 and 1460	C9/1A, 2A and 3A	

RESTRICTED

RESTRICTED

AIRBORNE HEATER AND COOLER, OIL COOLER AND RADIATOR CASES

SECTION 40E—cont.

INDEX TO REFERENCE NUMBERS

Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.
212	1	388	2																
213	1	389	1																
214	1	390	2																
222	1	391	2																
224	1	392	2																
318	1	397	2																
331	1	398	2																
333	1	399	2																
340	2	410	2																
343	1	411	2																
344	1	414	2																
347	1	417	2																
348	2	418	2																
350	2	419	2																
351	2		2																
352	2		2																
363	2		2																
371	2		2																
373	2		2																
374	2		2																
375	2		2																
377	1		2																
378	2		2																
379	2		2																
380	2		2																
381	1		2																
382	2		2																
384	2		2																
385	2		2																
386	2		2																
387	2		2																

A10902 W4 13301/BN 3501 3,200 4/62 McC. 332

RESTRICTED

RESTRICTED
3