

Please do not upload this copyright pdf document to any other website. Breach of copyright may result in a criminal conviction.

This pdf document was generated by me Colin Hinson from a Crown copyright document held at R.A.F. Henlow Signals Museum. It is presented here (for free) under the Open Government Licence (O.G.L.) and this pdf version of the document is my copyright (along with the Crown Copyright) in much the same way as a photograph would be.

The document should have been downloaded from my website <https://blunham.com/Radar>, or any mirror site named on that site. If you downloaded it from elsewhere, please let me know (particularly if you were charged for it). You can contact me via my Genuki email page: <https://www.genuki.org.uk/big/eng/YKS/various?recipient=colin>

You may not copy the file for onward transmission of the data nor attempt to make monetary gain by the use of these files. If you want someone else to have a copy of the file, point them at the website. (<https://blunham.com/Radar>). Please do not point them at the file itself as it may move or the site may be updated.

It should be noted that most of the pages are identifiable as having been processed by me.

I put a lot of time into producing these files which is why you are met with this page when you open the file.

In order to generate this file, I need to scan the pages, split the double pages and remove any edge marks such as punch holes, clean up the pages, set the relevant pages to be all the same size and alignment. I then run Omnipage (OCR) to generate the searchable text and then generate the pdf file.

Hopefully after all that, I end up with a presentable file. If you find missing pages, pages in the wrong order, anything else wrong with the file or simply want to make a comment, please drop me a line (see above).

It is my hope that you find the file of use to you personally – I know that I would have liked to have found some of these files years ago – they would have saved me a lot of time !

Colin Hinson

In the village of Blunham, Bedfordshire.

AIR PUBLICATION

BOOK 3 (i)

SECTION 5L

FILAMENT, DAY/NIGHT AND NEON LAMPS

VOCABULARY OF ROYAL AIR FORCE EQUIPMENT

FILAMENT, DAY/NIGHT AND NEON LAMPS

(27th January, 1947)

SECTION 5L

VOTE 7 C. 2

Ref. No.	NOMENCLATURE	DETAIL	Army Ref.	Class of Store	Denom. of quantity	Carton Unit Qty.
1	2	3	4	5	6	7
	LAMPS :—					
	Day/Night :—					
	230 volts :—					
	60 watts :—					
	Consisting of :—					
22	Jackets, vacuum		B	each	4
21	Tubes, discharge		B	..	9
	140 watts :—	<i>N.B.</i> —Discharge tubes of G.E.C. manufacture cannot be fitted into vacuum jackets of Philips' manufacture and <i>vice versa</i> .				
	Consisting of :—					
47	Jackets, vacuum	G.E.C. type		B	..	4
46	Tubes, discharge	G.E.C. type		B	..	9
	<i>or</i>					
17	Jackets, vacuum	Philips type		B	..	4
16	Tubes, discharge	Philips type		B	..	9
40	Discharge tube ..	Ultra violet. Small bayonet cap. For use on 24-volt aircraft.		B	..	12
	Filament :—					
	2 volts :—					
1	0.1 amps. ..	n Miniature Edison screw cap		B	..	
359	0.2 watts Miniature festoon		B	..	12
	0.4 watts :—					
1117	Type A	Miniature Edison screw cap. Clear		B	..	12
1118	Type B	Frosted		B	..	12
491	Type C	Red sprayed		B	..	12
1871	0.6 watts ..	Miniature Edison screw cap		B	..	12
1535	0.75 watts ..	Miniature centre contact, bayonet cap.		B	..	12
243	1 watt	Small bayonet cap		B	..	12
	1.35 watts :—					
2293	Type A	Miniature Edison screw. For astrographs, Mark IA, Ref. No. 6B/182 and astrograph holders, Ref. No. 6P/181.		B	..	12
2371	Type B	Miniature Edison screw. For astrographs, Mark IB, Ref. No. 6B/183 and astrograph holders, Ref. No. 6P/320.		B	..	12
	1.5 watts :—					
2097	Type A	n Miniature Edison screw cap. Clear		B	..	12
95	Type B	n Blue sprayed		B	..	
104	Type C	Red		B	..	12
284	6 watts	Miniature Edison screw caps		B	..	12
	2.5 volts :—					
352	0.2 amps. ..	Miniature Edison screw cap. 11 mm. diam. vacuum.		B	..	
567	0.28 amps. ..	Special cap, yellow. For torch map reading. Palm type Ref. No. 5A/3512.		B	..	12
360	0.3 amps. ..	Miniature Edison screw cap	WB0066	B	..	24
1872	0.5 watts ..	Miniature Edison screw cap		B	..	12

FILAMENT, DAY/NIGHT AND NEON LAMPS

Ref. No.	NOMENCLATURE	DETAIL	Army Ref.	Class of Store	Denom. of quantity	Carton Unit Qty.
1	2	3	4	5	6	7
	LAMPS—cont.					
	Filament—cont.					
	2.5 volts—cont.					
	0.75 watts :—	Miniature Edison screw cap.				
1949	Blue		B	each	12
309	Clear	Single filament vacuum ..		B	..	12
553	Clear amber ..	For dual cockpit lighting ..		B	..	12
1951	Green		B	..	12
1952	Red		B	..	12
1950	White		B	..	12
1953	Yellow		B	..	12
2256	Special	Edison screw, 0.18 in. For models of English aircraft.		B	..	12
	3 volts :—					
23	0.24 watts	Miniature Edison screw cap		B	..	12
2273	0.6 watts	Special cap		B	..	12
	0.9 watts :—					
2274	Type A	For sextants, Mark IX and IXA only. Special cap.		B	..	12
526	Type B	Special cap, yellow		B	..	12
573	1.1 amps.	Kollsman screw cap. For air position indicator Mark II.		B	..	12
	3.5 volts :—					
545	0.03 amps.	Miniature Edison screw cap.		B	..	12
361	0.3 amps.		B	..	12
272	0.15 amps.		B	..	12
2238	0.15 watts		B	..	12
	4 volts :—					
2239	1 watt	Jack type, P.O. No. 2 ..		B	..	100
1385	1.2 watts	Miniature Edison screw cap		B	..	12
53	1.8 watts		B	..	12
1089	2 watts	Miniature Edison screw cap		B	..	12
363	3 watts	Small bayonet cap		B	..	24
364	4 watts	Small bayonet cap		B	..	12
2292	5 volts	Edison screw, 0.18 in. For models of German aircraft.		B	..	12
	6 volts :—					
	0.24 watts :—					
1428	Type A	Miniature Edison screw cap		B	..	12
25	Type B	Jack type, P.O. No. 2 ..		B	..	12
	0.36 watts :—					
6	Type A	11 mm. spherical		B	..	12
490	Type B	Tubular		B	..	12
2331	0.95 amps.	Screw cap. For lamps, hand, Type D, Ref. No. 5A/2329.		B	..	12
279	1 amp.	Exciter. Small bayonet cap. Single central contact. For A.A. dome teacher Ref. No. 9B/1596.		B	..	12
438	1 watt	Single contact cap		B	..	12
	1.8 watts :—					
2083	Type A	Miniature Edison screw cap		B	..	12
237	Type B	Miniature bayonet cap, orange		B	..	12
307	Type C	Single filament. Vacuum M.C.C. cap.		B	..	12
411	2.5 watts	M.C.C.		B	..	12
1929	2.8 watts	Miniature Edison screw cap		B	..	12
	3 watts :—					
54	Type B	Miniature festoon. 1 $\frac{5}{16}$ in. \times 11 mm. vacuum.		B	..	12
2012	Type C	Double contact. Small bayonet cap.		B	..	24

FILAMENT, DAY/NIGHT AND NEON LAMPS

Ref. No.	NOMENCLATURE	DETAIL	Army Ref.	Class of Store	Denom. of quantity	Carton Unit Qty.
1	2	3	4	5	6	7
	LAMPS—cont.					
	Filament—cont.					
	6 volts—cont.					
	3 watts—cont.					
303	Type D	Festoon 1 $\frac{3}{8}$ in. × 18 mm. vacuum.		B	each	
321	Type E	S.C.C. gasfilled		B	..	12
337	3/18 watts	Twin filament. Gasfilled. S.B. cap.		B	..	12
556	4.5 watts	Special cap. 12 mm. std... ..		B	..	6
	6 watts :—					
366	Type A	Miniature festoon		B	..	12
100	Type B	Small bayonet cap. Double contact. Gasfilled.		B	..	12
322	Type C	Single filament. Gasfilled. S.C. cap.		B	..	12
555	Type D	Special cap. 18 mm. std... ..		B	..	12
111	8.5 watts	Small bayonet cap. Double contact.		B	..	12
509	10 watts	For use in Fosters introscope		B	..	6
	12 watts :—					
315	Type A	S.B.C. Gasfilled		B	..	
323	Type B	S.C.C. Gasfilled		B	..	
395	Type C	Horizontal filament. Gas-filled, clear, S.B.C.		B	..	12
	18 watts :—					
57	Type A	Miniature Edison screw. Spherical.		B	..	
305	Type B	Gasfilled, single filament. Bosch cap.		B	..	12
316	Type C	Gasfilled, single filament. S.B. cap.		B	..	12
324	Type D	Gasfilled, single filament. S.C. cap.		B	..	12
340	18/24 watts.. ..	Twin filament. Gasfilled. S.B. cap.		B	..	
325	21 watts	Single filament. Gasfilled. S.C. cap.		B	..	
408	21/32 c.p.	Flange fitting, twin filament		B	..	
	24 watts :—					
317	Type A	Single filament. Gasfilled. S.B. cap.		B	..	25
477	Type B	S.C. cap		B	..	
341	24/24 watts.. ..	Twin filament. Gasfilled. S.B. cap.		B	..	12
349	24/24 watts.. ..	Twin filament. Gasfilled. Pre-focus cap. 3-point flange.		B	..	12
	24/36 watts :—					
342	Type A	Twin filament. Gasfilled. S.B. cap.		B	..	
343	Type B	Prefocus cap. Gasfilled		B	..	
326	30 watts	Single filament. Gasfilled. S.C. cap.		B	..	12
409	32/50 c.p.	Flange fitting, twin filament		B	..	
	36 watts :—					
318	Type A	Single filament. Gasfilled. S.B. cap.		B	..	25
327	Type B	Single filament. Gasfilled. S.C. cap.		B	..	25
402	Type D	S.B.C. horizontal filament		B	..	
568	Type E	Small Edison screw cap		B	..	12

FILAMENT, DAY/NIGHT AND NEON LAMPS

Ref. No.	NOMENCLATURE	DETAIL	Army Ref.	Class of Store	Denom. of quantity	Carton Unit Qty.
1	2	3	4	5	6	7
	LAMPS—cont.					
	Filament—cont.					
	6 volts—cont.					
404	36/36 watts	Prefocus cap, double contact, twin filament.		B	each	12
403	48 watts	S.B.C. double contact ..		B	..	
	6.2 volts :—					
	1.86 watts :—	Miniature Edison screw cap.				
2069	Blue		B	..	12
48	Clear	Tubular G.E.C. O.S.85 ..		B	..	12
2070	Green		B	..	12
2071	Red		B	..	12
2068	White		B	..	12
2072	Yellow		B	..	12
	6.3 volts :—					
577	0.15 amps.	Miniature Edison screw cap, clear. For indicating unit Type 165.		B	..	12
	6.5 volts :—					
276	1.95 watts	Tubular Osram 90		B	..	12
2130	2.3 watts	Miniature Edison screw cap		B	..	12
	6.8 volts :—					
410	1 c.p.	M.C.C. (Mazda No. 51) ..		B	..	
310	3 watts	Single filament vacuum. Miniature Edison screw cap.		B	..	12
	8 volts :—					
73	1.2 watts		B	..	12
311	1.6 watts	Single filament. Vacuum. Miniature Edison screw cap.		B	..	12
328	4 watts	Single filament. Gasfilled. S.C. cap.		B	..	12
	8/9 volts :—					
406	4 watts	M.C.C.		B	..	12
	9 volts :—					
1008	16 watts	Small bayonet cap		B	..	
	10 volts :—					
41	50 watts	Exciter, single, centre contact. Small bayonet cap, projector cap.		B	..	12
34	75 watts	Exciter. For use with Ref. No. 14C/1, projector, sound film, 16 mm. (B.T.H.). Single centre bayonet cap.		B	..	12
1818	240 watts	Giant prefocus cap		B	..	
	350 watts :—	Large prefocus cap.				
1626	Type A		B	..	
1819	Type B		B	..	
	11 volts :—					
235	12 watts	Miniature bayonet cap, centre contact.		B	..	12
	132 watts :—	Double filament, 132 watts per filament. Double contact prefocus cap.				
1955	Type A		B	..	6
1954	198 watts	Single filament. Single contact prefocus cap.		B	..	6
	264 watts :—	Single filament.				
1783	Type A	Single contact prefocus cap		B	..	6
1957	Type B	Double contact prefocus cap		B	..	6
	12 volts :—					
2080	0.96 watts	Frosted. Miniature Edison screw cap.		B	..	12

FILAMENT, DAY/NIGHT AND NEON LAMPS

Ref. No.	NOMENCLATURE	DETAIL	Army Ref.	Class of Store	Denom. of quantity	Carton Unit Qty.
1	2	3	4	5	6	7
	LAMPS—cont.					
	Filament—cont.					
	12 volts—cont.					
113	1 watt	Miniature Edison screw cap. Red.		B	each	12
	1.2 watts :—					
1141	Type A	Jack type, P.O. No. 2 ..		B	..	100
51	Type B	Metal filament. Telephone type.		B	..	
554	Type C	Jack type, P.O. No. 3 ..		B	..	12
1150	1.28 watts	Jack type, P.O. No. 3 ..		B	..	12
	1.4 and 18 watts :—					
2295	Type E	Double filament. For reflector gun-sights. Ref. Nos. 8B/1313 and 2109. Small bayonet cap. Frosted.		B	..	12
261	1.4 watts	White sprayed. S.B. cap. For reflector gun-sights. Ref. No. 8/B2465.		B	..	12
105	2.2 watts	Miniature Edison screw. Red.		B	..	12
2182	2.2 watts	M.C.C.		B	..	12
1319	2.4 watts	Miniature Edison screw cap		B	..	12
	2.4 and 18 watts :—	Double filament.				
2013	Type B	Small bayonet cap. Frosted and silvered.		B	..	12
	3 watts :—	Miniature festoon.				
43	Type B	38 mm. × 8 mm.		B	..	12
278	Type C		B	..	12
415	3.5 watts	Miniature Edison screw cap		B	..	12
422	3/18 watts	Small bayonet cap. Twin filament. Pear bulb.		B	..	12
	4 watts :—					
1538	Type A	Small bayonet cap. Double contact.		B	..	
2075	Type B	Small bayonet cap		B	..	
	Type C :—	Small bayonet cap.				
2311	Green		B	..	12
2310	Red		B	..	12
52	Type D	Bayonet cap. Pygmy. 19 mm. Clear.		B	..	
308	Type E	M.C.C. vacuum. Single filament.		B	..	
398	Type F	Small bayonet cap		B	..	12
	6 watts :—	Small bayonet cap.				
792	Type A	Spherical		B	..	
1820	Type B	Frosted		B	..	
2063	Type C	Spherical, long life		B	..	
369	Type D	Tubular		B	..	12
2341	Type E	Bayonet cap.		B	..	12
101	Type F	Double contact		B	..	
2312	Type G	Yellow		B	..	12
263	Type H	Spherical, long life. Small bayonet cap.		B	..	12
265	Type J	Frosted. Small bayonet cap		B	..	12
304	Type K	Festoon, 1½ in. × 11 mm. ..		B	..	
329	Type L	Single filament. Gasfilled. cap.		B	..	24
474	Type M	Red		B	..	12
345	6/24 watts	Twin filament. Gasfilled, S.B. cap.		B	..	12
302	7 watts	For U/V lighting		B	..	12
370	8 watts	Small bayonet cap		B	..	

FILAMENT, DAY/NIGHT AND NEON LAMPS

Ref. No.	NOMENCLATURE	DETAIL	Army Ref.	Class of Store	Denom. of quantity	Carton Unit Qty.
1	2	3	4	5	6	7
	LAMPS—cont.					
	Filament—cont.					
	12 volts—cont.					
	9 watts :—	Small bayonet cap.				
1120	Type A	To be used exclusively with lamps, navigation, Ref. No. 5C/238.		B	each	12
71	Type B		B	..	12
405	Type C	S.C.C.		B	..	12
	10 watts :—	Small bayonet cap.				
1332	Type A		B	..	
267	Type C		B	..	12
	12 watts :—	Small bayonet cap.				
1654	Type A		B	..	
268	Type C		B	..	12
306	Type D	Single filament. Clear. Bayonet cap.		B	..	12
375	15 watts	Small bayonet cap		B	..	
534	15 watts	Bayonet cap, red sprayed ..		B	..	12
485	15/22 watts ..	Double filament. Bayonet cap. For Rotax Harley searchlight.		B	..	6
	16 watts :—	Small bayonet cap.				
376	Type A	Clear		B	..	
1449	Type B	Frosted		B	..	
270	Type C	Frosted		B	..	12
330	18 watts	Single filament, gasfilled, S.C. cap.		B	..	
	20 watts :—	Small bayonet cap				
1330	Type A		B	..	12
	24 watts :—	Miniature bayonet cap ..				
19	Type A		B	..	
	Type B :—	Small bayonet cap.				
191	Clear		B	..	25
92	Single filament		B	..	
331	Type C	Single filament. Gasfilled. S.C. cap.		B	..	12
486	Type D	Centre contact cap. For Rotax Harley searchlight.		B	..	6
	24/24 watts :—	Twin filament Bosch cap ..				
336	Type A		B	..	12
351	Type B	Double filament. Prefocus cap. Double contact.		B	..	
346.	24/36 watts ..	Twin filament. Gasfilled. Small bayonet cap.		B	..	
533	25 watts	Bayonet cap, pearl		B	..	12
	30 watts :—	Small bayonet cap				
1149	Type A		B	..	12
2339	Type B	Special prefocus cap		B	..	
378	32 watts	Bayonet cap.. .. .		B	..	
	36 watts :—	Special prefocus cap				
367	Type A		B	..	12
1539	Type B	Small bayonet cap		B	..	12
2162	Type C	Small bayonet cap		B	..	
114	Type D	Bayonet cap. Gasfilled. Externally blue sprayed.		B	..	12
217	Type E	Bayonet cap. Gasfilled. Clear		B	..	25
332	Type F	Single filament. Gasfilled. S.C. cap.		B	..	25
416	Type G	Prefocus cap		B	..	12
417	Type H	Small bayonet cap horizontal filament.		B	..	

FILAMENT, DAY/NIGHT AND NEON LAMPS

Ref. No.	NOMENCLATURE	DETAIL	Army Ref.	Class of Store	Denom. of quantity	Carton Unit Qty.
1	2	3	4	5	6	7
	LAMPS—cont.					
	Filament—cont.					
	12 volts—cont.					
	36 watts—cont.					
547	Type J	Small bayonet cap, half silvered.		B	each	
	36/36 watts :—					
347	Type A	Twin filament. Gasfilled. Small bayonet cap.		B	..	12
350	Type B	Double contact. Prefocus cap. Twin filament. Gasfilled.		B	..	12
1121	40 watts	Bayonet cap, 3-pin ..		B	..	12
	48 watts :—					
319	Type A	Single filament. Gasfilled. Small bayonet cap.		B	..	
419	Type B	Small bayonet cap. Large spherical bulb.		B	..	
544	Type C	Edison screw cap, clear ..		B	..	12
	60 watts :—					
2017	Type B	Small bayonet cap. Double contact.		B	..	
2092	Type C	Small bayonet cap		B	..	12
333	Type D	Single filament. Gasfilled. S.C. cap.		B	..	12
49	80 watts	Small bayonet cap		B	..	12
	100 watts :—					
2364	Type A	Prefocus cap. For use with Ref. No. 5A/2431.		B	..	6
12	Type B	Small bayonet cap		B	..	12
	144 watts :—					
2152	Type A	Edison screw cap		B	..	
2160	Type B	Prefocus cap		B	..	
89	Type D	Double filament, prefocus cap		B	..	6
2165	Type E	Prefocus cap		B	..	6
287	200 watts	Prefocus cap		B	..	6
2372	240 watts	Prefocus cap		B	..	6
420	250 watts	Screw cap. Single contact, cylindrical bulb.		B	..	6
	350 watts :—					
2343	Type A	Giant prefocus cap.		B	..	12
13	Type B	Derated to burn 50 hours at 14 volts.		B	..	12
	12-14 volts :—					
	6 watts :—					
1876	Type B	For F.24 and P.39 cameras, small festoon.		B	..	12
1944	12 watts	Blue glass. Small bayonet cap.		B	..	12
	12-16 volts :—					
2397	3 watts	Miniature bayonet cap. Centre contact. Clear, round.		B	..	12
2140	100 watts	Edison screw cap		B	..	
	14 volts :—					
548	7 watts	Small bayonet cap		B	..	
	16 volts :—					
	3 watts :—					
1426	Type A	Small bayonet cap		B	..	12
36	Type B	Pilot. For use with Ref. No. 14C/365. Miniature Edison screw.		B	..	12
74	Type C	Miniature Edison screw. Red		B	..	12

FILAMENT, DAY/NIGHT AND NEON LAMPS

Ref. No.	NOMENCLATURE	DETAIL	Army Ref.	Class of Store	Denom. of quantity	Carton Unit Qty.
1	2	3	4	5	6	7
	LAMPS—cont.					
	Filament—cont.					
	16 volts—cont.					
	3 watts—cont.					
75	Type D	Miniature Edison screw cap. Green.		B	each	12
39	4.8 watts	Miniature Edison screw cap		B	..	
2297	6 watts	Small bayonet cap. G.E.C.		B	..	
	16-18 volts :—					
	3 watts :—					
20	Type A	Miniature Edison screw cap.		B	..	
425	Type B		B	..	
	17 volts :—					
241	0.75 watts	Jack, Type P.O. No. 2 ..		B	..	100
	18/16 volts :—					
414	4 watts	Miniature bayonet cap ..		B	..	12
	21 volts :—					
258	500 watts	Special cap		B	..	
	22 volts :—					
591	4.8 watts	Small bayonet cap		B	..	12
236	12 watts	Miniature bayonet cap. Centre contact.		B	..	12
	240 watts :—					
1815	Type A	Prefocus cap		B	..	
2171	Type B	Prefocus cap, double contact		B	..	6
	350 watts :—					
1817	Type B		B	..	
	24 volts :—					
1638	1.5 watts	Jack, Type P.O., No. 2A ..		B	..	
262	1.6 watts	White sprayed, S.B. caps. For reflector gun-sights. Ref. No. 8B/2465.		B	..	12
1702	2.4 watts	Jack, Type P.O. No. 2 ..		B	..	100
1898	2.4 watts	Jack, Type P.O. No. 3 ..		B	..	12
549	2.4 watts	Jack, Type P.O. No. 3 ..		B	..	12
575	2.4 watts	Jack, Type (3 filament supports).		B	..	12
527	2.57 watts	Jack, Type P.O. No. 3. Yellow.		B	..	100
	2.8 watts :—					
27	Type A	Miniature bayonet cap ..		B	..	12
1928	Type A	Miniature Edison screw cap. Clear.		B	..	12
112	Type B	Miniature Edison screw cap. Red.		B	..	12
2183	Type C	M.C.C.		B	..	12
	4 watts :—					
2076	Type A	Small bayonet cap.		B	..	
399	Type B		B	..	12
551	Type C	Small bayonet cap, tank type		B	..	12
	6 watts :—					
1699	Type A	Small bayonet cap		B	..	
1814	Type B	Small bayonet cap. Frosted		B	..	
2064	Type C	Small bayonet cap. Spherical, long life.		B	..	
1877	Type D	Small testoon. For F.24 and P.39 cameras.		B	..	12
	Type G :—					
2314	Green	Small bayonet cap		B	..	12
2313	Red		B	..	12
2315	Yellow		B	..	12
246	Type H	Small bayonet cap		B	..	
	Type J :—					
264	Spherical, long life	Small bayonet cap		B	..	12

FILAMENT, DAY/NIGHT AND NEON LAMPS

Ref. No.	NOMENCLATURE	DETAIL	Army Ref.	Class of Store	Denom. of quantity	Carton Unit Qty.
1	2	3	4	5	6	7
	LAMPS—cont.					
	Filament—cont.					
	24 volts—cont.					
	6 watts—cont.					
266	Type K	Frosted. Small bayonet cap		B	each	12
260	Type L	Red. Small bayonet cap ..		B	"	12
424	Type M	S.C.C.		B	"	12
	6 and 18 watts :—	Double filament.				
2014	Type B	Small bayonet cap. Frosted and silvered.		B	"	12
	10 watts :—					
1696	Type A	Small bayonet cap		B	"	
244	Type B	Small bayonet cap		B	"	12
	12 watts :—					
1812	Type A	Small bayonet cap		B	"	
269	Type B	Small bayonet cap		B	"	12
439	Type C	Small bayonet cap. Frosted		B	"	12
	15 watts :—					
93	Type A	Bayonet cap. Clear		B	"	12
426	Type B	Small bayonet cap		B	"	12
	16 watts :—					
1697	Type A	Frosted. Small bayonet cap		B	"	
271	Type B	Frosted. Small bayonet cap		B	"	12
	20 watts :—					
1813	Type A	Small bayonet cap		B	"	12
475	Type B	Bayonet cap		B	"	12
	30 watts :—					
1698	Type A	Small bayonet cap. Frosted		B	"	12
2340	Type B	Special prefocus cap		B	"	12
70	36 watts	Bayonet cap. Clear		B	"	25
1900	Type A	Small prefocus cap		B	"	12
320	Type B	Single filament. Gasfilled. Small bayonet cap.		B	"	12
588	60 watts	Small bayonet cap. Clear ..		B	"	12
50	80 watts	Small bayonet cap		B	"	12
535	80 watts	Small bayonet cap. Frosted		B	"	12
14	100 watts	Small bayonet cap		B	"	12
275	200 watts	Prefocus cap		B	"	6
427	250 watts	Screw cap, single contact, cylindrical bulb.		B	"	6
15	350 watts	Derated to burn 50 hours at 28 volts. Giant prefocus cap.		B	"	12
428	900 watts	Screw cap, single contact, cylindrical bulb.		B	"	6
	24 and 8 volts :—					
2269	18 and 1-6 watts, Type D.	Double filament. Frosted. Small bayonet cap. For reflector gun-sights. Mark IIIA*, Ref. Nos. 8B/1588 and 1571.		B	"	12
	26 volts :—					
	240 watts :—					
2345	Type A	Medium prefocus cap		B	"	6
106	Type B	Medium prefocus cap		B	"	6
2344	350 watts	Goliath prefocus cap		B	"	12
	29 volts :—					
107	3 watts	Miniature Edison screw cap		B	"	12
	30 volts :—					
231	100 watts	Prefocus cap, single contact. Gasfilled. Tubular. Clear.		B	"	12
429	900 watts	Screw cap, single contact, cylindrical bulb.		B	"	6

FILAMENT, DAY/NIGHT AND NEON LAMPS

Ref. No.	NOMENCLATURE	DETAIL	Army Ref.	Class of Store	Denom. of quantity	Carton Unit Qty.
1	2	3	4	5	6	7
	LAMPS—cont.					
	Filament—cont.					
	32 volts :—					
430	6 watts	Miniature Edison screw ..		B	each	12
	35 volts :—					
431	15 watts	Small bayonet cap		B	..	12
	40 volts :—					
537	3 watts	Jack, Type P.O. No. 2, blue		B	..	
187	25 watts	Bayonet cap. Vacuum. Clear		B	..	25
	50 volts :—					
500	2.5 watts	Miniature Edison screw. 11 mm. diam., 35 mm. long.		B	..	12
58	5 watts	Jack, Type P.O. No. 2 ..		B	..	12
433	10 watts	Red bayonet cap, P.O. No. 33.		B	..	12
	15 watts :—					
87	Type A	Bayonet cap. Ruby		B	..	12
192	Type B	Gasfilled. Pearl		B	..	25
	25 watts :—					
88	Type A	Bayonet cap. Indicating. Clear		B	..	12
188	Type B	Gasfilled. Pearl		B	..	25
	40 watts :—					
193	Type A	Bayonet cap. Gasfilled. Clear		B	..	25
194	Type B	Gasfilled. Pearl		B	..	25
	60 watts					
215	Type A	Bayonet cap. Gasfilled. Clear		B	..	25
216	Type B	Gasfilled. Pearl		B	..	25
571	200 watts	Profocus cap		B	..	
96	230 watts	Profocus cap. For use with Ref. No. 14C/1, B.T.H. sound projectors. Type S.R.B. form B.A. and form B.B.		B	..	
	80 volts :—					
487	3,000 watts	Goliath Edison screw cap for Aerial lighthouse.		B	..	Spcl. crate
	85 volts :—					
464	20 watts	Peg cap. 20 mm. diam. Blue. Type A. For use on model airfields. Ref. No. 5G/2457. Evenlite Tube Lamps, Ltd. model.		B	..	
501	P.O. resistor bulb, No. 11.	Edison screw cap		B	..	25
	100 volts :—					
292	5 c.p.	B.C. carbon		B	..	
297	8 c.p.	B.C. carbon		B	..	25
	15 watts :—					
127	Type A	Bayonet cap. Vacuum. Externally blue sprayed.		B	..	25
149	Type B	Vacuum. Pearl		B	..	
150	Type C	Vacuum. Clear		B	..	25
151	Type D	Clear (switchboard). Pygmy. Metal filament.		B	..	25
152	Type E	Clear. Pygmy. Metal filament.		B	..	
153	Type F	Ruby. Gasfilled. Sign type, 44 mm. diam.		B	..	25
	25 watts :—					
129	Type A	Bayonet cap. Gasfilled. Blue sprayed ..		B	..	25
189	Type B	Gasfilled. Pearl		B	..	25
232	Type C	Gasfilled. Clear		B	..	25

FILAMENT, DAY/NIGHT AND NEON LAMPS

Ref. No.	NOMENCLATURE	DETAIL	Army Ref.	Class of Store	Denom. of quantity	Carton Unit Qty.
1	2	3	4	5	6	7
	LAMPS—cont.					
	Filament—cont.					
	100 volts—cont.					
	40 watts :—	Bayonet cap.				
195	Type A	Gasfilled. Clear		B	each	25
196	Type B	Gasfilled. Pearl		B	..	25
	60 watts :—	Bayonet cap.				
381	Type A	Gasfilled. Clear		B	..	25
218	Type B	Gasfilled. Pearl		B	..	25
483	100 watts . . .	Prefocus cap. For use on assessors projector, Ref. No. 14B/903. Admiralty on D.C.		B	..	12
1169	150 watts	Edison screw cap. Opal. Gasfilled.		B	..	12
108	200 watts	3-pin bayonet cap. For G.B. Gebescope sound projector K. 16.		B	..	6
56	300 watts	Prefocus cap. Projector type		B	..	6
	500 watts :—					
1170	Type A	Projector. Tubular type. Edison screw cap.		B	..	6
1339	Type B .. .	Opal. Gasfilled. Goliath. Edison screw cap.		B	..	6
488	5,000 watts.. .	Goliath Edison screw cap for 5 kw. floodlight.		B	..	Spcl. crate
	100–110 volts :—					
436	500 watts	Edison screw cap. For Houghton Butcher epidiascope, also epidiascope Ref. 14A/1047.		B	..	6
	105 volts :—					
299	16 c.p.	B.C. carbon		B	..	
	110 volts :—					
247	8 c.p.	Bayonet cap. Carbon filament. Vacuum. Clear.		B	..	25
383	16 c.p. .. .	} Bayonet cap. Carbon filament. Clear.		B	..	25
385	32 c.p.			B	..	25
	15 watts :—					
1172	Type A	Vacuum. Pearl. Bayonet cap		B	..	
1684	Type B	Ruby. Bayonet cap ..		B	..	25
1677	Type C	White sprayed. Bayonet cap		B	..	25
131	Type D	Vacuum. Externally blue sprayed. Bayonet cap.		B	..	25
154	Type E	Clear (switchboard). Pygmy. Metal filament. Bayonet cap.		B	..	
155	Type F .. .	Clear. Pygmy. Metal filament. Bayonet cap.		B	..	
156	Type G	Bayonet cap. Ruby. Gas-filled, sign type, 44 mm. diam.		B	..	
167	Type H	Bayonet cap. Vacuum. Clear		B	..	25
256	Type J	Edison screw cap. Gasfilled. Pearl.		B	..	25
257	Type K	Edison screw cap. Gasfilled. Clear.		B	..	25
447	Type L	Edison screw cap. Pygmy..		B	..	12

FILAMENT, DAY/NIGHT AND NEON LAMPS

Ref. No.	NOMENCLATURE	DETAIL	Army Ref.	Class of Store	Denom. of quantity	Carton Unit Qty.
1	2	3	4	5	6	7
	LAMPS—cont.					
	Filament—cont.					
	110 volts—cont.					
	25 watts :—					
1173	Type A	Bayonet cap. Pearl ..		B	each	25
132	Type B	Bayonet cap. Gasfilled. Blue sprayed.		B	..	25
233	Type C	Bayonet cap. Gasfilled. Clear		B	..	25
254	Type D	Edison screw cap. Gasfilled. Pearl.		B	..	25
255	Type E	Edison screw cap. Gasfilled. Clear.		B	..	25
	40 watts :—					
1174	Type A	Bayonet cap. Clear. Gasfilled		B	..	25
197	Type C	Bayonet cap. Pearl. Gasfilled		B	..	25
252	Type D	Edison screw cap. Gasfilled. Pearl.		B	..	25
253	Type E	Edison screw cap. Gasfilled. Clear.		B	..	25
	60 watts :—					
387	Type A	Bayonet cap. Gasfilled. Clear		B	..	25
1175	Type B	Bayonet cap. Gasfilled. Pearl		B	..	25
250	Type E	Edison screw cap. Gasfilled. Pearl.		B	..	25
251	Type F	Edison screw cap. Gasfilled, clear.		B	..	25
479	Type G	Edison screw cap. Daylight blue.		B	..	25
480	Type H	Bayonet cap, daylight blue		B	..	25
542	Type J	Small centre contact strip-light, 221 mm., clear.		B	..	25
	100 watts :—					
448	Type A	Edison screw cap, clear ..		B	..	12
478	Type B	Bayonet cap, opal		B	..	12
1176	150 watts	Edison screw cap. Opal. Gasfilled.		B	..	12
35	300 watts	Projector. Prefocus cap. For use with Ref. No. 14C/1 projector, sound film, 16 mm. B.T.H.		B	..	
455	350 watts	Edison screw cap. For Thompson Austin projector		B	..	
	500 watts :—					
1177	Type A	Edison screw cap. Projector. Tubular type.		B	..	6
1920	Type B	Pearl. Gasfilled. Edison screw cap.		B	..	6
1340	Type C	Goliath Edison screw cap. Opal. Gasfilled.		B	..	6
30	Type D	Osram biplane. Bayonet prefocus cap. For G. B. projector, L.516. Ref. No. 14C/365.		B	..	6
31	Type E	Osram biplane. Prefocus cap. For Kalee projector, 14A/1060.		B	..	6
481	Type F	Prefocus cap. For use with B epidiascope, Type B.		B	..	6
281	750 watts	Prefocus cap		B	..	6
273	1,000 watts	Class A.1. Projector type, Goliath Edison screw cap. For A.A. dome teacher 9B/1596.		B	..	6

FILAMENT, DAY/NIGHT AND NEON LAMPS

Ref. No.	NOMENCLATURE	DETAIL	Army Ref.	Class of Store	Denom. of quantity	Carton Unit Qty.
1	2	3	4	5	6	7
	LAMPS—cont.					
	Filament—cont.					
	110 volts—cont.					
497	2,000 watts.. ..	Bi-post base special. For use on projector unit, Type I, Ref. No. 10DB/847.		B	each	4
	115 volts :—					
294	5 c.p.	B.C. carbon		B	..	
522	100 watts	Prefocus cap for use on strip film projector, Ref. No. 14C/1221.		B	..	12
557	500 watts	Edison screw cap, projector, tubular.		B	..	6
	120 volts :—					
295	5 c.p.	B.C. carbon		B	..	
133	15 watts :— Type A	Bayonet cap. Vacuum. Externally blue sprayed.		B	..	25
157	Type B	Vacuum. Pearl		B	..	
158	Type C	Vacuum. Clear		B	..	25
159	Type D	Clear (switchboard). Pygmy. Metal filament.		B	..	25
160	Type E	Clear. Pygmy. Metal filament		B	..	
161	Type F	Ruby. Gasfilled. Sign type. 44 mm. diam.		B	..	25
	25 watts :—					
134	Type A	Bayonet cap. Gasfilled. Blue sprayed ..		B	..	25
190	Type B	Gasfilled. Pearl		B	..	25
234	Type C	Gasfilled. Clear		B	..	25
	40 watts :—					
198	Type A	Bayonet cap. Gasfilled. Clear		B	..	25
199	Type B	Gasfilled. Pearl		B	..	25
517	Type C	Edison screw cap. Pearl ..		B	..	25
	60 watts :—					
219	Type A	Bayonet cap. Gasfilled. Clear		B	..	25
220	Type B	Gasfilled. Pearl		B	..	25
518	Type C	Edison screw cap. Pearl ..		B	..	25
1186	150 watts	Edison screw cap. Opal. Gasfilled.		B	..	12
	500 watts :—					
1187	Type A	Edison screw cap. Projector. Tubular type.		B	..	6
1341	Type B	Goliath Edison screw cap. Opal. Gasfilled.		B	..	6
529	750 watts	Prefocus cap. Black nose..		B	..	6
	125 volts :—					
502	60 watts	Edison screw cap. Tubular 32 mm. diam. × 95 mm. overall.		B	..	6
	130 volts :—					
135	15 watts	Bayonet cap. Vacuum. Externally blue sprayed.		B	..	25
136	25 watts	Bayonet cap. Gasfilled. Blue sprayed.		B	..	25
	145 volts :—					
465	20 watts	Peg cap 20 mm. diam., blue, type B. For use on model airfields, Ref. No. 5G/2457. Evenlite Tube Lamps, Ltd. model.		B	..	

FILAMENT, DAY, NIGHT AND NEON LAMPS

Ref. No.	NOMENCLATURE	DETAIL	Army Ref.	Class of Store	Denom. of quantity	Carton Unit Qty.
1	2	3	4	5	6	7
	LAMPS—cont.					
	Filament—cont.					
	150 volts :—					
569	40 watts	Edison screw cap, clear ..		B	each	6
552	40 watts	Edison screw cap, pearl ..		B	..	
566	60 watts	Bayonet cap, pearl		B	..	25
531	60 watts	Edison screw cap, pearl ..		B	..	25
	200 volts :—					
290	2½ c.p.	B.C. carbon		B	..	
1188	8 c.p.	} Bayonet cap. Carbon fila- ment, clear. }		B	..	25
1189	16 c.p.			B	..	25
	15 watts :—	Bayonet cap.				
1685	Type A	Ruby		B	..	25
1678	Type B	White sprayed		B	..	25
130	Type C	Vacuum. Externally blue sprayed.		B	..	25
162	Type D	Vacuum. Pearl		B	..	
163	Type E	Vacuum. Clear		B	..	25
164	Type F	Clear (switchboard). Pygmy. Metal filament.		B	..	
165	Type G	Clear. Pygmy. Metal fila- ment.		B	..	
	25 watts :—	Bayonet cap.				
400	Resistor bulb, No. 9180.	Edison screw cap		B	..	25
1691	Type A	Pearl		B	..	
128	Type B	Vacuum. Externally blue sprayed.		B	..	25
181	Type C	Vacuum. Clear		B	..	55
	40 watts :—	Bayonet cap.				
1988	Type B	Coiled coil filament. Pearl. Gasfilled.		B	..	
115	Type C	Vacuum. Internally blue sprayed.		B	..	25
200	Type D	Gasfilled. Clear		B	..	25
201	Type E	Gasfilled. Pearl		B	..	25
202	Type F	Coiled coil filament. Clear. Gasfilled.		B	..	
	60 watts :—	Bayonet cap.				
1194	Type A	Clear. Gasfilled		B	..	25
1989	Type B	Coiled coil filament. Pearl. Gasfilled.		B	..	
121	Type C	Gasfilled. Externally blue sprayed.		B	..	25
221	Type D	Gasfilled. Pearl		B	..	25
222	Type E	Coiled coil filament. Clear. Gasfilled.		B	..	
1196	150 watts	Edison screw cap, opal, gas- filled.		B	..	12
	500 watts :—					
1197	Type A	Projector, tubular type, Edi- son screw cap.		B	..	6
1921	Type B	Gasfilled. Pearl. Edison screw cap.		B	..	6
1342	Type C	Opal. Gasfilled. Goliath Edi- son screw cap.		B	..	6
	200–260 volts :—					
301	500 watts	G.S.E. projector, class B.1 type.		B	..	6
	210 volts :—					
1199	16 c.p.	Bayonet cap, carbon fila- ment, clear.		B	..	25

FILAMENT, DAY/NIGHT AND NEON LAMPS

Ref. No.	NOMENCLATURE	DETAIL	Army Ref.	Class of Store	Denom. of quantity	Carton Unit Qty.
1	2	3	4	5	6	7
	LAMPS—cont.					
	Filament—cont.					
	210 volts—cont.					
	15 watts :—	Bayonet cap.				
1201	Type A	Pearl		B	each	
1686	Type B	Ruby		B	..	25
1679	Type C	White sprayed		B	..	25
137	Type D	Vacuum. Externally blue sprayed.		B	..	25
166	Type E	Vacuum. Clear		B	..	25
168	Type F	Clear (switchboard). Pygmy. Metal filament.		B	..	
169	Type G	Clear. Pygmy. Metal filament.		B	..	
	25 watts :—	Bayonet cap.				
1202	Type A	Pearl. Vacuum		B	..	
138	Type B	Vacuum. Externally blue sprayed.		B	..	25
182	Type C	Vacuum. Clear		B	..	55
	40 watts :—	Bayonet cap.				
1990	Type B	Coiled coil filament. Pearl. Gasfilled.		B	..	
116	Type C	Vacuum. Internally blue sprayed.		B	..	25
203	Type D	Gasfilled. Clear		B	..	25
205	Type E	Gasfilled. Pearl		B	..	25
206	Type F	Coiled coil filament. Clear. Gasfilled.		B	..	
	60 watts :—	Bayonet cap.				
1991	Type A	Coiled coil filament. Pearl. Gasfilled.		B	..	
122	Type B	Gasfilled. Externally blue sprayed.		B	..	25
223	Type C	Gasfilled. Clear		B	..	25
224	Type D	Gasfilled. Pearl		B	..	25
225	Type E	Coiled coil filament. Clear. Gasfilled.		B	..	
1206	150 watts	Edison screw cap. Opal. Gasfilled.		B	..	12
	500 watts :—					
1207	Type A	Edison screw cap. Projector. Tubular type.		B	..	6
1922	Type B	Edison screw cap. Pearl. Gasfilled.		B	..	6
1343	Type C	Goliath. Edison screw cap. Opal. Gasfilled.		B	..	6
	220 volts :—					
291	2½ c.p.	B.C. carbon		B	..	
296	5 c.p.	B.C. carbon		B	..	
1208	8 c.p.	} Bayonet cap. Carbon filament. Clear. }		B	..	25
1209	16 c.p.			B	..	25
1210	32 c.p.			B	..	25
	15 watts :—	Bayonet cap.				
1211	Type A	Pearl		B	..	
1687	Type B	Ruby		B	..	25
1680	Type C	White sprayed		B	..	25
139	Type D	Vacuum. Externally blue sprayed.		B	..	25
170	Type E	Vacuum. Clear		B	..	25
171	Type F	Clear (switchboard). Pygmy. Metal filament.		B	..	
172	Type G	Clear. Pygmy. Metal filament.		B	..	

FILAMENT, DAY/NIGHT AND NEON LAMPS

Ref. No.	NOMENCLATURE	DETAIL	Army Ref.	Class of Store	Denom. of quantity	Carton Unit Qty.
1	2	3	4	5	6	7
	LAMPS—cont.					
	Filament—cont.					
	220 volts—cont.					
	15 watts—cont.					
471	Type H	Edison screw cap ..		B	each	25
	25 watts :—	Bayonet cap.				
1212	Type A	Pearl		B	..	
140	Type B	Vacuum. Externally blue sprayed.		B	..	25
183	Type C	Vacuum. Clear		B	..	55
469	Type D	Edison screw cap		B	..	25
2202	30 watts	Striplight, 8 $\frac{1}{4}$ in.		B	..	12
	Accessories :—					
2203	Reflectors	For use with Ref. No. 2202 ..		B	..	
	40 watts :—	Bayonet cap.				
1992	Type C	Coiled coil filament. Pearl. Gasfilled.		B	..	
2201	Type D	Squirrel cage construction ..		B	..	
117	Type E	Vacuum. Internally blue sprayed.		B	..	25
207	Type F	Gasfilled. Pearl		B	..	25
208	Type G	Coiled coil filament. Clear. Gasfilled.		B	..	
468	Type H	Edison screw cap		B	..	25
1213	Type J	Gasfilled. Clear		B	..	25
	60 watts :—	Bayonet cap.				
1214	Type A	Clear. Gasfilled		B	..	25
1215	Type B	Pearl. Gasfilled		B	..	25
1993	Type D	Coiled coil filament. Pearl. Gasfilled.		B	..	
123	Type E	Gasfilled. Externally blue sprayed.		B	..	25
226	Type F	Coiled coil filament. Clear. Gasfilled.		B	..	
470	Type H	Edison screw cap		B	..	25
1216	150 watts	Edison screw cap. Opal. Gasfilled.		B	..	12
484	250 watts	Edison screw cap, flare path, Type E.		B	..	6
	220/230 volts :—					
498	275 watts	Bayonet cap, pearl, for use on turret gun-sighting trainer, Ref. No. 50G/234.		B	..	25
	500 watts :—					
1217	Type A	Edison screw cap. Projector, tubular type.		B	..	6
1923	Type B	Edison screw cap. Pearl. Gasfilled.		B	..	6
1344	Type C	Goliath Edison screw cap. Opal. Gasfilled.		B	..	6
	230 volts :—					
238	8 c.p.	} Bayonet cap. Carbon filament. Clear. {		B	..	
1219	16 c.p.			B	..	25
1220	32 c.p.			B	..	25
435	150 c.p.			B	..	6
	15 watts :—					
24	Type A	Indicator, Pygmy. Bayonet cap. Clear.		B	..	
1221	Type B	Bayonet cap. Pearl		B	..	
1688	Type C	Bayonet cap. Ruby		B	..	6
1681	Type D	Bayonet cap. White sprayed		B	..	25
141	Type E	Bayonet cap. Vacuum. Externally blue sprayed.		B	..	25

FILAMENT, DAY/NIGHT AND NEON LAMPS

Ref. No.	NOMENCLATURE	DETAIL	Army Ref.	Class of Store	Denom. of quantity	Carton Unit Qty.
1	2	3	4	5	6	7
	LAMPS—cont.					
	Filament—cont.					
	230 volts—cont.					
	15 watts—cont.					
173	Type F	Bayonet cap. Vacuum. Clear		B	each	25
174	Type G	Bayonet cap. Clear. Pygmy		B	"	25
94	Type H	White. Pygmy. Bayonet cap		B	"	12
274	Type J	Clear. Pygmy. Small bayonet cap. For silent projector 14C/897.		B	"	25
	20 watts :—	Peg cap, 20 mm. diam. For use on model airfields, Ref. No. 5G/2457. Evenlite Tube Lamps, Ltd. model.				
467	Type C	Clear		B	"	
466	Type D	Blue		B	"	
	25 watts :—	Bayonet cap.				
1222	Type A	Pearl		B	"	
142	Type B	Vacuum. Externally blue sprayed.		B	"	25
184	Type C	Vacuum. Clear		B	"	25
514	Type D	Bayonet cap. Tubular, 3½ in. long × 1 in. diam. For use on Dome Teacher 9A/1596.		B	"	6
	30 watts :—					
	Striplight :—	Centre and contacts. Clear.				
2287	Type A	Length 284 mm., diam. 25 mm		B	"	12
	40 watts :—	Bayonet cap.				
1223	Type A	Clear. Gasfilled		B	"	25
1994	Type C	Coiled coil filament. Pearl. Gasfilled.		B	"	
118	Type D	Vacuum. Internally blue sprayed.		B	"	25
209	Type E	Gasfilled. Pearl		B	"	25
210	Type F	Coiled coil filament. Clear. Gasfilled.		B	"	
473	Type G	Edison screw cap		B	"	
	60 watts :—	Bayonet cap.				
1224	Type A	Clear. Gasfilled		B	"	25
1225	Type B	Pearl. Gasfilled		B	"	25
2288	Type D	Striplight. Centre end contacts. Clear. Length 284 mm. Diam. 25 mm.		B	"	12
1995	Type E	Coiled coil filament. Pearl. Gasfilled.		B	"	
124	Type F	Gasfilled. Externally blue sprayed.		B	"	25
55	Type G	Edison screw cap. Opal. For enlargers. Type C. 35 mm. Ref. No. 14A/2599.		B	"	25
227	Type H	Coiled coil filament. Clear. Gasfilled.		B	"	
396	Type K	Gasfilled. Clear. Edison screw cap.		B	"	25
463	Type L	Edison screw cap. Pearl		B	"	25
543	Type M	Single centre contact striplight, 221 mm.		B	"	25
546	Type N	Edison screw cap, white sprayed.		B	"	25
	75 watts :—					
33	Type A	Edison screw cap. For enlarger Focomat.		B	"	12
504	Type B	Bayonet cap. Pearl		B	"	12

FILAMENT, DAY/NIGHT AND NEON LAMPS

Ref. No.	NOMENCLATURE	DETAIL	Army Ref.	Class of Store	Denom. of quantity	Carton Unit Qty.
1	2	3	4	5	6	7
	LAMPS—cont.					
	Filament—cont.					
	230 volts—cont.					
446	80 watts	Three-pin. For enlarger 14A/2314.		B	each	6
2260	100 watts :— Type A	Striplight. Double cap. Clear. Length 308 mm. Diam. 46 mm.		B	..	12
91	Type D	Bayonet cap, white sprayed. For enlarger, Type D, Ref. No. 14A/2944.		B	..	12
239	Type E	Edison screw cap. Class A1. Tubular.		B	..	12
288	Type F	Amber screw cap. For printer reflex 14B/1658.		B	..	12
289	Type G	Clear. Screw cap. For printer reflex 14B/1658.		B	..	12
503	Type H	Bayonet cap. Pearl		B	..	12
510	Type I	Medium Prefocus cap. Tubular.		B	..	12
576	125 watts	Ultra-violet black-faced, bayonet cap.		B	..	6
1226	150 watts :— Type A	Edison screw cap. Opal. Gasfilled		B	..	12
505	Type B	Pearl		B	..	12
506	200 watt	Edison screw cap. Pearl		B	..	6
18	250 watts :— Type A	Double capped. Robertson radiator type.		B	..	6
580	275 watts :— Type A	Edison screw cap. Pearl. Photoflood series S.		B	..	6
581	Type B	Bayonet cap. Pearl. Photoflood series S.		B	..	6
701	300 watts	Giant Edison screw cap, clear.		A	..	6
1227	500 watts :— Type A	Projector, tubular type, Edison screw cap.		B	..	6
1924	Type B	Gasfilled. Pearl. Edison screw cap.		B	..	6
1345	Type C	Opal. Gasfilled. Goliath Edison screw cap.		B	..	6
29	Type D	Class A.1. Projector type. Prefocus cap. For epidiascope.		B	..	6
37	Type E	Class E. Prefocus cap for epidiascope. Type B. Ref. No. 14A/2416.		B	..	6
42	Type F	Edison screw cap. Silver backed, projector type. For epidiascope Type C. Ref. No. 14A/2501.		B	..	6
579	Type G	Edison screw cap. Pearl. Photoflood series N.		B	..	6
109	1,000 watts :— Type A	G.E.S. projector type. For epidiascope.		B	..	6
285	Type B	G.E.S. projector cap		B	..	6
489	2,000 watts	Tubular giant prefocus cap for 4 kw. floodlight.		B	..	6

FILAMENT, DAY/NIGHT AND NEON LAMPS

Ref. No.	NOMENCLATURE	DETAIL	Army Ref.	Class of Store	Denom. of quantity	Carton Unit Qty.
1	2	3	4	5	6	7
	LAMPS—cont.					
	Filament—cont.					
	230 volts—cont.					
492	3,000 watts.. ..	Bi-post base, 2-pin cap. Projector, horizontal mounting, 14 in. overall × 6 in. diam., for trolleys, floodlight, Ref. No. 5G/179.		B	each	4
	230/250 volts :—					
444	250 watts	Carbon zig-zag filament, double capped.		B	..	6
	240 volts :—					
1229	16 c.p.	Bayonet cap. Carbon filament. Clear.		B	..	25
	15 watts :—	Bayonet cap.				
1231	Type A	Pearl		B	..	
1689	Type B	Ruby		B	..	25
1682	Type C	White sprayed		B	..	25
143	Type D	Vacuum. Externally blue sprayed.		B	..	25
175	Type E	Vacuum. Clear		B	..	25
176	Type F	Clear (switchboard). Pygmy. Metal filament.		B	..	
177	Type G	Clear. Pygmy. Metal filament.		B	..	
59	Type H	Pygmy screw		B	..	25
242	20 watts	Bayonet cap. Externally orange sprayed.		B	..	
	25 watts :—	Bayonet cap.				
1232	Type A	Pearl		B	..	
144	Type B	Vacuum. Externally blue sprayed.		B	..	25
185	Type C	Vacuum. Clear		B	..	25
	40 watts :—	Bayonet cap.				
1233	Type A	Clear. Gasfilled		B	..	25
1996	Type C	Coiled coil filament. Pearl. Gasfilled.		B	..	
119	Type D	Vacuum. Internally blue sprayed.		B	..	25
211	Type E	Gasfilled. Pearl		B	..	25
212	Type F	Coiled coil filament. Clear. Gasfilled.		B	..	
282	Type G	Daylight blue. For night vision trainer. Ref. No. 9B/1753.		B	..	25
540	Type H	Edison screw cap		B	..	25
	60 watts :—	Bayonet cap.				
1234	Type A	Clear. Gasfilled		B	..	25
1235	Type B	Pearl. Gasfilled		B	..	25
1997	Type C	Coiled coil filament. Pearl. Gasfilled.		B	..	
125	Type D	Gasfilled. Externally blue sprayed.		B	..	25
228	Type E	Coiled coil filament. Clear. Gasfilled.		B	..	
277	Type F	Striplight. Centre end contacts clear. Length 284 mm. Diam. 25 mm.		B	..	12
541	Type H	Edison screw cap		B	..	25
1236	150 watts	Edison screw cap. Opal. Gasfilled.		B	..	12

FILAMENT, DAY/NIGHT AND NEON LAMPS

Ref. No.	NOMENCLATURE	DETAIL	Army Ref.	Class of Store	Denom. of quantity	Carton Unit Qty.
1	2	3	4	5	6	7
	LAMPS—cont.					
	Filament—cont.					
	240 volts—cont.					
	500 watts :—					
1237	Type A	Edison screw cap. Projector. Tubular type.		B	each	6
1925	Type B	Edison screw cap. Pearl. Gasfilled.		B	..	6
1346	Type C	Goliath. Edison screw. Opal. Gasfilled.		B	..	6
536	240/250 volts	Edison screw cap. Pearl. Photoflood.		B	..	25
	250 volts :—					
1239	16 c.p.	} Bayonet cap. Carbon fila- ment. Clear. {		B	..	25
1240	32 c.p.			B	..	25*
	15 watts :—					
2259	Type A	Indicator. Metal filament:..		B	..	25
1690	Type B	Ruby.. .. .		B	..	25
1683	Type C	White sprayed		B	..	25
145	Type D	Vacuum. Externally blue sprayed.		B	..	25
178	Type E	Vacuum. Pearl		B	..	55
179	Type F	Vacuum. Clear		B	..	
180	Type G	Clear. Pygmy. Metal filament.		B	..	
	25 watts :—					
1242	Type A	Bayonet cap. Pearl		B	..	25
146	Type B	Bayonet cap. Vacuum. Externally blue sprayed.		B	..	
186	Type C	Vacuum. Clear		B	..	
	40 watts :—					
1243	Type A	Bayonet cap. Clear. Gasfilled		B	..	25
1998	Type C	Coiled coil filament. Pearl. Gasfilled.		B	..	25
120	Type D	Vacuum. Internally blue sprayed.		B	..	25
213	Type E	Gasfilled. Pearl		B	..	25
214	Type F	Coiled coil filament. Clear. Gasfilled.		B	..	25
530	Type G	Bayonet cap. Red silicate sprayed.		B	..	
283	50 watts	Small bayonet cap. For projector, viewing, 14B/634.		B	..	
	60 watts :—					
1244	Type A	Bayonet cap. Gasfilled. Clear		B	..	25
1999	Type C	Coiled coil filament. Pearl. Gasfilled.		B	..	25
126	Type D	Gasfilled. Externally blue sprayed.		B	..	
229	Type E	Gasfilled. Pearl		B	..	
230	Type F	Coiled coil filament. Clear. Gasfilled.		B	..	12
110	Type G	Striplight. Centre end contacts. Clear. Length 284 mm. Diam. 25 mm. For machine continuous film processing. Ref. No. 14B/922.		B	..	
240	100 watts	Bayonet cap. White sprayed for enlargers, 35 mm. Ref. No. 14A/2944.		B	..	12
1246	150 watts	Edison screw cap. Opal. Gasfilled.		B	..	12

FILAMENT, DAY/NIGHT AND NEON LAMPS

Ref. No.	NOMENCLATURE	DETAIL	Army Ref.	Class of Store	Denom. of quantity	Carton Unit Qty.
1	2	3	4	5	6	7
	LAMPS—cont.					
	Filament—cont.					
	250 volts—cont.					
	500 watts :—					
1247	Type A	Edison screw cap. Projector. Tubular type.		B	each	6
1926	Type B	Edison screw cap. Pearl. Gasfilled.		B	..	6
1347	Type C	Goliath Edison screw cap. Opal. Gasfilled.		B	..	6
	260 volts :—					
	15 watts :—	Bayonet cap.				
2	Type A	Pygmy. Switchboard indicator.		B	..	25
147	Type B	Vacuum. Externally blue sprayed.		B	..	32
148	25 watts	Bayonet cap. Vacuum. Externally blue sprayed.		B	..	25
	Indicator Neon :—					
525	100 volts, 0.5 watts ..	Small bayonet cap for use with Tester fuse, Ref. No. 5G/1142.		B	..	12
1656	200 volts, 0.5 watts ..	} Bayonet cap. Clear {		B	..	12
1657	210 volts, 0.5 watts ..			B	..	12
	220 volts :—					
1658	0.5 watts	Bayonet cap. Clear ..		B	..	12
1862	5 watts		B	..	25
	230 volts, 0.5 watts :—					
1659	Type A		B	..	12
245	Type B	With internal resistance ..		B	..	12
259	Type C	Small bayonet cap		B	..	12
	240 volts :—					
1660	0.5 watts		B	..	12
1863	5 watts		B	..	25
440	250 volts, 0.2 watts ..	Small Edison screw cap ..		B	..	12
	260 volts :—					
1661	0.5 watts		B	..	12
1864	5 watts		B	..	25
	Mercury vapour :—					
	200/250 volts :—					
457	500 watts	Prefocus cap, double ended compact source, Type ME.		B	..	Spcl. crate
	230 volts :—					
437	80 watts	Medium prefocus cap. Clear. Tubular.		B	..	6
496	125 watts	3-pin base. Osira, clear, used with consoles, Type 10.		B	..	6
286	250 watts		B	..	6

FILAMENT, DAY/NIGHT AND NEON LAMPS
INDEX TO REFERENCE NUMBERS
SECTION 5L

Ref. No.	Page										
1	1	107	9	171	15	236	8	306	6	408	3
2	21	108	11	172	15	237	2	307	2	409	3
6	2	109	18	173	17	238	16	308	5	410	4
12	7	110	20	174	17	239	18	309	2	411	2
13	7	111	3	175	19	240	20	310	4	414	8
14	9	112	8	176	19	241	8	311	4	415	5
15	9	113	5	177	19	242	19	315	3	416	6
16	1	114	6	178	20	243	1	316	3	417	6
17	1	115	14	179	20	244	9	317	3	419	7
18	18	116	15	180	20	245	21	318	3	420	7
19	6	117	16	181	14	246	8	319	7	422	5
20	8	118	17	182	15	247	11	320	9	424	9
21	1	119	19	183	16	250	12	321	3	425	18
22	1	120	20	184	17	251	12	322	3	426	9
23	2	121	14	185	19	252	12	323	3	427	9
24	16	122	15	186	20	253	12	324	3	428	9
25	2	123	16	187	10	254	12	325	3	429	9
27	8	124	17	188	10	255	12	326	3	430	10
29	18	125	19	189	10	256	11	327	3	431	10
30	12	126	20	190	13	257	11	328	4	433	10
31	12	127	10	191	6	258	8	329	5	435	16
33	17	128	14	192	10	259	21	330	6	436	11
34	4	129	10	193	10	260	9	331	6	437	21
35	12	130	14	194	10	261	5	332	6	438	2
36	7	131	11	195	11	262	8	333	7	439	9
37	18	132	12	196	11	263	5	336	6	440	21
39	8	133	13	197	12	264	8	337	3	444	19
40	1	134	13	198	13	265	5	340	3	446	18
41	4	135	13	199	13	266	9	341	3	447	11
42	8	136	13	200	14	267	6	342	3	448	12
43	5	137	15	201	14	268	6	343	3	455	12
46	1	138	15	202	14	269	9	345	5	457	21
47	1	139	15	203	15	270	6	346	6	463	17
48	4	140	16	205	15	271	9	347	7	464	10
49	7	141	16	206	15	272	2	349	3	465	13
50	9	142	17	207	16	273	12	350	7	466	17
51	5	143	19	208	16	274	17	351	6	467	17
52	5	144	19	209	17	275	9	352	1	468	16
53	2	145	20	210	17	276	4	359	1	469	16
54	2	146	20	211	19	277	19	360	1	470	16
55	17	147	21	212	19	278	5	361	2	471	16
56	11	148	21	213	20	279	2	363	2	473	17
57	3	149	10	214	20	281	12	364	2	474	5
58	10	150	10	215	10	282	19	366	3	475	9
59	19	151	10	216	10	283	20	367	6	477	3
70	9	152	10	217	6	284	1	369	5	478	12
71	6	153	10	218	11	285	18	370	5	479	12
73	4	154	11	219	13	286	21	375	6	480	12
74	7	155	11	220	13	287	7	376	6	481	12
75	8	156	11	221	14	288	18	378	6	483	11
87	10	157	13	222	14	289	18	381	11	484	16
88	10	158	13	223	15	290	14	383	11	485	6
89	7	159	13	224	15	291	15	385	11	486	6
91	18	160	13	225	15	292	10	387	12	487	10
92	6	161	13	226	16	294	13	395	3	488	11
93	9	162	14	227	17	295	13	396	17	489	18
94	17	163	14	228	19	296	15	398	5	490	2
95	1	164	14	229	20	297	10	399	8	491	1
96	10	165	14	230	20	299	11	400	14	492	19
100	3	166	15	231	9	301	14	402	3	496	21
101	5	167	11	232	10	302	5	403	4	497	13
104	1	168	15	233	12	303	3	404	4	498	16
105	5	169	15	234	13	304	5	405	6	500	10
106	9	170	15	235	4	305	3	406	4	501	10

FILAMENT, DAY/NIGHT AND NEOP
INDEX TO REFERENCE NUMBERS—cont.

SECTION 5L—cont.

Ref. No.	Page										
502	13	1170	11	1347	21	1944	7	2310	5		
503	18	1172	11	1385	2	1949	2	2311	5		
504	17	1173	12	1426	7	1950	2	2312	5		
505	18	1174	12	1428	2	1951	2	2313	8		
506	18	1175	12	1449	6	1952	2	2314	8		
509	3	1176	12	1535	1	1953	2	2315	8		
510	18	1177	12	1538	5	1954	4	2331	2		
514	17	1186	13	1539	6	1955	4	2339	6		
517	13	1187	13	1626	4	1957	4	2340	9		
518	13	1188	14	1638	8	1988	14	2341	5		
522	13	1189	14	1654	6	1989	14	2343	7		
525	21	1194	14	1656	21	1990	15	2344	9		
526	2	1196	14	1657	21	1991	15	2345	9		
527	8	1197	14	1658	21	1992	16	2364	7		
529	13	1199	14	1659	21	1993	16	2371	1		
530	20	1201	15	1660	21	1994	17	2372	7		
531	14	1202	15	1661	21	1995	17	2397	7		
533	6	1206	15	1677	11	1996	19				
534	6	1207	15	1678	14	1997	19				
535	9	1208	15	1679	15	1998	20				
536	20	1209	15	1680	15	1999	20				
537	10	1210	15	1681	16	2012	2				
540	19	1211	15	1682	19	2013	5				
541	19	1212	16	1683	20	2014	9				
542	12	1213	16	1684	11	2017	7				
543	17	1214	16	1685	14	2063	5				
544	7	1215	16	1686	15	2064	8				
545	2	1216	16	1687	15	2068	4				
546	17	1217	16	1688	16	2069	4				
547	7	1219	16	1689	19	2070	4				
548	7	1220	16	1690	20	2071	4				
549	8	1221	16	1691	14	2072	4				
551	8	1222	17	1696	9	2075	5				
552	14	1223	17	1697	9	2076	8				
553	2	1224	17	1698	9	2080	4				
554	5	1225	17	1699	8	2083	2				
555	3	1226	18	1702	8	2092	7				
556	3	1227	18	1783	4	2097	1				
557	13	1229	19	1812	9	2130	4				
566	14	1231	19	1813	9	2140	7				
567	1	1232	19	1814	8	2152	7				
568	3	1233	19	1815	8	2160	7				
569	14	1234	19	1817	8	2162	6				
571	10	1235	19	1818	4	2165	7				
573	2	1236	19	1819	4	2171	8				
575	8	1237	20	1820	5	2182	5				
576	18	1239	20	1862	21	2183	8				
577	4	1240	20	1863	21	2201	16				
579	18	1242	20	1864	21	2202	16				
580	18	1243	20	1871	1	2203	16				
581	18	1244	20	1872	1	2238	2				
588	9	1246	20	1876	7	2239	2				
591	8	1247	21	1877	8	2256	2				
792	5	1319	5	1898	8	2259	20				
1008	4	1330	6	1900	9	2260	18				
1089	2	1332	6	1920	12	2269	9				
1117	1	1339	11	1921	14	2273	2				
1118	1	1340	12	1922	15	2274	2				
1120	6	1341	13	1923	16	2287	17				
1121	7	1342	14	1924	18	2288	17				
1141	5	1343	15	1925	20	2292	2				
1149	6	1344	16	1926	21	2293	1				
1150	5	1345	18	1928	8	2295	5				
1169	11	1346	20	1929	2	2297	8				