

Please do not upload this copyright pdf document to any other website. Breach of copyright may result in a criminal conviction.

This pdf document was generated by me Colin Hinson from a Crown copyright document held at R.A.F. Henlow Signals Museum. It is presented here (for free) under the Open Government Licence (O.G.L.) and this pdf version of the document is my copyright (along with the Crown Copyright) in much the same way as a photograph would be.

The document should have been downloaded from my website <https://blunham.com/Radar>, or any mirror site named on that site. If you downloaded it from elsewhere, please let me know (particularly if you were charged for it). You can contact me via my Genuki email page: <https://www.genuki.org.uk/big/eng/YKS/various?recipient=colin>

You may not copy the file for onward transmission of the data nor attempt to make monetary gain by the use of these files. If you want someone else to have a copy of the file, point them at the website. (<https://blunham.com/Radar>). Please do not point them at the file itself as it may move or the site may be updated.

It should be noted that most of the pages are identifiable as having been processed by me.

I put a lot of time into producing these files which is why you are met with this page when you open the file.

In order to generate this file, I need to scan the pages, split the double pages and remove any edge marks such as punch holes, clean up the pages, set the relevant pages to be all the same size and alignment. I then run Omnipage (OCR) to generate the searchable text and then generate the pdf file.

Hopefully after all that, I end up with a presentable file. If you find missing pages, pages in the wrong order, anything else wrong with the file or simply want to make a comment, please drop me a line (see above).

It is my hope that you find the file of use to you personally – I know that I would have liked to have found some of these files years ago – they would have saved me a lot of time !

Colin Hinson

In the village of Blunham, Bedfordshire.

RESTRICTED

Issued with A/L.108.

**AIR PUBLICATION 1086
BOOK 4—PART 3
SECOND EDITION**

**SECTION 10G
GROUND TELEPHONE AND TELEGRAPH
EQUIPMENT**

**Items under Section 10G
are covered by
VOTE 7D.1**

RESTRICTED

VOCABULARY OF ROYAL AIR FORCE EQUIPMENT

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT

SECTION 10G

(22nd July, 1963)

NOTE—Spares for Cryptographic Equipment are not listed in this vocabulary, but appear in the appropriate Vol. 3 of the document describing the equipment

Ref No.	PART NO	NOMENCLATURE	DETAIL	Class of Store	Denom of Qty
1	2	3	4	5	6
17737	Creed 2848 36	ABUTMENT	Magnetic	C	each
		ABUTMENTS:—			
17134	Creed 2184/50	Block... ..	For Striker Transmitter Head, Teleprinter 7B ...	C	..
17349	Creed 1836 195	Carriage, C P	For Main Base Unit, Teleprinter 7B	C	..
9013584		ADJUSTING PLATE ASSEMBLY ...	Brass with spindle	C	..
		ADJUSTERS:—			
17797		Eccentric	Used on FGRI 5493	C	..
18248		Keybar pivot	Used on Perforator, Keyboard, Creed 7P N3 (Ref No 17455).	C	..
18267	Creed 1947, 217	Spring	Used on Perforator, Keyboard, Creed 7P, N3 (Ref No 17455)	C	..
20001	Ultra T.36	AIRCRAFT SERVICING	Used on Intercommunication Equipment	A	..
YB. 06883		ALTERNATOR	Used on S.U.C.O	A	..

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G— cont.

1	2	3	4	5	6
YA 6460	G.P.O. No. 237	AMPLIFYING UNIT	A	each
3881	Marconi 56/60881/C	ANCHOR	For Undulator, Type 4	C	„
1964	G.N.T. 2044/4	ANCHORS:—			
15706		Control arm, C.P.	For Undulator, Type 11	C	„
		Metal	For arrangement of rubber outlets and plugs which arc used on telephone connections on airfields ...	C	„
17204	Creed 2081/79	Retention pawl spring	For Counter Unit, Teleprinter 7B	C	„
16548	Creed 1838/42	Spring	For Control Lever Unit, Teleprinter 7B	C	„
17355	Creed 1831/10	Spring	For Page Attachments, Teleprinter 7B	C	„
17715		Spring	Spring anchor stud fitted to adjustable magnet ...	C	„
9013586		Spring	1 1/4 in. lg × 3/4 in. dia.	C	„
9013588		Spring	Steel, 1 3/32 in. lg × 7/16 in. A/F.	C	„
9013741		Spring	Steel 1/2 × 3/32 × 1/2 in. approx. o/a. dim.	C	„
17709		Spring, C.P.	Used on Teleprinter, 7B Page, Mark 2	C	„
15159	Creed S.1980	ANSWER BACK UNIT, C.P.	20 character. For Teleprinter 7B	A	„
18922		ANVIL ASSEMBLY	Comprises of a series of 5 aligned contact discs. Approx. 1/16 in. lg × 3/8 in. dia.	C	„
18274	Creed 1947/141/A	ANVIL	Used on Perforator, Keyboard, Creed 7P/N3 Ref. No. 17455.	C	„
YA. 6003		APPARATUS: -			
		Cable laying	A	„
YA. 4786		Cable laying:—			
YA. 7682		No. 6	A	„
		No. 11	A	„
YB. 05056		Carrier:—			
		Telephone, TE, Mark 2/1, Terminals		B	„

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
		APPARATUS—cont.			
		Telegraph:—			
15686		Voice frequency	3 chain D.X. Used with Terminal Equipment, AN/TRC.3.	A	each
1390	Creed C.P.112/31	ARMATURE ASSEMBLY	For Transmitter, Wheatstone, Type 3	C	„
9421624		ARMATURE ASSEMBLY	Used on B.I.D./560/1	C	„
9421692		ARMATURE ASSEMBLY	Used on B.I.D./560/1	C	„
		ARMATURES:—			
YA. 5961		Buzzer, No. 18	C	„
1965	G.N.T. 309/30	C.P.	For Undulator, Type 11	C	„
2153	Creed 990/TA	C.P.	For Reperforator, Morse Receiving	C	„
2393	G.N.T. 112/32	C.P.	For Transmitter, Wheatstone, Type 3	C	„
18338		C.P.	B	„
		Comprising:—			
17798		Armature, solenoid	—	—
—		Circlip, pins, bearing	Ref. No. 17800	—	—
—		Pin, bearing, roller	Ref. No. 17801	—	—
—		Roller	Ref. No. 17812	—	—
4285	Creed 1822/33	Electromagnet, C.P.	For Teleprinter, 7B	C	each
17713		Relay, C.P.	Used on Teleprinter, 7B Page, Mk. 2... ..	C	„
9421372		Relay	Used on B.I.D.50	C	„
2396	G.N.T. 112/35	Sapphire distance piece	For Transmitter, Wheatstone, Type 3	C	„
17802		Solenoid	Used on F.G.R.I.5493	C	„
17938		Special	Used on F.G.R.I.5493	C	„
17942		Special	Used on F.G.R.I.5493	C	„
YB. 08390		Start—Stop Coils	Used on 5.U.C.O.	A	„
		ARMATURE AND YOKE ASSEMBLY:—			
17844		C.P.	Used on F.G.R.I. 5493	C	„

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
3656	Marconi 19/W/3804/C	ARM	Used on Undulator, Type 7	C	each
9421423		ARM	Used on B.I.D. 50	C	"
17580		ARM	For operating end of line bell on Teleprinter No. 7, page, when covers, teleprinter, Nos. 2, 3, or 5 are fitted.	C	"
		ARMS:—			
18128		Adjustable, trip shaft	Used on Reperforator, Creed, 7TB/3 (Ref. No. 17521).	C	"
18177		Adjusting, C.P.	Used on Perforator, Keyboard, 7P/N3 (Ref. No. 17455).	C	"
9421468		Adjusting	Used on B.I.D. 50	C	"
2283	Creed 1400/206	Adjusting, line feed bellcrank	For Printer, Morse, Page Model	C	"
16550	Creed 2184/52	Adjustment, Sub., C.P.	For Teleprinter, 7B	C	"
17346	Creed 1835/29	Alarm switch	For Starter Switch Main Base Unit, Teleprinter 7B	C	"
17299	Creed 1933/6A	Balance	For Shunts, Governor Unit, Teleprinter 7B	C	"
YA. 5637		Balance	For Receiver Inset	C	"
15229	Creed 2184/16A	Bias adjustment	G.P.O. B.U. 106. Used on Striker Type Trans- mitting Unit, Teleprinter 7B.	C	"
3399	Creed 860/417A	Brake, C.P.	For Perforator, Keyboard, Morse	C	"
13483	Creed 1933/2	Contact	For Teleprinter, 7B	C	"
15652	Creed 1550/336	Contact	For Auto, Transmitter (T.P.) No. 18, Mark 2	C	"
4392	Creed 1910/27A	Contact and Sub. C.P.	For Governor Unit, Teleprinter 7B	C	"
1968	G.N.T. 2044/11	Control	For Undulator, Type 11	C	"
15091	G.P.O. C.95	Counter release	For Keyboard Perforator, No. 44, Mark 2	C	"
9421651		Electrical Brush	Used on B.I.D./560/1	C	"
16385	Creed 2869/40	Follower, C.P.	For Roll Holder, G.P.O. No. 7	C	"
3868	Marconi 8/62055/D	Jockey	For Undulator, Type 4	C	"
16144	Creed 2870/74	Jockey roller	For Printing Reperforator, Creed No. 85R	C	"
		Jumper shaft:—			
233	Creed 1838/36	Bent	For Teleprinter, 7B	C	"
234		Straight	Used on Control Lever Units (Ref. No. 17125)	C	"

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10C —cont.

1	2	3	4	5	6
		ARMS—cont.			
		Latch:—			
17699		Sub., C.P.	Used on Teleprinter, 7B Page, Mk. 2	C	each
17698		Type stop, C.P.	Used on Teleprinter, 7B Page, Mk. 2	C	"
17356	Creed 1831, 33A	Letter feed, C.P.	For Page Attachment Unit, Teleprinter 7B	C	"
2284	Creed 1600 340A	Line feed, bellcrank, C.P.	For Printer, Morse, Page Model	C	"
9421316		Lock Bracket	Used on B.I.D. 50	C	"
16551	Creed 1822/111	Locking bar, C.P.	For Teleprinter, 7B (W.D.) (Ref. No. YB.03117)	C	"
16926	G.P.O. A.D.	Microphone, flexible	For Airfield Control System	C	"
15019	G.P.O. B.27	Operating	For Letter Counter. For use with Keyboard Perforator, No. 44, Mark 1	C	"
17086	G.P.O. B.90	Operating	For Letter Counter used on Keyboard Perforator, No. 44, Mark 2.	C	"
17841		Operating assembly, C.P.	Used on G.F.R.I. 5493	C	"
9013686	<i>Murhead P 709</i>	Paper Brake Tension	Steel, $1\frac{3}{16}$ in. \times $\frac{7}{16}$ in. \times $\frac{1}{4}$ in. o/a. dims.	C	"
16128	Creed 2870,7	Pivot Pressure	For Printing Reperforator, Creed No. 85R	C	"
9330837		Pressure	$1\frac{1}{4}$ in. \times $\frac{3}{16}$ in. fitted with felt pad $\frac{1}{2}$ in. \times $\frac{3}{16}$ in.	C	"
9013728		Pressure Roller	S/Steel 2 in. \times $\frac{5}{16}$ in. \times $\frac{1}{2}$ in. o/a dims.	C	"
9013729		Pressure Roller	S/Steel 2 in. \times $\frac{5}{16}$ in. \times $\frac{1}{2}$ in. o/a dims.	C	"
17807		Rocker adjustable, C.P.	Used on F.G.R.I. 5493	C	"
18231		Selecting lever retaining, C.P.	Used on Perforator, Keyboard, Creed 7P/N3 (Ref. No. 17455).	C	"
1762	Creed 2205,73	Scrambler	C	"
		Setting, C.P.:—	For Printing Reperforator Creed No. 85R		
16218	Creed 2870,132	No. 1	C	"
16219	Creed 2870 133	No. 2	C	"
16220	Creed 2870,134	No. 3	C	"
16221	Creed 2870,135	No. 4	C	"
16222	Creed 2870,136	No. 5	C	"
3870	Marconi 9/62055/D	Spindle	For Undulator, Type 4	C	"
1391	Creed 2042/61	Straight governor	For Transmitter, Wheatstone, Type 3	C	"
4541	Creed 2205/92	Support	Part of Counter Trip Lever (Ref. No. 1677)... ..	C	"
12210	Creed 7463/A	Syphon	Complete with pivot (10/60871/B) and two brushes (8A/60871/B). For Undulator, Type 4.	C	"

RESTRICTED

C

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT

SECTION 10G—cont.

1	2	3	4	5	6
		ARMS—cont			
13697	Creed 740,786	Tape guide	For Printer, Morse, Tape Model, Type 1	C	each
16367	Creed 2885/47	Tape guide, adjustable, C.P.	For Tape Winder, G.P.O. No. 2	C	"
18889	Creed 1947/289	Trip, adjusting	First used on Punch Block Unit (Ref. No. 18818) ...	C	"
18191		Trip, adjusting, C.P.	Used on Perforator, Keyboard, Creed No. 7P/N3 (Ref. No. 17455).	C	"
13014	Creed 1822/39	Trip bar	For Teleprinter, 7B	C	"
16553	Creed 1650/531	Trip bellcrank adjustment	For Teleprinter, 7B (W.D.) (Ref. No. YB.03117) ...	C	"
16552	Creed 1822/112	Trip, C.P.	For Teleprinter, 7B (W.D.) (Ref. No. YB.03117) ...	C	"
17706		Type stop, C.P.	Used on Teleprinter, 7B Page, Mark 2	C	"
203	Creed 1825/94	Weight lifting	For Teleprinter 7B,	C	"
		ATTACHMENTS:—			
2327	Creed 1600,330D	Page	For Printer, Morse, Page Model	A	"
1380	G.P.O. Ex.41942	Paper rewind	For Teleprinter, 7B	C	"
YA. 1709		Telephone, double head	A	"
17616		AUTO-COLOUR CHANGE UNIT	A relay panel comprising miscellaneous G.P.O. relays and ancillary equipment. Dims.: 1 ft. 8 in. × 3 $\frac{1}{4}$ in.	A	"
		AUTO-HIGH SPEED EQUIPMENT:—			
552		Apparatus, cable laying, No. 2	A	"
3407		Bar, combination selector	C	"
13637		Base, motor, flat type	B	"
3871		Blade, fixed, guillotine	C	"
3587		Block, contact	C	"
3589		Block, contact, C.P.	C	"
3431		Bush, wiring	C	"
13679		Cap, paper, guide	C	"
3570		Clamp, screw, washer	C	"
13324		Clutch, main bearing and coupling	C	"
1225		Connector	C	"

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

RESTRICTED

1	2	3	4	5	6	
		AUTO-HIGH SPEED EQUIPMENT—cont.				
15117		Connector	C	each	
3585		Contact	C	"	
14325		Contact set, counter	C	"	
3732		Coupling, flexible	C	"	
3603		Coupling, speed change	C	"	
3584		Cover, C.P.	B	"	
3599		Fork, speed-change	C	"	
13652		Governor, mass, c's'k, H.S.	A	"	
13650		Governor, mass, c's'k, L.S.	A	"	
13651		Governor, mass, tapped, H.S.	A	"	
3581		Lever, guide roller	C	"	
3583		Lever, guide roller, C.P.	C	"	
514		Motor, Type 27	A	"	
3597		Pecker	C	"	
3374		Perforator sub-assembly	A	"	
		Pins, pivot:—				
3375		Punch block	C	"	
3397		Tape guide	C	"	
1136		Taper, $\frac{3}{8}$ in. \times 0-105 in.	C	"	
3754		Pins, taper	C	set	
3582		Pivot, guide roller	C	each	
		Plates:—				
3595		Cover	C	"	
2021		Retaining	For driving pinion, ball bearing	B	"	
3755		Rings, split	C	set	
3752		Screw...	C	"	
		Screws:—				
3601		Speed change, C.P.	C	each	
3481		Speed change, set	C	"	
13678		Spring, ink roller	C	"	
14334		Spacer, trip link, operating lever	C	"	
3758		Spare parts	C	set	

7

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
		AUTO-HIGH SPEED EQUIPMENT—cont.			
		Spindles:—			
3601		Speed change, C.P.	C	each
3580		Tape feed, C.P.	C	„ set
3753		Spring	C	each
13724		Anchor	C	„
3598		Bellcrank	C	„
2155		Pias	C	„
13327		Clutch	C	„
3594		Contact, C.P.	C	„
3316		Jockey arm	C	„
3759		Support, field pawl	C	„
505		Tape , bellcrank	C	„
1198		Washer	C	„
2338		Washer	Cast steel	C	„
13326		Washer , clutch, inner	C	„
13325		Washer , clutch, outer	C	„
3605		Washer , speed change, C.P.	C	„
3579		Wheel , gear, tape feed	C	„
		AUTO-KEYING DEVICE:—			
15694	1400C	Type 1C	A	„
		AUTOMATIC UNIT:—			
3540		Colour change	Used on Wings Operations Room equipment	A	„
18046		AXLE C.P.	Used on Teleprinter, 7B, Mark 2	C	„
		BALANCES:—			
16942	Creed 1285/84	Spring	0-12 oz. Part of Teleprinter 7B Tool Kits	C	„
431	Creed 1285/35	Spring	For Morse Set, Tuition, Automatic	C	„
		BANDS:—			
17584	Creed 2843/8	Clutch	C	„

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
17446	G.P.O. 1/SBA/33	BANDS—cont. Driving	Drive between motor and governor on Tester, G P.O. T.G.958.	C	each
4100		Friction	Polyvertyl chloride tube, Grade F. Dims.: $\frac{7}{8}$ in. o/d. $\times \frac{3}{8}$ in. ...	C	„
18201		BALLRACE	Used on Perforator, Keyboard, Creed 7P/N3 (Ref. No. 17455).	C	„
18290		BARS:— Combination	$\frac{7}{32}$ in. pitch	C	„
		Combination:— Creed:—	For Teleprinter, 7B		
16554	Creed 1822/95	No. 1	C	„
16555	Creed 1822/96	No. 2	C	„
16556	Creed 1822/97	No. 3	C	„
16557	Creed 1822/98	No. 4	C	„
16558	Creed 1822/99	No. 5	C	„
		G.P.O. F.101 to F.105 series:—	For Keyboard Perforator, No. 44, Mark 2.		
15075	G.P.O. F.101	No. 1	C	„
15076	G.P.O. F.102	No. 2	C	„
15077	G.P.O. F.103	No. 3	C	„
15078	G.P.O. F.104	No. 4	C	„
15079	G.P.O. F.105	No. 5	C	„
		Numbers:—			
497	Creed 860/31B	Even (2-20)	10 per set. For Perforator. Keyboard, Morse	C	set
496	Creed 860/30B	Odd (1-19)	10 per set. For Perforator, Keyboard, Morse	C	„
498	Creed 860/22D	Selecter	For Perforator, Keyboard	C	each
		Control:—	For Transmitter, Wheatstone, Type 3		
3244	G.N.T. 2042/22B	C.P.	C	„
13648	G.N.T. 2042/121	C.P.	C	„
13649	G.N.T. 2042/122A	Plate retaining	C	„
3246	G.N.T. 2042/28	Plate retaining	C	„
3245	G.N.T. 2042/25	Spring	C	„

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10C—cont.

1	2	3	4	5	6
		BARS—cont.			
		CONTROL—contd.			
17602		End	Channel iron, Dims. 10 ft. 6 ins. × 3 ins. × $\frac{5}{16}$ in. thick.	C	each
284	Creed 1822/13	Lock	For Teleprinter, 7B	C	"
16559	Creed 2023/34	Locking	For Teleprinter, 7B (W.D.) (Ref. No. YB. 03117) ...	C	"
18035		Locking	Used on Teleprinter, 7B, Mk. 2	C	"
18291		C.P.	$\frac{3}{2}$ in. pitch	C	"
1738	Creed 1822/19	Rear, C.P.	For Teleprinter, 7B	C	"
3392	Creed 860/396	Tape wheel	For Perforator, Keyboard, Morse	C	"
18228		Perforator trip release	Used on Perforator, Keyboard, Creed, 7P/N3 (Ref. No. 17455).	C	"
18880	Creed 2254/148	Perforator trip release	Used on Perforator Operational Unit. (Ref. No. 18875).	C	"
9421696		Pivot	Used on B.I.D./560/1	C	"
16176	Creed 2870/161	Punching	For Reperforator, Printing, Creed 85R	C	set
2206	Creed 740/408	Retaining selector, C.P.	For Printer, Morse, Page Model	C	each
3329	Creed 860/23D	Returning	For Perforator, Keyboard, Morse, Type 4	C	"
		Returning:—	For Perforator, Keyboard, Morse, Type 4		
3331	Creed 860/25D	C.P.	C	"
3738	Creed 1172/74	C.P.	C	"
13732	Creed 1400/103	Running, platen, C.P.	C	"
18271		Selector, bent	Used on Perforator, Keyboard, Creed 7P/N3 (Ref. No. 17455).	C	"
18270		Selector, straight	Used on Perforator, Keyboard, Creed 7P/N3 (Ref. No. 17455).	C	"
		Selector, C.P.:—	For Perforator, Keyboard		
499	Creed 860/17B	Top Row	C	"
500	Creed 860/18B	2nd row	C	"
501	Creed 860/19B	3rd row	C	"
502	Creed 860/20B	4th row	C	"
16989	Creed 1816/15	Slide, upper	For Tape Attachment Unit Teleprinter 7B	C	"
		Space:—			
3349	Creed 860/63B	C.P.	C	"

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
		BARS—cont.			
		Space—cont.			
		Lever, C.P.:—	For Perforator, Keyboard, Morse V.		
3345	Creed 860/58A	L.H.	C	each
3385	Creed 860/363	Packing piece	C	"
3344	Creed 860/56A	R.H.	C	"
3347	Creed 860/60	Spindle	C	"
503	Creed 860/32B	Top	10 per set. For Perforator, Keyboard	C	set
3338	Creed 860/40	Space and comb bar rack	C	"
16090	Creed 1831/15	Support, C.P.	C	each
18019		Support, C.P.	Part of Teleprinter, 7B, Mark 2	C	"
4340	Creed 1822/20	Top	G.P.O. O.4	B	"
3350	Creed 860/71A	Trip, C.P.	For Perforator, Keyboard, Morse 4	C	"
17438	G.P.O. C.74	Trip, C.P.	For G.P.O. Perforator, No. 44, Mark 1	C	"
18292		Trip, C.P.	$\frac{3}{4}$ in. pitch	C	"
18264		Trip, link, C.P.	Used on Perforator, Keyboard, Creed 7P/N3 (Ref. No. 17455).	C	"
9013747		Writing	Steel, $\frac{5}{8}$ in. w \times 9 in. lg. o/a dims.	C	"
15675	G.P.O. 27B	BASEBOARD	For Reperforator, Receiving, No. 2, Mark 2	B	"
16056	G.P.O. No. 34A	BASEBOARD	Used on Monitor, Type 43 (Reference 10T/13103)	C	"
17766		BASE UNIT	Used on F.G.R.I. 5493	A	"
659	Creed S.2204	BASE UNIT	For Type X Machine	A	"
		BASE UNITS:—			
		Bases:—			
1681	Creed 2204/39	Centre	B	"
1679	Creed 2204/43	Left hand	B	"
1680	Creed 2204/44	Right hand...	B	"
1706	Creed 2204/13	Block, location	C	"

RESTRICTED

11

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
		BASE UNITS—cont.			
		Brackets:—			
4019		Buffer, L.H.	C	each
4018		Buffer, R.H.	C	"
1703		Cam end, C.P.	C	"
1711	Creed 2204/67	Detent, release, contact, C.P.	C	"
1684	Creed 2204/48	Tape guide, C.P.	C	"
2125	Creed L.P.41337	Bush, insulating	C	"
		Cables:—			
1713	Creed 2204/90	3-core, 40/0076	9 ft.	C	"
1715	Creed PK.1050	Clip	C	"
1714	Creed PK.2015	Clip	C	"
14064	Creed 2204/105	Capacitor	Motor, Large type	C	"
1655	Creed 2204/36	Capacitor	1- -1 mfd.	C	"
		Distancers:—			
119	Creed LP.17444	Ebonite	C	"
115	Creed LP.17452	Ebonite	Dims.: 0-172 in. dia. / 0-32 in., with pip, 0-092 in. dia. × 0-045 in.	C	"
		Guards:—			
4555	Creed 2208/32	Front, C.P.	C	"
3841	Creed 2208/36	Jack, C.P.	C	"
15244	Creed 2204/31	Guide, plunger	C	"
		Insulators:—			
403	Creed LP.17425	Thick	C	"
402	Creed LP.17426	Thin	C	"
		Jacks:—			
1683	Creed 2204/59	10-point	C	"
1682	Creed 2204/68	32-point	C	"
3577	Creed 2204/104	Key, contact, assemblies	C	"
401	Creed 2204/68	Plate, clamp	C	"
		Spring and contact assemblies:—	Keyboard		
121	Creed 2204/69	Centre	C	"
120	Creed LP.25847	Front	C	"
118	Creed LP.25862	Rear	C	"
16013	Creed 2204/78	Label, voltage	C	"

RESTRICTED

C

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
		BASE UNITS—cont.			
3865	Creed 2204/103	Piece , packing	For Motor Condenser	C	each
		Pillars:—			
3694		L.H. Rear	C	"
3696		R.H. Front...	C	"
3695		R.H. Rear and L.H. Front	C	"
15735	Creed 2204/5	Pinion , drive code, change rack	C	"
		Pins:—			
15395	Creed P.P.7729	Grooved, $\frac{1}{16}$ in. \times $\frac{1}{8}$ in.	C	"
1268	Creed C.B.1011	Tape	$\frac{5}{8}$ in. long	C	"
		Plungers:—			
1700	Creed 2204/1	Cam, C.P.	C	"
15241	Creed 2204/2	Cam, feed check special	C	"
15242	Creed 2204/28	Feed check	C	"
1708	Creed 2204/27	Feed check, C.P.	C	"
1702	Creed 2204/23	Rack , code change	C	"
1710	Creed 2204/38	Resistor	30 ohms, 30-W	C	"
		Screws:—			
3447	Creed P.S.1052-1	0.B.A. \times $\frac{5}{8}$ in. hex./head	M.S.	C	"
2131	Creed P.S.1334-1	2.B.A. csk/hd.	C	"
4557	Creed 5021-1	5.B.A. \times $1\frac{1}{4}$ in.	C	"
1072	Creed P.S.2331-1	7.B.A. \times $\frac{7}{16}$ in.	C	"
4556	Creed P.S.4649	Set	$\frac{5}{16}$ in. B.S.F.	C	"
15396	Creed 5036-1	Special	C	"
1889	Creed PS.1819-1	Switch, fixing	C	"
1704	Creed 2204/9	Shaft , code change, C.P.	C	"
		Springs:—			
1705	Creed 2204/26	Code, change over	C	"
15243	Creed 2204/29	Plunger	C	"
1687	Creed 2204/37	Strap	For spark quench condensers	C	"
		Strips:—			
1694	Creed 2204/63	Contact, C.P. 1st row	C	"
1695	Creed 2204/64	Contact, C.P. 2nd row	C	"
4532	Creed 2204/24	Stud , code rack	C	"
96	Creed 2204/14	Switch , code assemblies, C.P.	C	"

RESTRICTED

RESTRICTED
13

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10C—cont.

1	2	3	4	5	6
		BASE UNITS—cont.			
1271	Creed 2204/93	Switches:—			
360	Creed 2204/21	Key	C	each
361	Creed 2204/22	Key, R.H.	C	"
		Push:—			
1707	Creed 2204/53	Spacing column	C	"
1697	Creed 2204/54	Spacing, collar	C	"
1717	Creed PW.4028	Washer	For motor fixing screw... ..	C	"
15245	Creed 2204/32	Washer, Special	C	"
13316		BASE	B	"
13421	Creed 1800/185	BASE	For Reperforating Receiver (T.P.), No. 2, Mark 2 ...	A	"
		BASES:—			
16561	Creed 1980/18	Answer-back unit	For Teleprinter, 7B	B	"
16288	Creed 2866/7	Cam unit, C.P.	Part of Orientation Device (Ref. No. 16262)	B	"
17140	Creed 1830/3	Cam unit, C.P.	For Teleprinter, 7B, Page and Tape Model	B	"
16560	Creed 1832/27	Casting, C.P.	For Teleprinter, 7B	C	"
15594	Creed 1550/93	Contact Block	For Auto Transmitter (T.P.), No. 1B, Mark 2	C	"
18928	Creed 1550/607	Contact No. 2	Used on B.I.D. 31/2-(2)	C	"
		Contact insulating:—			
16562	Creed 2184/53	No. 1	For Teleprinter, 7B.	B	"
16563	Creed 2184/32B	No. 1A	B	"
17062	Creed 1838/108	Control lever, C.P.	Control lever unit	B	"
16228	Creed 1868/1	Control unit	For Printing Reperforator, 85R	B	"
3390	Creed 860/386A	Foot	L.H. For Perforator, Keyboard, Morse	C	"
13489	Creed 1910/33	Governor	For Teleprinter Reperforator	B	"
16036	Creed 2023/54	Keyboard	For Teleprinter, 7B (W.D.) (Ref. No. YB. 03117)	B	"
17676		Main	Used on Teleprinter, Type 7B, Page Model, Friction Feed (Ref. No. 163).	A	"
15607	Creed 1550/77	Main	For Auto. Transmitter (T.P., No. 1B, Mark 2)	A	"
15014	G.P.O. B.1	Main	For Keyboard Perforator, Mark 44	A	"
1970	G.N.T. 309/103	Main, C.P.	For Undulator, No. 11	A	"

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
		BASES—cont.			
13663	G.N.T. 112/71	Main, C.P.	For Transmitter, Wheatstone	A	each
2013	G.N.T. 309/113	Motor	For Undulator, No. 11	C	„
17344	Creed 1824/1	Motor	For Main Base Unit, 7B	B	„
		Motor:—			
13636	G.N.T. 112/95	Concave top	For Transmitter, Wheatstone	C	„
2014	G.N.T.309/114	Flat top	For Undulator, Type 11	C	„
		Operating head:—			
13587	Creed 990/8A	Magnet	For Reperforator, Morse No. 1	C	„
13627	G.N.T.112/5	Plate	For Transmitter, Wheatstone	C	„
13656	G.N.T.112/42A	Plate	For Battery Switch, C.P., Transmitter, Wheatstone	C	„
3293	Marconi 5/60871/13	Plate	For Relay, Complete with pivot brush. For Undula- tor, Type 4.	C	„
3294	Marconi 6/60871/B	Plate support	For Undulator, Type 4	C	„
16564	Creed 1835/1A	Starter switch	For Teleprinter, 7B	C	„
3600	Creed 850/62	Transmitter	For Transmitter, Morse, Type 3	A	„
		Transmitting:—	For Teleprinter, 7B.		
15221	Creed 1821/3	Cam assembly	G.P.O. P.I	B	„
9421557		BEARING	Used on B.I.D. 50	C	„
9421664		BEARING	Used on B.I.D./560/1.	C	„
9421713		BEARING	Used on B.I.D./560/1	C	„
		BEARINGS:—			
1394	Creed 112/36	Armature	For Transmitter Wheatstone Type 3	B	„
		Ball:—	For Transmitter, Wheatstone, Type 3—Speed Regu- lator.		
3288	G.N.T.2042/79	$\frac{1}{8}$ in. bore	C	„
1398	G.N.T.2042/78	$\frac{1}{4}$ in. bore	C	„
17670	Creed 1826/127	Bellcrank	Used on Teleprinter, 7B	B	„
2239	Creed 740/97A	Bellcrank	For Printer, Morse, Tape Model	C	„
16074	Creed 1826/78	Bellcrank	For Teleprinter, 7B	C	„

RESTRICTED

RESTRICTED
15

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10C—cont.

1	2	3	4	5	6
		BEARINGS—cont.			
15119	Creed 1800/92	Block	For Reperforator, Receiver, G.P.O. No. 2, Mark 2 ...	C	each
9421349		Block	Used on B.I.D. 50	C	"
9421352		Block	Used on B.I.D. 50	C	"
16565	Creed 1828/7	Bobbin spindle	For Ribbon Feed Bracket, Te eprinter 7B ...	C	"
1967	G.N.T.309/34	Bottom armature, C.P.	For Undulator, Type 11	C	"
17141	Creed 1830/176	Comb finger	For Cam Unit	C	"
4379	Creed 1823/4D	End	G.P.O. B.Q.88. For Teleprinter, 7B ...	C	"
16353	Creed 2885/16	End casting	For Tape Winder, G.P.O. No. 2	B	"
2307	Creed 720/47B	Main clutch and main shaft	Gunmetal castings	C	"
1971	G.N.T.2044/53	Output spindle	For Undulator, Type 11 (Ref. No. 1945) ...	C	"
1972	G.N.T.309/12A	Piece driving roller	For Undulator, Type 11 (Ref. No. 1945) ...	C	"
759	Creed 720/146	Plate, detent	For Reperforator, Morse Receiving ...	C	"
17028	Creed 1847/10	Platen feed spindle	For Tape Attachment Unit, Teleprinter 7B ...	C	"
9013700		Pressure Roller	Brass or Bronze, $\frac{3}{8}$ in. \times $\frac{1}{4}$ in. \times $\frac{1}{4}$ in. o/a. dims. ...	C	"
		Pressure roller, C.P.: —	For Page Attachment Unit.		
		L.H.	C	set
		R.H.	C	"
17185	Creed 1839/3A	Reduction	For Starter Switch Control Unit	C	each
17186	Creed 1839/4A	Release shaft	For Teleprinter, 7B	C	"
16080	Creed 1825/21A	Spindle, worm	For Tape Winder, G.P.O. No. 2	C	"
16566	Creed 1824/4	Top armature, C.P.	For Undulator, Type 11 (Ref. No. 1945) ...	C	"
16357	Creed 2885/38	Trip rod: —			
1973	G.N.T.309/35	L.H.	For Perforator, Keyboard, Morse, Type 4 ...	C	"
		Trip Shaft, C.P.	For Teleprinter, 7B	C	"
3373	Creed 860/187A	Trip shaft, Carriage end	For Teleprinter, 7B	C	"
16568	Creed 1830/145	Typehead and screw	For Teleprinter, 7B	C	"
16567	Creed 1830/143	Typehead spindle	Used on Teleprinter, Type 7B (Ref. No. 163) ...	C	"
16836	Creed 1838/106				
4223	—				
205	Creed 1400/35A	BELLCRANK	For Teleprinter, 7B	C	"
206	Creed 1826/136	BELLCRANK	For Teleprinter, 7B	C	"
15080	G.P.O. F.110	BELLCRANK	For Keyboard Perforator No. 44, Mark 2 ...	C	"

RESTRICTED

RESTRICTED
16

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
		BELLCRANKS: -			
3573	Creed 850/12	Adjusting stud	For Transmitter, Morse, Automatic, Type 3	C	each
13726	Creed 1260/135	Anchor spring trip	For Printer, Morse	C	"
4309	Creed 1831/29	Carriage return	Part of Page Attachment Unit, Teleprinter, 7B	C	"
3574	Creed P.C.1001	Contact	Part of Transmitter, Morse, Automatic, Type 3	C	"
3499	Creed 850/128	Contact arm, C.P.	Part of Transmitter, Morse, Automatic, Type 3	C	"
16570	Creed 1926/4	Control, Dummy	Marked "Z." For Teleprinter, 7B	C	"
15252	Creed 2208/46	C.P.	Part of Counter Trip Lever (Ref. No. 1677)... ..	C	"
16224	Creed 2870/112	Depression lever	For Printing Reperforator, Creed, 85R	C	"
16569	Creed 1400/524	Dummy	For Teleprinter, 7B	C	"
16573	Creed 1830/74	Finger resetting, trip	For Teleprinter, 7B	C	"
16571	Creed 1830/47	Finger resetting, trip, C.P.	For Teleprinter, 7B	C	"
3502	Creed 850/173	Flexible connection, C.P.	Part of Transmitter, Morse, Automatic, Type 3	C	"
3301	Marconi 1/WSK.1537	Fulcrum block	Part of Undulator, Type 4	C	"
1395	G.N.T.2042/59	Governor, low speed	For Transmitter, Wheatstone	C	"
3496	Creed P.E.1003	Insulating bush	Used on Transmitter, Morse, Automatic, Type 3	C	"
16073	Creed 1830/34	Lifting block...	For Cam Unit, Teleprinter 7B	C	"
18022	—	Line feed	Used on Teleprinter, 7B, Mark 2	C	"
16572	Creed 1831/30A	Line feed	For Page Attachment Unit, Teleprinter 7B	C	"
4321	Creed 1831/95A	Line feed, C.P.	C	"
1393	G.N.T.112/25A	Marking	For Transmitter, Wheatstone	C	"
		Marking:—			
3575	Creed 850/14B	C.P.	For Transmitter, Morse, Automatic, Type 3	C	"
14247	G.N.T.112/125	C.P.	For Transmitter, Wheatstone	C	"
2193	Creed 740/106A	Printer, Morse	C	"
3237	G.N.T.112/80	Sapphire	For Transmitter, Wheatstone, Type 3	C	"
		Settings:—			
16216	Creed 2870/131	No. 1	For Printing Reperforator, Creed No. 85R	C	"
16215	Creed 2870/130	No. 2	C	"
16214	Creed 2870/129	No. 3	C	"
16213	Creed 2870/128	No. 4	C	"
16212	Creed 2870/127	No. 5	C	"
15081	G.P.O. F.121	Space bar	For Auto. Transmitter (T.P.) No. 1B, Mark 2	C	"
504	Creed 860/155A	Space lever	For Perforator, Keyboard, Morse	C	"

RESTRICTED

RESTRICTED
17

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
		BELLCRANKS—cont.			
1392	G.N.T.112/24B	Spacing	For Transmitter, Wheatstone, Type 3	C	each
3576	Creed 850/15B	Spacing, C.P.	For Transmitter, Morse, Automatic, Type 3	C	..
14246	G.N.T.112/24B	Spacing, C.P.	For Transmitter, Wheatstone, Type 3	C	..
3498	Creed P.P.6008	Spring stud	For Transmitter, Morse, Automatic, Type 3	C	..
3571	Creed 850/10	Transmitter, morse	For Transmitter Morse, Automatic, Type 3	C	..
16542	Creed 1831/367	Trip, C.P.	For Page Attachment Unit	C	..
		BELL SETS:—			
		Type:—			
28	Ekco D.14001	1	Less cover, P.O. No. 25	B	..
528		2	Mechanism only, less case	C	..
531	Gent and Co.	3	Alarm. 6v, 50 flash test to earth 1,000v	B	..
10243	G.P.O. No. 31	5	For use with Telephone, 196LB	B	..
1368	G.P.O. No. 56	11	Tropical winding, 250 and 250 ohms. Trembler	B	..
1377		12	Used on Trailers, Type 13 (Reference, 10BB/3368 and 10BB/3369).	C	..
17674		18	24v mechanism enclosed in cast iron case. Dims.: 9 in. × 4 in. o/a approx., with 4 in. gong.	C	..
17673		19	24v mechanism enclosed in cast iron case. Dims.: 9 in. × 4 in. o/a approx., with 4 in. gong.	C	..
16426		20	Used on Cabinet (Remote Control), Type 43 (Reference 10AQ/168).	C	..
18143		21	Mechanism enclosed in cast iron case. Dims.: 9 in. × 4 in. approx., with 4 in. dia. dome gong.	B	..
16427		22	AC. 6-0v. 45-65 C/S	B	..
16057		BELL	Trembler. Coil 50, 50 ohms. 6v supply. Includes Filter Suppression, G.P.O. No. 12.	C	..
YA. 0161		BELL	24v D.C. Used on Panel 109. Ref. No. 19593. Schedule No. 22719. Rack Assy. Ref. No. 19592.	A	..

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10C—cont.

1	2	3	4	5	6	
		BELLS:—				
	16574	Creed S.1843	Carriage unit	For Teleprinter, 7B	C	each
	16246	Creed 2868/21	Lever	For Printing Reperforator, Creed No. 85R	C	
	1337		Movement, skeleton	Telephone, 6v	C	"
YA.	1615		Switchboard	C	"
		BELTS:—				
	3411	Creed 860/583A	Fastener, C.P.	For Perforator, Keyboard	C	"
	3398	Creed 860/415A	Guard	For Perforator, Keyboard, Morse, Type 4	C	"
	2268	Creed 740/743	Motor	For Printers, Morse, Page Model	C	"
	736	G.P.O. Type VT/A	Safety	C	"
YB.	07397		Spring	Used on 5.U.C.O.	C	"
	16537	Creed S.1814	BIASING UNIT	For Teleprinter, 7B, Tape, Operating, Electromagnet	C	"
		BLADES:—				
	16575	Creed 1821/35	Connecting	Teleprinter, 7B	C	"
		Contact:—				
	15103	Creed 2084/67	Fixed, C.P.	End of Line Indicator, Teleprinter 7B	C	"
	13448	Creed 1801/23	Long	For Reperforating Receiver (T.P.) No. 2, Mark 2	C	"
	186	Creed 1835/21A	Motor, C.P.	For Teleprinter, 7B	C	"
	190	Creed 1835/63	Motor (moving)	For Teleprinter, 7B	C	"
	15102	Creed 2084/66	Moving, C.P.	End of Line Indicator, Teleprinter 7B	C	"
	4399	Creed 2184/43	Send/Receive switch	G.P.O. B.U.63	C	"
	15104	Creed 2084/31	Stop	End of Line Indicator, Teleprinter 7B	C	"
		Contact block:—				
	13447	Creed 1801/55	C.P., long	For 24v low voltage motors	C	"
	13450	Creed 1801/54	C.P., short	For 24v Motor Starter Units, Teleprinter Reperforator	C	"
	17343	Creed 1836/97	Control	For Main Base Units, Teleprinter 7B	C	"
	4239	Creed 1830/36	Finger setting	G.P.O. G.9	C	"
	15204	Creed 1830/39, G.P.O. G.8	Finger setting, C.P.	For Teleprinter, 7B	C	"
	3318	Marconi 19/62055E	Guillotine moving	For Undulator, Type 4	C	"
	457	Creed 860/361A	Spacing lever, C.P.	For Perforator, Keyboard	C	"
	2207	Creed 740/337A	Spacing lever, C.P.	For Printer, Morse, Tape Model	C	"

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
		BLADES—cont.			
15183	Creed 1816/12	Stop	G.P.O. L.88	C	each
13722	Creed 1160/608	Stop spring	C	
15540	Creed 1800/63	Striker	For Reperforating Receiver (T.P.) No. 2, Mark 2 ...	C	
18136		Striker	Used on Reperforator, Creed 7TR/3 (Ref. No. 17521)	C	
15590	Creed 1550/133	Switch	For Auto. Transmitter (T.P.) No. 1B, Mark 2 ...	C	
		Switch:—			
4437	{ Creed 1816/9 G.P.O. L.89 }	Bottom	For Main Base Unit, Teleprinter 7B	C	
17342	Creed 1836/96	Bottom C.P.	For Main Base Unit, Teleprinter, 7B	C	
16576	Creed 1835/61	Operating	For Teleprinter, 7B	C	
4436	{ G.P.O. L.87 Creed 1816/8 }	Top	For Teleprinter, 7B	C	
17339	Creed 1836/99	Top, C.P.	For Main Base Unit, Teleprinter 7B	C	
15649	Creed 1550/331	BLOCK ASSEMBLY, Contact	For Auto. Transmitter (T.P.) No. 1B, Mark 2 ...	B	
		BLOCKS:—			
9013795	<i>Muirhead P.672</i>	Adjusting	Duraluminium $1\frac{1}{8}$ in. \times $\frac{9}{16}$ in. \times $\frac{3}{8}$ in. o/a dims. ...	C	
18126		Bearing	Used on Reperforator, Creed 7TR/3 (Ref. No. 17521)	C	
15504	Creed 1800/107A	Bearing	For Reperforating Receiver (T.P.) No. 2, Mark 2 ...	C	
256	Creed 1830/81A	Bearing	For Teleprinter, 7B	C	
15668	Creed 1550/309	Bearing	For Auto. Transmitter (T.P.) No. 1B, Mark 2 ...	C	
15166	Creed 1826/71	Bearing	G.P.O. E.7	C	
		Bearing:—			
15205	Creed 1830/11	C.P.	G.P.O. G.18	C	
18108		C.P.	Used on Reperforator, Creed 7TR/3 (Ref. No. 17521)	C	
18115		C.P., left hand	Used on Reperforator Creed 7TR/3 (Ref. No. 17521)	C	
18157		C.P., left hand			
18119		C.P., left hand			
18204		C.P., left hand	Used on Perforator, Keyboard, Creed 7P/N3 (Ref. No. 17455).	C	
18200		C.P., right hand			
18156		C.P., right hand			

RESTRICTED

RESTRICTED
20

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
		BLOCKS—cont.			
		BEARING—contd.			
18110		C.P., right hand	Used on Reperforator, Creed 7TR/3 (Ref. No. 17521)	C	each
18116		C.P., right hand	Used on Reperforator, Creed 7TR/3 (Ref. No. 17521)	C	"
16577	Creed 1830/11A	No. 1, C.P.	For Teleprinter, 7B	C	"
18051		Release, lever	Used on F.G.R.I. 5493	C	"
18892	Creed 1947/239	R.H., L.H.	Used on Punch Block Unit	C	"
4505	Creed 1650/997	Brake, paper feed	C	"
15197		Brush holder	Used on Teleprinter, 7B	C	"
16398	Creed 2869/33	Buffer	For Roll Holder, G.P.O. No. 7	C	"
17806		Buffer	Used on F.G.R.I. 5493	C	"
13171	S.T. and C.L.P.64216	Cable	Black bakelite moulding, 1-937 in. × 0-562 in.	C	"
17395	Creed 2870/237	Chad layer	For Perforating Units of Printing Reperforator	C	"
17198	Creed 1908/20	Clamping	Paper Carriage Sprocket	C	"
4244	Creed 1830/28	Comb setting finger	G.P.O. G.20	B	"
2369		Connecting	8 × 2 pole contacts, 3-05 in. × 3-18 in. × 1-09 in.	C	"
4184	Creed C.B. 1005B	Connecting	C	"
17876		Connecting	Used on F.G.R.I. 5493	C	"
17336	Creed C.B. 1004	Connecting, C.P.	For Main Base Unit, Teleprinter 7B	C	"
1161	Creed 1832/1	Connection	For Teleprinter, 7B	C	"
		Connection:—			
16578	Creed C.B.1006	Electro-magnet	For Teleprinter, 7B	B	"
13429	Creed 1836/148	Motor	For Teleprinter, 7B	C	"
16579	Creed 1821/27	Contact	For Teleprinter, 7B	C	"
		Contact:—			
16040	Creed 1933/4	Extension	For Teleprinter (War Office), 7B	C	"
16580	Creed 1910/13	Governor base	C	"
15592	Creed 1550/131	L.H.	For Auto. Transmitter (T.P.) No. 1B, Mark 2	C	"
15105	Creed 2084/28	Mounting	End of line indicator, Teleprinter 7B	C	"
17338	Creed 1836/101	Packing	Main Base Unit, Teleprinter 7B	C	"
15593	Creed 1550/130	R.H.	For Auto. Transmitter (T.P.) No. 1B, Mark 2	C	"
16581	Creed 1821/75	Receive, C.P.	For Teleprinter, 7B	C	"
15571	Creed 1550/24	Screw	For Auto. Transmitter (T.P.) No. 1B, Mark 2	C	"
16582	Creed 1821/74	Send, C.P.	For Teleprinter, 7B	C	"
3592		Spring	Used on Stand, Transmitter (Ref. No. 15551)	C	"
15650	Creed 1550/348	Sub	For Auto. Transmitter (T.P.) No. 1B, Mark 2	C	"

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
18313		BLOCKS—cont. Contact and Bias Adjustment	Used on Teleprinter 7B Page Mark 10 (Reference 17596).	B	each
13451	Creed 1801/20	Contact and Blade	For Reperforating Receiver (T.P.) No. 2 Mark 2 ...	C	„
18044		Coupling, L.H.	Used on Teleprinter, 7B, Mark 2	C	„
18045		Coupling R.H.	Used on Teleprinter, 7B, Mark 2	C	„
9013793	<i>inverted P 612</i>	Driving	S.R.B.F. $\frac{1}{4}$ in. \times $\frac{1}{4}$ in. \times $\frac{11}{16}$ in. o/a dims.	C	„
18335		End 4 Drum, C.P.	Used on F.G.R.I. 5493	B	„
—		Comprising:—			
—		Bushes, bearing	Ref. No. 17864	—	—
—		Castings, Metal	Ref. No. 18102	—	—
—		Inserts	Ref. No. 17897	—	—
18334		End 6 drum, C.P.	Used on F.G.R.I. 5493	B	each
—		Comprising:—			
—		Bushes, bearing	Ref. No. 17878	—	—
—		Castings, metal	Ref. No. 18102	—	—
18336		Entry 4 drum, C.P.	B	each
—		Comprising:—			
—		Bushes, bearing	Ref. No. 17878	—	—
—		Castings, metal	Ref. No. 18101	—	—
—		Inserts	Ref. No. 17896	—	—
18337		Entry 6 drum, C.P.	B	each
—		Comprising:—			
—		Bushes, bearing	Ref. No. 17864	—	—
—		Castings, metal	Ref. No. 18101	—	—
—		Inserts	Ref. No. 17898	—	—
17334	Creed 1824/29	Fixing:— Contact spring	Main Base Unit, Teleprinter 7B	C	each
17333	Creed 1836/106	Resistor	Main Base Unit, Teleprinter 7B	C	„
16583	Creed 1824/3B	Governor contact, C.P.	For Teleprinter, 7B	C	„
17357	Creed 1831/47A	Guide, feed links	Page Attachment Unit (Sprocket)	C	„
18014		Guide, feed link	Part of Teleprinter 7B Mark 2	C	„
18164		Hinge	1 in. \times $\frac{1}{2}$ in. \times $\frac{1}{2}$ in.	C	„
4183	Creed 1824/813	Insulating	C	„

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
		BLOCKS—cont.			
17540		Insulating	Contact block base	C	each
570	Creed T.A. 1028	Lapping	Perforator, Keyboard, Morse, Tool Sets	C	"
17044	Creed 1910/5A	Mounting contact arm	Governor Unit	C	"
17950		Mounting, lever detent	Used on F.G.R.I. 5493	C	"
16314	Creed 2845/37	Orientation adjusting	Used on orientation device of Printing Reperforator 85R.	C	"
17018	Creed 1847/83	Packing	Fitted under Paper Guide Bracket	C	"
16586	Creed 2184/9	Pivot:—			
16587	Creed 2184/40	Adjustment	} Used on Teleprinter 7B	C	"
16588	Creed 2184/46	Mounting			
16585	Creed 2184/21	Send/Receive, C.P.			
16589	Creed 2184/47	Transmitter unit			
16584	Creed 1834/8A	Transmitting tongue, C.P.			
4518	Creed 2203/21	Typehammer			
16153	Creed 2870/107	Pivot and Contact	For Army Contract	C	"
9013731		Platen, C.P.	For Printing, Reperforator 85R	C	"
76	Creed 860/149E	Pressure Roller	Steel, 1 in. × $\frac{3}{8}$ in. × $\frac{1}{8}$ in. o/a dims.	C	"
		Punch	Perforator, Keyboard, Morse	C	"
		Punch:—			
3351	Creed 860/74A	Cam roller pin	For use in Perforator, Keyboard, Morse, Type 4 ...	C	"
3367	Creed 860/143	Distance piece	Standard. For use in Perforator, Keyboard, Mor. e. Type 4.	C	"
13525	Creed 860/574	Distance piece	For 0-0375 in. tape. For use in Perforator, Keyboard, Morse, Type 4.	C	"
15631	Creed 1808/7	Frame	} For Perforator, Keyboard, Type 4	B	"
3376	Creed 860/310A	Link "A"			
3378	Creed 860/312B	Link "B"		C	"
3377	Creed 860/311C	Link pin	For Perforator, Keyboard, Type 4	C	"
3365	Creed 860/136	Steady pin	For Perforator, Keyboard, Type 4	C	"
3414	Creed 860/669	Sub, C.P.	Taken out for Perforator, Keyboard, Morse, Type 4	C	"
17391	Creed 2870/152A	Punch assembly	For Perforating Units of Printing Reperforators ...	A	"
14970	G.P.O. B.37	Punch assembly, C.P.	For Keyboard Perforator. No. 44, Mark 2	B	"
4337	Creed 1839/19	Roller platen	G.P.O. M.31	C	"

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
		BLOCKS—cont.			
17811		Securing	Used on F.G.R.I. 5493	C	each
		Support:—			
18867	Creed 2255/79	Trip Rod	Used on Combination Bar Unit (Ref. No. 18860) ...	C	"
17680	Creed T.S. 1109/5	Support	Support block tool for dismantling Typehead Unit ...	C	"
18287		Support	Dims.: $1\frac{1}{8}$ in. \times $\frac{1}{2}$ in. \times $\frac{1}{4}$ in. Holes tapped 6 B.A. ...	C	"
18286		Support	Dims.: $1\frac{1}{8}$ in. \times $\frac{1}{2}$ in. \times $\frac{1}{4}$ in.	C	"
		Supporting:—			
17471	Creed 1550/41	Cover	For Auto. Transmitter (T.P.) G.P.O. No. 1B, Mark 2	C	"
17470	Creed 1550/32	Guide plate, L.H.	For Auto. Transmitter (T.P.) G.P.O. No. 1B, Mark 2	C	"
17332	Creed 1835/16	Switch blade	For Main Base Unit, Teleprinter 7B	C	"
9331112		Telephone Protector	Plastic with brass electrodes, rect. $\frac{1}{2}$ in. lg \times $\frac{3}{8}$ in. w \times $\frac{1}{32}$ in. deep.	C	"
13306	G.P.O. No. 9	Terminal	16 pair. Includes back and cover	C	"
		Terminal:—			
16591	Creed 1818/6	6-way	For Teleprinter, 7B	C	"
16592	Creed 1818/4	10-way	For Teleprinter, 7B	C	"
13307	N.3191T	Moulded	2-piece rectangular block, $3\frac{1}{2}$ in. \times $1\frac{3}{4}$ in. \times $\frac{5}{16}$ in. o/a, with 4 connection plates and 2 brass fixing screws, Tropical.	C	"
15022	G.P.O. B.58	Perforator, Keyboard	For Keyboard Perforator, G.P.O. No. 44, Mark 1 ...	C	"
16590	Creed 1858/12	Teleprinter	Moulded, $2\frac{1}{2}$ in. lg \times $1\frac{3}{8}$ in. w \times $\frac{1}{2}$ in. Concave base to fit motor body. 4 metal plated contacts (cad- mium).	C	"
16178	Creed 2870/33	Trunnion	For Printing Reperforator, 85R	C	"
17051	Creed 1838/107	Trunnion	Part of shaft jumper. For Control Lever Unit, Teleprinter 7B.	C	"
16007		Type block "Theta"	Greek letter "Theta" with oblique bar. For Type- writer, Signals, Type 2.	C	"
17578	G.P.O. No. 13	BOARD distribution	Cast Iron or sheet steel case. For circuits up to 250V, with 20 fuses, 10-way, 5A per way. For use on Telegraph Power circuits only.	A	"

RESTRICTED

24

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT

SECTION 10G—cont.

1	2	3	4	5	6
		BOBBINS:—			
YA. 1974	G.N.T. 309/26	Electro-magnet, C.P.	For Undulator, Type 2	C	each
5962		No. 18	C	
16415	Creed 2885/57	Winding, C.P.	5 mH inductance when used on iron dust core. For Printing Reperator, Creed 85R.	C	
16593	Creed 1828/17	BOBBIN AND SPINDLE, C.P.	For Teleprinter, 7B	C	
		BODIES:—			
17742	Creed 2843/1A	Clutch	Typehead clutch body	C	
16594	Creed 1856/3	Clutch	For Answer Back Unit, Teleprinter 7B	C	
17827		Clutch	Used on F.G.R.I.5493	C	
17412	Creed 2845/146	Clutch and pressure plate, C.P.	For Printing Reperator	C	
17157	Creed 1826/111	Clutch, sub, C.P.	For Combination Head, Teleprinter 7B	B	
13144	S.T.C. 13977	Telephone	Moulded. Black with non-locking press switch	B	
16595	Creed 1826/98	BODY AND BALL RACE, C.P.	For Teleprinter, 7B (W.D.) (Ref. No. YB. 03117)	B	
15200	Creed S.1826/70	BODY and KEY, C.P. (Combination Head).	G.P.O. E.28. For Teleprinter, 7B	B	
		BOOKLET, instruction:—			
2069	G.N.T.309/20	Undulator, Type 11	C	
		BOSSES: -			
		Distance:—	For Undulator, Type 11.		
1980	G.N.T.309/27	Electro-magnet	C	
13565	Creed 720/132	Gear	3-Speed Gear Unit, Reperator, Morse	C	
1981	G.N.T.309/14	Guide roller	Front plate	C	
1978	G.N.T.309/59	Guide roller	Tape wheel	C	
1979	G.N.T.309/5	Pressure roller	C	
13441	Creed 1801/7	Dog clutch	For Reperforating Receiver (T.P.) No. 2, Mark 2	C	
16596	Creed 1822/41	Driving gear	For Type M Keyboard Unit, Teleprinter 7B	C	
1975	G.N.T.309/65	Inner tape wheel	For Undulator, Type 11	C	

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
		BOSSSES—cont.			
1976	G.N.T.309/66A	Outer tape wheel	For Undulator, Type 11	C	each
18917		Spindle	Duralumin rod with centre hole	C	"
17501	Creed 1550/307	Spur gear	For Heads, transmitter of Auto. Transmitter, G.P.O. 1C.	C	"
196	Creed 1825/93	Starter	For Starter Switch Control Unit, Teleprinter 7B ...	C	"
3228	G.N.T.112/63	Tape gear wheel	For Transmitter, Wheatstone, Type 3	C	"
9421560		Wheel	Used on B.I.D. 50	C	"
		BOSS AND SPINDLE:—			
17683	Creed 2936/19	Typerrack, C.P.	Used on Teleprinter 7B Page, Mark 2	C	"
1423	G.N.T.112/208	BOTTLE, oil	Used on Transmitter, Wheatstone	C	"
		BOXES:—			
9421563		Battery	Used on B.I.D. 50	C	"
15007	G.P.O.A.11	Cutting	For Keyboard Perforator, No. 44, Mark 2	C	"
3875	Marconi WSK.3047	Gear, 40:1	For Undulator, Type 4	A	"
14311		Insert, wood	C	"
389		Switch and Fuse G.P.O. 1	C	"
15707		Terminal	Rubber outlets for telephone connections on airfields	C	"
YA. 2723		Terminal	C	"
		BRACKETS:—			
338	Creed 2203/9	Actuating link	C	"
17840		Adjusting, idler gear	Used on F.G.R.I. 5493	C	"
17418	Creed 2869/17A	Angular tape Guide	For Tape Roll Holders and Guards of Printing Reperforator.	C	"
18154	Creed 1947/330C	Anvil, C.P.	Consists of Selector Bars and Racks, Anvil and Back Space Mechanism.	A	"
258		Armature stop, C.P.	For Electro-magnet, Teleprinter 7B	C	"
13589	Creed 990/25	Armature support	For Reperforator, Morse	C	"
3381	Creed 860/328	Bar returning	For Perforator, Keyboard, Morse, Type 4	C	"
18302		Bearing	Used on Perforator, Keyboard, Creed 7P/NS (Ref. No. 17455).	C	"

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10C—cont.

1	2	3	4	5	6
		BRACKETS—cont			
16597	Creed 1825/8A	Bearing	For starter switch control unit, Teleprinter 7B ...	C	each
15216	Creed 1822/55	Bearing and race, C.P.	G.P.O. M.9	B	
17833		Bearing, Pawl, lever abutment	Used on F.G.R.I. 5493	C	"
		Bearing:—			
17181	Creed 1831/56A	L H., C.P.	For Page Attachment Unit (Friction and Sprocket), Teleprinter 7B	C	"
17989		L.H., C.P.	Used on Teleprinter, 7B, Mark 2	C	"
17988		R.H., C.P.	Used on Teleprinter, 7B, Mark 2	C	"
17358	Creed 1831/66	R.H., C.P.	For Page Attachment Unit (Friction and Sprocket), Teleprinter 7B.	C	"
16229	Creed 2868/2	Type wheel... ..	For Printing Reperforator, 85R	C	"
16598	Creed 1843/5	Bell, C.P.	For Page Attachment Unit (Friction and Sprocket), Teleprinter 7B.	C	"
15127	Creed 1360/92	Brush holder	For Auto. Transmitter (T.P.) No. 1B, Mark 2 ...	C	"
16037	Creed 1831/157	Buffer line, feed pawl, C.P	For Page Attachment Unit, Teleprinter 7B ...	C	"
17011	Creed 1847/26	Carriage locking, C.P.	For Tape Attachment Unit, Teleprinter 7B ...	C	"
16599	Creed 1814/4	Clamp	For Electro-Magnet Unit, Teleprinter 7B ...	C	"
		Contact:—			
13486	Creed 1933/16	Block, C.P.	Part of Shunt Governor Unit, Teleprinter 7B ...	C	"
16600	Creed 2023/3	Spring	C	"
17467	Creed 1200/30	Spring	For Auto. Transmitter (T.P.) No. 1B, Mark 2 ...	C	"
15518	Creed 1800/38A	Detent and striker	For Reperforating Receiver (T.P.) No. 2, Mark 2 ...	B	"
340	Creed 2305/25	Detent	C	"
17172	Creed 1831/154A	Feed pawl buffer	For Carriage Unit, Teleprinter 7B	C	"
		Front:—			
3415	Creed 860/670	Sub., C.P.	C	"
3739	Creed 1172/75	Sub., C.P.	C	"
18257		Gear	Used on Perforator, Keyboard, Creed 7P/N3 (Ref. No. 17455).	C	"
17979		Gear, C.P.	Used on F.G.R.I. 5493	C	"
17636	Creed 1822 123A	Gear, C.P.	Part of Teleprinter, 7B, Page Model, Friction Feed (Ref. No. 163).	B	"
17409	Creed 2868/35	Guard, transfer rocker	For Control Units of Printing Reperforator ...	C	"

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10C—cont.

1	2	3	4	5	6
		BRACKETS—cont.			
16235	Creed 2868/6	Guide, Lower	For Printing Reperforator, 85R	C	each
16601	Creed 1838/33	Jumper shaft	For Teleprinter, 7B	C	"
2210	Creed K.Y.1009	Key, spacing, stop	For Printer, Morse, Tape Model	C	"
15210	Creed 1831/119A	Line feed pawl	G.P.O. K.27	C	"
17089	Creed 1822/45	Locking, answer back	For Striker Transmitter Unit	C	"
16083	Creed 1825/3	Mainshaft bearing	For Teleprinter, 7B	C	"
17579	G.P.O. 1/5BR/83	Mounting	Mounting for 1 Resistor, Coil 12 on Teleprinter, No. 7	C	"
3683	Marconi 16W/3805/C	Moving	For Undulator, Type 7	C	"
1113	Creed 2205/68	Pivot, C.P.	C	"
3650	Marconi 11W/3804/C	Paper drive	For Undulator, Type 7	C	"
17007	Creed 1847/36	Paper guide	For Tape Attachment Unit, Teleprinter 7B	C	"
18018		Pawl, guide	Part of Teleprinter, 7B, Mark 2	C	"
16602	Creed 2084/63	Pivot, C.P.	For Striker Transmitter Unit, Sub-assembly, Teleprinter 7B.	C	"
3723	Creed 720/140	Punch lever	For Perforator, Morse Receiving	C	"
18277		Punch withdrawing, C.P.	Used on Perforator, Keyboard, Creed 7P/N3 (Ref. No. 17455).	C	"
18873	Creed 2255/55	Rack, R.H.	Used on Combination Bar Unit (Ref. No. 18860) ...	C	"
18237		Retaining lever	Used on Perforator, Keyboard, Creed 7P/N3 (Ref. No. 17455).	C	"
16298	Creed 2845/116	Retention lever	For Orientation Device, Printing Reperforator, 85R	C	"
18462	Creed 2845/116A	Retention lever	Used on Com. Unit T.3. (Ref. No. 18948)	B	"
4311	Creed 1831/18	Return rod	For Page Attachment Unit, Teleprinter 7B	C	"
16605	Creed 1828/34	Ribbon, C.P.	For Teleprinter, 7B	C	"
		Ribbon feed unit, C.P.:-	For Teleprinter, 7B		
15137	Creed 1828/2A	L.H.	G.P.O. A.8	B	"
4172	Creed 1828/1A	R.H.	G.P.O. A.6	B	"
16254	Creed 2867/6	Rod, push transfer	For Printing Reperforator, Creed 85R	C	"
18866	Creed 2255/6	Rod Stop	Used on Combination Bar Unit. (Ref. No. 18860) ...	C	"
16209	Creed 2870/124	Setting lever, C.P.	For Printing Reperforator, Creed 85R	C	"
17725		Slide, retaining	Used on Teleprinter, 7B, Page, Mk. 2	C	"
18256		Space bar, guide	Used on Perforator, Keyboard, Creed 7P/N3 (Ref. No. 17455).	C	"

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
		BRACKETS—cont			
3352	Creed 860/79D	Space stop	For Perforator, Keyboard, Morse	C	each
13683	Creed 740/353	Space stop, C.P.	For Printer, Morse, Tape Model	C	"
3354	Creed 860/91F	Space stop, C.P.	For Operating Heads, Keyboard Perforator, Morse... ¹	C	"
13566	Creed 720/142	Spindle tape feed	For Printer, Morse, Tape Model	C	"
		Starter:—			
16606	Creed 1825/59A	Trip lever, C.P.	C	"
17173	Creed 1843/22	Striker and trigger, C.P.	For Carriage Bell Unit, Page Attachment Unit, Teleprinter 7B.	C	"
17465	Creed 1550/81A	Tape control	For Auto. Transmitter (T.P.), No. 1B, Mark 2 ...	C	"
15554	Creed 1550/119	Tape guide	For Auto. Transmitter (T.P.), No. 1B, Mark 2 ...	C	"
3393	Creed 860/399A	Tape guide	For Perforator, Keyboard, Morse	C	"
16368	Creed 2885/26	Tape guide	For Tape Winder, G.P.O. No. 2	C	"
3394	Creed 860/400	Tape guide, C.P.	For Perforator, Keyboard, Morse 4	C	"
3379	Creed 860/314	Tape retention pawl	For Perforator, Keyboard, Morse 4	C	"
17427	Creed 2869/49	Tape roll holder and guard...	For Reperforator, Printing	C	"
		Tape roll holder and guard:—			
17425	Creed 2869/51	L.H.	For Reperforator, Printing	C	"
17423	Creed 2869/55	R.H.	For Reperforator, Printing	C	"
13492	Creed 1800/30	Tape roller, C.P.	For Main Base Unit, Printing Reperforator ...	C	"
17472	Creed 1550/139	Terminal	For Auto. Transmitter (T.P.) No. 1B Mark 2 ...	C	"
16233	Creed 2868/24	Trip	For Printing Reperforator Creed 85R	C	"
2277	Creed 740/533	Type hammer, C.P.	For Printer, Morse, Page Model	C	"
3769	Creed 740/405	Type hammer, C.P.	For Printer, Morse, Page Model	C	"
15173	Creed 1838/38C	Type head support	For Control Lever Units Teleprinter 7B ...	C	"
4225	Creed 1838/40C	Type head support	G.P.O. F.1	C	"
17646	Creed 2945/1	Type head support, C.P.	C	"
17647	Creed 2945/4	Type head support, C.P.	C	"
3657	Marconi 12/W/3804/C	Undulator, Type 7	C	"
65	Creed 20197/A	Wheel, message, C.P.	For Perforator, Keyboard, Morse, Type 6 ...	C	"
507	Creed 860/44B	Withdrawing valve	For Perforator, Keyboard, Morse	C	"
3557		BRAKE, electro-magnetic	Fitted with spring-loaded brake pad	B	"

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
9013653		BRAKE PAD	Perspex, 0.65 in. lg × 0.5 in. × 0.4 in. o/a dims. ...	C	each
18167	Creed 7P/3N	BRAKE, tape wheel, C.P.	Used on Perforator Keyboard (Ref. No. 17455) ...	C	..
9421725		BRUSH	Used on B.I.D./560/1	C	..
9421726		BRUSH	Used on B.I.D./560/1	C	..
9421687		BRUSHES:—			
34	Marconi 7/WIS/754	Assembly	Used on B.I.D./560/1	C	..
9081		Carbon	Complete with spring. For Undulators, Types 4 and 6	C	..
15129	Creed M.B. 3004/E.G. G.P.O. B.A.35	Carbon	For Recorder, Checking	C	..
15616	Creed M.B. 2002/E.G.	Carbon	Used on Teleprinter, 7B	C	..
17976		Carbon	For D.C. Motor. Used on Auto. Transmitter (T.P.) No. 1B, Mark 2.	C	..
2286	Creed 1600/351	Clutch crosshead guide	Used on F.G.R.I. 5493. 3 mm. dia. × 15 mm. o/a width. Dia. at one end reduced to 2.2 × 2.57 long to hold spring brush. Material E.C.2.	C	..
17448	G.P.O. 1/SBR/161	Distributor	For Printer, Morse, Page Model	C	..
9013782		Electrical, contact	0.007 in. thick silver alloy. For Tester, G.P.O., T.G.958.	C	..
9421328		Electrical, contact	Brush, 0.27 in. lg × 0.2 in. dia.	C	..
9421329		Electrical, contact	C	..
15612	Creed 1360/41B	Governor	C	..
17550		Governor	For Auto. Transmitter (T.P.) No. 1B, Mark 2	C	..
13425	Creed P.C.2504/A	Governor, C.P.	Used on Main Base Unit (Ref. No. 18084)	C	..
YB. 06811		Motor	For Main Base Unit, Reperforator	C	..
16038	Creed M.B.2004	Motor	Used on 5.U.C.O.	C	..
15622	Creed 300/EC/5937	Motor	Fitted with special copper, flap and spring	C	..
		Motor:—	For D.C. motors	C	..
13707	Creed M.B.2003	“Croydon”	C	..
3797	Creed A.A.4/1	Printer, Morse, Tape Model	C	..

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—*cont.*

1	2	3	4	5	6
		BRUSHES—<i>cont.</i>			
		Motor—<i>contd.</i>			
17376	Creed A.A. 8/2	Tape winder, G.P.O. No. 2	For Printing Reperforator, Creed 85R	C	each
13706	Creed M.B. 1003	“Wilson Wolf and Horace Green”	C	..
2205	Creed P.S.1125	Non-stop check lever pivot	For Printer, Morse, Tape Model	C	..
13267	G.P.O. No. 4	Sash tool	C	..
424	G.P.O. No. 1	Type head	Teleprinter Tool Set. For Maintenance	C	..
15611	Creed 1360/42B	BRUSH AND HOLDER, C.P.	For Auto. Transmitter (T.P.) No. 1B, Mark 2	C	..
9421653		BUFFER	Used on B.I.D./560/1	C	..
		BUFFERS:—			
		Bar returning:—	For Perforator, Keyboard, Morse 4.		
3388	Creed 860/370B	Long	C	..
3405	Creed 860/507	Short	C	..
14193	Creed 2084/126	Damping, C.P.	For Perforator No. 1 and Teleprinter 7B	C	..
17174	Creed 1831/153	Feed pawl	For Page Attachment Unit	C	..
18249		Keybar	Used on Perforator, Keyboard, Creed 7P/N3 (Ref. No. 17455).	C	..
13172	G.P.O. SBC/211	Leather	Oval. For Telephone Console, Mark 2	C	..
15018	G.P.O.B.16	Stop, armature	For Keyboard Perforator No. 44, Mark 2	C	..
16076	Creed 1830/71	Traversing link	For Receiving Cam Unit, Teleprinter 7B	C	..
WB. 0069		BULB	3-5V	C	..
YB. 02244		BULB resistance, Mark 2	C	..
9013582		BUMPER, rubber	$\frac{3}{8}$ in. o/a h × $\frac{7}{8}$ in. o/d	C	..
		BURNISHERS:—			
408	Creed T.A.1030	Contact, C.P.	For Teleprinter Maintenance Tool Set	C	..
13268	G.P.O.	File, No. 2	For Teleprinter Maintenance Tool Set	C	..
1421	G.N.T.	Wheatstone transmitter, Type 3	C	..

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
16039	Creed P.B.1325	BUSH	For Teleprinter, 7B (W.D.)	C	each
16612	Creed P.B.3060	BUSH	For Keyboard Assembly and End of Line Indicator (Lamp Unit).	C	„
18000		BUSH	Part of Teleprinter, 7B, Mark 2	C	„
16610	Creed P.B.1120	BUSH	Shouldered. For Spring Drum Page Attachment Units, Teleprinter 7B.	C	„
16611	Creed 1823/52	BUSH	For Answer Back Unit, Teleprinter 7B	C	„
16607	Creed P.B.1018	BUSH	Retaining Comb Bars, Keyboard Assembly, Teleprinter 7B.	C	„
16608	Creed P.B.1065	BUSH	Shouldered. For Alarm Plunger Pin, Main Base Unit, Teleprinter 7B, $\frac{5}{16}$ in. o/d \times $\frac{3}{4}$ in. long.	C	„
16609	Creed P.B.1067	BUSH	For Switch Operating Lever Pivot, Teleprinter 7B, $\frac{3}{16}$ in. o/d \times $\frac{3}{8}$ in. lg.	C	„
9421416		BUSH	Used on B.I.D. 50	C	„
9421460		BUSH	Used on B.I.D. 50	C	„
9421612		BUSH	Used on B.I.D./560/1	C	„
		BUSHES:—			
16185	Creed P.B.2059	Anchor	For Printing Reperforator, Creed 85R	C	„
17878		Bearing	End block, 6 drum, 4 drum entry block	C	„
17908		Bearing	Used on F.G.R.I. 5493	C	„
18079		Bearing	C	„
17820		Bearing	Used on F.G.R.I. 5493	C	„
		Bearing:—			
17864		Entry block	Used on F.G.R.I. 5493	C	„
3430	Creed P.B.1253	Flywheel end	For Perforator, Keyboard, Morse	C	„

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT

SECTION 10G—cont.

1	2	3	4	5	6
		BUSHES—cont.			
		Bearing—cont.			
3426	Creed P.B.1115A	Punch block end	For Perforator, Keyboard, Morse	C	each
3666	Marconi 35/W.3804/C	Tape wheel	For Undulator, Type 7	C	"
2238	Creed 740/90A	Body	For Printer, Morse, Tape Model	C	"
18871	Creed P.B.2095	Clamping	Used on Perforator Keyboard (Ref. No. 18842)	C	"
17924		Contact head	Used on F.G.R.I. 5493	C	"
17922		Contact head	Used on F.G.R.I. 5493	C	"
3670	Marconi 44W/3804/A	Cork	For Undulator, Type 7	C	"
17390	Creed 2870/180	Eccentric	For Perforator Units on Printing Reperforator	C	"
16653	E.C.5013	Eccentric	For Carriage Latch Adjustments, Main Base Units, Teleprinter 7B.	C	"
18282		Eccentric	Dims.: 0-123 in. i/d × 0-28 in. o/d × 0-13 in. Hex. hd.	C	"
18206		Eccentric	Dims.: 0-125 in. i/d × 0-312 in. o/d × 0-383 in.	C	"
18171		Eccentric	Dims.: 0-152 in. i/d × 0-28 in. o/d × 0-155 in.	C	"
9421626		Eccentric	Used on B.I.D./560/1	C	"
17967		Gear	Used on F.G.R.I. 5493	C	"
3497	Creed P.E.1005	Insulating	For Transmitter, Morse, Automatic, Type 3	C	"
3668	Marconi W.P.514 WSK/2357	Insulating	For Undulator, Type 7	C	"
3669	Marconi 3Y/SK.43858	Insulating	For Undulator, Type 7	C	"
1686	Creed P.E.1002	Insulating	For Main Base Unit	C	"
3263	G.N.T.2012/18	Mainshaft driving disc, ball bearing centre. C.P.	For Speed Regulator, Transmitter, Wheatstone	C	"
16127	Creed C.T.100	Oil impregnated	} For Printing Reperforator, 85R.	C	"
16143		Oil impregnated			
16164	Creed F.6.495	Oil impregnated			
17648	Creed P.B.4073	Oil impregnated			
17990		Oil impregnated			
17991		Oil impregnated	} Used on Teleprinter, 7B, Mark 2	C	"
18024		Oil impregnated			
18027		Oil impregnated			
18031		Oil impregnated			
18037		Oil impregnated			

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10C—cont.

1	2	3	4	5	6
		BUSHES—cont.			
18064		Oil impregnated	Flanged bush, $\frac{1}{2}$ in. o/d \times $\frac{3}{8}$ in.	C	each
18117		Oil impregnated	Used on Reperforator. Creed 7T.R./3 (Ref. No. 17521).	C	"
18124	Creed P.B.4085	Oil impregnated	Used on Reperforator. Creed 7T.R./3. (Ref. No. 17521).	C	"
18169		Oil impregnated	Used on Perforator, Keyboard. Creed 7P/N3. (Ref. No. 17455).	C	"
18210		Oil impregnated	Dims.: $\frac{3}{8}$ in. o/d \times $\frac{7}{32}$ in. lg	C	"
18213		Oil impregnated	Dims.: $\frac{3}{8}$ in. o/d \times $\frac{1}{4}$ in. i/d $\frac{7}{32}$ in.	C	"
18307		Oil impregnated	$\frac{1}{2}$ in. lg	C	"
18308		Oil impregnated	$\frac{3}{4}$ in. lg	C	"
18527	Creed PB.4286	Oil impregnated	Used on Heads, Transmitter CP. (Ref. No. 18489). Schedule RES 90G/22171. Main equipment: Transmitter, automatic (6S/5).	C	"
		Oilite:—	For Printing Reperforator, Creed 85R.		
16378	Oilite FGH.70	$\frac{1}{4}$ in. long	C	"
16377	Oilite FGH.101	$\frac{3}{32}$ in. long	C	"
16379	Oilite CT.95	$\frac{3}{16}$ in. long	C	"
16376	Oilite FGH.57	$\frac{1}{2}$ in. long	C	"
17081	Creed 2084/91	Operating link	For Striker Transmitter Unit	C	"
13745	Creed 1600/120	Paper Guide	For Printer, Morse, Page Model, Type 1	C	"
17987		Parallel	Used on Teleprinter, 7B, Mark 2	C	"
17359	Creed 1831/13	Pivot retention pawl	For Page Attachment Units, Teleprinter, 7B	C	"
18058		Platen	Used on Teleprinter, 7B, Mark 2	C	"
13753	Creed 1600/374	Platen spindle	C	"
13700	Creed 1700/241	Retention pawl adjustment	C	"
16995	Creed P.B. 1055	Shouldered	For carriage support pin. For Paper and Tape Attachment Units.	C	"
13464	Creed P.B. 1397	Shouldered	For Reperforating Receiver (T.P.) No. 2, Mark 2	C	"
17789		Spacing	Used on F.G.R.I. 5493	C	"
17790		Spacing	Used on F.G.R.I. 5493	C	"
2154	Creed 990/16	Spring	For Reperforator, Morse Receiving	C	"
17175	Creed P.B. 1274	Stainless steel	$\frac{1}{4}$ in. o/d \times $\frac{3}{4}$ in. lg. For Page Attachment Unit	C	"

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
		BUSHES—contd.			
2240	Creed P.S.1103	Tape carriage	For Reperforator, Morse Receiver	C	each
3566	Creed P.B.1164	Tape tied spindle	For Transmitter, Morse, Automatic, Type 3	C	"
3664	Marconi 32/W/3804/C	Tape wheel	For Undulator, Type 4	C	"
17067	Creed 1821/2	Trip bellcrank	For Striker Transmitter Unit	C	"
4604	Creed 1172/23	Wiring	For Perforator, Keyboard Morse	C	"
9013639		BUSHING, Helix Clamp	Steel 0.2 in. × 0.1 in. approx. dims....	C	"
9013668	<i>Murphy P.S. 24</i>	BUSHING, Supporting Link	S/Steel 0.085 in. × 0.8 in. approx. o/a dims.	C	"
461		BUTTON, glass key	Used on Perforator, Keyboard	C	"
1900	N.3330LT	BUZZER, G.P.O. 18A, tropical	500 ohm. Trembler type. Wood base 3½ in. × ½ in. fixing centres 2¾ in. Includes metal core and resistance coil, 2,000 ohms.	C	"
YA. 0222		"T", Mark 1	Used on Panel (Ref. No. 19593). Schedule No. 22719. Rack Assembly 19592.	A	"
578		Type 5	For Telephone Set, FMK/1	C	"
9428474		Vibrating	Used on B.I.D./560/1	C	"
		CABLE ASSEMBLIES:—			
17305	Creed C.F.1102	Lamp unit	Used on Keyboard Assembly, Teleprinter 7B	C	"
17331	Creed C.F.1027C	Line circuit, 6-way	For Main Base Unit, Teleprinter 7B	B	"
17306	Creed C.F.1101	Mechanical counter, C.P.	Used on Keyboard Assembly, Teleprinter 7B	C	"
17337	Creed C.F.1028C	Motor circuit, 3-way	Main Base Unit, Teleprinter 7B	C	"
1949		CABLE FORM, 646 wires	23 S.W.G. (0.024 in.) E.D.S.C.C. copper wire, wax impregnated. Used on Switch-board. G.P.O., A.D.T. 124.	C	"
3422	Creed C.D.1040	CABLE, motor	Used on Perforator, Keyboard, Morse, Type 4	C	"
9421647		CAM DISTRIBUTOR UNIT	Used on B.I.D./560/1	C	"

RESTRICTED

35

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
9421648		CAM DISTRIBUTOR UNIT	Used on B.I.D./560/1	C	each
9421649		CAM DISTRIBUTOR UNIT	Used on B.I.D./560/1	C	"
9013585		CAM, PAPER EXHAUST	Steel, 17 in. × 1 in. × 0.2 in.	C	"
16613	Creed S.1925A	CAM UNIT	For Teleprinter, 7B	A	"
17759		CAM UNIT	Used on Teleprinter, 7B Page, Mark 2	A	"
18795	Creed 1925B	CAM UNIT	Cam base C.P. Bearing Block, cam shaft gear and ancillary parts.	B	"
18948		CAM UNIT	Creed, Type 3, Orientation device included	A	"
657	Creed S.2203	CAM UNITS	For Machine, Type X	A	"
1785	Creed 2203/161	Base, C.P.	B	"
13164	Creed 2203/189	Anchor, spring, feed lever, C.P.	C	"
1825	Creed 2203/167	Bracket, operating, C.P.	C	"
1786	Creed 2203/162	Casting	B	"
4527	Creed 2203/61	Collars, location	C	"
		Levers, feed:—			
4525	Creed 2203/42	L.H., C.P.	C	"
4526	Creed 2203/44	R.H., C.P.	C	"
		Locks, lever:—			
667	Creed 2203/38	L.H., C.P.	C	"
160	Creed 2203/40	R.H., C.P.	C	"
		Pins, taper:—			
2075	Creed 23927A	$\frac{1}{2}$ in. × .094 in.	C	"
1134	Creed 23927A	$\frac{1}{2}$ in. × .094 in.	C	"
2076	Creed 23930A	$\frac{3}{16}$ in. × .063 in.	C	"
2078	Creed 23936A	$\frac{1}{2}$ in. × .094 in.	C	"
1760	Creed 2203/154	Plug, 10 point, C.P.	C	"

RESTRICTED

RESTRICTED
36

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
		CAM UNITS cont.			
		Base, C.P.—contid.			
		Screws:—			
16020	Creed P.S. 1984-1	5 B.A. × $\frac{3}{4}$ in. ch/hd.	C	each
1051	Creed P.S. 1055	Securing	C	"
		Shafts, feed lever:—			
1793	Creed 2203/147	L.H., C.P....	C	"
1794	Creed 2203/148	R.H., C.P.	C	"
1787	Creed 2203/64	Bearing, housing, C.P.	C	"
15239	Creed 2203/156	Bearing, shift fork shaft	C	"
1789	Creed B.O.2576	Bearing, thrust	C	"
		Bellcranks, front release:—			
99	Creed 2203/82	L.H., C.P.	C	"
15235	Creed 2203/79	Boss lever release	C	"
100	Creed 2203/83	R.H. C.P.	C	"
101	Creed 2203/80	Bellcrank, release "A" L.H., C.P.	C	"
102	Creed 2203/81	Bellcrank, release "A", R.H., C.P.	C	"
		Blades, contact:—			
103	Creed 2203/111	Long, C.P.	C	"
104	Creed 2203/112	Short, C.P.	C	"
		Blocks, bearing:—			
1807	Creed 2203/89	R.H., C.P.	C	"
		Bodies:—			
111	Creed 2203/23	Clutch, detent	C	"
109	Creed 2203/69	Clutch, L.H., C.P.	C	"
4528	Creed 2203/68	Body, clutch, sub., C.P.	C	"
110	Creed 2203/70	Clutch, R.H., C.P.	C	"
		Cams:—			
4523	Creed 2203/30	Change release	C	"
4524	Creed 2203/32	Feed check	C	"
4521	Creed 2203/28	Shift change	C	"
4520	Creed 2203/27	Spacer	C	"
4522	Creed 2203/29A	Plate, locking	C	"

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—*cont.*

1	2	3	4	5	6
		CAM UNITS <i>cont.</i>			
13165	Creed 2203/190	Bracket , detent lever	C	each
171	Creed 2203/123	Lever, detent trip, C.P.	C	"
330	Creed 2200/7	Pin, bearing, spring ring	C	"
2119	Creed 2203/199	Pin, pivot, trip lever	Detent	C	"
2114	Creed 2203/126	Pin, pivot, trip lever	Detent	C	"
4610	Creed P.P.4526-1	Pin, pivot, trip operating lever	C	"
13168	Creed 2203/191	Trip, operating lever	C	"
		Bushes, bearing —			
16021	Creed 2203/157	Rock shaft	C	"
		Cams —			
620	Creed 2203/17	Roller pin	C	"
13512	Creed 2203/219	Shaft, lubricator, C.P.	C	"
13515	Creed 2203/220	Body, lubricator	C	"
13513	Creed 2203/222	Cap, lubricator	C	"
13514	Creed 2203/221	Nipple lubricator	C	"
14778	Creed 2203/224	Spring lubricator	C	"
108	Creed 2203/90	Clutch, camshaft , C.P.	C	"
112	Creed 2203/135	Coil, bellcrank release , C.P.	C	"
1809	Creed 2203/33	Collar, clutch pressure	C	"
1887	Creed 2203/179	Collar, spacing, detent pivot pin	C	"
4531	Creed 2203/159	Cover, master, contact	C	"
1888	Creed 2203/163	Disc, driving	C	"
1788	Creed 2203/143	Drive, shaft , C.P.	C	"
		Gears —			
15237	Creed 2203/142	Spiral	C	"
13006	Creed 2203/140	Spiral driven	C	"
		Levers —			
13011	Creed 2203/121	Cam, C.P.	Keyboard lock	C	"
1798	Creed 2203/55	Feed, check, "A", L.H., C.P.	C	"
1800	Creed 2203/56	Feed, check, "A", R.H., C.P.	C	"
1801	Creed 2203/49	Feed, check, "B", R.H., C.P.	C	"
1709	Creed 2203/97	Feed, operating, C.P.	C	"
1753	Creed 2203/107	Master contact, C.P.	C	"

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
		CAM UNITS—cont.			
13166	Creed 2203/192	Pieces, packing	For detent lever bracket	C	each
		Pins:—			
1678	Creed 2203/178	Detent, pivot	C	"
16023	Creed P.P.1034	Parallel	For Bearing Block	C	"
2077	Creed 23934A	Taper	$\frac{1}{4}$ in. \times 0.075 in.	C	"
1137	Creed 23936A	Taper	$\frac{3}{4}$ in. \times 0.094 in.	C	"
1688	Creed 2203/118	Pivot and contact block, C.P.	B	"
—	—	Block, pivot and contact	Ref. No. 4518. Creed No. 2203/21	—	—
		Pivots:—			
1755	Creed 2203/102A	Lever, feed operating	C	each
1756	Creed 2203/106A	Lever, master contact	C	"
4530	Creed 2203/115	Plate, backing, contact	C	"
		Plungers:—			
14930	Creed 2509/21	C.P.	C	"
1797	Creed 2203/136	C.P.	For Bellcrank Release	C	"
712	Creed 2200/4	Pin, lever bearing "A"	C	"
478	Creed 23911	Ring , split, $\frac{1}{4}$ in. bore	C	"
4558	Creed 2201/171	Roller , cam retention	C	"
		Screws:—			
3459	Creed P.S. 1793-1	4. B.A. ∇ 1 in. ch/head	M.S.	C	"
1802	Creed 2203/57	Pivot, L.H.	C	"
1803	Creed 2203/58	Pivot, R.H.	C	"
16025	Creed P.S.5366	Special	C	"
4176	Creed P.S.5262	Special	C	"
13415	Creed 2203/139	Shaft , cam, C.P.	B	"
1806	Creed 2203/88	Block, bearing, L.H., C.P.	C	"
147	Creed 2203/10	Dog, cam driving	C	"
1808	Creed 2203/138	Shaft, sub., cam, C.P.	C	"
15236	Creed 2203/141	Shaft , drive	C	"
13010	Creed 2203/153A	Shaft , rock, C.P.	Keyboard lock	C	"
13169	Creed 2203/193A	Lever, shaft rock C.P.	C	"
1791	Creed 2203/145	Shaft , shift fork, L.H., C.P.	C	"
16024	Creed 2203/215	Shim , bearing block	C	"

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
		CAM UNITS—cont.			
334	Creed 2203/92	Sleeve, cam, C.P.	C	each
1816	Creed 2203/16	Cam, keyboard lock	C	"
1819	Creed 2203/11	Cam, lever retention	C	"
1817	Creed 2203/14	Cam, master contact	C	"
4515	Creed 2203/5	Collar, "A", cam sleeve spacing	C	"
4516	Creed 2203/6	Collar, "B", cam sleeve spacing	C	"
4517	Creed 2203/7	Collar, "C", cam sleeve spacing	C	"
1818	Creed 2203/ 3	Feed, eccentric	C	"
1820	Creed 2203/93	Key, cam retention	C	"
1821	Creed 2203/4	Key, retaining washer	C	"
1811	Creed 2203/8	Nut, cam clamp	C	"
1813	Creed 2203/95	Plug, felt, large	C	"
1812	Creed 2203/94	Plug, felt, small	C	"
1814	Creed 2203/25	Scrambler, eccentric	C	"
1810	Creed 2203/91	Sleeve, cam, sub., C.P.	C	"
1815	Creed 2203/26	Strap, eccentric	C	"
		Springs:—			
1824	Creed 2203/158	Anchor	C	"
337	Creed 2203/72	Clutch, pressure	C	"
344	Creed 2203/173	Special L.H.	For Check Lever	C	"
345	Creed 2203/174	Special, R.H.	For Check Lever	C	"
		Tension:—			
353	Creed 2203/168	Detent	C	"
352	Creed 2203/165	Feed check	C	"
351	Creed 2203/164	Release, bellcrank	C	"
405	Creed 2203/170	Retention lever	C	"
356	Creed 2203/169	Trip lever	C	"
4529	Creed 2203/114	Strip, contact retaining	C	"
13008	Creed 2203/166	Stud, bearing, cross shaft	C	"
621	Creed 2203/99	Stud, retention, cam roller	C	"
		Washers:—			
1822	Creed 2203/155	Cam shaft	C	"
365	Creed 2203/75	Friction "A"	C	"

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT

SECTION 10G—cont.

RESTRICTED

1	2	3	4	5	6
		CAM UNITS—cont			
		Washers—cont.			
1804	Creed 2203/73	Pressure	C	each
1266	Creed 2203/181	Shim, spacing, .005 in.	C	"
1187	Creed P.W.2026-1	Spring, 4 B.A.	C	"
16262	Creed S.2866	CAM UNIT (with orientation devices) ...	For Printing Reperforator, 85R	A	"
17819		CAM	Used on F.G.R.I. 5493	C	"
18111		CAM	Used on Reperforator, Creed 7TR/3 (Ref. No. 17521)	C	"
9421348		CAM	Used on B.I.D.50	C	"
9421351		CAM	Used on B.I.D.50	C	"
9421354		CAM	Used on B.I.D.50	C	"
9421458		CAM	Used on B.I.D.50	C	"
9421459		CAM	Used on B.I.D.50	C	"
9421660		CAM	Used on B.I.D./560/1	C	"
9421691		CAM	Used on B.I.D./560/1	C	"
		CAMS:—			
15560	Creed 1550/311	7½ unit transmission, C.P.	For Auto. Transmitter (T.P.) No. 1B, Mark 2 ...	B	"
16614	Creed 1980/11	Alarm	For Teleprinter, 7B	C	"
13569	Creed 720/147	Bearing block	For Perforator, Morse	C	"
13677	Creed 740/134A	Bellcrank	For Morse Printer	C	"
		Bellcrank:—			
1982	G.N.T. 2044/6	C.P.	For Undulator, Type 2	C	"
3275	G.N.T. 2042/102	C.P.	For Transmitter, Wheatstone, Type 3	C	"
18183	Creed S.3702Gpl	C.P.	Dims.: 1⅞ in. max o/d × 1⅜ in.	C	"

41

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G -cont.

1	2	3	4	5	6
		CAMS—cont.			
17968		Detent	Used on F.G.R.I. 5493	C	each
16179	Creed 2870/34	Driving sector	}	C	"
16202	Creed 2870/102	Feed Pawl			
16201	Creed 2870/50	Feed pinion			
16189	Creed 2870/40	Feed ratchet			
13655	G.N.T.2042/19	Governor, C.P.			
9421367		Lever	For Transmitter, Wheatstone	C	"
17848		Master Contact	Used on B.I.D.50	C	"
508	Creed 860/114A	Operating head	Used on F.G.R.I. 5493	C	"
3360	Creed 860/117	Operating head, C.P.	For Perforator, Keyboard, Morse	C	"
		Pilot:—	For Perforator, Keyboard, Morse	C	"
16333	Creed 2845/54	C.P.	}	C	"
16325	Creed 2866/12	Detent, C.P.			
16327	Creed 2845/123	Detent link, C.P.			
16326	Creed 2845/49	Detent retaining plate			
		Pinion:—	For Orientation Device of Printing Reperforator, 85R	C	"
16072		Ribbon	Used on Teleprinter, 7B (Ref. No. 163)	C	"
760	Creed 720/11A	Punch block unit	For Reperforator, Morse, Receiving	C	"
16162	Creed 2870/158	Punching assembly	For Printing Reperforator, 85R	A	"
		Punching:—	For use in Printing Reperforator, 85R	C	"
16191	Creed 2870/42	(B)	C	"
16192	Creed 2870/43	(C)	C	"
16193	Creed 2870/44	(D)	C	"
16194	Creed 2870/45	(E)	C	"
16195	Creed 2870/46	(F)	C	"
16196	Creed 2870/47	(G)	C	"
15513	Creed 1800/132	Receiving, C.P.	6½ unit. For Reperforator Receiver (T.P.) No. 2, Mark 2, and G.P.O. Perforator No. 2 (Ref. No. 15684). For Reperforator, Receiving, No. 2, Mark 2	B	"
17458	Creed 1800/133	Receiving, C.P.	For Reperforator, Receiving, No. 2, Mark 2	B	"
16307	Creed 2845/71	Release adjustment lever, C.P.	For Orientation Device of Printing Reperforator, 85R.	C	"
16305	Creed 2845/75	Release lever, C.P.	For Orientation Device of Printing Reperforator, 85R.	C	"

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G - cont.

1	2	3	4	5	6
		CAMS—cont.			
16197	Creed 2870/48	Reset (H)	For use in Printing Reperforator, 85R	C	each
17849		Revolution Counter	Used on F.G.R.I. 5493	C	
3355	Creed 860/99A	Roller pin	For Selecting Mechanism, Teleprinter, Reperforator	C	
13612	Creed P.P.9053	Roller pin	For Punch Block Unit, Reperforator, Morse	C	
13682	Creed 740/347	Stop, C.P.	For Printers, Morse, Page Model, Type 1	C	
18534		Transmitter	Used on Heads, Transmitter C.P. 90G/18489. Schedule RES 90G/22171. Main equipment: Transmitter, automatic 6S/5. RES 90G/22099.	C	
16615	Creed 2184/2	Transmitting, C.P.	For Teleprinter, 7B	B	
1440	Creed 2184/33	Transmitting, sub.	G.P.O. B.U.30. For Striker-Type Transmitter Unit, Teleprinter 7B.	B	
17502	Creed 1550/326	Transmitting	For Transmitter Heads of Auto. Transmitter G.P.O. 1C.	C	
4370	Creed 1980/9	Trip	G.P.O. B.Q55. For Teleprinter, 7B	C	
9421461		CAMSHAFT ASSEMBLY	Used on B.I.D.50	C	
9421487		CAMSHAFT ASSEMBLY	Used on B.I.D.50	C	
18219		CAMSHAFT	Used on Perforator, Keyboard, Creed 7P,N3 (Ref. No. 17455).	C	
16188	Creed 2870/39	CAMSHAFT	For Printing Perforator, 85R	C	
		CAMSHAFTS:—			
16922	Creed 2845/160	Bearing block	Front and rear. For Printing Reperforator, 85R ...	C	
18182		C.P.	Dims.: $\frac{1}{8}$ in. max. o/d \times $\frac{3}{4}$ in.	C	
13685	Creed 740/384A	C.P.	For Printer, Morse, Page Model, Type 1	C	
16187	Creed 2870/38	C.P.	For Printing Reperforator, 85R	C	
18853	Creed 2303/27A	C.P.	Used on Perforator Ops. Unit (Ref. No. 18150) ...	C	
16292	Creed 2866/5	Gear and spindle, C.P.	For Orientation Device of Printing Reperforator, 85R.	C	
15511	Creed 1800/140	Spur wheel	For Reperforating Receiver (T.P.) No. 2, Mark 2 ...	B	

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
1424	G.N.T.	CAN, oil	For Transmitter, Wheatstone, Type 3	C	each
16416		CAPACITORS:— 0.005 mfd.	C	"
15128	Creed B.O.1802	0.5 mfd.	±2% . 650V. Rectangular metal case $1\frac{5}{8}$ in. × 1 in. × $2\frac{3}{16}$ in. $\frac{5}{8}$ in. terminals. Used in Reperforator, Teleprinter, No. 2X.	C	"
1878	G.P.O. M.C.100	0.5 mfd.	$3\frac{3}{8}$ in. over tags. Rectangular metal case $3\frac{3}{8}$ in. × $1\frac{5}{8}$ in. × $\frac{1}{2}$ in. For Rack Assemblies, Type 47.	C	"
14070	Creed B.O.1817	1 mfd.	C	"
YA. 1869		1 mfd.	C	"
1654	Creed 2204/73	2 mfd.	Plus 300 ohms. resistor. Rectangular metal case $1\frac{5}{8}$ in. × 1 in. × $3\frac{3}{4}$ in. h. With tags.	C	"
		CAPS:—			
35	U.G.6A	Brush	For Undulator, Type 6	C	"
2150	Creed 720/2	Clutch	For Reperforator, Morse, Receiving	C	"
1724	Creed 860/184	Key Button	For Teleprinter, 7B	C	"
13059	S.T. and C.4003A	Lamp	G.P.O. I/A. White .0.315 in. barrel diameter, 0.373 in. o/a dia. Without guard. Unengraved.	C	"
13072		Lamp	G.P.O. No. 6. 3 in. diameter. Hemispherical, frosted white glass.	C	"
4468		Lamp and label, No. 2	G.P.O. No. 2	C	"
15037	G.P.O. C.22	Space... ..	For Keyboard Perforator, No. 44, Mark 2	C	"
		CARBON:—			
YA. 6693		Protector, No. 14, Mark 2	Used on Switchboard Magneto 10 line (W.D.), (Ref. No. YA. 6733).	C	"
		CARRIAGES:—			
2208	Creed 740/3314	Actuating lever, C P.	} For Printer, Morse, Tape Model	C	"
2254	Creed 740/89A	Type assembly		C	"
2281	Creed 740/577	Type assembly		A	"

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
		CARRIAGE UNITS:—	For Teleprinter, 7B		
15179	Creed 5/1839	Friction feed	A	each
17184	Creed 5/1908	Sprocket feed	A	"
		CARRIERS:—			
15695		Apparatus	1 + 1, No. 2 active. For Carrier and V.F. Equipment, for V.H.F. Stand by to live links.	A	"
15685		Telephone apparatus, Mark 2	1 + 4. For terminal Equipment AN/TRC—3	A	"
YB. 04219		Telephone apparatus	A	"
17600		CASE	Polished Mahogany Box, 1 ft. 11½ in. × 2 ft. 8¾ in. × 9 in. o/a. To house G.P.O. Ancillary Equipment.	A	"
		CASES:—			
4082		Coil and condenser unit	Used on Console, Type 35 (Reference 10AQ/1502). P.O. 40 wire. G.P.O. Stores Section 12	B	"
373		Distribution	P.O. Mark 235. G.P.O. Stores Section 12 (T.P.A.—A). For 40 pairs In and 40 pairs Out .	C	"
32		Distribution	For Typex Machines Mks. 22 and 23. Wooden case 2 ft. 8¾ in. × 1 ft. 11½ in. o/a approx. With carrying handles and captive screws.	C	"
18311		Operating	Used for Aircraft Servicing Intercomm. Equipment. (Ref. No. 20001).	A	"
20002		Operation	For Teleprinter. Tape Duplicating Equipment	A	"
16348	G.P.O. 9735	Switch and indicator	C	"
15233		Transit	Wood 11 in. × 4¾ in. × 6¼ in. h	B	"
18719		Transit			
		Transit:—			
1402		Ringing Unit, Type 1	A	"
1904	Ericsson 36856	Spares, switchboard A.D.1240	Teak 23 in. × 17½ in. × 13½ in., oil and wax finish	B	"
9421379		Spares	Used on B.I.D 50	C	"
		CASINGS, metal:—			
		End block:—			
18102		4 and 6 drum	A	"
18101		4 and 6 drum	A	"

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT

SECTION 10G cont.

1	2	3	4	5	6
		CASTINGS:—			
17068	Creed 1821/1	Base	Striker Transmitter Unit	B	each
17734	Creed 1832/27B	Base, C.P.	Used on Teleprinter, 7B Page, Mark 2	C	
17036	Creed 1825/10B	Bearing bracket, C.P.	Starter Switch	B	
17002	Creed 1847/1C	C.P.	Tape Attachment Unit. Used on Teleprinter 7B	C	
18050		C.P.	Used on Teleprinter, 7B, Mark 2	C	
16232	Creed 2868/28	Hammer support	For Printing Reperforator, Creed 85R	C	
9013647		Helix	Alum. 9·3 in. × 3·4 in. approx. o/a dims.	C	
15403		Hot pressing	Manganese bronze	B	
16352	Creed 2885/39	Main	With bearings. For Tape Winder G.P.O. No. 2 on Printing Reperforator, Creed 85R.	B	
14952	G.P.O. D.1	Main	For Punch Unit used on Keyboard Perforator, No. 44, Mark 2.	B	
17986		Main frame, C.P.	Used on Teleprinter, 7B, Mark 2	C	
14981	G.P.O. E.1	Main, letter counter	For Keyboard Perforator, No. 44, Mark 1	C	
15208	Creed 1831/2	Page attachment	G.P.O. K.13. Used on Teleprinter 7B	B	
3762	Creed 740/1/2/13/14	Selector head, C.P.	For Printers, Morse, Tape Model	B	
16264	Creed 1550/376	Tape retaining	For Automatic Transmitter, 1B (Ref. No. 15683).	C	
17490	Creed 1550/376A	Tape retaining	1½ in. × 1 in. × 5/16 in. o/a (approx.). For Kits, conversion Auto. Transmitters, No. 1B, Mark 2.	C	
17900		CATCH	Used on F.G.R.I. 5493	C	
		CATCHES:—			
3322	Marconi 23/62055/E	Connecting rod	Undulator, Type 4	C	
3321	Marconi 23/62055/E	Pivot screw	Undulator, Type 4	C	
16616	Creed 1838/6	Safety, C.P.	For Carriage Latch on Main Base Unit, Teleprinter 7B	C	
9424955		Toggle lever	Steel base, steel loop. Dims. 1-7/8 in. o/a on mtg base 1/8 in. o/a lg 0·136 dia. mtg holes.	C	
		C.C.M. ADAPTOR:—			
13337	Creed KID/4	Bolt, key and switch assembly	For Type X Machine.	C	
17161	G.P.O. No. 5	CELL, secondary	80V ± 80V. Enclosed lead acid	A	

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10C -cont.

1	2	3	4	5	6
		CENTRES:—			
3278	G.N.T.2042/106	Collar, C.P.	Transmitter, Wheatstone, Type 3	C	each
1983	G.N.T.309/67A	Tape roll	For Undulator, Type 2	C	"
13698	Creed 740/795	CHAIN, oval link	C	"
15212	Creed 5/1844C	CHARIOT UNIT, C.P.	G.P.O. B.K.51. Used on Teleprinter 7B	B	"
13296	Creed MCT 1001	CHART, Keyboard	For Reperforator, Keyboard, Morse, Type 4	C	"
18914		CHASSIS, SUB-ASSEMBLY	Consists of a No. 18 S.W.G. Steel frame $4\frac{1}{2}$ in. \times $2\frac{1}{4}$ in. \times $\frac{1}{16}$ in.	B	"
YA. 1868		CHOKE	C	"
9421610		CHOKE	Used on B.I.D./560/1	C	"
9421679		CHOKE	Used on B.I.D./560/1	C	"
15006	G.P.O. A.9	CHUTE, cutting	For Keyboard Perforator, No. 44, Mark 2	C	"
		CIRCLIP:—			
17800		Pins, bearing	Used on F.G.R.I. 5493	C	"
		CLAMPS:—			
4394	Creed 1910/51	Contact Blade	For Governor Unit, Teleprinter, 7B	C	"
16067	Creed 1830,68	Finger adjusting pin	For Cam Unit comb Setting Lever, Teleprinter 7B.	C	"
17658	Creed 1830/68A	Finger adjusting pin	C	"
13633	G.N.T.112/18	Front glass	C	"
9013638		Helix	Steel 0.7 in. \times 0.7 in. \times 0.031 in. approx. o/a dims.	C	"
9013640		Helix	Steel $\frac{1}{16}$ in. \times $\frac{7}{16}$ in. \times $\frac{1}{32}$ in. approx. o/a dims.	C	"
4305	Creed 1831/24	Locking eccentric pivot	G.P.O. K.21. For Page Attachment Unit, Teleprinter 7B	C	"
9013694		Motor	$1\frac{7}{8}$ in. \times $1\frac{7}{8}$ in. \times $\frac{1}{4}$ in. approx. o/a dims.	C	"

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
		CLAMPS—cont.			
9013781		Motor	3½ in. dia. × ¼ in. h. approx. o/a dims.	C	each
9013689		Needle bearing	Steel 1.5 in. × 0.4 in. × 0.15 in. approx. o/a dims.	C	"
9013690		Needle bearing	Brass 1.4 in. × 0.5 in. × 0.3 in. approx. o/a dims.	C	"
9013866		Paper, flat	S/Steel ½ in. × ¼ in. × 7/32 in. o/a dims.	C	"
16248	Creed 1838/26	Plate	} For Printing Reperforator, Creed 85R	C	"
16151	Creed 2868/4	Plate		C	"
16124	Creed 2870/147	Plate No. 20... ..		C	"
9421552		Screw Assembly		Used on B.I.D.50	C
3487	Creed P.B.1027	Screw collar	C	"
9013656		Spring	S/Steel 3/8 in. × ½ in. × 0.045 in. approx. o/a dims.	C	"
17679	Creed T.A.1118	Typehead, C.P.	For dismantling Typehead Unit	C	"
		CLEANERS:—			
571	Creed T.A.1034	Punch block	Double edge. For Perforator, Keyboard, Morse, Tool Set.	C	"
572	Creed T.A.1035	Punch Block	Single edge, for Perforator, Keyboard, Morse, Tool Set.	C	"
		CLEATS:—			
14195		Cable	C	"
13309		Wiring	G.P.O. No. 1. 7/16 in. zinc saddle type, fixed by 2 pins. For fixing lead covered cable. Width of metal 3/8 in. length of lug ¼ in. Used on Switchboard, G.P.O., A.D.1240.	C	"
13308		Wiring	G.P.O. No. 1. Zinc saddle type, fixed by 2 pins. For fixing lead covered cable. Width of metal 7/16 in. length of lug 3/8 in. Used on Switchboard G.P.O., A.D.1240.	C	"
		CLICKS:—			
13643	G.N.T.2042/18	Disc	For Transmitter, Wheatstone, Type 3	C	"
3243	G.N.T.2042/18	Disc. C.P.	C	"
3247	G.N.T.2042/29	Pin	C	"
3248	G.N.T.2042/30	Pin spring	C	"

RESTRICTED

RESTRICTED
48

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
YA. 4115		CLIMBERS, pole, Mark 1/1	L. and R. with 2 rubber pads	B	each
13466	Creed P.K.2003	CLIP	For Reperforating Receiver (T.P.), No. 2, Mark 2 ...	C	"
16516	Creed 1836/132	CLIPS:— Cable, C.P.	Used under L.H. rear foot Main Base Unit, Teleprinter 7B.	C	"
4276	Creed 1828/24	Crown Wheel	G.P.O. H15. For Ribbon Feed Brackets, Teleprinter 7B.	C	"
3756	Creed 740/339	Detachable, C.P.	C	"
16617	Creed 1830/31A	Feed lever	For Cam Unit, Teleprinter 7B	C	"
17663	Creed 1830/31B	Feed lever	C	"
16933	Creed 1837/4	Paper	For Dust Cover Unit, Teleprinter 7B	C	"
3368	Creed 860/147	Paper guide:— Bottom	For Perforators, Keyboard, Morse, Type 4 ...	C	"
3386	Creed 860/366	Top, C.P.	C	"
4330	Creed 1839/38	Paper holding	G.P.O. M.9. For Friction Feed Paper Carriage Unit, Teleprinter 7B.	C	"
18258		Plug	For G.P.O. Switchboard Plugs. O/a Dims.: $\frac{5}{16}$ in. \times $\frac{7}{8}$ in. \times $\frac{8}{16}$ in. Phosphor Bronze.	C	"
17426	Creed 2869/50	Retaining	For tape roll holder brackets on Reperforators, printing.	C	"
18885	Creed BO/3230	Retaining	Anderton Clip for selecting and opening levers ...	C	"
3387	Creed 860/367	Retaining, paper guide	For Perforator, Keyboard, Morse, Type 4	C	"
17953		CLIPS—cont. Retaining, roller detent	Used on F.G.R.I. 5493	C	"
17831		Retaining, roller detent	Used on F.G.R.I. 5493	C	"
18034		Roller	Used on Teleprinter, 7B, Mark 2	C	"
16618	P.K.2002	Spring	For Teleprinter 7B	C	"
15532	Creed P.K.2005	Spring	For Reperforating Receiver (T.P.) No. 2, Mark 2 ...	C	"
3231	G.N.T.112/72A	Spring:— Mechanism, C.P.	For Transmitter, Wheatstone, Type 3	C	"
9424956		Tension	Steel. Used on B.I.D./50/1	C	"
1984	G.N.T.309/105	Tool well	For Undulator, Mark 2	C	"

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
17818		CLUTCH, BODY ASSEMBLY, C.P.	Used on F.G.R.I.5493	C	each
17767		CLUTCH UNIT	Used on F.G.R.I.5493	A	"
		CLUTCHES:—			
3238	G.N.T.112/84	Actuating bar, C.P.	} For Transmitter, Wheatstone, Type 3	C	"
3240	G.N.T.112/86	Actuating bar, spring		C	"
3241	G.N.T.112/88	Actuating fork, C.P.		C	"
13559	Creed 720/1	Body		C	"
16332	Creed 2845/47	Body	For Reperforator, Morse, Receiving, Type 3	C	"
4452	Creed 1831/35	Crosshead, C.P.	For Orientation Device of Printing Perforator, 85R	C	"
2287	Creed 1600/437	Crosshead, C.P.	For Page Attachment Units on Teleprinter 7B	B	"
9421332		Half, driven	For Printer, Morse, Page Model	C	"
4593	Creed 740/78	Plate	Used on B.I.D.50	C	"
16360	Creed 2885/13	Plate	For Printer's, Morse	C	"
			For Tape Winder, G.P.O.2. Part of Printing Reperforator, 85R.	C	"
16329	Creed 2845/29	Pressure, plate, C.P.	For Orientation Device of Printing, Reperforator 85R.	C	"
9421334		Ring and Bearing	Used on B.I.D.50	C	"
9421337		Ring, outer	Used on B.I.D.50	C	"
16330	Creed P.G.3087A	Spring	For Orientation Device of Printing Reperforator, 85R	C	"
16331	Creed 2845/103	Spring pressure plate	For Orientation Device of Printing Reperforator, 85R	C	"
2241	Creed 740/73B	Type carriage	For Printer's, Morse, Tape Model	C	"
15202	Creed 1826/66B	Typehead, C.P.	G.P.O., B.E.38. Used on Teleprinter 7B	A	"
16620	Creed 1821/32	COCKPIECE, transmitter contact, C.P.	For Teleprinter 7B	C	"
13321	Marconi W.S.K.3056	COIL	20 × 20 ohms. Used on Undulator Type 7	B	"
		COILS:—			
9421644		Clutch	Used on B.I.D./560/1	C	"
9330834		Electro-magnetic Actuator	Bank wound, 12,600 turns, single winding. 160V, 25mA D.C.2,100 ohms d.c. resistance.	C	"
4290	Creed 1832/19A	Electro-magnetic, Operating Unit	Electro-magnetic winding, 1 pair G.P.O. J.26. for Teleprinter 7B. (Demanded in pairs).	C	pair

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont

1	2	3	4	5	6
		COILS—cont.			
13775	Creed 1046/18/6B	Electro-magnetic brake	12,500 turns of 44 S.W.G. enamel copper wire. Approximate resistance 1,500 ohms.	C	each
17740		Electro-magnetic, C.P.	Electro-magnetic windings for Field Units D.C resistance 100 ohms.	C	..
1336	G.E.C. K.7728	Induction	Telephone 6V	A	..
13121	S.T. and C. 4025A	Induction	G.P.O. 3/16. Primary 4 ohms., 1st secondary 20 ohms., 2nd secondary 440 ohms.	C	..
13182		Induction	G.P.O. No. 18. Tropical, Used with Telephone G.P.O. No. 11/162.	C	..
1921	Ericsson N.3532T	Induction	G.P.O. No. 3/16. Tropical. Primary 20 ohms., 1st secondary 20 ohms., 2nd secondary 440 ohms.	C	..
9421373		Relay Resistor:—	Used on B.I.D.50	C	..
15677		500 ohms	G.P.O. No. 9. For Reperforator, Receiving No. 2, Mark 2.	C	..
15678		3,000 ohms.	G.P.O. No. 9. For Reperforator, Receiving, No. 2, Mark 2.	C	..
17581	G.P.O. 3420	Retardation	3,000 Type relay coil, Standard, low voltage, 1 winding D.C. Resistance, 400 ohms, 8,150 turns ...	C	..
17582	G.P.O. 3485	Retardation	300 Type, relay coil, Standard, low voltage. Winding 1: D.C. Resistance 250 ohms., 4,270 turns. Winding 2: D.C. Resistance 500 ohms. 3,600 turns.	C	..
17604		Retardation Retardation: —	3,000 Type relay coil, Standard, low voltage ...	C	..
3539	G.P.O. 19A	5·7 + 5·7 ohms.	10 in. + 4·7 in. Two separate bobbins	B	..
1938	Ericsson N.31658T	100 + 100 ohms.	G.P.O. 3,000 type. Without spring contacts. Tropical Retard "R".	C	..
1940	Ericsson N.33492	165 ohms.	G.P.O. 3,000 type. Coil without spring contacts. Tropical.	C	..
1939	Ericsson N.30224T	400 ohms.	G.P.O. 3,000 type. Coil, without spring contacts. ...	C	..
13176	S.T. and C.4,600 B.W. Relay	50V type	G.P.O. 3416B. For Console, Mark 2	C	..
21	Creed 14002	G.P.O. type 39A	For A.T. and C.B. Switchboards	C	..
4272	Creed 1830/136	Roller	G.P.O. No. G.141	C	..

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
		COILS—cont.			
17843		Solenoid	Used on F.G.R.I.5493	C	each
9421689		Tape Recorder	Used on B.I.D./560/1	C	"
YB. 08836		COLLAR	Used on 5.U.C.O.	A	"
4554	Creed 2208/15	COLLAR	Part of Counter Trip Lever. (Ref. No. 1677) ...	C	"
17995		COLLAR	Used on Teleprinter, 7B, Mark 2	C	"
18029		COLLAR	Used on Teleprinter, 7B, Mark 2	C	"
15639	Creed P.B.1110	COLLAR	For Reperforator, G.P.O. No. 2	C	"
15543	Creed P.B.1108	COLLAR	For Reperforating Receivers (T.P.), No. 2, Mark 2. Set of 2.	C	set
15545	Creed P.B.1109	COLLAR	For Reperforating Receiver (T.P.), No. 2, Mark 2 ...	C	each
		COLLARS:—			
3767	Creed 740/91	Bellcrank lift	For Printer, Morse, Tape Model	C	"
16630	Creed 1826/60	Clutch fixing	For Typehead, Teleprinter 7B	C	"
1988	G.N.T. 2044/35	Control, C.P.	For Undulator, Type 2	B	"
3279	G.N.T. 2042/107	Control, C.P.	For Transmitter, Wheatstone, Type 3	C	"
14184	Creed P.B.1024	Distance	Part of Counter Unit and Striker Transmitting Head. Used on Teleprinter 7B.	C	"
15583	Creed P.W.5176	Distance	For Transmitters, Automatic, 1B	C	"
		Distance:—			
		Driving shafts:—	For Speed Regulator, Transmitter, Wheatstone ...		
3252	G.N.T. 2042/35	Inner	C	"
3253	G.N.T. 2042/36	Outer	C	"
16623	Creed P.B.1060	Duralumin, $\frac{1}{4}$ in. o/d \times $\frac{13}{16}$ in.	Part of Feed Throw-out Lever for Teleprinter 7B ...	C	"
		Main shaft:—	For Speed Regulator, Transmitter, Wheatstone ...		
3255	G.N.T. 2042/38	Inner	C	"
3256	G.N.T. 2042/39	Outer	C	"

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
		COLLARS—cont.			
		Distance—cont.			
		Mild steel:—			
16627	Creed P.B.1285	$\frac{5}{16}$ in. o/d \times $\frac{13}{16}$ in. long	Part of Cam Unit for Teleprinter 7B... ..	C	each
16629	Creed P.B.1047	$\frac{5}{16}$ in. o/d \times $\frac{7}{32}$ in. long	Part of Cam Unit for Teleprinter 7B... ..	C	"
16624	Creed P.B.1070	$\frac{1}{2}$ in. o/d	Part of Page Attachment Unit for Teleprinter 7B ...	C	"
16621	Creed P.B.1032	$\frac{17}{32}$ in. o/d \times $\frac{9}{16}$ in. parallel bush	Part of Mainshaft Assembly for Teleprinter 7B ...	C	"
16622	Creed P.B.1053	$\frac{13}{32}$ in. o/d \times $\frac{3}{4}$ in. long	Part of Page Attachment Unit for Teleprinter 7B ...	C	"
16626	Creed P.B.1139	$\frac{13}{32}$ in. o/d \times $\frac{5}{16}$ in. long	For Teleprinter 7B	C	"
16625	Creed P.B.1135	Soft steel, $\frac{5}{16}$ in. o/d \times $\frac{1}{16}$ in. long	For Teleprinter 7B	C	"
3505	Creed 920/76	Speed change	For Transmitter, Morse, Automatic, Type 3 ...	C	"
14053	Creed 2493/37	Driver, C.P.	For Reperforator, Morse Receiving	C	"
14052	Creed 2493/36	Driving, C.P.	For Reperforator, Morse Receiving	C	"
18275		Eccentric	Used on Perforator, Keyboard, Creed 7P/N3 (Ref. No. 17455).	C	"
17016	Creed E.C.5027	Eccentric	Tape Attachment Unit for Teleprinter 7B	C	"
3773	Creed 740/168	Feed roller spindle	For Printers, Morse, Tape Model	C	"
3277	G.N.T.2042/105	Friction disc, C.P.	For Transmitter, Wheatstone, Type 3	C	"
15050	G.P.O. E.120	Lever operating	For Keyboard Perforator, No. 44, Mark 2	C	"
16008	Creed 1926/3	Lifting bellcrank, C.P.	For Combination Head, Teleprinter 7B	C	"
13591	Creed 990/32	Locking	For Operating Magnet Unit, Reperforator	C	"
18236		Locking, frame	Used on Perforator, Keyboard, Creed 7P/N3 (Ref. No. 17455).	C	"
13603	Creed P.B.1010	Mainshaft	For Perforating Unit, Reperforator, Morse	C	"
3429	Creed P.B.1244	Message desk	For Perforator, Keyboard	C	"
16628	Creed P.B.2023/26	No. 13	For Teleprinter 7B	C	"
16170	Creed P.B.1972	No. 35	For Printing Reperforator, 85R	C	"
13780		Plunger	C	"
16359	Creed 2885/12	Pressure	For Tape Winders, G.P.O. No. 2	C	"
17961		Ratchet fixing	Used on F.G.R.I. 5493	C	"
16631	Creed 1841/6	Release shaft	For Answer Back Units, Teleprinter 7B	C	"
16297	Creed P.B.1447	Retaining	For Orientation Device of Printing Reperforator 85R	C	"
9421505		Retaining	Used on B.I.D.50	C	"
14054	Creed 2493/45	Retaining, C.P.	Inner Sun Wheel, Reperforator, Morse	C	"

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10C—*cont.*

1	2	3	4	5	6
		COLLARS—<i>cont.</i>			
18879	Creed C.S.1046	Retaining tension	First used on Perforator, Keyboard, Mark 2 ...	C	each
599	Creed P.B.1251	Set	$\frac{1}{8}$ in. bore. Used on Reperforator, Receiver ...	C	"
16921	Creed C.S.1041	Set	No. 2. Mark 2. (Ref. No. 15684)	C	"
18120		Set	For Teleprinter, 7B	C	"
18127		Set	} Used on Reperforator, Creed 7TR/3 (Ref. No. 17521)	C	"
18134		Set			
18138		Set			
16346	Creed C.S.1080	Set			
		Set:—			
1206	Creed P.B.1140	$\frac{3}{32}$ in. i/d bore \times $\frac{2}{64}$ in.	Used on Teleprinter, 7B	C	"
1209	Creed P.B.1245	$\frac{3}{32}$ in. i/d \times $\frac{1}{8}$ in.	For Reperforating Receiver, No. 2, Mark 2 ...	C	"
1216	Creed P.B.2020	$\frac{1}{16}$ in. i/d \times $\frac{7}{32}$ in.	Used on Perforator Keyboard	B	"
18247		0-1875 in. i/d \times 0-375 in. o/d \times 0-125...	Used on Perforator Keyboard, Creed 7P/N3. (Ref. No. 17455).	C	"
18184		0-156 in. i/d \times 0-281 in. o/d \times 0-187 in.	C	"
18180		0-187 in. i/d \times 0-5 in. o/d \times 0-187 in.	C	"
18198		0-187 in. i/d \times 0-5 in. o/d \times 0-219 in....	Used on Perforator, Keyboard, Creed 7P/N3. (Ref. No. 17455).	C	"
18161		0-25 in. i/d \times 0-5 in. o/d \times 0-25 in. ...	Used on Perforator, Keyboard, Creed 7P/N3. (Ref. No. 17455).	C	"
16917	Creed C.S.1015	0-096 in. i/d \times 0-25 in. o/d \times 0-125 in. ...	For Teleprinter 7B	C	"
16918	Creed C.S.1017	0-125 in. i/d \times 0-235 in. o/d \times 0-156 in....	For Teleprinter 7B	C	"
1205	Creed P.B.1035	$\frac{1}{8}$ in. i/d \times $\frac{1}{16}$ in.	For Printing Reperforator, 85R	C	"
16919	Creed C.S.1027	0-128 in. i/d \times 0-312 in. o/d \times 0-216 in....	For Teleprinter 7B	C	"
16920	Creed C.S.1022	0-129 in. i/d \times 0-312 in. o/d \times 0-172 in....	For Teleprinter 7B	C	"
16395	Creed C.S.1011	With screw	For Roll Holder, G.P.O.7	C	"
17120	Creed C.S.1025	With screw	For Striker Transmitter Head. Used on Teleprinter 7B.	C	"
17121	Creed C.S.1018	With screw	For Striker Transmitter Head. Used on Teleprinter 7B.	C	"
16374	Creed C.S.1085	With screw	For Tape Winder, G.P.O.	C	"
16381	Creed C.S.1084	With screw	For Roll Holder, G.P.O.7	C	"

RESTRICTED

RESTRICTED
54

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT

SECTION 10G—cont.

1	2	3	4	5	6
		COLLARS—cont.			
		Set—cont.			
16390	Creed C.S.1021	With screw	For Roll Holder, G.P.O.7	C	each
18900	Creed C.S.1029	With screw	First used on Perforator, Keyboard, Mark 2	C	
13602	Creed P.B.1007	Spacing	For Perforator, Keyboard, Morse	C	
18899	Creed P.B.4266	Spacing	Metal spacing brush for detent, mechanical	C	
9421476		Spacing	} Used on B.I.D.50	C	
9421479		Spacing		C	
9421566		Spacing		C	
17688	Creed 2936/5	Spacing		Used on Teleprinter, 7B Page, Mark 10	C
18192		Spacing	$\frac{3}{8}$ in. o/d \times $\frac{9}{16}$ in.	C	
18193		Spacing	$\frac{5}{16}$ in. o/d \times $\frac{3}{8}$ in.	C	
16223	Creed P.B.1971	Spacing	For Printing Reperforators	C	
16411	Creed P.B.2070	Spacing	For Tape Winder, G.P.O. No. 2	C	
15625	Creed P.B.1944	Spacing	For Auto. Transmitter (T.P.), No. 1B, Mark 2	C	
17069	Creed 2184/5	Anchor plate	For Striker Transmitter Unit. Used on Teleprinter 7B.	C	
16410	Creed P.W.5464	Jockey roller	For Printing Reperforators	C	
17097	Creed P.M.2102	Lamp unit	Keyboard Assembly	C	
3428	Creed P.B.1116	Lever link and bellcrank	For Perforator, Keyboard, Morse, Type 4	C	
16531	Creed P.W.5230/1	Mild steel	$\frac{9}{16}$ in. i/d. Used on Teleprinter 7B (W.D.). (Ref. No. YB.03117).	C	
17199	Creed 1908/24	Under-locking lever, C.P.	For Paper Carriages (Sprocket Feed) on Teleprinter 7B.	C	
13614	Creed P.W.5036	Special Spindle:—	For Perforating Units, Morse Reperforator	C	
3492	Creed P.B.1160	Speed change	For Transmitter, Morse, Automatic, Type 3	C	
1236	{ Creed 720/33C and 720/31B }	Tape feed	For Reperforator, Morse Receiving	C	
9421565		Switch spindle	SC/A. 4022	C	
9013745		Spring, adjusting	$\frac{3}{4}$ in. long \times $\frac{1}{2}$ in. dia. approx. o/a dims.	C	
3427	Creed P.B.1005	Tape bellcrank	For Perforators, Keyboard	C	
13604	Creed P.B.1131	Tape feed spindle clutch	For Punching Head Unit, Reperforator, Morse	C	
17696	Creed 2852/19	Thrust	Used on Teleprinter, 7B Page, Mark 10	C	
18216		Thrust	Dims.: 0.187 in. i/d \times 0.474 in. o/d \times 0.375 in.	C	

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT

SECTION 10G—cont.

1	2	3	4	5	6
3509	Creed 23853	COLLETS:— Insulating	For Transmitter, Morse, Automatic, Type 3 ...	C	each
4196	Creed P.E.1045	Insulating:— $\frac{5}{8}$ in. long	For motor contacts. 2 per set. G.P.O., B.C.10. For Starter Switch Unit. Teleprinter 7B.	C	set
17330	Creed P.E.1007A	Alarm contact	For A/B unit. 0-210 in. long. 2 per set. For Starter Switch Unit, Teleprinter 7B.	C	each
16042	Creed P.E.1201	Creed, No. 3	For Teleprinter 7B (W.D.)	C	"
16633	Creed P.E.1041	Creed, No. 4	For Teleprinter 7B	C	"
16632	Creed P.E.1010	Switch contact	For motor. For starter Switch Unit, Teleprinter 7B	C	"
4293	Creed 1832/36	Retaining plate	G.P.O., B.J.41. For Electro-Magnet Unit, Teleprinter 7B.	C	"
18149	Creed S370/7A	COMBINATION BAR UNIT	Consists of Comb Bar Rack, Combination Bars and Trip Levers.	A	"
18860	Creed S.37070	COMBINATION BAR UNIT	Used on 7P/N3. Mk. 2	C	"
291	Creed 1822/12	COMBINATIONS:— Bar	5 per set. For Keyboard Assembly, Teleprinter 7B ...	B	"
17639	Creed 1926. Gp. 2	Head unit	Used on Teleprinter 7, Mark 10	A	"
17909		Head unit	Used on F.G.R.I. 5493	A	"
17914		Head unit	Used on F.G.R.I. 5493	A	"
17123		Head unit	Used on Teleprinter 8 (Tape), modified (Ref. No. 17131).	A	"
18391	Creed S.2867/GP.2	Head unit	Used on Printing Reperforator, 85R	A	"
18796	Creed 1926	Head unit	Used on 7P/N3. Mk. 2	A	"
5138	Creed S.1926	Head unit, C.P.	G.P.O., A.10. For Teleprinter 7B	A	"
3332	Creed 860/28	Lever, C.P.	For Perforator, Keyboard, Morse, Type 4	C	"
16252	Creed 2867/4	COMBS:— Complete	For Printing Reperforator, 85R	C	set
3339	Creed 860/41A	Lever pivot	For Perforator, Keyboard, Morse, Type 4	C	each
2242	Creed 740/105	Marked F.U.	20 per set. For Printer, Morse, Type Model ...	B	set

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
		COMBS—cont.			
17750	Creed 1400/4. TC. 5354/2A	Receiving	Used on Combination Head Unit (Ref. No. 17639) ...	C	each
17751	Creed 1400/4. T.C. 5354/3A	Receiving		C	"
17752	Creed 1400/4. T.C. 5354/4A	Receiving		C	"
17753	Creed 1400/4. T.C. 5354/5A	Receiving		C	"
17754	Creed 1400/4. T.C.1	Receiving		C	"
17749	Creed 1400/4. T.C. 5354/1A	Receiving, C.P.		C	"
17262		Receiving, C.P.		C	"
17263		Receiving, C.P.		C	"
17264		Receiving, C.P.		C	"
17265		Receiving, C.P.		C	"
17266		Receiving, C.P.: —	C	"	
		Teleprinter 7B: —	For Combination Head Unit, Teleprinter 7B.		
16634	Creed 1400/4/2	No. 2	C	"
16635	Creed 1400/4/3	No. 3	C	"
16636	Creed 1400/4/4	No. 4	C	"
16637	Creed 1400/4/5	No. 5	C	"
208	{ Creed 1400/4 G.P.O. E.22C }	Set of 5	Marking required on each to be stated ...	B	set
		Teleprinter 8 (tape): —	Modified.		
17261	Creed 1400/4 Cut to pattern 5382/1	No. 1	C	each
17260	Creed 1400/4 Cut to pattern 5382/2	No. 2	C	"
17259	Creed 1400/4 Cut to pattern 5382/3	No. 3	C	"
17258	Creed 1400/4 Cut to pattern 5382/4	No. 4	C	"

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10C—cont.

1	2	3	4	5	6
		COMBS—cont.			
		Receiving, C.P.—cont.			
		Teleprinter 8—cont.			
17257	Creed 1400/4 Cut to pattern 5382/5	No. 5	C	each
3384	Creed 860/354	Retaining plate, C.P.	For Perforator, Keyboard, Morse, Type 4	C	"
16009	Creed 1830/177	Setting finger spring	C	"
17256	Creed 1826/12 Cut to pattern T.C. 19 P.O. E.26C	Shift, C.P.	For Teleprinter 8 (Tape) modified	C	"
210	} Creed 1826/12	Shift lever, C.P.	For Teleprinter 7B	C	"
13607		Spring	C	"
16253		Creed P.G.7232 Creed 2867/3	Stop	For Printing Reperforator, 85R	C
9421641		COMMUTATOR DISTRIBUTOR TELEGRAPH	Used on B.I.D./560/1	A	"
		CONNECTIONS:—			
15596	Creed 1550/215	Helical	For Auto. Transmitter (T.P.), No. 1B, Mark 2	C	"
15623	Creed 1550/335	Helix	For Auto. Transmitter (T.P.), No. 1B, Mark 2	C	"
15574	Creed 1550/214	Helix, C.P.	For Transmitter, Automatic, 1B	C	"
1231	Creed 720/19A	Punch	For Perforator, Morse Receiving, 85R	C	"
		CONNECTORS:—			
18038		Air valve	Used on Teleprinter, 7B, Mark 2	C	"
9421620		Miniature	Used on B.I.D./560/1	C	"
		CONSOLES, TELEGRAPH			
18847	90 Gp. 12655	Type 11453	29 $\frac{1}{2}$ in. h \times 28 $\frac{1}{2}$ in. \times 28 $\frac{1}{2}$ in.... ..	A	"
18848	90 Gp. 12657	Type 11454	Table type 49 $\frac{1}{2}$ in. h \times 28 $\frac{1}{2}$ in. \times 28 $\frac{1}{2}$ in. for ops.	A	"
18849		Type 11455	Used on R.V.T. 613	A	"
18850		Type 11456	Used on R.V.T. 613	A	"
18851		Type 11457	Used on R.V.T. 613	A	"

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
18841	S.S.U.X K. 3720	CONSOLE, Type 11413	Alloy 3 ft. 6 ins. high, 2 ft. 4½ ins. deep, 4 ft. wide ...	A	each
18244		CONTACT ASSEMBLY	Used on Perforator, Keyboard, Creed 7P/N3 (Ref. No. 17455).	C	„
18923		CONTACT ASSEMBLY, electrical	Used on G.E. test set T 9067	C	„
9421320		CONTACT ASSEMBLY, electrical	Used on B.I.D.50	C	„
9421323		CONTACT ASSEMBLY, electrical	Used on B.I.D.50	C	„
9421369		CONTACT ASSEMBLY, electrical	Used on B.I.D.50	C	„
9421501		CONTACT ASSEMBLY, electrical	Used on B.I.D.50	C	„
9421645		CONTACT ASSEMBLY, electrical	Used on B.I.D./560/1	C	„
9421646		CONTACT ASSEMBLY, electrical	Used on B.I.D./560/1	C	„
9421666		CONTACT ASSEMBLY, electrical	Used on B.I.D./560/1	C	„
9330842		CONTACT ASSEMBLY, electrical	O/a dims. 2- ³ / ₁₆ in. lg × 1 in. w × 0.140 in. thk ...	C	„
17912		CONTACT HEAD, 32-way	Used on F.G.R.I. 5493	A	„
9421671		CONTACT	Used on B.I.D./560/1	C	„
9421672		CONTACT	Used on B.I.D./560/1	C	„
		CONTACTS:—			
13484	Creed 1910/2	Arm	For Reperforating Receiver (T.P.) No. 2, Mark 2 ...	C	„
1661		Bank	Used on Relay Unit, Type 9A. (Reference 10F/911)	C	„
18490	Creed 1550/625	Block Assembly	Used on Trans. Auto. (Ref. No. 18377)	B	„

7-115

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10C—cont.

1	2	3	4	5	6
16638	Creed 2023/24	Letter feed	For Teleprinter 7B	C	each
16389	Creed 2869/14	Lever top	Tape Roller Holder	C	"
128		Lower	For Sounder, relaying	C	"
16639	Creed 2023/23	Non-feed and carriage	For Teleprinter 7B	C	"
14185	Creed 2084/76	Operating lever, C.P.	For Perforator, Keyboard, Morse	C	"
3503	Creed 850/174	Plate, C.P.	For Transmitter, Morse, Automatic, Type 3	C	"
17883		Plunger, double ended	Used on F.G.R.I. 5493	C	"
17884		Plunger, single ended	Used on F.G.R.I. 5493	C	"
14186		Roller	For Perforator, Keyboard, Morse	C	"
17872		Security Assembly, C.P.	Used on F.G.R.I. 5493	C	"
		Spring:—			
3734	Creed 1172/50	"B"	For Perforator, Keyboard	C	"
2397	G.N.T.112/38	Bearing boss	For Transmitter, Wheatstone, Type 3	C	"
3215	G.N.T.112/39A	Bearing, C.P.	For Transmitter, Wheatstone, Type 3	C	"
16397	Creed 2869/38	Set, C.P.	For Roll Holder, G.P.O., No. 7	C	"
9421710		Screw and Terminal Assembly	Used on B.I.D./560/1	C	"
9421711		Screw and Terminal Assembly	Used on B.I.D./560/1	C	"
4607	Creed 1172/36	Stop	For Perforator, Keyboard, Morse	C	"
1407	G.N.T.112/37	Transmitter	For Transmitter, Wheatstone, Type 3	C	"
15751		CONTAINER	For Ref. No. 3530	A	"
15754		CONTAINER	For Ref. No. 1386	A	"
		CONTROL ASSEMBLIES:—			
14979	G.P.O. D.56	Paper feed	For Keyboard Perforator, No. 44, Mark 2	C	"
9013917		Writing edge	8 ⁷ / ₈ in. lg × 0.068 in. dia. outer, 9 ⁵ / ₈ in. × 0.015 in. dia. inner.	C	"
17560	G.P.O. A.D. 2628	CONTROL UNIT	For Operations Room	A	"
		CONTROLS:—			
17756		Lever Unit	Used on Teleprinter, 7 Page, Mark 10	A	"
17125		Lever Unit	Used on Teleprinter 8 (Tape) modified (Ref. No. 17131).	A	"

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—*cont.*

1	2	3	4	5	6
		CONTROLS—<i>cont.</i>			
18397	Creed 3740/A.	Lever Unit	Used on Teleprinter 7B/R.P.N.C.	A	each
15139	S1838A	Lever Unit, C.P.	G.P.O.A.12. For Teleprinter 7B	A	"
17911		CONVERTOR SUB-ASSEMBLY	Used on F.G.R.I.	A	"
17916		CONVERTOR SUB-ASSEMBLY	Used on F.G.R.I.	A	"
17919		CONVERTOR SUB-ASSEMBLY	Used on F.G.R.I.	A	"
17386	A.T.E. Y.T.20000	CONVERTOR	Used on F.G.R.I. 5493	A	"
17495		CONVERTORS: Dual diversity	For converting the A/F. outputs of dual diversity telegraph equipment into one combined D.C. output. Used on Rack Assembly, Type 242.	A	"
17672	G.P.O. No. 3	Ringng	Converts 50 cycles 110 and 200/250-volt mains supply to 75-volt, 16 $\frac{2}{3}$ cycles, output 10/20VA.	A	"
17591		Ringng	Static. For converting A.C. Mains supplies of 110 and 220/250V, 50 cycles to 75 and 90V, 16 $\frac{2}{3}$ cycles.	A	"
17762		Type A, Mark 1	} Used on F.G.R.I. 5493	A	"
17763		Type A, Mark 2		A	"
17764		Type B		A	"
176		CORDS:— Instrument	Length, 5 ft.	C	"
17017	Creed 1022	Instrument: 2-way	For Tape Attachment Unit, Teleprinter 7B	C	"
17304	Creed 2084/135	2-way and plugs	G.E.C. S.833 modified for Keyboard Assembly	C	"
17303	Creed 2084/134	2-way and sockets... ..	G.E.C. S.833 modified for Keyboard Assembly	C	"
13120	G.P.O. 4/54A	4-way	Brown, 48 in. long. For Console, Mark 2	C	"
16923	G.P.O. 3/77L	24 in.	For Teleprinter 7B	C	"
17383	G.P.O. 6/14F	24 in., black	For Auto. Transmitter (T.P.). No. 1B Mark 2	C	"
177	G.P.O. 9/11	F.S.I.	Black, 60 in. For Teleprinter 7B	C	"

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
		CORDS—cont.			
		Instrument—cont.			
	1920 G.P.O. 4/61	K.B.120	Flexible connection between Transmitter, G.P.O. No. 23 and Plug, Type 104.	C	each
	15021 G.P.O. B.30	No. 3/77L	24 in. long	C	"
YA.	2832	No. 90/11, F.S.I.	Black. 60 in. long	C	"
	1335 G.E.C. K.8465	Telephone, 6 volt	C	"
		Switchboard:—			
	13103 S.T. and C. 4078A	G.P.O. 347	3 conductors, switchboard, terminated for P.O.316B plug and S.T. and C. 4096E terminal strip.	C	"
	13104 S.T. and C. 4078J	G.P.O. 383 red	3 conductors, switchboard cord terminated at each end for P.O.316B plug.	C	"
	1989 G.N.T.309/25	CORE, electromagnetic, C.P.	For Undulator, Type 2	C	"
	18906 Creed 720/321	CORRECTION and ROD C.P.	Used on High Speed Auto. Equipment	B	"
		CORRECTORS:—			
	13567 Creed 720/143	Bush, C.P.	Punching Head Unit, Reperforator Morse	C	"
	2364 Creed 720/284	C.P.	2 per set. Punch Block Unit, Reperforator, Morse Receiving.	C	set
	1241 Creed 720/173A	Lever, C.P.	For Reperforator, Morse Receiving	C	each
	18151 Creed S2258.Gp. 2	COUNTER UNIT	Consists of feed and resetting mechanism, ratchet wheel, contact block and operating lever.	A	"
	9421562	COUNTER, WITH GEARWHEEL	Used on B.I.D.50	C	"
	9421591	COUNTER UNIT	Used on B.I.D./560/1	C	"
	9421677	COUNTER UNIT	Used on B.I.D./560/1	C	"
	9421310	COUNTER	Used on B.I.D.50	C	"

RESTRICTED

RESTRICTED
62

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G- cont.

1	2	3	4	5	6
		COUNTERS:—			
14178	Creed 2084/65	Back plate, C.P.	For Counter Unit, Teleprinter 7B	C	each
15687	Creed S.2084	Letter, C.P.	For Keyboard Perforator (Ref. No. 2123)	C	"
1677	Creed 2208/47	Trip Lever	C	"
18563	Creed 1550/595A	COUPLING AND CAM, FEED	Used on Head, transmitter CP.90G/18489. Schedule RES. 90G/22171. Main equipment: Transmitter, automatic. 65/S. RES. 905/22099.	C	"
3874	Marconi I/WSK 3048	COUPLING	C	"
15704	G.N.T.110/66	COUPLING	For Undulator, Type 11	C	"
16640	Creed 1826/27	COUPLING	For Teleprinter 7B, Combination Head, Type Head Gear.	C	"
18929	Creed 1550/791	COUPLING	Used on B.I.D. 31/2 (2)	B	"
		COUPLINGS:—			
15565	Creed 1550/261A	Cam spindle	For Auto. Transmitter (T.P.) No. 1B, Mark 2	C	"
18080		Fibre	C	"
17817		Half	Used on F.G.R.I. 5493	C	"
13584	Creed 720/600	Locknut	2 per set. For Reperforator, Morse	C	set
		Motor:—	For Transmitter, Wheatstone, Type 3		
3274	G.N.T.2042/83	C.P.	C	each
3271	G.N.T.2042/80	End C.P.	C	"
3272	G.N.T.2042/81	Stud regulation end, C.P.	C	"
13582	Creed 720/422B	Sleeve	Motor end	C	"
13583	Creed 720/423B	Sleeve	Perforating Unit end	C	"
		Transmitter:—	For Transmitter, Wheatstone, Type 3.		
3267	G.N.T.2042/73	C.P.	C	"
3270	G.N.T.2042/76A	Flange, link	C	"
3268	G.N.T.2042/74	Flange, regulator end, C.P.	C	"
3269	G.N.T.2042/75	Flange, transmitter end, C.P.	C	"

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
9421399		COVER	Used on B.I.D.50	C	each
9421597		COVER	Used on B.I.D./560/1	A	"
		COVERS:—			
16641	Creed 1980/10	Answer back unit	For Teleprinter 7B	C	
17538	Creed 1550/419	Automatic Transmitter	For Teleprinter Automatic Transmitter (Ref. No. 17351).	B	
Y.A. 5968		Buzzer, No. 18	C	
16642	Creed 1841/12B	Cam drive unit	For Teleprinter 7B	C	"
312	G.P.O. 55. 1360/165	C.P.	C	"
16226	Creed 2870/148	C.P.	For Printing Reperforator Unit, 85R	B	"
14194	Creed 2084/32	Contact	For Counter, Unit, Teleprinter 7B	C	"
15074	G.P.O. E.154	Counter mechanism	For Keyboard Perforator, No. 44, Mark 2	C	"
14998	G.P.O. E.61	Counter unit	With glass. For Keyboard Perforator 44, Mark 1	C	"
17252	Creed S.1853	Dust	For Teleprinter 8B (Tape)	C	"
		Dust:—			
13392		Keyboard perforator	C	"
13395		Morse perforator	C	"
17329	Creed 1836/133	Earthing spring	For Main Base Unit	C	"
17176	Creed 1831/72	End spring drum	Page Attachment, friction feed	C	"
17716	Creed 2848/40	Field Unit, C.P.	Used on Teleprinter, 7 Page, Mark 10	B	"
16340	Creed 2845/30	Gear	For Orientation Device of Printing Reperforator 85R	C	"
13488	Creed 1910/25A	Governor	For Reperforating Receiver (T.P.), No. 2, Mark 2	C	"
17644	Creed 1910/76	Governor Unit, C.P.	For Governor Unit marked with 5 white stripes	C	"
18348		G.P.O. No. 194	Non-noise reducing steel cover, felt lines. Used on Reperforator, Printing, No. 1, Mark 1.	B	"
17377	G.P.O. No. 11	Keyboard	Sheet iron for covering keyboard of Teleprinters, also for Typewriters, Telegraph during practice of touch typing.	C	"
17088	Creed 1822/46	Keyboard gear	For Keyboard Unit, Type M	C	"
17098	Creed 2084/162	Lamp	For Keyboard Unit, Type M	C	"
15072	G.P.O. E.104	Lamp	Red. For Keyboard Perforator. No. 44, Mark 2	C	"
13638	G.N.T. 112/106	Mechanism	C	"

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10C *cont.*

1	2	3	4	5	6
		COVERS—cont.			
	16044 Creed 1858/26A	Motor	Bakelite. For Teleprinter 7B	C	each
	16643 Creed 1830/46	Oil, C.P.	For Cam Unit, Teleprinter 7B	C	"
	3395 Creed 860/402A	Operating head	For Perforator, Keyboard, Morse, Type 4	C	"
	13562 Creed 720/94A	Perforating unit	Without 2-speed gear	C	"
YA.	4791	Plug, No. 1, Black	C	"
YA.	4792	Plug, No. 1, Red	C	"
	15740 Creed S.2927A	Printing	For Reperforator 85R	A	"
	13078 S.T.C. 4010	Relay	G.P.O. AN. 30 in. × 2 $\frac{3}{4}$ in. × 1 $\frac{1}{4}$ in. internal dims. For P.O. 3,000 relay, includes tray.	C	"
YB.	02625	Relay Telegraph, No. 1	C	"
	4278 Creed 1828/27	Ribbon	G.P.O. H.17. For Teleprinter 7B	C	"
	16399 Creed 2869/37	Roll holder	G.P.O. No. 7	C	"
	1987 G.N.T. 2044/3	Side	For Undulator, Type 2	C	"
	16960 Creed 1841/14A	Starter switch	Teleprinter Sub Assembly	C	"
	3564 Creed P.P.6501	Stud	For Transmitter, Morse, Automatic, Type 3	C	"
	18939	Syn. Unit	Used on B.I.D. 31/2 (2)	B	"
	13491 Creed 1805/12	Tape roll holder	For Reperforating Receiver (T.P.), No. 2, Mark 2	C	"
		Teleprinter:—			
	4469 S. 1837A	No. 1	G.P.O. No. 1	A	"
	17031 G.P.O. No. 4	Noise reducing	Steel cover, felt lined. Used on Teleprinter 7B (Tape)	A	"
	1381	Sound proof	G.P.O. Dwg. 41897	A	"
	17512	Sound reducing	A	"
	1986 G.N.T.309/104	Tool well, C.P.	For Undulator, Type 2	C	"
	13524 Creed 860/174B	Top	For Perforator, Keyboard, Morse, Type 4	C	"
	15642 Creed C.P.1550/345B	Transmitter head	For Auto. Transmitter (T.P.), No. 1B, Mark 2	C	"
	15228 Creed 2184/4	Transmitting contact block	G.P.O. B.U.98. For Teleprinter 7B	C	"
	1985 G.N.T.309/24	Transparent, recording part	For Undulator, Type 2	C	"
	16644 Creed 1841/13	Type head drive	For Teleprinter 7B	C	"
		CRADLE UNITS:—			
	17770	4-drum	Used on F.G.R.I. 5493	A	"
	17769	6-drum	Used on F.G.R.I. 5493	A	"

RESTRICTED

65

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
18070		CRADLE	C	each
17783		CRADLE	Used on F.G.R.I. 5493	C	,,
13058	S.T. and C. L.P. 39216.	CRADLE, telephone	Black moulded cradle for H.M.T. For Console Mark 2	C	,,
17854		CRANK	Used on F.G.R.I. 5493	C	,,
17863		CRANK, operating	Used on F.G.R.I. 5493	C	,,
3749	Creed 740/29A	CROSS-BAR	For Selector and space stop springs. Used on Printer, Morse, Tape Model.	C	,,
16646	Creed 1825/2	CUP, mainshaft bearing	Starter Switch Control Unit, Teleprinter 7B ...	C	,,
19518		CUP, retaining:— L.H.	Prosphor bronze. Retainer left hand end of Lever. (Ref. No. 17944) o/a dims. 0.175 in. dia. × 0.468 in.	C	,,
19519		R.H.	Phosphor bronze. Retainer right hand end of Lever. (Ref. No. 17944) o/a dims. 0.175 in. dia. × 0.234 in.	C	,,
16992	Creed 1816/17	CUSHION	For Tape Attachment Units, Teleprinter 7B ...	C	,,
18845	Creed 3785/54	CUTTINGS:— Box, C.P.	For Perforator, Keyboard, Morse, Type 4. Used on Teleprinter, T.18387	B	,,
18844	Creed 3785/22A	Chute	Used on Perforator, Keyboard, 18146	C	,,
3391	Creed 860/387	Draw	C	,,
3382	Creed 860/342A	Guide, C.P.	C	,,
18023		DASH-POT, C.P.	Used on Teleprinter, 7B, Mark 2	C	,,
16935	Creed 1837/3A	DESK, message and paper clips, C.P. ...	Used on Teleprinter 7B, Page and Tape Models ...	B	,,
3410	Creed 860/567	DESK, message, fixing screw, C.P. ...	Used on Perforator, Keyboard, Morse, Type 4 ...	C	,,

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
15520	Creed 1800/39	DETENT	For Reperforating Receiver (T.P.) No. 2, Mark 2 ...	C	each
18918		DETENT	Used on G.C.E. Test set, T.9067	C	"
9421636		DETENT	Used on B.I.D./560/1	C	"
		DETENTS:—			
15547	Creed 1800/50A	Adjustable arm, C.P.	For Reperforating Receiver (T.P.), No. 2, Mark 2 ...	C	"
16647	Creed 1823/9	Answer back	For Teleprinter 7B	C	"
9421456		Arm Assembly	Used on B.I.D. 50	C	"
16308	Creed 2845/78	Connecting link	For Orientation Device of Printing Reperforator, 85R	C	"
18185		C.P., left hand	} Used on Perforator, Keyboard, Creed 7P/N3 (Ref. No. 17455).	C	"
18186		C.P., right hand			
18189	Creed 1947/17A	C.P., right hand			
18190		C.P., sub., right hand			
17886		Drum roller, standard, C.P.	Used on F.G.R.I. 5493	C	"
16309	Creed 1830/12D	Lever... ..	For Orientation Device of Printing Reperforator, 85R	C	"
16337	Creed 2845/120	Link plate, C.P.	For Orientation Device of Printing Reperforator, 85R	C	"
17887		No. 1 Cyclometric drum, C.P.	Used on F.G.R.I. 5493	C	"
13570	Creed 720/149	Plate cover	C	"
1227	Creed 720/9	Punch block unit	Used on Reperforators, Morse Receiving	C	"
17888		Reverse drum, C.P.	Used on F.G.R.I. 5493	C	"
15632	Creed 1800/38	Striker bracket, C.P.	B	"
3609	Ericsson N.4381F.T.	DIAL, automatic	Stainless steel. Tropical. For Switchboard, C.B., Auto.	A	"
1914	G.P.O. No. 12	DIAPHRAGM	Used on Telephone, observer post	C	"
1334	G.E.C. K.7630	DIAPHRAGM, ST—alloy	Used on Receiver Watch, part of Telephone Set, Wall Type, 6V.	C	"
13458	Creed 1808/1	DIE	For Reperforating Receiver (T.P.), No. 2, Mark 2 ...	C	set

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
13526	Creed 860/573	DIES: Back plate	For 0-375 in. tape. For Perforator. Keyboard, Morse, Type 4.	B	each
3720	Creed 720/55A	Clamp	For Reperforator, Morse, Receiving, Type 3	C	"
1228	Creed 720/172	C.P.	For Reperforator, Morse Receiving, Type 3	C	"
9421526		DISC	Used on B.I.D. 50	C	"
9013633		DISCS:—			
9330835		Brush-track	Brass. 0-9 in. i/d × 2-7 in. o/d × 0-2 in. thk.	C	"
18915		Coder	First used on Coder Telegraph	C	"
3264	G.N.T.2042/49	Coding	For use on Test Equipment, T.9067	B	"
455	G.P.O. Type, Creed 1841/11	Cork	For Transmitter, Wheatstone, Type 3	C	"
9421534		Coupling	For Teleprinter, 7B	C	"
YB. 06855		Coupling	Used on B.I.D. 50	C	"
YB. 06856		Coupling	Used on Panel (Ref. No. 19597). Schedule No. 22719. Main equipment. Rack Assembly (Ref. No. 19592).	B	"
YB. 06884		Dog	Used on Panel (Ref. No. 19597). Schedule No. 22719. Main equipment. Rack Assembly (Ref. No. 19592).	B	"
4175	Creed 1841/7B	Driving	Used on Panel (Ref. No. 19597). Schedule No. 22719. Main equipment: Rack Assembly (Ref. No. 19592).	B	"
1993	G.N.T.2044/21	Driving, C.P.	For Teleprinters 7B	C	"
18113		Driving, coupling	For Undulator, Type 11	B	"
16361	Creed 2885/14	Felt	Used on Reperforator, Creed 7TR/3 (Ref. No. 17521)	C	"
3276	G.N.T.2042/104	Friction	Used on Tape Winder, G.P.O. No. 2, part of Printing Reperforator, 85R.	C	"
1994	G.N.T.2044/34	Friction and collar, C.P.	For Transmitter, Wheatstone, Type 3	C	"
13641	G.N.T.2042/16A	Knob, C.P.	For Undulator, Type 11	B	"
1992	G.N.T.2044/8	Knob:—	Used on Speed Regulator, G.N.T. Transmitter	C	"
13647	G.N.T.2042/117	Locking, C.P.	For Undulator, Type 2	C	"
14316		Stop lever	For Transmitter, Wheatstone	C	"
		Locating	C	"

RESTRICTED

RESTRICTED
88

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
		DISCS:—cont.			
		Knob—cont.			
16110		Locating Ratchets	C	each
9421517		Moulding	Used on B.I.D. 50	C	"
13433	Creed 1801/6	Starter clutch	For Reperforating Receiver (T.P.), No. 2, Mark 2 ...	C	"
3663	Marconi 32/W.4804/C	Tape wheel	For Undulator, Type 7	C	"
		DOGS:—			
259	Creed 1831/46	Carriage return and line feed	2 per set. For Page Attachment Unit, 1ele printer 7B	C	set
18856	Creed 2254/57A	Clutch	Used on Perforator Ops. Unit... ..	B	each
2288	Creed 1600/331A	Column and carriage return feed, C.P. ...	For Printer, Morse, Page Model	C	"
263	Creed 1831/144	Letter feed, C.P.	For Page Attachment Unit, Teleprinter 7B ...	C	"
16650	Creed 1843/15	DOME, bell	For Carriage Bell Unit, Teleprinter 7B	C	"
17736	Creed 2848/25A	DRAW-BOLT	Used on Teleprinter, 7B Page, Mark 2	C	"
		DRAW-BOLT:—			
17149	Creed 2848/25	Base casting assembly	Operating Electro-magnet Unit, Teleprinter 7B ...	C	"
		DRAWERS:—			
42		Feed paper	Complete. Fitted with spool, guillotine, etc. Used on Undulator, Type 6.	A	"
3777	Creed 704/414	Tape wheel, C.P.	Used on Printer, Morse, Tape Model	C	"
9013669	Multihand U-253	DRIVING PLATE ASSEMBLY	First used on Receiver Facsimile YZ/9012538 ...	C	"
2159	Creed 740/425A	DRIVE, flexible	Used on Reperforator, Morse Receiving	C	"
15225	Creed 1823/47A	DRUM ASSEMBLY	C.P. For Teleprinter 7B	B	"
		DRUMS:—			
15215	Creed 1831/7B	Carriage spring, C.P.	G.P.O. B.K.106. For Page Attachment Unit, Teleprinter 7B.	B	"

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—*cont.*

1	2	3	4	5	6
		DRUMS—<i>cont.</i>			
213	Creed 1826/49B	Clutch	Typehead Clutch Teleprinter 7B	B	each
17970		Contact, locking, C.P.	} Used on F.G.R.I. 5493	C	"
17978		Contact, locking, C.P.		C	"
18843		Mayes Reflector		C	"
2289		Creed 1400/210B	Spring	For Printer, Morse, Page Model	B
17998	Spring, C.P.		Used on F.G.R.I. 5493	B	"
		EARPIECES:—			
3538	G.P.O. 18	Black...	C	"
1915	G.P.O. No. 22	Telephone, observer post	C	"
1333	G.E.C. K. 7630	Watch receiver	Used on Telephone, 6V	C	"
4249	Creed E.C. 5021	ECCENTRIC	G.P.O. 37 Cam. Unit, Teleprinter 7B	C	"
15657	Creed B.C.5048	ECCENTRIC	For Auto. Transmitter (T.P.), No. 1B, Mark 2	C	"
18178		ECCENTRIC	Dims.: 0.25 in. dia. × 0.316 in.	C	"
9421375		ECCENTRIC	Used on B.I.D. 50	C	"
		ECCENTRICS:—			
16997	E.C.1508	Adjusting retention lever	For Tape Attachment Unit, Teleprinter 7B	C	"
16069	E.C.5003	Finger adjustment	For Page Attachment Unit, Teleprinter 7B	C	"
16651	E.C.5002	Link	For Teleprinter, 7B	C	"
16045	Creed 1831/106	Line feed control, C.P.	For Page Attachment Unit, Teleprinter 7B	C	"
16652	E.C.5005	No. 2	For Line Feed Bellcrank, Page Attachment Unit, Teleprinter 7B.	C	"
16654	E.C.5025	No. 5	For Adjusting Trip, Keyboard Assembly, Teleprinter 7B.	C	"
18283		Operating bar	Dims.: 0.58 in. × 0.288 in. × 0.248 in. Threaded 4 B.A.	C	"
		ELECTRO-MAGNETIC UNIT:—			
17638		Operating	Used on Teleprinter, 7B, Page, Mark 2	A	"

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT

SECTION 10G—cont.

1	2	3	4	5	6
18852		ELECTRONIC REGENERATIVE TELEGRAPHIC REPEATER	Standard rack 19 in. mounted "Stop" "Start". Panel dims.: 19 in. 3½ in. × 10½ in.	A	each
19481		ELECTRONIC REGENERATIVE TELEGRAPH REPEATER (At GE. No. TRR.2)	Used on Telegraph systems employing 5 unit code, ± 49% max. 1.5 or 1.42 units. Transmission spec.: Switchable 45-5, 50 or 75 Bands. 37VA in voltage range 100 to 125V or 200 to 250V in 5V steps. 50 to 6 cfs single phase.	A	,,
15012	G.P.O. A.22	END OF LINE INDICATORS:— Lamp No. 13 110V	Used on Keyboard Perforator No. 44 Mark 1 ...	C	,,
15013	G.P.O. A.22A	Lamp No. 13 200V		C	,,
9421325		END BOSS	Used on B.I.D. 50	C	,,
9421657		END CAP	Used on B.I.D./560/1	C	,,
9421658		END CAP	Used on B.I.D./560/1	C	,,
2024	Creed 2044/38	END:— Pivot governor arm linkage	For Undulator, Type 11	C	,,
17626	G.P.O. No. 1/35	EQUIPMENT	For use with Switch Section (Ref. No. 17628) ...	A	,,
17627	G.P.O. No. 1	EQUIPMENT	For use with Switch Section (Ref. No. 17628) ...	A	,,
17556	G.P.O. A.D.2557	EQUIPMENTS:— Signalling	Accommodates the relays associated with the P.W. calling circuits.	A	,,
17554	G.P.O. A.D.2114	Signalling	Additional cord circuit equipment to PMBX Switchboard, G.P.O. A.D.2565.	A	,,
17557	G.P.O. A.D.2561	Speaking and Ringing	3 racks containing Ringing Unit for incoming calls, Speaking Unit for Ops., positions monitoring circuits, Distribution Fuse Panel and Associated Relays.	A	,,

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
17628	G.P.O. A.D.2688	EQUIPMENTS—cont. Switch Section	Floor pattern multiple panels, comprising a large quantity of G.P.O. ancillary equipment. Used with G.P.O. Equipment, terminating and signalling, to provide the required switchboard facilities.	A	each
17559	G.P.O. A.D.2630	Switching	V.H.F. Switching equipment	A	"
17629	G.P.O. A.D.2689	Terminating and Signalling	Used with Section Switch, G.P.O. A.D.2688, to provide the required switchboard facilities.	A	"
9421313		EXTRACTOR TOOL	Used on B.I.D. 50	C	"
		EXTRACTORS, G.P.O.:—	For Teleprinter Maintenance Tool Set.		
		Type:—			
427		9	Locking ring	C	"
428		11	Tension spring	C	"
13270		13	C	"
18378		28	Used on Teleprinter Tool Sect.	B	"
17542		EYE-BOLT	Contact locking screw for Contact Block	C	"
4603	Creed 1172/17	EYE	For Perforator, Keyboard, Morse	C	"
14954	G.P.O. D.4	FACE, hammer	For Keyboard, Perforator, No. 44, Mark 2	C	"
9322355		FACSIMILE SET	Comprises facsimile, receiver facsimile and power supply unit.	A	"
		FASTENERS:—			
17585	G.P.O. No. 1	Cord	For Forked Tags with Steadying Pin	C	"
13105	S.T. and C. 4003	Jack	G.P.O.17. Butterfly fastener, 1 B.A. screw. Used on Console, Mark 2.	C	"
9421704		FEED LEVER ASSEMBLY	Used on B.I.D./560/1	C	"
1795	Creed 2203/62	FEED LEVER SHAFT BEARING	C	"

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10C—cont.

1	2	3	4	5	6	
9013583		FEED ROLLER ASSEMBLY	12 in. lg. x 0 in. dia.	C	each	
		FEET:—				
3396		Base, L.H.	B	"	
17360		Carriage	For Main Base Unit	C	"	
1399	} G.N.T.112/107 and 309/107 }	Instrument	For Transmitter, Wheatstone, Type 3	C	"	
13623		Creed R.B.1020	Rubber	For Reperforating Receiver (T.P.), No. 2, Mark 2	C	"
15094		G.P.O. B.62	Rubber	For Keyboard Perforator, No. 44, Mark 2	C	"
179		Creed 1837/36	Rubber "A"	For Teleprinter 7B	C	"
1925		N.53665	Rubber, 0.796 in. dia. x 0.296 in. thick	Moulded rubber, hole 0.197 in. dia. through centre	C	"
9013785		FELT, mechanical, preformed	1.6 in. o/d. 1.1 in. dia. size of hole. 0.1 in. thk.	C	"	
17906		FERRULE	Used on F.G.R.I. 5493	C	"	
17885		FERRULE, plunger, retaining	Used on F.G.R.I. 5493	C	"	
13499	Creed 1832/35	FIELD UNIT	For Reperforating Receiver (T.P.), No. 2, Mark 2	B	"	
17710	Creed 2848/39	FIELD UNIT, C.P.	Used on Teleprinter, 7B, Page, Mark 2	A	"	
17148	C.P.1832/16B	FIELD UNIT AND ARMATURE, C.P.	For Operating Electro-magnet Unit Teleprinter 7B	B	"	
15614	Creed S.2299	FILTER UNIT	For Auto. Transmitter (T.P.), No. 1B, Mark 2	B	"	
YB. 01033		FILTER UNIT	Composite	B	"	
		FILTERS:—				
15674	G.P.O. B.4, Mk. 1	Frequency	For Auto. Transmitter (T.P.), No. 1B, Mark 2	C	"	
15681		Suppression	Used on Auto. Transmitter (Ref. No. 15683)	B	"	
YB. 01800	G.P.O. No. 10	Suppression	B	"	

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
238	Creed 1830/27	FINGERS:—			
14958	G.P.O. D.11	Comb setting	For Teleprinter 7B. 5 per set... ..	C	each
		Selecting, C.P.	For Keyboard Perforator, No. 44, Mark 2	B	"
13088	G.P.O. No. 1	FITTINGS, lamp	3$\frac{3}{8}$ in. dia. wood base with 2 sockets; for P.O. No. 12 lamps, and retaining ring. Used on Console, Mark 2	C	"
		FLANGES:—			
17824		Coupling, straight tooth	Used on F.G.R.I. 5493	C	"
17684	Creed 2852/46	Type rack, C.P.	For dismantling Typehead Unit	C	"
		FLANGES, tape wheel:—	For Undulator, Type 2.		
2001	G.N.T.309/69A	Inner	C	"
2000	G.N.T.309/68A	Outer...	C	"
		FORKS:—			
17861		Adjustable	Used on F.G.R.I. 5493	C	"
2002		Bias adjustment, C.P.	For Undulator, Type 11	C	"
17862		Link	Used on F.G.R.I. 5493	C	"
2386	G.N.T.112/10	Roller guide, C.P.	For Transmitter, Wheatstone, Type 3	C	"
YA. 6562		FRAME	B	"
		FRAMES:—			
16079	Creed 1826/2	Combination head	For Combination Head Unit, used on Teleprinter 7B	C	"
YA. 2728		D.P., 10 line...	A	"
13479	Creed 1808/8	Hammer, C.P.	For Reperforating Receiver (T.P.), No. 2, Mark 2	B	"
18232		Locking	Used on Perforator, Keyboard, Creed 7P/N3 (Ref. No. 17455).	C	"
13586	Creed 990/3B	Magnet operating	C	"
3735	Creed 860/29E	Main	For Perforator, Morse, Type 4	B	"
17003	Creed 1847/4	Platen, C.P.	For Tape Attachment Unit, Teleprinter 7B	C	"
13468	Creed 1808/11	Punch block, C.P.	With pins. Used on Reperforating Receiver (T.P.), No. 2, Mark 2.	B	"
17400	Creed 2870/239	Roller pressure	For Perforator Units of Reperforator, Printing ...	C	"

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
		FRAMES—cont.			
2003	G.N.T.2044/2	Speed regulator	For Undulators, Type 11	B	each
13452	Creed 1801/1C	Starter, main, C.P.	For Reperforating Receiver (T.P.), No. 2, Mark 2 ...	C	„
16048	Creed 2291/38	Tape and paper support assembly ...	For Teleprinter 7B	B	„
YA. 3103		Test	For switchboard	A	„
YA. 3201		Test	40-way	A	„
13292		FUSE	C	„
18310		FUSE, G.P.O. No. 37/2-5	O/a length $1\frac{1}{8}$ in.	C	„
9013735		GASKET	Cork approx. 2 in. lg $1\frac{5}{16}$ in. w \times 2 in. o/a width. 2 $\frac{1}{16}$ in. o/a lg.	C	„
		GAUGES:—			
429	G.P.O.	Feeder No. 2. P.O. tool	For Teleprinter maintenance tool sets	C	„
YB. 02186		Feeler set	C	„
1388	G.N.T.2043	Spring	Used on Transmitter, Wheatstone, Type 3	B	„
		Tension:—			
432	G.P.O.	No. 8, 0-16 oz.	For Teleprinter maintenance tool set	C	„
433	G.P.O.	No. 9, 0-6 lbs.	C	„
YB. 02187		Tension A	C	„
9013788		GEAR ASSEMBLY, Feed drive	5 $\frac{1}{2}$ in. \times 7 in. \times 3 in. o/a dims.	C	„
9013779		GEAR ASSEMBLY, Helix drive	8 in. \times 7 in. \times 3 in. approx. o/a dims.	C	„
17959		GEAR	Used on F.G.R.I. 5493	C	„
17965		GEAR	Used on F.G.R.I. 5493	C	„
18121		GEAR	Used on Reperforator, Creed 7TR/3 (Ref. No. 17521)	C	„
18723	Creed 1947/174	GEAR	First used on Perforator Keyboard 7P/N.3 Mk. 2 ...	C	„

RESTRICTED

75

RESTRICTED

E

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT

SECTION 10G—cont.

1	2	3	4	5	6
		GEARS:—			
15559	Creed G.R.1001	Cam spindle	Spurwheel, 90 teeth, 2½ unit. For Auto. Transmitter (T.P.), No. 1B, Mark 2.	C	each
17926		Distributor drive	Used on F.G.R.I. 5493	C	"
15641	Creed 1550/306	Driving	For Auto. Transmitter (T.P.), No. 1B, Mark 2	C	"
15172	Creed G.R. 2003	Fibre	G.P.O. E.66. For Teleprinter, 7B	C	"
17746		Fibre	Fibro Helical Spur Gear	C	"
18897	Creed 2050	Fibre	First used on Perforator Keyboard 7P/N3 Mk. 2	C	"
17534		Helical	For 7½ Unit	A	"
18309		Helical	Dims.: 1½ in. dia. × 7/16 in. × ¼ in. bore	C	"
18448		Helical	Used on Perforator Keyboard, Creed 7B/N3	C	"
18877	Creed 2101A	Helical	Used on Perforator Keyboard, 7P/N3, Mk. 2	C	"
9421623		Helical	Used on B.I.D./560/1	C	"
9421638		Helical	Used on B.I.D./560/1	C	"
		Helical:—			
18202		17 teeth	Used on Perforator, Keyboard, Creed 7P/N3 (Ref. No. 17455).	C	"
18215		20 teeth		C	"
18205		21 teeth		C	"
18159		24 teeth		C	"
18162		35 teeth		C	"
18158		60 teeth		C	"
17544		Ratchet shaft	Driving wheel for Tape Control Unit (Ref. No. 15731)	C	"
17837		Idler	Used on F.G.R.I. 5493	C	"
17851		Intermediate		C	"
17852		Intermediate		C	"
17850		Main drive		C	"
17853		Main drive		C	"
17927		Shaft		C	"
2115 9013789	Muirhead U 062	Shaft Spur	Used on F.G.R.I. 5493	C	"
9421634		Shaft Spur	1½ in. × 1½ in. o/a dims.	C	"
17813		Spiral	Used on B.I.D./560/1	C	"
18220	Creed 2254	Spiral and ratchet, C.P.	Used on F.G.R.I. 5493	C	"
			Used on Perforator, Keyboard, Creed 7P/N3 (Ref. No. 17455).	C	"
9014498	Muirhead. P.1046	GEARS:—			

RESTRICTED

RESTRICTED
70

BT

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
		GEARS—cont.			
18855	Creed 2254/55A	Spiral and ratchet, C.P.	Used on Perforator, Keyboard, 7P/N3, Mk. 1 ...	C	each
17503	Creed G.R. 4028	Spur	100 teeth for Transmitter Heads of Auto. Transmitter G.P.O. 1c.	C	"
9013780		Spur	Steel. $\frac{7}{8}$ in. dia. \times $\frac{7}{16}$ in. lg approx. o/a dims. ...	C	"
9330827		Spur	Dims: 1.250 in. dia. \times 0.001 in. 100 teeth cut around periphery.	C	"
9421637		Spur	Used on B.I.D./560/1	C	"
15123	Creed 1200/38	Stroboscope	For Auto. Transmitter (T.P.), No. 1B, Mark 2 ...	C	"
13250		Train	A	"
13251		Train	For Morse Disc	A	"
16657	Creed 2001	Transmitter, driving shaft	C	"
17760		Transmitter, driving shaft	Helical, fibre gear fitted one end	C	"
17928		Tufnol	Used on F.G.R.I. 5493	C	"
17966		Tufnol	Used on F.G.R.I. 5493	C	"
17745		Typehead, C.P.	Typehead Helical Spur Gear	C	"
18399		Typehead (Formerly under Keyboard Dummy)	Used on Reperforator No. 85R (Ref. No. 15399) ...	C	"
		GENERATORS, Ringing:—			
30	G.P.O.26A	Type 3	C/w handle. 500 ohms, 1 magnet (sluice) with handle. Used on Control Unit, Type 10.	B	"
739	G.P.O. No. 4 C.N.	Type 5	For Transmitter, Type 3022	C	"
2389	G.N.T.112/13	GLASS, front	For Transmitter, Wheatstone, Type 3	C	"
15609	Creed S.1933	GOVERNOR UNIT, SHUNT	For Teleprinter 7B	B	"
167	Creed S.1910	GOVERNOR, UNIT SERIES	For Teleprinter, 7B, Service for Motors, Elec. ...	B	"
18494	Creed S.1910	GOVERNOR, UNIT SERIES	Comprises: Governor base mldg. sub-c.p. $\frac{5}{16}$ in. bore assy. with Slipring. Used on Trans. Auto. (Ref. No. 18377).	B	"

RESTRICTED

RESTRICTED
77

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
3282	G.N.T.2042/110	GOVERNORS:— Arm linkage, C.P.	High Speed. Used on Transmitter, Wheatstone, Type 3.	C	each
3281	G.N.T.2042/109	Arm linkage, C.P.	Low speed. Used on Transmitter, Wheatstone, Type 3.	C	„
<i>1427</i>		GREASE	<i>For Transmitter, Wheatstone, Type 3</i>	C	<i>tin</i>
3369	Creed 860/176	GUARDS:— Selector bar spring	For Perforator, Keyboard, Morse, Type 4	C	<i>ea.</i>
17422	Creed 2869/54	Tape reel:— Front	For Tape Rollholder and Reperforator, Printing	C	„
17424	Creed 2869/56	Rear	C	„
9421669		GUIDE	Used on B.I.D./560/1	C	„
16119	Creed 2870/4	GUIDES:— Abutment	For Printing Reperforator, Creed 85R	C	„
17087	Creed 1822/125	Answer back key	For Keyboard Unit, Type M on Teleprinter 7B	C	„
9421698		Assembly	Used on B.I.D./560/1	C	„
3327	Creed 860/48	Bar, bottom selector	For Perforator, Keyboard, Morse, Type 4	C	„
17429	Creed 2869/47	Cover	For Tape Rollholder and Guard of Reperforator, Printing.	C	„
17505	Creed 1550/40A	Cover	For Transmitter Heads of Auto. Transmitter, G.P.O. IC.	C	„
18530	Creed 1550/516A	Cover	For $\frac{7}{8}$ in. wide tape. Main equipment: Transmitter, automatic (6S/5) RES.90G/22099.	C	„
17428	Creed 2869/63	Cover:— C.P.	For Tape Rollholder and Guard of Reperforator, Printing.	C	„
4445	Creed 1836/74A	L.H., C.P.	G.P.O. B.81. For Teleprinter 7B	C	„
4446	Creed 1836/68A	R.H., C.P.	G.P.O. B.82. For Teleprinter 7B	C	„
16998	Creed 1847/44	Feed link, C.P.	For Teleprinter 7B	C	„
16937	Creed 2871/4	Moulding ribbon	For Printing Reperforator, Creed 85R	C	„
3776	Creed 740/370	Paper:— C.P.	For Printer, Morse, Tape Model	C	„

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT

SECTION 10G *cont.*

1	2	3	4	5	6
		GUIDES—cont.			
		Paper—cont			
17188	Creed 1839/27	Friction free	2 per set. For Paper Carriage Unit, Teleprinter 7B	C	set
77	Creed 860/148C	Glass	For Perforator, Keyboard, Morse	C	each
15163	Creed 1908/45	L.H.	For Teleprinter 7B	C	"
9013749		Perspex	10 in. \times $\frac{1}{2}$ in. \times $\frac{1}{4}$ in. approx. o/a dims.	C	"
3631	Marconi S.W.5K/7548/C	Platen	For Undulator, Type 7	C	"
9013693		Plunger	Brass. 0.75 in. lg. \times 0.25 in. dia. w/nut	C	"
15164	Creed 1908/46	R.H.	For Teleprinter 7B	C	"
17200	Creed 1908/1	Sprocket feed, C.P.	For Paper Carriage Unit on Teleprinter 7B	B	"
9013699		Stainless steel	10 in. \times 1 in. \times 0.031 in. approx. o/a dims.	C	"
16996	Creed 1847/42	Tape attachment unit	For Tape Rollholder, Teleprinter 7B	C	"
15665	Creed 1550/269	Pecker lever	For Auto. Transmitter (T.P.), No. 1B, Mark 2	C	"
14974	G.P.O. D.46	Punch	For side plates on Keyboard Perforator, No. 44. Mark 2.	C	"
16255	Creed 2867/7	Push rod transfer	For Printing Reperforator, Creed 85R	C	"
16237	Creed 2868/5	Push rod transfer, No. 2	For Printing Reperforator, Creed 85R	C	"
16659	Creed 1828/36A	Ribbon, C.P.	For Ribbon Feed Bracket on Teleprinter 7B	C	"
2209	Creed 740/33A	Spacing rack	For Printer, Morse. Tape Model	C	"
17037	Creed 1825/17	Starter weight	For Starter Switch Control Unit, used on Teleprinter 7B.	C	"
		Striker blades:—	For Cam Unit, Teleprinter 7B		
16660	Creed 1830/148	Lower	C	"
16661	Creed 1830/149	Top	C	"
16362	Creed 2885/18	Tape	For Tape Winder, G.P.O.	C	"
16265	Creed 1550/386	Tape	Used with Kit, Conversion for Automatic Transmitter, Type 1B.	C	"
		Tape:—			
17419	Creed 2869/68	Angular	For Tape Rollholders and Guards on Printing Reperforators.	C	"
17420	Creed 2869/42A	Angular, C.P.	For Tape Rollholders and Guards on Printing Reperforators.	C	"
16366	Creed 2885/45	Arm "A", C.P.	For Tape Winder, G.P.O.	C	"
16365	Creed 2885/46	Arm "B", C.P.	For Tape Winder, G.P.O.	C	"

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
		GUIDES—cont.			
		Tape—cont.			
16382	Creed 2869/17	C.P.	Used on Rollholder, G.P.O.	C	each
16975	Creed 1847/58	L.H.	For $\frac{3}{8}$ in. tape. Used on Teleprinter 7B	C	"
16120	Creed 2870/97	Pawl	For Printing Reperforator, Creed 85R	C	"
18344	Creed 2870/306	Pawl, C.P.	First used on Reperforator, Printing No. 1, 85R	B	"
16976	Creed 1847/59	R.H.	For $\frac{3}{8}$ in. tape. Used on Teleprinter 7B	C	"
13595	Creed 1722/25	Wheel	Tape Wheel Drawer, Printer, Morse	C	"
3484	Creed 850/86	Type	For Transmitter, Morse, Automatic, Type 3	C	"
9013742		Writing edge	Steel. $\frac{3}{8}$ in. lg \times $\frac{5}{16}$ in. \times $\frac{1}{4}$ in. approx. o/a dims.	C	"
YA. 0684		GUY, telephone	B	"
		GUNS:—			
2328	Creed T.A.1015	Grease, C.P.	Used with Tool Set for Printer, Morse, Page Model	C	"
13271		Grease, G.P.O. No. 2	For Teleprinter Maintenance Tool Set	C	"
		HAMMERS:—			
13477	Creed 1803/26	"A"	} For Reperforating, Receiver (T.P.) No. 2, Mark 2	C	"
17454	Creed 1803/51A	"B"		C	"
17450	Creed 1803/52A	"C"		C	"
17451	Creed 1803/53A	"D"		C	"
17452	Creed 1803/54A	"E"		C	"
17483		Punching	In sets. 1 set consists of 1 each of Ref. Nos. 13477, 17454, 17450, 17451 and 17452.	C	set
15196	Creed S.1834	Type	Complete unit. G.P.O. A.50. For Teleprinter 7B	B	each
2253	Creed 740/355C	Type	For Printer, Morse, Tape Model	C	"
16835	Creed 1834/20	Type, loaded C.P.	For Teleprinter 7B	B	"
2280	Creed 740/532	Type page machine... ..	For Printer, Morse, Tape Model	C	"
4442	G.P.O.	Watchmaker	For Teleprinter Tool Set	C	"
9421656		HANDLE	Used on B.I.D./560/1	C	"

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
9013670	<i>Moulinet P 620</i>	HANDLES:—	<i>Used on Receiver Facsimile Ref. No. 9012538</i>		
YA. 3719		Door		C	each
1963		Generator	C	"	
1905	Ericsson N.50661T	Generator, G.P.O. No. 5	C	"	
		Generator, G.P.O. No. 20	C	"	
ZC. 8812		No. 15	Used on Rack assembly.	A	"
		HEADS: —			
		Combination:—			
2278	Creed 740/590	C.P.	For Printer, Morse, Page Model	A	"
2243	Creed 740/120A	C.P.	For Printer, Morse, Page Model	A	"
16934	Creed 1826/6A	Sub, C.P.	For Teleprinter 7B, Page and Tape Models	A	"
17128	Creed S.1926 Mod.	Unit... ..	Modified for Baudot. 2 channel working. For Teleprinter 8, Tape Model.	A	"
4298	Creed 1843/10	Hammer	G.P.O. K.7. For Carriage Bell Unit on Teleprinter 7B	C	"
78	Creed 860/171J	Operating, C.P.	For Perforator, Keyboard, Morse	A	"
2320	Creed 740/190A	Printing, C.P.	For Printer, Morse, Tape Model	A	"
		Punching:—			
13568	Creed 720/145	Base	For Punch Block Unit, Reperforator, Morse... ..	B	"
2160	Creed 720/168A	C.P.	Titted with worm and wormwheel 3: 23 ratio. For Punch Block Unit, Reperforator, Morse.	B	"
13574	Creed 720/176	Sub, C.P.	For Reperforator, Morse	B	"
14068	Creed 720/296	Punching and speed indicator unit	For Reperforator, Morse Receiving	A	"
2317	Creed 740/70	Selecting, C.P.	For Printer, Morse, Tape Model	A	"
16970	Creed 2184/61	Striker, transmitter, C.P.	For Teleprinter 7B	A	"
15640	Creed C.P.1550/332	Transmitter	For Auto. Transmitter (T.P.), No. 1B, Mark 2	A	"
YB. 08184		Transmitter	Used on 5 U.C.O.	A	"
18489	Creed S.3797	Transmitter, C.P.	Used on Trans. Auto. (Ref. No. 18377). Creed 6. S5	A	"
16662	Creed 1834/3	Type hammer	For Teleprinter 7B	C	"

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
2133		HEADSET, telephone, Type 2	Not supplied to User Units in assembled form. The following component parts are to be demanded and assembled locally:— Cord, Instrument, Type A (Reference 10H/117) ^{Qty.} 1 Headband, Type C (Reference 10A/12401) 1 Receiver, Telephone Head, Type 16 ... 2	A	each
13769	Marconi R.B. 150/2W.A. 4579	HIGH-SPEED-BRIDGE UNIT:— Type 4	Recording, giving up to 350 words per minute ...	A	„
4410	{ Creed 1821/4 G.P.O. B.U. 99 }	HINGE, transmitter cover	For Teleprinter 7B	C	„
18086		HOLDER UNIT, double tape roll	Consisting of: Tape Roll Support and Tape Roll Holder, L.H. and R.H.	A	„
		HOLDERS:—			
510	Creed 860/140	Centre hole punch	Used on Perforator, Keyboard, Morse	C	„
2330	Creed T.A. 2017	Clutch shoe	Used on Tool Set for Printer, Morse, Tape and Page Models.	C	„
15034	G.P.O. E.101	Lamp, M.E.S.	For Keyboard Perforator, No. 44, Mark 2	C	„
14983	G.P.O. E.16	Lamp, S.B.C. ½ in.	C	„
18913		Message Form	Materials, 20 S.W.G., Steel, Dims.: 10 in. × 12 in. o/a	B	„
1400	G.N.T.112/52A	Oiling pad	Used on Transmitter, Wheatstone, Type 3	C	„
2256	Creed 740/155A	Platen	Used on Printer, Morse, Tape Model	C	„
16977	Creed 1847/6	Platen, C.P.	Used on Teleprinter 7B	C	„
3217	G.N.T.112/48	Screw bias adjustment	Used on Transmitter, Wheatstone, Type 3	C	„
9013784		Spring	Ebonite	C	„
16004	S.D.U.90G/1542	Tape paper slip	16 S.W.G. Mild steel cadmium plated. 1¼ in. × 4½ in. × 1¼ in., on base plate 4½ in. × 2¼ in. with clip spring of piano wire 27 S.W.G., 1 in. i/d × 50 turns.	C	„
16978	Creed 1847/43B	Tape roll, C.P.	For Tape Attachment Unit. Used on Teleprinter 7B	B	„
13419	Creed S.1805	Tape roll, C.P.	For Reperforating Receiver (T.P.) No. 2, Mark 2 ...	B	„
17414	Creed 2869A	Tape roll and guard, C.P.	For Reperforator, printing	B	„

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10C—cont.

1	2	3	4	5	6
13175		HOOK, receiver	For Telephone P.O. No. 184	C	each
YB: 03259		HOUSING, ball catch	C	..
17417	Creed 2868/67	HUB, tape reel	Tape for Rollholder and guard	C	..
17615		INDICATOR UNIT, 5-period	A relay panel comprising miscellaneous G.P.O. relays and ancillary equipment. Dims.: 1 ft. 8 in. × 3 $\frac{1}{4}$ in.	A	..
YA. 7435		INDICATORS: M.R. No. 4A	Used on Switchboard Magneto 10-line (W.D.) (Reference YA6733).	C	..
17765		Signal	Used on F.G.R.I. 5493	A	..
17977		Signal	Used on F.G.R.I. 5493	A	..
15404	Creed 2493/18	Speed	Used on Reperforator, Morse Receiving, Type 2 ...	A	..
3534		Time (5)	Used on Filter room equipment	A	..
3537	G.P.O.2200A	Tubular drop	500 + 500 ohms, series or parallel. For use on Mag. PBX Switchboard.	C	..
13506	Waterlow H.753A	INK, copyable	In pint bottle	C	Bot.
9421308		INKING ROLLER, felt	Used on B.I.D.50	C	each
17896		INSERT	Used on F.G.R.I. 5493	C	..
17897		INSERT	Used on F.G.R.I. 5493	C	..
17898		INSERT	Used on F.G.R.I. 5493	C	..
YA. 1302		INSERT, receiver	C	..
9330843		INSERT, screw thread	Steel, cad. pltd. Used on Ref. No. 9330825. Coder, Telegraph.	C	..
13162	S.T. and C. 4034A	INSET:— Receiver	G.P.O. 1L. 80W. Including diaphragm and carpiece. For Console, Mark 2.	C	..

RESTRICTED

RESTRICTED
83

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT

SECTION 10G—cont.

1	2	3	4	5	6
1917	G.P.O. No. 13A (No. 13 minus guard)	INSET—cont. Transmitter	For use where moisture causes trouble. Used on Telephone, Observer Post (Ref. No. 125).	C	each
18262		INSULATORS:— Battery, G.P.O. No. 9	Dims.: 1½ in. o/d × ½ in. i/d. Height approx. ¼ in. Rubber.	C	,,
9013792	<i>Muirhead P 610</i>	Bushing	¾ in. dia. × ¼ in. lg. S.R.B.F.	C	,,
9013646		Bushing	⅜ in. dia. × ⅜ in. lg o/a	C	,,
13490	1933/5A	Contact block	For Shunt Governor Unit, Teleprinter 7B	C	,,
16663	P.E.5022	No. 2, ⅞ in. long	For Starter Switch (1 per switch) used on Teleprinter 7B.	C	,,
1758	P.E.5004A	Pieces, ¾ in. long	For Starter Switch Unit (8 for motor contacts, 5 for alarm contacts) and Counter Unit (7 per set), used on Teleprinter 7B.	C	,,
YA. 2675		INTERFOLD	C	,,
15688	G.P.O. to A.M. Spec. W.T.53484/5	JACKFIELD, remote control	A	,,
		JACKS:—			
		G.P.O.:—			
1931	Ericsson N.4966T	No. 21, tropical	5-way operating jack, one break, one contact. Used on Switchboard, G.P.O. N. AD.1240.	C	,,
13109	S.T. and C. 4071/F	No. 61	Sixteen 2-way sockets on ebonite strip 4¼ in. lg. Used on Console, Mark 2.	C	,,
1907	Ericsson N.5141T	No. 61F, tropical	32 point shelf jack. Used on Switchboard, G.P.O. No. AD.1240.	C	,,
13063	S.T. and C. 4101/B	No. 200	B6/11. 2 point unit type, with bush threaded for nut fixing. Used on Console, Mark 2.	C	,,
13094	S.T. and C. 4111/A	No. 300	B6. 3 point unit type, for wood screw fixing. Used on Console, Mark 2.	C	,,
13091	S.T. and C. 4061/A	No. 320	B/N. Strip of 20, 3 point jacks on ¼ in. centres. Face 10 ⁵ / ₁₆ in. × ½ in. Used on Console, Mark 2.	C	,,

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
		JACKS—cont.			
		G.P.O.—cont.			
1941		No. 800	B6/N. Used on Transmitter Receiver, Type TR.3198.	C	each
13110	S.T. and C. 4064/A	No. 810	B/N. Strip of ten 8 point jacks on 1 in. centres. Face $10\frac{5}{16}$ in. \times $\frac{1}{2}$ in. Used on Console, Mark 2.	C	"
13230		Type 310BN	Used on Switchboard, Teleprinter, 15 line (W.D.) (Ref. No. YB.04660).	C	"
13273		Type 500B6	5 Points "B" Gauge. O/all dims.: $3\frac{3}{8}$ in. \times $1\frac{3}{8}$ in. \times $\frac{7}{8}$ in.	C	"
15670	G.P.O. N.T.4	Instrument	For Auto. Transmitter, No. 1B, Mark 2.	C	"
13065		Lamp	Strip of 10 Jack Lamps on 1 in. centres. Face $10\frac{5}{16}$ in. \times $\frac{1}{2}$ in.	C	"
13247	S.T. and C. 4008/C	Lamp, G.P.O. No. 10	As G.P.O. No. 10 Jack, except dimension from face of fixing brackets to jack face is $13\frac{1}{2}$ in. Used on Amplifying Unit, Type 151.	C	"
YA. 0813		No. 8	C	"
15134	{ Creed 1838/41B G.P.O. F.36 }	JUMPER, ribbon	For Teleprinter, 7B	C	"
		KEYBARS:—			
16953	Creed 1822/68	Answer back extension	Used on Keyboard Unit, Teleprinter 7B. State character when ordering.	C	"
287	Creed 1822/26	Bottom row	Used on Keyboard Unit, Teleprinter, 7B	C	"
289	Creed 1839/24	Bottom row	Used on Keyboard Unit, Teleprinter, 7B	C	"
18252		Bottom row	Used on Perforator, Keyboard, Creed 7P/N3 (Ref. No. 17455).	C	"
17099	Creed 2084/133	Carriage return, C.P.	Used on Keyboard Assembly, Teleprinter 7B	C	"
16665	Creed 2084/80	Carriage return, C.P.	Used on Keyboard Unit, Teleprinter 7B	C	"
18303		Carriage return, sub., C.P.	Used on Perforator, Keyboard, Creed 7P/N3 (Ref. No. 17455).	C	"
16664	Creed 2023/20	Extension	Used on Teleprinter 7B	C	"

RESTRICTED

RESTRICTED

GROUND TELEGRAPH AND TELEPHONE EQUIPMENT

SECTION 10G -cont.

1	2	3	4	5	6
		KEYBARS—cont.			
288	Creed 1822/22	Middle row	Used on Keyboard Unit, Teleprinter 7B	C	each
18251		Middle row	Used on Perforator, Keyboard, Creed 7P/N3 (Ref. No. 17455).	C	..
18253		"Run Out"		C	..
18254		"Space"		C	..
1736	Creed 1650/168	Plate, C.P.	Keyboard Assembly, used on Teleprinter 7B	C	..
18250		Top row	Used on Perforator, Keyboard, Creed 7P/N3 (Ref. No. 17455).	C	..
16666	Creed 1822/33A	With extension	Used on Keyboard Unit, for Answer Back Unit. Teleprinter 7B.	C	..
15186		KEYBOARD ASSEMBLY	Used on Teleprinter 7B (Ref. No. 163)	A	..
18147	Creed S2088B	KEYBOARD ASSEMBLY	Consisting of Keyboard Racks, Keybars, Keylabels and Keybuttons.	A	..
17755		KEYBOARD UNIT	Used on Teleprinter 7B, Page, Mark 2	A	..
18146	Creed 2912b	KEYBOARD UNIT	Consists of: Combination Bar Unit, Counter Unit, Keyboard Mask, Perforator Operating Unit and Punch Block Unit.	A	..
		KEYBOARD UNITS:—	For Type X Machine.		
1739	Creed 1822/38	Arm, locking bar	C	..
		Bar, locking:—			
		C.P.	C	..
13264	Creed 2206/54	Inner	C	..
619	Creed 2206/28	Bar, trip, C.P.	C	..
1731	Creed 2206/44	Bearing arm	C	..
1743	Creed 2206/36	Cover, keyboard	C	..
1735	Creed 2206/48	Frame, keyboard, C.P.	C	..
1733	Creed 2206/45	Guard, keyboard	C	..
1734	Creed 2206/49	Guide, locking bar	C	..
13265	Creed 2206/53				

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
		KEYBOARD UNITS—cont.			
		Keybars, C.P.:—			
1721	Creed 2206/20	1st row	Special for "Z, X, V"	C	each
1722	Creed 2206/8	1st row	C	"
1728	Creed 2206/9	2nd row	C	"
1729	Creed 2206/10	3rd row	C	"
1719	Creed 2206/24	Figures	C	"
1720	Creed 2206/25	Letters	C	"
		Keybars, sub., C.P.:—			
2127	Creed 2206/60	1st row	Special for "Z, X, V"	C	"
2126	Creed 2206/59	Figures and letters	C	"
4506	Creed 1855/97	Key, button, glass	Large figures and letters	C	"
4507	Creed 1855/96	Key, button, large	For figures and letters	C	"
		Labels:—			
1725	Creed P.L.1401	Keybutton (Sets)	Consists of 26 labels (Creed PL1401) and 2 labels (Creed P1403) to Keyboard chart (Creed 220G/47)	C	"
		Levers:—			
1745	Creed 2206/35	Bellcrank	C	"
1746	Creed 2206/31	Keyboard, lock	C	"
		Links:—			
1744	Creed 2206/33	Keyboard, lock	C	"
		Pins:—			
1883	Creed P.P.1033	Parallel	C	"
4559	Creed P.P.9005	Roller keybar	C	"
		Plates:—			
1730	Creed 2206/31	Anchor keybar, C.P.	C	"
364	Creed 2206/42	Contact trip	C	"
327	Creed 23956A	Ring, locking, standard	C	"
1727	Creed R.L.1004	Roller, keyboard	C	"
		Sockets, Type 524:—			
16275	Creed X.K.102-6	Cleat	C	"
16279	Creed X.K.102-2	Cover, dust...	C	"
16278	Creed X.K.102/1	Plate, mounting	C	"
16282	Creed X.K.102/8	Tree, wiring	P.V.C. Univinst Wire	C	"

RESTRICTED

RESTRICTED

GROUND TELEGRAPH AND TELEPHONE EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
		KEYBOARD UNITS—cont.			
97	Creed 2206/13	Space bar, C.P.	C	each
966	Creed 2320/24	Pad, space bar, C.P.	C	"
		Spring, tension	Ref. No. 2120	—	"
1747	Creed 2206/32	Strap, keep	C	each
1749	Creed 2206/34	Stud, pivot	For Keyboard Lock	C	"
16095	Creed S.2425	KEYBOARD UNIT	For Teleprinter 7B (W.D.) (Ref. No. YB. 03117) ...	A	"
16096	Creed S.2422	KEYBOARD UNIT	For Teleprinter 7B (W.D.) (Ref. No. YB. 03117) ...	A	"
15150	Creed 1822A G.P.O. BA.27	KEYBOARD UNIT, complete	Creed type M.3, row, non-storage Keyboard Unit. Motorised comb bar. Without end of line indicator	A	"
17083	Creed S.2191	KEYBOARD UNIT	Creed type M.3, rows, non-storage Keyboard Unit. Motorised comb bar. With end of line indicator.	A	"
17597		KEYBOARD	20 line. Dims.: 1 ft. 2½ in. × 11½ in. × 8½ in. ...	A	"
17598		KEYBOARD	30 line. Dims.: 1 ft. 2½ in. × 1 ft. 2¾ in. × 8½ in. ...	A	"
17590		KEYBOARD	Contains keys, lamps, jacks, and ancillary equipment	A	"
		KEYBOARDS:—			
16667	Creed 1822/110	Casting, C.P.	For Keyboard Unit, Teleprinter 7B	B	"
17253	Creed 1841/16	Front, dummy	Used on Teleprinter No. 8. Page and Tape Model ...	C	"
17516	G.P.O. A.D.2741	P.O.	Assembly of Key, switches, loudspeaker and control	A	"
3529	G.P.O. AD.682	P.O. 10 lines	Mahogany case, 1 ft. 5 in. × 7 in. × 6½ in. Includes buzzer, 1 jack strip, 1 lamp jack strip, keys, switches, etc. 22 lamps, G.P.O., No. 2 (Reference 5L/9959215)	A	"
3528	G.P.O. AD.683	P.O. 20 lines	Mahogany case, 1 ft. 5 in. × 6½ in. × 10½ in. Includes buzzer, 2 jack strips, keys, switches, etc. 42 lamps, G.P.O., No. 2 (Reference 5L/9959215) to be called for separately.	A	"

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10C—cont.

1	2	3	4	5	6
1726	Creed 860/185	KEYBUTTON, glass	C	each
3423	Creed KY.1006	KEY	Used on Perforator, Keyboard, Morse, Type 4 ...	C	..
13423	Creed KY.1021	KEY	For Reperforating Receiver (T.P.) No. 2, Mark 2 ...	C	..
YA. 8483		KEY, No. 68	Used on Radar. A.A. No. 4, Mk. 7	C	..
		KEYS:—			
3425	Creed KY.1008	$\frac{3}{8}$ in. long	To secure trip rod bearing, L.H. For Perforator, Keyboard, Morse, Type 4.	C	..
3424	Creed KY.1007	1 in. long	2 per set. To secure front bracket on Perforator, Keyboard, Morse, Type 4.	C	set
		Body:—			
2244	Creed 740/145A	Front support	For Printer, Morse, Tape Model	C	each
2245	Creed 740/146A	Rear support	For Printer, Morse, Tape Model	C	..
4268	Creed 1830/127	Cam shaft rear	G.P.O. F.104	C	..
16668	Creed 1831/17A	Carriage return, No. 2, C.P.	Used on Teleprinter 7B	C	..
13061	L.P.56943	Dummy	To replace lever key on key mounting	C	..
		G.P.O.:—			
13197		284, 1-10	} Comprises 10 keys	C	..
13198		284, 11-20		C	..
13199		284, 21-30		C	..
1911	Ericsson N.5310T	No. 208	Tropical. Lever type. Double acting—1st side locking, breaks 2, makes 2—2nd side locking, breaks 4, makes 4. Used on Switchboard G.P.O. A.D.1240.	C	..
1910	Seimens, H.57	No. 212	Tropical version of Switches, type 16. Used on Panel, Type 195A.	C	..
1669	Cossor D.C.1982	No. 297	Lever type—1st side locking, 2 change over—2nd side locking, 6 change over. Used on Dividing Unit Type 10.	C	..
13227		Type 171	C	..

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
		KEYS—cont.			
		G.P.O.—cont.			
1909	Ericson N. 5359T	Type 172	Tropical. Lever type, double acting—1st side, non-locking, breaks 2, makes 2—2nd side, locking, makes 4, breaks 4. Used on Switchboard, G.P.O. A.D.1240.	C	each
		Handle:—	Used on Console, Type 3.		
13201	G.P.O. No. 1	Blue	C	..
13200	G.P.O. 62260	Cerise	C	..
16198	Creed 1856/2	Locating	1 $\frac{1}{8}$ in. long \times 0.945 in. square	C	..
156		Mounting	Black	C	..
3629	G.P.O. 15	Mouthpiece	Used on Radio Vehicle, Type 325	C	..
9421511		Repeat	Used on B.I.D.50	C	..
2221	Creed 740/147A	Selector bracket	Used on Printer, Morse, Tape Model	C	..
292	Creed 1822/32	Space, C.P.	For Keyboard Assembly, Teleprinter 7B	C	..
		KITS:—			
15096	W.T.B.144/10311	Apparatus, Type 179	Used on Switchboard, G.P.O.A.D.1240	A	..
16113	G.P.O.	Conversion, Transmitter	To enable Automatic Transmitter, G.P.O. 1B (Ref. No. 15683) to be used with Printed Perforated Teleprinter Tape.	C	..
13411	Imperial Typewriter Co. Ltd.	Modification	To enable use of teleprinter paper on Typewriter (Ref. No. 1670).	C	..
		Spares:—	For Type X Machine.		
664	Creed 2208/7	Block, printer shorting	B	..
—	Creed 1841/11	Disc, coupling	Fibre, Ref. No. 455	C	..
13020	Creed 740/154	Platen	Rubber ground	C	..
329	Creed 23912	Ring, split	$\frac{3}{8}$ in. dia.	C	..
331	Creed 2205/49	Roller, pressure	C	..
335	Creed 2200/37	Solenoid, C.P.	Printer	C	..
		Springs:—			
342	Creed 2206/50	Key-bar	C	..
13040	Creed 2201/129	Pressure bracket	C	..
346	Creed 2200/24	Solenoid lever	C	..

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10C—cont.

1	2	3	4	5	6
		KITS—cont.			
		Spares—cont.			
		Springs, tension:—			
2120	Creed 2206/55	Locking bar	Inner	C	each
349	Creed 2201/108	Pressure arm	C	"
		Tools:—			
419	Creed TA.1011	Bar, tommy	For Type X Machine	C	"
420	Creed TA.1020	Bar, tommy	C	"
	Creed TA.1030	Burnisher, contact, C.P.	Ref. No. 408	C	"
410	Creed 8620	Can, oil, small	Watch pattern	C	"
3209	Creed J.606	Pliers, snipe nose	C	"
		Screwdrivers:—			
414	Creed TA.1053	3½ in. × 1/16 in.	C	"
412	Creed 8549	No. 1, 5 in. × 1/8 in.	C	"
413	Creed 8550	No. 2, 5 in. × 1/4 in.	C	"
415	Creed TA.1031	Setter, contact spring	C	"
		Spanners:—			
418	Creed TA.1079	2 B.A.	Special	C	"
417	Creed TA.1038	2 B.A. and 3 B.A.	C	"
416	Creed TA.1022	4 B.A. and 6 B.A.	C	"
1261	Creed TA.1036	8 B.A. and 10 B.A.	C	"
		KNIVES:—			
14976	G.P.O. D.49	Edge and paper guide	For Keyboard Perforator, No. 44, Mark 2	C	"
282	Creed 1839/33	Paper, C.P.	For Friction Feed, Paper Carriage Unit, Teleprinter 7B.	C	"
18062		Paper, C.P.	Used on Teleprinter, 7B Page, Mark 2	C	"
17404	Creed 2870/87A	Tape	For Perforator Unit of Reperforator, printing	C	"
18343	Creed 3870/291	Tape, C.P.	First used on Reperforator, Printing No. 1, Mark 1	B	"
16669	Creed 1831/99	KNOB	Part of Line Feed Device, Page Attachment Units, Teleprinter 7B.	C	"
		KNOBS:—			
16141	Creed K.N.1025	Feed	Used on Printing Reperforator, Creed 85R	C	"

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont

1	2	3	4	5	6
		KNOBS—cont.			
9424335		Finger	} Used on B.I.D./50/1	C	each
9424336		Finger			
9424337		Finger			
9424338		Finger			
15701	G.N.T.308/66A	Holder	Used on Undulator, Type 11, Tape Holder	C	„
16670		Platen	Used on Teleprinter (W.D.), Mark 1 (Reference Y2/YB/03117).	C	„
13743	Creed 1400/527	Platen	For Printer, Morse Carriage	C	„
15588	Creed K.N.1002B	Tape control lever	For Auto. Transmitter (T.P.) No. 1B, Mark 2	C	„
		LABELS:—			
		G.P.O.:—			
13074		No. 88	White label. Dims.: $\frac{1}{2}$ in. \times $\frac{27}{64}$ in. \times $\frac{5}{64}$ in., for P.O. Strip No. 22.	C	„
13159	S.T. and C. 4029	No. 88 for centre	$\frac{1}{2}$ in. \times $\frac{27}{64}$ in. \times $\frac{5}{64}$ in. white labels for G.P.O. Des. Strip No. 22.	C	„
1200	Creed P.L.1401/57	Key	State characters required. For Type M Keyboard Assembly, Teleprinter 7B.	C	„
		Keybutton:—	Used on Teleprinter 7B.		
16671	Creed P.L.1401/127	B/?	C	„
16672	Creed P.L.1401/201	C/:	C	„
16673	Creed P.L.1401/183	Car. Ret.	C	„
18304		“D”	Used on Perforator, Keyboard, Creed 7P/N3 (Ref. No. 17455).	C	„
16674	Creed P.L.1401/494	D/who are you	C	„
16675	Creed P.L.1401/49	E/3	C	„
16676	Creed P.L.1401/537	F/%	C	„
16677	Creed P.L.1401/466	FIGS	C	„
16678	Creed P.L.1401/598	G/@	C	„
16679	Creed P.L.1401/629	H/l	C	„
16680	Creed P.L.1401/54	I/8	C	„
16681	Creed P.L.1401/704	J/Bell	C	„
16682	Creed P.L.1401/1043	K/(...	C	„

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10C—cont.

1	2	3	4	5	6
		LABELS—cont.			
		Keybutton—cont.			
16683	Creed P.L.1401/1058	L/)	...	C	each
16684	Creed P.L.1401/468	line feed	...	C	"
16685	Creed P.L.1401/467	letters	...	C	"
16686	Creed P.L.1401/1090	M/.	...	C	"
16687	Creed P.L.1401/1107	N/.	...	C	"
16688	Creed P.L.1401/55	O/9	...	C	"
16689	Creed P.L.1401/56	P/0	...	C	"
16690	Creed P.L.1401/47	Q/1	...	C	"
18305		"Run out"	Used on Perforator, Keyboard, Creed 7P/N3 (Ref. No. 17455).	C	"
16691	Creed P.L.1401/50	R/4	...	C	"
16692	Creed P.L.1401/1127	S/"Q"	...	C	"
16693	Creed P.L.1401/51	T/5	...	C	"
16694	Creed P.L.1401/53	U/7	...	C	"
16695	Creed P.L.1401/1164	V/=	...	C	"
16696	Creed P.L.1401/48	W/2	...	C	"
18306		"Who are you"	Used on Perforator, Keyboard, Creed 7T/N3 (Ref. No. 17455).	C	"
16697	Creed P.L.1401/1185	X//	...	C	"
16698	Creed P.L.1401/52	Y/6	...	C	"
16699	Creed P.L.1401/1198	Z/+	...	C	"
		LAMPS:—			
—	G.P.O. L.113N	24V, No. 11	Reference 5L/9951274. For Teleprinter 7B	C	"
17307	Creed 14495	230V	15W. S.B.C., pygmy red. For use on Keyboard Assembly (Ref. No. 15186).	C	"
17575		Indicator	5 period. 18 in. h. x 6 in. wide, fitted with 5 windows. Slave Unit to: Units, Auto., for 5 period Indicator, G.P.O. No. A.D.443 (Ref. No. 17561).	C	"
17100	Creed 2084/120	LAMP UNIT, C.P.	For End of Line Indicator, Keyboard Assembly, Teleprinter 7B.	C	"
17700	Creed 2852/9	LATCH	Used on Teleprinter, 7B, Page, Mark 2	C	"

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
16393	Creed 2869/12	LATCH	Used on Roll Holder, G.P.O. No. 7. Part of Tape Winder, G.P.O. No. 2.	C	each
9421437		LATCH	Used on B.I.D. 50	C	„
16089	Creed 1831/53	LATCHES:— Carriage release, C.P.	For Teleprinter 7B	C	„
18227		Detent release, C.P.	Used on Perforator, Keyboard, Creed 7P/N3 (Ref. No. 17455).	C	„
18881	Creed 2254/3613	Detent, rlease, C.P.	Used on Perforator Unit Keyboard (Ref. No. 18875.	C	„
17398	Creed 2870/70A	Pressure, roller frame	For Perforator Unit of Reperforator, printing ...	C	„
18896	Creed 1947/321A	Tape Guide	Part of Punch Block (Ref. 18819)	B	„
18895	Creed 1947/318	Tape Guide Frame, C.P.	Used on Perforator Keyboard 7P/N3 Mk. 3... ..	C	„
		LAYERS:— Chad:—			
17393	Creed 2870/200	Code hole	For Perforator Unit of Reperforator, printing ...	C	„
17394	Creed 2870/201	Feed hole	For Perforator Unit of Reperforator, printing ...	C	„
5165		LEAD, head assembly	C	„
15010	G.P.O. A.34	LECTERN	For Keyboard Perforator, No. 44, Mark 2 ...	C	„
9421492		LEVER ASSEMBLY	Used on B.I.D. 50	C	„
9421493		LEVER ASSEMBLY	Used on B.I.D. 50	C	„
9421471		LEVER	Used on B.I.D. 50	C	„
9421668		LEVER	Used on B.I.D./560/1	C	„
18340		LEVER	B	each
		Comprising:— Clip, retaining	Ref. No. 17831	—	—

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G- cont.

1	2	3	4	5	6
		LEVER			
		Comprising—cont.			
		Lever, detent	Ref. No. 17828	—	—
		Pin, bearing	Ref. No. 17832	—	—
		Roller, detent	Ref. No. 17830	—	—
		LEVERS:—			
		Actuating:—	Used on Printer, Morse, Tape Model		
		“A”	C	each
		“B”	C	“
2165	Creed 720/50A			C	“
2166	Creed 720/51A			C	“
15549	Creed 1800/145	Armature trip	For Auto. Transmitter (T.P.) No. 1B, Mark 2	C	“
17439	G.P.O. D.24	Backspace	For Keyboard Perforator, No. 44, Mark 2	C	“
14965	G.P.O. D.23	Backspace, C.P.	For Keyboard Perforator, No. 44, Mark 2	C	“
18278		Backspace, C.P.	Used on Perforator, Keyboard, Creed 7P/N3 (Ref. No. 17455).	C	“
17058	Creed 1838/70A	Bell and rod, switch, C.P.	Control lever unit. Used on Teleprinter, 7B	C	“
		Bellcrank:—			
16701	Creed 1830/98	Sub., C.P.	Cam Unit. Used on Teleprinter, 7B	C	“
3358	Creed 860/104C	Cam returning bar	Used on Perforator, Keyboard, Morse, Type 4	C	“
		Comb:—			
297	Creed 1650/76A	Bar, resetting	Used on Teleprinter, 7B	C	“
16052	Creed 1830/70A	Setting, C.P.	Cam Unit, used on Teleprinter 7B	B	“
18930	Creed 1550/662 C.P.	Common selector, C.P.	Used on B.I.D. 31/2. For 45 and 50 bands	C	“
18863	Creed 2255/26A	Connecting	Used on Combination Bar Unit (Ref. No. 18860)	C	“
18297		Connecting, C.P.	Dims.: $1\frac{3}{16}$ in. \times $\frac{7}{16}$ in. \times $\frac{3}{16}$ in.	C	“
18298		Connecting, C.P.	Dims.: $1\frac{3}{8}$ in. \times $\frac{7}{16}$ in. \times $\frac{3}{16}$ in.	C	“
18846		Contact, open	Brass, Dims.: 2 in. \times $\frac{3}{4}$ in. \times $\frac{3}{4}$ in.	C	“
18242		Contact operating, C.P.	Used on Perforator, Keyboard, Creed 7P/N3 (Ref. No. 17455).	C	“
17064	Creed 1838/22A	Control and line feed	Used on Control Lever Unit on Teleprinter, 7B	C	“
		Control:—	Used on Control Lever Unit on Teleprinter, 7B		
16702	Creed 1838/25A	Bell, C.P.	C	“
17059	Creed 1838/25B	Bell, C.P.	C	“

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT

SECTION 10C—cont.

1	2	3	4	5	6
		LEVERS—cont.			
		Control—cont.			
17060	Creed 1838/19A	Carriage return, C.P.	C	each
17061	Creed 1838/16A	Erasc, C.P.	C	"
17124	Creed 1838A, Mod.	Control unit	Modified for Baudot, 2 channel working. For Teleprinter 8 (Tape) model.	A	"
17951		Detent	Used on F.G.R.I. 5493	C	"
17828		Detent	Used on F.G.R.I.	C	"
18226	Creed 2254/113A	Detent, operating	Used on Perforator, Keyboard, Creed 7P/N3 (Ref. No. 17455).	C	"
18887	Creed 2254/103	Detent, operating	Used on Perforator Unit (Ref. No. 18875)	C	"
9421478		Escapement Assembly	Used on B.I.D.50	C	"
4252		Feed	Used on Cam Unit (Ref. No. 16613)	B	"
16258	Creed 2866/2	Feed	Used on Printing Reperforator, Creed 85R	C	"
		Feed:—			
16180	Creed 2870/35	Adjustment	Used on Printing Reperforator, Creed 85R	C	"
1799	Creed 2203/48	Check	C	"
13693	Creed 740/717	C.P.	Printer, Morse	C	"
16177	Creed 2870/31	C.P.	Used on Printing Reperforator, Creed 85R	C	"
17410	{ Creed 2866/1	C.P.	For Control Units on Printing Reperforator	C	"
	{ G.P.O. B.E.158 }				
18241		C.P.	Used on Perforator, Keyboard, Creed 7P/N3 (Ref. No. 17455).	C	"
14984	G.P.O. E.18	Counter	Used on Keyboard Perforator, No. 44, Mark 1	C	"
13730	Creed 1260/147	Fine	Carriage Part of Printer, Morse	C	"
15182	Creed 1847/49	Link	G.P.O. L.57. Used on Teleprinter, 7B	C	"
13736	Creed 1400/200	Pawl	For Carriage, Printer, Morse	C	"
2257	Creed 740/165	Pawl	Used on Printer, Morse, Tape Model	C	"
2292	Creed 1400/202A	Pawl, C.P.	Used on Printer, Morse, Page Model	C	"
4537	Creed 2205/30	Pawl spacer "A"	C	"
4539	Creed 2205/42	Pawl spacer "B"	C	"
17662	Creed 1830/192	Sub, C.P.	B	"
16704	Creed 1838/27	Throw-out	Used on Control Unit, Teleprinter 7B	C	"
17063	Creed 1838/28C	Throw-out, C.P.	Used on Control Unit, Teleprinter 7B	C	"

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
		LEVERS—cont.			
229	G.P.O. F.23	Figure shift	Used on Teleprinter, 7B	C	each
13597	Creed 1775/4	Gear change	Part of Layshaft, 3-speed Gear Unit, Reperforator Morse.	C	"
4295	Creed 1843/9	Hammer	G.P.O. K.4. Part of Carriage Bell Unit, Page Attachment Unit, Teleprinter 7B.	C	"
14953	G.P.O. D.3	Hammer	For Keyboard Perforator, No. 44, Mark 2	C	"
18125		Hammer:—			
2237	Creed 740/372	Resetting	Used on Reperforator, Creed 7TR/3 (Ref. No. 17521)	C	"
16705	Creed 2184/19	Head feed, spacing tape	Used on Printer, Morse, Tape Model	C	"
13471	Creed 1803/15	Jockey	Used on Transmitting Cam, Teleprinter 7B	C	"
17442	G.P.O. D.59	Jockey, C.P.	For Reperforating Receiver (T.P.), No. 2, Mark 2	C	"
15655		Jockey roller	For Keyboard Perforator, No. 44, Mark 2	C	"
		Jockey roller	Used on Contact Block Assembly (Ref. No. 15649)	C	"
		Key:—			
15026	G.P.O. C.11	Bottom row	} For Keyboard Perforator, No. 44, Mark 2	C	"
15089	G.P.O. C.86	Carriage return		C	"
15028	G.P.O. C.13	Letter "F"		C	"
15029	G.P.O. C.14	Letter "N"		C	"
15030	G.P.O. C.15	Letter "U"		C	"
15031	G.P.O. C.16	Letter "V"	} For Keyboard Perforator, No. 44, Mark 2	C	"
15025	G.P.O. C.10	Middle row		C	"
15036	G.P.O. C.21	Space, L.H.	} For Keyboard Perforator, No. 44, Mark 1	C	"
15088	G.P.O. C.71	Space, L.H.		C	"
15087	G.P.O. C.70	Space, R.H.		} For Keyboard Perforator, No. 44, Mark 2	C
15035	G.P.O. C.20	Space, R.H.	C		"
15024	G.P.O. C.9	Top row	For Keyboard Perforator, No. 44, Mark 2	C	"
16266	Creed 1550/379	Latch	Used on Kit, Conversion, Transmitter (Ref. No. 16113).	C	"
		Letter:—			
16706	Creed 1831/20	Feed	Used on Page Attachment Unit, Teleprinter 7B	C	"
230	Creed 1838/9	Shift, C.P.	G.P.O. F.24C. Used on Control Lever Unit, Teleprinter 7B.	C	"
4248	Creed 1830/35A	Lifting, Bellcrank, C.P.	G.P.O. G.33	B	"

RESTRICTED

97

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
		LEVERS—cont.			
		Line:—			
2290	Creed 1700/153	Click, C.P.	Carriage part of Printer, Morse	C	each
2291	Creed 1260/190	Feed, C.P.	Used on Printer, Morse, Page Model	C	
3408	Creed 860/547	Link and bellcrank spacing, C.P.	Used on Perforator, Kcylinder	C	
18036		Lock bar, C.P.	Used on Teleprinter, 7B, Mark 2	C	
9421472		Locking	Used on B.I.D.50	C	
18234		Locking, C.P.	Used on Perforator, Keyboard, Creed 7P/N3 (Ref. No. 17455).	C	
16098	Creed 1908/25	Locking, C.P.	For Paper Carriage Unit, Sprocket Feed, Teleprinter 7B.	C	
3765	Creed 740/58	Non-stop check	Used on Printer, Morse, Tape Model	C	
17865		Operating	Used on F.G.R.I. 5493	C	
17874		Operating	Used on F.G.R.I. 5493	C	
17944		Operating	Used on F.G.R.I. 5493	C	
16707	Creed 2023/39	Operating	Used on Teleprinter 7B	C	
		Operating:—			
16700	Creed 1836/32	Alarm contact, C.P.	Used on Main Base Unit, Teleprinter 7B	C	
18294		C.P.	Dims.: $1\frac{9}{16}$ in. \times $\frac{7}{16}$ in. \times $\frac{3}{16}$ in.	C	
14179	Creed 2084/71	C.P.	Used on Teleprinter 7B	C	
16708	Creed 2023/38	C.P.	Used on Teleprinter 7B	C	
15645	Creed 1550/325	Contact arm	For Auto. Transmitter (T.P.) No. 1B Mark 2	C	
17890		No. 1 cyclometer drum	} Used on F.G.R.I. 5493	C	
17891		Reverse drum		C	
17889		Standard		C	
4185	Creed 1836/17B	Starter switch	G.P.O. B.B.39. Used on Teleprinter 7B	C	
9330836		Pawl	Mild Steel $1\frac{1}{8}$ in. \times $\frac{7}{32}$ in. approx. gross dims. First used on Ref. No. 9330825. Coder, Telegraph.	C	
		Pawl:—			
17835		Abutment	Used on F.G.R.I. 5493	C	
4257	Creed 1830/152	Adjustment, C.P.	C.P.O., B.G.59	C	
15606	Creed 1550/103	Detent	For Auto. Transmitter (T.P.) No. 1B, Mark 2	C	
2293	Creed 1600/301	Throw-out	Used on Printers, Morse, Page Model	C	
15628	Creed 1550/316	Pecker	For Auto. Transmitter (T.P.) No. 1B, Mark 2	C	

RESTRICTED

RESTRICTED
98

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT

SECTION 10G—cont.

1	2	3	4	5	6
		LEVERS—cont.			
18030		Piston, C.P.	Used on Teleprinter, 7B, Mark 2	C	each
18061		Pressure release, C.P.	Used on Teleprinter, 7B, Mark 2	C	"
17190	Creed 1839/36A	Pressure release, C.P.	Paper Carriage Unit, Friction Feed, Teleprinter 7B ...	C	"
18295		Punch block operating	Dims.: 1 ⁷ / ₈ in. × ⁷ / ₈ in. × ³ / ₁₆ in.	C	"
18874	Creed 2091/143	Punch block operating	Used on Combustion Bar Unit (Ref. No. 18860)	C	"
16206	Creed 2870/52	Punching and resetting assemblies	Used on Reperforator, Printing (Ref. No. 15399) ...	C	"
18130		Punching, C.P.	Used on Reperforator, Creed 7TR/3 (Ref. No. 17521)	C	"
1242	Creed 720/174	Punching, C.P.	Used on Reperforator, Morse Receiving	C	"
17453	Creed 1800/221	Punching, C.P.	For Reperforating, Receiver (T.P.) No. 2, Mark 2 ...	B	"
3766	Creed 740/333B	Rack guide spacing, C.P.	Used on Printer, Morse, Tape Model	C	"
1110	Creed 2205/62	Release, C.P.	C	"
18225	Creed 2254/113A	Release, C.P.	Used on Reperforator, Creed 7TR/3. (Ref. No. 17521)	C	"
18878	Creed 2254/113B	Release, C.P.	Used on Perforator Ops. Unit (Ref. No. 18875) ...	C	"
17842		Release pawl abutment	Used on F.G.R.I. 5493	C	"
16709	Creed 1841/4	Release shaft	For Answer Back Unit, Teleprinter, 7B	C	"
15526	Creed 1800/64	Resetting	For Reperforating, Receiver (T.P.) No. 2, Mark 2 ...	C	"
18238		Retaining	Used on Reperforator, Creed 7TR/3 (Ref. No. 17521)	C	"
18141		Resetting cam	Used on Reperforator, Creed 7TR/3 (Ref. No. 17521)	C	"
18243		Resetting, C.P.	Used on Perforator, Keyboard, Creed 7P/N3 (Ref. No. 17455).	C	"
18140		Retention	Used on Reperforator, Creed 7TR/3 (Ref. No. 17521).	C	"
15521	Creed 1800/159	Retention	For Reperforating, Receiver (T.P.) No. 2, Mark 2 ...	C	"
16300	Creed 2845/115	Retention	For Orientation Device of Printing Reperforator, Creed 85R.	C	"
242	Creed 1830/138	C.P.	Cam Unit, Teleprinter 7B	C	"
4430	Creed 1847/18 G.P.O. L.45	C.P.	Tape Attachment Unit, Teleprinter, 7B	C	"
15633	Creed 1800/42	C.P.	C	"
16299	Creed 2845/110	C.P.	Orientation Device of Printing Reperforator, Creed 85R.	C	"
18179		C.P.	Used on Perforator, Keyboard, Creed 7P/N3. (Ref. No. 17455).	C	"
18463	Creed 2845/110A	C.P.	Used on Cam Unit, T3 (Ref. No. 18948)	C	"

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10C—cont.

1	2	3	4	5	6
		LEVERS—cont.			
		Retention—cont.			
17405	Creed 2870/60A	Cam	For Perforator Unit of Reperforator, printing ...	C	each
18123	} Creed 1816/7A G.P.O. L.94 }	Retention and boss:—			
4438		C.P.	Used on Reperforator, Creed 7TR/3 (Ref. No. 17521)	C	„
17858		Return, counter, C.P.	Page Attachment Unit, Teleprinter 7B	C	„
298	Creed 1821/44A	Roller	Used on F.G.R.I. 5493	C	
		Selecting	6 per set. For Striker Transmitter Sub Assembly of Teleprinter 7B.	C	set
15004	G.P.O. F.15	Selecting	For Keyboard, Perforator, No. 44, Mark I ...	C	each
18882	Creed 2254/39A	Selecting	Used on Perforator Keyboard, 7B/N3	C	„
18122		Selecting, C.P.	Used on Reperforator, Creed 7TR/3 (Ref. No. 17521)	C	„
18229		Selecting, C.P.	Used on Perforator, Keyboard, Creed 7P/N3 (Ref. No. 17455).	C	„
2224	Creed 740/332B	Selector, C.P.	Used on Printer, Morse, Page Model	C	„
4351	Creed 1842/9	Send/Receive switch	G.P.O. P.10. Used on Teleprinter 7B	C	„
16338	Creed 2845/118	Shaft, trip operating	For Orientation Device of Printing Reperforator Creed 85R	C	„
4216	Creed 1826/11	Shift comb	G.P.O. E.30	C	„
3763	Creed 740/42	Space stop, C.P.	Used on Printer, Morse, Tape Model	C	„
		Spacing:—			
2225	Creed 740/334A	C.P.	Used on Printer, Morse, Page Model	C	„
3356	Creed 860/100B	Cam, C.P.	Used on Perforator, Keyboard	C	„
16710	Creed 2023/17	Spring	For Teleprinter, 7B	C	„
17677	Creed 1836/17C	Starter switch, operating, C.P.	Motor switch operating switch	C	„
13454	Creed 1800/150	Starter trip, C.P.	For Reperforating Receiver (T.P.) No. 2	C	„
17524		Stop-start	Used on Transmitter, Automatic (Ref. No. 17354)	C	„
15541	Creed 1160/861	Striker	For Reperforating Receiver (T.P.) No. 2, Mark 2 ...	C	„
		Striker:—			
4457	Creed 2184/15	C.P.	G.P.O. BU.73. Used on Teleprinter, 7B	C	„
18129		C.P.	Used on Reperforator, Creed TR/3 (Ref. No. 17521)...	C	„
16711	Creed 2184/24	Operating C.P.	Used on Teleprinter, 7B	C	„
4404	Creed 2184/14	Timing	G.P.O. BU. 77	C	„

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
		LEVERS —cont.			
15585	Creed 1550/136A	Striking	} For Auto. Transmitter (T.P.), No. 1B, Mark 2 ...	C	each
15589	Creed 1550/125	Switch		C	"
15586	Creed 1550/108	Tape control, C.P.		C	"
17474	Creed 1550/218	Tape control, C.P.		C	"
18707	Creed 1550/497	Tape control, C.P.		C	"
			Main equipment: Transmitter, automatic, Creed 6S/5 RES.90G/22099.		
4402	Creed 2184/8	Timing Cam extension	Used on Teleprinter 7B	C	"
4262	Creed 1830/123A	Traversing, C.P.	G.P.O. G.66	C	"
15538	Creed 1800/59	Traversing, C.P.	For Reperforating Receiver (T.P.), No. 2, Mark 2 ...	C	"
18187		Trip	Used on Perforator, Keyboard, Creed 7P/N3 (Ref. No. 17455).	C	"
3341	Creed 860/50C	Trip	For Front Bracket Assembly on Perforator, Keyboard, Morse, Type 4.	C	"
		Trip:—			
18300		Adjusting, C.P.	Used on Perforator, Keyboard, Creed 7P/N3 (Ref. No. 17455).	C	"
16712	Creed 1980/15	C.P.	Used on Teleprinter, 7B	C	"
13431	Creed 1801/40	C.P.	For Reperforating Receiver (T.P.), No. 2, Mark 2 ...	C	"
18862	Creed 2091/27B	C.P.	Used on Perforator Keyboard 7B/N3	C	"
4263	Creed 1830/151	Shaft, C.P.	G.P.O. B.G.68	C	"
17666	Creed 1830/151A	Shaft, C.P.	C	"
199	Creed 1825/58	Starter	For Starter Switch Control Unit on Teleprinter 7B ...	C	"
15529	Creed 1800/86	Starter, C.P.	For Reperforating, Receiver (T.P.), No. 2, Mark 2	C	"
18299		Sub, C.P.	Used on Perforator, Keyboard, Creed 7P/N3 (Ref. No. 17455).	C	"
18263		Trip and link, C.P.	Used on Perforator, Keyboard, Creed 7P/N3 (Ref. No. 17455).	C	"
3343	Creed 860/53B	Trip and link, C.P.	Used on Perforator, Keyboard, Morse, Type 4 ...	C	"
4264	Creed 1830/43	Type hammer	G.P.O. BG69. For Cam Unit on Teleprinter 7B ...	C	"
3768	Creed 740/336D	Type hammer, C.P.	For Printer, Morse, Page Model	C	"
2246	Creed 740/336A	Type hammer, C.P.	For Printer, Morse, Page Model	C	"

RESTRICTED

RESTRICTED
101

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G— cont.

1	2	3	4	5	6
9421550		LID, Assembly	Used on B.I.D. 50	C	each
2008	G.N.T.309/54	LIDS, inkpot	Used on Undulator, Type 11	C	,,
9013655		LIFTER, Writing Bar	S/Steel. 2½ in. x ¾ in. x ¼ in. o/a dims.	C	,,
2011	G.N.T. 309/39	LIMITER, amplitude, C.P.	Used on Undulator, Type 11	C	,,
YA. 2665		LINE UNITS: - Mark 2	B	,,
YA. 2666		Mark 2	B	,,
17781		LINES, connecting	Used on F.G.R.I. 5493	C	pair
17804		LINE, connecting: - Set	Used on F.G.R.I. 5493	C	each
17803		Straight	Used on F.G.R.I. 5493	C	,,
214	Creed 1826/97	LINING, clutch	Balata. For Typehead Clutch on Combination Head Unit of Teleprinter 7B.	C	,,
17743		LINING, clutch	Used on Combination Head Unit (Ref. No. 17639)...	C	,,
2007	G.N.T. 2044/37	LINKAGE, governor arm C.P.	For Undulator, Type 11	C	,,
16713	Creed 1980/27	LINKS:— Answer back release	For machine with keyboard operated mechanical counter. Teleprinter, 7B.	C	,,
15548	Creed 1800/149	Armature, C.P.	For Reperforating, Receiver (T.P.) No. 2, Mark 2 ...	C	,,
16088	Creed 1831/41	Carriage, release C.P.	Used on Teleprinter, 7B	C	,,
3760	Creed 740/354	Connecting:— C.P.	Used on Printer, Morse, Tape Model	C	,,
17101	Creed 2084/62	C.P.	Used on Keyboard Assembly, Teleprinter 7B	C	,,

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
		LINKS—cont.			
308	{	Contact, operating	C	each
18245			Counter resetting	Used on Perforator, Keyboard, Creed 7P/N3 (Ref. No. 17455).	C
13776	G.N.T.2042/82	Coupling motor	Used on Transmitter, Wheatstone, Type 3	C	"
15522	Creed 1800/40	Detent	For Reperforating Receiver (T.P.) No. 2, Mark 2	C	"
15181	Creed 1847/25B	Feed	G.P.O. L.49. Used on Teleprinter, 7B	C	"
9421495		Feed	Used on B.I.D.50	C	"
		Feed:—			
18067		C.P.	Used on Teleprinter, Type 7B (Tape)	C	"
13692	Creed 740/621	Lever	Used on Printer, Morse, Page Model	C	"
2295	Creed 1600/271A	Pawl	Used on Printer, Morse, Page Model	C	"
		Finger:—			
16066	Creed 1925/4	Operating	For Cam Unit of Teleprinter, 7B	C	"
16065	Creed 1300/258	Resetting	For Cam Unit of Teleprinter, 7B	C	"
		Isolating:—			
			2-way, 240V, 5A, two moulded blocks $1\frac{1}{8}$ in. \times $1\frac{5}{16}$ in. \times 1 in. o/a, with one 2-pin plug and two sockets at $\frac{1}{16}$ in. centres. Part of Drive Unit, Type 42.		
15115	G.P.O. No. 1.A	On cover	C	"
15116	G.P.O. No. 1.B	On mounting	C	"
18063		Jockey	Used on Teleprinter, 7B, Mark 2	C	"
17437	G.P.O. C.24	Key	For Keyboard Perforator (T.P.) No. 44, Mark 1	C	"
16714	Creed 1831/39	Letter feed	For Page Attachment Unit of Teleprinter, 7B	C	"
		Line:—			
16087	Creed 1831/37	Feed	For Page Attachment Unit of Teleprinter, 7B	C	"
2294	Creed 1400/247	Feed lever	Used on Printer, Morse, Page Model	C	"
2296	Creed 1600/274B	Feed pawl, C.P.	Used on Printer, Morse, Page Model	C	"
16715	Creed 2084/61	Operating	Used on Teleprinter, 7B	C	"
17413	Creed 2845/161	Orientation and spring, C.P.	For Receiving Cam Unit of Reperforator, printing...	C	"
13480	Creed 1803/23	Punching	For Reperforating Receiver (T.P.) No. 2, Mark 2	C	"
18131		Punching arm, C.P.	Used on Reperforator, Creed 7TR/3 (Ref. No. 17521)	C	"

RESTRICTED

RESTRICTED
103

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
		LINKS—cont.			
		Release:—			
17251	Creed 1980/8	Answer back	Used on Answer Back Unit and Teleprinter 7B ...	C	each
2297	Creed 1600/276B	Pawl, C.P.	Used on Printer Morse Page Model	C	"
3370	Creed 860/178	Returning bar	Used on Perforator, Keyboard	C	"
		Spacing:—			
512	Creed 860/159A	Lever	Used on Perforator, Keyboard, Morse	C	"
2223	Creed 740/37	Lever backguide	Used on Printer, Morse, Tape Model	C	"
2167	Creed 720/31A	Rack	Used on Printer, Morse, Page Model	C	"
2222	Creed 740/35C	Rack guide lever, C.P.	Used on Printer, Morse, Tape Model	C	"
9013688		Tension, spring brake arm	Steel. 0-031 in. dia., 0-7 in. lg. Hook ends	C	"
9013649		Terminal, connecting	S/Steel. 0-0625 in. thk × 5-25 in. lg o/a × 0-3 in. w. o/a.	C	"
9013650		Terminal, connecting	S/Steel. 0-0625 in. thk × 0-5 in. lg o/a × 0-35 in. w. o/a.	C	"
9013651		Terminal, connecting	S/Steel. 0-0625 in. thk × 1-4 in. lg o/a × 0-35 in. w. o/a.	C	"
17082	Creed 2084/51	Top, C.P.	Used on Striker Transmitter Unit, Teleprinter, 7B ...	C	"
18886	Creed 2254/202	Transfer	Used on Perforator Ops. Unit (Ref. No. 18875) ...	C	"
		Traversing:—			
15635	Creed 1800/54	C.P.	Used on Reperforator, G.P.O. No. 2	C	"
245	Creed 1830/58B	C.P.	For Cam Unit, Teleprinter, 7B	C	"
15534	Creed 1800/187	C.P.	For Reperforating, Receiver (T.P.), No. 2, Mark 2... ..	C	"
18265		Trip	Used on Perforator Keyboard Creed 7P/N3 (Ref. No. 17455).	C	"
463	Creed 860/51C	Trip lever	Used on Perforator Keyboard Morse	C	"
16716	Creed 1834/9	Type hammer	Used on Teleprinter, 7B	C	"
14963	G.P.O. D.19	Wire	For Keyboard Perforator, No. 44, Mark 2	C	"
YA. 1057		Wire	C	"
9013636		LOADING TRIGGER	0-9 in. × 0-25 in. approx. o/a dims., sliding	C	"
9013637		LOADING TRIGGER	0-8 in. × 0-25 in. approx. o/a dims., fixed	C	"
9421408		LOCKBAR	Used on B.I.D. 50	C	"

RESTRICTED

RESTRICTED
104

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—*cont.*

1	2	3	4	5	6
1918		LOOP, band, transmitter, B.P.	Slotted hole, detachable loop for repairs, etc., of all types of breast plate transmitter. Used with web non-elastic No. 2 grey. Used on Telephone, Observer Post (Ref. No. 125).	C	each
13773		LUBRICANT, No. 1, thin	$\frac{1}{4}$ pint tins. Tender, Signal	C	tin
15664	Creed 1550/264	LUBRICATOR	For Auto. Transmitter (T.P.) No. 1B, Mark 2 ...	C	each
15505	Creed 1650/805	LUBRICATOR, C.P.	For Reperforating Receiver (T.P.), No. 2, Mark 2 ...	C	„
		LUBRICATORS, C.P.:—			
18060		L.H.	Used on Teleprinter, 7B, Mark 2	C	„
18059		R.H.	Used on Teleprinter, 7B, Mark 2	C	„
		LUBRICATORS, felt:—			
13594	Creed 1650/797	Main shaft	Used on Perforating Unit of Reperforator, Morse ...	C	„
16973	Creed 1827/34	Typehead unit	For Teleprinter, 7B	C	„
		MACHINES, TYPE X:—			
14312		Angle, type, locating	C	„
17493		Bar, measuring	C	„
		Bases:—			
15439		Distance piece	Centre socket	C	„
15437		Distance piece	Side socket	C	„
15438		Insulating, strip socket	C	„
16101		Insulator contact	C	„
15433		Plunger socket, C.P.	C	„
16015		Bearing, clutch body	C	„
15379		Block, buffer	C	„
15304		Block, switch blade	C	„
		Bodies, stud plate:—			
14309		Machining	C	„
14310		Machining	C	„
14308		Moulding	C	„

RESTRICTED

RESTRICTED
105

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
		MACHINES, TYPE X—cont.			
		Brackets:—			
16103		Cam	1 pair, L.H. and R.H	C	pair each
17484		Run-out pivot	C	
14300		Bush	C	"
		Bushes:—			
14314		Hollow drum	C	"
14324		Insert	C	"
14313		Solid drum	C	"
		Cable forms:—			
16104		Fixed head	C	"
16105		Keyboard	C	"
15440		Cam	C	"
		Cams:—			
15328		Double feed	C	"
15429		Card, selector	C	"
13397		Casting	C	"
13398		Casting	C	"
		Castings:—			
13403		Die	} End ring/Mazak	C	"
13404		Die		C	"
13405		Die		C	"
15431		Main bracket, C.P.	C	"
15430		Pressure plate, C.P.	C	"
16106		Cleat, cable	C	"
14320		Clip, spring, tyre locating	C	"
		Collars, spacing:—			
15415		Feed pawl	C	"
16112		Feed pawl	C	"
13343		Cover, stud plate	C	"
		Discs:—			
15424		Angle, tyre locating	C	"
15240		Driving	C	"
14302		Insulating	C	"
14305		Insulating	C	"

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
		MACHINES, TYPE X—cont.			
15426		Drum, tyre	○	each
1201		Figure, key label	○	"
15339		Fork, crown wheel	○	"
		Gauges:—			
17494		Checking	○	"
17593		Feeler	○	"
15250		Guard, dust	○	"
15443		Handle	○	"
		Handles:—			
15444		Knob	○	"
		Heads:—			
16273		Fixed	○	"
14304		Fixing assembly	○	"
14299		Moving assembly	○	"
378		Ink, recording	○	"
15382		Insulator	○	"
15384		Insulator	○	"
655		Keyboard unit	○	"
3065		Key	○	"
16418		Label, document	○	"
		Levers:—			
17595		Control, L.H.	○	"
17594		Control, R.H.	○	"
2116		Trip, operating, C.P.	○	"
2115		Trip, operating, sub, C.P.	○	"
2117		Trip, operating, sub, C.P.	○	"
17445		Lining, Alkathene	○	"
		Links:—			
17513		Connecting	○	"
		Connecting:—			
17592		Counter	○	"
13770		Counter, Type 4	○	"

RESTRICTED

RESTRICTED
107

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
		MACHINES, TYPE X—cont.			
		Mouldings:—			
13402		End disc	C	each
13401		Plunger, body	C	"
		Nuts:—			
14297		Locking, ring	C	"
16091		Special	C	"
16108		Pad, pressure	C	"
		Pawls:—			
1765		Feed, C.P.	C	"
15411		Feed, C.P., No. 6	C	"
15401		Feed, No. 4	C	"
15402		Feed, No. 5	C	"
1101		Feed, shaft bearing	C	"
15400		Locking	C	"
16351		Spindle, feed, C.P.	C	"
16280		Piece, distance	C	"
16281		Pillar, mounting	C	"
		Pins:—			
15441		Guide	C	"
15737		Pivot, platen unit	C	"
15445		Spring, guide	C	"
		Plates:—			
16109		Card stop	C	"
1155		Clamp	C	"
15380		Clamp	C	"
15381		Clamp	C	"
15340		Clamp, eccentric, C.P.	C	"
15432		Contact, C.P.	C	"
16102		Contact, insulating strip	C	"
15446		Distance piece, centre contact	C	"
15447		Distance piece, side contact	C	"
14295		End	Casting	C	"

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10C—cont.

1	2	3	4	5	6
		MACHINES, TYPE X—cont.			
13400		Moulding, stud	C	each
15436		Plunger retaining	C	"
15249		Spring, anchor, C.P.	C	"
14908		Sound assemblies	Fixed head	C	"
13407		Plug, plunger	C	"
13406		Plunger	C	"
15322		Plunger	C	"
15448		Plunger	C	"
		Plungers:—			
14905		Body assembly	Moving head	C	"
13396		Double ended	C	"
15434		Socket, strip, C.P.	C	"
15311		Solenoid	C	"
13516		Spring assembly	Double ended	C	"
14318		Ratchet, locating	7 drum	C	"
1656		Resistance	C	"
		Rims:—			
17520		Control	C	"
		Rings:—			
14301		End	Brass	C	"
16029		Rocker, front, C.P.	C	"
16022		Roller, setter and figure	Solenoid return	C	"
1036		Screw	C	"
		Screws:—			
1076		Grub	C	"
15397		Special	C	"
15330		Shaft, drive	C	"
15329		Shim, locking plate	C	"
		Sleeves:—			
16012		Bearing, cam	C	"
15427		Housing, plunger body	C	"
1341		Socket	Brass. For plug board	C	"

RESTRICTED

RESTRICTED
109

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
		MACHINES, TYPE X—cont			
15383		Spacer		C	each
15442		Spill, soldering		C	"
		Spindles:—			"
15406		Feed pawl		C	"
15323		Intermediate gear		C	"
15387		Spring and contact assembly		C	"
		Springs:—			
17528		Circlip		C	"
15412		Feed pawl		C	"
358		Pressure lever "A"		C	"
16417		Pressure roller lever	Light	C	"
343		Solenoid		C	"
4536		Strap, feed pawl, C.P.		C	"
		Strips:—			
15435		Contact, C.P.		C	"
15449		Stop, pin guide		C	"
		Studs:—			
14306		Contact		C	"
14303		Contact		C	"
14307		Contact, small	Brass	C	"
		Switches:—			
15246		Key		C	"
16014		Main, clamp plate		C	"
14294		Tag, connecting		C	"
385		Thimble, cutter, large		C	"
386		Thimble, cutter, small		C	"
14321		Tyre, 7 drum		C	"
		Washers:—			
15417		Feed pawl, spindle bearing		C	"
366		Friction, "B"		C	"
16030		Hinge		C	"
15398		Special		C	"

RESTRICTED

RESTRICTED
110

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont

1	2	3	4	5	6
		MACHINES, TYPE X—cont.			
		Wheels:—			
15232		Code	Unwired	C	each
		MACHINES, TYPE X, Mark 22:—			
661	Formerly Creed 2204/33 now X.K.5204.N.5.	Motor, Type 15	A	„
645	Creed S.2202	Printer Unit	Although interchangeable with existing stocks of Printer Unit, Ref. No. 654, this Unit must be used on future contracts.	A	„
660	Creed S.2297	Tape wheel unit	A	„
658		Transformer and Rectifier, C.P.	A	„
		MACHINES, TYPE X/CCM, MARK 23:—			
		Accessories:—			
1666		Drum, spindle	C	„
9106	Creed 9350	Oil, spindle, No. 1	Light	C	„
1437	Creed 2203/80	Oil, spindle, No. 2	Medium	C	„
387		Wheel, moistening	C	„
9421643		MAGNETIC CLUTCH	Used on B.I.D./560/1	C	„
		MAGNETS:—			
17714	Creed 2848/42A	Adjustable	Used on Teleprinter, 7B Page, Mark 2	C	„
2012	G.N.T.309/33	Armature	For Undulator, Type 11	C	„
15015	G.P.O. B.2	Electric, C.P.	For Keyboard Perforator, No. 44, Mark 2	B	„
9421374		Permanent	Used on B.I.D. 50	C	„
13496	Creed 1650/124	Polarising	For Magnet Unit (2 per unit), Teleprinter, 7B	C	set
17506	Creed 1550/253	MAIN BASE UNIT	For Auto. Transmitter, G.P.O., No. 1C	A	each
17530	Creed 1550/425	MAIN BASE UNIT	Cast Aluminium on which are assembled the sub- assemblies of the Auto-Transmitter.	A	„

RESTRICTED

RESTRICTED
111

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
17910		MAIN BASE UNIT	Used on F.G.R.I. 5493	A	each
17915		MAIN BASE UNIT	Used on F.G.R.I. 5493	A	„
17918		MAIN BASE UNIT	Used on F.G.R.I. 5493	A	„
18144		MAIN BASE UNIT	Consists of base casting, end of line indicator parts, shifts and gearing and motor circuit components.	A	„
18084		MAIN BASE UNIT	Consisting of base casting, tape roller brackets, motor support plate, and signals circuit.	A	„
18390	Creed 2865/2	MAIN BASE UNIT	Includes Starter Switch Unit and Ribbon Driving Unit.	A	„
18488	Creed 1550/425	MAIN BASE UNIT	Used on Trans. Auto. (Ref. No. 18377)	A	„
18794	Creed S.1836/G.G.R. 2	MAIN BASE UNIT	Used on Teleprinter 8B/R.P. sub. assy.	A	„
15141	Creed 1836/S	MAIN BASE UNIT, C.P.	G.P.O. A.32. For Teleprinter, 7B	A	„
17325	Creed 1824/6	MASK	For Motor Connection Block, Main Base Unit, Teleprinter, 7B.	C	„
18148		MASK, keyboard	Used on Perforator, Keyboard, Creed 7P/N3 (Ref. No. 17455).	C	„
		MECHANISMS:—			
15033	G.P.O. E.108	Counter	For Keyboard Perforator, No. 44, Mark 2	B	„
14980	G.P.O. A.3	Letter counting	For Keyboard Perforator, No. 44, Mark 1	B	„
2383	G.N.T.112/1	Transmitter, C.P.	For Transmitter, Wheatstone	C	„
18345	Creed 2870/307	MICROMETER, C.P.	Used on Printing Perforator, 85R	B	„
		MONITOR:—			
17514		Telegraph distortion, 10-circuit	For monitoring a group of 10 telegraph circuits working at 50 bands with 5 unit code, without interfering with their operation.	A	„

RESTRICTED

RESTRICTED
112

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
18085		MOTOR STARTER UNIT	Consisting of base, clutch and worm drive, trip lever, contact block and blades.	A	each
16501	Creed S.2096A	MOTOR UNIT, 24 volt	For Teleprinter, 7B (W.D.) (Ref. No. YB.03117) ...	A	..
YB. 06814		MOTOR UNIT	24V, D.C. 3,500 r.p.m.	A	..
33	Marconi C/N.I.S/754	MOTOR	230V, A.C. 50 cycles. For Undulator, Type 3 ...	A	..
9421723		MOTOR	230V, A.C. 50 c.p.s., 1,500 r.p.m. Used on B.I.D./560/1.	C	..
9429549		MOTORS:—			
15148	Creed S.1824	A.C.	Used on B.I.D./560/1	A	..
13263		Base unit, C.P.	G.P.O. B.41. Teleprinter, 7B	B	..
		Draw-off	A	..
		Electric:—			
44	Marconi 1/WIS/175	230 volt, A.C.	50 cycles. Complete with gear box. For Undulator, Types 7 and 12.	A	..
15143	Creed 1852/2	D.C. No. 13	G.P.O. A.34. Teleprinter, 7B	A	..
15615	Creed	D.C. No. 13A	For Auto. Transmitter (T.P.), No. 1B, Mark 2 ...	A	..
15608	Creed 198/312	MOTOR, C.P.	For Auto. Transmitter (T.P.), No. 1B, Mark 2 ...	A	..
		MOTORS, C.P.	For Type X Machine		
13012	Creed SKS/R.78	Bearing, armature	C	..
		Discs:—			
16019	Creed 2203/213	Driving	C	..
16017	Creed 2204/97	Piece, packing, "A"	C	..
16018	Creed 2204/98	Piece, packing, "B"	C	..
1716	Creed PS.1074-1	Motor	C	..
4533	Creed 2204/35A	Strip, fixing	Motor	C	..
13410	Creed 2204/72	Wheel, hand	C	..
1272	Creed 2204/108	Worm	Ratio: 4.75 to 1	C	..

RESTRICTED

RESTRICTED
113

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
17610		MOUNTING	Dims.: 19 in. × $8\frac{23}{32}$ in.	B	each
17611		MOUNTING	B	"
17612		MOUNTING	Dims.: 11 in. × $3\frac{3}{8}$ in.	B	"
17574	G.P.O. F.151/21AH	MOUNTING	20 in. × $3\frac{11}{16}$ in. o/a, with accommodation for 3 rows of relays.	C	"
9421554		MOUNTINGS:—			
15651	Creed 1550/328	Anti-vibration	Used on B.I.D.50	C	"
		Bias adjustment	For Auto. Transmitter (T.P.) No. 1B, Mark 2	C	"
		Fuse:—			
13108	S.T. and C. 4204A	Bakelite moulding... ..	For 1 fuse, G.P.O. 31 type. Used on Console, Mark 2	C	"
13173	S.T. and C. 4206A	Bakelite moulding, special	For 1 fuse, G.P.O. 31 type. (Special for Ericssons). Used on Console, Mark 2.	C	"
1673	G.P.O. 4002	G.P.O.	C	"
YB. 02630		No. 1	C	"
18259		Key	Suitable for 10 Keys. O/a dims.: $10\frac{5}{16}$ in. × $\frac{1}{2}$ in.	C	"
		Key:—			
13066	{ S.T. and C. L.P.37891 G.P.O. K.A.F. S.T. and C. L.P.32818 G.P.O. N.J. }	Black	To mount 10 keys, across face $10\cdot312$ in. × 2 in. wide. For Console, Mark 2.	C	"
13086		Lever	1 in. × $2\frac{3}{4}$ in. plate. For Console, Mark 2	C	"
16994	Creed 1816/26	Lower slide	For End of Line Indicator (Tape), Teleprinter, 7B	C	"
17392	Creed 2870/171A	Punch, C.P.	For Perforator Unit of Reperforator, printing	C	"
9424329		MOUNT, RESILIENT RUBBER	Used on B.I.D./50/1		
		MOUTHPIECES:—			
1330	G.E.C. K.7655	G.E.C.	For Telephone, 6 volt	C	"
1916	G.P.O. No. 19	G.P.O.	For Telephone, Observer Post	C	"

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
		MOUTHPIECES—cont.			
3615	Ericsson N.8634	No. 15	Trumper-shaped block. For Switchboards, C.B., Auto.	C	each
YA. 5132		Telephone, hand	C	"
		NUTS:—			
		Adjusting:—			
		Clutch spring	For Reperforator, Morse, Receiving	C	"
15617	Creed P.N.6008	Tape feed spring	For Morse Reperforator (Ref. No. 1946)	C	"
2260	Creed 740/526	Type hammer	For Printer, Morse, Page Model	C	"
3710	Creed 1410/38	Base contact screw	For Transmitter, Morse, Automatic, Type 7	C	"
16502	Creed P.B.1350	Bearing	For Teleprinter, 7B (W.D.), Mark 1	C	"
4364	Creed 1650/323	Capstain	On contact blocks. For Striker Transmitter Head, Teleprinter, 7B.	C	"
16999	Creed 990/24	Domed, 6 B.A., hex.	For Tape Wheel Assembly, Teleprinter, 7B	C	"
17147	Creed 2848/23	Drawbolt	For Electro-magnet Unit, Teleprinter, 7B	C	"
2388	G.N.T.112/12	Eccentric	Stop nut with screw. For Transmitter, Wheatstone, Type 3.	C	"
3772	Creed 740/167	Feed, roller spindle	For Printer, Morse	C	"
1175	Creed P.N.1017-1	Feed, throw-out lever	For Control Lever Unit, Teleprinter, 7B	C	"
		Fixing:—			
1969	G.N.T.309/6	Pressure roller	C	"
1998	G.N.T.309/110	Speed regulator	C	"
3480	Creed 850/75	Friction ring	For Transmitter, Morse, Automatic	C	"
13494	Creed P.N.5045	Hexagon	For Reperforating, Receiver (T.P.), No. 2, Mark 2	C	"
4254	Creed P.N.1509/1	Locking	4 B.A. hex. G.P.O. G.51, Perforator, Keyboard	C	"
		Locking:—			
2010	G.N.T.309/42	Amplitude limiter	For Undulator, Type 11	C	"
13668	Marconi 46/60871/B	Bracket, moving, stop screw	For Undulator, Type 11	C	"
13691	Creed 740/600	Coupling sleeve	For Printer, Morse	C	"
16503	Creed P.N.6014	Knurled, M.S., special	For Teleprinter, 7B (W.D.), Mark 1	C	"
17815		Special	Used on F.G.R.I. 5493	C	"
17816		Special	Used on F.G.R.I. 5493	C	"

RESTRICTED

RESTRICTED
113

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT

SECTION 10C—cont.

1	2	3	4	5	6
		NUTS—cont.			
16718	Creed P.N.6011	M.S.	Cadmium plated, dull. For Teleprinter, 7B... ..	C	each
4199	Creed P.N.5046	M.S.	Mainshaft in end bearing. G.P.O. D.21. Teleprinter, Sub-assembly.	C	"
16719	Creed P.N.7002-1	M.S.	C.P.D. For securing Hammer. Head Spring of Typehammer Unit.	C	"
17718	Creed P.N.1010-15	M.S.	4 B.A. Lock	C	"
4206	Creed P.N.1021-1	M.S.B.A.	G.P.O. D.51. For securing weight arm to weight. For Starter Switch Control Unit, Teleprinter 7B ...	C	"
1177	Creed P.N.1513/1	M.S. 6 B.A.	For Printer, Morse, Tape Model	C	"
3257	G.N.T.2042/40	Mainshaft, hex.	Used on Transmitter, Wheatstone, Type 3	C	"
16334	Creed 2845/36	Pilot cam clutch	For Orientation Device on Printing Reperforator, Creed 85R.	C	"
9013916		Plain, hexagon	Steel, cadmium plated finish. 0.410 in. w. A/F. 0.378 h. o/a.	C	"
3371	Creed 860/181	Returning bar link adjustment	For Perforator, Keyboard	C	"
17177	Creed P.N.5038	Securing:— Bell dome, carriage bell unit	Brass, 4 B.A., hex. in $\frac{7}{8}$ in. dia. hole. For Teleprinter, 7B.	C	"
13438	Creed P.N.5029	Special	For Reperforating Receiver (T.P.) No. 2, Mark 2	C	"
17720	Creed P.N.6220	Special	For securing Field Unit Cover (Ref. No. 17716)	C	"
17722	Creed P.N.5070	Special	Locknut for Link Pivot Screw	C	"
17727		Special	Used on Teleprinter, 7B Page, Mark 2	C	"
17730		Special	Used on Teleprinter, 7B Page, Mark 2	C	"
17923		Special	Used on F.G.R.I. 5493	C	"
3439	Creed P.N.6006	Special:— $\frac{3}{16}$ in. \times 60 T.P.I.	Round with two flats. M.S. For Operating Head, Perforator, Keyboard.	C	"
17935		4 B.A.	Used on F.G.R.I. 5493	C	"
16717	Creed P.N.5035	4 B.A., hex. $\frac{1}{8}$ in. dia. hole	C.P.D. 2 per set. Typchammer Unit	C	"
3438	Creed P.N.6005-1	4 B.A., round, knurled	For Perforator, Keyboard	C	"
17936		6 B.A.	Used on F.G.R.I. 5493	C	"
16721	Creed P.N.5031	Whitworth, $\frac{3}{16}$ in. \times 60 T.P.I.	C.P.D., M.S. For Wormwheel or Starter Switch Control Unit.	C	"

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
15660	Creed 1550/350	NUTS — <i>cont.</i> Spring, adjustable	For Auto. Transmitter (T.P.) No. 1B, Mark 2 ...	C	each
17969		Standard :— ¼ in. B.S.F.	Used on F.G.R.I. 5493	C	„
17137	Creed P.N.1501/1	Standard, M.S., hex. :— 0 B.A.	Eccentric Screw, Cam and Page Attachment Units, Teleprinter, 7B.	C	„
4093	Creed P.N.1517/1	8 B.A.	C	„
2333	Creed P.N.1521/1	10 B.A.	C.P.D. Used on Transmitter, Morse, Automatic ...	C	„
2054	G.N.T.309/22(a)	Tape platform	For horizontal adjustment, eccentric. For Undulator, Type 11.	C	„
16200	Creed P.N.5048/1	Ward clamp	C.P.D. For Answer Back Unit, Teleprinter, 7B ...	C	„
3476	Creed R.L.2820	OILER, self closing	For Reperforator, Morse, Receiving, Type 3 ...	C	„
13420	Creed S.1832B	OPERATING ELECTRO-MAGNET UNIT ...	For Teleprinter, 7B	A	„
2312	Creed S.9908	OPERATING MAGNET UNIT	For Reperforator, Morse Receiving, Type 3 ...	C	„
1376	S.T. and C.M.4231A	OSCILLATOR, ringing, Type 1	Improves telephone ringing facilities at R.D.E. Stations and is required for all Type 1 Stations in	C	„
9014335	Nuthead, D.790/A/1	OSCILLATOR, audio frequency	1,500 c/s, 2½ in. lg × 1⅜ in. × 1⅜ in. approx. o/a dims.	A	each
			macme.	A/L 115	
13577	Creed 720/230	PACKING, motor	For Perforator, Morse	C	„
4242	Creed P.F.1050	PADS :— Felt	G.P.O. G.15. For Receiving Cam Unit, Teleprinter, 7B.	C	„
13606	Creed P.F.1029	Felt	C	„
9421431		Felt, Assembly	Used on B.I.D. 50	C	„
17686	Creed P.F.1078	Felt, lubricating	Used on Teleprinter, 7B Page, Mark 2	C	„

RESTRICTED

117

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
		PADS—cont.			
17479	Creed P.F.1010	Felt, oiling	For Auto. Transmitter, G.P.O., 1B, Mark 2... ..	C	each
9421485		Hammer	Used on B.I.D.50	C	"
15016	G.P. B.12	Leather, armature	For Keyboard, Perforator, No. 44, Mark 2	C	"
16172	Creed 2870/22	Oil	For Printing Reperforator, Creed 85R	C	"
16171	Creed 2870/20	Oil, C.P.	For Printing Reperforator, Creed 85R	C	"
1403	G.N.T.112/53	Oiling	For Transmitter, Wheatstone, Type 3	C	"
296	Creed 1822/30	Space bar, C.P.	State engraving when ordering. For Keyboard Assembly, Teleprinter, 7B.	C	"
		PAGE ATTACHMENT UNIT:—			
17983	Creed Type 2	Friction feed	A	"
15144	Creed S.1813	PAGE PRINTING ATTACHMENT	Friction feed. G.P.O. A.39. For Teleprinter, 7B	A	"
17603		PANEL	Polished mahogany panels with bevelled edges. Dims.: 20½ in. × 26 in. × 7⁄8 in.	B	"
		PANELS:—			
15177	Creed 1830/16C	Abutment	For Teleprinter, 7B	C	"
YB. 06581		Alarm	Used on 5.U.C.O.	A	"
19598		Amplifier	An assembly of electronic components comprising an amplifier for the 50 cycles supply generated by oscillator, and divider panels, 18½ in. × 5½ in. Depth 1 in.	A	"
19593		Audible alarm and signal	An assembled panel. Dims.: 18½ in. lg × 5½ in. × 1 in. deep.	A	"
17622		End	For closing ends of Sections, Switch, P.B.X., G.P.O. S.A.7560.	C	"
17623		End	For closing ends of Keyboards on Sections, Switch, P.B.X., G.P.O. S.A.7560.	C	"
19596		Fitted spares	Fitted spares assembly relevant to Rack assembly 10G/19592. 18½ in. × 8½ in. × 4½ in. Dims.: 1 ft. 8 in. × 5½ in. × 3⁄8 in.	A	"
17608		Fuse	B	"
17555		Line change-over	Line Test and Change-over Panel, G.P.O. A.D.2559	A	"
2192		Paper feed	For Printer, Morse, Tape Model	A	"

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
		PANELS—cont.			
		Patch:—			
17558	G.P.O. A.D.2569	Operations	For Operations Room	A	each
17571	G.P.O. A.D.2753	Power	Consisting of: Voltmeter, Ammeter, and Ancillary Equipment.	A	"
19595		Relay—H.T. Alarm	An assembled panel of 5 relays, and other electronic components. 18 $\frac{7}{8}$ in. \times 3 $\frac{3}{8}$ in. h \times $\frac{3}{4}$ in. deep.	A	"
YB. 06572		Relay, No. 3	Used on 5.U.C.O.	A	"
19599		Relay misc.	An assembly of 11 relays, magnetic, etc. 18 $\frac{3}{4}$ in. \times 3 $\frac{3}{8}$ in. \times 7 $\frac{1}{2}$ in. deep.	A	"
19597		Repeater	An assembly of relays and electronic components, comprising a signal repeater for 1 uni-directional traffic circuit. 10 $\frac{5}{16}$ in. \times 5 $\frac{3}{4}$ in. \times 7 $\frac{1}{2}$ in.	A	"
17573	G.P.O. No. 1	Ringng	Consisting of: Choke, L.F., Capacitor, Mounting for Dynamotor, G.P.O. No. 12 and Ancillary Equipment.	A	"
17090	G.P.O. No. 74A	Telegraph	} These two items are interdependent and should on no account be demanded separately.	A	set
16938	G.P.O. No. 75A	Telegraph			
18926		Telegraph, G.P.O.	Used on Teleprinter Test Equipment	A	each
18075		Test	A	"
4470	G.P.O. No. 2647	Test	A	"
19594		Traffic control	An assembled panel. Dims.: 19 $\frac{3}{8}$ in. lg \times 5 $\frac{3}{16}$ in. \times 6 $\frac{1}{2}$ in. deep.	A	"
9013662	<i>Murphree & 724</i>	PAPER, BRAKE ROD ASSEMBLY	6 $\frac{1}{4}$ in \times 2 $\frac{1}{2}$ in approx. o/a dims	C	"
		PAPER CARRIAGE UNIT:—			
17984		Friction feed	Used on Teleprinter, 7B, Mark 2	A	"
17985		PAPER CHARIOT UNIT	C	"
		PAPERS:—			
10002		Four ply	C	roll

RESTRICTED

119

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10C—cont.

1	2	3	4	5	6
		PAPERS—cont.			
18001		Mufax, recording	Used on A.R.I. 5856. Ordered in standard 8 $\frac{3}{8}$ in. electro-sensitive recording paper, Length 20 ft.	C	each
18002		Mufax, recording	Used on A.R.I. 5856. Ordered in standard 8 $\frac{3}{8}$ in. electro-sensitive recording paper. Length 40 ft.	C	„
2326	Creed A.B.A.T.A.	Printer, 8 in. wide rolls	Max. dia. 5 $\frac{1}{2}$ in. Length 100 yds. (approx.). Weight 5 lb. 5 oz. For Printer, Morse, Page Model.	C	roll
		PAPERS:—			
		Teleprinter:—			
10204		Single-ply	For Radio Vehicles, Types 305A and 305B	C	„
11023		2-ply, white	For Teleprinter, 7B	C	„
10001		3-ply	For Radio Vehicles, Types 305A and 305B	C	„
16924		3-ply, blue	For Teleprinter, 7B	C	„
16546		3-ply, pink	For Teleprinter, 7B	C	„
17456		4-ply, blue	G.P.O. For Teleprinter, 7B, Page Model, Friction Feed.	C	„
16974		4-ply, multi-colour	White, pink, yellow, green. State colour when ordering.	C	„
16547		4-ply, pink	For Teleprinter, 7B	C	„
Y.B. 03489		Undulator	C	each
		PARTS:—			
17605		G.P.O.	Brass. Screwed No. 4 B.A. for Mountings where clear holes are provided. Includes 3 Nuts and 2 Washers. 1 $\frac{1}{2}$ in. lg. For G.P.O. Resistance Coils, Nos. 9, 12, 15.	C	„
17606		G.P.O.	Brass. Screwed No. 4 B.A. for Mountings where clear holes are provided. Includes 3 Nuts and 2 Washers. 3 in. lg. For G.P.O. Resistance Coils, Nos. 9, 12, 15.	C	„
17625		G.P.O.	Brass. Screwed No. 4 B.A. for Mountings where clear holes are provided. Includes 3 Nuts and 2 Washers. 3 $\frac{3}{8}$ in. lg. For G.P.O. Resistance Coils, Nos. 9, 12, 15.	C	„
15604	Creed 860/115F	PAWLS	For Perforator Keyboard, Morse and Teleprinter 7B and Morse Transmitter (T.P.) No. 1, Mark 2.	C	„

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

72115

RESTRICTED

1	2	3	4	5	6
17823		PAWL	Used on F.G.R.I. 5493	C	each
18010		PAWL	Used on Test Equipment, T.9067	C	..
9421362		PAWL	Used on B.I.D. 50	C	..
248	Creed 1830/110	PAWLS	For Teleprinter, 7B and Reperator	C	..
17949		Abutment	Used on F.G.R.I. 5493	C	..
		Abutment:—			
75	Creed 860/94A	C.P.	For Perforator, Keyboard, Morse	C	..
3362	Creed 860/120A	Pivot	For Perforator, Keyboard, Morse, Type 4	C	..
251	Creed 1830/17B. N.13	Shock absorber, C.P.	For Teleprinter, 7B	C	..
16722	Creed 1650/57	Transmitting cam, C.P.	For Teleprinter, 7B	C	..
18281		Backspace	Used on Perforator, Keyboard, Creed 7P/N3 (Ref. No. 17455).	C	..
14966	G.P.O. D.25	Backspace	For Keyboard Perforator, No. 44, Mark 2	C	..
9421469		Drive Assembly	Used on B.I.D.50	C	..
		Driving:—			
14991	G.P.O. E.42	Ratchet wheel	For Keyboard Perforator, Mark 1	C	..
9421494		Feed and Lever Assembly	Used on B.I.D.50	C	..
1784	Creed 1847/27	Feed	For Tape Attachment Unit on Teleprinter, 7B	C	..
17771		Feed	Used on F.G.R.I. 5493	C	..
17772		Feed		C	..
17785		Feed		C	..
15528	Creed 1800/97	Feed		For Reperforating Rccceiver (T.P.), No. 1 B, Mark 2	C
14955	G.P.O. D.6	Feed	For Keyboard Perforator No. 44 Mark 2	C	..
		Feed:—			
2300		C.P.	For Printer, Morse, Page Model	C	..
14181	Creed 1600/23	C.P.	For Perforator, No. 1	C	..
18015	Creed 2084/77	C.P.	Part of Teleprinter, 7B, Mark 2	C	..
18279		C.P.	Used on Perforator, Keyboard, Creed 7P/N3 (Ref. No. 17455).	C	..
18239		C.P.	Used on Perforator, Keyboard, Creed 7P/N3 (Ref. No. 17455).	C	..

121

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
		PAWLS—cont.			
		Feed—cont.			
16958	Creed 1828/11	Change	} For Teleprinter, 7B	C	each
264	Creed 1831/28B	Letter		C	"
16723	Creed 1831/54A	Line		C	"
2298	Creed 740/541	Line space ratchet, C.P.	For Printer, Morse, Page Model	C	"
17786		No. 1	Used on F.G.R.I. 5493	C	"
4540	Creed 2205/88	No. 3 C.P.	C	"
240	G.P.O. G.36	Ribbon	For Teleprinter, 7B	C	"
16181	Creed 2870/105	Tape	For Printing Reperforator	C	"
16205	Creed 2870/99	Front stop	For Printing Reperforator, 85R	C	"
16094	Creed 1831/12A	Guide	Page Attachment Unit, for Teleprinter, 7B	C	"
13725	Creed 1260/112	Guide	For Printer, Morse	C	"
4300	Creed 1843/13	Hammer	G.P.O. K9	C	"
9421428		Ratchet	Used on B.I.D.50	C	"
9421394		Reset	Used on B.I.D.50	C	"
9421395		Reset	Used on B.I.D.50	C	"
14993	G.P.O. E.45	Retaining	For Keyboard Perforator, No. 44, Mark 1	C	"
3729	Creed 1172/47	Retaining ratchet	For Perforator, Keyboard	C	"
265	Creed 1831/23A	Retention	For Teleprinter, 7B	C	"
		Retention:—			
14183	Creed 2084/75	C.P.	Used on Perforator, No. 1	C	"
2299	Creed 1600/342	C.P.	For use on Printer, Morse, Tape Model	C	"
18240		C.P.	Used on Perforator, Keyboard, Creed 7P/N3 (Ref. No. 17455).	C	"
18017		C.P.	Part of Teleprinter, 7B, Mark 2	C	"
18208		C.P., front	Used on Perforator, Keyboard, Creed 7P/N3 (Ref. No. 17455).	C	"
18207		C.P., rear	Used on Perforator, Keyboard, Creed 7P/N3 (Ref. No. 17455).	C	"
466	Creed 860/131B	Tape	For Punching Head Perforator, Keyboard, Morse	C	"
303	Creed 3022B	Spring	For Teleprinter, 7B	C	"
2270	Creed 740/436	Spring ratchet	For Printer, Morse, Tape Model	C	"
18013		Spring ratchet	Part of Teleprinter, 7B, Mark 2	C	"

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
9013589		PAWLS—cont.			
18912		Steel pivoting type	1 3/4 in. x 1 in. x 1/2 in.	C	each
		Tapehead	Used on Reperforator, 85R/M. (Ref. No. 18383) ...	C	"
		PECKER ARM ASSEMBLIES:—			
		No.:—			
9421699		1	} Used on B.I.D. 560/1	C	"
9421700		2		C	"
9421701		3		C	"
9421702		4		C	"
9421703		5		C	"
18924		PECKER	Used on Test Equipment. T.9067	C	"
		PECKERS:—			
15627	Creed 1550/330	C.P.	For Auto. Transmitter (T.P.) No. 1B, Mark 2 ...	C	"
2392	G.N.T. 112/22	Distance boss	For Transmitter, Wheatstone	C	"
3569	Creed 850/7	Spring anchor	For Transmitter, Automatic, Type 3... ..	C	"
3708	Creed 850/49A	Transmitter, Morse, Type 7	C	"
1408	G.N.T.112/29A	Transmitter, Wheatstone, Type 3	C	"
		PEGS:—			
13093	{ S.T. and C. 4061A	} Black... ..	For P.O. "B" gauge jacks (does not engage spring).	C	"
	{ G.P.O. 15 Black			For Console, Mark 2.	
3116	G.P.O.16	Red	Wood dummy peg to replace P.O. No. 316 Plug.	C	"
			For Console, Mark 2.		
113092	{ S.T. and C.4061A	} White	For P.O. "B" gauge jacks (does not engage spring).	C	"
	{ G.P.O.320N			For Console, Mark 2.	
		PERFORATORS:—			
17455	Creed TP/N.3	Keyboard	Teleprinter Perforator, 220V, A.C. supply	A	"
18842	Creed & Co.	Keyboard	Used on 7P/N.3. Mark 2 Equip.	A	"
		Keyboard:—			
2123	Creed Code 9	Model, Type 6	230V, 50 cycles, A.C. Keyboard chart M.C.P. 1001, fitted with visual.	A	"

RESTRICTED

123

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
		PERFORATORS—cont.			
		Keyboard—cont.			
14951	G.P.O.	No. 44	For breakdown see A.P. 2980G, Vol. 3	A	each
2305	Creed S.1775	Sub-unit	With 3-speed gear. For Morse Reperforator	A	"
16118	Creed 2870/1	Unit frame, C.P.	For Printing Reperforator, 85R	B	"
18152		PERFORATOR LINK UNIT	Consists of Trip Lever and Link, and Rack	A	"
18720	Creed S.1976	PERFORATOR LINK UNIT	Used on Perforator Keyboard 7B/N3	A	"
18150	Creed S.2303A	PERFORATOR OPERATING UNIT	Consists of Operating Driving Shaft, Cam, Clutch, and Operating Lever.	A	"
18875	Creed S.2303B	PERFORATOR OPERATING UNIT	Used on Keyboard (Ref. No. 18146)	A	"
		PHONES, loudspeaker:—			
13149		Master unit	A	"
13148		Master unit extension	A	"
YA. 2363		PICKET	Length 2 ft. 6 in.	C	"
		PIECES:—			
17675	Creed 2840/31	Abutment packing	For motor on main Base	C	"
		Backing:—			
16818	Creed 1826/79	Latch spring	For Typehead Clutch, Teleprinter, 7B	C	"
2138	Creed 720/254	Die packing	For Reperforator, Morse Receiving	C	"
13474	Creed 1803/45	Distance	For Reperforating Receiver (T.P.), No. 2, Mark 2	C	"
13626	G.N.T.112/4	Distance	For Transmitter, Wheatstone	C	"
		Distance:—			
4265	Creed 1160/693	Pawl	2 per set. For Cam Unit, Teleprinter, 7B	C	set
17071	Creed 1650/306	Guide lever	For Striker Transmitter Unit, Teleprinter, 7B	C	each
16803	Creed 1830/150	Spacing	Used on Teleprinter, 7B	C	"
		PILLARS:—			
17045	Creed 1910/14A	Cover... ..	For Governor Unit, Teleprinter, 7B	C	"

RESTRICTED

RESTRICTED
124

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
3336	Creed 860.38B	PILLARS—cont. Selector bar spring	For Perforator, Keyboard, Morse, Type 4	C	each
15517	Creed 1800/138A	PINION	For Reperforating Receiver (T.P.), No. 2, Mark 2 ...	C	,
9421421		PINIONS: — Arm Assembly	Used on B.I.D.50	C	,
9421422		Arm Assembly	Used on B.I.D.50	C	,
3224	G.N.T.112/58	Driving	For Transmitter, Wheatstone, Type 3	C	,
15112	Creed 740/124D	Driving, C.P.	For Printer, Morse, Model 1P	C	,
18114		Driving, C.P.	Used on Reperforator, Creed 7TR/3 (Ref. No. 17521)	C	,
17814		Spiral	Used on F.G.R.I. 5493	C	,
246	Creed P.P.8552	PIN	For Teleprinter, 7B	C	,
18118		PIN	Used on Reperforator, Creed 7 TR/3 (Ref. No. 17521)	C	,
18173		PIN	Threaded 4 B.A. $\frac{1}{32}$ in. max. dia. $\times \frac{5}{8}$ in.	C	,
18255		PIN	Threaded $\frac{5}{32}$ in. dia. $\times 1\frac{3}{32}$ in.	C	,
18272		PIN	Threaded $\frac{1}{8}$ in. dia. $\times \frac{3}{4}$ in.	C	,
18273		PIN	Threaded $\frac{1}{8}$ in. dia. $\times \frac{5}{16}$ in.	C	,
18293		PIN	Dims: 0.231 in. max. o/d $\times 1.34$ in.	C	,
18870	Creed P.P.7883	PIN	Used on Perforator Keyboard (Ref. No. 18842) ...	C	,
9421684		PIN	} Used on B.I.D.560/1	C	,
9421685		PIN		C	,
9421697		PIN		C	,

RESTRICTED

125

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
4247	Creed P.P.6597	PINS	G.P.O.32	C	each
17787		Adjusting	Used on F.G.R.I.5493	C	"
13742	Creed 1400/273	Air piston	For Printer, Morse	C	"
13766	Creed P.P.6023	Anchor	For Page Attachment Unit, Teleprinter, 7B	C	"
13422	Creed P.P.6034	Anchor	For Repeating Receiver (T.P.) No. 2, Mark 2	C	"
9421625		Anchor	Used in B.I.D./560/1	C	"
3348	Creed 860/62	Anchor spring, tapered	For Perforator, Keyboard, Morse 4	C	"
2015	G.N.T.309/46	Armature bias spring	For Undulator, Type 11	C	"
3655	Marconi 28W/3804/C	Bearing	For Undulator, Type 7	C	"
		Bearing:—			
17943		Armature	Used on F.G.R.I. 5493	C	"
17799		Armature	C	"
17829		Dctent, lever	C	"
18135		Feed pawl	Used on Reperforator, Creed 7TR/3 (Ref. No. 17521)	C	"
17859		Fork	C	"
17945		Lever, operating	} Used on F.G.R.I. 5493	C	"
17894		Lever, operating		C	"
17866		Lever, operating		C	"
17875		Lever, operating		C	"
17947		Pawl, abutment		C	"
17810		Rocker Arm	} Used on F.G.R.I. 5493	C	"
17892		Roller		C	"
17801		Roller		C	"
17868		Roller		C	"
17860		Roller		C	"
17856		Roller, lever	C	"	
3701	Creed 720/294	Cam	For Perforator, Morse Receiving	C	"
13704	Creed 1600/385	Carriage stop	For Printer, Morse	C	"
18857		Clutch Dogs	Retaining Pin	C	"
16732	Creed 1821/63	Comb resetting lever pivot	For Teleprinter 7B	C	"
17805		Connecting	Used on F.G.R.I. 5493	C	"
17052	Creed P.P.6534	Copper	$\frac{3}{32}$ in. dia. \times $\frac{1}{8}$ in. lg. For Control Lever Unit, Teleprinter 7B.	C	"

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G cont.

1	2	3	4	5	6
		PINS—cont.			
		Cotter:—			
3305	Marconi 20/60871/B	Split	For Undulator, Type 4	C	each
3677	Marconi 20/60871/B	Split	For Undulator, Type 7	C	,
3406	Creed 860/510	Trunnion block guide	For Perforator, Keyboard	C	,
		Double:—			
16730	Creed P.P.9003	Shouldered, No. 20	Pivot for Feed Lever Trunnion, Teleprinter, 7B	C	,
15708		Watertight socket	B	,
		Driving:—			
2259	Creed 740/172A	Feed lever link	For Printer, Morse, Tape Model	C	,
17469	Creed 1550/5	Driving gear	For Auto. Transmitter (T.P.), No. 1B, Mark 2	C	,
		Drum:—			
13764	Creed P.P.9015	Ratchet pawl	For Printer, Morse, Page Model, Type 1.	C	,
		Earth:—			
YA. 1152		Small	C	,
17657	Creed E.C.50003A	Eccentric	Finger lift adjustment, eccentric pin	C	,
17660	Creed E.C.5067	Eccentric	Feed Lever Adjusting Pin	C	,
16733	Creed E.C.1503	Eccentric	For Ratchet Wheel Roller of Page Attachment Unit, on Teleprinter, 7B.	C	,
18280		Eccentric	Dims.: 0.281 in. max. o/d × 0.655 in.	C	,
18188		Eccentric	Dims.: 0.265 in. o/d × 0.44 in. Screwdriver slot	C	,
13455	Creed E.C.5015	Eccentric	For Reperforating Receiver (T.P.), No. 2, Mark 2	C	,
13467	Creed 1803/8	Eccentric	For Reperforating Receiver (T.P.), No. 2, Mark 2	C	,
		Eccentric:—			
4255	Creed E.C.5012A	Adjusting	G.P.O. G 52. For adjusting feed lever of Cam Unit on Teleprinter, 7B.	C	,
4302	Creed E.C.5004	Adjusting	G.P.O. K.17. For adjusting line feed and carriage return dogs of Page Attachment Unit on Teleprinter, 7B.	C	,
16734	Creed E.C.5016	No. 5	For Teleprinter, 7B	C	,
16735	Creed E.C.5028	No. 6	For Teleprinter, 7B	C	,
17029	Creed E.C.5017	Stop feed link lever	For Tape attachment Unit on Teleprinter, 7B	C	,
9424317		Elastic Transax	} Used on B.I.D./50/1	C	,
9424318		Elastic Transax			
9424319		Elastic Transax			

RESTRICTED

127

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT

SECTION 10G—cont.

RESTRICTED

1	2	3	4	5	6
		PINS—cont.			
17075	Creed P.P.8159	Flanged	For Striker Transmitter Unit, Teleprinter, 7B ...	C	each
18048		Flanged	Used on Teleprinter, 7B, Mark 2	C	"
		Flanged:—			
3446	Creed P.P.8566	$\frac{1}{16}$ in. \times $1\frac{9}{16}$ in.	For Perforator, Keyboard, Morse, Type 4	C	"
16727	Creed P.P.8520	$\frac{1}{8}$ in. \times 1 in., No. 16	For Teleprinter, 7B	C	"
17073	Creed P.P.4024	$\frac{3}{32}$ in. \times $\frac{7}{16}$ in. lg	Part of Bases, C.P., for Striker Transmitter Units on Teleprinter, 7B.	C	"
16729	Creed P.P.8582	$\frac{7}{64}$ in. \times $\frac{7}{16}$ in. lg. No. 19	For Teleprinter, 7B	C	"
17072	Creed P.P.8564	$\frac{1}{8}$ in. \times $1\frac{31}{32}$ in. adjust	For Bellerank, trip and arms	C	"
16728	Creed P.P.8543	$\frac{2}{64}$ in. \times $2\frac{23}{32}$ in. lg	For Teleprinter, 7B	C	"
17055	Creed P.P.8543A	$\frac{3}{64}$ in. \times $2\frac{23}{32}$ in. lg	For Control Lever Unit, on Teleprinter, 7B	C	"
		Grooved:—	For Counter Unit, Teleprinter, 7B	C	"
17207	Creed P.P.2101	$\frac{1}{16}$ in. \times $\frac{1}{4}$ in. lg	C	"
17206	Creed P.P.3082	$\frac{3}{32}$ in. \times $\frac{5}{16}$ in. lg	C	"
15636	Creed P.P.8562	Hammer setting	For Traversing Links, Selecting Mechanism on Teleprinter Reperforator	C	"
15537	Creed P.P.8562A	Hammer setting	For Reperforating Receiver (T.P.), No. 2, Mark 2 ...	C	"
16283	Creed 2202/2	Hinge	For Printer Unit (Ref. No. 645)	C	"
		Hinge:—	For Perforator, Keyboard, Morse, Type 4	C	"
3403	Creed 860/437A	C.P.	C	"
3419	Creed 920/23A	C.P.	C	"
3317	Marconi 40/62055/E	Jockey stop	For Undulator, Type 4	C	"
16736	Creed P.P.5018	Keeper, split, $\frac{1}{16}$ in. \times $\frac{5}{16}$ in.	For Teleprinter, 7B	C	"
17932		Lifting	Used on F.G.R.I. 5493	C	"
13765	Creed P.P.7065	Line feed lever	For Printer, Morse, Page Model, Type 1	C	"
		Link:—			
2301	Creed 1600/353	Guide "B"	For Printer, Morse, Page Model	C	"
3342	Creed 860/52A	Trip lever	For Perforator, Keyboard, Morse, Type 4	C	"
13399		Locating, insert	C	"
		Mills:—			
2079	Creed P.P.2043	$\frac{3}{8}$ in. \times $\frac{1}{16}$ in.	C	"
16504	Creed P.P.7657	No. 15	For Teleprinter (W.D.) 7B (Ref. No. YB.03117) ...	C	"

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10C—cont.

1	2	3	4	5	6
		PINS—cont.			
16737	Creed 2023/5	Operating	For Teleprinter, 7B	C	each
515		Parallel	Used on Tape Control Unit (Ref. No. 15667)	C	
3440		Parallel	C	
3443	Creed P.P.6513	Parallel	For Perforator, Keyboard, Morse, Type 4	C	
16158	Creed P.P.6722	Parallel	For Printing Reperforator, 85R	C	
16247	Creed P.P.6529	Parallel	For Printing Reperforator, 85R	C	
16311	Creed P.P.1094	Parallel	$\frac{3}{32}$ in. dia. \times $\frac{5}{16}$ in.	C	
18724	Creed P.P.2044	Parallel	Used Perforator Link Unit (Ref. No. 18720)	C	
18901	Creed P.P.7884	Parallel	Used on Punch Block Unit (Ref. No. 18818)	C	
		Parallel:—			
17407	Creed P.P.1144	$\frac{1}{8}$ in. \times $1\frac{1}{8}$ in.	For Control Unit, on Reperforator, Printing	C	
16260	Creed P.P.1187	0-187 in. \times $\frac{1}{2}$ in. lg	For Printing Reperforator, 85R	C	
16210	Creed P.P.1203	0-187 in. \times $1\frac{1}{2}$ in. lg	For Reperforator, Teleprinter	C	
13580	Creed 720/283	$\frac{1}{16}$ in. \times $\frac{3}{16}$ in. lg	For Teleprinter, 7B	C	
13609	Creed P.P.1036	$\frac{1}{16}$ in. \times $\frac{7}{16}$ in. lg	For Teleprinter, 7B	C	
16259	Creed P.P.6549	$\frac{3}{32}$ in. \times $\frac{3}{16}$ in. lg	For Printing Reperforator, 85R	C	
13611	Creed P.P.1096	$\frac{3}{32}$ in. \times $\frac{7}{16}$ in. lg	For Teleprinter, 7B	C	
3444	Creed P.P.6515	Main frame... ..	For Perforator, Keyboard, Morse, Type 4	C	
3441	Creed P.P.1159	Operating head	For Perforator, Keyboard, Morse, Type 4	C	
703	Creed P.P.6575	Punching head unit	For Reperforator, Morse, Receiving	C	
13708	Creed P.P.1129	Steady	For Feed Rocker on Printer, Morse	C	
17821		Pawl	Used on F.G.R.I. 5493	C	
15515	Creed 1700/275	Pivot	For Reperforating Recciver (T.P.) No. 2	C	
15618	Creed 740/885	Pivot	For Morse Printer, I.P. and I.T. Mark 1	C	
18032		Pivot	Used on Teleprinter, 7B, Mark 2	C	
18212		Pivot	Used on Perforator, Keyboard, Creed 7P/N3. (Ref. No. 17455).	C	
9421553		Pivot	Used on B.I.D.50	C	
		Pivot:—			
3285	Creed 2042/113	High speed	For Transmitter, Wheatstone, Type 3	C	
1122	Creed P.P.1131	Latch	For latch	C	
3286	Creed 2042/114	Lock nut, high speed	For Transmitter, Wheatstone, Type 3	C	
3284	Creed 2042/112	Lock nut, low speed		C	
3283	Creed 2042/111	Low speed		C	

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT

SECTION 10G—cont.

1	2	3	4	5	6
		PINS—cont.			
		Pivot—cont.			
3775	Creed 1240/7	Retaining bar	For Perforator, Keyboard, Morse, Type 4	C	each
3420	Creed 1240/7	Retaining bar	For Perforator, Keyboard, Morse, Type 4	C	..
17499	Creed 1550/422	Shouldered	For Contact Block Assembly on Auto. Transmitter, G.P.O. 1C.	C	..
		Printing head:—			
2258	Creed 740/151B	“A”	For Printer, Morse, Tape Model	C	..
4594	Creed 740/156	C.P.	For Printer, Morse	C	..
		Punch:—			
3748	Creed 860/677	Block pivot	For Perforator, Keyboard, Morse, Type 4	C	..
3747	Creed 860/676	Bracket hinge	For Perforator, Keyboard, Morse, Type 4	C	..
1243	Creed 720/74A	Lever bracket	For Reperforator, Morse	C	..
17178	Creed P.P.8539	Roller	Page Attachment Unit for Teleprinter, 7B	C	..
17808		Roller Arm	Used on F.G.R.I. 5493	C	..
17809		Roller Arm	Used on F.G.R.I. 5493	C	..
16312	Creed P.P.7552	Shouldered	For Orientation Device of Printing, Reperforator, 85R	C	..
15519	Creed P.P.7503	Shouldered	For Reperforating Receiver (T.P.), No. 2, Mark 2	C	..
		Shouldered:—			
16965	Creed P.P.7553	$\frac{1}{8}$ in. \times $\frac{3}{16}$ in. lg	For Hammer Head, Typehammer Unit	C	..
17340	Creed P.P.7557	$\frac{1}{8}$ in. \times $\frac{3}{12}$ in. lg	For Alarm Contact Operating Lever on Main Base Unit, Teleprinter, 7B.	C	..
249	Creed P.P.7547	$\frac{2}{64}$ in. \times $\frac{3}{64}$ in. lg	For Teleprinter, 7B	C	..
3445	Creed P.P.7516	$\frac{5}{32}$ in. \times $\frac{5}{32}$ in. lg	For Spacing Lever Link and Bellcrank on Perforator, Keyboard, Morse, Type 4.	C	..
17000	Creed P.P.7601	$\frac{3}{16}$ in. \times $1\frac{2}{32}$ in. lg	For Platen Spindle on Tape Attachment Unit, Teleprinter, 7B.	C	..
15188	Creed P.P.7609	$\frac{1}{32}$ in. \times $\frac{2}{16}$ in.	For Transmitting Cam Pawl, Teleprinter, 7B	C	..
17320	Creed P.P.7559	$\frac{1}{32}$ in. \times $3\frac{1}{16}$ in.	Supporting Carriage Main Base Unit, for Teleprinter, 7B.	C	..
3746	Creed 860/675	Space top bracket hinge	For Perforator, Keyboard	C	..
		Spacing rack:—			
2169	Creed 740/36	Guide link	For Printer, Morse, Tape Model	C	..
2170	Creed 740/119A	Link	For Printer, Morse, Page and Tape Model	C	..

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
		PINS—cont.			
		Special:—			
16726	Creed P.P.6561	$\frac{5}{64}$ in. \times $\frac{1}{16}$ in.	For Feed Throw-out Lever on Control Lever Unit, Teleprinter, 7B.	C	each
17651	Creed 2945/5	C.P.	For Type Head Support Bracket	C	..
16289	Creed P.P.6546	Orientation... ..	Part of Base Cam Unit (Ref. No. 16288) on Orientation Device of Printing Reperforator, 85R.	C	..
17216	Creed P.P.6598	Parallel	$\frac{1}{8}$ in. \times $1\frac{5}{32}$ in. For Answer Back Unit of Teleprinter, 7B.	C	..
4312	Creed P.G.5012	Split carriage return dog	G.P.O. K.39	C	..
		Spring anchor:—			
17208	Creed P.P.6067	$\frac{1}{16}$ in. \times $\frac{1}{32}$ in.	For Damping Buffer on Counter Unit of Teleprinter, 7B.	C	..
17209	Creed P.P.4025	$\frac{3}{32}$ in. \times $\frac{3}{8}$ in.	For Counter Back Plate on Counter Unit of Teleprinter, 7B.	C	..
3442	Creed P.P.6005	$\frac{1}{8}$ in. \times $\frac{3}{4}$ in.	Spring anchor and stop pin for Pawl Abutment Operating Head of Perforator, Morse.	C	..
3483	Creed P.P.1043	Guide roller	For Transmitter, Morse, Automatic, Type 3 ...	C	..
3333	Creed 860/35	Trip lever, link tension	For Operating Head of Perforator, Keyboard, Morse	C	..
		Standard:—			
		Anchor:—			
17347	Creed P.P.4048	$\frac{1}{8}$ in. \times $\frac{1}{16}$ in. lg	Answer Back Shaft Spring for Main Box Unit of Teleprinter, 7B.	C	..
17074	Creed P.P.4052	$\frac{1}{8}$ in. \times $\frac{1}{16}$ in. lg	For Striker Transmitter Unit Base	C	..
		Grooved:			
17361	Creed P.P.2063	$\frac{1}{16}$ in. \times $\frac{5}{8}$ in.	For Page and Tape Attachment Unit, Teleprinter, 7B	C	..
17086	Creed P.P.2082	$\frac{3}{32}$ in. \times $\frac{3}{16}$ in.	For Keyboard Unit, Teleprinter, 7B	C	..
17205	Creed P.P.3083	$\frac{3}{32}$ in. \times $\frac{3}{8}$ in.	For Counter Unit, Teleprinter, 7B	C	..
		Parallel:—			
17119	Creed P.P.1070	$\frac{5}{64}$ in. \times $\frac{1}{16}$ in.	For Striker Transmitter Head, Teleprinter, 7B ...	C	..
16016	Creed P.P.1097	$\frac{3}{32}$ in. \times $\frac{1}{2}$ in.	For Teleprinter, 7B	C	..
16731	Creed P.P.1098	$\frac{3}{32}$ in. \times $\frac{3}{16}$ in., No. 24	For Cam Unit Feed Lever Trunnion on Teleprinter, 7B.	C	..
16724	Creed P.P.1126	$\frac{1}{8}$ in. \times $\frac{7}{16}$ in.	For steady pin of locking bracket on Keyboard Unit, Teleprinter, 7B.	C	..

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
		PINS—cont.			
		Standard—cont.			
		Parallel—cont.			
17322	Creed P.P.1154	$\frac{5}{32}$ in. \times $\frac{5}{16}$ in.	For Main Base Unit, Teleprinter, 7B	C	each
17323	Creed P.P.1185	$\frac{3}{16}$ in. \times $\frac{3}{8}$ in.	For Main Base Unit, Teleprinter, 7B	C	"
13310		Steel, $\frac{5}{8}$ in.	G.P.O. Lacquered or barrel tinned. For Switchboard, A.D. 1240.	C	oz.
9424311		Straight, headless	Corr. resist. steel. Dim. $\frac{9}{16}$ in. lg o/a. $\frac{1}{16}$ in. dia. ...	C	each
9424312		Straight, headless	Corr. resist. steel. Dim. $\frac{1}{32}$ in. \times $\frac{1}{16}$ in. dia. ...	C	"
2377	Creed 23940A	Taper	For Auto. Transmitter (T.P.) No. 1B, Mark 2 ...	C	"
15510	Creed 23941A	Taper	For Reperforating Receiver (T.P.), No. 2, Mark 2 ...	C	"
17545		Taper	For securing Spur Wheel (100 teeth) to Tape Feed Spindle.	C	"
9420950		Taper	Used on B.I.D./50/1	C	"
9424316	Creed 23932A	Taper, solid	Corr. resist. steel. $1\frac{1}{8}$ in. lg \times $\frac{1}{8}$ in. dia. \times $\frac{1}{4}$ in. taper	C	"
		Taper:—			
1133	Creed 23923A	0-063 in. \times $\frac{3}{8}$ in.	Used on Reperforator, Printing, 85R	C	"
2074	Creed 23926A	0-063 in. \times $\frac{7}{16}$ in.	For Auto. Transmitters (T.P.), No. 1B, Mark 2 ...	C	"
3793	Creed 23942A	0-76 in. \times $1\frac{1}{8}$ in.	} For Printer, Morse, Tape Model	C	"
3791	Creed 23933A	0-121 in. \times $\frac{1}{4}$ in.		C	"
3792	Creed 23941A	0-127 in. \times $1\frac{1}{8}$ in.		C	"
3794	Creed 23943A	0-152 in. \times $1\frac{1}{8}$ in.		C	"
3795	Creed 23945A	0-152 in. \times $1\frac{1}{8}$ in.		C	"
3510	Creed 23926	Collar and coupling speed change		For Transmitter, Morse, Automatic, Type 3 ...	C
2313	Creed 23934	Spur wheel	For Perforator, Morse Receiving—Reperforators Sub Unit.	C	"
18726		Tapered	Used on Perforated Link Unit (Ref. No. 18720) ...	C	"
18931		Tapered	Used on B.I.D.2 (2)	C	"
9424315		Tapered, plain	Corr. resist. steel. $\frac{7}{16}$ in. lg \times $\frac{1}{16}$ in. nom. dia. \times $\frac{1}{4}$ in. taper per ft.	C	"
16386	Creed P.P.5534	Threaded	For Roll Holder, G.P.O., No. 7, and Tape Winder, G.P.O., No. 2.	C	"
16392	Creed P.P.5537	Threaded	} For Roll Holder, G.P.O.	C	"
16396	Creed P.P.5536	Threaded		C	"
16394	Creed P.P.5535	Threaded		C	"

RESTRICTED

RESTRICTED
132

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
		PINS—cont.			
17480	Creed 5512	Threaded	For Auto. Transmitter (T.P.), No. 1B, Mark 2 ...	C	each
1419	G.N.T.112/83	Tommy	For Transmitter, Wheatstone, Type 3 ...	C	„
3383	Creed 860/345A	Trunnion block guide	For Perforator, Keyboard	C	„
YA. 1155		PIPE, earth, No. 3	C	„
		PISTONS, air:—			
17179	Creed 1831/60	Carriage	For Paper Attachment Unit, Teleprinter, 7B ...	C	„
267	Creed 1831/63	Carriage C.P.	For Paper Attachment Unit, Teleprinter, 7B ...	C	„
17191	Creed 1839/6	PIVOT	For Pressure Roller Bearing of Paper Carriage Unit Teleprinter 7B.	C	„
9421344		PIVOT	} Used on B.I.D.50	C	„
9421345		PIVOT		C	„
9421366		PIVOT		C	„
9421384		PIVOT		C	„
9421439		PIVOT		C	„
9421451		PIVOT		C	„
9421473		PIVOT		C	„
9421496		PIVOT		C	„
9421499		PIVOT	C	„	
15523	Creed E.C. 5046	PIVOT	For Reperforating Receiver (T.P.) No. 2, Mark 2 ...	C	„

RESTRICTED

RESTRICTED
133

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
		PIVOTS:—			
2230	Creed 740/151B	Actuating lever carriage	For Printer, Morse, Page and Tape Models	C	each
16388	Creed 2869/22	Block, C.P.	For Roll Holder, G.P.O., No. 7	C	
2020	Creed 309/29	Bottom, C.P.	For Undulator, Type 11	C	
15572	Creed P.P.1040	Contact arm	For Auto. Transmitter (T.P.), No. 1B, Mark 2	C	
9013794	<i>Multiband P 613</i>	Driving arm	Steel $\frac{1}{2}$ in. \times $\frac{3}{4}$ in. approx. o/a dim.	C	
16267	Creed 1550/384	Eccentric	For Kits, conversion for Automatic Transmitter 1B	C	
14956	G.P.O. D.7	Feed	For Keyboard Perforator, No. 44, Mark 2	C	
15544	Creed 1800/98	Front	For Reperforating Receiver (T.P.), No. 2, Mark 2	C	
		Jockey:—			
17441	G.P.O. D.58	Roller	For Keyboard Perforator, No. 44, Mark 1	C	
17443	G.P.O. D.60	Roller	For adjusting paper feed on Perforator, G.P.O., No. 44, Mark 1.	C	
17406	Creed 2870/168	Roller arm	For Perforator Unit on Reperforator, printing	C	
		Lever:—			
2227	Creed 740/53A	Actuating	For Printer, Morse, Page and Tape Models	C	
3359	Creed 860/108C	Cam, bar, returning	For Perforator, Keyboard, Morse, Type 4	C	
13729	Creed 1260/142	Feed pawl	For Page Carrier, Printer, Morse	C	
4588	Creed 740/57	Guide, spacing rack	Re-numbered "P.G. 3038/10G/2181"	C	
16303	Creed E.C.1512	Retention	For Orientation Device of Printing Reperforator, 85R	C	
2228	Creed 740/55A	Selector	For Printer, Morse, Page and Tape Model	C	
2229	Creed 740/56B	Spacing	For Printer, Morse, Page and Tape Model	C	
3361	Creed 860/119B	Spacing, operating head base	For Perforator, Keyboard, Morse, Type 4	C	
13744	Creed 1600/90	Throw-out	For Printer, Morse, Page Model Carriage	C	
17213	Creed 2084/15	Trip	For Counter Unit, Teleprinter, 7B	C	
16270	Creed 1550/380	Plate	For Kit, Conversion, Automatic Transmitter 1B	C	
17403	Creed P.P.8763	Pressure roller	For Perforator Unit or Reperforator, printing	C	
17401	Creed P.P.7799A	Pressure roller plate	For Auto. Transmitter (T.P.), No. 1B, Mark 2 and Reperforator, printing, 85R.	C	
17210	Creed 2084/25	Ratchet wheel	For Counter Unit, Teleprinter, 7B	C	
17211	Creed 2084/20	Retention pawl	For Counter Unit, Teleprinter, 7B	C	
		Returning:—			
3745	Creed P.P.1139	Bar link	For Perforator, Keyboard, Morse	C	
17449	G.P.O. D.63	Rocker plate	Screw pivot, For Keyboard Perforator, No. 44, Mark 1.	C	

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
		PIVOTS—cont:			
14959	G.P.O. D.12	Rod	For Keyboard Perforator, No. 44, Mark 2	C	each
9013730		Roller arm	Steel, $\frac{3}{4}$ in. lg \times $\frac{1}{4}$ in. dia. approx. o/a dims.	C	"
2231	Creed P.P.6526	Space stop	For Printer, Morse, Page and Tape Model	C	"
4281	Creed 1829/9	Spring jockey	G.P.O. B.440. For Ribbon Driving Shaft Unit, Teleprinter, 7B.	C	"
17212	Creed 2084/90	Stop plate	For Counter Unit, Teleprinter, 7B	C	"
16738	Creed 2184/38	Striker	Used on Striker Transmitter Unit	C	"
17466	Creed 1550/98	Striking lever	For Auto. Transmitter (T.P.), No. 1B, Mark 2	C	"
13727	Creed 1260/137A	Trip bellcrank	For Printer, Morse, Page Model Carriage	C	"
13443	Creed 1801/31	Trip lever, C.P.	For Reperforating Receiver (T.P.), No. 2, Mark 2	C	"
13703	Creed 1600/110B	Trunnion block	For Page Printer, Bases, Printer, Morse	C	"
15093	G.P.O. E.109	PLATE ASSEMBLY	Rear. For Keyboard Perforators, No. 44, Mark 2	C	"
18057		PLATEN, C.P.	Used on Teleprinter 7B, Mark 2	C	"
280		PLATEN, C.P.	Used on Paper Carriage Unit (Ref. No. 15179)	B	"
		PLATENS, C.P.:—			
15158	Creed 1839/46	G.P.O. B.M.22	For Carriage Unit, Teleprinter, 7B	B	"
15227	Creed 1908/60	Paper carriage, sprocket feed	G.P.O. B.T.1. For Teleprinter, 7B	A	"
2302	Creed 1600/447	Printer, Morse	Page Model	B	"
13762	Creed P.G 7096	Printer, Morse	Page Model	C	"
16155	Creed 2870/156	Printing Reperforator, 85R	C	"
9421690		PLATE	Used on B.I.D./560/1	C	"
		PLATES:—			
943	Creed 2319/143	Abutment	Used on Printing Reperforator, 85R	C	"
16175	Creed 2870/30	Abutment	For Printing Reperforator, 85R	C	"
16739	Creed 2023/43	Adjusting	For Teleprinter, 7B	C	"
17180	Creed 1831/56A	Adjustment	Page Attachment Unit for Teleprinter, 7B	C	"
16184	Creed 2870/116	Anchor	For Printing Reperforator, 85R	C	"

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
17724	Creed 2848/48B	PLATES—cont. Armature Stop	Used on Teleprinter 7 Page, Mark 10	C	each
17415	Creed 2869/45	Back:— Paper reel	For Tape Roll Holder and Guard on Reperforator, printing.	C	„
17416	Creed 2869/7A	Tape reel	For Tape Roll Holder and Guard on Reperforator, printing.	C	„
18721	Creed 1976/113	Back	Perforator Link Unit (Ref. No. 18720)	C	„
18181		Back, C.P.	With bearings and pins	C	„
13625	G.N.T.112/3A	Back, C.P.	For Transmitter, Wheatstone	C	„
13459	Creed 1808/3	Backing:— Tape guide	For Reperforating Receiver (T.P.), No. 2, Mark 2 ...	C	„
2016	G.N.T.309/1	Base	For Undulator, Type 11	C	„
17319	Creed 1836/111A	Base switch	For Main Base Unit, Teleprinter, 7B	C	„
16741	Creed 2184/45	Bearing	For Teleprinter, 7B	C	„
16740	Creed 1823/2A	Bearing:— Answer back unit	For Teleprinter, 7B	C	„
16742	Creed 1830/80	Block face	For Teleprinter, 7B	C	„
16315	Creed 2845/43	Block, guide adjusting	For Orientation Device of Printing Reperforator, 85R	C	„
207	Creed 1826/17B	Body, front	For Teleprinter, 7B	B	„
16163	Creed 2870/159	Bottom, C.P.	For Printing Reperforator, 85R	C	„
15562	Creed 1550/48	Cam spindle	For Auto. Transmitter (T.P.), No. 1B, Mark 2 ...	C	„
17547	Creed 1550/355	Cam spindle	Used on Head, Transmitter (Ref. No. 15640) ...	C	„
18288		Comb bar	Used on Perforator, Keyboard, Creed 7P/N3 (Ref. No. 17455).	C	„
16539	Creed 1822/28	Comb bar	For Teleprinter, 7B	C	„
16743	Creed 1825/45A	C.P.	For Teleprinter, 7B	C	„
16142	Creed 2870/155	Feed spindle, C.P.	For Printing Reperforator, 85R	C	„
16744	Creed 1980/19	Front, C.P.	For Teleprinter, 7B	C	„
1742	Creed 1822/79	Roller	For Keyboard Assembly	C	„
17318	Creed 1836/18	Switch operating lever	For Main Base Unit, Teleprinter, 7B	C	„
1741	Creed 1822/37	Trip and locking bar:— L.H.	For Teleprinter, 7B	C	„
1740	Creed 1822/36	R.H.	C	„

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10C—cont.

1	2	3	4	5	6	
		PLATES—cont.				
15654	Creed 1550/314	Bias adjustment		For Auto. Transmitter (T.P.) No. 1B, Mark 2 ...	C	each
16745	Creed 1838/79	Buffer	C	..
		Buffer:—				
16506	Creed 1831/156	C.P.	C	..
16505	Creed 1831/166	No. 1	C	..
		Cam:—				
3558	Met. Police 1064/56B	15 band		Engraved "Spacing" one side, "Marking" the other side. For Automatic Keying Device, 1A.	B	..
3559	Met. Police 1064/56B	17 band		Engraved "Spacing" one side, "Marking" the other side. For Automatic Keying Device, 1A.	B	..
16746	Creed 1830/44A	Lever	}		C	..
16086	Creed 1836/6	Carriage latch, C.P.		For Teleprinter, 7B	C	..
17182	Creed 1831/69	Catch, carriage bell	C	..
16384	Creed 2869/20	Clamp	C	..
17708	Creed 2852/36	Clamp		Type stop, clamp plate	C	..
18884	Creed 225/17	Clamp		Used on Perforator Ops. Link (Ref. No. 18875) ...	C	..
		Clamp:—				
18235		C.P.		Used on Perforator, Keyboard, Creed 7P/N3 (Ref. No. 17455).	C	..
3591		Contact spring	C	..
14191	Creed 2084/124	Counter unit		For Teleprinter, 7B	C	..
17201	Creed 1908/19	Paper carriage		Sprocket feed. For Teleprinter, 7B	C	..
17317	Creed 1829/8	Ribbon driving shaft		For Teleprinter, 7B	C	..
17738	Creed 2848/55	Clamping		Used on Teleprinter, 7B Page, Mark 2	C	..
		Clamping:—				
17473	Creed 1550/193	Contact spring		For Auto. Transmitter (T.P.), No. 1B, Mark 2 ...	C	..
17324	Creed 1824/10	Governor contact block		For Teleprinter, 7B, Main Base Unit	C	..
17046	Creed 1910/18	Governor spring		For Teleprinter, 7B, Governor Unit	C	..
17642	Creed 1910/96	Governor spring	C	..
16296	Creed 2845/20	Orientation device		For Printing Reperforator, 85R	C	..
4406	Creed 2184/11	Striker lever		G.P.O. B.U.79. For Teleprinter, 7B, Striker Transmitting Head.	C	..
16078	Creed 1830/56	Spring	C	..

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
		PLATES—cont.			
		Clamping—cont.			
17214	Creed 1835/38	Switch	For Teleprinter, 7B, Counter Unit	C	each
3718	Creed 720/4	Clutch:— C.P.	For Perforating Unit of Reperforator, Morse, Receiving.	C	..
16747	Creed 1856/4	Pressure	For Answer Back Unit, Teleprinter, 7B	C	..
4291	Creed 1410/30	Coil retaining	G.P.O. J.28. Teleprinter, 7B, Electro-magnet Winding.	C	..
		Comb:—			
18285		Bar rack	Used on Perforator, Keyboard, Creed 7P/N3 (Ref. No. 17455).	C	..
3401	Creed 860/428	Bar stop	For Main Frame, Keyboard Perforator, Morse	C	..
16748	Creed 1300/8	Setting finger, front	For Teleprinter, 7B	C	..
		Cover:—			
17537		Base casting	C	..
16271		C.P.	For Kit, Conversion, Automatic Transmitter, 1B	C	..
17509		L.H.	Used on Keyboard Perforator (Ref. No. 14951)	C	..
17508		R.H.	Used on Keyboard Perforator (Ref. No. 14951)	C	..
15008	G.P.O. A.12	Cover, rear	With paper drum. For Keyboard Perforator, No 44, Mark 2.	B	..
18868	Creed 2255/10	Cover Trip Rod	Used on Combination Bar (Ref. No. 18860)	C	..
17478	Creed 1550/300	Detent adjustment	For Auto. Transmitter (T.P.), No. 1B, Mark 2	C	..
16131	Creed 2870/62A	Die	For Printing Reperforator, 85R	C	..
4326	Creed 1831/108A	Distance	G.P.O. B.K.141	C	..
14975	G.P.O. D.47	Distance	For Keyboard Perforator, No. 44, Mark 2	C	..
9013663	<i>Myrhead P 710</i>	Driving	Steel. $1\frac{1}{4}$ in. \times $\frac{3}{4}$ in. \times $\frac{7}{16}$ in. approx. o/a dims.	C	..
17780		End	Used on F.G.R.I. 5493	C	pair
		End:—			
18056		L.H.	Used on Teleprinter, 7B, Mark 2	C	each
4331	Creed 1839/20	L.H.	G.P.O. M.11	C	..
16507	Creed 1908/12	L.H., C.P.	For Teleprinter, 7B	C	..
18055		R.H.	Used on Teleprinter, 7B, Mark 2	C	..
18072		R.H.	C	..

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT

SECTION 10G—cont.

1	2	3	4	5	6
		PLATES—cont.			
		End—cont.			
4332	Creed 1839/21	R.H.	G.P.O. M.12	C	each
16508	Creed 1908/10	R.H., C.P.	For Teleprinter, 7B	C	"
1935	W.14602	Escutcheon	G.P.O. No. 2. Hard brass sheet 0.048 in. thick, 1.500 in. dia., with centre drilling $\frac{3}{8}$ in. dia., 3 fixing holes. For Relay Unit, Type 65.	C	"
		Face, bar returning:—	For Perforator, Keyboard, Morse, Type 4.		
3330	Creed 860/24C	Long	C	"
3404	Creed 860/506	Short	C	"
		Feed:—			
16749	Creed 1830/59	Lever	For Cam Unit, Teleprinter, 7B	C	"
17326	Creed 1824/9A	Fixing	For Main Base Unit, Teleprinter, 7B	C	"
13478	Creed 1803/25	Friction	For Reperforating Receiver (T.P.), No. 2, Mark 2	C	"
14192	Creed 2084/125	Friction	For Perforator, No. 1 Canvas	C	"
2135	Creed 720/204	Friction clutch	For Reperforator, Morse Receiving	C	"
18214	Creed 2303/3	Front, C.P.	Used on Perforator, Keyboard, Creed 7P/N3 (Ref. No. 17455).	C	"
18209		Front, C.P.	Used on Perforator, Keyboard, Creed 7P/N3 (Ref. No. 17455).	C	"
18876	Creed 2887/7A	Front, C.P.	Used on Perforator Ops Unit (Ref. No. 18875)	C	"
		Front, C.P.:—			
15222	Creed 1821/7	Striker transmitter unit	G.P.O. P.23. For Teleprinter, 7B	C	"
13624	G.N.T.112/2A	Transmitter	Wheatstone, Type 3	C	"
2017	G.N.T.309, 3	Undulator, Type II	B	"
17047	Creed 1910/17A	Governor spring	For Governor unit, Teleprinter, 7B	C	"
18911	Creed 2870/146A	Guard	Used on Perforator Sub. Assembly (Ref. No. 18389).	C	"
		Guard:—			
17038	Creed 1825/44	Shroud	For Starter Switch, Control Unit, Teleprinter, 7B	C	"
14962	G.P.O. D.16	Guide	For Keyboard Perforator, No. 44, Mark 2	C	"
18927	Creed 1550/28B	Guide	Used on B.I.D. 31/2 (2)	C	"
		Guide:—			
15556	Creed 143/1550 29A	Pecker, C.P.	For Auto. Transmitter (T.P.) No. 1B, Mark 2	C	"

RESTRICTED

RESTRICTED
139

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10C—cont.

1	2	3	4	5	6
		PLATES—cont.			
		Guide—cont.			
16324	Creed 2845/44	Retaining	For Orientation Link of Printing Reperforator, 85R.	C	each
2168	Creed 740/34	Spacing rack	For Printer, Morse, Page and Tape Model	C	"
17389	Creed 2868/34	Upper	For Control Unit on Reperforator, printing	C	"
4412	Creed 2184/22	Jockey frame adjusting screw	G.P.O. B.U.108	C	"
16750	Creed 1838/45	Jumper steady	For Control Lever Unit, Teleprinter, 7B	C	"
16159	Creed 2870/114	Keep	} For Printing Reperforator, 85R	C	"
16182	Creed 2870/106	Keep ...		C	"
16203	Creed 2870/103	Keep ...		C	"
		Keep:—			
17019	Creed B.O.1603	Bell switch bank	Also on Carriage Return Indicator Switch For Teleprinter, 7B.	C	"
16950	Creed 1910/6	Contact arm	For Governor Unit, Teleprinter, 7B	C	"
14189	Creed 2084/24	Counter unit	For Teleprinter, 7B	C	"
16751	Creed 1830/115	Traversing lever	For Cam Unit, Teleprinter, 7B	C	"
16231	Creed 1838/39	Typehead support bracket	For Reperforator, 85R and Teleprinter, 7B, Control Lever Unit.	C	"
16752	Creed 1832/71B	Keyboard, front, C.P.	For Keyboard Assembly, Teleprinter, 7B	C	"
9013865		Latch	Steel. $\frac{1}{2}$ in. \times $\frac{3}{8}$ in. \times 0.094 in. o/a dia.	C	"
9421707		Lever Pawl Assembly	Used on B.I.D./560/1	C	"
18233		Locking	Dims.: .75 in. \times .35 in. \times .115 in.	C	"
16082	Creed 1825/5	Mainshaft coupling	For Teleprinter, 7B	C	"
9421402		Message Holder	Used on B.I.D. 50	C	"
		Motor:—			
3488	Creed 850/94	Base	For Transmitter, Morse, Automatic, Type 3	C	"
16370	Creed 2885/35	Driving gear	For Tape Winder, G.P.O. No. 2 on Printing Reperforator, 85R.	C	"
16084	Creed 1841/32	Support	For Teleprinter, 7B, Sub-assembly	C	"
17315	Creed 1824/5	Support	For Teleprinter, 7B, Main Base Unit	C	"
		Mounting:—			
17102	Creed 2084/164	C.P. lamp unit	For End of Line Indicator, Teleprinter, 7B	C	"
16354	Creed 2885/3	Motor	For Tape Winder, G.P.O. No. 2, on Printing Reperforator, 85R.	C	"

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10C—cont.

1	2	3	4	5	6
		PLATES—cont.			
		Mounting—cont.			
1876	G.P.O. Type P.5	Switch	5 key mountings	C	each
1691	Creed 2204/50	Name	Figures and Letters. Used on Type X machine ...	C	"
1692	Creed 2204/51	Name	Figures and Letters. Used on Type X machine ...	C	"
16347	Creed 2866/14	Operating, C.P.	For Printing Reperforator, 85R	C	"
16339	Creed 2845/126	Operating, C.P.	For Orientation Device of Printing Reperforator, 85R	C	"
17421	Creed 2869/48	Packing	For Tape Roll Holder and Guard on Reperforator, printing.	C	"
		Packing:—	For Tape Roll Holder and Guard on printing ...		
17430	Creed 2869/46	$\frac{1}{8}$ in. thk	C	"
17431	Creed 2869/57	$\frac{1}{2}$ in. thk	C	"
17432	Creed 2869/58	$\frac{3}{8}$ in. thk	C	"
3639	Marconi WSK.7548C	Paper guide contact...	For Undulator, Type 7	C	"
17491	Creed 1550/448	Pivot, C.P.	For Kit, conversion, Auto. Transmitter, No. 1B, Mark 2.	C	"
17402	Creed 2870/241	Roller	For Perforator Unit of Reperforator, printing ...	C	"
17388	Creed 2870/240	Roller assembly	For Perforator Unit of Reperforator, printing ...	C	"
16509	Creed 1908/14B	Teleprinter, C.P.	For Sprocket Feed Paper Carriage Unit of Teleprinter, 7B.	C	"
9421617		Pressure	Used on B.I.D./560/1	C	"
1937	Ericsson N.14597	Protection	2.5 in. x 1.5 in. x 0.064 in. Partially cured ebonite sheet with 4 fixing holes 0.106 in. For Relay Unit, Type 65.	C	"
		Punch:—			
15122	Creed 1808/6	Holder	For Reporting Receiver, G.P.O. No. 2	C	"
518	Creed 860/73	Retaining	For Perforator, Keyboard	C	"
517	Creed 860/177	Withdrawing	For Perforator, Keyboard	C	"
17776		Quadrant	Used on F.G.R.I. 5493	C	pair
		Quadrant:—			
18071		R.H.	C	each
18077		Residual	C	"
13463	Creed 1808/5	Retaining	For Reperforating Receiver (T.P.), No. 2, Mark 2 ...	C	"

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10C—cont.

1	2	3	4	5	6
		PLATES—cont.			
		Retaining:—			
		Ball bearing:—	For Transmitter, Wheatstone, Type 3.		
3287	G.N.T. 2042/118	Inner	C	each
3265	G.N.T. 2042/51	Outer	Output end	C	"
16318	Creed 2845/31	Bottom	For Orientation Adjusting Block (Ref. No. 16314).	C	"
3702	Creed 720/293	Cam pivot	For Perforator, Morse Receiving	C	"
17396	Creed 2870/236	Chad layer spring	For Perforator Unit on Reperforator, printing	C	"
17183	Creed 1831/94	Feed link	For Bellcrank, line feed on Teleprinter, 7B	C	"
4287	Creed 1832/30A	G.P.O. B.J.17	C	"
15023	G.P.O. C.7	Key, ring	For Keyboard Perforator, No. 44, Mark 2	C	"
3262	G.N.T. 2042/47A	Mainshaft, ball bearing	For Speed Regulator, Transmitter, Wheatstone	C	"
16302	Creed 2845/76	Orientation device	For Printing Reperforator, 85R	C	"
17192	Creed 1839/37	Paper carriage unit	For Teleprinter, 7B	C	"
16156	Creed 2870/111	Printing, Reperforator, 85R	C	"
15564	Creed 1550/37B	Tape	For Auto. Transmitter (T.P.) No. 1B, Mark 2	B	"
16317	Creed 2845/40	Top	For Orientation Adjusting Block (Ref. No. 16314)	C	"
17583	Creed 2936/8A	Type	C	"
17692	Creed 2936/8A	Type	Used on Teleprinter, 7B, Page, Mark 2	C	"
2247	Creed 740/84B	Type	For Printer, Morse, Page and Tape Models	C	"
16755	Creed 1827/10A	Type, C.P.	For Typehead Unit, Teleprinter, 7B	C	"
3637	Marconi 6 AWSK/7548/C	Undulator, Type 7	C	"
17145	Creed 1832/17	Safety	For Operating Electro-magnet Unit, Teleprinter, 7B	C	"
		Selector:—			
3337	Creed 860/39B	Bar guide	For Perforator, Keyboard, Morse	C	"
13681	Creed 740/338	Face, C.P.	For Printer, Morse	C	"
2226	Creed 740/24A	Guide	For Printer, Morse, Page and Tape Models	C	"
16328	Creed 2845/61	Shaft trip support, C.P.	For Orientation Device of Printing Reperforator, 85R	C	"
9421616		Slotted	Used on B.I.D./560/1	C	"
3506	Creed P.L.1202	Speed control	For Transmitter, Morse, Automatic, Type 3	C	"
17694	Creed 2936/11	Spring anchor	For type retaining plate	C	"
16754	Creed 1827/14	Spring anchor, C.P.	For Typehead Unit, Teleprinter 7B	C	"
17193	Creed 1839/12A	Spring, retaining	For Paper Carriage Unit, Teleprinter 7B	C	"
18858	Creed 2254/40	Spring, retaining	Used on Perforator Ops. Unit (Ref. No. 18875)	C	"

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
		PLATES—cont.			
17690	Creed 2936/17A	Stop	Used on Teleprinter, 7B Page, Mark 2	C	each
18289		Stop	Dims. 1-156 in. × 0-321 in. × 0-047 in.	C	..
9421319		Stop	Used on B.I.D.50	C	..
		Stop:—			
4405	Creed 2184/10	B.U.78	G.P.O. For Striker Transmitting Head, Teleprinter, 7B.	C	..
17397	Creed 2870/238	Chad layer	For Reperforator, printing	C	..
16981	Creed 1847/50A	Feed, throw-out	For Tape attachment Unit, Teleprinter, 7B...	C	..
3638	Marconi WSK.7548/C	Platen	For Undulator, Type 7	C	..
14187	Creed 2084/74	Ratchet wheel	For Perforator, No. 1	C	..
17678	Creed 1836/1884	Starter switch	Starter Switch Weight Stop Plate	C	..
		Tape:—			
15121	Creed 1803/2	Cover	} For Reperforating Receiver (T.P.), No. 2, Mark 2 ...	C	..
13456	Creed 1803/12	Cover spring		C	..
13457	Creed 1808/2	Guide		C	..
559	Creed 860/93	Guide		C	..
2023	G.N.T.309/17A	Platform guide	For Undulator, Type 11	C	..
2336	Creed 850/93	Puller	Standard 0-475 in. tape. For Transmitter, Morse, Automatic.	C	..
17475	Creed 1550/226	Retaining, sub, C.P.	For Auto. Transmitter, No. 1B, Mark 2	B	..
16166	Creed 2870/160	Top, C.P.	For Printing Reperforator, 85R	C	..
16234	Creed 2868,27	Trip	For Printing Reperforator, 85R	C	..
9013698		Tear-off	S ₂ Steel. 10 in. × 0-048 in. approx. o/a dims.	C	..
17435	Creed 1801/41	Throwout	For Reperforating Receiver, No. 2, Mark 2	C	..
9013590		Thrust	1 in. dia. × $\frac{3}{16}$ in. thk	C	..
17665	Creed 1830/195	Top lever, C.P.	C	..
16756	Creed 1831/61	Valve	For Piston, Air, Page Attachment Unit, Teleprinter, 7B.	C	..
16757	Creed 1971/28	Ward clamping	For Answer Back Unit, Teleprinter, 7B	C	..
		PLATE AND SPRING:—			
3416	Creed 860/671	Tape wheel, C.P.	For Perforator, Keyboard, Morse	C	..

RESTRICTED

RESTRICTED
143

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10C—cont.

1	2	3	4	5	6
9013657		PLATFORM, paper	S/Steel. 10 in. × 11 in. × 0.4 in. approx. o/a dims.	C	each
9013658		PLATFORM, paper	S/Steel. 10 in. × 18 in. × 0.064 in. approx. o/a dims.	C	„
		PLATFORMS, tape:—			
		Eccentric:—	For Undulator, Type 2.		
1997	G.N.T.309/21	Horizontal adjustment, C.P.	C	„
1996	G.N.T.309/18A	Vertical adjustment, C.P.	C	„
2019	G.N.T.309/16	Undulator	For Undulator, Type 11	C	„
411		PLIERS	Teletypewriter, 7B. Page functions feed	C	„
		PLUGS:—			
15705	}	2-pin, single	With 100 ft. of flexible cable, watertight	B	„
13057		3-way	G.P.O. "B" gauge, with red cover. For Console, Mark 2.	C	„
3518	G.N.T.112/103A	4-pin, C.P.	For line. For Transmitters, Wheatstone, Type 3	C	„
17382	G.P.O. N.T.3	6-pin, flat	For Auto. Transmitter, No. 1B, Mark 2	C	„
17312	Creed 7676	6-pole	G.P.O. Inst. N.P.3. For Main Base Units, Teletypewriter, 7B.	C	„
		Connecting:—			
13660	G.N.T.112/67	Line	For Undulator, Type 11	C	„
13659	G.N.T.112/66	Marking	For Transmitter, Wheatstone	C	„
13658	G.N.T.112/65	Spacing	For Spacing Battery, transmitter contact	C	„
13077		Dummy	Used on Desk Unit, Type 7 (Reference 10AB/1399)	C	„
		Dummy, wood			
13051	S.T.4003B	For 0.416 in. hole	Black. G.P.O. No. 3	C	„
13075	S.T.4004A	For 0.515 in. hole	Black. G.P.O. No. 3	C	„
13076	S.T.4004C	For 0.515 in. hole	Red. G.P.O. No. 3	C	„
13081	S.T.4005A	For 0.617 in. hole	Black. G.P.O. No. 4	C	„
18052		Felt	Used on Teletypewriter, 7B, Mark 2	C	„
9421513		Felt	Used on B.I.D.50	C	„

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10C—cont.

1	2	3	4	5	6
		PLUGS—cont.			
		Felt:—			
3511	Creed P.F.1048	Oil	For Transmitter, Morse, Automatic, Type 3 ...	C	each
16758	Creed P.F.1052	Oil hole, feed lever	For Page Attachment Unit, Teleprinter, 7B ...	C	"
17048	Creed 1910/47	Insulating base	For Governor Unit, Teleprinter, 7B ...	C	"
17536		Shock absorber	Used on Transmitter, Automatic (Ref. No. 17354) ...	C	"
4188	G.P.O. B.61	Socket outlet, No. 8	For Governor Unit, Teleprinter, 7B ...	C	"
15020	G.P.O. B.29	Socket outlet, No. 8	For Keyboard Perforator No. 44, Mark 2 ...	C	"
9421378		PLUNGER	Used on B.I.D.50	C	"
		PLUNGERS:—			
YB. 03256		Ball catch	C	"
9421518		Brass	Used on B.I.D.50	C	"
16075	Creed 1830/95	Comb finger, C.P.	For Cam Unit, Teleprinter, 7B ...	C	"
15039	G.P.O. C.38	Counter release, C.P.	For Keyboard Perforator, No. 44, Mark 1 ...	C	"
13517		Drum	C	"
		Engraved:—			
9421386		1	Used on B.I.D.50	C	"
9421387		2		C	"
9421388		3		C	"
9421389		4		C	"
9421390		5		C	"
9421391		6		C	"
9421392		7		C	"
9421393		8		C	"
15082	G.P.O. F.125	Operating space bar	For Keyboard Perforator, No. 44, Mark 2 ...	C	"
YB. 03260		Platen winder	C	"
14298	{ S.K.955 P.T.11 or 35 }	Socket	Brass D.N.P. 0-156 in. dia. × 0-653 in. ...	C	"
9013692		Solenoid	Steel 0-9 in. lg × 0-15 in. dia. approx. o/a dims. ...	C	"
		POINTERS:—			
14988	G.P.O. E.38	Indicators, C.P.	For Keyboard Perforator, No. 44, Mark 1 ...	C	"

RESTRICTED

RESTRICTED

145

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—*cont.*

1	2	3	4	5	6
17748		POINTERS—<i>cont.</i> Typehead	C	each
18078		POLE-PIECE	0-12 in. thick, copper plated	C	"
YB. 08392		POST, Anchor Spring	Used on 5.U.C.O.	A	"
2005	G.N.T.309/87	POTS:— Ink, C.P.	For Undulator, Type 11	C	"
16759	Creed 1830/107	Oil, C.P.	For Cam and Page Attachment Unit, Teleprinter, 7B	C	"
9013727		PRESSURE ROLLER	11 in. × $\frac{5}{8}$ in. dia. approx. o/a dims....	C	"
—		PRINTER UNIT	Ref. No. 645. For Machine, Type X...	—	—
15336	Creed 2201/112	Adjustments, eccentric feed	C	each
1835	Creed 2201/109	PRINTERS UNITS:— Back, tape guide	C	"
15317	Creed 2201/5	Bearing	For spindle drive	C	"
15314	Creed 2201/2	Bearing	For centre spindle drive	C	"
15315	Creed 2201/3	Bearing	For reduction pinion spindle layshaft	C	"
15316	Creed 2201/4	Bearing	For rocker and bobbin spindle	C	"
1837	Creed 2201/45	Bobbin and change rod, C.P.	C	"
124	Creed 2201/127	Cover, ribbon, C.P.	C	"
15326	Creed 2201/56	Crown wheel and cam, C.P.	C	"
4511	Creed 2201/78	Frame, main, platen, C.P.	B	"
1834	Creed 2201/39	Gears, spur:— Inter ribbon feed	C	"
15320	Creed 2201/10	Platen drive	C	"
14330	Creed 2201/159	Latch, C.P.	C	"
1833	Creed 2201/46	Layshaft, C.P.	C	"
1829	Creed 2201/107	Levers:— Feed check	C	"
1823	Creed 2201/105	Retention, C.P.	C	"
348	Creed 2201/110	Spring, retention	C	"

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10C—cont.

1	2	3	4	5	6
		PRINTER UNITS—cont.			
		Levers—cont.			
14328	Creed 2201/61	Pillars, support	C	each
14327	Creed 2201/757	Pillar, support, C.P.	C	"
13009	Creed 2201/36	Pinion, ribbon feed	C	"
		Pins:—			
1826	Creed PP.8576	Roller, retention	C	"
1761	Creed 2201	Platen unit	A	"
		Spares:—			
1770	Creed 2201/100	Base, Printer Unit	A	"
13013	Creed 2201/93	Adjustment, bracket operation	C	"
1154	Creed 2201/65	Arm, rocker, C.P.	Back	C	"
15321	Creed 2201/12	Bearing, front, C.P.	C	"
1778	Creed 2201/97	Bracket, bearing, L.H.	C	"
1780	Creed 2201/96	Bracket, bearing, R.H.	C	"
1790	Creed 2201/91	Bush, bearing	C	"
4513	Creed 2201/113	Bush, eccentric	C	"
1773	Creed 2201/44	Casting, printing unit base	B	"
15333	Creed 2201/83	Collar, pivot pressure bracket	C	"
1774	Creed 2201/77	Fork and shaft, C.P.	C	"
15332	Creed 2201/76	Fork, crown wheel, R.H., C.P.	C	"
		Levers:—			
4514	Creed 2201/118	C.P.	For shift control	C	"
1781	Creed 2201/82	Feed, C.P.	C	"
15335	Creed 2201/98	Platen, shift	C	"
		Pins:—			
13248	Creed PP.2002	Mills, $\frac{1}{16}$ in. \times $\frac{5}{16}$ in.	C	"
668	Creed PP.2005	Mills, $\frac{1}{16}$ in. \times $\frac{1}{2}$ in.	C	"
17486	Creed 2201/79	Stop	C	"
		Screws:—			
1772	Creed 2201/34	Adjustment	C	"
1771	Creed PS. 1707-1	Adjustment, lock	C	"
1763		Pivot	C	"

RESTRICTED

RESTRICTED

147

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G- -cont.

1	2	3	4	5	6
		PRINTER UNITS—cont.			
		Platen Unit—cont.			
		Base, Printer Unit—cont.			
		Spares—cont.			
		Shafts:—			
15331	Creed 2201/73	Ribbon, change	C	each
4510	Creed 2201/68	Rocker, arm, rear	C	"
1838	Creed 2201/117	Rocker, front, C.P.	With Roller, retention, shift control lever	C	"
1775	Creed 2201/92	Shift and feed	C	"
		Springs:—			
15334	Creed 2201/87	Backing	C	"
341	Creed 2201/86	Jockey	C	"
347	Creed 2201/120	Tension	C	"
4512	Creed 2201/104	Platen, sub, C.P.	C	"
		Brackets:—			
15337	Creed 2201/128	Pressure	C	"
13039	Creed 2201/133	Pressure, C.P.	C	"
13041	Creed 2201/132	Collar, pivot	For pressure bracket	C	"
		Gears, intermediate:—			
1836	Creed 2201/33	C.P.	C	"
15319	Creed 2201/9	Spur	C	"
1830	Creed 2201/26	Guide, paper, front	C	"
325	Creed 2201/32	Platen and gear, C.P.	C	"
		Platen:—			
1265	Creed 2201/31	C.P.	C	"
15338	Creed 2201/130	Roller, pressure	C	"
		Screws:—			
1078	Creed PS.2445-1	8 B.A. × $\frac{3}{16}$ in. ch./head	M.S.	C	"
15318	Creed 2201/8	Wheel, spur	For platen	C	"
		Plates, clamp:—			
1839	Creed 2201/111	Eccentric	C	"

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
15325	Creed 2201/53	PRINTER UNITS—cont. Plate , feed pawl and link, C.P.	C	each
14332	Creed 2201/61	Plates, locking:— Latch	C	"
15619	Creed PS.2526-1	Screws:— 8 B.A. × ½ in.	For fixing clamp plate	C	"
333	Creed 2201/72	Shaft, drive , C.P.	For Ribbon and Platen	C	"
14331	Creed 2201/162A	Shim , 0-010 in. thick	For locking plate	C	"
14949	Creed 2201/63	Shim , 0-005 ins., thin	For locking plate	C	"
14329	Creed 2201/158	Spring, compression	C	"
1840	Creed 2200	Typehead unit	A	"
14333	Creed 2200/39A	Casting, solenoid	New type	B	"
2151	Creed P.N.5034	Locknut, ⅜ in., B.S.F.	For clutch spring	C	"
1267	Creed 2200/5	Solenoids, C.P.:— Bearing "B", lever pin	C	"
1842	Creed 2200/13	Bracket, pivot, Type Bar	C	"
4508	Creed 2200/48	Bracket, solenoid cover	C	"
1848	Creed 2200/46	Buffer, Type, C.P.	C	"
1318	Creed 2200/45	Lining, Type buffer	Lengite	C	"
1906	Creed 2200/42A	Support, Type buffer	New type	C	"
15312	Creed 2200/31	Coil, solenoid, C.P.	B	"
653	Creed 2200/41	Cover, Printing head	B	"
15313	Creed 2200/32	Lever, solenoid, C.P.	B	"
		Links "A" C.P., Type Bar:— Type Bar, C.P.:—	Short.		
2097	Creed 2200/35	"A"	C	"
2099	Creed 2200/35	"D"	C	"

RESTRICTED

RESTRICTED
149

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

RESTRICTED

1	2	3	4	5	6
		PRINTER UNITS—cont.			
		Typehead unit—cont.			
		Solenoids, C.P.—cont.			
2089	Creed 2200/35	"E"	C	each
2101	Creed 2200/35	"G"	C	"
2103	Creed 2200/35	"J"	C	"
2105	Creed 2200/35	"L"	C	"
2111	Creed 2200/35	"N"	C	"
2095	Creed 2200/35	"O"	C	"
2087	Creed 2200/35	"Q"	C	"
2091	Creed 2200/35	"T"	C	"
2093	Creed 2200/35	"U"	C	"
2109	Creed 2200/35	"V"	C	"
2107	Creed 2200/35	"X"	C	"
		Links, "B", C.P., Type Bar:—	Long		
		Type Bar, C.P.:—			
2110	Creed 2200/35	"B"	C	"
2108	Creed 2200/35	"C"	C	"
2100	Creed 2200/35	"F"	C	"
2102	Creed 2200/35	"H"	C	"
2094	Creed 2200/35	"I"	C	"
2104	Creed 2200/35	"K"	C	"
2112	Creed 2200/35	"M"	C	"
2096	Creed 2200/35	"P"	C	"
2090	Creed 2200/35	"R"	C	"
2098	Creed 2200/35	"S"	C	"
2088	Creed 2200/35	"W"	C	"
2092	Creed 2200/35	"Y"	C	"
2106	Creed 2200/35	"Z"	C	"
1845	Creed 2200/10	Link, pivot, Type bar	...	C	"
1847	Creed 2200/58	Link, sub. "B", C.P., Type bar	Long		"
1843	Creed 2200/8	Pin, pivot, Type bar	...	C	"
15310	Creed 2200/6	Roller	C	"

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10C—cont.

1	2	3	4	5	6
		PRINTER UNITS—cont.			
		Typehead unit—cont.			
		Solenoids, C.P.—cont.			
17488	Creed PS.1986-1	Screw, 5 B.A. × $\frac{3}{4}$ in. csk./hd.	C	each
		Washers:—			
1179	PW.1009-1	4 B.A., flat	C	„
406	Creed 2200/38	Pivot	C	„
16031	Creed 2202/3	Washer, fibre	C	„
15324	Creed 2201/40	Wheel, ratchet and cam, paper feed	C	„
15327	Creed 2201/57	Wheel, ratchet and cam, paper feed, C.P.	C	„
		PRINTER, MORSE:—			
1944		Tape Model. Type 1	220 volts D.C.	A	„
		PROTECTOR AND FUSE:—			
1926	Ericsson N.6544	G.P.O. No. 12/2, Mark 1	For line protection on Switchboard, G.P.O., A.D.1240	C	„
		PROTECTORS:—			
9013664	<i>Muirhead P. 792</i>	Electric cable	Steel. $3\frac{1}{8}$ in. lg	C	„
		Electrode:—			
1929	Ericsson N.8880	G.P.O. No. 1B	Breakdown voltage D.C. 900 volt (max.), 600 volt (min). Speaking gap comprising spaced metal electrodes in moulded body of insulating material. For Switchboard, G.P.O. A.D.1240.	C	„
9331111		Telephone	4 in. lg × $1\frac{1}{2}$ in. w × $1\frac{7}{8}$ in. deep	C	„
YB. 02182		Type G.	C	„
3412	Creed 860/590	PULLEY, motor	$1\frac{3}{16}$ in. dia. For Perforator, Morse, Type 4 ...	C	„
18168		PUNCH BLOCK HEAD, C.P.	Used on Perforator, Keyboard, Creed 7P/N3 (Ref. No. 17455).	C	„
18153		PUNCH BLOCK UNIT	Consists of Punch Block Head, Cam Mechanism, Shaft, Punch Block Fulcrum and Retention Pawl.	A	„

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
18819		PUNCH BLOCK	Used on Teleprinter, 8B/P.R. (Ref. No. 18398) ...	B	each
18081		PUNCHES	C	set
		PUNCHES:—			
16161	Creed 2870/157	"B" set of	For Printing Reperforator, 85R	C	"
13417	Creed S.1808	Block unit	For Reperforating Receiver (T.P.) No. 2, Mark 2 ...	A	each
14972	G.P.O. D.41	Feed hole	For Keyboard Perforator, No. 44, Mark 2	C	set
13481	Creed 1803/55	Feed hole	For Punch Block Unit, Teleprinter, 7B	C	"
		Guide plate:—			
16130	Creed 2870/63	Front	For Printing Reperforator, 85R	C	each
16129	Creed 2870/61	Rear	C	"
467	Creed 860/138A	Message hole	20 per set. For Perforator, Keyboard, Morse ...	C	set
16160	Creed 2870/115A	Side support	For Printing Reperforator, 85R	C	"
14971	G.P.O. D.40	Signal	For Keyboard Perforator, No. 44, Mark 2	C	"
13605	Creed P.B.1133	Sleeve	2 per set. For Punching Head Unit, Reperforator, Morse.	C	"
13298	Creed 860/667	PUNCHES AND DIES	Comprises Punches (Ref. Nos. 467 and 468) and 3 dies. For Perforator, Keyboard, Morse.	B	"
9401997		QUENCHER, SPARK	Used on B.I.D./560/1	C	each
YB. 08866		RACK ASSEMBLY	Synchronous regenerative repeater	C	"
		RACKS:—			
17587		Apparatus	Used on Radio Vehicle, Type 579	A	set
17601		Apparatus	Vertical. 10 ft. 6 in. high × 2 ft. 0½ in. wide × 4½ in. deep, overall.	A	"
17549	G.P.O. A.D.5208B	Apparatus	C/w one end bar per installation	B	"
16122	Creed 2870/145	Arm setting	For Printing Reperforator, 85R	C	each
16760	Creed 1400/32	Bellcrank	For Combination Head, Teleprinter, 7B	C	"
		Bellcrank:—			
16761	Creed 1826/8	C.P.	For Combination Head, Teleprinter, 7B	C	"

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G--cont.

1	2	3	4	5	6
		RACKS--cont.			
		Bellcrank--cont.			
16211	Creed 2870/126	Setting	For Printing Reperforator, 85R	C	each
15201	Creed 1826/9	Bellcrank and lever shift, C.P.	G.P.O. E.28. For Combination Head, Teleprinter, 7B	C	"
18082		Cam Lever	C	"
		Comb:--			
18284		Bar	Used on Ref. No. 17455	C	"
18872	Creed 2255/31A	Bar (Centre)	Used on Combination Bar Unit (Ref. No. 18860) ...	C	"
2197	Creed 740/348B	C.P.	For Printer, Morse, Tape Model	C	"
16762	Creed 1650/13	L.H.	For Keyboard Assembly, Teleprinter 7B	C	"
16763	Creed 1650/12A	R.H.	For Keyboard Assembly, Teleprinter 7B	C	"
4232	Creed 1838/32	Control Lever, C.P.	G.P.O. F.32. For Control Lever Unit, Teleprinter 7B	C	"
18266		C.P.	Used on Perforator, Keyboard, Creed 7P/N3 (Ref. No. 17455).	C	"
18268		C.P.		C	"
18269	Creed 1947/137	C.P.	Consisting of Power Panel. G.P.O. A.D.2573 (Ref. No. 17571), Panel Ringing G.P.O. No. 1 (Ref. No. 17573), and Ancillary Equipment.	C	"
17572	G.P.O. A.D.2573	Framework		A	"
1737	Creed 1822/40	Keybar	C	"
3340	Creed 860/46A	Keybar	For Perforator, Keyboard, Morse, Type 4	C	"
		Keybar:--	For Teleprinter, 7B		
16766	Creed 1822/116	C.P.	C	"
16765	Creed 1822/11A	Bottom	C	"
16768	Creed 1838/13	Shift lever	C	"
16764	Creed 1882/10B	Top rear	C	"
16010	O.M.C. Co. LON. 6589/3685G.G.	Message	For Tape Relay Officer. Used on Teleprinter, 7B	C	"
16167	Creed 2870/14	Pillar	For Printing Reperforator, Creed 85R	C	"
13740	Creed 1400/239	Platen	For Page Printer Carriage, Printer, Morse	C	"
17194	Creed 1839/22	Platen	Paper Carriage, Friction Feed, Teleprinter, 7B ...	C	"
16174	Creed 2870/24	Punch bar	For Printing Reperforator, Creed 85R	C	"
3334	Creed 860/36A	Selector bar	For Perforator, Keyboard, Morse, Type 4	C	"

RESTRICTED

153

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
		RACKS—cont.			
		Selector:—	Used on Printer, Morse, Tape Model.		
.2232	Creed 740/342	C.P.	Marking side	C	each
2233	Creed 740/343	C.P.	Spacing side	C	"
16767	Creed 1822/9A	Shift Lever	C	"
519	Creed 860/433B	Space stop, C.P.	B	"
2171	Creed 740/30A	Spacing	For Printer, Morse, Tape Model	C	"
16121	Creed 2870/96	Tape pawl	For Printing Reperforator, Creed 85R	C	"
15169	Creed 1827/5A	Type	For Teleprinter 7B	C	"
	G.P.O. E.52				
2234	Creed 740/798	RACK AND LINK, spacing, C.P.	For Printer, Morse, Tape Model	C	"
		RACK AND SPINDLE:—			
17682	Creed 2936/20	Typehead, C.P.	Used on Teleprinter 7B, Page, Mark 2	B	"
15042	G.P.O. A.39	RADIO SUPPRESSION UNIT	For Keyboard Perforator, No. 44, Mark 2	B	"
		RAILS:—			
15085	G.P.O. B.81	Guard	For Keyboard Perforator, No. 44, Mark 2	B	"
17367	Creed 1844/11	Track	Page Attachment Unit (sprocket feed), Teleprinter, 7B.	C	"
469	Creed 860/153F	RAKE, feed	For Perforator, Keyboard, Morse	C	"
9013667	Murphree P883	RAMP RECORDER	Perspex. 10 in. × 0.6 in. × 0.3 in. approx. o/a dims.	C	"
9421333		RATCHET WHEEL	Used on B.I.D. 50	C	"
9421491		RATCHET WHEEL	Used on B.I.D. 50	C	"
		RATCHETS:—			
15509	Creed 1160/790	C.P.	For Reperforating Receiver (T.P.) No. 2, Mark 2	C	"
18222	Creed 1856/227/A	Clutch	Used on Perforator, Keyboard, Creed 7P/N3 (Ref. No. 17455).	C	"

RESTRICTED

2111

RESTRICTED
154

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
		RATCHETS—cont.			
18854	Creed 1856/227/13	Clutch	40 Teeth	C	each
4425	Creed 1847/22	Driving	G.P.O. L.35. For Tape Attachment Unit, Teleprinter, 7B.	C	"
4608	Creed 1172/45A	Feed lever, C.P.	For Perforator, Keyboard, Morse	C	"
15175	Creed 1830/14C	Gear cam shaft	For Teleprinter, 7B	C	"
	G.P.O. G.101				
2303	Creed 1700/360	Line space	Used on Printer, Morse, Page Model	C	"
4323		Platen	Used on Page Attachment Unit (Ref. No. 15156)	C	"
17960		R.H. and L.H.	Used on F.G.R.I. 5493	C	pair
	9012538	Muirhead. D.900.DS	RECEIVER FACSIMILE		A
			9 3/4 in. w. positive reproduction. Op. power requirement, a.c. 115, 125, 200, 220 and 240, 50v to 60 c/s. Single phase 11 1/2 in. x 12 1/2 in. x 15 1/2 in.		A/L.
			250V. A.C. Single phase. 11 in. x 19 in. x 21 in. First used on Facsimile set (Ref. No. 9322355).		
		RECEIVERS:—			
157		Headgear	C	"
15684	G.P.O. No. 2, Mark 2	Reperforator, teleprinter	A	"
2352	G.P.O.	RECORDER, message calculator	A	"
1665	G.P.O. 43A	RECTIFIER	Input 100, 200-250V, 50 cycles, output 100-215V. Replaces G.P.O. 22C on Teleprinter, 7B.	A	"
13179		RECTIFIER	Used on Radio Vehicle, Type 304C	A	"
		RECTIFIERS:—			
16342		Cut-out	C	"
		Element, G.P.O.:—			
13314	G.E.C. K.S.7612	No. 1/2A	For Oscillator Unit T.19	C	"
13140		No. 1/6A	Metal rectifier, one group of six plates, 3/4 in. dia. Rating current 50 m/A. Root Mean Square. For Console, Mark 3.	C	"

RESTRICTED

ESTRICTE

A/L

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
		RECTIFIERS:—			
		Element, G.P.O.—cont.			
1934	Ericsson W.20276	No. 1/6A (Tropical)	Rating current 50 m/A. reverse voltage. 8 per group...	C	each
13122		No. 2/2A	Metal rectifier. 2 groups of 2 plates, $\frac{3}{4}$ in. dia. Rating current 50 m/A. Root Mean Square. 8 per group. For Console, Mark 2.	C	"
1922	Ericsson N.20592T	No. 2/2A (Tropical)	Rating current 50 m/A reverse voltage. 8 per group. Westinghouse metal rectifiers.	C	"
158		Metal, No. 22A.	Input 80-140V, single phase, 40/60 cycles. Output 110V, 0.75A.	A	"
15690		No. 47D	Used on Telephone Equipment for S.51, Nos. 804 and 805.	A	"
		REEDS:—	Used on Transmitter, Wheatstone, Type 3.		
3218	G.N.T.112/49	Actuating lever	C	"
3220	G.N.T.112/51A	C.P.	C	"
3219	G.N.T.112/50	Lever spring...	C	"
		REELS, tape:—			
16372	Creed 2885/42	Back plate, C.P.	Used on Tape Winder, G.P.O. No. 2	C	"
3380	Creed 860/321	Guard, C.P.	Used on Perforator, Kcyboard, Morse, Type 4	C	"
15739		Roll holder, G.P.O. No. 7	Used on Tape Winder, G.P.O. No. 2	C	"
		REGULATORS:—			
2027	G.N.T.2044/1	Speed, C.P.	Used on Undulator, Type 11	A	"
3242	G.N.T.2042/1A	Speed, C.P.	Used on Transmitter, Wheatstone, Type 3	C	"
13644	G.N.T.2042/101	Speed frame	Used on Transmitter, Wheatstone, Type 3	C	"
13127		RELAY, magnetic	A	"
		RELAYS, magnetic:—			
		G.P.O.:—			
13205	S.T. and C. 4604 A.F.Q.	3035... ..	Used on Console, Type 3	A	"

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6	
		RELAYS, Magnetic—cont.				
		G.P.O.—cont				
13129	S.T. and C. 4604 A.F.Q.	3035A	...	50V type. Operating current 7m/A	C	each
13128	S.T. and C. 4602 A.C.M.	3115A	...	50V type. Operating current 5m/A	C	"
13272	Cossor K.S.91238	3162...	...	50V type. Operating current 7.5m/A., coil resistance 2,000 ohms, 2 make contacts.	C	"
13137	S.T. and C. 4603 A.C.M.	3165...	...	50V type. Operating current 5m/A	C	"
13138	S.T. and C. 4603 A.K.J.	3167...	...	50V type. Operating current 5.5m/A...	C	"
13206	S.T. and C. 4602 A.G.K.	3169B	...	Used on Console, Type 3	C	"
13135	S.T. and C. 4602 B.A.K.	3511B	...	50V type. Operating current 16m/A	C	"
13132	S.T. and C. 4601 A.A.G.	3525/7	...	50V type. Operating current 65m/A, 4 watts, 1 make contact.	C	"
13204	S.T. and C. 4601 A.B.W.	3595B	...	Used on Console, Type 3	C	"
13126	S.T. and C. 4606 A.F.B.	3636B	...	50V type. Operating current 10m/A. Used on Console, Mark 2.	C	"
13136	S.T. and C. 4601 A.C.K.	3846B	...	50V type. Operating current 4.2m/A...	C	"
13131	S.T. and C. 4602 A.D.K.	4109B	...	50V type. Operating current 4.6m/A. Resistance 2,000 ohms, 2 make contacts. Used on Console, Mark 2.	C	"
13141	S.T. and C. 4601 B.B.D.	4436C	...	50V type. Operating current 22m/A. Coil resistance 50-50 ohms. Make contact.	C	"
13139	S.T. and C. 4602 A.S.D.	4794B	...	50V type. Operating current 6m/A	C	"
13174	S.T. and C. 4603 A B V	5239B, Type 384	...	50V type. Operating current 18, 10, 24m/A. per winding resistances 500, 2,000, 500 ohms. 3 make contacts.	C	"
13143	S.T. and C. 4603 A.E.	5695...	...	50V type. Operating current 10-13m/A. Coil resistance 1,000-1,000 ohms.	C	"
13125	S.T. and C. 4606 A.K.B.	5752A	...	50V type. Operating current 11m/A. Coil resistance 100 ohms.	C	"
13124	S.T. and C. 4606 A.K.G.	6441...	...	50V type. Operating current 65m/A. Coil resistance 2,000 ohms.	C	"
13134	S.T. and C. 4602 P.E.C.	6923	...	50V type. Operating current 30m/A. Coil resistance 200-200-1,000 ohms. 2 c/o contacts.	C	"

RESTRICTED

157

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10C—cont.

1	2	3	4	5	6
		RELAYS, Magnetic—cont.			
		G.P.O.—cont.			
13133	S.T. and C. 4604 A.Y.N.	6924... ..	50V type. Operating current 34–34m/A. Used on Console, Mark 2.	C	each
13130	S.T. and C. 4603 P.P.	6928A	50V type. Used on Console, Mark 2	C	„
9421371		RELAY	Used on B.I.D. 50	C	„
16304	Creed 2845/9	RELEASE, lever bracket, C.P.	Used on Orientation Device of Printing Reperforator, 85R.	C	„
18389	Creed S.2865 G.P. 3.	REPERFORATOR SUB-ASSEMBLY	Used on Printing Reperforator T85R.	A	„
17521	Creed 7TR/3	REPERFORATOR, Non-printing	A	„
		Spares:—			
18090		Arm, roller, L.H.	C	„
18089		Arm, roller, R.H.	C	„
18107		Block, connecting	C	„
18106		Block, Governor contact	C	„
18093		Collar, set	C	„
18097		Lever, jockey	C	„
18095		Pin, parallel	C	„
18087		Roller	C	„
18103		Roller	C	„
18091		Roller, tape guide	C	„
18098		Shim	C	„
18096		Spindle	C	„
		Spindles:—			
18088		Roller	C	„
18092		Tape, feed, wheel	C	„
18094		Wheel, tape, feed	C	„
15399	Creed 85R.	REPERFORATOR, No. 85R.	Receiving only. No Keyboard, consisting of (Ref. No. 18389). Reperforator hub assy. and Keyboard Dummy front.	A	„

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10C—cont.

1	2	3	4	5	6
1946		REPERFORATOR, MORSE, TYPE 3 ...	Wheatstone T.220. V.D.C. fitted with 3-speed gear ratio on 3.23 worm and wormwheel.	C	each
18383	Creed 85R.M.	REPERFORATOR, printing ...	85 R/M receiving only, without keyboard with facilities for adding a Keyboard as a separate unit.	A	,,
18388	Creed 85/M.	REPERFORATOR, printing ...	3 rows of motorised keyboard...	A	,,
ZA. 3399		RESISTANCE, No. 3	C	,,
		RESISTORS, Coil:— P.O. No. :—			
19501		9	Ceramic bobbin, 1 in. × 1 in. dia. 2 soldering tags, wirebound. Used on Panels. Tel. Reference 10D/21811. Main Equipment: Rack Assy. V.F. Tel. Type 13102.	C	,,
19502		9. Mk. 2	10 ohms ± 2½% 10W. Ceramic bobbin, 1 in. × 1 in. diam.	C	,,
19503		9. Mk. 2	12 ohms ± 2½% 10W. B.P.O., resistors coil. T9. Ceramic bobbin 1 in. × 1 in. dia.	C	,,
19504		9. Mk. 2	36 ohms ± 2½% 10W. Ceramic bobbin, 1 in. × 1 in. dia.	C	,,
19505		12. Mk. 2	36 ohms ± 2½% 2W, non-inductive, wire-wound. Moulded bobbin, 0.950 in. dia × 0.620 in. Soldered tag.	C	,,
19506		12. Mk. 2	750 ohms ± 2½% 2W, non-inductive, wire-wound. Moulded bobbin, 0.950 in. dia.	C	,,
4190	Creed 1602/4	RESISTOR, 1,000 ohms, governor ...	G.P.O. B.63	C	,,
		RETAINERS:—			
17668	Creed 1826/124	Oilwick	For Bellcrank Pivoting Ring	C	,,

RESTRICTED

159

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
		RETAINERS—cont.			
17669	Creed 1826/128	Oilwick	For Bellcrank Bearing	C	each
16383	Creed 2869/19	Tape	Used in Roll Holder, G.P.O. No. 7	C	"
9013738		Window	Steel. 10 in. × $\frac{3}{4}$ in. × $\frac{3}{16}$ in. approx. o/a dims. ...	C	"
9421714		RETAINING ARM ROLLER ASSEMBLY...	Used on B.I.D./560/1	C	"
9421358		RETENTION LEVER ASSEMBLY ...	Used on B.I.D.50	C	"
9421359		RETENTION LEVER ASSEMBLY ...	Used on B.I.D. 50	C	"
9421467		RETENTION LEVER ASSEMBLY ...	Used on B.I.D. 50	C	"
9421466		RETENTION WHEEL AND CAM ASSEMBLY.	Used on B.I.D. 50	C	"
15199	Creed S.1829/B	RIBBON DRIVING SHAFT UNIT	G.P.O. B.B. 68. For Teleprinter, 7B	B	"
		RIBBONS:—			
10609	Creed 1841/20	Ink, black	Used on Teleprinter, 7B	C	"
3624		Teleprinter	Purple, copy, Hectograph heavily inked	C	"
17526		RIM, CONTROL (Engraved)	With alphabet on periphery	C	"
17527		RIM, CONTROL (Plain)	C	"
437		RINGDRIVER, No. 3	For Teleprinter maintenance Tool Sets	C	"
3530	G.P.O. AD. 666	RINGING UNIT	For Wing Operation Room Equipment, Class "A" ...	A	"
19507		RINGING UNIT	Syncycle Unit. 50 c/s. 16 in. lg × $3\frac{1}{2}$ in. wide × 5 in. deep.	A	"
		RINGING UNITS:—			
16423		Type 3	B	"

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
		RINGING UNITS—cont.			
17982		Type 7048	17 c/s Ringing Current Generator. Output (approx.) 75 volts, 2 watts.	A	each
		RINGS:—			
17689	Creed 2936/4	Clamp	Used on Teleprinter, 7B Page, Mark 2	C	"
9421340		Clamping	Used on B.I.D. 50	C	"
9421540		Clamping	Used on B.I.D. 50	C	"
		Retaining Steel:—			
9424321		No. 95	} Used on B.I.D./50/1	C	"
9424322		No. 147			
9424320		No. 187			
		Distance:—			
2194	Creed 740/101	Comb	Used on Printer, Morse, Tape Model	C	"
13676	Creed 740/102	Comb, "B"	Used on Printer, Morse, Tape Model	C	"
16648	Creed 1400/30	Long	For Combination Head, Teleprinter, 7B	C	"
16649	Creed 1826/107	Medium	For Combination Head, Teleprinter, 7B	C	"
14058	Creed 720/303	Driving clutch	For Morse Reperforator	C	"
13102	S.T. and C. L.P. 37215	Jumper	G.P.O. 9. 2½ in. diameter, rubber covered open iron ring.	C	"
17105	Creed 2084/160	Lampholder supporting	For Keyboard Assembly on Teleprinter, 7B	C	"
17154	Creed 1826/19	Locating	For Combination Head Unit on Teleprinter, 7B	C	"
470	Creed 23955A	Locking	For Perforator, Keyboard, Morse. $\frac{3}{32}$ in. i/d,	C	"
475	Creed 23960	Locking	For Perforator, Keyboard, Morse	C	"
476	Creed 23961	Locking	For Perforator, Keyboard, Morse	C	"
		Locking:—			
328	Creed 23957A	$\frac{5}{32}$ in. i/d	For Counter Lever, Teleprinter, 7B	C	"
473	Creed 23958A	$\frac{1}{16}$ in. i/d	For Perforator, Keyboard, Morse	C	"
474	Creed 23959A	$\frac{1}{4}$ in. i/d	For Printer, Morse, Tape Model	C	"
17103	Creed 3170/99	Mounting	Used on Keyboard Assembly of Teleprinter 7B	C	"
		Rocker:—			
17929		Pivoting	Used on F.G.R.I. 5493	C	"
		Split:—			
477	Creed 23910	$\frac{3}{32}$ in. dia. bore	Used on Transmitter, Morse, Automatic, Types 4, 5, 6 and 7.	C	"

RESTRICTED

RESTRICTED
161

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10C—cont.

1	2	3	4	5	6
		RINGS—cont.			
		Split—cont.			
482	Creed 23915	$\frac{3}{8}$ in. i/d	Used on Printer, Morse, Tape Model	C	each
481	Creed 23914	$\frac{3}{16}$ in. i/d	Used on Perforator, Keyboard	C	"
16972	Creed 1837/A9	Spring Anchor	Used on Teleprinter, 7B	C	"
17687	Creed 2936/10	Support	Used on Teleprinter, 7B, Page, Mark 2	C	"
17104	Creed 2084/161	Support cover	Used on Keyboard Assembly, Teleprinter, 7B	C	"
		Washer:—			
3489	Creed P.W.5066	$\frac{1}{4}$ in. dia.	Used on Perforator, Keyboard	C	"
3490	Creed P.W.5159	$\frac{1}{8}$ in. dia.	Used on Transmitter, Morse, Automatic, Type 3	C	"
3491	Creed P.W.5144	$2\frac{1}{2}$ in. dia.	Used on Transmitter, Morse, Automatic, Type 3	C	"
15533	Creed P.R.5019	RIVET	For Reperforating Receiver (T.P.), No. 2, Mark 2	C	"
13465	Creed P.R. 5018	RIVET	For Reperforating Receiver (T.P.), No. 2, Mark 2	C	"
13710	Creed P.R.2072	RIVET, snap head	For securing Typehammer Shackle and Spring, For Printer, Morse.	C	"
		ROCKERS:—			
15527	Creed 1800/75	Feed, C.P.	For Reperforating Receiver (T.P.), No. 2, Mark 2	C	"
17930		Spring set, operating	Used on F.G.R.I. 5493	C	"
17931		Spring set, operating	Used on F.G.R.I. 5493	C	"
		Transfer No.:—	Used on Printing Reperforator, Creed 85R.		
16239	Creed 2868/7	1	C	"
16240	Creed 2868/9	2	C	"
16241	Creed 2868/11	3	C	"
16242	Creed 2868/13	4	C	"
16243	Creed 2868/15	5	C	"
9421695		ROD	Used on B.I.D./560/1	C	"
		RODS:—			
16773	Creed 1825/31	Adjusting	For Teleprinter, 7B	C	"

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—*cont.*

1	2	3	4	5	6
		RODS <i>-cont.</i>			
1233	Creed 720/175	Connecting, C.P.	For Perforator, Morse Receiving	C	each
2365	Creed 720/175B	Connector, C.P.	1 $\frac{3}{8}$ in. long, 2 per set. 1944 design. Reperforator, Morse Receiving.	C	set
4277	Creed 1828/18	Feed change	G.P.O. H.16	C	each
18246		Keybar pivot	Used on Perforator, Keyboard, Creed 7P/N3 (Ref. No. 17455).	C	"
		Locating:—	For Teleprinter, 7B (W.D.) (Ref. No. YB. 03117).		
16034	Creed 2291/26	L.H.	C	"
16035	Creed 2291/25	R.H.	C	"
17202	Creed 1908/41	Paper guide	For Paper Carriage, sprocket feed on Teleprinter, 7B	C	"
16512	Creed 2291/21	Paper guide, C.P.	For Teleprinter, 7B (W.D.) (Ref. No. YB. 03117) ...	C	"
18025		Piston, C.P.	Used on Teleprinter, 7B, Mark 2	C	"
1409	G.N.T. 112/29A	Push, C.P.	With thrust collet spacing. For Transmitter, Wheatstone.	C	"
1410	G.N.T. 112/28	Push, C.P.	With thrust collet marking. For Transmitter, Wheatstone.	C	"
1286		Push, short.	C	"
		Push transfer:—	For Printing Reperforator, Creed 85R.		
16256	Creed 2867/8	No. 1	5 per set	C	sets
16238	Creed 2868/26	No. 2	5 per set	C	"
16513	Creed 1908/21	Release, C.P.	For Teleprinter, 7B (W.D.) (Ref. No. YB.03117) ...	C	each
18142		Resetting Level Pivot	Used on Reperforator, Creed 7TR/3 (Ref. No. 17521)	C	"
18166		Steel	Dims.: 7 $\frac{13}{32}$ in. \times $\frac{7}{16}$ in. dia.	C	"
1163	Creed 1837/1	Slide	For Teleprinter, 7B	C	"
3672	{ W.3805A/ Marconi No. 21 }	Support, inkwell	For Undulator, Type 7	C	"
17482	Creed P.S.6806-1	Threaded	Steel 2 in. lg. $\frac{5}{8}$ in. Whit., 26 T.P.I. For Auto. Transmitter, No. 1B, Mark 2.	C	"
17653	Creed 1844/48	Tie	For Paper Chariot Unit	C	"
16514	Creed 1908/28	Tie	For Teleprinter, 7B (W.D.) (Ref. No. YB.03117) ...	C	"
3372	Creed 860/183	Trip bar adjustment	For Perforator, Keyboard, Morse, Type 4	C	"
18869	Creed 2255/8B.	Trip	Used on Combination Bar (Ref. No. 18860) ...	C	"

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
13747	Creed 1605/289	RODS—cont. Trunnion	C	each
17893		ROLLER	Used on F.G.R.I. 5493	C	..
18033		ROLLER	Used on Teleprinter, 7B, Mark 2	C	..
16515		ROLLER	Used on Page Attachment Unit (Ref. No. 15154) ...	C	..
18172		ROLLER	Steel. Dims.: 0-281 in. i/d × 0-637 in. o/d × 0-155 in.	C	..
18174		ROLLER	Dims.: 0-128 in. i/d × 0-346 in., max. o/d × 0-815 in.	C	..
13470	Creed 1210/195	ROLLER	For Reperforating Receiver (T.P.), No. 2, Mark 2 ...	C	..
15542	Creed R.L.1003	ROLLER	For Reperforating Receiver (T.P.), No. 2, Mark 2 ...	C	..
15584	Creed R.L.1071	ROLLER	For Auto-Transmitter (T.P.), No. 1B, Mark 2 ...	C	..
17867		ROLLER	Used on F.G.R.I. 5493	C	..
17812		ROLLER	Used on F.G.R.I. 5493	C	..
17857		ROLLER	Used on F.G.R.I. 5493... ..	C	..
9421365		ROLLER	Used on B.I.D. 50	C	..
		ROLLERS:—			
237	Creed R.L.1008	Cam	Typehammer lever and cam roller. For Cam Unit, Teleprinter, 7B.	C	..
520	Creed R.L.1020	Cam	For Reperforating Receiver, No. 2, Mark 2 ...	C	..
239	Creed R.L.1002	Cam	For Cam Unit, Teleprinter, 7B	C	..
241	Creed R.L.1027	Comb setting lever	For Cam Unit, Teleprinter, 7B	C	..
2261	Creed 740/135	Feed lever	For Printer, Morse, Page Model	C	..

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
		ROLLERS—cont.			
		Cam—cont.			
2195	Creed 740/136	Selector and actuating lever	For Printer, Morse, Tape Model	C	each
2196	Creed 740/137	Spacing rack	For Printer, Morse, Tape Model	C	"
18047		Chariot, C.P.	Used on Teleprinter, 7B, Mark 2	C	"
16301	Creed 2845/111	Clip	For Orientation Device of Printing Reperforator Creed 85R.	C	"
3651	Marconi 3/WSK/7549/C	Controller, lever and spindle	C	"
17952		Detent	Used on F.G.R.I. 5493	C	"
17830		Detent	Used on F.G.R.I. 5493	C	"
3877	Marconi 44/6088/1/D.	Driving	Used on Undulator, Type 4	C	"
2026	G.N.T. 309/10	Driving, C.P.	For Undulator, Type 11	C	"
		Drum protecting:—			
17881		Long	Used on F.G.R.I. 5493	C	"
17880		Short	Used on F.G.R.I. 5493	C	"
3878	Marconi 59/60881/D	Grub screw	For Undulator, Type 4	C	"
2025	G.N.T. 309/13(a)	Guide	For Undulator, Type 11	C	"
2384	G.N.T.112/8	Guide	For Transmitter, Wheatstone, Type 3	C	"
3500	Creed 850/156B	Guide	For Transmitter, Morse, Automatic, Type 3	C	"
		Ink:—			
2321	Creed 8228	Black, record	For Printer, Morse, Page Model	C	"
3698	Creed 8326	Purple, record	For Printer, Morse, Tape Model	C	"
309	Creed 1821/19	Jockey, C.P.	For Striker Transmitting Head, Teleprinter, 7B	C	"
3867	Marconi 70/38468/1	Jockey	For Undulator, Type 4	C	"
3879	Marconi 50A/60881/C	Jockey	Used on Undulator, Type 4	C	"
17440	G.P.O. D.57	Jockey	For Keyboard Perforator, No. 44, Mark 1	C	"
16145	Creed R.L.1094	Jockey	For Printing Reperforator, Creed 85R	C	"
17903		Large	Used on F.G.R.I. 5493	C	"
9013648		Paper	$\frac{3}{8}$ in. \times $\frac{5}{16}$ in. approx. o/a dims. w/spindle	C	"
3872	Marconi 15/62055/E	Paper, Gulde...	Used on Undulator, Type 4	C	"
3882	Marconi 32/62055/C	Platen	For Undulator, Type 4	C	"
3634	Marconi 1/WSK/7548/C	Platen roller drawer	For Undulator, Type 7	C	"
17399	Creed R.L.1134	Pressure	$\frac{1}{16}$ in. \times $\frac{1}{32}$ in. For Perforator Unit of Reperforator, printing.	C	"

RESTRICTED

RESTRICTED
165

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
16983	Creed 1847/12B	ROLLERS—cont.			
		Pressure	For Tape Attachment Unit, Teleprinter, 7B	...	C each
		Pressure:—			
2018	G.N.T. 309/4	C.P.	For Undulator, Type 11	...	C "
281	Creed 1839/52	C.P.	For Carriage Unit, Teleprinter, 7B	...	C "
268	Creed 1831/64	Ratchet wheel, C.P.	For Page Attachment Unit, Teleprinter, 7B	...	C "
4271	Creed R.L.1058	Retention Lever	G.P.O. G.140. For Cam Unit. Teleprinter, 7B	...	C "
3661	Marconi 31/W/3804/C	Sheave	} For Undulator, Type 7	...	C "
3662	Marconi 32/W/3804/C	Sheave pin	C "
3869	Marconi 7/62055/D	Spindle	} For Undulator, Type 4	...	C "
3873	Marconi 16/62055/E	Spindle	C "
2191	Creed 740/162	Spring feed anchor	For Printer, Morse, Tape Model	...	C "
17902		Small	Used on F.G.R.I. 5493	...	C "
3475	Creed R.L.1024	Tape	For Tape Wheel Drawers on Reperforator, Morse	...	C "
15587	Creed R.L.1017	Tape Control lever	For Auto. Transmitter (T.P.) No. 1B, Mark 2	...	C "
9421498		Tape feed	Used on B.I.D. 50	...	C "
		Tape guide:—			
16186	Creed R.L.1096	Large	For Printing Reperforator, Creed 85R	...	C "
16387	Creed P.B.2061	Roll holder, G.P.O.	C "
16157	Creed R.L.1095	Small	For Printing Reperforator, Creed 85R	...	C "
17195	Creed 1839/26	Tension, C.P.	For Paper Carriage, friction feed, on Teleprinter 7B	...	C "
9421321		ROTOR, electrical switch	Used on B.I.D. 50	...	C "
9421330		ROTOR, electrical switch	Used on B.I.D. 50	...	C "
		ROTORS:—			
18028		Air Valve, C.P.	Used on Teleprinter, 7B, Mark 2	...	C "
15231		Wheel Set, complete	C "
		RUBBERS:—			
1162	Creed 1836/69	Foot	For Main Base Unit, Teleprinter, 7B	...	C "
3302	Marconi S.K.42486	Foot	For Recording Base, Undulator, Type 4	...	C "

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
17020	Creed 1816/14	RUNNER, counter	For End of Line Indicator, Teleprinter, 7B	C	each
4389	Creed 1910/26	SADDLE, contact arm	G.P.O. S.55	C	„
2395	G.N.T.112/34	SAPPHIRE, armature	For Transmitter, Wheatstone, Type 3	C	„
16321	Creed 2845/41	SCALE, orientation	For Orientation Device of Printing Reperforator, Creed 85R.	C	„
17387	Creed 2845/158	SCALE, orientation	For Printing Reperforator, Creed 85R	C	„
		SCRAMBLER UNITS: -	For Type X machine.		
1094	Creed 2205/1	Base, scrambler	C	„
1759	Creed 2205/46	Bracket, L.H.	For locking pawl	C	„
1204	Creed 2205/72	Bracket, release, C.P.	C	„
1779	Creed 2205/34	Bar, link	C	„
1782	Creed 2205/31	Block, pivot	C	„
1776	Creed 2205/28	Bracket, pivot	C	„
1777	Creed 2205/71	Key, release, C.P.	C	„
1098	Creed 2205/20	Spring, release, bracket	C	„
1119	Creed 2205/87	Washer, locating	For Housing Shaft	C	„
16274	Creed XK.102-5	Bush	For fixed head wired to Plug, Type 526	C	„
16276	Creed XK.102/7	Cable, $\frac{5}{16}$ in. dia.	26-way. For fixed head wired to Plug, Type 526	C	„
1203	Creed 2205/39	Cam	C	„
		Cams, drum:—			
1116	Creed 2205/80	Guide, C.P.	C	„
1099	Creed 2205/22	Pivot	C	„
1886	Creed 2205/40	Collar, cam shaft	C	„
		Counter units:—			
1757	Creed 2205/82	Bracket, counter	C	„
663	Creed 2208/16	Counter, C.P.	B	„
1676	Creed 2208/39	Link, counter	For Counter, C.P.	C	„
		Screws:—			
15722	Creed PS.1736-1	4 B.A. $\times \frac{9}{16}$ in. hex./hd.	M.S.	C	„

RESTRICTED

RESTRICTED
167

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
		SCRAMBLER UNITS—cont.			
		Counter Units—cont.			
		Screws—cont.			
1075	Creed PS.2440	Grub, 8 B.A. × $\frac{1}{8}$ in.	C	each
339	Creed 12387	Spring, counter	For Pronged Comb	C	"
		Springs, counter:—			
1270	Creed 12745	Thousand end	C	"
1269	Creed 12744	Unit end	C	"
3961	Creed 2208/52	Spring, return, counter arm	C	"
		Hinges:—			
1112	Creed 2205/66	Scrambler, lid	C	"
1754	Creed 2205/4	Support and top guide	C	"
		Levers:—			
15414	Creed XK.241	Spring, pressure lever	C	"
		Levers, pressure, C.P.:—			
404	Creed 2205/50	Sleeve, eccentric	C	"
2378	Creed 2205/67A	Lid, scrambler, C.P.	C	"
		Panels, locking, C.P.:—			
322	Creed 2205/81	Pawl, locking, C.P.	C	"
15405	Creed XK.231	Spindle, locking pawl	C	"
		Pins:—			
1121	Creed PP.1101	Parallel, $\frac{3}{32}$ in. × $\frac{3}{8}$ in.	C	"
2073	Creed 23923A	Taper, $\frac{3}{8}$ in. × .050 in.	C	"
		Plates:—			
1117	Creed 2205/85	Adjustment	For Pressure lever	C	"
15416	Creed XK.242	End bearing	For Locking Pawl Spindle	C	"
1095	Creed 2205/5	Guide, bottom	C	"
1750	Creed 2205/78	Side, L.H., C.P.	C	"
1104	Creed 2205/43	Bracket, pivot, scrambler	C	"
1096	Creed 2205/15	Catch, drum release	C	"
1751	Creed 2205/2	Plate, side L.H.	C	"
1752	Creed 2205/79	Side, R.H., C.P.	C	"
15247	Creed 2205/3	Plate, side, R.H.	C	"
1029	Creed PS.1678-1	Screw, 4 B.A. × $\frac{1}{4}$ in. c's'k/hd.	C	"

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
		SCRAMBLER UNITS—cont.			
		Plates—cont.			
		Side, R.H., C.P.—cont.			
15248	Creed 2205/65	Spring, latch, C.P.	C	each
		Screws:—			
1768	Creed 2205/24A	Adjustment, 2 B A	C	„
		Shafts:—			
1103	Creed 2205/41	Cam	For Scrambler	C	„
16286	Creed XK.102-15	Sleeve, insulating	For fixed head wired to Plug, Type 526	C	„
359	Creed 2205/59	Spring "B"	For Pressure Lever	C	„
1766	Creed 2205/76	Stud, eccentric	C	„
		Supports:—			
1118	Creed 2205/86A	Lid	C	„
1106	Creed 2205/52	Pressure lever	C	„
1192	Creed PW. 5025	Washer, special	For Scrambler Camshaft	C	„
17761		SCRAMBLER	Used on F.G.R.I. 5493	A	„
4101	G.P.O.	SCREWDRIVER, No. 1	Non-magnetic	C	„
3216	G.N.T.112/41B	SCREWHOLDER, contact, C.P.	For Transmitter, Wheatstone, Type 3	C	„
1052	Creed P.S.2057/1	SCREW	M.S.	C	„
13453	Creed P.S.6209	SCREW	For Reperforating Receiver (T.P.), No. 2	C	„
14224		SCREW	C	„
15126	Creed P.S.1689/1	SCREW	For Auto-Transmitter (T.P.), No. 1B, Mark 2	C	„
17656	Creed P.S.2429/1	SCREW	M.S. 8 B.A. Used on Teleprinter. Friction Feed (Ref. No. 163).	C	„
17661	Creed P.S.1760/1	SCREW	M.S., 4 B.A.	C	„

RESTRICTED

RESTRICTED
169

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10C—cont.

1	2	3	4	5	6
17691	Creed P.S.2622/1	SCREW	M.S., 8 B.A. Standard	C	each
17712	Creed P.S.2174/15	SCREW	Brass. 6 B.A. × $\frac{1}{16}$ in. long, ch./hd.	C	"
17739	Creed P.S.1727/1	SCREW	M.S., 4 B.A.	C	"
17719	Creed P.S.1786/1	SCREW	M.S., 4 B.A. Cheesehead	C	"
18011		SCREW	2 B.A. Part of Teleprinter, 7B, Mark 2	C	"
18904	Creed P.S.5721A	SCREW	Used on Perforator Keyboard 7P/Δ3	C	"
		SCREWS:—			
		Adjustable:—			
		Main shaft sleeve:—	For Speed Regulator, Transmitter, Wheatstone		
		Long	C	"
3260	G.N.T.2042/43	Short	C	"
3259	G.N.T.2042/42	Adjusting	S/Steel. 2 B.A. 0-37 in. lg thrd.	C	"
9013800		Adjusting:—			
		Bias	Used on Teleprinter, 7B Page, Mark 2	C	"
17735	Creed 2848/24B	Bias	For Undulator, Type 11	C	"
2057	G.N.T.309/47	Bias	C	"
17144	Creed 2848/24	C.P.	For Armature Stop and Single Current Bearing Unit of Teleprinter, 7B.	C	"
16774	Creed 1814/6				
YA. 6226		Contact, No. 13B	C	"
17643	Creed P.S.7034	Governor	For adjusting Governor Spring	C	"
2201	Creed 740/177	Ink roller	For Printer, Morse, Tape Model	C	"
4414	Creed P.S.2477/1	Jockey frame	G.P.O. H.28	C	"
YA. 6225		No. 13B	C	"
3643	Marconi 55/W.3804/A	Platen	For Undulator, Type 7	C	"
4383	Creed P.S.5294/1	Release shaft	G.P.O. Q.45	C	"
13699	Creed 1160/609	Spring top	For Printer, Morse	C	"
3790	Creed 740/141	Typehammer	For Printer, Morse	C	"
2058	G.N.T.309/41	Amplitude, limiter spindle	For Undulator, Type 11	C	"

RESTRICTED

RESTRICTED
170

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
		SCREWS—cont.			
14969	G.P.O. D.32	Anchor, special	For Keyboard Perforator, No. 44, Mark 2	C	each
		Bearing:—			
17904		Special	Used for F.G.R.I. 5493	C	"
17905		Special	Used for F.G.R.I. 5493	C	"
17971		Bracket fixing	6 B.A. Used on F.G.R.I. 5493	C	"
13180	S.T. and C.17570	Button head	G.P.O. 4F.F. 5D/32—4 B.A. × ¼ in. lg Steel, black. For Console, Mark 2.	C	"
1105	Creed 2205/51	Clamp	For Pressure Roller Clamp	C	"
		Clamping:—			
3452	Creed 1378/1	Bell-crank, lift adjustment	Used on Printer, Morse and Perforator, Keyboard, Morse, Type 4.	C	"
13634	G.N.T.112/19	Front glass	For Transmitter, Wheatstone	C	"
3504	Creed 850/193	Head	For Transmitter, Morse	C	"
3486	Creed 6208	Head	For Transmitter, Morse	C	"
15555	Creed 1550/295	Head, C.P.	For Auto. Transmitter (T.P.), No. 1B, Mark 2	C	"
3515	Creed P.S.2058/15	Connecting, contact stud	For Transmitter, Morse, Automatic, Type 3	C	"
		Contact:—			
3513	G.N.T.112/19	Bracket	For Transmitter, Morse, Automatic, Type 3	C	"
15162	Creed 3003A	C.P.	G.P.O. B.P.97	C	"
15570	Creed P.C.3002	C.P.	For Auto. Transmitter (T.P.), No. 1B, Mark 2	C	"
1414	G.N.T.112/40	C.P.	For Transmitter, Wheatstone, Type 3	C	"
316	Creed P.C.3006	Governor unit	For Teleprinter, 7B	C	"
YA. 5991		No. 18	C	"
4362	Creed P.C.3004A	Striker transmitting head	G.P.O. P 46 For Teleprinter, 7B	C	"
17541		Contacting	For contact block	C	"
15501	Creed 1800/6	Cutting box	For Reperforating Receiver, No. 2, Mark 2	C	"
17164	Creed P.S.6857	Dome ended	4 B.A. × ½ in., cheese head, M.S. For Page Attach- ment Unit (friction feed) on Teleprinter, 7B.	C	"
4259	Creed E.C.1507	Eccentric	G.P.O. G.63	C	"
18132		Eccentric	Used on Reperforator, Creed 7.T.R./3 (Ref. No 17521).	C	"
18903	Creed P.S.5637	Eccentric	Used on Perforator, Keyboard 7P/N3	C	"

RESTRICTED

RESTRICTED

171

H

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT

SECTION 10G—cont.

1	2	3	4	5	6
		SCREWS—cont.			
16776	Creed E.C.1502	Eccentric	For Combination Head, Teleprinter, 7B	C	each
16778	Creed 1830/159	No. 6	0-156 in., cheesc head	C	"
		Fixing:—			
3514	Creed P.S.1402-15	Contact block	For Transmitter, Morse, Automatic, Type 3	C	"
2060	G.N.T.309/28	Electro-magnet	For Undulator, Type 11	C	"
4386		Governor Cover	C	"
4235	Creed P.S.2451/1	Jumper shaft arm	G.P.O. F.47	C	"
15599	Creed P.S.6207-8-4	Lever	For Auto. Transmitter (T.P.), No. 1B, Mark 2	C	"
3494	Creed P.S.5215	Motor	For Transmitter, Morse, Automatic, Type 3	C	"
3512	Creed P.S.1048-1	Transmitter stand	For Transmitter, Morse, Automatic, Type 3	C	"
2056	G.N.T.309/49	Frequency tuning	For Undulator, Type 11	C	"
		Grub:—			
		2 B.A. > :—			
3782	Creed P.S.1286/1	$\frac{3}{16}$ in.	M.S. For Perforator, Morse	C	"
3448	Creed P.S.1307/1	$\frac{1}{8}$ in.	M.S. For Perforator, Keyboard	C	"
17110	Creed P.S.1317/1	$\frac{3}{8}$ in.	M.S.	C	"
		4 B.A. < :—			
2137	Creed P.S.5916	$\frac{7}{32}$ in.	M.S. For Perforator, Morse Receiving	C	"
3712	Creed P.S.1674/1	$\frac{7}{32}$ in.	M.S. For Reperforator, Morse Receiving, Type 3	C	"
4315	Creed P.S.6814	$1\frac{1}{8}$ in.	M.S. G.P.O. K.52	C	"
		6 B.A. < :—			
17481	Creed P.S.2060/1	$\frac{7}{32}$ in.	For Auto. Transmitter (T.P.), No. 1B, Mark 2	C	"
15011	G.P.O. A.16	Knurled head	For Keyboard Perforator, No. 44, Mark 2	C	"
2304	Creed P.S.5528	Line, click lever	For Printer, Morse, Page Model	C	"
15661	Creed 2203/203A	Location	For Auto. Transmitter (T.P.), No. 1B, Mark 2	C	"
15073	G.P.O. E.118	Locking	For Keyboard Perforator, No. 44, Mark 2	C	"
4401	Creed P.S.6823	Locking collar	G.P.O. B.O.70	C	"
9013868		Machine	0-312 in. dia. hd. 0-094 in. h of head. 0-34 in. lg	C	"
9013891		Machine	0-093 in. h of head. 0-248 in. w. A/F... ..	C	"
2236	Creed P.S.5526	Non-stop check lever	C	"
3886	Marconi 76/60881/E	Paper guide	C	"
16173	Creed P.S.6419	Pip-ended	For Printing Reperforator, Creed 85R	C	"

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10C—cont.

1	2	3	4	5	6
		SCREWS—cont.			
		Pip-ended:—			
3468	Creed P.S.6411	$\frac{1}{2}$ in., 60 T.P.I., S.S.	For Perforator, Keyboard, Morse, Type 4	C	each
4292	Creed P.S.6404	Thrust, armature	G.P.O. J.29. For Electro-magnet Unit, Teleprinter, 7B.	C	,,
18039		Pivot	Used on Teleprinter, 7B, Mark 2	C	,,
		Pivot:—			
4334	Creed P.S.555/4	Paper knife	G.P.O. M.18	C	,,
1413	G.N.T.112/30	Peckers push rod	For Transmitter, Wheatstone, Type 3	C	,,
4408	{ Creed 2184/38	Transmitting tongue striker	For Teleprinter, 7B	C	,,
	{ G.P.O. B.485				
		Platen knob:—			
16794	Creed P.S.6862	Pointed	8 B.A. \times 0.560 in., cheese head	C	,,
3221	G.N.T.112/55	Retaining	For Transmitter, Wheatstone, Type 3	C	,,
17084	Creed 2202/5	Securing, spiral gear, C.P.	For Keyboard Unit, Type M, in Teleprinter, 7B	C	,,
		Special	Ref. No. 4176	C	,,
3883	Marconi 72/6088/0	Platen stop		C	each
		Shouldered:—			
		Mild Steel:—			
		2 B.A. :—			
1088	Creed P.S.5535	$\frac{3}{16}$ in.	Filister head	C	,,
17001	Creed P.S.5531	$\frac{3}{16}$ in.	Filister head	C	,,
17364	Creed P.S.5508	$\frac{3}{16}$ in.	Cheese head	C	,,
		4 B.A. :—			
4336	Creed P.S.5511	$\frac{7}{16}$ in.	G.P.O. M28. Pivots for Tension Roller Arm	C	,,
17487	Creed 2201/38	$\frac{3}{16}$ in.	Cheese head. Pivot	C	,,
4227	Creed P.S.5260	$\frac{1}{2}$ in.	G.P.O. F11. Trip screw for finger resetting bellcrank	C	,,
17030	Creed P.S.5533	$\frac{3}{16}$ in.	Cheese head	C	,,
17165	Creed P.S.5560	$\frac{3}{16}$ in.	Cheese head. For Page Attachment Unit (friction feed) Teleprinter, 7B.	C	,,
17004	Creed P.S.5530	$\frac{5}{64}$ in.	Reduced head	C	,,
2157	Creed P.S.5519	6 B.A.	For Perforator, Keyboard	C	,,
		6 B.A. < :—			
16788	Creed P.S.5360/1	$\frac{1}{4}$ in.	Filister head	C	,,

RESTRICTED

RESTRICTED
173

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
		SCREWS—cont.			
		Shouldered:—cont.			
		Mild Steel:—cont.			
		6 B.A. / :—cont.			
17008	Creed P.S.5534	$\frac{3}{8}$ in.	Cheese head	C	each
17010	Creed P.S.5532	$\frac{7}{16}$ in.	Cheese head	C	"
		8 B.A. / :—			
4444	Creed P.S.5537	$\frac{9}{32}$ in.	G.P.O. D.P.33	C	"
16785	Creed P.S.5513/1	$\frac{11}{32}$ in.	C	"
4220	Creed P.S.5513	$\frac{11}{32}$ in.	G.P.O. E53. C.P.D.	C	"
		10 B.A. × :—			
4205	Creed P.S.5505	$\frac{1}{4}$ in.	G.P.O. D.50. For Link Starter Weight	C	"
		Phosphor Bronze:—			
9330833		6 B.A.	Flat. 0.218 in. dia. × 0.040 in. thk.	C	"
		Steel:—			
9013870		6 B.A.	Flat. 0.019 in. dia. × 0.07 in. lg.	C	"
		Stainless Steel:—			
9013853	<i>Munihound P24</i>	4 B.A.	Flat. 0.38 in. dia. of hd, 0.1 in. h of hd. Shoulder 0.187 in. dia. × 0.285 in. lg.	C	"
9013869		4 B.A.	Flat, filister. 0.312 in. dia. of hd, 0.125 in. h of hd. Shoulder 0.185 in. dia. × 0.135 in. lg.	C	"
9013889		6 B.A.	W/O. hd. Shoulder 0.161 in. dia. × 0.437 in. lg.	C	"
9013893		6 B.A.	Flat. 0.25 in. dia. of hd, 0.062 in. h of hd. Shoulder 0.156 in. dia. × 0.170 in. lg.	C	"
9013895		6 B.A.	Filister. 0.38 in. dia. of hd, 0.041 in. h of hd. Shoulder 0.16 in. dia. × 0.07 in. lg.	C	"
9013888		8 B.A.	Flat. 0.187 in. dia. of hd, 0.0625 in. h of hd. Shoulder 0.124 in. dia. × 0.125 in. lg.	C	"
9013890		8 B.A.	Flat. 0.312 in. dia. of hd, 0.06 in. h of hd. Shoulder 0.109 in. dia. × 0.096 in. lg.	C	"
13694		Spacing stop	C	"
3453	Creed P.S.1389/1	Special	For Reperator, Morse	C	"
3461	Creed P.S.2050/1	Special	For Reperator, Keyboard, Morse, Type 4	C	"
3464	Creed P.S.5080	Special	Hex. hd. For Perforator, Keyboard	C	"

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
		SCREWS—cont.			
3466	Creed P.S.5314	Special	C	each
3714	Creed, P.S.5031	Special	For Perforator, Keyboard	C	"
3715	Creed P.S.5243	Special	C	"
3742	Creed P.S.6858	Special	For Perforator, Keyboard	C	"
4363	Creed P.S.5705	Special	G.P.O. P.47 6.B.A. $\times \frac{7}{16}$ in Capstan head, M.S. For Striker Transmitting Head, Teleprinter, 7B.	C	"
YB. 08733		Special	C	"
13493	Creed P.S.6801	Special	For Reperforating Receiver (T.P.) No. 2, Mark 2 ...	C	"
15587	Creed P.S.5710	Special	Used on Punch Block Unit	B	"
15656	Creed P.S.6887	Special	For Auto. Transmitter (T.P.), No. 1B, Mark 2 ...	C	"
16077	Creed P.S.5518	Special	Capstan Head	C	"
16230	Creed P.S.6810	Special	For Printing Reperforator, Creed 85R	C	"
16319	Creed P.S.6893	Special	For Orientation Device of Printing Reperforator, Creed 85R.	C	"
16789	Creed P.S.6828	Special	Grub, cone pointed 0-608 in. long	C	"
17507	Creed P.S.5562	Special	Steel 6 B.A. For Reperforating Receiver, No. 2, Mark 2.	C	"
17659	Creed P.S.5106	Special	Ribbon Jumper Screw	C	"
17702	Creed P.S.7003	Special	Used on Teleprinter, 7B, Page, Mark 2	C	"
17717	Creed P.S.6152	Special	Magnet Adjusting Screw	C	"
17721	Creed P.S.5581	Special	Link Pivot Screw	C	"
17778		Special	Capstan Head. Used on F.G.R.I.5493	C	"
17907		Special	Used on F.G.R.I.5493	C	"
17925		Special	Capstan Head. Used on F.G.R.I.5493	C	"
17933		Special	C	"
17934		Special	C	"
17939		Special	Used on F.G.R.I.5493	C	"
17941		Special	C	"
17954		Special	C	"
17975		Special	Used on F.G.R.I.5493	C	"
17980		Special	C	"
17996		Special	C	"
18020		Special	Used on Teleprinter, 7B, Mark 2	C	"

RESTRICTED

RESTRICTED
175

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
		SCREWS—cont.			
18043		Special	Used on Teleprinter, 7B, Mark 2	C	each
18076		Special	C	..
18194		Special	Capstan Head, 6 B.A. $\times \frac{3}{16}$ in.	C	..
18347	Creed P.S.5722	Special	Used on Printing Reperforator, T.85R	B	..
18861	Creed B.7047	Special	} Used on Perforator Keyboard, 7P/N3	C	..
18902	Creed P.S.5636A	Special		C	..
18940		Special	C	..
9421567		Special	Used on B.I.D.50	C	..
9421570		Special	Used on B.I.D. 50	C	..
9421613		Special	Used on B.I.D./560/1	C	..
9421708		Special	Used on B.I.D./560/1	C	..
		Special:—			
4177	Creed P.S.4583/1	$\frac{5}{16}$ in. B.S.F. $\times \frac{3}{4}$ in.	22 T.P.I. Cheese head. M.S.	C	..
16522	Creed P.S.6851-1	$\frac{5}{16}$ in., shouldered	C.P.D. Countersunk head. For Teleprinter, 7B	C	..
		1 B.A. \times :—			
3781	Creed P.S.1231/1	$1\frac{1}{2}$ in.	M.S. Cheese head. Threaded $\frac{1}{2}$ in. For Printer, Morse, Tape Model.	C	..
3465	Creed P.S.5235	2 B.A.	Thin. Cheese head. For Perforator, Keyboard, Morse, Type 4.	C	..
		2 B.A. \times :—			
16787	Creed P.S.5507	$\frac{5}{16}$ in.	Shouldered. C.P.D. For Page Attachment Unit, Teleprinter, 7B.	C	..
16786	Creed P.S.5512/1	$\frac{1}{2}$ in.	Shouldered. Filister Head	C	..
16779	Creed P.S.6811A	$\frac{7}{8}$ in.	Assembling clutch parts of Combination Head Unit, Teleprinter, 7B.	C	..
16519	Creed P.S.6218	$1\frac{1}{2}$ in.	Knurled. C.P.D. For Teleprinter, 7B	C	..
3784	Creed P.S.1650/1	4 B.A.	For securing Tape Take-off on Printer, Morse	C	..
9421568		4 B.A.	} Used on B.I.D. 50	C	..
9421569		4 B.A.		C	..
9421571		4 B.A.		C	..
		4 B.A. \times :—			
16782	Creed P.S.5261	$\frac{1}{8}$ in.	Cheese head. M.S., C.P.D. For Page Attachment Unit, Teleprinter, 7B.	C	..

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
		SCREWS—cont.			
		Special—cont.			
		4 B.A. < :—cont.			
16791	Creed P.S.5289	$\frac{1}{4}$ in.	Filister head. M.S. For Sprocket Carriage Unit and Striker Transmitter Head on Teleprinter, 7B.	C	each
17158	Creed P.S.6994	$\frac{1}{4}$ in.	Cheese head. For Combination Head Unit, Page Model.	C	..
16520	Creed P.S.5266/1	$\frac{1}{4}$ in.	Filister head. C.P.D. For Carriage Unit on Teleprinter, 7B.	C	..
16521	Creed P.S.5542/1	$\frac{1}{4}$ in.	Filister head. C.P.D. For Sprocket Feed Carriage Unit on Teleprinter, 7B.	C	..
16783	Creed P.S.5264	$\frac{9}{32}$ in.	Cheese head. M.S. For Teleprinter, 7B.	C	..
18133		$\frac{9}{32}$ in.	Cheese head	C	..
18170		$\frac{15}{64}$ in.	Used on Perforator, Keyboard, Creed 7P/N3 (Ref. No. 17455).	C	..
4253	Creed P.S.5034	$\frac{5}{8}$ in.	Spherical head. M.S. For operating ribbon, jumper, detent shock absorber, adjusting screw on Cam Unit, Teleprinter, 7B. G.P.O. G.50.	C	..
16790	Creed P.S.6826	5 B.A. , No. 2	Grub, Cone pointed, 0.608 in. lg. For Teleprinter, 7B.	C	..
9421572		6 B.A.	Used on B.I.D. 50	C	..
18276		6 B.A. < :— 0.427 in.	Used on Perforator, Keyboard, Creed 7P/N3 (Ref. No. 17455).	C	..
1090		$\frac{3}{8}$ in.	M.S. Capstan head	C	..
17321	Creed P.S.6907	$\frac{1}{4}$ in.	Cheese head. For Main Base Unit, Teleprinter, 7B . .	C	..
18195		$\frac{1}{8}$ in.	Used on Perforator, Keyboard, Creed 7P/N3 (Ref. No. 17455).	C	..
16775	Creed P.S.5298	$\frac{3}{8}$ in.	Bearing. B.A..M.S. filled head. Point burnished. Cheese head. C.P.D. For Teleprinter, 7B.	C	..
17009	Creed P.S.5712	$\frac{5}{8}$ in.	Cone pointed. Capstan head. Used on Teleprinter Tape attachment unit.	C	..
16955	Creed P.S.5296	$\frac{9}{16}$ in.	Filister head. M.S. For Teleprinter, 7B	C	..
3469	Creed P.S.6824	$\frac{3}{4}$ in.	Countersunk. M.S. Case hardened. For Perforator, Keyboard, Morse, Type 4.	C	..

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G —cont.

1	2	3	4	5	6
		SCREWS—cont.			
		Special—cont.			
9421573		8 B.A.	Used on B.I.D.50	C	each
3463	Creed P.S.2536/1	8 B.A. × :— ½ in.	Cheese head. M.S. Screwed $\frac{3}{16}$ in. For Perforator, Keyboard.	C	"
9421575		10 B.A.	Used on B.I.D.50	C	"
17839		Bearing	Used on F.G.R.I. 5493	C	"
16518	Creed P.S.5363	Conical hole	Cheese head. 0.218 in. For Teleprinter, 7B	C	"
YA.3923		No. 1	Brass. Fil. head. 0.093 in.	C	"
17782		Shouldered	Used on F.G.R.I.5493	C	"
3788	Creed P.S.5285	Spacing rod guide lever link	For Printer, Morse, Tape Model	C	"
3789	Creed P.S.5501	Type, spring, retaining.	For Printer, Morse, Tape Model	C	"
15659	Creed 1550/349	Spring anchor	For Auto. Transmitter (T.P.), No. 1B. Mark 2	C	"
		Standard:—			
		Capstan head:—			
3450	Creed P.S.1350-1	2 B.A. × $\frac{9}{16}$ in.	C	"
		4 B.A. × :—		
17138	Creed P.S.1714/1	$\frac{7}{16}$ in.	M.S.	C	"
4256	Creed P.S.1725/1	$\frac{1}{2}$ in.	M.S.	C	"
		6 B.A. × :—		
15100	Creed P.S.2072/1	$\frac{1}{4}$ in.	M.S.	C	"
		Cheese head:—			
		0 B.A. × :—		
17316	Creed P.S.2094/15	$\frac{3}{8}$ in.	C	"
3780	Creed P.S.1033/1	$\frac{7}{16}$ in.	C	"
		1 B.A. × :—		
16962	Creed P.S.1162/1	$\frac{1}{2}$ in.	C	"
3779	Creed P.S.1183/1	$\frac{3}{4}$ in.	M.S.	C	"
17497	Creed P.S.1200/1	1 in.	For Tape Control Unit of Auto. Transmitter G.P.O. 1C.	C	"
17159	Creed P.S.1210/1	$1\frac{1}{8}$ in.	M.S.	C	"
		2 B.A. × :—		
17094	Creed P.S.1290/1	$\frac{1}{4}$ in.	C	"
1017	Creed P.S.1322/1	$\frac{5}{16}$ in.	M.S.	C	"
17353	Creed P.S.1300/1	$\frac{5}{16}$ in.	M.S.	C	"

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT

SECTION 10G—cont.

RESTRICTED

1	2	3	4	5	6
		SCREWS—cont.			
		Standard—cont.			
		Cheese head—cont.			
		2 B.A. × —cont.			
17341	Creed P.S.1342/1	$\frac{9}{16}$ in.	M.S.	C	each
1020	Creed P.S.1364/1	$\frac{11}{16}$ in.	M.S.	C	"
1022		$\frac{1}{16}$ in.	C	"
1023		$1\frac{1}{16}$ in.	M.S.	C	"
17313	Creed P.S.1451/1	$1\frac{5}{8}$ in.	M.S.	C	"
17163	Creed P.S.1456/1	$1\frac{3}{8}$ in.	M.S.	C	"
3454	Creed P.S.1471/1	$1\frac{1}{2}$ in.	M.S.	C	"
		4 B.A. × —			
16952	Creed P.S.1641/1	$\frac{1}{8}$ in.	M.S.	C	"
3457		$\frac{7}{16}$ in.	M.S.	C	"
3713	Creed P.S.1705/1	$\frac{13}{32}$ in.	M.S.	C	"
17095	Creed P.S.1730/15	$\frac{9}{16}$ in.	C	"
3458	Creed P.S.1741/15	$\frac{1}{8}$ in.	M.S.	C	"
16784	Creed P.W.6827	0.686 in.	C.P.D.	C	"
17300	Creed P.S.1771/1	$\frac{13}{16}$ in.	M.S.	C	"
17139		$\frac{11}{16}$ in.	M.S.	C	"
17005		$\frac{13}{16}$ in.	C	"
		5 B.A. × —			
4284	Creed P.S.1931/1	$\frac{5}{16}$ in.	M.S.	C	"
		6 B.A. × —			
1041	Creed P.S.2029-1	$\frac{1}{8}$ in.	C	"
1046	Creed P.S.2042/1	$\frac{5}{32}$ in.	C	"
17166	Creed P.S.2075/1	$\frac{9}{32}$ in.	M.S.	C	"
17091	Creed P.S.5901	$\frac{7}{16}$ in.	C	"
17096	Creed P.S.5279	$\frac{1}{2}$ in.	C	"
16269	Creed P.S.2141	$\frac{9}{16}$ in.	M.S.	C	"
17311	Creed P.S.2173/1	$\frac{11}{16}$ in.	M.S.	C	"
17327	Creed P.S.2190/15	$\frac{3}{4}$ in.	C	"
		8 B.A. × —			
17043	Creed P.S.2413/1	$\frac{3}{32}$ in.	M.S.	C	"
2334	Creed P.S.2431/15	$\frac{1}{8}$ in.	Brass, N.P.	C	"
17167	Creed P.S.2457/1	$\frac{7}{32}$ in.	M.S.	C	"

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
		SCREWS—cont.			
		Standard—cont.			
		Cheese head—cont.			
		8 B.A. ×—cont.			
16517	Creed P.S.2491/1	$\frac{1}{8}$ in.	M.S.	C	each
		10 B.A. × :—			
3787	Creed P.S.2815/1	$\frac{1}{8}$ in.	M.S.	C	"
2335	Creed P.S.2831/1	$\frac{3}{16}$ in.	M.S. D.C.P.	C	"
17116	Creed P.S.2842	$\frac{3}{8}$ in.	M.S.	C	"
		Countersunk head:—			
		2 B.A. × :—			
17093	Creed P.S.1324/1	$\frac{7}{16}$ in.	C	"
		3 B.A. × :—			
3455	Creed P.S.1563/1	$\frac{5}{16}$ in.	M.S.	C	"
3785	Creed P.S.1575/15	$\frac{3}{8}$ in.	Brass	C	"
		4 B.A. × :—			
3456	Creed P.S.1662/15	$\frac{3}{16}$ in.	M.D. Brass	C	"
1031	Creed P.S.1687/1	$\frac{1}{16}$ in.	M.S.	C	"
1034	Creed P.S.1708/1	$\frac{7}{16}$ in.	M.S.	C	"
3460	Creed P.S.1795/1	1 in.	C	"
		6 B.A. × :—			
4413	Creed P.S.2031/1	$\frac{1}{8}$ in.	M.S.	C	"
1047	Creed P.S.2043/1	$\frac{5}{32}$ in.	C	"
17056	Creed P.S.2074/1	$\frac{3}{8}$ in.	C	"
17106	Creed P.S.2274/1	$1\frac{3}{16}$ in.	C	"
		8 B.A. × :—			
3741	Creed P.S.2458/1	$\frac{7}{8}$ in.	M.S.	C	"
		Filister head:—			
		1 B.A. × :—			
4186	Creed P.S.1154-1 P.S.1150.	$\frac{3}{8}$ in.	M.S.	C	"
		2 B.A. × :—			
17363	Creed P.S.1314/1	$\frac{3}{8}$ in.	M.S.	C	"
17365	Creed P.S.1411/1	1 in.	M.S.	C	"
17366	Creed P.S.1428/1	$1\frac{1}{8}$ in.	M.S.	C	"
17162	Creed P.S.1443/1	$1\frac{1}{4}$ in.	M.S.	C	"

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10C—cont.

RESTRICTED

1	2	3	4	5	6
		SCREWS—cont.			
		Standard—cont.			
		Filister head—cont.			
		4 B.A. × :—			
16963	Creed P.S.1663/1	$\frac{3}{16}$ in.	C	doz.
4213	Creed P.G.1682/1	$\frac{1}{4}$ in.	M.S.	C	each
4228	Creed P.S.1700/1	$\frac{3}{8}$ in.	M.S.	C	"
		6 B.A. × :—			
17053	Creed P.S.2035	$\frac{1}{4}$ in.	C	"
16940	Creed P.S.2051/1	$\frac{3}{16}$ in.	C	"
1055		$\frac{1}{2}$ in.	C	"
17054	Creed P.S.2083/1	$\frac{5}{16}$ in.	C	"
1064	Creed P.S.2131/1	$\frac{1}{2}$ in.	C	"
		8 B.A. × :—			
17196	Creed 2436/1	$\frac{1}{4}$ in.	M.S.	C	"
		Hexagon Head:—			
		4 B.A. × :—			
17940		$\frac{3}{8}$ in.	Used on F.G.R.I.5493 ..	C	"
		6 B.A. × :—			
17777		$\frac{5}{16}$ in.	} Used on F.G.R.I.5493 ..	C	"
17784		$\frac{3}{8}$ in.		C	"
17779		$\frac{1}{2}$ in.		C	"
		Instrument head:—			
		6 B.A. × :—			
4380	Creed P.S.2053/1	$\frac{3}{16}$ in.	M.S.	C	"
16964	Creed P.S.2069/1	$\frac{1}{4}$ in.	C	"
4390	Creed P.S.2165/1	$\frac{3}{8}$ in.	M.S.	C	"
		Reduced head:—			
		4 B.A. × :—			
17077	Creed P.S. 1712/1	$\frac{7}{16}$ in.	C	"
		6 B.A. × :—			
4316	Creed P.S.2033/1	$\frac{1}{4}$ in.	C	"
		8 B.A. × :—			
17057	Creed P.S.2449/1	$\frac{3}{16}$ in.	M.S.	C	"
16967	Creed P.S.2481/1	$\frac{5}{16}$ in.	M.S.	C	doz.

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
2059	G.N.T.309/38	SCREWS—cont.			
2055	G.N.T.309/19	Syphon locking	} For Undulators, Type 11	C	each
2061	G.N.T.309/70A	Tape platform		C	"
		Tape wheel dowel		C	"
9421385		SEALS	Used on B.I.D. 50		
9421398		Rubber	C	"
9421538		Rubber	C	"
9013748		Rubber, strip	11 in. × 1 $\frac{1}{8}$ in. approx. o/a. dims.	C	—
9013654		Rubber, strip	C	—
17768		SELECTOR	Used on F.G.R.I.5493	A	each
2174	Creed 740/352	SELECTORS:—	For Printer, Morse, Tape Model.	C	"
2173	Creed 740/10	C.P.	C	"
2172	Creed 740/9	Marking	C	"
		Spacing	C	"
17877		SEPARATOR	Used on F.G.R.I. 5493	C	"
18341		SEPARATORS, C.P.:—	B	"
		Comprising:—			
		Bush, bearing	(Ref. No. 17908)	—	—
		Separator	(Ref. No. 17877)	—	—
3357	Creed 860/103/B	SHACKLES:—			
14986	G.P.O. E.20	Bar, retaining, C.P.	For Perforator, Keyboard, Morse, 4	C	each
16984	Creed 1847/11	C.P.	For Keyboard Perforator, No. 44, Mark I	C	"
13686	Creed 740/385	Spring	For Tape Attachment Unit	C	"
		Typehammer	For Printer, Morse	C	"
16795	Creed 1834/11	SHACKLE AND FRAME, C.P.	For Teleprinter, 7B	B	"
9013645		SHAFT ASSEMBLY	Steel. W/insulating bush	C	"

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10C—cont.

1	2	3	4	5	6
9421635		SHAFT ASSEMBLY	Used on B.I.D./560/1	C	each
9330826		SHAFT	C	..
9421611		SHAFT	Used on B.I.D./560/1	C	..
9421317		SHAFT	Used on B.I.D. 50	C	..
9421350		SHAFT	Used on B.I.D. 50	C	..
9421356		SHAFT	Used on B.I.D. 50	C	..
9421490		SHAFT	Used on B.I.D. 50	C	..
		SHAFTS:—			
YB.08391		Armature	Used on 5.U.C.O.	C	..
9421629		Armature	Used on B.I.D./560/1	C	..
18224		Detent Control, C.P.	Used on Perforator, Keyboard, Creed 7P/N3 (Ref. No. 17455).	C	..
18722	Creed 2902/1A	Driving, C.P.	Used on Perforator Link Unit (Ref. No. 18720) ..	B	..
16796	Creed 1829/4A	Driving	For Teleprinter, 7B	C	..
		Driving:—			
16797	Creed 1980/2	Answer back unit	For Teleprinter, 7B	C	..
4423	Creed 1847/34C	C.P.	G.P.O. L.33. For Tape Attachment Unit, Teleprinter, 7B.	C	..
3250	G.N.T.2042/33	Gear wheel boss	For Speed Regulator, Transmitter, Wheatstone, Type 3.	C	..
13684	Creed 740/382	Pinion	For Printer, Morse	C	..
3249	G.N.T.2042/32A	Speed regulator	For Transmitter, Wheatstone, Type 3	C	..
15218	Creed 1822/44	Transmitter, C.P.	G.P.O. B.N.23. For Type M Keyboard Unit, Teleprinter, 7B.	B	..
15217	Creed 1822/74	Transmitter, sub, C.P.	G.P.O. M 23. For Type M Keyboard Unit, Teleprinter, 7B.	C	..
4538	Creed 2205/36	Feed pawl	C	..
1108	Creed 2203/58	Housing	C	..
1109	Creed 2205/58	Housing	C	..

RESTRICTED

183

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
		SHAFTS—cont.			
18197	Creed 1947/45A	Intermediate	Used on Perforator, Keyboard, Creed, 7P/N3 (Ref. No. 17455).	C	each
18196	Creed 1947/44Gp.1	Intermediate, C.P.	Used on Perforator, Keyboard, Creed, 7P/N3 (Ref. No. 17455).	C	"
235	Creed 1838/34	Jumper	G.P.O. F.48. For Control Lever Unit, Teleprinter, 7B.	C	"
16798	Creed 1838/30	Jumper, C.P.	For Control Lever Unit, Teleprinter, 7B	C	"
3254	G.N.T.2042/37	Main	For Speed Regulator, Transmitter, Wheatstone, Type 3.	C	"
13571	Creed 720/152A	Main	For Perforating Unit Morse, Reperforator	A	"
17845		Main	Used on F.G.R.I.5493	C	"
17847		Main	Used on F.G.R.I.5493	C	"
		Main:—			
2314	Creed 1775/12	C.P.	For 3-Speed Gear Unit, Morse Reperforator	C	"
13573	Creed 720/167C	C.P.	Perforating Unit (only machines without 3-speed gear).	B	"
17640		C.P.	Part of Teleprinter, 7B Page Model, Friction Feed (Ref. No. 163).	B	"
15156	Creed 1825/70	Driving	G.P.O. B.D.18. For Starter Switch Control Unit, Teleprinter, 7B.	C	"
18155		Driving, C.P. short	Used on Ref. No. 17455	C	"
3261	G.N.T.2042/44	Driving disc, C.P.	For Transmitter, Wheatstone, Type 3	C	"
17846		Intermediate	Used on F.G.R.I. 5493	C	"
15152	Creed 1925/5	Sleeve receiving ram, C.P.	G.P.O. B.A. 42. For Cam Unit, Teleprinter, 7B	A	"
15151	Creed 1825/71	Unit, C.P.	G.P.O. B.A. 33. For Teleprinter, 7B	B	"
18160		Perforator driving C.P.	Used on Perforator, Keyboard, Creed 7P/N3 (Ref. No. 17455).	C	"
1107	Creed 2205/54	Pressure Lever	C	"
15602	Creed 1550/211	Ratchet	For Auto. Transmitter (T.P.), No. 1B, Mark 2	C	"
15508	Creed 1800/192	Ratchet	With pin, C.P. For Reperforating Receiver (T.P.), No. 2, Mark 2.	C	"
15187	{ Creed 1821/51 G.P.O. P.27 }	Ratchet	For Teleprinter, 7B	B	"
15507		Ratchet	For Reperforating Receiver (T.P.), No. 2, Mark 2	B	"

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
		SHAFTS—cont.			
		Ratchet:—			
16799	Creed 2184/3	C.P.	For Striker Transmitter Unit, Teleprinter, 7B . .	B	each
		Release:—			
16800	Creed 1841/1	Answer back, C.P.	For Teleprinter, 7B	C	..
16549	Creed 1841/29	Shaft	For Teleprinter, 7B	C	..
17370	Creed 1829/15	Ribbon, driving sub, C.P.	For Main Base Unit, Page, Friction	C	..
18218		Transmitter, driving	Used on Perforator, Keyboard, Creed 7P/N3 (Ref. No. 17455).	C	..
18888	Creed 2254/604	Transmitter, driving C.P.	First used on Perforator Keyboard 7P/N3	C	..
16336	Creed 2866/8	Trip	For Orientation Device of Printing Reperforator, 85R.	C	..
		Trip	For Teleprinter, 7B	B	..
252	Creed 1830/155	Trip:—			
		C.P.	For Selecting Mechanism of Teleprinter Reperforator	B	..
15637	Creed 1800/46	C.P.	For Orientation Device of Printing Reperforator, 85R	C	..
16335	Creed 2866/3	C.P.	For Reperforating Receiver (T.P.), No. 2, Mark 2 . .	C	..
15546	Creed 1800/47B	C.P.	Steel. 9 in. lg. × ¼ in. dia. approx. dims. w/arms . .	C	..
9013746		Writing bar			
9013631		SHIELD, dust	Duralimin, 1 in. dia. × 1/32 in. thk.	C	..
17369	Creed 1836/107A	SHIELD, resistor	For Main Base Unit, Page, Friction	C	..
18053		SHIM	Used on Teleprinter 7B, Mark 2	C	..
17649	Creed 2945/3	SHIM	For Typehead Support Bracket	C	..
17650	Creed 2945/7	SHIM	For Typehead Support Bracket	C	..
17652	Creed 1838/111	SHIM	0.015 in. thick	C	doz.
18221		SHIM	Used on Perforator, Keyboard, Creed 7P/N3 (Ref. No. 17455).	C	each
17836		SHIM	Brass, Used on F.G.R.I. 5493	C	..

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
17838		SHIM	Phosphor bronze. Used on F.G.R.I. 5493	C	each
4375	Creed P.W.5227	SHIM	$\frac{13}{64}$ in. i/d. \times 0.005 in. thk. Spring steel G.P.O. B.O.75. For Answer Back Unit, Teleprinter, 7B.	C	..
9421650		SHIM	Used on B.I.D./560/1	C	..
9421681		SHIM	Used on B.I.D./560/1	C	..
9421686		SHIM	Used on B.I.D./560/1	C	..
		SHIMS:—			
16154	Creed 2870/108	$\frac{1}{2}$ in. \times $1\frac{5}{8}$ in. long \times 0.005 in. ..	For Printing Reperator, 85R	C	..
17957		Centre	Used on F.G.R.I.5493	C	..
17476	Creed 1550/263	Packing	Rect. mild steel (or spring steel) $2\frac{3}{8}$ in. \times $1\frac{3}{8}$ in. \times 0.006 in. thk. For Auto Transmitters (T.P.) No. 1B, Mark 2.	C	..
17477	Creed 1550/277	Packing	Rect. mild steel (or spring steel) $2\frac{3}{8}$ in. \times $1\frac{3}{8}$ in. \times 0.004 in. thk. For Auto Transmitters (T.P.), No. 1B, Mark 2.	C	..
14265		Retaining plate	Used on Tape Control Unit (Ref. No. 17531) ..	C	..
17956		Side	Used on F.G.R.I. 5493	C	..
16412	Creed P.W.5473	Washer	For Tape Winder, G.P.O. No. 2	C	..
		SHOES:—	For Printer, Morse, Tape Model.		
2198	Creed 740/74	Clutch	C	..
13688	Creed 740/404	Clutch, high speed	C	..
		SIGNALLING UNITS:—			
18068		Ringing	Used with a C.B. Telephone Set to convert its normal calling signals into a form suitable for transmission over a radio link.	A	..
18069		Telegraph	Signalling Adapter Unit for Telegraph Working ..	A	..

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G cont.

1	2	3	4	5	6
3258	G.N.T.2042/41	SLEEVES:-- Adjustable	For Mainshaft, Speed Regulator, Transmitter, Wheatstone.	C	each
9400963		Cable Identification	} Used on B.I.D./50/1	C	"
9400964		Cable Identification		C	"
9400965		Cable Identification		C	"
9400967		Cable Identification		C	"
9400968		Cable Identification		C	"
9400969		Cable Identification		C	"
9400970		Cable Identification		C	"
9400971		Cable Identification		C	"
9400972		Cable Identification		C	"
9400973		Cable Identification		C	"
9400974		Cable Identification		C	"
9400975		Cable Identification		C	"
9400976		Cable Identification		C	"
9400977		Cable Identification		C	"
9400978		Cable Identification		C	"
9400979		Cable Identification		C	"
9400980		Cable Identification		C	"
9400981		Cable Identification	C	"	
9400982		Cable Identification	C	"	
9400983		Cable Identification	C	"	
9400984		Cable Identification	C	"	
9400985		Cable Identification	C	"	
9400986		Cable Identification	C	"	
9400987		Cable Identification	C	"	
9400988		Cable Identification	C	"	
16291	Creed 2845/100	Cam, receiving	Part of Receiving Cam (Ref. No. 16290), used on Orientation Device of Reperforator, 85R.	B	"
17411	{ Creed 2845/99C } G.P.O. BZ.7	Cam receiving, C.P.	For Control Unit of Reperforator, printing	B	"
4270	Creed 1925/2	Cam, receiving, C.P.	Includes the two outer races. G.P.O. B.G.120. For Cam Unit, Teleprinter, 7B.	B	"
16523	Creed 1836/131	Clip, cable	For Teleprinter, 7B	C	"

RESTRICTED

187

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT

SECTION 10G—cont.

1	2	3	4	5	6
15603	Creed 1550/82	SLEEVES—cont. Clutch	For Auto. Transmitter (T.P.), No. 1B, Mark 2 ..	C	each
13662	G.N.T.112/70	Connecting:— Plug insulating	For Transmitter, Wheatstone. Line	C	"
13661	G.N.T.112/69	Plug insulating	Spacing and Marking	C	"
3733	Creed P.B.1136	Connector, spring	For Perforator, Morse Receiving	C	"
13689	Creed 740/422	Coupling:— Motor	For Printer, Morse, Tape Model.	C	"
13690	Creed 740/423	Printer	C	"
18217		Coupling	Used on Perforator, Keyboard, Creed 7P/N3 (Ref. No. 17455).	C	"
4447		Cover, guide	Used on Teletypewriter, 7B (Ref. No. 163)	C	"
9400966		Insulating	Used on B.I.D.50	C	"
17310	Creed P.E.1033	Insulating	For Main Base Unit, Teletypewriter, 7B	C	"
17372	Creed P.E.1019	Insulating	For Main Base Unit, Page, Friction	C	"
16422	G.P.O. No. 1	Leather	Used on Microtelephone Assembly, Type 1 (Reference 10A/14278).	C	"
13622	Creed R.B.1005	Rubber	Used when securing Perforating Unit to Main Base on Morse Reperforator.	C	"
3229	G.N.T.112/64	Spindle, tape feed	For Transmitter, Wheatstone, Type 3	C	"
4224		Typehead:— Bush, gearing	Used on Typehead Unit (Ref. Nos. 17127 and 17133)	C	"
4221	Creed 1837/16	C.P.	G.P.O. E.54	C	"
16801	Creed 1980/5	Wand	For Teletypewriter, 7B	B	"
17218	Creed 1980/28	Wand, answer back unit	For Teletypewriter, 7B	C	"
13639	G.N.T.112/113	SLIDE, mechanism, C.P.	For Transmitter, Wheatstone	C	"
13560	Creed 720/2	SLIPS:— Buffer	For Perforator Unit on Reperforator, Morse	C	"
3495	Creed 850/113	Motor, fixing	For Transmitter, Morse, Automatic, Type 31	C	"
4387	Creed 1910/21	Ring:— Inner	For Governor Unit, Teletypewriter, 7B	C	"
4388	Creed 1910/23	Outer	G.P.O. S.42	C	"
			G.P.O. S.43	C	"

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
3519	G.N.T 112/104A	SOCKETS:—			
YB.01666		4-pole	For Transmitter, Wheatstone, Type 3	C	each
17620		No. 3	2-pin, 5A	C	"
		Soldering	Diameter of bolt hole, $\frac{1}{32}$ in.	C	"
9013696		SOLENOID ASSEMBLY	$4\frac{1}{2}$ in. \times $3\frac{1}{8}$ in. \times $1\frac{1}{2}$ in. approx. o/a. dims.	C	"
17937		SOLENOID	Used on F.G.R.I. 5493	C	"
18339		SOLENOIDS:—			
		C.P.	B	"
		Comprising —			
		Coil, Solenoid	(Ref. No. 17802)		
		Pole-piece	(Ref. No. 18078)		
		SOUNDERS, relaying:—			
129		Contacts, upper	C	"
117		Type A	Used on Panel, Type 339. Polarised 500 ohms plus 500 ohms.	B	"
138		Type B	Used on Panel, Type 339. Polarised 500 ohms plus 500 ohms.	B	"
17920		SPACER	Used on F.G.R.I. 5493	C	"
9421360		SPACER	Used on B.I.D.50	C	"
		SPACERS:—			
17021	Creed 1816/24A	Cut-out	Used on End of Line Indicator Tape Attachment Unit, Teleprinter, 7B.	C	"
16199	Creed P.W.5222/1	Mild steel	0.625 in. o/d \times 0.378 in. i/d \times 0.040 in. C.P.D. For Printing Reperforator, Creed 85R.	C	"
460	Creed 1650/307	Pawl	For Perforator, Keyboard and Striker Transmitter Unit of Teleprinter, 7B.	C	"
16190	Creed 2870/41	Printing Reperforator, 85R	C	"
9421353		Shaft	Used on B.I.D.50	C	"

RESTRICTED

189

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
17022	Creed 1816/16	SPACERS—cont. Slide bar	For End of Line Indicator Tape attachment Unit ..	C	each
2329	Creed T.A.1016	SPANNERS:— Body	For Printer, Morse, Page and Tape Models Tool Set ..	C	..
1890	Creed T.A.1012	Clutch	Set of 2. For Morse Receiver Reperforator Tool Set ..	C	set
1420	G.N.T.112/210	Collet	For Transmitter, Wheatstone, Type 3	C	each
575	Creed T.A.1014	Detent and connector	Set of 2. For Morse Keyboard Perforator Tool Set ..	C	set
1933	Ericsson W.8228	No. 6, G.P.O.	Flat. $\frac{7}{8}$ in. \times $\frac{1}{2}$ in. Length $4\frac{1}{2}$ in. thickness $\frac{1}{4}$ in., For Switchboard, G.P.O., A.D.1240.	C	each
446		No. 10	Flat. 0.6 in. For Teleprinter Maintenance Tool Set.	C	..
17681	Creed T.A.1127	Pin	For removing Clutch Body	C	..
16947	Creed T.A.1052	Special:— 20 character, answer back	Maintenance Tool for Teleprinter, 7B.	C	..
16946	Creed T.A.1007	Carriage stop and latch	C	..
15743	G.P.O. A.D.2237	SPEAKING UNIT	Used on Commercial Radar	A	..
447		SPIKES, capstan:— No. 2	$3\frac{1}{2}$ in. \times $\frac{1}{8}$ in. dia. For Teleprinter Maintenance Tool Set.	C	..
448		No. 3B	$2\frac{3}{4}$ in., medium. For Teleprinter Maintenance Tool Set.	C	..
449		No. 3C	$2\frac{3}{4}$ in., small. For Teleprinter Maintenance Tool Set	C	..
4102		No. 4	Non-mag. Radio Vehicle, Type 396	C	..
450		No. 5	$2\frac{3}{4}$ in. \times $\frac{3}{16}$ in. diameter insulated. For Teleprinter Maintenance Tool Set.	C	..
13462	Creed P.P.7612	SPINDLE	For Reperforating Receiver (T.P.), No. 2, Mark 2 ..	C	..
13482	Creed P.P.6507	SPINDLE	For Reperforating Receiver (T.P.), No. 2, Mark 2 ..	C	..
13472	Creed 1803/27	SPINDLE	For Reperforating Receiver (T.P.), No. 2, Mark 2 ..	C	..
15176	{ Creed 1830/4D G.P.O. G.103 }	SPINDLE	For Teleprinter, 7B	C	..

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10C *cont.*

1	2	3	4	5	6
17964		SPINDLE	Used on F.G.R.I. 5493.. .. .	C	each
17773		SPINDLE	Used on F.G.R.I. 5493.. .. .	C	.
17791		SPINDLE	Used on F.G.R.I. 5493.. .. .	C	..
9330831		SPINDLE	S/Steel. Cut from 0-1875 in. \pm 0-00025 in. rod. Used on Ref. No. 9330825. Coder Telegraph.	C	.
9421382		SPINDLE	Used on B.I.D. 50	C	..
9421450		SPINDLE	Used on B.I.D. 50	C	..
9421504		SPINDLE	Used on B.I.D. 50	C	..
9421524		SPINDLE	Used on B.I.D. 50	C	..
		SPINDLES:--			
16804	Creed 1980/12	Answer back drum, C.P.	For Teleprinter, 7B	C	..
2394	G.N.T.112/33	Armature	For Transmitter, Wheatstone, Type 4	C	..
1966	G.N.T.309/31	Armature	For Undulator, Type 11	C	..
9421693		Armature	Used on B.I.D. 560/1	C	..
3236	G.N.T.112/79	Bush	For Transmitter, Morse, Automatic	C	..
15558	Creed 1550/114A	Cam	For Auto. Transmitter (T.P.), No. 1B, Mark 2	C	..
15643	Creed 1550/327	Cam, C.P.	For Auto. Transmitter (T.P.), No. 1B, Mark 2	B	..
17992		Carriage, C.P.	Used on Teleprinter, 7B, Mark 2	C	..
16016		Coding Disc	Used on Test Equipment, T.9067	C	..
17741		Combination head	Typehead spindle	C	..
1235	Creed 720/6	Clutch	For Reperforator, Morse Receiving	C	..
14059	Creed 720/310	Clutch, C.P.	For Reperforator, Morse	C	..
13444	Creed 1801	Clutch dog, C.P.	For Reperforating Receiver (T.P.), No. 2, Mark 2	C	..
2030	G.N.T.2044/5	Control arm	For Undulator, Type 11	C	..
17963		Distributor Drive, C.P.	Used on F.G.R.I.5493	C	..
1991		Dolly tape wheel	For Undulator, Type 11	C	..
483	Creed 860/127B	Driving	For Perforator, Keyboard, Morse	C	..

RESTRICTED

AL 115

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT

SECTION 10G—cont.

1	2	3	4	5	6
		SPINDLES—cont.			
16525	Creed 1822/A	Driving	For Lay Shift Gear, Teleprinter, 7B	C	each
		Driving:—			
3223	G.N.T.112/57	C.P.	For Transmitter, Wheatstone, Type 3	C	"
3364	Creed 860/130B	C.P.	For Perforator, Keyboard, Morse, Type 4	C	"
3225	G.N.T.112/59	Eccentric sleeve	For Transmitter, Wheatstone, Type 3	C	"
2032	G.N.T.309/11	Roller, C.P.	For Undulator, Type 11	C	"
3567	Creed P.B.1165	Driving and locking beam, pivot bushes	For Transmitter, Morse, Automatic, Type 3	C	"
3222	G.N.T.112/56A	Driving assembly	For Transmitter, Wheatstone, Type 3	C	"
		Feed:—			
3771	Creed 740/166A	Roller	For Printer, Morse, Tape Model	C	"
1405	G.N.T.112/61A	Tape		C	"
3266	G.N.T.2042/52	Governor, C.P.	For Transmitter, Wheatstone, Type 3	C	"
2385	G.N.T.112/9	Guide, roller		C	"
18112		Intermediate gear C.P.	Used on Reperforator, Creed 7TR/3 (Ref. No. 17521)	C	"
17457	Creed 1800/82	Intermediate wheel	For Reperforating Receiver (T.P.), No. 2, Mark 2 ..	C	"
194	Creed 1825/24	Intermediate worm	For Teleprinter, 7B	C	"
3880	Marconi 51/6088/1/C	Jockey roller	For Undulator, Type 4	C	"
2029	G.N.T.2044/33	Main, C.P.	For Undulator, Type 11	C	"
16807	Creed 2023/32	Non-feed, C.P.	For Teleprinter, 7B	C	"
2028	G.N.T.2044/54	Output, C.P.	For Undulator, Type 11	C	"
		Paper:—			
3648	Marconi 17W/3804/C	Drive	For Undulator, Type 7	C	"
3876	Marconi 1/WSK/3052	Drive	For Undulator, Type 4	C	"
3885	Marconi 75/60881/E	Guide		C	"
19517		Pawl housing, with cam	Comprises spindle, and pawl housing, Drg. XK-3256-34. Phosphor bronze and mild steel. O/a. dims.: 2½ in. x 0.725 in. diam.	C	"
		Platen:—			
15180	Creed 1831/58A	C.P.	G.P.O. K.88. For Page Attachment Unit, Teleprinter, 7B.	B	"
16986	Creed 1847/9	Feed	For Tape Attachment Unit, Teleprinter, 7B	C	"
17962		Ratchet	Used on F.G.R.I. 5493.. .. .	C	"
17958		Ratchet, C.P.	Used on F.G.R.I. 5493.. .. .	C	"
16805	Creed 2023/8	Rocking	For Teleprinter, 7B	C	"
16806	Creed 2023/33	Rocking, carriage return, C.P.	For Teleprinter, 7B	C	"

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10C—cont.

RESTRICTED

1	2	3	4	5	6
		SPINDLES—cont.			
13701	Creed 1400/393	Roller paper tension, R.S.	C	each
2344	Creed 850/307	Speed change	For Transmitter, Morse, Automatic	C	..
13723	Creed 1260/93A	Spring drum	For Printer, Morse, Page Model	C	..
16808	Creed 1831/9	Spring drum	For Carriage Unit, Teleprinter, 7B	C	..
17999		Spring drum, C.P.	Part of Teleprinter, 7B, Mark 2	C	..
13440	Creed 1801/11	Starter driving	For Reperforating Receiver (T.P.), No. 2, Mark 2 ..	C	..
18908	Creed 720/320	Tape and Collar, C.P.	Used on Morse Reperforator (Ref. No. 1940) ..	C	..
		Tape:—			
2176	Creed 740/45A	Feed	For Printer, Morse, Tape Model	C	..
15563	Creed 1200/2A	Feed	For Auto. Transmitter (T.P.), No. 1B, Mark 2 ..	C	..
16139	Creed 2870/154	Feed, C.P.	For Printing Reperforator, Creed 85R	C	..
18891	Creed 1947/263A	Feed, C.P.	Used on Punch Block Unit, centre feed, C.P. (Ref. No. 18818).	C	..
17433	Creed P.P.5546	Reel	For Tape Roll Holder and Guide of Reperforators, printing.	C	..
16364	Creed 2885/17	Reel, sub, C.P.	For Tape Winder, G.P.O., No. 2	C	..
2031	G.N.T.309/60	Wheel, C.P.	For Undulator, Type 11	C	..
2248	Creed 740/350A	Type carriage, C.P.	For Printer, Morse, Page Model	C	..
16809	Creed 1826/72	Typehead, race, C.P.	For Typehead Unit, Teleprinter, 7B	C	..
14978	G.P.O. D.55	Wheel and ratchet	Paper feed of G.P.O. Keyboard Perforator, No. 44, Mark 2.	C	..
		Worm:—			
15132		Main drive	Used on Teleprinter, Type 7B (Ref. No. 163) ..	C	..
4179	Creed 1841/21	SPOOL, ribbon	G.P.O. A.46. Teleprinter, 7B, Sub-assembly ..	C	..
9421600		SPOOL, tape	Used on B.I.D. 560/1	C	..
9421718		SPOOL, tape	Used on B.I.D. 560/1	C	..
114	Creed L.P. 25829	SPRING and CONTACT ASSEMBLY	C	..
13442	Creed P.G.3013	SPRING	For Reperforating Receiver (T.P.), No. 2, Mark 2 ..	C	..
14086	Creed P G 7076	SPRING	For Reperforating Receiver (T.P.), No. 2, Mark 2 ..	C	..

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
9421670		SPRING	Used on B.I.D. 560/1	C	each
9421673		SPRING	Used on B.I.D. 560/1	C	..
13469	Creed P.G.7112	SPRING	For Reperforating Receiver (T.P.), No. 2, Mark 2 ..	C	..
13434	Creed 1801/33	SPRINGS:—			
3324	Marconi 53/60881/E	Adjusting collar	For Reperforating Receiver (T.P.), No. 2, Mark 2 ..	C	..
YB.08835		Arm	C	..
2036	G.N.T.309/32	Arm Assembly	Used on 5. U.C.O.	A	..
15017	G.P.O. B.13	Armature, bias, C.P.	For Undulator, Type 11	C	..
14967	G.P.O. D.27	Armature return	For Keyboard Perforator, No. 44, Mark 2 ..	C	..
15130	Creed P.G. 2021A	Back space pawl	For Keyboard Perforator, No. 44, Mark 2 ..	C	..
17551		Backing	G.P.O. B.11. For Main Base Unit, Teleprinter, 7B ..	C	..
		Backing	Used with Main Base Unit (Ref. No. 18084) ..	C	..
		Backing:—			
16810	Creed 2184/18	Long	For Bias Adjustment Arm of Striker Transmitting Head, Teleprinter, 7B.	C	..
4415	Creed 2184/17	Short	For Striker Ring Adjustment Arm, Transmitting Head, Teleprinter, 7B.	C	..
293	Creed P.G.3029	Bar	1 per keybar. For Teleprinter, 7B	C	..
16070	Creed 1830/57	Bearing	For Traversing Link, Cam Unit, Teleprinter, 7B ..	C	..
15536	Creed P.G.2099	Bearing	For Reperforating Receiver (T.P.), No. 2, Mark 2 ..	C	..
18139		Bearing	Used on Reperforator, Creed 7TR/3 (Ref. No. 17521)	C	..
17921		Bellcrank	Used on F.G.R.I. 5493.	C	..
1412	G.N.T.112/26	Bellcrank	For Transmitter, Wheatstone, Type 3	C	..
3315	Marconi 57/60881/C	Bias	For Undulator, Types 4 and 12	C	..
		Bias:—			
2035	G.N.T.309/44	Adjusting, fork	For Undulator, Type 11	C	..
16071	Creed 1828/19	Bobbin, spindle	For Ribbon Feed Bracket Unit, Teleprinter, 7B ..	C	..
4602	Creed 1172/16	Boss	For Perforator, Keyboard, Morse	C	..
		Buffer:—			
16812	Creed 8138/78	Throw-out lever	For Control Lever Unit, Teleprinter, 7B	C	..
16306	Creed P.G.7299	Cam release lever	For Orientation Device of Printing Reperforator, 85R	C	..
		Carriage:—			
269	Creed P.G.1503	Return	For Teleprinter, 7B	C	..

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
		SPRINGS—cont.			
		Carriage—cont.			
2272	Creed P.G.1502	Return	For Printer, Morse, Page Model	C	each
17901		Catch	Used on F.G.R.I. 5493.	C	"
3323	Marconi 25/62055/E	Catch, guillotine	For Undulator, Type 4	C	"
17825		Circlips	Used on F.G.R.I. 5493.	C	"
		Clamping:—	For Cam Unit, Teleprinter, 7B.		
16541	Creed 1830/55	Plates	C	"
4373	Creed P.G.3055	Clutch	G.P.O. B.Q.72. For Answer Back Unit, Teleprinter, 7B.	C	"
18223		Clutch	Used on Perforator, Keyboard, Creed 7P/N3 (Ref. No. 17453).	C	"
		Clutch:—			
212	Creed 1826/65A	Inner, scissor	For Typehead Clutch, Teleprinter, 7B	C	"
211	Creed 1826/64	Outer	For Typehead Clutch, Teleprinter, 7B	C	"
		Comb:—			
2251	Creed 740/395	C.P.	For Printer, Morse, Tape Model	B	"
4215	Creed P.G.3003	Restoring	G.P.O. E.23. For Combination Head, Teleprinter, 7B.	C	"
4245	Creed P.G.2029	Setting finger, flat	G.P.O. G.22. For Cam Units, Teleprinter 7B	C	"
4350	Creed P.G.3020	Compression	G.P.O. P.6. For Striker Transmitter Unit. Teleprinter 7B.	C	"
16375	Creed P.G.3059	Compression	C	"
18859	Creed P.G.5058	Compression	Used on Perforator Ops. Unit.	C	"
17948		Compression	Used on F.G.R.I. 5493.	C	"
17955		Compression	Used on F.G.R.I. 5193.	C	"
17569	Creed P.G.5036	Compression	C	"
17705	Creed 2852/18	Compression	Used on Teleprinter 7B Page, Mark 2	C	"
17697	Creed 2852/17	Compression	Used on Teleprinter 7B Page, Mark 2	C	"
17707	Creed P.G.3109	Compression	Type stop driving spring	C	"
18137		Compression	Helical. 31 turns. 29 s.w.g. $\frac{3}{16}$ in. o/d \times $1\frac{45}{64}$ in. long.	C	"
15613	Creed P.G.5020	Compression	For Auto. Transmitter (T.P.), No. 1B, Mark 2	C	"
		Compression:—			
2183	Creed P.G.5019	Comb	For Printer, Morse, Tape Model	C	"

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
		SPRINGS—cont.			
		Compression:—			
17552	Creed P.G.5053	Helical	19 turns. $\frac{3}{16}$ in. o/d. \times 1 in. free length, 28 s.w.g. ..	C	each
17168	Creed P.G.5055	Locking bracket	For Page Attachment Unit, Teleprinter, 7B	C	"
3435	Creed P.G.5017	Returning bar link	For Perforator, Keyboard	C	"
2182	Creed P.G.5014	Shock absorber	For Typehammer Unit, Printer Morse, Tape Model ..	C	"
489	Creed P.G.5016	Space stop bracket, A.D.J.L.	For Perforator, Keyboard	C	"
2180	Creed 740/67	Spacing rack guide	For Printer, Morse, Tape Model	C	"
4354	Creed V.G.3021	Special	G.P.O. P.17. For Striker Transmitter Unit Sub. Assembly, Teleprinter, 7B.	C	"
178	Creed P.G.5009	Starter Switch	For Main Base Unit, Teleprinter, 7B	C	"
16358	Creed 2885/11	Tape winder, G.P.O. No. 2	C	"
2200	Creed P.G.5006	Type carriage clutch	For Printer, Morse, Tape Model	C	"
2199	Creed P.G.3012	Type retaining plate	For Printer, Morse, Tape Model	C	"
9421380		Conical	C	"
9421397		Conical	Used on B.I.D.50	C	"
17371	Creed P.G.7301	Contact	For Main Base Unit, Page, Friction	C	"
15669	Creed P.G.2032A	Contact	For Auto. Transmitter (T.P.), No. 1B, Mark 2 ..	C	"
4365	Creed P.G.2501	Contact	G.P.O. P.54. For Transmitting Unit, Teleprinter, 7B.	C	"
		Contact:—			
13437	Creed P.G.2042	"A"	For Reperforating Receiver (T.P.), No. 2, Mark 2 ..	C	"
3731	Creed 1172/49	"A"	For Perforator, Keyboard	C	"
17368	Creed 8135/31	Alarm, fixed, C.P.	For Answer Back Unit, Starter Switch Unit, Main Base Unit, Page, Friction.	C	"
16813	Creed P.G.2507	Alarm, moving C.P.	For Answer Back Unit, Starter Switch Unit, Tele- printer, 7B.	C	"
13436	Creed P.G.2041	"B"	For Reperforating Receiver (T.P.), No. 2, Mark 2 ..	C	"
995		Backing	Used on Main Base Unit (Ref. No. YB/1731) ..	C	"
4393	Creed 1910/52	Blade	G.P.O. S.62	C	"
17468	Creed 1200/42	C.P.	For Auto. Transmitter (T.P.) No. 1B, Mark 2 ..	C	"
13430	Creed 1836/146	Governor bush	For Teleprinter Reperforator	C	"
13046	Met. Police	Phos. bronze, $\frac{3}{8}$ in. iwde	For Radio Vehicle. Type 104C	C	"
		Control:—			
2038	G.N.T.2044/12	Arm	For Undulator, Type 11	C	"

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10C—cont.

1	2	3	4	5	6
		SPRINGS—cont.			
		Control—cont.			
13761	Creed P.G. 7098	Lever	For Page Printer Carriage, Printer, Morse	C	each
2134	Creed 5023A	Connector, $\frac{7}{8}$ in. long	For pre-1944 design. Punch Block Unit, Reperforator, Morse, Receiving.	C	..
		Damping:—			
3681	Marconi 32W/3805/C	Adjusting screw	For Undulator, Type 7	C	..
13666	Marconi 30/60871/B	Adjusting screw	C	..
16814	Creed 1831/101	Disc, click plate	For Line Feed Control, eccentric on Page Attachment Unit, Teleprinter, 7B.	C	..
14050	Creed 2493/2	Driving, speed indicator	For perforator, Morse	C	..
18907	Creed 2493/2	Driving, speed indicator	Used on High Speed Auto. Equipment	C	..
13717	Creed 740/427B	Drum	C	..
271	Creed 1831/6B	Drum, sub, C.P.	For Carriage Unit, Teleprinter, 7B	B	..
		Engagement:—			
17023	Creed 1816/19	End of line indicator	For Tape Attachment, Teleprinter, 7B	C	..
14957	G.P.O. D.8	Feed pawl	For Keyboard Perforator, No. 44, Mark 2	C	..
13432	Creed P.G.7055	Feed spindle	For Teleprinter, 7B	C	..
260	Creed P.G.2059	Flat	For Page Attachment Unit, Teleprinter, 7B	C	..
4192	Creed P.G.2008	Flat	G.P.O. B.109. For Electro-magnet Unit, Teleprinter, 7B.	C	..
4282	Creed P.G.2081	Flat	G.P.O. B.H.41. For Ribbon Driving Shaft Unit, Teleprinter, 7B.	C	..
4283	Creed P.G.2082	Flat	G.P.O. B.H.42. For Ribbon Driving Shaft Unit, Teleprinter, 7B.	C	..
15535	Creed P.G.2073A	Flat	For Reperforating Receiver (T.P.), No. 2, Mark 2	C	..
16815	Creed P.G.2009A	Flat	For Traversing Link Cam Unit, Teleprinter, 7B	C	..
18301		Flat	Dims.: 1 in. \times $\frac{9}{32}$ in. $<$ $\frac{5}{32}$ in.	C	..
15174	{ Creed P.G.2010A } { G.P.O. G.75 }	Flat	For Teleprinter, 7B	C	..
		Flat:—			
3433	Creed P.G.2052	Base foot, L.H.	For Perforator, Keyboard, Morse, Type 4	C	..
3728	Creed P.G.1172/18A	Counter	For Perforator, Keyboard	C	..
16816	Creed P.G.2034	Hammer head	For Typehammer Unit, Teleprinter, 7B	C	..
2203	Creed P.G.2028	Paper feed pawl	For Printer, Morse, Tape Model	C	..

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT

SECTION 10G—cont.

1	2	3	4	5	6
		SPRINGS—cont.			
		Flat—cont.			
4191	Creed P.G.2015A	Retaining pawl, ribbon feed	G.P.O. B.73. For Main Base Unit, Teleprinter, 7B ..	C	each
4419	Creed P.G.2060	Tape attachment unit	G.P.O. L.18. For Teleprinter, 7B	C	"
3432	Creed P.G.2045	Tape wheel plate	For Perforator, Keyboard, Morse, Type 4	C	"
17504	Creed P.G.2040	Transmitter head	For Auto-Transmitter, G.P.O. 1C.	C	"
		Friction:—			
2034	G.N.T. 309/48	Bias adjusting screw	For Undulator, Type 11	C	"
1238	Creed P.G.3041	Clutch	For Tape Feed Spindle, Punching Head Unit on Re- perforator, Morse Receiving.	C	"
1237	Creed P.G.3024	Clutch	For Reperforator, Morse Receiving	C	"
2276	Creed P.G. 7097	Roller lever	For Printer, Morse, Page Model	C	"
2391	G.N.T.112/20	Front, glass	For Transmitter, Wheatstone	C	"
2039	G.N.T.2044/43	Governor	For Undulator, Type 11	C	"
3280	G.N.T.2042/108	Governor	For Transmitter, Wheatstone, Type 3	C	"
13654	G.N.T.2042/66	Governor	C	"
		Governor:—			
18342	Creed 1910/19A	C.P.(1500 R.P.M.)	Colour Codes Yellow/Green	B	"
318	Creed 1910/19A	C.P. (3,000 R.P.M.)	For Teleprinter, 7B	C	"
3319	Marconi 17/62055/E	Guillotine	For Undulator, Type 11	C	"
14180	Creed P.G.7196	Helical	For Perforator No. 1 and Counter Units. Teleprinter, 7B.	C	"
		Helical: -			
9421548		Compression	Used on B.I.D.50	C	"
9013635		Compression	Steel 0.15 in. i.d. × 1.15 in. free length, 0.028 in. dia. wire.	C	"
9013783		Compression	Steel, 9 active coils, $\frac{5}{32}$ in. i.d., $\frac{1}{2}$ in. free length ..	C	"
9013790	<i>Murphy R. 816</i>	Compression	Phos. Bronze, $\frac{11}{32}$ in. i.d., $\frac{3}{8}$ in. free length, L.H. ..	C	"
9013791	<i>" R. 811</i>	Compression	Phos. Bronze, $\frac{11}{32}$ in. i.d., $\frac{3}{8}$ in. free length, R.H. ..	C	"
9421336		Compression	Used on B.I.D. 50	C	"
9421418		Compression	Used on B.I.D. 50	C	"
9421631		Compression	Used on B.I.D. 560/1	C	"
9421716		Compression	Used on B.I.D. 560/1	C	"
9013581		Extension	Steel. $\frac{3}{16}$ in. dia. × $1\frac{5}{16}$ in. lg. o/a., hook ends ..	C	"
9013587		Extension	Steel. $\frac{5}{32}$ in. dia. × $\frac{9}{16}$ in. lg. o/a. hook ends ..	C	"
9013652		Extension	C	"

RESTRICTED

Murphy

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT

SECTION 10G - cont

1	2	3	4	5	6
		SPRINGS—cont.			
		Helical—cont			
9013687		Extension	Steel. 0·3 in. dia. × 2·2 in. lg. o/a. hook ends ..	C	each
9013732		Extension	Steel. $\frac{3}{16}$ in. dia. × $\frac{11}{16}$ in. lg. o/a., hook ends ..	C	"
9013744		Extension	Steel. $\frac{3}{32}$ in. dia. × $\frac{15}{16}$ in. lg. o/a., hook ends ..	C	"
9330840		Extension	Free lgth. $\frac{3}{4}$ in. inside hooks 55 turns of non-corrodible 0·010 in. spring steel wire.	C	"
9330841		Extension	Free lgth. 1·26 in. inside hooks 62 turns of non-corrodible 0·016 in. spring steel wire.	C	"
9421486		Tension	} Used on B.I.D. 50	C	"
9421497		Tension		C	"
9421434		Tension		C	"
9421453		Tension		C	"
9421454		Tension		C	"
9421455		Tension		C	"
9421433		Tension		C	"
9421447		Tension		C	"
9421470		Tension		C	"
9421475		Tension		C	"
9421484		Tension	} Used on B.I.D. 50	C	"
9421506		Tension	C	"	
9421512		Tension	C	"	
9421527		Tension	C	"	
9421630		Tension	C	"	
9421705		Tension	} Used on B.I.D. 560/1	C	"
9421706		Tension	C	"	
9013634		Torsion	Steel. 0·15 in. × 0·4 in. × 0·5 in. approx. o/a. dims.	C	"
9013733		Torsion	Steel. $1\frac{1}{2}$ in. × $\frac{1}{2}$ in. × $\frac{1}{2}$ in. approx. o/a. dims. R.H.	C	"
9013734		Torsion	Steel. $1\frac{1}{4}$ in. × $\frac{3}{4}$ in. × $\frac{3}{4}$ in. approx. o/a. dims. L.H.	C	"
9013739		Torsion	Steel. $1\frac{1}{2}$ in. × $\frac{3}{4}$ in. × $\frac{3}{4}$ in. approx. o/a. dims. L.H.	C	"
9013740		Torsion	Steel. $1\frac{1}{2}$ in. × $\frac{3}{4}$ in. × $\frac{3}{4}$ in. approx. o/a. dims. R.H.	C	"
9013743		Torsion	Steel. $2\frac{1}{8}$ in. × $\frac{3}{4}$ in. × $\frac{1}{2}$ in. approx. o/a. dims. ..	C	"
9421404		Torsion	C	"	
9421405		Torsion	} Used on B.I.D. 50	C	"
9421406		Torsion	C	"	
9421381		Torsion	C	"	

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
		SPRINGS—cont.			
		Helical—cont.			
9421357		Torsion	} Used on B.I.D. 50	C	each
9421363		Torsion		C	"
9421396		Torsion		C	"
9421403		Torsion		C	"
9421441		Torsion		C	"
9421452		Torsion		C	"
9421510		Torsion		C	"
9421682		Torsion		C	"
1011	Creed P.G. 7221	Ink roller	Used on B.I.D. 560/1 For Damping Buffer Counter Unit, Teleprinter 7B ..	C	"
		Ink roller:—			
2202	Creed 740/357A	C.P.	For Printer, Morse, Tape Model	C	"
2269	Creed 1400/88	C.P.	For Printer, Morse, Page Model	C	"
3232	G.N.T.112/73	Jack assembly	} For Transmitter, Wheatstone, Type 3	C	"
3233	G.N.T.112/74	Jack assembly		C	"
3234	G.N.T.112/75	Jack assembly		C	"
13635	G.N.T.112/76	Jack support	For Transmitter, Wheatstone, Model 112	C	"
14257	Creed P.G.7074	Jockey Arm tension	Used on Keyboard unit part of x perforator	C	"
15090	G.P.O. C.87	Keybar	For Keyboard Perforator, No. 44, Mark 2	C	"
357	Creed P.G.7118	Keyboard Lock	Part of Machine, Type X, Mark 3	C	"
16268	Creed 1550/382	Latch	For Kit, Conversion, Automatic, Transmitter 1B ..	C	"
17169	Creed 1831/102	Leak Line feed bellcrank	For Page Attachment Unit, friction feed and Teleprinter, 7B.	C	"
9421419		Leaf	Used on B.I.D. 50	C	"
9421440		Leaf	Used on B.I.D. 50	C	"
9421618		Leaf	} Used on B.I.D. 560/1	C	"
9421683		Leaf		C	"
9421694		Leaf		C	"
9421474		Leaf Bent	} Used on B.I.D. 50	C	"
9421480		Leaf Bent		C	"
9421483		Leaf Bent		C	"
9421507		Leaf Bent		C	"
13485	Creed 1360/40B	Leaf, C.P.	For Reperforating Receiver (T.P.), No. 2, Mark 2 and Shunt Governor Unit, of Teleprinter 7B.	C	"

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
		SPRINGS—cont.			
2275	Creed P.G.7092	Line, clock lever	For Transmitter, Morse, Automatic	C	each
2273	Creed P.G.7014	Link	For Perforator, Keyboard	C	"
16323	Creed P.G.3088	Link, orientation	For Orientation Device of Printing Reperforator, 85R	C	"
4182		Motor Brush	Used on Teleprinter, 7B (Ref. No. 163)	C	"
2181	Creed P.G.3038	Non-stop check lever	For Printer, Morse, Tape Model	C	"
		Operating:—			
3320	Marconi 20/62055/E	Guillotine	For Undulator, Type 4	C	"
15168	{ Creed 1826/64 G.P.O. E.39 }	Outer	For spring clutch. For Teleprinter, 7B	C	"
9013659	<i>Mechanical P 726</i>	Paper platform clamp	Steel. 1 coil, 1/2 in. dia.	C	"
2274	Creed P.G.7037	Pawl	For Printer, Morse, Page Model	C	"
17568	Creed P.G.3057	Pawl	Used on Perforator, Keyboard	C	"
18925		Pawl	Non-corrodable. No. 28. S.W.G. Steel Spring ⁵ / ₁₆ in. long.	C	"
1411	G.N.T.112/23	Pecker	For Transmitter, Wheatstone, Type 3	C	"
13518	Code No. Kidbrooke XK.133	Plunger	Hollow Drum	C	"
2033	G.N.T.309/8	Pressure roller	For Undulator, Type 11	C	"
4329	Creed 1839/11A	Pressure roller	G.P.O. M.6. For Carriage Unit, Teleprinter, 7B	C	"
		Ratchet:—			
4605	Creed 1172/33	Feed pawl	For Perforator, Keyboard, Morse	C	"
2271	Creed 740/772	Pawl	For Printer, Morse, Page Model	C	"
14968	G.P.O. D.31	Restoring	For Keyboard Perforator, No. 44, Mark 2	C	"
		Restoring:—			
14973	G.P.O. D.42	Punch	For Keyboard Perforator, No. 44, Mark 2	C	"
15083	G.P.O. F.124	Space	For bellcrank of Keyboard Perforator, No. 44, Mark 2	C	"
15040	G.P.O. C.105	Trip bar	For Keyboard Perforator, No. 44, Mark 2	C	"
14964	G.P.O. D.20	Retaining	For Keyboard Perforator, No. 44, Mark 2	C	"
		Retaining:—			
16316	Creed 2845/32	Block adjusting	For Orientation Device of Printing Reperforator, 85R	C	"
2387	G.N.T.112/11A	Roller guide	For Transmitter, Wheatstone, Type 3	C	"
14190	Creed P.G.3074	Semi-elliptic	For Counter Unit, Teleprinter, 7B	C	"
17873		Set Assembly	Used on F.G.R.I. 5493	C	"
17870		Set Assembly, C.P.	Used on F.G.R.I. 5493	C	"

RESTRICTED

RESTRICTED
201

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
		SPRINGS—cont.			
		Sets:—			
15041	G.P.O. C.55	C.P.	For Keyboard Perforator, No. 44, Mark 2	C	each
		Contact:—	For Teleprinter, 7B.		
16824	Creed 2023/2	No. 1	C	"
16825	Creed 2023/11	No. 2	C	"
15178		Shock absorbing	Used on Teleprinter, 7B (Ref. No. 163)	C	"
16345	Creed 2845/127	Shock absorbing	For Reperforator, 85R	C	"
488	Creed P.G.7051	Space stop	5 per set. For bar and comb lever and comb bars of Perforator, Keyboard, Teleprinter, 7B.	C	"
		Spacer:—			
13475	Creed 1803/43	L.H.	For Reperforating Receiver (T.P.), No. 2, Mark 2 ..	C	"
13473	Creed 1803/44	R.H.	For Reperforating Receiver (T.P.), No. 2, Mark 2 ..	C	"
16540	Creed 1830/54	Spacing	For Traversing Links, Cam Units, Teleprinter, 7B ..	C	"
490	Creed P.G.3034	Spacing lever	For Perforator, Keyboard	C	"
1872	Creed P.G.3015/2	Special	For Message Desk, Teleprinter, 7B, Paper Clip Spring	C	"
4096	Creed P.G.7198	Special	For Counter Unit, Teleprinter, 7B	C	"
4217	Creed P.G.3009	Special	G.P.O. E.31. For Combination Head Unit. Teleprinter, 7B.	C	"
18083		Special	C	"
18346	Creed P.G.7358	Special	Used on Printing Perforator, 85R	B	"
		Special:—			
250	Creed P.G.3027B	Pawl	For Cam Unit, Teleprinter, 7B	C	"
		Starter:—			
13428	Creed 1300/91	Flat	For Reperforating Receiver (T.P.), No. 2, Mark 2 ..	C	"
4187	Creed 1836/21	Stirrup, C.P.	G.P.O. B.55. For Main Base Unit, Teleprinter, 7B ..	C	"
18893	Creed 1947/319A	Stripper	Used on Punch Block Unit (Ref. No. 18818)	C	"
2037	G.N.T./309/62	Tape Wheel	For Undulator, Type 11	C	"
		Tape Wheel:—			
1244	Creed 740/417	C.P.	For Printer. Morse, Tape Model	C	"
4202	Creed P.G.7083	Tension	Also sound, receive contact for Starter Switch Control Unit, and Striker Transmitter Head, Teleprinter, 7B.	C	"
4211	Creed P.G. 7166	Tension	Used on Combination Head Unit (Ref. No. 17123) ..	C	"
4212	Creed P.G. 7086	Tension	G.P.O. E.14. For Combination Head Unit. Teleprinter, 7B.	C	"
4229		Tension	C	"

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
		SPRINGS—cont.			
4230	Creed P.G.7229	Tension	G.P.O. F.25. For Control Lever Unit. Teleprinter, 7B.	C	each
4231	Creed P.G.7105	Tension	G.P.O. F.28. For Control Lever Unit. Teleprinter, 7B.	C	"
4258	Creed P.G.7042	Tension	G.P.O. G.62. For Cam Unit. Teleprinter, 7B ..	C	"
4288	Creed P.G.7164	Tension	G.P.O. B.J.20. For operating Electro-magnetic Unit, Teleprinter, 7B.	C	"
4289	Creed P.G.7048	Tension	For Electro-magnetic Unit. Teleprinter, 7B ..	C	"
4296	Creed P.G.7101	Tension	G.P.O. K.5. For Page Attachment Unit. Teleprinter, 7B.	C	"
4308	Creed P.G.7044	Tension	G.P.O. K.31. For Page Attachment Unit. Teleprinter, 7B.	C	"
4310	Creed P.G.7047	Tension	For Page Attachment Unit. Teleprinter, 7B ..	C	"
4319	Creed P.G.7093	Tension	For Clutch Cross Head, Page Attachment. Teleprinter, 7B.	C	"
4320	Creed P.G.7167	Tension	G.P.O. K.79. For Page Attachment Unit. Teleprinter, 7B.	C	"
4324	Creed P.G.7046	Tension	G.P.O.105. For Page Attachment Unit. Teleprinter, 7B.	C	"
4353	Creed P.G.7094	Tension	G.P.O. P.15. For Striker Transmitter Unit. Teleprinter, 7B.	C	"
4378	Creed P.G.7154	Tension	G.P.O. B.Q.85. For Answer Back Unit. Teleprinter, 7B.	C	"
4385	Creed P.G.7050	Tension	G.P.O. Q.47. For answer Back Unit. Teleprinter, 7B.	C	"
4409	Creed P.G.7205	Tension	G.P.O. B.W.90. For Teleprinter, 7B	C	"
13249	Creed P.G.7020	Tension	For Tape Wheel Brake	C	"
13446	Creed P.G.7116	Tension	For Reperforating Receiver (T.P.), No. 2, Mark 2 ..	C	"
13449	Creed P.G.7054	Tension	For Reperforating Receiver (T.P.), No. 2, Mark 2 ..	C	"
14111	Creed P.G.7219	Tension	Used on Perforator Unit	B	"
14992	G.P.O.F.44.	Tension	For Keyboard Perforator, No. 44, Mark 1	C	"
15525	Creed 1400/172	Tension	For Reperforating Receiver (T.P.), No. 2, Mark 2 ..	C	"
15598	Creed P.G.7019	Tension	For Reperforating Receiver (T.P.), No. 2, Mark 2 ..	C	"
15624	Creed P.G.7242	Tension	} For Auto. Transmitter (T.P.), No. 1B, Mark 2 ..	C	"
15626	Creed P.G.7241	Tension		C	"

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
		SPRINGS—cont.			
15658	Creed P.G. 7240	Tension	For Auto. Transmitter (T.P.), No. 1B, Mark 2 ..	C	each
16538	Creed P.G. 7102	Tension	For Armature Stop and Tape Attachment Unit ..	C	"
16822	Creed P.G. 7100	Tension	Finger resetting trip bellcrank. For Cam Unit, Teleprinter, 7B.	C	"
16936	Creed P.G. 7314	Tension	C	"
350	Creed P.G. 7039	Tension	For Printer, Morse, Page Model, Type 2	C	"
1004		Tension	Used in Counter Unit, (Ref. No. 15687)	C	"
1005		Tension	Used on Tape Control Unit (Ref. No. 15667)	C	"
1732	Creed P.G. 7139	Tension	For Cam Unit, Teleprinter, 7B	C	"
17562	Creed P.G. 7003	Tension	C	"
17563	Creed P.G. 7212	Tension	C	"
17564	Creed P.G. 7173	Tension	Used on Perforator, Keyboard	C	"
17565	Creed P.G. 7345	Tension	C	"
17570	Creed P.G. 7152	Tension	C	"
17693	Creed P.G. 7341	Tension	Used on Teleprinter, 7B, Page, Mark 2	C	"
17701	Creed P.G. 2852/10A	Tension	Used on Teleprinter, 7B, Page, Mark 2	C	"
17774		Tension	C	"
17775		Tension	Used on F.G.R.I. 5493	C	"
17788		Tension	C	"
17869		Tension	C	"
18727	Creed P.G. 7213	Tension	Used on Perforator, Keyboard 7P/N3	C	"
		Tension:—			
2179	Creed 740/66	Adjusting lever carriage	For Printer, Morse, Type Model	C	"
4371	Creed P.G. 7041	Answer back detent	G.P.O. B.Q. 62. For Answer Back Unit, Teleprinter, 7B.	C	"
491	Creed P.G. 7080	Bellcrank, tape	For Perforator, Keyboard, Morse	C	"
2184	Creed P.G. 7085	Bellcrank	For Printer, Morse Tape Model	C	"
4418	Creed P.G. 7206	Bias	G.P.O. B.U.118. For Striker Transmitting Head. Teleprinter, 7B.	C	"
3434	Creed P.G. 3035	Brake arm	C	"
3436	Creed P.G. 7097	Combination selector bar	For Perforator, Keyboard	C	"
3744	Creed 1072/33	Counter ratchet feed pawl	C	"
3743	Creed P.G. 6078	Counter returning	C	"
4317	Creed P.G. 7043	Cross Head Clutch	G.P.O. K.64. For Page Attachment, Teleprinter, 7B	C	"

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT

SECTION 10G—cont.

1	2	3	4	5	6
		SPRINGS—cont.			
		Tension—cont.			
17832		Detent lever	Used on F.G.R.I. 5493.. .. .	C	each
17879		Hairpin	Used on F.G.R.I. 5493.. .. .	C	"
4417	Creed P.G.7204	Jockey roller lever	G.P.O. B.U. 117. For Striker Transmitting Head, Teleprinter, 7B.	C	"
487	Creed P.G.7077	Keybar	For Perforator, Keyboard	C	"
2178	Creed 740/63	Lever	For Printer, Morse, Tape Model	C	"
2177	Creed 740/62	Lever spacing	For Printer, Morse, Tape Model	C	"
16957	Creed P.G.7121	Locking bar, No. 27	M Keyboard Assembly, Teleprinter, 7B	C	"
16526	Creed P.G.7137	Locking lever	For Sprocket Feed Paper Carriage Unit, Teleprinter, 7B.	C	"
2204	Creed P.G.7091	Paper feed roller	For Printer, Morse, Tape Model	C	"
4333	Creed P.G.7053	Paper knife	For Paper Carriage Unit, Teleprinter, 7B. G.P.O. M.17.	C	"
17822		Pawl	Used on F.G.R.I. 5493.. .. .	C	"
485	Creed P.G.7078	Pawl abutment trip lever	For Perforator, Keyboard	C	"
14994	G.P.O. E.46	Perforator, Keyboard, No. 44, Mark 1	C	"
4420	Creed P.G.7104	Pressure roller lever	G.P.O. L.26. For Tape Printing Attachments, Teleprinter, 7B.	C	"
16225	Creed P.G.7176	Printing Reperforator, Creed 85R	C	"
16183	Creed P.G.7208	Printing Reperforator, Creed 85R	C	"
16217	Creed P.G.7069	Printing Reperforator, Creed 85R	C	"
17024	Creed P.G.7114	Resetting switch	For End of Line Indicator, Tape Attachment, Teleprinter, 7B.	C	"
17013	Creed P.G.7099	Retention lever	For Tape Attachment Unit, Teleprinter, 7B	C	"
17834		Return, pawl abutment	Used on F.G.R.I. 5493.. .. .	C	"
16391	Creed P.G.7209	Roll holder, G.P.O.	C	"
14961	G.P.O. D.14	Selecting finger	For Keyboard Perforator, No. 44, Mark 2	C	"
254	Creed 1160/786	Shock absorbing	For Cam Shaft Spur Wheels, Cam Unit, Teleprinter, 7B.	C	"
17459	G.P.O. D.62	Staybrite steel	Length $\frac{3}{4}$ in., o/d $\frac{1}{8}$ in., 28 turns of 28 S.W.G. wire. For Perforator, No. 44, Mark 1.	C	"
4352	Creed P.G.7084	Stud receiver, switch lever	G.P.O. P.11. For Striker Transmitter Unit, Teleprinter, 7B.	C	"
486	Creed P.G.3032	Tape retention, W.L.	For Perforator, Keyboard	C	"

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
		SPRINGS—cont.			
		Tension—cont.			
4357	Creed P.G.7038	Trip bellcrank	G.P.O. P.22. For Striker Transmitter Unit, Teleprinter, 7B.	C	each
3326	Marconi 66A/8088/1E	Undulator, Type 4	C	"
17566	Creed P.G.3058	Torsion	Used on Perforator, Keyboard	C	"
17567	Creed P.G.3062	Torsion	Used on Perforator, Keyboard	C	"
16204	Creed P.G.3107	Torsion	For Reperforator, Printing	C	"
YB.03872		Trip, Finger Bell, No. 1	C	"
YB.03873		Trip, Hammer Bell	C	"
4222	Creed P.G.7072	Type retaining	G.P.O. E.56. For Typehead Unit, Teleprinter 7B ..	C	"
15710	Creed P.V.4019	Washer	For Transmitter, Morse, Automatic	C	"
18898	Creed 1947/269	SPROCKET, Retention Lever wheel ..	Used on Perforator Keyboard. 7P/N3	C	"
		SPURS, wheel:—			
3774	Creed 740/122	Cam shaft	For Printer, Morse, Tape Model	C	"
2148	Creed G.R.2016	Main shaft	For Reperforator, Morse Receiving	C	"
3770	Creed 740/594	Type	For Printer, Morse, Tape Model	C	"
17532	Creed 1550/217	Transmitter	A circular stand into which the transmitter head fits	B	"
15551	Creed 1550/212	Transmitter, C.P.	For Auto. Transmitter (T.A.), No. 1B, Mark 2 ..	B	"
9421717		STAR AND RATCHET WHEEL ..	Used on B.I.D. 560/1	C	"
9421665		STAR WHEEL AND SHAFT ..	Used on B.I.D. 560/1	C	"
		STARTERS:—			
13416	Creed S.1801C	C.P.	For Reperforating Receiver (T.P.), No. 2, Mark 2 ..	A	"
15149	Creed S.1835B	Switch unit	G.P.O. B. 75. For Teleprinter, 7B	B	"
200	Creed P.P.6540/B	Trip spindle	For Switch Control Unit, Teleprinter, 7B	C	"
141		STICKS, crook, jointed, Mark 2 ..	Set of 2. For Radio vehicle, Type 394/D	B	set

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
18042		STOPS:—			
3757	Creed 740/392	Adjustable	Used on Teleprinter, 7B, Mark 2	C	each
		Buffer, comb	For Printer, Morse, Tape Model	C	"
3678	Marconi	Clamping:—			
	33/W. 3805/A	Screw	For Undulator, Type 7.. .. .	C	"
13665	Marconi 26/60871/B	Screw	For Undulator, Type 3	C	"
209	Creed 1826/24	Comb	For Teleprinter, 7B	C	"
521	Creed 860/90B	Combination	For Perforator, Keyboard	C	"
17049	Creed 1910/44	Contact	For Governor Unit, Teleprinter, 7B	C	"
16827	Creed 1835/65	Contact blade	For Starter Switch Unit, Teleprinter, 7B	C	"
3721	Creed 720/148A	Detent plate	For Reperforator, Morse Receiving, Type 3.. .. .	C	"
13145		End:—			
		Strip, designation	0.594 in. × 0.049 in. × 0.812 in. lg. For Cabinet, Type 10, Console, Type 3.	C	"
13146		Strip, designation	$\frac{3}{4}$ in. × $\frac{1}{2}$ in. For Panel, Type 193, Console, Type 3	C	"
4606	Creed 1172/34	Feed, pawl	For Perforator, Keyboard, Morse	C	"
9013918		Handle	Steel. $\frac{5}{8}$ in. lg. × $\frac{3}{8}$ in. dia.	C	"
220	Creed 1826/123	Indicator	For Typhead Clutch, C.P., Combination Head, Teleprinter, 7B.	B	"
17079	Creed P.E.2002	Insulating, lever send-recv switch, C.P.	For Striker Transmitter Unit Sub-Assembly	C	"
17492	Creed 1550/446	Latch lever	For Kit, conversion, Auto. Transmitter (T.P.), No. 1B, Mark 2.	C	"
16401	Creed 2868/30	Overthrow	For Reperforator, Printing, Creed 85R	C	"
16402	Creed 2868/31	Overthrow	For Reperforator, Printing, Creed 85R	C	"
17408	{ Creed 2868/29A } { G.P.O. E. 70 }	Overthrow	For Control Unit of Printing Reperforator	C	"
16208	Creed 2870/121	Pin, plate	For Reperforator, Printing, Creed 85R	C	"
80	Creed 860/89A	Space	For Reperforator, Keyboard	C	"
2175	Creed 740/40	Space	For Printer, Morse, Tape Model	C	"
		Space:—			
13673	Creed 740/41	Rack "A"	For Printer, Morse	C	"
3402	Creed 860/429	Rack plate	For Perforator, Keyboard, Morse 4	C	"
3851	Creed 860/678	Spacing	For Perforator, Keyboard, Morse 4	C	"

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT

SECTION 10G—cont.

1	2	3	4	5	6
		STOPS—cont.			
		Spacing rack:—	For Perforator, Keyboard, Morse 4.		
493	Creed 860/86C	Front	C	each
3850	Creed 860/679	Front	C	"
494	Creed 860/383	Rear	C	"
		Syphon:—			
13664	Marconi 25/60871/B	Arm	For Undulator, Type 3	C	"
3679	Marconi 31/W.3805/A	Arm adjusting screw	For Undulator, Type 7.. .. .	C	"
13667	Marconi 45/60871/B	Arm adjusting screw	For Undulator	C	"
3307	Marconi 24/60871/B	Arm bracket	For Undulator, Type 4.. .. .	C	"
3680	Marconi 18/W.3805/C	Arm damping screen	For Undulator, Type 7.. .. .	C	"
3306	Marconi 22/60871/B	Arm support bridge	For Undulator, Type 4	C	"
221	Creed 1826/54B	Type, C.P.	For Teleprinter, 7B	B	"
2249	Creed 740/351C	Type carriage, C.P.	For Printer, Morse, Tape Model	C	"
2279	Creed 740/572	Type carriage, C.P.	For Printer, Morse, Tape Model	C	"
17747		Typehammer, overthrow, C.P.	C	"
17153	Creed 1841/54	Typehammer, overthrow, C.P.	For Combination Head Unit	C	"
ZA.11947		STRAP	W/O Satchel	C	"
		STRAPS:—			
YA.1532		Carrying "F"	C	"
16828	Creed 1826/23	Clamp body	For Teleprinter, 7B	C	"
YA.0449		Leather	Used with Climbers pole. Mark 1/1	B	"
13581	Creed 720/419	Pivot, tape wheel, C.P.	For Tape Wheel Drawer, Reperforator, Morse	C	"
149		Stick, crook, jointed	Leather 28 in. > 0.75 in. wide, with buckle. For stick (Ref. No. 141).	C	"
17758		STRIKER TRANSMITTER UNIT	Used on Teleprinter, 7B Page, Mark 2	A	"
		STRIKER TRANSMITTER UNITS:—			
17065	Creed 2184/59	Keyboard unit, Type M..	A	"
16971	Creed 2184/60	Sub-assembly	A	"
16969	Creed S.2184A	Teleprinter, 7B	A	"

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10C—cont.

1	2	3	4	5	6
16829	Creed 2184/41	STRIKER	For Teleprinter, 7B	C	each
15539	Creed 1800/62	STRIKER, C.P.	For Reperforating Receiver (T.P.), No. 2, Mark 2 ..	C	"
YA.1872		STRIP	Radar A.A. No. 3, Mk. 7	A	"
		STRIPS:—			
17302	Creed 1933/8	Backing	For Governor Unit Shunt, Teleprinter, 7B	C	"
16966	Creed 1834/2A	Backing, hammer head spring	For Teleprinter, 7B	C	"
		Clamping:—			
2041	G.N.T.309/106	Coil	For Undulator, Type 11	C	"
1999	G.N.T.309/108	Felt coil	For Undulator, Type 2	C	"
13332	G.P.O.121A	Connection	C	"
		Connection:—			
3535		G.P.O. No. 77	Soldering 120 (6 × 20) tags. 8 in. × 2½ in., base, end and central fixing.	C	"
3541		G.P.O. No. 97	Soldering 200 (8 × 25) tags. 6½ in. × 2½ in., base, end and central fixing.	C	"
		Type:—			
26	G.P.O.23A	1	For Operation, Block Equipment	C	"
27	G.P.O. 22A	2	For Operation Block Equipment	C	"
452	Creed T.3850	3	For Cabinet, Distribution, Type 1	C	"
453	A.T.M. T.3536	4	G.P.O. No. 41A. 120 (6 × 20) tags. 6½ in. × 2½ in. × 3½ in high	C	"
1343		10	C	"
1355	McMichael M.H./122543	15	For Chassis Assembly, Type 6	C	"
1372	Ericsson 133J. 3168J	16	Used on M.G.R.I. Type 5331	C	"
13021	G.P.O.13A	24	C	"
13034		27	C	"
13084	S.T. and C. 4095A	28	For Console, Type 2	C	"
13160	S.T. and C. 4096G	31	4 combined screwed and soldering terminals on moulded strip, 2½ in. × ½ in. × ¾ in.	C	"
13319	E.K. Cole D.P.3009	36	For Power Unit, Type 584	C	"
2318	G.P.O.116A	40	For Control Unit, Type 254	C	"
3544	A.T.M. T.3533	54	60 (3 × 20) tags. 6½ in. × 2½ in. × 2.37 in. high	C	"

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6	
		STRIPS—cont.				
		Connection—cont.				
		Type—cont.				
3965		62	$\frac{3}{8}$ in. \times $\frac{3}{8}$ in. \times $\frac{1}{16}$ in. thick. 2 tags. $\frac{3}{8}$ in. spacing	C	each	
4487	E.K. Cole D.P.7993	72	For Receiving Unit, Type 162	C	"	
13507	Carr Fastener E.C.E.	74	For Signal Generator, Type 106	C	"	
13508	Carr Fastener 2 E.C.E.	75	For Signal Generator, Type 106	C	"	
13520	{ Carr Fastener E.C. 4 E.C. Pye 57744 }	76	For Amplifier Unit, Type 226.	C	"	
13521	Pye 70422	77	For Amplifying Unit, Type 226	C	"	
13522	Pye 65240	78	For Amplifying Unit, Type 226	C	"	
14266	S.T. and C. L.P./133324	89	For Chassis Assembly, Type 26	C	"	
14268	S.T. and C. 4103K	91	} For Transmitter Unit, Type 64	C	"	
14269	S.T. and C. 4103T	92		C	"	
14270	S.T. and C. 4103A.F.	93		C	"	
14271	S.T. and C. 4103A.E.	94		C	"	
14272	S.T. and C. 4103A.C.	95		C	"	
14273	S.T. and C. 4103A.D.	96		C	"	
14274	S.T. and C. 4103J	97		C	"	
14285	S.T. and C. 4103A.G.	102		13 tags. For Receiving Unit 100	C	"
14286	S.T. and C. 4103A.H.	103		12 tags. For Receiving Unit. 100	C	"
14287	S.T. and C. 4103N	104		} For Amplifying Unit, Type 373	C	"
14288	S.T. and C. 4103X	105	C		"	
14289	S.T. and C. 4103H	106	C		"	
14290	S.T. and C. 4103A.A.	107	C		"	
15097	S.T. and C. 4103F	108	For Modulator Unit, Type 105		C	"
15099	S.T. and C. 4103U	109	For Transmitter Unit, Type 64, $1\frac{1}{2}$ in. long	C	"	
15113	Ericsson N.31675	110	For Switchboard, G.P.O. A.D.1240	C	"	
15114	G.P.O. A.D.5050	111	C	"	
16111	Gram. Co. 135766A	112	For Control Unit, Type 526	C	"	
16284	S.T. and C. 4103Z	114	For Amplifying Unit, Type 373	C	"	
16285	S.T. and C. 4103A.J.	115	For Modulator Unit, Type 105	C	"	
16287	S.T. and C. 4103V	116	For Transmitter Unit, Type 64, $1\frac{1}{2}$ in. long	C	"	

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
		STRIPS—cont.			
		Connection—cont.			
		Type—cont.			
16420	S.T. and C. 65-4103C	118	2 tags, black bakelite, $\frac{5}{16}$ in. \times $\frac{1}{8}$ in. \times 1 in. For Chassis Assembly, Type 37.	C	each
16421	S.T. and C. 65-4103C	119	2 tags, black bakelite, $\frac{5}{16}$ in. \times $\frac{1}{8}$ in. \times $2\frac{1}{2}$ in. For Chassis Assembly, Type 37.	C	.
16927	Cinch A.5K.A.	120	For Drive Unit, Type 42A	C	"
16928	Cinch 2K.A. 2K.	121	For Drive Unit, Type 42A	C	"
17385	Carr Fastener Cinch 74/762Z	122	For Rack Assembly, F.G.R.I. 5451	C	"
		Connector:—			
		Type:—			
582	G.P.O. Type 26	8	For Line Terminating Unit, Type 2	C	"
13118	S.T. and C. 4096	30	6 combined screw and soldering terminals	C	"
13228	S.T. and C. 4602A.C.M.	33	C	"
13115	S.T. and C. 4079J	82	200 (10 \times 20)soldering terminals on wood base, $6\frac{1}{2}$ in. \times $2\frac{1}{2}$ in.	C	"
13069	{ S.T. and C. G.P.O.22 }	Designation	Wooden mounting strip, length 10 in. with $\frac{1}{4}$ in. brass retaining strip. Carries ten G.P.O.88A labels E.F.F. For Console, Mark 2.	C	"
13079	{ S.T. and C. G.P.O.27 }	Designation	For slide in labels G.P.O.88. Label space 10 in. Used on Console, Mark 2.	C	"
13080	{ S.T. and C. G.P.O.27 }	Designation	For slide in label, G.P.O.88. Label space $3\frac{1}{2}$ in. Used on Console, Mark 2.	C	"
13158	S.T. and C. L.P.1779	Designation	Brass strip, $\frac{1}{4}$ in. \times $\frac{3}{4}$ in. black	C	"
13153	S.T. and C.L. 86985 Det. 24.	Designation	Brass strip, $\frac{1}{2}$ wide \times $9\frac{1}{2}$ lg. For G.P.O. 88 label. ..	C	"
13154	S.T. and C.L.86985 Det. 25.	Designation	Brass strip, $\frac{1}{2}$ wide \times 6 in. long. For G.P.O. 88 label	C	"
13155	S.T. and C.L. 86985 Det. 26.	Designation	Brass strip, $\frac{1}{2}$ in. wide \times $7\frac{3}{4}$ lg. For G.P.O. 88 label..	C	"
13156	S.T. and C.L. 86985 Det. 27.	Designation	Brass strip, $\frac{1}{2}$ in. wide \times $\frac{7}{8}$ in. lg. For G.P.O. 88 label.	C	"

RESTRICTED

RESTRICTED
211

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT

SECTION 10G—cont.

1	2	3	4	5	6
		STRIPS—cont.			
13157	S.T. and C.L.P.3961	Designation	Brass strip, $\frac{1}{2}$ in. wide \times 1 in. lg. For G.P.O. 88 label	C	each
2122	Siemens 5L	Designation	Strip, designation G.P.O.27 cut to length. For Panel, Type 195A.	C	..
17050	Creed 1910/37	Earthing	For Governor Unit	C	..
17588	G.P.O. No. 3/O.T.	Ebonite	3 terminals, G.P.O. No. 7, at 1 in. centres on strips, $\frac{3}{4}$ in. \times 4 in. lg.	C	..
9013632		Helix	R.H. 9 in. lg. \times 0.2 in. approx. dims.	C	..
9421542		Insulated	Used on B.I.D.50	C	..
17025	Creed B.O. 1604	Insulating	For Tape Attachment Unit	C	..
9421556		Rubber	Used on B.I.D. 50	C	..
9421561		Rubber	Used on B.I.D. 50	C	..
16310	Creed 1830/18A	Spring, Detent	For Orientation Device of Printing Reperforator 85A	C	..
451	Creed P.G.2082	Tapping, voltage	For Telephone Loudspeaker, Type I.. .. .	C	..
		Terminal:—			
3630	Marconi 7/W/3804/A	7-way	For Undulator, Type 7	C	..
16001		Type 1113	Paxolin, 5-way	C	..
		Wood:—			
2371	G.P.O. No. 4	Ebonised..	C	..
13150	S.T. and C. L.P. 39881	Ebonised.. .. .	G.P.O. 3. Dummy for Jack or Jacks, lamp. Complete, $10\frac{5}{8}$ in. \times $\frac{1}{2}$ in. face \times $1\frac{1}{8}$ in. deep.	C	..
13152	S.T. and C. 86846	Ebonised.. .. .	Dummy, $10\frac{5}{8}$ in. \times $\frac{1}{2}$ in. face \times $1\frac{1}{8}$ in. deep, recessed for clips for 1 Jack or Jacks, lamp.	C	..
16343	G.P.O. No. 1	Ebonised.. .. .	Dummy, $7\frac{3}{4}$ in. \times $\frac{1}{16}$ in. face \times $\frac{1}{2}$ in. deep. For Jacks, lamp.	C	..
13151		Ebonised.. .. .	Used on Cabinet, Type 13 (Reference 10AB/1396)	C	..
3536		G.P.O. No. 3	Dummy, $10\frac{5}{8}$ in. \times $\frac{1}{2}$ in. face \times $2\frac{1}{4}$ in. deep. For 1 Jack.	C	..
16948	Creed TR1040	STROBOSCOPE	Used on Teleprinter (Page) (Friction feed)	B	..
18374	Raggs Tuning 771/11	STROBOSCOPE	Frequency 91 cycles per second. Calibrated at 20°C. Co.-efficient 0.00013 C. Accuracy \pm 2%. Dims.: $10\frac{5}{8}$ in. \times $1\frac{1}{4}$ in. approx. o/a weight 10 oz. approx.	A	..

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G —cont.

1	2	3	4	5	6
18375	Raggs Tuning 777/100	STROBOSCOPE	Frequency 100 Cycles per second. Calibrated at 20°C. Lamps. Co-efficient 0-00013 pes. O.C.	A	each
18312		STROBOSCOPE, G.P.O. No. 19	150 Vibration per second. Tuning fork type ..	A	„
17882		STUDS:— Centering	Used on F.G.R.I. 5493	C	„
18066		Centering:— End block	C	„
17500	Creed 1550/18	Contact:— Mark and Space	For Contact Block Assembly of Auto. Transmitter G.P.O. 1C.	C	„
15124	Creed 1550/21A	Tongue	For Auto. Transmitter, (T.P.) No. 1B. Mark 2 ..	C	„
16068	E.C.5008/A	Eccentric, C.P.	For Cam Unit, Teleprinter, 7B	C	„
9421549		Locking	Used on B.I.D. 50	C	„
1097	Creed 2205/19	Pivot	Used on B.I.D. 50	C	„
9421376		Pivot	Used on B.I.D. 50	C	„
9421335		Thrust	Used on B.I.D. 50	C	„
14248	G.N.T.112/130	Pivot, peckers and push rod	For Transmitter Wheatstone	C	„
		SUPPORTS:—			
2043	G.N.T.309/36	Armature, top bearing	For Undulator, Type 11	C	„
2044	G.N.T.309/43	Bias, adjusting fork	For Undulator	C	„
16320	Creed 2845/42	Block	For Adjusting Block Guides Plate	C	„
3682	Marconi 15/W.3805/C	Bracket	C	„
17624		Cable	For supporting multiple cables on sections. Switch, P.B.X., M.S. plate, 16 in. × $\frac{7}{8}$ in. with 8 posts at 2 in. centres.	C	„
		Comb bar:—			
13523	Creed 860/42B	L.H.	Part of Main Frame of Perforator, Keyboard, Morse	C	„
3409	Creed 860/566	R.H.	For Perforator, Keyboard, Morse, Type 4	C	„
2250	Creed P.P.8570	Comb spring	For Printer Morse, Tape Model	C	„
2046	G.N.T.309/50	Frequency turning section	For Undulator, Type 11	C	„
2047	G.N.T.309/51	Inkpot	For Undulator, Type 11	C	„

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G — cont.

1	2	3	4	5	6
		SUPPORTS—cont.			
16403	Creed 1841/57	Overthrow, stop, L.H.	For Reperforator, Printing, 85R	C	each
710	Creed 1847/31A	Paper	For Morse Friction Sets Automatic, Types 1-11	C	..
16527	Creed 1908/27	Paper	C	..
16987	Creed 1847/40A	Paper, C.P.	For Teleprinter Tape	C	..
16313	Creed 2845/45	Plate, C.P.	For Orientation Device of Printing Reperforator, 85R, for Orientation Scale Assembly.	C	..
2042	G.N.T. 309/9	Pressure roller spring	For Undulator, Type 11	C	..
3335	Creed 860/37E	Selector, bar spring	For Keyboard, Morse, Type 4	C	..
2235	Creed 740/28	Selector spring	For Printer, Morse, Page Model	C	..
2390	G.N.T./112/15	Spring, roller guide	For Transmitter, Wheatstone, Type 3	C	..
2045	G.N.T. 309/15	Tape, platform	For Undulator, Type 11	C	..
2048	G.N.T. 309/158A	Tape, wheel	For Undulator, Type 11	C	..
17152	Creed 1841/56	Typehammer, overthrow, stop	For Combination Head Unit, Page Model	C	..
		SUPPRESSOR:—			
17539		Radio interference	Transmitter Radio Interference Suppressor Filter Unit.	B	..
15550	Creed S.2325	SUPPRESSOR UNIT, mains	For Reperforating Receiver, No. 44, Mark 2	C	..
16831	Creed 1836/112	SWITCHBANK, bell, C.P.	For Teleprinter, 7B	C	..
17553	G.P.O. A.D. 2565	SWITCHBOARD	" PMBX " Telephone Switchboard	A	..
17533		SWITCHBOARD	For "PBX" in Auto. and CB manual areas, with through clearing from extensions. Floor pattern Dims.: 51 in. × 19 $\frac{3}{4}$ × 20 in.	A	..
YB.04660		SWITCHBOARD	Lines 1 and 2	A	..
		SWITCHBOARDS:—			
13070	G.P.O. T.L. 1806	10-line	Cordless, wall type	A	..
13190	G.P.O. A.D. 1240	Cordless	For Radio Vehicle, Type 475 and Overseas R.D.F. Station.	A	..

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
		SWITCHBOARDS—cont.			
		Cordless—cont.			
2370	G.P.O. No. 14	Carbons, protector	C	each
1264	G.P.O. No. 13	Transmitter	C	"
395		Cordless	A	"
		F. and F.: —			
YA.4773		20-line	A	"
YA.2736		40-line	A	"
1371	G.P.O. C.B. 12-3 + 9	M.G.R.I. 5331	For Monitor, Type 8. Not a standard switchboard	A	"
YA.6733		Magnetic	10-line	A	"
3542	G.P.O. 10/10	Magneto	Wooden case, 1 ft. 1½ in. × 11¾ in. × 8¼ in. Complete with buzzer, 2 jacks, jack strip, keys and hand generators.	A	"
			10 + 50		
17436	G.P.O. A.T. 3796	Magneto and C.B.	—modified to provide 30 private wires ..	A	"
			65		
17160	G.P.O. T.G. 2038/1 Fig. 2	Power	magneto working and 20 extensions C.B. working.	A	"
17522	G.P.O. 13	Teleprinter	2 kw. Single battery float	A	"
YB.02617		Teleprinter	30 Line with intercommunication and broadcast facilities on all lines.	A	"
			W.D. 40 Line, Mark 1	A	"
		SWITCHES: —			
13161		5 amp.	250 volt, one way, surface pattern tumbler, black base 2¼ in. dia., black bronzed cover and dolly.	C	"
17026	Creed 1816/20	Carriage return indication, C.P. ..	For Tape Attachment Unit	B	"
3421	Creed C.F. 1011	Connection	C	"
15146		Control Unit	Used on Teleprinter, 7B	A	"
3517	G.N.T. 112/91	Coupling bar	C	"
1662		Fast	Used on Communication Equipment for F.G.R.I. 1521, 2 changeovers.	C	"
16249	Creed 1838/73	Rod operating	For Printing Reperforator	C	"
16413	Creed P.B. 2071	Spacing bush	For Tape Winder, G.P.O. No. 2	C	"

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
9421667		SWITCHLIGHT TAPE STOP C.P.	Used on B.I.D. 560/1.	C	each
17375		SYNCHRONISING UNIT	A	"
3674	Marconi WSK/7462	SYPHONS:—			
2049	G.N.T. 309/37A	Arm, bearing bracket	For Undulator, Type 7	C	"
		C.P.	For Undulator, Type II	C	"
2050	G.N.T. 309/86	SYRINGE, rubber	With tube. Used on Undulator, Type II	C	"
		TABLES:—			
		Telegraph Equipment:—			
		Type:—			
17630		1.. .. .	Steel table 3 ft. 9 in. × 2 ft. 6 in. × 2 ft. 3 in. With hard plastic top. Fitted with 3 drawers. Wired for Undulator (Ref. No. 36).	A	"
17631		2.. .. .	Steel table 6 ft. × 2 ft. 6 ins. × 2 ft. 3 in., with sound absorbing rubber composition top. Wired for Teleprinter No. 7B. Reperforator, Receiving, No. 2, Mark 2 and Reperforator Morse, Receiving, Type 3.	A	"
17632		3.. .. .	Steel table 4 ft. 6 in. × 2 ft. 6 in. × 2 ft. 3 in. with sound absorbing rubber composition top. Fitted with sliding drawer to accommodate Reperforator, Receiving, No. 2, Mark 2. Wired for Teleprinter No. 7B Reperforator Receiving, No. 2, Mark 2 and Reperforator Morse, Type 3. Used in place of Ref. No. 17631, where space is restricted.	A	"
17633		4.. .. .	Steel table 8 ft. 6 in. × 2 ft. 6 in. × 2 ft. 3 in. with sound absorbing rubber composition top. Wired for 2 Teleprinter No. 7B, and 2 Reperforator, Receiving, No. 2, Mark 2.	A	"
18838		Transmitter, Automatic	Used on F.G.R.I. 5493	B	"
17618		TABLET, test, 80 socket	Dims.: 19 in. × 5 $\frac{7}{32}$ in. 2 holes at 2 $\frac{1}{4}$ in. centres ..	B	"

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

RESTRICTED

1	2	3	4	5	6
		TAGS:—			
15595	Creed C.T. 1008	Connecting	For Auto. Transmitter (T.P.), No. 1B, Mark 2 ..	C	each
17027	Creed 1816/11	Connecting	For End of Line Indicator Tape Attachment Unit, Teleprinter, 7B.	C	"
17374	Creed 1836/100	Connecting	For Main Base Unit, Teleprinter, 7B	C	"
		Connecting:—			
17373	Creed C.T. 1005	Copper	1 $\frac{3}{8}$ in. long. Two holes. For Main Base Unit Teleprinter, 7B.	C	"
17107	Creed C.T. 1017	Terminal block	For End of Line Indicator Main Base Unit, Teleprinter, 7B.	C	"
16832	Creed 1835/15	Contact switch	For Teleprinter, 7B.	C	"
ZA.4551		Special	C	"
		TAKE-OFFS:—			
17197	Creed 1839/28	Paper	For Page Carriage, friction feed on Teleprinter, 7B.	C	"
3764	Creed 740/46	Tape	For Selector, Printer Morse, Tape Model	C	"
16931	Creed 1847A	TAPE ATTACHMENT UNIT	Teleprinter, 7B	A	"
18145		TAPE BOX AND MESSAGE DESK UNIT	A	"
15731	Creed 1550/343A	TAPE CONTROL UNIT	An assembly for controlling perforated tape ..	A	"
18491	Creed 1550/640	TAPE CONTROL UNIT	Used on Transmitter Auto (Ref. No. 18377) ..	B	"
18890	Creed 1947/260	TAPE ENTRY GUIDE, C.R.	Push Block Unit (Centre Feed) C.P. (Ref. No. 18818)	C	"
18894	Creed 1947/3174	TAPE GUIDE FRAME, C.P.	Used on Block Unit centre feed, C.P. (Ref. No. 18818)	C	"
9421615		TAPE GUIDE PLATE ASSEMBLY	Used on B.I.D. 560/1	C	"
9421598		TAPE GUIDE	Used on B.I.D. 560/1	C	"
9421599		TAPE GUIDE	Used on B.I.D. 560/1	C	"

217

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G *cont.*

RESTRICTED

1	2	3	4	5	6
9421314		TAPE, PAPER, ungummed	Used on B.I.D. 50	C	each
9421412		TAPE, WINDOW ASSEMBLY	Used on B.I.D. 50	C	"
15147	Creed S 1914	TAPE PRINTING ATTACHMENT.	G.P.O. A.49. Complete. For Teleprinter, 7B ..	A	"
16373	Creed 2869/39	TAPE, REEL, FRONT PLATE ..	Used on Tape Winder. G.P.O. No. 2	C	"
16251	Creed S.2869A	TAPE WHEEL ASSEMBLY	For Printing Reperforator, 85R	B	"
—		TAPE WHEEL UNITS:—	Ref. No. 660. For Type X Machine	—	—
1865	Creed P.B. 1264	Collar	C	each
		Desks, C.P.:—			
16032	Creed P.B.1095	Collar	For Special Spring	C	"
4549	Creed 2207/25	Mask, message, C P	C	"
4550	Creed 2207/27	Support	C	"
13342	Creed 2207/22A	Desk, C.P., modified	C	"
1861	Creed 2207/2	Footplate, C.P.	C	"
4546	Creed 2207/14	Guard, dust, C.P.	C	"
4547	Creed 2202/17	Lever, runout, C.P.	C	"
1867	Creed 1650/990	Guard, tape wheel, C.P.	C	"
1862	Creed 2207/3	Guide, tape, C.P.	Top	C	"
15251	Creed 2207/42	Hinge, desk, C.P.	C	"
		Levers, brake, C.P.:—			
1863	Creed 2207/4	L.H.	For Tape Wheel	C	"
666	Creed 1660/987	R.H.	For Tape Wheel	C	"
1866	Creed P.P.7566	Pin, shoulder	C	"
1864	Creed P.P.7764	Pin, pivot	For Tape Wheel Brake	C	"
1856	Creed 2207/31	Plate, hinge, tape wheel	C	"
4551	Creed 2207/29	Plate, support, C.P.	For Tape Wheel	C	"
4552	Creed 2207/32	Plate, support, tape wheel	C	"
3786	Creed P.S.1696-1	Screw, 4 B.A. × $\frac{3}{8}$ in. csk./hd.	M.S.	C	"
1854	Creed 2207/30	Stay, auto. lid	C	"
		Tape wheel units, sub, C.P.	For Tape Wheel Units	C	"
4542	Creed 2207/6	Handle	C	"

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G -cont.

1	2	3	4	5	6
		TAPE WHEEL UNITS—cont.			
		Tape wheel units, sub. C.P.—cont.			
15736	Creed P.P.7666	Pin, pivot	For Tape Wheel	C	each
4553	Creed 2207/35A	Plate, sub. C.P.	For Tape Wheel	B	"
1869	Creed 1650/991	Wheel, tape, C.P.	Lower	C	"
1868	Creed 1650/986	Wheel, tape, C.P.	Upper	C	"
		TAPES:-			
		Paper slip:—			
367	Creed AXA	$\frac{3}{8}$ in. wide	Gummed coil, $4\frac{1}{4}$ dia. for Radio Vehicles, Types 370 and 372.	C	rolls
4		$\frac{3}{8}$ in. wide, Type 3	C	"
92		$\frac{3}{8}$ in. wide, Type 5	C	"
2		No. 1	Gummed, $\frac{1}{2}$ in. wide. For Radio Vehicles, Types 306A and B.	C	"
3	Creed A B A.R.L	No. 2	$\frac{1}{2}$ in. wide, single parchmented, Wheatstone, non-perforated For Radio Vehicles, Types 305A and B.	C	"
20	Creed A.B.A.S.T.	No. 8	$\frac{1}{8}$ in. wide. Parchmented	C	"
1317	Creed A B.A.R.F	No. 9	$\frac{1}{2}$ in. wide, parchmented, centre holed, 950 ft. coil. For Relay Unit, Type 38.	C	"
17655		No. 11	Durable brown paper $\frac{1}{4}$ in. wide, in rolls 8 in. dia. containing approx. 1,000 ft	C	"
9124		Undulator	C	"
626	G.P.O. 328L	TELEPHONE SET	Mobile G.C.I. Equipment	A	each
627	G.P.O 396LB	TELEPHONE SET	Mobile G.C.I. Equipment	A	"
629	G.P.O 332L	TELEPHONE SET	Mobile G.C.I. Equipment	A	"
		TELEPHONE SETS:—			
2121		Magnetic ringing	For Tender, Signal, Type 303	A	"
137		Type F. Mark 1	Black bar moulded with micro handset or lead, with 4-pin plug, bell set, hand generators and two terminals marked L.1 and L.2.	A	"

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
		TELEPHONE SETS—cont.			
18065		Type J, modified	Field type with hand generator	A	each
15098	W.T. 52831	Type L, modified	Used on Station, portable, Type 25A. Fitted with 40 "hank" bushes, through base.	A	"
YA.6816		Type T	A	"
13027		W.O.	A	"
		TELEPHONES:—			
YA.1893		" F "	A	"
YA.2886		" F ", Mark 2	A	"
		G.P.O.:—			
24	Pye 90996	No. 184	For F.G.R.I., Type 5364. Micro-handset with lead	A	"
13119	S.T. and C. 4017A	No. 184B	For Console, Mark 2. Hand micro-telephone with press switch in handle.	A	"
3543		No. 184C	Black	A	"
11751		Type 164	Black with cord	A	"
15118	W.T. 54628	Hand, No. 6 (mod.)	Army hand telephone No. 6 (YA.6451) (H.M.T. with press lever). Modified by addition of 0.1 mfd. condenser to transmitter.	A	"
YA.8079		Hand, No. 11	Used on Army Wireless Station No. 88. Reference 10D/Z.A. 32972/1.	A	"
ZA.8231		Hand No. 13	A	"
YA.8232		Hand No. 13a	Used on Wireless, Type 13	A	"
YA.3717		" L "	A	"
11636	Tannoy D.5884	Loudspeaker, Type 1	A	"
127		Observer	Breastplate type microphone and head receiver combined.	A	"
125	G.P.O. A.D.1542	Observer post	Portable	A	"
13235		Bells, G.P.O., No. 1A	C	"
13242		Cords, Instrument	A	"
1352	G.P.O. No. 246	Pendant, black	Used on M.G.R.I. 5531 and Radio Vehicle, Type 475.	A	"
1912	G.P.O. 184	Tropical	Used on T.G.R.I., Types 5364 and 5368 and on Switchboard, G.P.O. A.D. 1240.	A	"
17757		TELEPRINTER	Used on Teleprinter 7B Mark 10	A	"
		SUB-ASSEMBLY.			

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G--cont.

1	2	3	4	5	6
16930	Creed S.1930	TELEPRINTER SUB-ASSEMBLY	For Teleprinter 7B	A	each
18398	Creed 813	TELEPRINTER, 8B/P.R.	Fitted with Reperforator attachment	A	„
17354	Creed 6S/4	TELEPRINTERS:—		A	„
17596		Auto-transmitter No. 2A		A	„
18099		Type 7B Mark 10		C	„
		Screw, special			
163		Type 7B, Page model:—			
		Friction feed		A	„
		Includes:—			
261		Bracket, paper roll, roller		C	„
16050		Guide, cover, L.H.		C	„
16051		Guide, cover, R.H.		C	„
1037	Creed P.S.1729-1	Screw, M.S.	4 B.A. × $\frac{5}{16}$ in. Ch/hd.	C	„
1062		Screw	6 B.A. × $\frac{7}{16}$ in. Ch/hd.	C	„
1077		Screw	8 B.A. × $\frac{1}{4}$ in. Ch/hd.	C	„
1043		Screw, grub	6 B.A. × $\frac{1}{4}$ in. M.S.	C	„
16802		Spacer, ward		C	„
1006		Spring, tension		C	„
14188		Spring, tension		C	„
16046		Suppressor		A	„
16047		Suppressor		A	„
1184		Washer		4 B.A., M.S.	C
15234		Type 7B Tape Model		A	„
17129		Type 8 (Tape)	Modified for Baudot 2-channel working	A	„
17131		Type 8 (Tape)	Modified to S.T.3.5	A	„
17215		Type 8B (Tape)	For receiving only	A	„
18387	Creed 8P/P.P.	Type 8B/P.R. Page Receiving only ..	Suitable for 7 or $7\frac{1}{2}$ Unit reception, double current operation.	A	„
16055	G.P.O. No. 7	TERMINAL	Used on Monitor Type 43 (Ref. 10T/13102) ..	C	„
WB.2519		TERMINAL		B	„

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
		TERMINALS:—			
9421324		Board	Used on B.I.D.50	C	each
3565	Creed 720/189	C.P.	For Transmitter, Morse, Automatic, Type 3	C	"
WB.0986		Insulated	B	"
3485	Creed P.W. 5146	Packing washer	For Transmitter, Morse, Automatic, Type 3	C	"
13669	Marconi 34/60871/B	Screw	C	"
9114721		Spring	Used for B.I.D./50/1	C	"
9114722		Spring	Used for B.I.D./50/1	C	"
17517	G.P.O. A.D.2529	TERMINATING EQUIPMENT ..	Rack mounted assembly of speaker sets, signalling sets. 10 line switchboard, ringing convertor, distribution and alarm panel, control sets and amplifier. Used in Mobile Ops. Room.	A	"
		TERMINATING UNITS:—			
		Telegraph:—			
18932		Type 11628	} For General Teleprinter use	A	"
18933		Type 11629		A	"
18934		Type 11630		A	"
526	Creed	TEST SET relay	Used with High Speed W/T Equipment	A	"
		TESTERS:—			
18073		Relay	A	"
18074		Synchronising unit	A	"
17515		Telegraph distortion and margin, portable.	Bias, and margin tester for 5 unit equipment. Also used for testing Telegraph Relay (G.P.O. Type 299-AN, 320).	A	"
<i>22 115</i>	1422	TIN grease	For Transmitter, Wheatstone, Type 3	C	"
16833	Creed 2184/28	TONGUE, transmitting, C.P.	Complete. For Teleprinter, 7B	C	"
9421662		TOP PLATE ASSEMBLY	Used on B.I.D.560/1	A	"

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10C—cont.

1	2	3	4	5	6
13123	S.T. and C. B.G.4177 10	TRANSFORMER	Standard ratio 2 : 7:1 G.P.O. 3/43A	C	each
9421607		TRANSFORMER	Used on B.I.D. 560/1	A	"
9421609		TRANSFORMER	Used on B.I.D. 560/1	A	"
9421678		TRANSFORMER	Used on B.I.D. 560/1	A	"
		TRANSFORMERS AND RECTIFIERS, C.P.			
13163	Creed 2204/89	Guard, rectifier, C.P.	C	"
4534	Creed 2204/52	Plate, base, transformer..	C	"
1849	Creed 2204/20	Rectifier	C	"
1851	Creed 2204/19	Transformer	C	"
		TRANSMITTERS:—			
18377	Creed Model 65/5	Automatic	A	"
18583		Automatic	G.P.O., No. 2.D.	A	"
18909		Automatic	Creed 3 gang Multiple Message Chamber Transmitter. Input volt.	A	"
15683	G.P.O.	1B, Mark 2	For Teleprinters	A	"
17511		Nut, locking	Steel	C	"
1135		Pin, taper	$\frac{9}{16}$ in. \times 0.063 in.	C	"
17510		Washer, steel	C	"
16114	G.P.O.	G.P.O. No. 1C	For use with printed perforated Teleprinter Tape... .. .	A	"
13295		Morse, Type 8	Speed range 13–150 w.p.m. 240 volt A.C., 50 cycles Fitted with Radio Interference Suppressor Unit.	A	"
13244	G.P.O. 23 modified	Breastplate	Used on Telephones, Observer Post	A	"
1927	G.P.O. 23A	Telephone operators'	Used on Stations, portable, Type 6. Breastplate pattern.	C	"
1386	G.N.T. Model 12	Wheatstone, Type 3	Used on Radio Vehicles, Types 304A and B	A	"
1389		Spares, major set	C	"
9322356		TRANSMITTER FACSIMILE	11 in. \times 10 in. 110V. 127–220V. 50–60 cycles A.C. Single phase. $9\frac{1}{2}$ in. \times $18\frac{3}{4}$ in. \times $28\frac{1}{2}$ in. First used on Facsimile set (Ref. No. 9322355).	A	"

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
18492	Creed 1558/212	TRANSMITTER HEADSTAND	Used on Transmitter Auto, Creed 655 (Ref. No. 18377).	A	each
18261		TRANSMITTER INSET:— G.P.O. No. 2	C.P. Pattern for Transmitter, Nos. 11, 12, 15 and Telephone Nos. 80 or 140.	C	„
17913		TRANSMITTING UNIT	Used on F.G.R.I. 5493	A	„
17917		TRANSMITTING UNIT	Used on F.G.R.I. 5493	A	„
15161	{ Creed S.2184 G.P.O. B.N.21 }	TRANSMITTING UNIT, C.P.	For Teleprinter, 7B	A	„
		TRIPS:—			
4359	Creed 1650/54	Finger	G.P.O. P.37	C	„
4355	Creed 1821/54	Lever and bellcrank, C.P.	G.P.O. P.18	C	„
495	Creed 860/154C	Trunnion	For Perforator, Keyboard	C	„
2252	Creed 740/92	Trunnion	For Printer, Morse, Tape Model	C	„
16834	Creed 1830/30A	Trunnion feed lever	For Teleprinter, 7B	C	„
17664	Creed 1830/194	TRUNNION, pivot	Feed Lever-pivot Trunnion	C	„
		TUBES:—			
2051	G.N.T.309/55	Ink feed	For Undulator, Type 11	C	„
15106	Creed P.E.1063	Insulating	For Main Equipment of End of Line Indicator	C	„
9421532		Insulating	Used on B.I.D. 50	C	„
9421533		Insulating	Used on B.I.D. 50	C	„
13318	Marconi	Syphon	For Undulator, Type 10	C	„
1425	G.N.T.	TWEEZER	Used on Transmitter, Wheatstone	C	„
3226	G.N.T.112/60A	TWIN, eccentric	For Transmitter, Wheatstone, Type 3	C	„

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
		TYPE:—			
		Large case:—			
		Symbols:—			
17270	Creed BB/354/65	Ø	} Used on Ref. No. 17133	C	each
17271		Ш		C	"
17272		Ы		C	"
17273		У		C	"
17274		И		C	"
17275		П		C	"
17276		Л		C	"
17277		Ф		C	"
17278		Г		C	"
17279		Щ		C	"
17280		Д		C	"
17281		Ж		C	"
17282		Э		C	"
17283		Ч		C	"
17284		Ц		C	"
17285		Ю		C	"
17286		Б		C	"
17287		Ь		C	"
17288		Я		C	"
17289		Й	C	"	
17290		Э	C	"	
17295		З	C	"	
		Printers, Morse Page Model:—			
		Letters:—			
2267	Creed AQ/308/21	"A"	C	"
2263	Creed AQ/308/14	"N"	C	"
2262	Creed AQ/308/15	"O"	C	"
2264	Creed AQ/308/16	"P"	C	"
2265	Creed AQ/308/17	"Q"	C	"
2266	Creed AQ/308/18	"R"	C	"

RESTRICTED

226

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G *cont.*

1	2	3	4	5	6
		TYPE—cont.			
		Printers, Morse, Tape Model:—			
		Figures:—			
3819	Creed AQ/306-2/27	" 1 "			each
3820	Creed AQ/306-2/28	" 2 "			"
3821	Creed AQ/306-2/29	" 3 "			"
3822	Creed AQ/306-2/30	" 4 "			"
3823	Creed AQ/306-2/31	" 5 "			"
3824	Creed AQ/306-2/32	" 6 "			"
3825	Creed AQ/306-2/33	" 7 "			"
3826	Creed AQ/306-2/34	" 8 "			"
3827	Creed AQ/306-2/35	" 9 "			"
3828	Creed AQ/306-2/36	" 0 "			"
		Letters:—			
2190	Creed AQ/306/1	" A "			"
3798	Creed AQ/306/2	" B "			"
3799	Creed AQ/306/3	" C "			"
3800	Creed AQ/306/4	" D "			"
3801	Creed AQ/306/5	" E "			"
3802	Creed AQ/306/6	" F "			"
3803	Creed AQ/306/7	" G "			"
3804	Creed AQ/306/8	" H "			"
3805	Creed AQ/306/9	" I "			"
3806	Creed AQ/306/10	" J "			"
3807	Creed AQ/306/11	" K "			"
3808	Creed AQ/306/12	" L "			"
3809	Creed AQ/306/13	" M "			"
2186	Creed AQ/306/14	" N "			"
2185	Creed AQ/306/15	" O "			"
2187	Creed AQ/306/16	" P "			"
2188	Creed AQ/306/128	" Q "			"
2189	Creed AQ/306/18	" R "			"
3810	Creed AQ/306/19	" S "			"
3811	Creed AQ/306/20	" T "			"
3812	Creed AQ/306/21	" U "			"

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
		TYPE—cont.			
		Printers, Morse, Tape Model—cont.			
		Letters—cont.			
3813	Creed AQ/306/22	" V "	C	each
3814	Creed AQ/306/23	" W "	C	"
3815	Creed AQ/306/24	" X "	C	"
3816	Creed AQ/306/25	" Y "	C	"
3817	Creed AQ/306/26	" Z "	C	"
		Symbols:—			
3829	Creed AQ/306-2/46	" = "	C	"
3830	Creed AQ/306-2/49	" (/) "	C	"
3831	Creed AQ/306-2/39	" " "	C	"
3832	Creed AQ/306-2/44	" — "	C	"
3833	Creed AQ/306-2/45	" — "	C	"
3834	Creed AQ/306-2/52	" / "	C	"
3835	Creed AQ/306-2/38	" " " "	C	"
3836	Creed AQ/306-2/51	" ? "	C	"
3837	Creed AQ/306-2/47	" + "	C	"
3838	Creed AQ/306-2/43	" " "	C	"
		Printing Reperforator- Creed 85R:—			
		Signs:—			
16406	Creed BB/334/445	" All space "	C	"
16404	Creed BB/334/443	" Bell "	C	"
16405	Creed BB/334/444	" Carriage return "	C	"
16407	Creed BB/334/446	" Line feed "	C	"
16408	Creed BB/334/48	" Who are you "	C	"
		Teleprinter, 7B:—			
		Blank	C	"
		Letters:—			
16847	Creed BB/354/1	" A "	C	"
16848	Creed BB/354/2	" B "	C	"
16849	Creed BB/354/3	" C "	C	"
16850	Creed BB/354/4	" D "	C	"
16851	Creed BB/354/5	" E "	C	"

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
		TYPE—cont.			
		Teleprinter, 7B—cont.			
		Letters—cont.			
16852	Creed BB/354/6	" F "	C
16853	Creed BB/354/7	" G "	each
16854	Creed BB/354/8	" H "	"
16535	Creed BB/334/173	" H "	With double bar	"
16855	Creed BB/354/9	" I "	"
16856	Creed BB/354/10	" J "	"
16857	Creed BB/354/11	" K "	"
16858	Creed BB/354/12	" L "	"
16859	Creed BB/354/13	" M "	"
16860	Creed BB/354/14	" N "	"
16861	Creed BB/354/15	" O "	"
16534	Creed BB/334/166	" O "	With bar beneath	"
16862	Creed BB/354/16	" P "	"
16863	Creed BB/354/17	" Q "	"
16864	Creed BB/354/18	" R "	"
16865	Creed BB/354/19	" S "	"
16866	Creed BB/354/20	" T "	"
16867	Creed BB/354/21	" U "	"
16868	Creed BB/354/22	" V "	"
16869	Creed BB/354/23	" W "	"
16870	Creed BB/354/24	" X "	"
16871	Creed BB/354/25	" Y "	"
16872	Creed BB/354/26	" Z "	"
		Symbols:—			
16536	Creed BB/334/60	" * "	C
16873	Creed BB/354/37	" "	"
16874	Creed BB/354/59	" ! "	"
16875	Creed BB/354/41	" : "	"
16876	Creed BB/354/43	" . "	"
16877	Creed BB/354/45	" - "	"
16878	Creed BB/354/46	" = "	"
16879	Creed BB/354/47	" + "	"

RESTRICTED

RESTRICTED
228

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
		TYPE—cont.			
		Teleprinter, 7B—cont.			
		Symbols—cont.			
16880	Creed BB/354/51	" ? "	C	each
16881	Creed BB/354/52	" / "	C	"
16882	Creed BB/354/66	" £ "	C	"
16883	Creed BB/354/67	" ("	C	"
16884	Creed BB/354/68	") "	C	"
16885	Creed BB/354/71	" o "	C	"
16886	Creed BB/354/248	" @ "	C	"
		Teleprinter, 8 (tape):—			
		Letters:—			
17297	Creed BB/334/147	" r "	C	"
17298	Creed BB/334/148	" s "	C	"
		Symbols:—			
17267	Creed BB/334/40	" "	C	"
17268	Creed BB/334/50	" "	C	"
17269	Creed BB/334/64	" &c "	C	"
17291	Creed BB/334/170	" No. "	C	"
17292	Creed BB/334/38	" " "	C	"
17293	Creed BB/334/61	" " "	C	"
17294	Creed BB/334/390	" c/T "	C	"
17296	Creed BB/334/257	" 0 "	C	"
15170	{ Creed BB/334 (Complete set) G.P.O. E.57 }	TYPE-SET	For Teleprinter, 7B	C	set.
17126	Creed 1827A.Mod.	TYPEHEAD UNIT	Modified for Baudot 2-channel working. For Teleprinter, 8 (Tape).	A	each
17127		TYPEHEAD UNIT	Used on Teleprinter, 8 (Tape) modified (Ref. No. No. 17131).	A	"
17637	Creed S.2936	TYPEHEAD UNIT	Used on Teleprinter, 'T' 7 Page, Mark 10	A	"

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
17133		TYPEHEAD UNIT	Used on Teleprinter, 8 (Tape) modified (Ref. No. 17131).	A	each
172	Creed S.1827A	TYPEHEAD, C.P.	For Teleprinter, 7B	A	„
17685	Creed 2852/22	TYPE RACK	For Typehead Unit	C	„
9421331		TYPE WHEEL	Used on B.I.D. 50	C	„
18100		TYPEWRITER, telegraph:— G.P.O. No. 9B	Imperial Standard with paper roll holder. Keyboard layout similar to Teleprinter 7B. Single space bar and 2 shift keys.	A	„
15425		TYRE LOCATING SPRING ASSEMBLY	C	„
		UNDULATORS:—			
1945	G.N.T.309	Type 11	A	„
9082		Ink	C	„
2009		Lever, pressure roller, C.P.	C	„
2052		Valve, inkpot, C.P.	C	„
36	Marconi P.S.3744/0	Type 111	230 volts A.C., 50 cycles, low resistance. Fitted with Relay, Magnetic, Type 63. Used on Radio Vehicle, Types 304A and B.	A	„
1660	Ericsson A.10025	UNISELECTOR, mechanism	For Relay Unit, Type 9A	B	„
17561		UNIT, AUTO For period 5. Indicator G.P.O. A.D.443	Dims. 10×8×7 ins. approx. wooden box	A	„
		UNITS:—			
YA.4776		A.G. Mark 2	A	„
17613		Alarm. relay	Panel, comprising miscellaneous G.P.O. relays and Ancillary Equipment. Dims. 1 ft. 8 in. × 3 $\frac{1}{8}$ in.	A	„
13340	Creed T.G.988	Auxiliary apparatus, Mark 2	A	„
YA.4777		B.J. Mark 2	A	„

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT

SECTION 10G—cont.

1	2	3	4	5	6
		UNITS—cont.			
16227	Creed S.2868	Control	For Reperator, Printing, 85R.	A	each
18330	G.P.O. A.D.3313	Control	Panel comprising <i>Qty.</i>	A	"
			Transformer, G.P.O., 48A 1		
			Relay, G.P.O., 3852 1		
			Relay, G.P.O., 7613 1		
			Jack lamp, G.P.O., 47 1		
18331	G.P.O. A.D. 3313	Control	Sealed teak case measuring 10 in. × 8 in. × 7 in.	A	"
18332	G.P.O. A.D. 3515	Control	Panel comprising Misc. G.P.O. Equip. <i>Qty.</i>	A	"
			including:—		
			Relays, G.P.O. 3035 4		
			Resistor Coils, G.P.O. No. 9, 200 ohms. .. 3		
ZA.6055		H.T. No. 1	B	"
16117	Creed S.2870	Perforator	For Printing Reperator, 85R	A	"
1379	Creed EX.4194	Remote control	G.P.O. Type 3. For Teleprinter	A	"
1338		Ringng, Type 1	Used on Hand Unit, with D.C. output. Tropical. Complete, less accessories.	C	"
17607		Signalling	Relay panel comprising:— <i>Qty.</i>	A	"
			Relays, G.P.O. 1/12A 8		
			Rectifier element, G.P.O. 4/6A 8		
			and Ancillary equipment.		
			Dims., 1 ft. 8 in. × 3 $\frac{1}{8}$ in.		
17589		Signalling	Assembly, comprising:— <i>Qty.</i>	A	"
			Relays, magnetic 12		
			Capacitors 4		
			Rectifiers, metal 4		
			Housed in Rack Mounting Panel, dims., 1 ft 8 in. × 3 $\frac{5}{8}$ in. × 4 in. Four circuits.		
18328	G.P.O. A.D.1944	Signalling	Panel comprising ancillary G.P.O. Equipment Dims. 18 in. × 3 $\frac{3}{4}$ in. × 8 $\frac{1}{2}$ in. o/a c/o 1 above.	A	"
13509	G.P.O. A.D.1197	Speaking, 4-way	Used on Radio Vehicle Tropical Speaking Set Units	A	"
13341	Creed 2207/28A	Sub, tape wheel C.P.	A	"
YB.01039		Supply, rectifier, No. 7	A	"
16414	Creed 2885/34	Suppressor, radio interference	For Tape Winder, G.P.O. No. 2	C	"
725	Creed S.2257	Suppressor, radio interference	2 $\frac{1}{8}$ in. × 2 $\frac{1}{16}$ in. × 1 $\frac{3}{8}$ in. high. For mounting on transmitter case.	A	"

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
		UNITS—cont.			
15667	Creed 1550/343A	Tape control, C.P.	A	each
9421659		Transmitters, 5 unit	Used on B.I.D. 560/1	A	"
9421661		Transmitter, 5 Unit	Used on B.I.D. 560	A	"
YB.04215		V.F. telegraph equipment	A	"
YB 04216		V.F. telegraph equipment	A	"
YB.04217		V.F. telegraph equipment	A	"
YB.04218		V.F. telegraph equipment	A	"
16929	G.P.O. No. 2	VOLTMETER, speech, portable	G.P.O. Spec. R.S.632A	B	"
15226	Creed 1980/20	WARD ASSEMBLY, complete	G.P.O. B.46. For Teleprinter, 7B	B	"
		WARDS:—			
		Answer back letter:—	For Ward Assembly, Teleprinter, 7B		
17219	Creed 1973/28. 17243 S.1980	" A "	C	"
17220	Creed 1973/36.17243 S.1980	" B/? "	C	"
17221	Creed 1973/16.17243 S.1980	" C "	C	"
17222	Creed 1973/25.17243 S.1980	" D "	C	"
17223	Creed 1973/33.17243 S.1980	" E/3 "	C	"
17224	Creed 1973/29.17243. S.1980.	" F "	C	"
17225	Creed 1973/23.17243 S.1980	" G "	C	"
17226	Creed 1973/32 17243S.1980	" H "	C	"
17227	Creed 1973/27 17243.S.1980	" I/8 "	C	"
17228	Creed 1973/20 17243.S.1980	" J/Bcll "	C	"
17229	Creed 1973/35 17243.S.1980	" K/("	C	"

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
		WARDS—cont.			
		Answer back letter—cont.			
17230	Creed 1973/17 17243.S.1980	" L/) "	C	each
17231	Creed 1973/34 17243.S.1980	" M "	C	"
17232	Creed 1973/22 17243.S.1980	" N "	C	"
17233	Creed 1973/14 17243.S.1980	" O/9 "	C	"
17234	Creed 1973/19 17243.S.1980	" P/0 "	C	"
17235	Creed 1973/37 17243.S.1980	" Q/1 "	C	"
17236	Creed 1973/31 17243.S.1980	" R/4 "	C	"
17237	Creed 1973/21 17243.S.1980	" S/,"	C	"
17238	Creed 1973/18 17243.S.1980	" T/5 "	C	"
17239	Creed 1973/26 17243.S.1980	" U/7 "	C	"
17240	Creed 1973/24 17243.S.1980	" V/= "	C	"
17241	Creed 1973/15 17243.S.1980	" W/2 "	C	"
17242	Creed 1973/30 17243.S.1980	" X// "	C	"
17243	Creed 1973/38 17243.S.1980	" Y/6 "	C	"
17244	Creed 1973/39	" Z "	C	"
17250	Creed 1973/65	" Blank " (" hardened ")	C	"
17247	Creed 1973/43 17243.S.1980	" Carriage return "	C	"
17245	Creed 1973/40	" Figures "	C	"

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
		WARDS,—cont.			
		Answer back letter—cont.			
17246	Creed 1973/41	" Letters "	C	each
17248	Creed 1973/42 17243.S.1980	" Line feed "	C	"
17249	Creed 1973/44	" Space "	C	"
4372	Creed 1973/68	Blank, 20 character	Answer Back Unit. G.P.O. B.Q.66	C	"
215	Creed P.W.5199	WASHER	$\frac{3}{16}$ in. i/d. For Type head clutch and Terminal Block End of Line Indicator of Teleprinter, 7B.	C	"
17546		WASHER	Used on Head, Transmitter (Ref. No. 15640) ..	C	"
13495	Creed P.W.5008	WASHER	For Reperforating Receiver (T.P.) No. 2, Mark 2. ..	C	"
15531	Creed P.W.5030	WASHER	For Reperforating Receiver (T.P.) No. 2, Mark 2. ..	C	"
19631	Creed P.W.5764	WASHER	Transmitting unit (message) Ref. No. 17249. RES. SC/22583. Transmitter automatic (Creed Model 74D) Ref. No. 18909. RES. SC/22445.	C	"
		WASHERS:—			
3716	Creed P.W.5141	" A " cam thrust	For Perforator, Morse Receiving	C	"
2066	G.N.T.309/40	Amplitude limiter	For Undulator, Type 11	C	"
3711	Creed P.W.5011	Base, Contact Screw	For Transmitter, Morse, Automatic, Type 7 and Reperforator, Morse.	C	"
		Bellcrank:—	For Printer, Morse, Tape Model		
3751	Creed P.W.5134	Bearing	C	"
3750	Creed 740/94	Lifting elbow	C	"
15506	Creed P.W.5075	Bronze	For Reperforating Receiver (T.P.) No. 22, Mark 2 ..	C	"
		Cam:—			
2063	G.N.T. 2004/10	Spindle	For Undulator, Type 11	C	"
3717	Creed P.W.5142	Thrust	For Perforator, Morse	C	"

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT

SECTION 10G—cont.

1	2	3	4	5	6
		WASHERS—cont.			
4313	Creed 3005/1	Carriage return dog	G.P.O. K.40	C	
4301	} Creed P.W.5046 G.P.O. K.10 }	Cast steel	For Reperforating Receiver (T.P.) No 2, Mark 2, and Auto Transmitter, (T.P.) No. 1B, Mark 2	C	
15605		Cast steel	For Auto Transmitter (T.P.) No. 2, Mark 2	C	
16896	Creed P.W.5060	Clamping, trip cam	For Answer Back, Unit, Teleprinter, 7B	C	
	Creed 1823/54	Clutch:—	For Reperforator, Morse.		
14057	Creed 720/298	Inner		C	
14056	Creed 720/297	Outer		C	
18864	Creed P.W.5619	Connecting Lever Space	Spring Steel, o/d 0.315 with hole 1 in. dia. 0.130, thickness 0.020	C	
3230	G.N.T. 112/68	Connecting plug insulating	For Transmitter, Wheatstone, Type 3	C	
3671	Marconi 45W/3804/Δ	Cork	For Undulator, Type 7	C	
14960	G.P.O. D.13	Distance	For Keyboard Perforator, No 44, Mark 2	C	
1936	Ericsson	Felt	1½ in. Waxed and insect proofed. For Relay Units, Type 65	C	
4376	Creed 1865/5	Felt	G.P.O. B.O. 76	C	
13617	Creed P.W.5171	Felt	Used between Perforating Unit and Main Base of Reperforator, Morse	C	
16897	Creed P.W.5188	Felt	¼ in For Ribbon Feed Bracket, Teleprinter, 7B	C	
18040		Felt	Used on Teleprinter, 7B, Mark 2	C	
		Felt:—			
9424305		Oiled	} Used on B.I.D /50/1	C	
9424306		Oiled		C	
9424307		Oiled		C	
9424308		Oiled		C	
9424309		Oiled		C	
16245	Creed P.W.5455	Oiling		For Teleprinter, 7B	C
4241	Creed P.W.1085/1	Finger, Setting Lever	G.P.O. G.11 6 B A	C	
9013786		Finishing	S/steel 0.4 in hole dia 1.75 in o/d 0.04 in washer thk. 0.090 in. h	C	
9013666		Flat	S/Steel o.d. 0.34 in. dia 0.0625 in. thk.	C	
16898	Creed 1825/14	Friction		C	
18230		Friction	Dims. 0.1406 in o/d × 0.01 in.	C	

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
18865	Creed P.W.5327	WASHERS—cont. Friction	Circlip. locking. Ring constructed from 0-010 piano wire.	C	each
18883	Creed P.W.5617	Friction	Selector Lever Spacer, $\frac{5}{8}$ in. 1 in. dia. M.S. ..	C	"
18026	Creed 1831/240	Leather, Piston	Used on Teleprinter, 7B, Mark 2	C	"
13601	Creed 23225	Lubrication cap	For Clutch Spindle Perforating Unit, Morse Re-perforator.	C	"
4250	Creed P.W.5190	M.S.	G.P.O. G.38. For Ribbon Feed Pawl of Teleprinter 7B, Cam Unit.	C	"
17255	Creed P.W.5080	Packing	Part of Dust Cover Unit, Teleprinter, 7B, 4B, $\frac{3}{4}$ in. i/d.	C	"
4338	Creed P.W.5034	Platen	G.P.O. M.32	C	"
4200	Creed P.W.1025	Retaining, mainshaft	G.P.O. D.22	C	"
1197		Special	I/d $\frac{1}{4}$ in.	C	"
2339	Creed P.W.5083	Special	For Perforator, Keyboard	C	"
3473	Creed P.W.5140	Special	For Transmitter, Morse, Automatic	C	"
14085	Creed P.W.5021	Special		C	"
15230	G.P.O. B.119	Special	For Keyboard Perforator, No. 44, Mark 2	C	"
15647	Creed P.W.5040	Special	For Auto. Transmitter (T.P.) No. 1B, Mark 2	C	"
17351	Creed P.W.5071	Special	Used when securing Carriage Abutment to Carriage latch plate, 1948 design, change of Main Base Unit, Teleprinter, 7B.	C	"
17645	Creed P.W.5547	Special		C	"
17671	Creed P.W.5514	Special	Special hardened ground steel	C	"
17695	Creed 2852/20	Special	Oil impregnated thrust washer	C	"
17703	Creed P.W.5413	Special	Used on Teleprinter, 7B, Page, Mark 2	C	"
17704	Creed 2852/21	Special	Used on Teleprinter, 7B, Page, Mark 2	C	"
17711	Creed P.W.5499	Special	For Field Unit	C	"
17981		Special	Used on F.G.R.I. 5493	C	"
17994		Special	M.S. Used on Teleprinter, 7B, Mark 2	C	"
17997		Special	Used on Teleprinter, 7B, Mark 2	C	"
18012		Special	Used on Teleprinter, 7B, Mark 2	C	"
18016		Special	Part of Teleprinter, 7B, Mark 2	C	"
18725	Creed P.W.5262	Special	Used on Perforator Keyboard, Creed 7B/N3	C	"
9421577		Special	Used on B.I.D.50	C	"

RESTRICTED

KI

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
		WASHERS—cont.			
		Special:—			
17641	Creed P.W.5558	0-010		C	each
16900	Creed P.W.5005	0-113 in. i/d × ¼ in. o/d × 1/16 in.	Brass, N.P.D. For Striker, Transmitter, Teleprinter, 7B.	C	"
16250	Creed P.W.5276/1	0-113 in. i/d × 3/8 in. o/d × 0-062 in.	M.S. For Printing Reperforator, 85R	C	"
18905	Creed P.W.5649	3/32 in. i/d	M.S.	C	"
16904	Creed P.W.5213/1	5/8 in. i/d × ¼ in. o/d × 0-010 in. thick	C.S.C.P.D. Inserted behind R.H. end of Buffer Plate on Control Lever Unit, Teleprinter, 7B.	C	"
4181	Creed P.W.5084	5/32 in. i/d c.s.k.	Countersunk M.S. G.P.O. A.52. For securing Type-hammer Unit and Camb. Unit Comb. Lever Clamps of Teleprinter, 7B.	C	"
1195	Creed P.W.5143	1/8 in. i/d	C.S. For Counter Units, Teleprinter, 7B	C	"
17189	Creed P.W.5114	3/32 in. i/d	M.S. for Paper Carriage, Friction	C	"
16901	Creed P.W.5119	0-14 in. i/d × ¼ in. o/d × 1/32 in.	Brass N.P.D. Used under safety catch of Control Lever Unit, also on line feed Bellcrank, Page Attachment Unit, Teleprinter, 7B.	C	"
16529	Creed P.W.5011/1	0-147 in. i/d × 5/16 in. o/d × 1/32 in.	Brass N.P.D. For Teleprinter, 7B (W.D.) (Ref. No. YB.03117).	C	"
16906	Creed P.W.5110	0-147 in. i/d × 5/8 in. o/d × 1/8 in.	Case hardened. Used on Spring Drum of Page Attachment Units, Teleprinter, 7B.	C	"
1193	Creed P.W.5092	0-159 in. i/d	Used on Perforator Keyboard	C	"
17489	Creed P.W.5500	0-169 in. i/d × 0-296 in. o/d × 3/32 in. thick	Cast steel. Used on Kit, Conversion, Auto. Transmitter, 1B, Mark 2.	C	"
16261	Creed P.W.5463	0-185 in. i/d × 0-375 in. o/d × 0-047 in.	For Printing Reperforator, 85R	C	"
17015	Creed P.W.5217	3/16 in. i/d	For Striker Transmitting Sub. Assembly, Teleprinter, 7B.	C	"
16905	Creed P.W.5210/1.W.	0-189 in. i/d × 5/8 in. o/d × 0-027 in.	C.S. C.P.D. For Feed Pawls, Page Attachment Unit, Teleprinter, 7B.	C	"
16908	Creed P.W.5205	0-190 in. i/d × 1 in. o/d × 1/16 in.	Used under R.H. rear foot of Main Base Unit, Teleprinter, 7B.	C	"
18175		1/8 in. i/d × 1 1/32 in. o/d × 1/4 in.			
16902	Creed P.W.5189	1/8 in. i/d × 1 1/32 in. o/d × 1/4 in.	Spring steel	C	"
		1 1/4 in. i/d × 7/8 in. o/d	With lip. Steel C.P.D. For Ribbon Feed Bracket, Teleprinter, 7B.	C	"

RESTRICTED

237

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT

SECTION 10G—cont.

1	2	3	4	5	6
		WASHERS cont.			
		Special— cont.			
18163		0.3135 in. i/d × 0.625 in. o/d × 0.088 in.	Used on Perforator, Keyboard, Creed 7P/N3 (Ref. No. 17455).	C	each
16532	Creed P.W.5270	0.328 in. i/d × 0.625 in. o/d × 0.031 in.	C.P.D. For Teleprinter, 7B (W.D.) (Ref. No. YB.03117).	C	"
16533	Creed P.W.5304-1	0.328 in. i/d × 1 in. o/d × $\frac{1}{16}$ in. . .	C.P.D. For Teleprinter, 7B (W.D.) (Ref. No. YB.03117).	C	"
3474	Creed P.W.5180	0.380 in. i/d	With ears, Cast Steel. For Perforator, Keyboard.	C	"
16899	Creed P.W.5111/1	0.381 in. i/d × $\frac{5}{8}$ in. o/d × $\frac{3}{32}$ in. . .	C.S. Used between Drum and Spindle, Page Attachment Unit, Teleprinter, 7B.	C	"
18176		0.12 in. i/d × 0.3438 in. o/d × 0.005 in.	Spring steel	C	"
18296		0.25 in. o/d × 0.125 in. i/d × 0.069 in.	Used on Perforator, Keyboard, Creed 7P/N3 (Ref. No. 17455).	C	"
18165		$\frac{15}{32}$ in. o/d × $\frac{13}{64}$ in. i/d × $\frac{1}{16}$ in. . .	Used on Perforator, Keyboard, Creed 7P/N3 (Ref. No. 17455).	C	"
16085	Creed P.W.5115	$\frac{15}{32}$ in. i/d	M.S. For Undercarriage Support Pin	C	"
16903	Creed P.W.5186	$1\frac{1}{4}$ in. i/d × $1\frac{9}{16}$ in. o/d × $\frac{1}{32}$ in. . .	C.S. C.P.D. For Typehead Unit, Teleprinter, 7B. . .	C	"
4307		Locking, cramp	G.P.O. K.23. For Page Printing Attachment, Teleprinter, 7B.	C	"
3507	Creed P.W.5044	Speed change spindle	} For Transmitter, Morse, Automatic, Type 3	C	"
3493	Creed P.W.5151	Speed change spindle, small		C	"
3516	Creed P.W.2007	Spring		C	"
13435	Creed P.W.5048	Spring		C	"
		Spring:—	For Reperforating Receiver (T.P.), No. 2 Mark 2 . .	C	"
17352	Creed P.W.2002	0 B.A.	For Main Base Unit, Teleprinter, 7B	C	"
16968	Creed P.W.2009	1 B.A.	For Main Shaft Bearing, Teleprinter 7B	C	"
3472	Creed P.W.4016	2 B.A., double coil	For Perforator, Keyboard	C	"
1189	Creed P.W.2038	6 B.A.	C	"
16941	Creed P.W.2037/1	6 B.A.	C	"
16892	Creed P.W. 2037/31	6 B.A. × 0.020 in.	Rustproof	C	"
16912	Creed P.W.4002	6 B.A. × 0.135 in. hole × $\frac{7}{64}$ in. . .	Phosphor Bronze. For Governor Unit, Teleprinter, 7B.	C	"

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT

SECTION 10G—cont.

1	2	3	4	5	6
		WASHERS—cont.			
		Spring—cont.			
16891	Creed P.W.2038;31	6 B.A. × $\frac{3}{8}$ in.	Rustproof	C	each
1190		8 B.A.	C	"
16893	Creed P.W.2050/31	8 B.A. × $\frac{1}{8}$ in.	C	"
16895	Creed P.W.2049	8 B.A. × $\frac{3}{8}$ in. square section	C	"
16911	Creed P.W.5172	$\frac{3}{16}$ in. i/d × $\frac{3}{16}$ in. o/d. × 0.012 in.	Steel. C.P.D. Used between Front Plate and Ratchet Shaft of Striker Transmitter Unit, Teleprinter, 7B.	C	"
13731	Creed 1260/189A	Arbor	For Page Carriage, Printer, Morse	C	"
2064	G.N.T.2044/9	Cam spindle	For Undulator, Type 11	C	"
13561	Creed 720/60	Lock tape feed	For Tape Feed Spindle Clutch of Punching Head Unit on Teleprinter, 7B.	C	"
17654	Creed P.N.5572	Special	For Letter Feed Dog	C	"
3482	Creed P.W.5194	Speed change screw	For Transmitter, Morse, Automatic, Type 3	C	"
2067	G.N.T.309/23	Tape platform	For Undulator, Type 11	C	"
2068	G.N.T.309/20	Tape platform	For Undulator, Type 11	C	"
9013787		Spring Tension	Steel 0.5 in. hole dia., 1.4 in. o.d. 0.016 in., washer thk 0.15 in. o/a h.	C	"
		Standard i/d:—			
16888	Creed P.W.1027/1	1 B.A. × 0.492 in. o/d × 0.040 in.	C.P.D.	C	"
17142	Creed P.W.1077/1	2 B.A.	M.S. For Operating Electro-magnet Unit, Teleprinter, 7B.	C	"
17254	Creed P.W.1007/1	3 B.A.	M.S. For Teleprinter, 7B, Cover	C	"
3470	Creed P.W.1010/15	4 B.A.	Brass. For Perforator	C	"
16887	Creed P.W.1057/1	4 B.A. × $\frac{1}{32}$ in o/d × 0.028 in	M.S. C.P.D. For Cam Unit Shock Absorber, Teleprinter, 7B.	C	"
16889	Creed P.W.1035/1	5 B.A. × 0.315 in. o/d × 0.032 in.	M.S. C.P.D. For Shift Lever Pivot Control Lever Unit, Teleprinter, 7B	C	"
4261	Creed P.W.1001/1	6 B.A.	M.S. G.P.O. G.65. For Perforator, Keyboard	C	"
3471	Creed P.W.1037/1	6 B.A.	M.S.	C	"
17136	Creed P.W.1014/1	6 B.A.	B.R. For securing resetting trip bellcranks. Cam Unit, Teleprinter, 7B.	C	"
17171	Creed P.W.1061/1	6 B.A.	M.S. For Page Attachment Unit, Friction Feed, Teleprinter, 7B.	C	"
1181	Creed P.W.1017/1	8 B.A.	M.S. For Control Lever Unit and Striker Transmitter Head of Teleprinter, 7B.	C	"

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
		WASHERS— cont.			
		Standard i/d— cont.			
16890	Creed P.W.1041/1	8 B. A. > 0.255 in. o/d × 0.032 in.	MS. C.P.D. Used when securing Platen Knob Page Attachment Unit, Teleprinter, 7B.	C	each
2337	Creed P.W.1021/1	10 B.A.	M.S. C.P.D.	C	"
14159	Creed P.W.5125	Steel	For Reperforating Receiver (T.P.), No. 2, Mark 2	C	"
15512	Creed P.W.5178	Steel	For Reperforating Receiver (T.P.), No. 2, Mark 2	C	"
15516	Creed P.W.5177	Steel	For Reperforating Receiver (T.P.), No. 2, Mark 2	C	"
18054		Special	} Used on Teleprinter, 7B, Mark 2	C	"
18049		Special		C	"
18021		Spring		C	"
18041		Spring		C	"
2065	G.N.T.309/64	Tape wheel	For Undulator, Type 11	C	"
3667	Marconi 36/W.3804/C	Tape wheel	For Undulator, Type 7	C	"
2149	Creed P.W.5069	Thrust	For Reperforator, Morse	C	"
14066	Creed P.W.5403	Thrust		C	"
16295	Creed 2845/98	Thrust	For Orientation Device of Printing Reperforator, 85R	C	"
4266	Creed 1830/82	Thrust	Used between Cam Sleeve and Cam Wheel	C	"
18199		Thrust	$\frac{11}{32}$ in. i/d × $\frac{17}{32}$ in. o/d × $\frac{1}{16}$ in.	C	"
18211		Thrust	Metal. Oil impregnated. Dims.: $\frac{15}{32}$ in. i/d × $\frac{55}{64}$ in. o/d × $\frac{5}{16}$ in.	C	"
3665	Marconi 34/W.3804/A	Thrust, tape wheel	For Undulator, Type 7	C	"
2282	Creed P.W.5226	Trunnion block	For Printer, Morse, Page Model	C	"
2255	Creed 740/111	Type shaft thrust	For Printer, Morse, Page Model	C	"
1919	G.P.O. No. 2	WEB, non-elastic, grey	18 in. long. For Telephone. Observer Post	C	"
4104		WEDGE, contact	Used on Teleprinter, 7B (Ref. No. 163)	C	"
		WEIGHTS:—			
		Loading:—	For Teleprinter, 7B		
16913	Creed 1834/17	Large		C	"

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G -cont.

1	2	3	4	5	6
		WEIGHTS—cont.			
		Loading—cont.			
16914	Creed 1834/18	Small	C	each
16915	Creed 1825/32A	Starter, C.P.	C	"
4475		Pulley	Used on Radio Vehicle, Type 266, Mark 1	C	"
		WHEELS:—			
9421627		Adjustment	Used on B.I.D.560/1	C	"
4601	Creed 1172/13A	Counter, ratchet	For Perforator, Keyboard, Morse	C	"
16959	Creed 1828/38	Crown	For Teleprinter, 7B	C	"
3251	G.N.T.2042/34	Driving shaft	50 teeth. For Speed Regulator, Transmitter, Wheatstone.	C	"
		Feed:			
14977	G.P.O. D.54	Paper and ratchet	For Keyboard Perforator, No. 44, Mark 2	C	"
13460	Creed 1803/1	Tape	For Reperforating Receiver, (T.P.) No. 2, Mark 2.	C	"
3363	Creed 860/128A	Fly	For Perforator, Keyboard, Morse, Type 4	C	"
		Friction, C.P.:—			
584	Creed 850/104	1 7/8 in. dia.	13-100 W.P.M.	C	"
9421465		Gear Assembly	Used on B.I.D.50	C	"
9421430		Gear and Ratchet Wheel Assembly	Used on B.I.D.50	C	"
9421414		Gear and Spindle Assembly		C	"
9421462		Gear and Spindle Assembly		C	"
9421338		Gear		C	"
9421427		Gear		C	"
9421446		Gear		C	"
9421449		Gear	Used on B I.D.50	C	"
9421457		Gear		C	"
9421522		Gear		C	"
9421523		Gear		C	"
9421525		Gear		C	"
		Gear:			
15610	Creed G.R 1014	0-3 in. dia.	7 or 7 1/2 unit For Auto. Transmitter, (T.P.) No. 1B, Mark 2.	C	"
2306	Creed 1775/30	3-speed	For Reperforator, Morse Receiving	A	"
15600	Creed G.R 1018	75 teeth	For Auto. Transmitter (T.P.) No. 1B, Mark 2	C	"

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

1	2	3	4	5	6
		WHEELS—cont.			
		Gear—cont.			
4269	Creed 1925/6	Bossed, camshaft gear	For Teleprinter, 7B	C	each
16081	Creed 1825/60A	Bracket, sub.	C	..
		Drive, C.P.:—			
2143	Creed 1775/19	L.H.	For Perforator, Morse Receiving	C	..
2141	Creed 1775/20	R.H.	For Perforator, Morse, Automatic	C	..
16355	Creed 2885/37	Driven	For Tape Winder, G.P.O. No. 2	C	..
16369	Creed 2885/32	Driving	For Tape Winder, G.P.O. No. 2	C	..
14051	Creed 2493/33	Driving, C.P.	For Speed Indicator, Morse Reperforator	C	..
16656	Creed G.R.2002	Driving, transmitter unit	For Teleprinter, 7B	C	..
13044	Met. Police	Large	Brass, 3.366 in. dia., $\frac{1}{8}$ in. thick, 200 teeth. For Automatic Keying Device, Type 1	C	..
13045	Met. Police	Small	Steel, 0.366 in. dia., $\frac{3}{16}$ in. thick, 20 teeth. For Automatic Keying Device, Type 1	C	..
4339	Creed 1822/5	Spiral	G.P.O. No. 13. For Teleprinter, 7B.. .. .	C	..
4377	Creed G.R.2048	Spiral	For Printers, Morse, Tape Model	C	..
14071	Creed G.R.2017A	Spiral, steel	For Spur Wheel on Perforating Unit, Morse Reperforator	C	..
3227	G.N.T.112/62A	Tape feed	For Transmitter, Wheatstone, Type 3	C	..
4349	Creed 1821/57	Transmitting unit, C.P.	G.P.O. P.4. For Teleprinter, 7B	C	..
216	Creed 1826/28	Typehead	For Teleprinter, 7B	C	..
16658	Creed 1825/4	Typehead driving	For Teleprinters, 7B	C	..
16655	Creed 1821/33	Gear and boss, camshaft spring	C	..
15120	Creed 1800/141	Intermediate, C.P.	For Reperforator, Receiving, G.P.O. No. 2, Mark 2	C	..
16140	Creed 2870/84	Jockey, roller	C	..
2006	G.N.T.309/63	Latch, tape	For Undulator, Type 11	C	..
15009	G.P.O. A.14	Paper, C.P.	For Keyboard Perforator, No. 44, Mark 2	C	..
14319		Ratchet	C	..
14990	G.P.O. E.41	Ratchet	For Keyboard Perforator, No. 44, Mark 1	C	..
17826		Ratchet	Used on F.G.R.I. 5493	C	..
18020		Ratchet	Steel wheel, $1\frac{1}{4}$ in. dia. × 0.064 thick with 100 case hardened teeth at 90° around circumference.	C	..

RESTRICTED

RESTRICTED

M 115

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—cont.

RESTRICTED

1	2	3	4	5	6
		WHEELS—cont			
		Ratchet:—			
14182	Creed 2084/68	C.P.	For Perforator, No. 1	C	each
13718	Creed 740/430B	Carriage feed	For Perforator, No. 2 and 3	C	"
16916	Creed 1829/1A	Ribbon feed	For Teleprinter 7B.	C	"
9421415		Selector	Used on B.I.D.50	C	"
13618	Creed C.R.2017	Selector	For Perforator, No. 2 and 3	C	"
15184	Creed 1816/21	Spur	G.P.O. L.100. For Teleprinter, 7B	C	"
		Spur:—			
13575	Creed 720/210	C.P. mainshaft	3-Speed Gear Unit, Reperforator, Morse	C	"
18109		Camshaft	Used on Reperforator, Creed, 7TR/3 (Ref. No. 17521).	C	"
15207	Creed 1925/7	Camshaft	G.P.O. B.G.30. For Teleprinter, 7B	B	"
		Tape:—			
16988	Creed 1847/65	C.P.	For Teleprinter 7B	C	"
3328	Creed 740/183B	C.P.	For Perforator, Keyboard Morse, Type 4	C	"
3400	Creed 860/421A	Tape and Message Rack, C.P.	For Perforator, Keyboard, Morse, Type 4	B	"
4207	Creed 1825/13	Worm	G.P.O. D.56	C	"
191	Creed 1825/19	Worm, C.P.	For Teleprinter, 7B	C	"
16356		Worm and boss	For Tape Winder, G.P.O. No. 2	C	"
		Worm:—			
14950	Creed G.R.3002	Ratio 3:20	For Reperforator, Morse	C	"
17667	Creed B.O 2909	WICK, Oil	Lubricating Wick for Belictank Pivoting Ring	C	"
81	Elliott 1606	WINDER, manual.	For Perforator, Keyboard, Morse, Type 6	C	"
		WINDOWS:—			
9013736		Observation	Perspex, 2 $\frac{1}{8}$ in. × 2 in. × $\frac{1}{8}$ in. approx. o/a dims.	C	"
9013737		Observation	Perspex 10 in. × $\frac{3}{4}$ in. × $\frac{1}{8}$ in. approx. o/a. dims.	C	"
		WINDINGS:—			
13593	Creed 990/94	Magnet operating	Coil windings for 220 volt. For Reperforator, Morse	C	"
14060	Creed 990/18B	Magnet operating		C	"

243

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
SECTION 10G—*cont.*

1	2	3	4	5	6
13047	Met. Police 1064/9/3A	WIPER	Tufnol, $\frac{3}{8}$ in. wide \times $\frac{3}{16}$ in. thick	C	each
YA.7230		WORKING INSTRUCTIONS	For Switchboard, Magneto, 10 line (W.D.)	C	„
YB.06604		WORM-SHAFT	3.343 in. lg. Used on Panel Ref. No. 19597. Schedule 22719. Rack Assembly Ref. No. 19592.	C	„
		WORMS:—			
13439	Creed 1801/8	Starter	For Reperforating Receiver (T.P.) No. 2, Mark 2	C	„
197	Creed 1825/63	Starter, driving, C.P.	For Teleprinter, 7B	C	„
13572	Creed 720/153	Thrust collar	For Perforator, Type 2 and 3	C	„
198		Wheel shroud	Used on Starter Switch Unit (Ref. No. 16826)	C	„
16363	Creed 2885/20	WORM AND SHAFT	For Tape Winder, G.P.O.	C	„
3722	{ Creed G.R.3002 Creed G.R.4004 }	WORM AND WORM WHEEL	Ratio 3-20. For Printer, Morse, Tape Model	B	„
FA.19610		WRENCH, SET SCREW	Used on 5.U.C.O.	A	„
		YOKES:—			
1239	Creed 720/57C	Detent plate	For Reperforator, morse, receiving	C	„
13445	Creed 1801/27	Dog clutch	For Reperforating Receiver (T.P.), No. 2, Mark 2	C	„

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
INDEX TO REFERENCE NUMBERS
SECTION 10G—cont.

NOTE:—It should be noted that all 7 digit reference numbers are identical for R.A.F. and N.A.T.O. use, and in these cases the Group/Class and former R.A.F. references are included in this index. When N.A.T.O. Numbers are required for external use the U.K. National Code Number of "99" is to be quoted, and the full identification is to be shown as follows:—

N.A.T.O. Group/Class
5815

U.K. National Code
99

N.A.T.O. Number
9013584

RESTRICTED

Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.
FA.19610	244	YA.2728	74	YA.6460	2	YB.03489	120	YB.08835	194	44	113	118	12	179	73	229	97
WB.0069	31	YA.2736	215	YA.6562	74	YB.03733	175	YB.08836	52	65	29	119	12	186	19	230	97
WB.0986	222	YA.2832	62	YA.6693	44	YB.03872	206	YB.08866	152	75	121	120	12	190	19	233	4
WB.2519	221	YA.2886	220	YA.6733	215	YB.03873	206	ZA.3399	159	76	23	121	12	191	243	234	4
YA.0161	18	YA.3103	75	YA.6816	220	YB.04215	232	ZA.4551	217	77	79	124	146	194	192	235	184
YA.0222	35	YA.3201	75	YA.7230	244	YB.04216	232	ZA.6055	231	78	81	125	220	196	26	237	164
YA.0449	208	YA.3717	220	YA.7435	83	YB.04217	232	ZA.8231	220	80	207	127	220	197	244	238	74
YA.0684	80	YA.3719	81	YA.7682	2	YB.04218	232	ZA.11947	208	81	243	128	60	198	244	239	164
YA.0813	85	YA.3923	178	YA.8079	220	YB.04219	45	ZC.8812	81	92	219	129	189	199	101	240	122
YA.1057	104	YA.4115	49	YA.8232	220	YB.04660	214	2	219	96	13	137	219	200	206	241	164
YA.1152	127	YA.4773	215	YA.8483	89	YB.05056	2	3	219	97	88	138	189	203	6	242	99
YA.1155	133	YA.4776	230	YB.01033	73	YB.06572	119	4	219	99	37	141	206	205	16	245	104
YA.1302	83	YA.4777	230	YB.01039	231	YB.06581	118	20	219	100	37	147	39	206	16	246	125
YA.1532	208	YA.4786	2	YB.01666	189	YB.06604	244	21	51	101	37	149	208	207	136	248	121
YA.1615	19	YA.4791	65	YB.01800	73	YB.06811	30	24	220	102	37	156	90	208	57	249	130
YA.1709	6	YA.4792	65	YB.02182	151	YB.06814	113	26	209	103	37	157	155	209	207	250	202
YA.1868	47	YA.5132	115	YB.02186	75	YB.06855	68	27	209	104	37	158	156	210	58	251	121
YA.1869	44	YA.5637	4	YB.02187	75	YB.06856	68	28	18	108	38	160	36	211	195	252	185
YA.1872	209	YA.5961	3	YB.02244	31	YB.06883	1	30	77	109	37	163	221	212	195	254	205
YA.1893	220	YA.5962	25	YB.02617	215	YB.06884	68	32	45	110	37	167	77	213	70	256	20
YA.2363	124	YA.5968	64	YB.02625	65	YB.07397	19	33	113	111	37	171	38	214	102	258	26
YA.2665	102	YA.5991	171	YB.02630	114	YB.08184	81	34	30	112	38	172	230	215	234	259	69
YA.2666	102	YA.6003	2	YB.03256	145	YB.08390	3	35	44	114	193	176	61	216	242	260	197
YA.2675	84	YA.6225	170	YB.03259	83	YB.08391	183	36	230	115	12	177	61	220	207	261	221
YA.2723	26	YA.6226	170	YB.03260	115	YB.08392	146	42	69	117	189	178	196	221	208	263	69

245

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT

INDEX TO REFERENCE NUMBERS

SECTION 10G—cont.

Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.
264	122	333	149	385	110	447	190	493	208	575	190	943	135	1094	167	1163	163	1241	62
265	122	334	40	386	110	448	190	494	208	578	35	966	88	1095	168	1175	115	1242	99
267	133	335	90	387	111	449	190	495	224	582	211	995	196	1096	168	1177	116	1243	130
268	166	337	40	389	26	450	190	496	9	584	241	1004	204	1097	213	1179	151	1244	202
269	194	338	26	395	215	451	212	497	9	599	54	1005	204	1098	167	1181	239	1261	91
271	197	339	168	401	12	452	209	498	9	619	86	1006	221	1099	167	1184	221	1264	215
280	135	340	27	402	12	453	209	499	10	620	38	1011	200	1101	108	1187	41	1265	148
281	166	341	148	403	12	455	68	500	10	621	40	1017	178	1103	169	1189	238	1266	41
282	91	342	90	404	168	457	19	501	10	626	219	1020	179	1104	168	1190	239	1267	149
284	10	343	110	405	40	460	189	502	10	627	219	1022	179	1105	171	1192	169	1268	13
287	85	344	40	406	151	461	35	503	11	629	219	1023	179	1106	169	1193	237	1269	168
288	86	345	40	408	31	463	104	504	17	645	111	1029	168	1107	184	1195	237	1270	168
289	85	346	90	410	91	466	122	505	8	653	149	1031	180	1108	183	1197	236	1271	14
291	56	347	148	411	144	467	152	507	29	655	107	1034	180	1109	183	1198	8	1272	113
292	90	348	146	412	91	469	154	508	42	657	36	1036	109	1110	99	1200	92	1286	163
293	194	349	91	413	91	470	161	510	82	658	111	1037	221	1112	168	1201	107	1317	219
296	118	350	204	414	91	473	161	512	104	659	11	1041	179	1113	28	1203	167	1318	149
297	95	351	40	415	91	474	161	514	7	660	111	1043	221	1116	167	1204	167	1330	114
298	100	352	40	416	91	475	161	515	129	661	111	1046	179	1117	168	1205	54	1333	70
303	122	353	40	417	91	476	161	517	141	663	167	1047	180	1118	169	1206	54	1334	67
308	103	356	40	418	91	477	161	518	141	664	90	1051	37	1119	167	1209	54	1335	62
309	165	357	200	419	91	478	39	519	154	666	218	1052	169	1121	168	1216	54	1336	51
312	64	358	110	420	91	481	162	520	164	667	36	1055	181	1122	129	1225	6	1337	19
316	171	359	169	424	31	482	162	521	207	668	147	1062	221	1133	132	1227	67	1338	231
318	198	360	14	427	72	483	191	526	222	703	129	1064	181	1134	36	1228	68	1341	209
322	168	361	14	428	72	485	205	528	18	710	214	1072	13	1135	223	1231	58	1343	209
325	148	364	87	429	75	486	205	531	18	712	39	1075	168	1136	7	1233	163	1352	220
327	87	365	40	431	8	487	205	552	6	725	231	1076	109	1137	39	1235	191	1355	209
328	161	366	110	432	75	488	202	559	143	736	19	1077	221	1154	147	1236	55	1368	18
329	90	367	219	433	75	489	196	570	23	739	77	1078	148	1155	108	1237	198	1371	215
330	38	373	45	437	160	490	202	571	48	759	16	1088	173	1161	21	1238	198	1372	209
331	90	378	107	446	190	491	204	572	48	760	42	1090	177	1162	166	1239	244	1376	117

RESTRICTED

246

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT

INDEX TO REFERENCE NUMBERS

SECTION 10G—cont.

Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.
1377	18	1424	44	1702	13	1737	153	1773	147	1809	38	1848	149	1914	67	1968	4	2003	75
1379	231	1425	224	1703	12	1738	10	1774	147	1810	40	1849	223	1915	70	1969	115	2005	146
1380	6	1437	111	1704	13	1739	86	1775	148	1811	40	1851	223	1916	114	1970	14	2006	242
1381	65	1440	43	1705	13	1740	136	1776	167	1812	40	1854	218	1917	84	1971	16	2007	102
1386	223	1654	44	1706	11	1741	136	1777	167	1813	40	1856	218	1918	105	1972	16	2008	102
1388	75	1655	12	1707	14	1742	136	1778	147	1814	40	1861	218	1919	240	1973	16	2009	230
1389	223	1656	109	1708	13	1743	86	1779	167	1815	40	1862	218	1920	62	1974	25	2010	115
1390	3	1660	230	1709	38	1744	87	1780	147	1816	40	1863	218	1921	51	1975	25	2011	102
1391	5	1661	59	1710	13	1745	87	1781	147	1817	40	1864	218	1922	156	1976	26	2012	111
1392	18	1662	215	1711	12	1746	87	1782	167	1818	40	1865	218	1925	73	1978	25	2013	15
1393	17	1665	155	1713	12	1747	88	1784	121	1819	40	1866	218	1926	151	1979	25	2014	15
1394	15	1666	111	1714	12	1749	88	1785	36	1820	40	1867	218	1927	223	1980	25	2015	126
1395	17	1669	89	1715	12	1750	168	1786	36	1821	40	1868	219	1929	151	1981	25	2016	136
1398	15	1673	114	1716	113	1751	168	1787	37	1822	40	1869	219	1931	84	1982	41	2017	139
1399	73	1676	167	1717	14	1752	168	1788	38	1823	146	1872	202	1933	190	1983	47	2018	166
1400	82	1677	63	1719	87	1753	38	1789	37	1824	40	1876	141	1934	156	1984	49	2019	144
1402	45	1678	39	1720	87	1754	168	1790	147	1825	36	1878	44	1935	139	1985	65	2020	134
1403	118	1679	11	1721	87	1755	39	1791	39	1826	147	1883	87	1936	235	1986	65	2021	7
1405	192	1680	11	1722	87	1756	39	1793	37	1829	146	1886	167	1937	141	1987	65	2023	143
1407	60	1681	11	1724	44	1757	167	1794	37	1830	148	1887	38	1938	51	1988	52	2024	71
1408	123	1682	12	1725	87	1758	84	1795	72	1833	146	1888	38	1939	51	1989	62	2025	165
1409	163	1683	12	1726	89	1759	167	1797	39	1834	146	1889	13	1940	51	1991	191	2026	165
1410	163	1684	12	1727	87	1760	36	1798	38	1835	146	1890	190	1941	85	1992	68	2027	156
1411	201	1686	33	1728	87	1761	147	1799	96	1836	148	1900	35	1944	151	1993	68	2028	192
1412	194	1687	13	1729	87	1762	5	1800	38	1837	146	1904	45	1945	230	1994	68	2029	192
1413	173	1688	39	1730	87	1763	147	1801	38	1838	148	1905	81	1946	159	1996	144	2030	191
1414	171	1691	141	1731	86	1765	108	1802	39	1839	148	1906	149	1949	35	1997	144	2031	193
1419	133	1692	141	1732	204	1766	169	1803	39	1840	149	1907	84	1963	81	1998	115	2032	192
1420	190	1694	13	1733	86	1768	169	1804	41	1842	149	1909	90	1964	2	1999	209	2033	201
1421	31	1695	13	1734	86	1770	147	1806	39	1843	150	1910	89	1965	3	2000	74	2034	198
1422	222	1697	14	1735	86	1771	147	1807	37	1845	150	1911	89	1966	191	2001	74	2035	194
1423	26	1700	13	1736	86	1772	147	1808	39	1847	150	1912	220	1967	16	2002	74	2036	194

RESTRICTED

247

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT

INDEX TO REFERENCE NUMBERS

SECTION 10G—cont.

Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.
2037	202	2075	36	2115	107	2167	104	2199	196	2241	50	2273	201	2306	241	2385	192	3231	49
2038	196	2076	36	2116	107	2168	140	2200	196	2242	56	2274	201	2307	16	2386	74	3232	200
2039	198	2077	39	2117	107	2169	130	2201	170	2243	81	2275	201	2312	117	2387	201	3233	200
2041	209	2078	36	2119	38	2170	130	2202	200	2244	89	2276	198	2313	132	2388	115	3234	200
2042	214	2079	128	2120	91	2171	154	2203	197	2245	89	2277	29	2314	184	2389	77	3236	191
2043	213	2087	150	2121	219	2172	182	2204	205	2246	101	2278	81	2317	81	2390	214	3237	17
2044	213	2088	150	2122	212	2173	182	2205	31	2247	142	2279	208	2318	209	2391	198	3238	50
2045	214	2089	150	2123	123	2174	182	2206	10	2248	193	2280	80	2320	81	2392	123	3240	50
2046	213	2090	150	2125	12	2175	207	2207	19	2249	208	2281	44	2321	165	2393	3	3241	50
2047	213	2091	150	2126	87	2176	193	2208	44	2250	213	2282	240	2326	120	2394	191	3242	156
2048	214	2092	150	2127	87	2177	205	2209	79	2251	195	2283	4	2327	6	2395	167	3243	48
2049	216	2093	150	2131	13	2178	205	2210	28	2252	224	2284	5	2328	80	2396	3	3244	9
2050	216	2094	150	2133	82	2179	204	2221	90	2253	80	2286	30	2329	190	2397	60	3245	9
2051	224	2095	150	2134	197	2180	196	2222	104	2254	44	2287	50	2330	82	3065	107	3246	9
2052	230	2096	150	2135	139	2181	201	2223	104	2255	240	2288	69	2333	117	3116	123	3247	48
2054	117	2097	149	2137	172	2182	196	2224	100	2256	82	2289	70	2334	179	3209	91	3248	48
2055	182	2098	150	2138	124	2183	195	2225	100	2257	96	2290	98	2335	180	3215	60	3249	183
2056	172	2099	149	2141	242	2184	204	2226	142	2258	130	2291	98	2336	143	3216	169	3250	183
2057	170	2100	150	2143	242	2185	226	2227	134	2259	127	2292	96	2337	240	3217	82	3251	241
2058	170	2101	150	2148	206	2186	226	2228	134	2260	115	2293	98	2338	8	3218	156	3252	52
2059	182	2102	150	2149	240	2187	226	2229	134	2261	164	2294	103	2339	236	3219	156	3253	52
2060	172	2103	150	2150	44	2188	226	2230	134	2262	225	2295	103	2344	193	3220	156	3254	184
2061	182	2104	150	2151	149	2189	226	2231	135	2263	225	2296	103	2352	155	3221	173	3255	52
2063	234	2105	150	2152	115	2190	226	2232	154	2264	225	2297	104	2364	62	3222	192	3256	52
2064	239	2106	150	2153	3	2191	166	2233	154	2265	225	2298	122	2365	163	3223	192	3257	116
2065	240	2107	150	2154	34	2192	118	2234	154	2266	225	2299	122	2369	21	3224	125	3258	187
2066	234	2108	150	2155	8	2193	17	2235	214	2267	225	2300	121	2370	215	3225	192	3259	170
2067	239	2109	150	2157	173	2194	161	2236	172	2268	19	2301	128	2371	212	3226	234	3260	170
2068	239	2110	150	2159	69	2195	165	2237	97	2269	200	2302	135	2377	132	3227	242	3261	184
2069	25	2111	150	2160	81	2196	165	2238	33	2270	122	2303	155	2378	168	3228	26	3262	142
2073	168	2112	150	2165	95	2197	153	2239	15	2271	201	2304	172	2383	112	3229	188	3263	33
2074	132	2114	38	2166	95	2198	186	2240	35	2272	195	2305	124	2384	165	3230	235	3264	68

RESTRICTED

248

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT

INDEX TO REFERENCE NUMBERS

SECTION 10C—cont.

RESTRICTED

Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.
3265	142	3317	128	3351	23	3385	11	3421	215	3456	180	3493	238	3538	70	3592	21	3665	240
3266	192	3318	19	3352	29	3386	49	3422	35	3457	179	3494	172	3539	51	3594	8	3666	33
3267	63	3319	198	3354	29	3387	49	3423	89	3458	179	3495	188	3540	8	3595	7	3667	240
3268	63	3320	201	3355	43	3388	31	3424	89	3459	39	3496	17	3541	209	3597	7	3668	33
3269	63	3321	46	3356	100	3390	14	3425	89	3460	180	3497	33	3542	215	3598	8	3669	33
3270	63	3322	46	3357	182	3391	66	3426	33	3461	174	3498	18	3543	220	3599	7	3670	33
3271	63	3323	195	3358	95	3392	10	3427	55	3463	178	3499	17	3544	209	3600	15	3671	235
3272	63	3324	194	3359	134	3393	29	3428	55	3464	174	3500	165	3557	29	3601	7	3672	163
3274	63	3326	206	3360	42	3394	29	3429	53	3465	176	3502	17	3558	137	3603	7	3674	216
3275	41	3327	78	3361	134	3395	65	3430	32	3466	175	3503	60	3559	137	3604	8	3677	127
3276	68	3328	243	3362	121	3396	73	3431	6	3468	173	3504	171	3564	65	3605	8	3678	207
3277	53	3329	10	3363	241	3397	7	3432	198	3469	177	3505	53	3565	222	3609	67	3679	208
3278	47	3330	139	3364	192	3398	19	3433	197	3470	239	3506	142	3566	35	3615	115	3680	208
3279	52	3331	10	3365	23	3399	4	3434	204	3471	239	3507	238	3567	192	3624	160	3681	197
3280	198	3332	56	3367	23	3400	243	3435	196	3472	238	3509	56	3569	123	3629	90	3682	213
3281	78	3333	131	3368	49	3401	138	3436	204	3473	236	3510	132	3570	6	3630	212	3683	28
3282	78	3334	153	3369	78	3402	207	3438	116	3474	238	3511	145	3571	18	3631	79	3694	13
3283	129	3335	214	3370	104	3403	128	3439	116	3475	166	3512	172	3573	17	3634	165	3695	13
3284	129	3336	125	3371	116	3404	139	3440	129	3476	117	3513	171	3574	17	3637	142	3696	13
3285	129	3337	142	3372	163	3405	31	3441	129	3480	115	3514	172	3575	17	3638	143	3698	165
3286	129	3338	11	3373	16	3406	127	3442	131	3481	7	3515	171	3576	18	3639	141	3701	126
3287	142	3339	56	3374	7	3407	6	3443	129	3482	239	3516	238	3577	12	3643	170	3702	142
3288	15	3340	153	3375	7	3408	98	3444	129	3483	131	3517	215	3579	8	3648	192	3708	123
3293	15	3341	101	3376	23	3409	213	3445	130	3484	80	3518	144	3580	8	3650	28	3710	115
3294	15	3342	128	3377	23	3410	66	3446	128	3485	222	3519	189	3581	7	3651	165	3711	234
3301	17	3343	101	3378	23	3411	19	3447	13	3486	171	3528	88	3582	7	3655	126	3712	172
3302	166	3344	11	3379	29	3412	151	3448	172	3487	48	3529	88	3583	7	3656	4	3713	179
3305	127	3345	11	3380	156	3414	23	3450	178	3488	140	3530	160	3584	7	3657	29	3714	175
3306	208	3347	11	3381	26	3415	27	3452	171	3489	162	3534	83	3585	7	3661	166	3715	175
3307	208	3348	126	3382	66	3416	143	3453	174	3490	162	3535	209	3587	6	3662	166	3716	234
3315	194	3349	10	3383	133	3419	128	3454	179	3491	162	3536	212	3589	6	3663	69	3717	234
3316	8	3350	11	3384	58	3420	130	3455	180	3492	55	3537	83	3591	137	3664	35	3718	138

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT

INDEX TO REFERENCE NUMBERS

SECTION 10G -cont.

Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.
3720	68	3760	102	3795	132	3829	227	3886	172	4205	174	4253	177	4293	56	4338	236	4390	181
3721	207	3762	46	3797	30	3830	227	3961	168	4206	116	4254	115	4295	97	4339	242	4392	4
3722	244	3763	100	3798	226	3831	227	3965	210	4207	243	4255	127	4296	203	4340	11	4393	196
3723	28	3764	217	3799	226	3832	227	4018	12	4211	202	4256	178	4298	81	4349	242	4394	47
3728	197	3765	98	3800	226	3833	227	4019	12	4212	202	4257	98	4300	122	4350	195	4399	19
3729	122	3766	99	3801	226	3834	227	4082	45	4213	181	4258	203	4301	235	4351	100	4401	172
3731	196	3767	52	3802	226	3835	227	4093	117	4215	195	4259	171	4302	127	4352	205	4402	101
3732	7	3768	101	3803	226	3836	227	4096	202	4216	100	4261	239	4305	47	4353	203	4404	100
3733	188	3769	29	3804	226	3837	227	4100	9	4217	202	4262	101	4307	238	4354	196	4405	143
3734	60	3770	206	3805	226	3838	227	4101	169	4220	174	4263	101	4308	203	4355	224	4406	137
3735	74	3771	192	3806	226	3841	12	4102	190	4221	188	4264	101	4309	17	4357	206	4408	173
3738	10	3772	115	3807	226	3850	208	4104	240	4222	206	4265	124	4310	203	4359	224	4409	203
3739	27	3773	53	3808	226	3851	207	4172	28	4223	16	4266	240	4311	28	4362	171	4410	82
3741	180	3774	206	3809	226	3865	13	4175	68	4224	188	4268	89	4312	131	4363	175	4412	140
3742	175	3775	130	3810	226	3867	165	4176	39	4225	29	4269	242	4313	235	4364	115	4413	180
3743	204	3776	78	3811	226	3868	4	4177	176	4227	173	4270	187	4315	172	4365	196	4414	170
3744	204	3777	69	3812	226	3869	166	4179	193	4228	181	4271	166	4316	181	4370	43	4415	194
3745	134	3779	178	3813	227	3870	5	4181	237	4229	202	4272	51	4317	204	4371	204	4417	205
3746	130	3780	178	3814	227	3871	6	4182	201	4230	203	4276	49	4319	203	4372	234	4418	204
3747	130	3781	176	3815	227	3872	165	4183	22	4231	203	4277	163	4320	203	4373	195	4419	198
3748	130	3782	172	3816	227	3873	166	4184	21	4232	153	4278	65	4321	17	4375	186	4420	205
3749	66	3784	176	3817	227	3874	63	4185	98	4235	172	4281	135	4323	155	4376	235	4423	183
3750	234	3785	180	3819	226	3875	26	4186	180	4239	19	4282	197	4324	203	4377	242	4425	155
3751	234	3786	218	3820	226	3876	192	4187	202	4241	235	4283	197	4326	138	4378	203	4430	99
3752	7	3787	180	3821	226	3877	165	4188	145	4242	117	4284	179	4329	201	4379	16	4436	20
3753	8	3788	178	3822	226	3878	165	4190	159	4244	21	4285	3	4330	49	4380	181	4437	20
3754	7	3789	178	3823	226	3879	165	4191	198	4245	195	4287	142	4331	138	4383	170	4438	100
3755	7	3790	170	3824	226	3880	192	4192	197	4247	126	4288	203	4332	139	4385	203	4442	80
3756	49	3791	132	3825	226	3881	2	4196	56	4248	97	4289	203	4333	205	4386	172	4444	174
3757	207	3792	132	3826	226	3882	165	4199	116	4249	70	4290	50	4334	173	4387	188	4445	78
3758	7	3793	132	3827	226	3883	173	4200	236	4250	236	4291	138	4336	173	4388	188	4446	78
3759	8	3794	132	3828	226	3885	192	4202	202	4252	96	4292	173	4337	23	4389	167	4447	188

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT

INDEX TO REFERENCE NUMBERS

SECTION 10G—*cont.*

Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.
4452	50	4532	13	4607	60	13045	242	13105	72	13145	207	13190	214	13296	47	13404	106	13443	135
4457	100	4533	113	4608	155	13046	196	13108	114	13146	207	13197	89	13298	152	13405	106	13444	191
4468	44	4534	223	4610	38	13047	244	13109	84	13148	124	13198	89	13306	24	13406	109	13445	244
4469	65	4536	110	5165	94	13051	144	13110	85	13149	124	13199	89	13307	24	13407	109	13446	203
4470	119	4537	96	9081	37	13057	144	13115	211	13150	212	13200	90	13308	48	13410	113	13447	19
4475	241	4538	183	9082	230	13058	66	13116	123	13151	212	13201	90	13309	48	13411	90	13448	19
4487	210	4539	96	9106	111	13059	44	13118	211	13152	212	13204	157	13310	132	13413	155	13449	208
4505	21	4540	122	9124	219	13061	89	13119	220	13153	211	13205	156	13314	155	13414	155	13450	19
4506	87	4541	5	10001	120	13063	84	13120	61	13154	211	13206	157	13316	14	13415	39	13451	22
4507	87	4542	218	10002	119	13065	85	13121	51	13155	211	13210	5	13318	224	13416	206	13452	75
4508	149	4546	218	10204	120	13066	114	13122	156	13156	211	13227	89	13319	209	13417	152	13453	169
4510	148	4547	218	10243	18	13069	211	13123	223	13157	212	13228	211	13321	50	13419	82	13454	100
4511	146	4549	218	10609	160	13070	214	13124	157	13158	211	13230	85	13324	6	13420	117	13455	127
4512	148	4550	218	11023	120	13072	44	13125	157	13159	92	13235	220	13325	8	13421	14	13456	143
4513	147	4551	218	11636	220	13074	92	13126	157	13160	209	13242	220	13326	8	13422	126	13457	143
4514	147	4552	218	11751	220	13075	144	13127	156	13161	215	13244	223	13327	8	13423	89	13458	67
4515	40	4553	219	13006	38	13076	144	13128	157	13162	83	13247	85	13332	209	13425	30	13459	136
4516	40	4554	52	13008	40	13077	144	13129	157	13163	223	13248	147	13337	46	13428	202	13460	241
4517	40	4555	12	13009	147	13078	65	13130	158	13164	36	13249	203	13340	230	13429	21	13462	190
4518	23	4556	13	13010	39	13079	211	13131	157	13165	38	13250	77	13341	231	13430	196	13463	141
4520	37	4557	13	13011	38	13080	211	13132	157	13166	39	13251	77	13342	218	13431	101	13464	34
4521	37	4558	39	13012	113	13081	144	13133	158	13168	38	13263	113	13343	106	13432	197	13465	162
4522	37	4559	87	13013	147	13084	209	13134	157	13169	39	13264	86	13392	64	13433	69	13466	49
4523	37	4588	134	13014	6	13086	114	13135	157	13171	21	13265	86	13395	64	13434	194	13467	127
4524	37	4593	50	13020	90	13088	74	13136	157	13172	31	13267	31	13396	109	13435	238	13468	74
4525	36	4594	130	13021	209	13091	84	13137	157	13173	114	13268	31	13397	106	13436	196	13469	194
4526	36	4601	241	13027	220	13092	123	13138	157	13174	157	13270	72	13398	106	13437	196	13470	164
4527	36	4602	194	13034	209	13093	123	13139	157	13175	83	13271	80	13399	128	13438	116	13471	97
4528	37	4603	72	13039	148	13094	84	13140	155	13176	51	13272	157	13400	109	13439	244	13472	190
4529	40	4604	35	13040	90	13102	161	13141	157	13179	155	13273	85	13401	108	13440	193	13473	202
4530	39	4605	201	13041	148	13103	62	13143	157	13180	171	13292	75	13402	108	13441	25	13474	124
4531	38	4606	207	13044	242	13104	62	13144	25	13182	51	13295	223	13403	106	13442	193	13475	202

RESTRICTED

251

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT

INDEX TO REFERENCE NUMBERS

SECTION 10C—cont.

Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.
13477	80	13521	210	13594	105	13647	68	13688	186	13743	92	14085	236	14271	210	14319	242	14964	201
13478	139	13522	210	13595	80	13648	9	13689	188	13744	134	14086	193	14272	210	14320	106	14965	95
13479	74	13523	213	13597	97	13649	9	13690	188	13745	34	14111	203	14273	210	14321	110	14966	121
13480	103	13524	65	13601	236	13650	7	13691	115	13747	164	14159	240	14274	210	14324	106	14967	194
13481	152	13525	23	13602	55	13651	7	13692	103	13753	34	14178	63	14285	210	14325	7	14968	201
13482	190	13526	68	13603	53	13652	7	13693	96	13760	34	14179	89	14286	210	14327	147	14969	171
13483	4	13559	50	13604	55	13654	198	13694	174	13761	197	14180	198	14287	210	14328	147	14970	23
13484	59	13560	188	13605	152	13655	42	13697	6	13762	135	14181	121	14288	210	14329	149	14971	152
13485	200	13561	239	13606	117	13656	15	13698	47	13764	127	14182	243	14289	210	14330	146	14972	152
13486	27	13562	65	13607	58	13658	144	13699	170	13765	128	14183	122	14290	210	14331	149	14973	201
13488	64	13565	25	13609	129	13659	144	13701	193	13766	126	14184	52	14294	110	14332	149	14974	79
13489	14	13566	29	13611	129	13660	144	13703	135	13769	82	14185	60	14295	108	14333	149	14975	138
13490	84	13567	62	13612	43	13661	188	13704	126	13770	107	14186	60	14297	108	14334	7	14976	91
13491	65	13568	81	13614	55	13662	188	13706	31	13773	105	14187	143	14298	145	14778	38	14977	241
13492	29	13569	41	13617	235	13663	15	13707	30	13775	51	14188	221	14299	107	14905	109	14978	193
13493	175	13570	67	13618	243	13664	208	13708	129	13776	103	14189	140	14300	106	14906	109	14979	60
13494	115	13571	184	13622	188	13665	207	13710	162	13780	53	14190	201	14301	109	14930	39	14980	112
13495	234	13572	244	13623	73	13666	197	13717	197	14050	197	14191	137	14302	106	14949	149	14981	46
13496	111	13573	184	13624	139	13667	208	13718	243	14051	242	14192	139	14303	110	14950	243	14983	82
13499	73	13574	81	13625	136	13668	115	13722	20	14052	53	14193	31	14304	107	14951	124	14984	96
13506	83	13575	243	13626	124	13669	222	13723	193	14053	53	14194	64	14305	106	14952	46	14986	182
13507	210	13577	117	13627	15	13673	207	13724	8	14054	53	14195	48	14306	110	14953	97	14988	145
13508	210	13580	129	13633	47	13676	161	13725	122	14056	235	14224	169	14307	110	14954	72	14990	242
13509	231	13581	208	13634	171	13677	41	13726	17	14057	235	14246	18	14308	105	14955	121	14991	121
13512	38	13582	63	13635	200	13678	7	13727	135	14058	161	14247	17	14309	105	14956	134	14992	203
13513	38	13583	63	13636	15	13679	6	13729	134	14059	191	14248	213	14310	105	14957	197	14993	122
13514	38	13584	63	13637	6	13681	142	13730	96	14060	243	14257	200	14311	26	14958	74	14994	205
13515	38	13586	74	13638	64	13682	43	13731	239	14064	12	14265	186	14312	105	14959	135	14998	64
13516	109	13587	15	13639	188	13683	29	13732	10	14066	240	14266	210	14313	106	14960	235	15004	100
13517	145	13589	26	13641	68	13684	183	13736	96	14068	81	14268	210	14314	106	14961	205	15006	47
13518	201	13591	53	13643	48	13685	43	13740	153	14070	44	14269	210	14316	68	14962	139	15007	26
13520	210	13593	243	13644	156	13686	182	13742	126	14071	242	14270	210	14318	109	14963	104	15008	138

RESTRICTED

252

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT

INDEX TO REFERENCE NUMBERS

SECTION 10G—cont.

Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.
15009	242	15072	64	15113	210	15156	184	15201	153	15244	12	15332	147	15416	168	15508	184	15543	52
15010	94	15073	172	15114	210	15157	227	15202	50	15245	14	15333	147	15417	110	15509	154	15544	134
15011	172	15074	64	15115	103	15158	135	15204	19	15246	110	15334	148	15424	106	15510	132	15545	52
15012	71	15075	9	15116	103	15159	2	15205	20	15247	168	15335	147	15425	230	15511	43	15546	185
15013	71	15076	9	15117	7	15161	224	15207	243	15248	169	15336	146	15426	107	15512	240	15547	67
15014	14	15077	9	15118	220	15162	171	15208	46	15249	109	15337	148	15427	109	15513	42	15548	102
15015	111	15078	9	15119	16	15163	79	15210	28	15250	107	15338	148	15429	106	15515	129	15549	95
15016	118	15079	9	15120	242	15164	79	15212	47	15251	218	15339	107	15430	106	15516	240	15550	214
15017	194	15080	16	15121	143	15166	20	15215	69	15252	17	15340	108	15431	106	15517	125	15551	205
15018	31	15081	17	15122	141	15168	201	15216	27	15304	105	15379	105	15432	108	15518	27	15554	20
15019	5	15082	145	15123	77	15169	154	15217	183	15310	150	15380	108	15433	105	15519	130	15555	171
15020	145	15083	201	15124	213	15170	229	15218	183	15311	109	15381	108	15434	109	15520	67	15556	139
15021	62	15085	154	15126	169	15172	76	15221	15	15312	149	15382	107	15435	110	15521	99	15558	191
15022	24	15086	5	15127	27	15173	29	15222	139	15313	149	15383	110	15436	109	15522	103	15559	76
15023	142	15087	97	15128	44	15174	197	15225	69	15314	146	15384	107	15437	105	15523	133	15560	41
15024	97	15088	97	15129	30	15175	155	15226	232	15315	146	15387	110	15438	105	15525	203	15562	136
15025	97	15089	97	15130	194	15176	190	15227	135	15316	146	15395	13	15439	105	15526	99	15563	193
15026	97	15090	200	15132	193	15177	118	15228	65	15317	146	15396	13	15440	106	15527	162	15564	142
15028	97	15091	4	15134	85	15178	202	15229	4	15318	148	15397	109	15441	108	15528	121	15565	63
15029	97	15093	135	15137	28	15179	45	15230	236	15319	148	15398	110	15442	110	15529	101	15567	175
15030	97	15094	73	15138	56	15180	192	15231	166	15320	146	15399	158	15443	107	15531	234	15570	171
15031	97	15096	90	15139	61	15181	103	15232	111	15321	147	15400	108	15444	107	15532	49	15571	21
15033	112	15097	210	15141	112	15182	96	15233	45	15322	109	15401	108	15445	108	15533	162	15572	134
15034	82	15098	220	15143	113	15183	20	15234	221	15323	110	15402	108	15446	108	15534	104	15574	58
15035	97	15099	210	15144	118	15184	243	15235	37	15324	151	15403	46	15447	108	15535	197	15583	52
15036	97	15100	178	15146	215	15186	86	15236	39	15325	149	15404	83	15448	109	15536	194	15584	164
15037	44	15102	19	15147	218	15187	184	15237	38	15326	146	15405	168	15449	110	15537	128	15585	101
15039	145	15103	19	15148	113	15188	130	15239	37	15327	151	15406	110	15501	171	15538	101	15586	101
15040	201	15104	19	15149	206	15196	80	15240	106	15328	106	15411	108	15504	20	15539	209	15587	166
15041	202	15105	21	15150	88	15197	21	15241	13	15329	109	15412	110	15505	105	15540	20	15588	92
15042	154	15106	224	15151	184	15199	160	15242	13	15330	109	15414	168	15506	234	15541	100	15589	101
15050	53	15112	120	15152	184	15200	25	15243	13	15331	148	15415	106	15507	184	15542	164	15590	20

RESTRICTED

283

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT

INDEX TO REFERENCE NUMBERS

SECTION 10G—cont.

Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.
15592	21	15628	98	15674	73	16004	82	16045	70	16087	103	16130	152	16178	24	16211	153	16245	235
15593	21	15631	23	15675	11	16007	24	16046	221	16088	102	16131	138	16179	42	16212	17	16246	19
15594	14	15632	67	15677	51	16008	53	16047	221	16089	94	16139	193	16180	96	16213	17	16247	129
15595	217	15633	99	15678	51	16009	58	16048	75	16090	11	16140	242	16181	122	16214	17	16248	48
15596	58	15635	104	15681	73	16010	153	16050	221	16091	108	16141	91	16182	140	16215	17	16249	215
15598	203	15636	128	15683	223	16012	109	16051	221	16094	122	16142	136	16183	205	16216	17	16250	237
15599	172	15637	185	15684	155	16013	12	16052	95	16095	88	16143	33	16184	135	16217	205	16251	218
15600	241	15639	52	15685	45	16014	110	16055	221	16096	88	16144	4	16185	32	16218	5	16252	56
15602	184	15640	81	15686	3	16015	105	16056	11	16098	98	16145	165	16186	166	16219	5	16253	58
15603	188	15641	76	15687	63	16016	131	16057	18	16101	105	16151	48	16187	43	16220	5	16254	28
15604	120	15642	65	15688	84	16017	113	16065	103	16102	108	16153	23	16188	43	16221	5	16255	79
15605	235	15643	191	15690	156	16018	113	16066	103	16103	106	16154	186	16189	42	16222	5	16256	163
15606	98	15645	98	15694	8	16019	113	16067	47	16104	105	16155	135	16190	189	16223	55	16258	96
15607	14	15647	236	15695	45	16020	37	16068	213	16105	106	16156	142	16191	42	16224	17	16259	129
15608	113	15649	20	15701	92	16021	38	16069	70	16106	106	16157	166	16192	42	16225	205	16260	129
15609	77	15650	21	15704	63	16022	109	16070	194	16108	108	16158	129	16193	42	16226	64	16261	237
15610	241	15651	114	15705	144	16023	39	16071	194	16109	108	16159	140	16194	42	16227	231	16262	41
15611	31	15652	4	15706	2	16024	39	16072	42	16110	69	16160	152	16195	42	16228	14	16264	46
15612	30	15654	137	15707	26	16025	39	16073	17	16111	210	16161	152	16196	42	16229	27	16265	79
15613	195	15655	97	15708	127	16029	109	16074	15	16112	106	16162	42	16197	43	16230	175	16266	97
15614	73	15656	175	15710	206	16030	110	16075	145	16113	90	16163	136	16198	90	16231	140	16267	134
15615	113	15657	70	15722	167	16031	151	16076	31	16114	223	16164	33	16199	189	16232	46	16268	200
15616	30	15658	204	15731	217	16032	218	16077	175	16117	231	16166	143	16200	117	16233	29	16269	179
15617	115	15659	178	15735	13	16034	163	16078	137	16118	124	16167	153	16201	42	16234	142	16270	134
15618	129	15660	117	15736	219	16035	163	16079	74	16119	78	16170	53	16202	42	16235	28	16271	138
15619	149	15661	172	15737	108	16036	14	16080	16	16120	80	16171	118	16203	140	16237	79	16273	107
15622	30	15664	105	15739	156	16037	27	16081	242	16121	154	16172	118	16204	206	16238	163	16274	167
15623	58	15665	79	15740	65	16038	30	16082	140	16122	152	16173	172	16205	122	16239	162	16275	87
15624	203	15667	232	15743	190	16039	32	16083	28	16124	48	16174	153	16206	99	16240	162	16276	167
15625	55	15668	20	15751	60	16040	21	16084	140	16127	33	16175	135	16208	207	16241	162	16278	87
15626	203	15669	196	15754	60	16042	56	16085	238	16128	5	16176	10	16209	28	16242	162	16279	87
15627	123	15670	85	16001	212	16044	65	16086	137	16129	152	16177	96	16210	129	16243	162	16280	108

RESTRICTED

254

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT

INDEX TO REFERENCE NUMBERS

SECTION 10G—cont.

Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.
16281	108	16316	201	16353	16	16387	166	16422	188	16534	228	16569	17	16601	28	16636	57	16669	91
16282	87	16317	142	16354	140	16388	134	16423	160	16535	228	16570	17	16602	28	16637	57	16670	92
16283	128	16318	142	16355	242	16389	60	16426	18	16536	228	16571	17	16605	28	16638	60	16671	92
16284	210	16319	175	16356	243	16390	55	16427	18	16537	19	16572	17	16606	29	16639	60	16672	92
16285	210	16320	213	16357	16	16391	205	16501	113	16538	204	16573	17	16607	32	16640	63	16673	92
16286	169	16321	167	16358	196	16392	132	16502	115	16539	136	16574	19	16608	32	16641	64	16674	92
16287	210	16323	201	16359	53	16393	94	16503	115	16540	202	16575	19	16609	32	16642	64	16675	92
16288	14	16324	140	16360	50	16394	132	16504	128	16541	195	16576	20	16610	32	16643	65	16676	92
16289	131	16325	42	16361	68	16395	54	16505	137	16542	18	16577	21	16611	32	16644	65	16677	92
16291	187	16326	42	16362	79	16396	132	16506	137	16546	120	16578	21	16612	32	16646	66	16678	92
16292	43	16327	42	16363	244	16397	60	16507	138	16547	120	16579	21	16613	36	16647	67	16679	92
16295	240	16328	142	16364	193	16398	21	16508	139	16548	2	16580	21	16614	41	16648	161	16680	92
16296	137	16329	50	16365	79	16399	65	16509	141	16549	185	16581	21	16615	43	16649	161	16681	92
16297	53	16330	50	16366	79	16401	207	16512	163	16550	4	16582	21	16616	46	16650	69	16682	92
16298	28	16331	50	16367	6	16402	207	16513	163	16551	5	16583	22	16617	49	16651	70	16683	93
16299	99	16332	50	16368	29	16403	214	16514	163	16552	6	16584	23	16618	49	16652	70	16684	93
16300	99	16333	42	16369	242	16404	227	16515	164	16553	6	16585	23	16620	50	16653	33	16685	93
16301	165	16334	116	16370	140	16405	227	16516	49	16554	9	16586	23	16621	53	16654	70	16686	93
16302	142	16335	185	16372	156	16406	227	16517	180	16555	9	16587	23	16622	53	16655	242	16687	93
16303	134	16336	185	16373	218	16407	227	16518	178	16556	9	16588	23	16623	52	16656	242	16688	93
16304	158	16337	67	16374	54	16408	227	16519	176	16557	9	16589	23	16624	53	16657	77	16689	93
16305	42	16338	100	16375	195	16410	55	16520	177	16558	9	16590	24	16625	53	16658	242	16690	93
16306	194	16339	141	16376	34	16411	55	16521	177	16559	10	16591	24	16626	53	16659	79	16691	93
16307	42	16340	64	16377	34	16412	186	16522	176	16560	14	16592	24	16627	53	16660	79	16692	93
16308	67	16342	155	16378	34	16413	215	16523	187	16561	14	16593	25	16628	53	16661	79	16693	93
16309	67	16343	212	16379	34	16414	231	16525	192	16562	14	16594	25	16629	53	16662	81	16694	93
16310	212	16345	202	16381	54	16415	25	16526	205	16563	14	16595	25	16630	52	16663	84	16695	93
16311	129	16346	54	16382	80	16416	44	16527	214	16564	15	16596	25	16631	53	16664	85	16696	93
16312	130	16347	141	16383	160	16417	110	16529	237	16565	16	16597	27	16632	56	16665	85	16697	93
16313	214	16348	45	16384	137	16418	107	16531	55	16566	16	16598	27	16633	56	16666	86	16698	93
16314	23	16351	108	16385	4	16420	211	16532	238	16567	16	16599	27	16634	57	16667	88	16699	93
16315	136	16352	46	16386	132	16421	211	16533	238	16568	16	16600	27	16635	57	16668	89	16700	98

RESTRICTED

255

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT

INDEX TO REFERENCE NUMBERS

SECTION 10G—cont.

Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.
16701	95	16736	128	16773	162	16810	194	16860	228	16892	238	16929	232	16971	208	17011	27	17053	181
16702	95	16737	129	16774	170	16812	194	16861	228	16893	239	16930	221	16972	162	17013	205	17054	181
16704	96	16738	135	16775	177	16813	196	16862	228	16895	239	16931	217	16973	105	17015	237	17055	128
16705	97	16739	135	16776	172	16814	197	16863	228	16896	235	16933	49	16974	120	17016	53	17056	180
16706	97	16740	136	16778	172	16815	197	16864	228	16897	235	16934	81	16975	80	17017	61	17057	181
16707	98	17741	136	16779	176	16816	197	16865	228	16898	235	16935	66	16976	80	17018	23	17058	95
16708	98	16742	136	16782	176	16818	124	16866	228	16899	238	16936	204	16977	82	17019	140	17059	95
16709	99	16743	136	16783	177	16822	204	16867	228	16900	237	16937	78	16978	82	17020	167	17060	96
16710	100	16744	136	16784	179	16824	202	16868	228	16901	237	16938	119	16981	143	17021	189	17061	96
16711	100	16745	137	16785	174	16825	202	16869	228	16902	237	16940	181	16983	166	17022	190	17062	14
16712	101	16746	137	16786	176	16827	207	16870	228	16903	238	16941	238	16984	182	17023	197	17063	96
16713	102	16747	138	16787	176	16828	208	16871	228	16904	237	16942	8	16986	192	17024	205	17064	95
16714	103	16748	138	16788	173	16829	209	16872	228	16905	237	16946	190	16987	214	17025	212	17065	208
16715	103	16749	139	16789	175	16831	214	16873	228	16906	237	16947	190	16988	243	17026	215	17067	35
16716	104	16750	140	16790	177	16832	217	16874	228	16908	237	16948	212	16989	10	17027	217	17068	46
16717	116	16751	140	16791	177	16833	222	16875	228	16911	239	16950	140	16992	66	17028	16	17069	55
16718	116	16752	140	16794	173	16834	224	16876	228	16912	238	16952	179	16994	114	17029	127	17071	124
16719	116	16754	142	16795	182	16835	80	16877	228	16913	240	16953	85	16995	34	17030	173	17072	128
16721	116	16755	142	16796	183	16836	16	16878	228	16914	241	16955	177	16996	79	17031	65	17073	128
16722	121	16756	143	16797	183	16847	227	16879	228	16915	241	16957	205	16997	70	17036	46	17074	131
16723	122	16757	143	16798	184	16848	227	16880	229	16916	243	16958	122	16998	78	17037	79	17075	128
16724	131	16758	145	16799	185	16849	227	16881	229	16917	54	16959	241	16999	115	17038	139	17077	181
16726	131	16759	146	16800	185	16850	227	16882	229	16918	54	16960	65	17000	130	17043	179	17079	207
16727	128	16760	152	16801	188	16851	227	16883	229	16919	54	16962	178	17001	173	17044	23	17081	34
16728	128	16761	152	16802	221	16852	228	16884	229	16920	54	16963	181	17002	46	17045	124	17082	104
16729	128	16762	153	16803	124	16853	228	16885	229	16921	54	16964	181	17003	74	17046	137	17083	88
16730	127	16763	153	16804	191	16854	228	16886	229	16922	43	16965	130	17004	173	17047	139	17084	173
16731	131	16764	153	16805	192	16855	228	16887	239	16923	61	16966	209	17005	179	17048	145	17086	131
16732	126	16765	153	16806	192	16856	228	16888	239	16924	120	16967	181	17007	28	17049	207	17087	78
16733	127	16766	153	16807	192	16857	228	16889	239	16926	5	16968	238	17008	174	17050	212	17088	64
16734	127	16767	154	16808	193	16858	228	16890	240	16927	211	16969	208	17009	177	17051	24	17089	28
16735	127	16768	153	16809	193	16859	228	16891	239	16928	211	16970	81	17010	174	17052	126	17090	119

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT

INDEX TO REFERENCE NUMBERS

SECTION 10G—cont.

RESTRICTED

Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.
17091	179	17137	117	17176	64	17210	134	17243	233	17275	225	17310	188	17346	4	17386	61	17418	26
17093	180	17138	178	17177	116	17211	134	17244	233	17276	225	17311	179	17347	131	17387	167	17419	79
17094	178	17139	179	17178	130	17212	135	17245	233	17277	225	17312	144	17349	1	17388	141	17420	79
17095	179	17140	14	17179	133	17213	134	17246	234	17278	225	17313	179	17351	236	17389	140	17421	141
17096	179	17141	16	17180	135	17214	138	17247	233	17279	225	17315	140	17352	238	17390	33	17422	78
17097	55	17142	239	17181	27	17215	221	17248	234	17280	225	17316	178	17353	178	17391	23	17423	29
17098	64	17144	170	17182	137	17216	131	17249	234	17281	225	17317	137	17354	221	17392	114	17424	78
17099	85	17145	142	17183	142	17218	188	17250	233	17282	225	17318	136	17355	2	17393	94	17425	29
17100	93	17147	115	17184	45	17219	232	17251	104	17283	225	17319	136	17356	5	17394	94	17426	49
17101	102	17148	73	17185	16	17220	232	17252	64	17284	225	17320	130	17357	22	17395	21	17427	29
17102	140	17149	69	17186	16	17221	232	17253	88	17285	225	17321	177	17358	27	17396	142	17428	78
17103	161	17152	214	17188	79	17222	232	17254	239	17286	225	17322	132	17359	34	17397	143	17429	78
17104	162	17153	208	17189	237	17223	232	17255	236	17287	225	17323	132	17360	73	17398	94	17430	141
17105	161	17154	161	17190	99	17224	232	17256	58	17288	225	17324	137	17361	131	17399	165	17431	141
17106	180	17157	25	17191	133	17225	232	17257	58	17289	225	17325	112	17363	180	17400	74	17432	141
17107	217	17158	177	17192	142	17226	232	17258	57	17290	225	17326	139	17364	173	17401	134	17433	193
17110	172	17159	178	17193	142	17227	232	17259	57	17291	229	17327	179	17365	180	17402	141	17435	143
17116	180	17160	215	17194	153	17228	232	17260	57	17292	229	17329	64	17366	180	17403	134	17436	215
17119	131	17161	46	17195	166	17229	232	17261	57	17293	229	17330	56	17367	154	17404	91	17437	103
17120	54	17162	180	17196	181	17230	233	17262	57	17294	229	17331	35	17368	196	17405	100	17438	11
17121	54	17163	179	17197	217	17231	233	17263	57	17295	225	17332	24	17369	185	17406	134	17439	95
17123	56	17164	171	17198	21	17232	233	17264	57	17296	229	17333	22	17370	185	17407	129	17440	165
17124	96	17165	173	17199	55	17233	233	17265	57	17297	229	17334	22	17371	196	17408	207	17441	134
17125	60	17166	179	17200	79	17234	233	17266	57	17298	229	17336	21	17372	188	17409	27	17442	97
17126	229	17167	179	17201	137	17235	233	17267	229	17299	4	17337	35	17373	217	17410	96	17443	134
17127	229	17168	196	17202	163	17236	233	17268	229	17300	179	17338	21	17374	217	17411	187	17445	107
17128	81	17169	200	17204	2	17237	233	17269	229	17302	209	17339	20	17375	216	17412	25	17446	9
17129	221	17171	239	17205	131	17238	233	17270	225	17303	61	17340	130	17376	31	17413	103	17448	30
17131	221	17172	27	17206	128	17239	233	17271	225	17304	61	17341	179	17377	64	17414	82	17449	134
17133	230	17173	29	17207	128	17240	233	17272	225	17305	35	17342	20	17382	144	17415	136	17450	80
17134	1	17174	31	17208	131	17241	233	17273	225	17306	35	17343	19	17383	61	17416	136	17451	80
17136	239	17175	34	17209	131	17242	233	17274	225	17307	93	17344	15	17385	211	17417	83	17452	80

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT

INDEX TO REFERENCE NUMBERS

SECTION 10G—cont.

Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.
17453	99	17491	141	17530	111	17566	206	17602	10	17641	237	17673	18	17705	195	17745	77	17777	181
17454	80	17492	207	17532	206	17567	206	17603	118	17642	137	17674	18	17706	6	17746	76	17778	175
17455	123	17493	105	17533	214	17568	201	17604	51	17643	170	17675	124	17707	195	17747	208	17779	181
17456	120	17494	107	17534	76	17569	195	17605	120	17644	64	17676	14	17708	137	17748	146	17780	138
17457	192	17495	61	17536	145	17570	204	17606	120	17645	236	17677	100	17709	2	17749	57	17781	102
17458	42	17497	178	17537	138	17571	119	17607	231	17646	29	17678	143	17710	73	17750	57	17782	178
17459	205	17499	130	17538	64	17572	153	17608	118	17647	29	17679	48	17711	236	17751	57	17783	66
17465	29	17500	213	17539	214	17573	119	17610	114	17648	33	17680	24	17712	170	17752	57	17784	181
17466	135	17501	26	17540	23	17574	114	17611	114	17649	185	17681	190	17713	3	17753	57	17785	121
17467	27	17502	43	17541	171	17575	93	17612	114	17650	185	17682	154	17714	111	17754	57	17786	122
17468	196	17503	77	17542	72	17578	24	17613	230	17651	131	17683	26	17715	2	17755	86	17787	126
17469	127	17504	198	17544	76	17579	28	17615	83	17652	185	17684	74	17716	64	17756	60	17788	204
17470	24	17505	78	17545	132	17580	4	17616	6	17653	163	17685	230	17717	175	17757	220	17789	34
17471	24	17506	111	17546	234	17581	51	17618	216	17654	239	17686	117	17718	116	17758	208	17790	34
17472	29	17507	175	17547	136	17582	51	17620	189	17655	219	17687	162	17719	170	17759	36	17791	191
17473	137	17508	138	17549	152	17583	142	17622	118	17656	169	17688	55	17720	116	17760	77	17797	1
17474	101	17509	138	17550	30	17584	8	17623	118	17657	127	17689	161	17721	175	17761	169	17798	3
17475	143	17510	223	17551	194	17585	72	17624	213	17658	47	17690	143	17722	116	17762	61	17799	126
17476	186	17511	223	17552	196	17587	152	17625	120	17659	175	17691	170	17724	136	17763	61	17800	47
17477	186	17512	65	17553	214	17588	212	17626	71	17660	127	17692	142	17725	28	17764	61	17801	126
17478	138	17513	107	17554	71	17589	231	17627	71	17661	169	17693	204	17727	116	17765	83	17802	3
17479	118	17514	112	17555	118	17590	88	17628	72	17662	96	17694	142	17730	116	17766	11	17803	102
17480	133	17515	222	17556	71	17591	61	17629	72	17663	49	17695	236	17734	46	17767	50	17804	102
17481	172	17516	88	17557	71	17592	107	17630	216	17664	224	17696	55	17735	170	17768	132	17805	126
17482	163	17517	232	17558	119	17593	107	17631	216	17665	143	17697	195	17736	69	17769	65	17806	21
17483	80	17520	109	17559	72	17594	107	17632	216	17666	101	17698	5	17737	1	17770	65	17807	5
17484	106	17521	158	17560	60	17595	107	17633	216	17667	243	17699	5	17738	137	17771	121	17808	130
17486	147	17522	215	17561	230	17596	221	17636	27	17668	159	17700	93	17739	170	17772	121	17809	130
17487	173	17524	100	17562	204	17597	88	17637	229	17669	160	17701	204	17740	51	17773	191	17810	126
17488	151	17526	160	17563	204	17598	88	17638	70	17670	15	17702	175	17741	191	17774	204	17811	24
17489	237	17527	160	17564	204	17600	45	17639	56	17671	236	17703	236	17742	25	17775	204	17812	164
17490	46	17528	110	17565	204	17601	152	17640	184	17672	61	17704	236	17743	102	17776	141	17813	76

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT

INDEX TO REFERENCE NUMBERS

SECTION 10G—cont.

Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.
17814	125	17846	184	17880	165	17914	56	17947	126	17982	161	18022	17	18054	240	18086	82	18120	54
17815	115	17847	184	17881	165	17915	112	17948	195	17983	118	18023	66	18055	138	18087	158	18121	75
17816	115	17848	42	17882	213	17916	61	17949	121	17984	119	18024	33	18056	138	18088	158	18122	100
17817	63	17849	43	17883	60	17917	224	17950	23	17985	119	18025	163	18057	135	18089	158	18123	100
17818	50	17850	76	17884	60	17918	112	17951	96	17986	46	18026	236	18058	34	18090	158	18124	34
17819	41	17851	76	17885	73	17919	61	17952	165	17987	34	18027	33	18059	105	18091	158	18125	97
17820	32	17852	76	17886	67	17920	189	17953	49	17988	27	18028	166	18060	105	18092	158	18126	20
17821	129	17853	76	17887	67	17921	194	17954	175	17989	27	18029	52	18061	99	18093	158	18127	54
17822	205	17854	66	17888	67	17922	33	17955	195	17990	33	18030	99	18062	91	18094	158	18128	4
17823	121	17856	126	17889	98	17923	116	17956	186	17991	33	18031	33	18063	103	18095	158	18129	100
17824	74	17857	164	17890	98	17924	33	17957	186	17992	191	18032	129	18064	34	18096	158	18130	99
17825	195	17858	100	17891	98	17925	175	17958	192	17993	117	18033	164	18065	220	18097	158	18131	103
17826	242	17859	126	17892	126	17926	76	17959	75	17994	236	18034	49	18066	213	18098	158	18132	171
17827	25	17860	126	17893	164	17927	76	17960	155	17995	52	18035	10	18067	103	18099	221	18133	177
17828	96	17861	74	17894	126	17928	77	17961	53	17996	175	18036	98	18068	186	18100	230	18134	54
17829	126	17862	74	17896	83	17929	161	17962	192	17997	236	18037	33	18069	186	18101	45	18135	126
17830	165	17863	66	17897	83	17930	162	17963	191	17998	70	18038	58	18070	66	18102	45	18136	20
17831	49	17864	32	17898	83	17931	162	17964	191	17999	193	18039	173	18071	141	18103	158	18137	195
17832	205	17865	98	17900	46	17932	128	17965	75	18000	32	18040	235	18072	138	18106	158	18138	54
17833	27	17866	126	17901	195	17933	175	17966	77	18001	120	18041	240	18073	222	18107	158	18139	194
17834	205	17867	164	17902	166	17934	175	17967	33	18002	120	18042	207	18074	222	18108	20	18140	99
17835	98	17868	126	17903	165	17935	116	17968	42	18011	170	18043	176	18075	119	18109	243	18141	99
17836	185	17869	204	17904	171	17936	116	17969	117	18012	236	18044	22	18076	176	18110	21	18142	163
17837	76	17870	201	17905	171	17937	189	17970	70	18013	122	18045	22	18077	141	18111	41	18143	18
17838	186	17872	60	17906	73	17938	3	17971	171	18014	22	18046	8	18078	146	18112	192	18144	112
17839	178	17873	201	17907	175	17939	175	17975	175	18015	121	18047	165	18079	32	18113	68	18145	217
17840	26	17874	98	17908	32	17940	181	17976	30	18016	236	18048	128	18080	63	18114	125	18146	86
17841	5	17875	126	17909	56	17941	175	17977	83	18017	122	18049	240	18081	152	18115	20	18147	86
17842	99	17876	21	17910	112	17942	3	17978	70	18018	28	18050	46	18082	153	18116	21	18148	112
17843	52	17877	182	17911	61	17943	126	17979	27	18019	11	18051	21	18083	202	18117	34	18149	56
17844	3	17878	32	17912	59	17944	98	17980	175	18020	175	18052	144	18084	112	18118	125	18150	124
17845	184	17879	205	17913	224	17945	126	17981	236	18021	240	18053	185	18085	113	18119	20	18151	62

RESTRICTED

RESTRICTED
259

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT

INDEX TO REFERENCE NUMBERS

SECTION 10G—cont.

Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.
18152	124	18184	54	18217	188	18249	31	18282	33	18328	231	18448	76	18844	66	18876	139	18908	193
18153	151	18185	67	18218	185	18250	86	18283	70	18330	231	18462	28	18845	66	18877	76	18909	223
18154	26	18186	67	18219	43	18251	86	18284	153	18331	231	18463	99	18846	95	18878	99	18911	139
18155	184	18187	101	18220	76	18252	85	18285	138	18332	231	18488	112	18847	58	18879	54	18912	123
18156	20	18188	127	18221	185	18253	86	18286	24	18334	22	18489	81	18848	58	18880	10	18913	82
18157	20	18189	67	18222	154	18254	86	18287	24	18335	22	18490	59	18849	58	18881	94	18914	47
18158	76	18190	67	18223	195	18255	125	18288	136	18336	22	18491	217	18850	58	18882	100	18915	68
18159	76	18191	6	18224	183	18256	28	18289	143	18337	22	18492	224	18851	58	18883	236	18916	191
18160	184	18192	55	18225	99	18257	27	18290	9	18338	3	18494	77	18852	71	18884	137	18917	26
18161	54	18193	55	18226	96	18258	49	18291	10	18339	189	18527	34	18853	43	18885	49	18918	67
18162	76	18194	176	18227	94	18259	114	18292	11	18340	94	18530	78	18854	155	18886	104	18919	121
18163	238	18195	177	18228	10	18261	224	18293	125	18341	182	18534	43	18855	77	18887	96	18920	242
18164	22	18196	184	18229	100	18262	84	18294	98	18342	198	18563	63	18856	69	18888	185	18922	2
18165	238	18197	184	18230	235	18263	101	18295	99	18343	91	18583	223	18857	126	18889	6	18923	59
18166	163	18198	54	18231	5	18264	11	18296	238	18344	80	18707	101	18858	142	18890	217	18924	123
18167	30	18199	240	18232	74	18265	104	18297	95	18345	112	18719	45	18859	195	18891	193	18925	201
18168	151	18200	20	18233	140	18266	153	18298	95	18346	202	18720	124	18860	56	18892	21	18926	119
18169	34	18201	9	18234	98	18267	1	18299	101	18347	176	18721	136	18861	176	18893	202	18927	139
18170	177	18202	76	18235	137	18268	153	18300	101	18348	64	18722	183	18862	101	18894	217	18928	14
18171	33	18204	20	18236	53	18269	153	18301	197	18374	212	18723	75	18863	95	18895	94	18929	63
18172	164	18205	76	18237	28	18270	10	18302	26	18375	213	18724	129	18864	235	18896	94	18930	95
18173	125	18206	33	18238	99	18271	10	18303	85	18377	223	18725	236	18865	236	18897	76	18931	132
18174	164	18207	122	18239	121	18272	125	18304	92	18378	72	18726	132	18866	28	18898	206	18932	222
18175	237	18208	122	18240	122	18273	125	18305	93	18383	159	18727	204	18867	24	18899	55	18933	222
18176	238	18209	139	18241	96	18274	2	18306	93	18387	220	18794	112	18868	138	18900	55	18934	222
18177	4	18210	34	18242	95	18275	53	18307	34	18388	159	18795	36	18869	163	18901	129	18939	65
18178	70	18211	240	18243	99	18276	177	18308	34	18389	158	18796	56	18870	125	18902	176	18940	176
18179	99	18212	129	18244	59	18277	28	18309	76	18390	112	18819	152	18871	33	18903	171	18948	36
18180	54	18213	34	18245	103	18278	95	18310	75	18391	56	18838	216	18872	153	18904	170	19481	71
18181	136	18214	139	18246	163	18279	121	18311	45	18397	61	18841	59	18873	28	18905	237	19501	159
18182	43	18215	76	18247	54	18280	127	18312	213	18398	221	18842	123	18874	99	18906	62	19502	159
18183	41	18216	55	18248	1	18281	121	18313	22	18399	77	18843	70	18875	124	18907	197	19503	159

RESTRICTED

260

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT

INDEX TO REFERENCE NUMBERS

SECTION 10G—cont.

Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.
19504	159																		
19505	159																		
19506	159																		
19507	160																		
19517	192																		
19518	66																		
19519	66																		
19593	118																		
19594	119																		
19595	119																		
19596	118																		
19597	119																		
19598	118																		
19599	119																		
19631	234																		
20001	1																		
20002	45																		

RESTRICTED

RESTRICTED
261

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT

INDEX TO REFERENCE NUMBERS

SECTION 10G—cont.

Ref. No.	N.A.T.O. Group / Class No.	Old Ref. No.	Page No.	Ref. No.	N.A.T.O. Group / Class No.	Old Ref. No.	Page No.	Ref. No.	N.A.T.O. Group / Class No.	Old Ref. No.	Page No.	Ref. No.	N.A.T.O. Group / Class No.	Old Ref. No.	Page No.
9013581	5815	—	198	9013655	5815	—	102	9013732	5815	—	199	9013791	5815	—	198
9013582	5815	—	31	9013656	5815	—	48	9013733	5815	—	199	9013792	5970	—	84
9013583	5815	—	73	9013657	5815	—	144	9013734	5815	—	199	9013793	5815	—	22
9013584	5815	—	1	9013658	5815	—	144	9013735	5815	—	75	9013794	5815	—	134
9013585	5815	—	36	9013659	5815	—	201	9013736	5815	—	243	9013795	5815	—	20
9013586	5815	—	2	9013662	5815	—	119	9013737	5815	—	243	9013800	5815	—	170
9013587	5815	—	198	9013663	5815	—	138	9013738	5815	—	160	9013853	5305	—	174
9013588	5815	—	2	9013664	5975	—	151	9013739	5815	—	199	9013865	5815	—	140
9013589	5815	—	123	9013666	5310	—	235	9013740	5815	—	199	9013866	5815	—	48
9013590	5815	—	143	9013667	5815	—	154	9013741	5815	—	2	9013868	5305	—	172
9013631	5815	—	185	9013668	5815	—	35	9013742	5815	—	80	9013869	5305	—	174
9013632	5815	—	212	9013669	5815	—	69	9013743	5815	—	199	9013870	5305	—	174
9013633	5815	—	68	9013670	5815	—	81	9013744	5815	—	199	9013888	5305	—	174
9013634	5815	—	199	9013686	5815	—	5	9013745	5815	—	55	9013889	5305	—	174
9013635	5815	—	198	9013687	5815	—	199	9013746	5815	—	185	9013890	5305	—	174
9013636	5815	—	104	9013688	5815	—	104	9013747	5815	—	11	9013891	5303	—	172
9013637	5815	—	104	9013689	5815	—	48	9013748	5815	—	182	9013893	5305	—	174
9013638	5815	—	47	9013690	5815	—	48	9013749	5815	—	79	9013895	5305	—	174
9013639	5815	—	35	9013692	5945	—	145	9013779	5815	—	75	9013916	5310	—	116
9013640	5815	—	47	9013693	5815	—	79	9013780	5815	—	77	9013917	5815	—	60
9013645	5815	—	182	9013694	5815	—	47	9013781	5815	—	48	9013918	5815	—	207
9013646	5970	—	84	9013696	5945	—	189	9013782	5977	—	30	9114721	5940	—	222
9013647	5815	—	46	9013698	5815	—	143	9013783	5815	—	198	9114722	5940	—	222
9013648	5815	—	165	9013699	5815	—	79	9013784	5815	—	82	9222355	5815	—	72
9013649	5940	—	104	9013700	5815	—	16	9013785	5330	—	73	9222356	3815	—	223
9013650	5940	—	104	9013727	5815	—	146	9013786	5310	—	235	9222357	3815	—	155
9013651	5940	—	104	9013728	5815	—	5	9013787	5310	—	239	9230826	5805	—	188
9013652	5815	—	198	9013729	5815	—	5	9013788	5815	—	75	9230827	5805	—	77
9013653	5815	—	30	9013730	5815	—	135	9013789	5815	—	76	9230831	5315	—	191
9013654	5815	—	182	9013731	5815	—	23	9013790	5815	—	198	9230833	5305	—	174

RESTRICTED

RESTRICTED

9007788 5340

31

**GROUND TELEPHONE AND TELEGRAPH EQUIPMENT
INDEX TO REFERENCE NUMBERS
SECTION 10G—cont.**

Ref. No.	N.A.T.O. Group/ Class No.	Old Ref. No.	Page No.	Ref. No.	N.A.T.O. Group/ Class No.	Old Ref. No.	Page No.	Ref. No.	N.A.T.O. Group/ Class No.	Old Ref. No.	Page No.	Ref. No.	N.A.T.O. Group/ Class No.	Old Ref. No.	Page No.
9014273	5305	—	172	9014429	5340	—	199	9014478	5815	—	77				
9014276	5340	—	82	9014430	5815	—	2	9014479	5310	—	239				
9014334	5815	—	224	9014431	5310	—	235	9014480	5310	—	116				
9014335	5815	—	117	9014432	5815	—	83	9014481	5310	—	116				
9014387	5340	—	199	9014433	5815	—	31	9014493	5815	—	99				
9014388	5815	—	64	9014434	5815	—	81	9014494	5310	—	116				
9014389	5340	—	116	9014435	5815	—	2	9014495	5815	—	83				
9014392	5815	—	198	9014436	5815	—	81	9014496	5815	—	182				
9014394	5815	—	118	9014438	5815	—	199	9014497	5815	—	76				
9014396	5310	—	145	9014439	5815	—	2	9014498	5815	—	76				
9014400	5815	—	244	9014440	5815	—	199	9014513	5310	—	239				
9014401	5815	—	20	9014441	5815	—	186	9114721	5940	—	222				
9014402	5305	—	172	9014448	5815	—	224	9114722	5940	—	222				
9014404	5815	—	77	9014449	5815	—	172	9322355	5815	—	72				
9014405	5330	—	236	9014450	5815	—	197	9322356	3815	—	223				
9014406	5815	—	77	9014451	5815	—	77	9322357	3815	—	155				
9014407	5310	—	236	9014452	5815	—	140	9330826	5805	—	183				
9014414	5815	—	44	9014453	5815	—	185	9330827	5805	—	77				
9014415	5815	—	77	9014454	5815	—	4	9330831	5315	—	191				
9014416	5815	—	208	9014455	5815	—	59	9330833	5305	—	174				
9014417	5815	—	83	9014457	5815	—	77								
9014418	5815	—	77	9014461	5355	—	145								
9014419	5310	—	235	9014466	5315	—	95								
9014420	5815	—	83	9014467	5815	—	134								
9014421	5310	—	116	9014468	5815	—	244								
9014422	5815	—	208	9014469	5340	—	198								
9014423	5815	—	63	9014470	5815	—	77								
9014424	5815	—	68	9014471	5815	—	76								
9014425	5340	—	199	9014472	5815	—	201								
9014426	5815	—	77	9014473	5815	—	124								
9014427	5815	—	160	9014475	5815	—	102								
9014428	5815	—	145	9014477	5815	—	138								

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT

INDEX TO REFERENCE NUMBERS

SECTION 10G—cont.

Ref. No.	N.A.T.O. Group / Class No.	Old Ref. No.	Page No.	Ref. No.	N.A.T.O. Group / Class No.	Old Ref. No.	Page No.	Ref. No.	N.A.T.O. Group / Class No.	Old Ref. No.	Page No.	Ref. No.	N.A.T.O. Group / Class No.	Old Ref. No.	Page No.
9330834	5950	--	50	9400983	5340	--	187	9421338	5810	--	241	9421380	5810	--	196
9330835	5805	--	68	9400984	5340	--	187	9421340	5810	--	161	9421381	5810	--	199
9330836	5805	--	98	9400985	5340	--	187	9421344	5810	--	133	9421382	5810	--	191
9330837	5815	--	5	9400986	5340	--	187	9421345	5810	--	133	9421384	5810	--	133
9330840	5340	--	199	9400987	5340	--	187	9421348	5810	--	41	9421385	5810	--	182
9330841	5340	--	199	9400988	5340	--	187	9421349	5810	--	16	9421386	5810	--	145
9330842	5945	--	59	9401997	5895	--	152	9421350	5810	--	183	9421387	5810	--	145
9330843	5305	--	83	9420950	5315	--	132	9421351	5810	--	41	9421388	5810	--	145
9331111	5920	--	151	9421308	5810	--	83	9421352	5810	--	16	9421389	5810	--	145
9331112	5920	--	24	9421310	5810	--	62	9421353	5810	--	189	9421390	5810	--	145
9400963	5340	--	187	9421313	5810	--	72	9421354	5810	--	41	9421391	5810	--	145
9400964	5340	--	187	9421314	5810	--	218	9421356	5810	--	183	9421392	5810	--	145
9400965	5340	--	187	9421316	5810	--	5	9421357	5810	--	200	9421393	5810	--	145
9400966	5975	--	188	9421317	5810	--	183	9421358	5810	--	160	9421394	5810	--	122
9400967	5340	--	187	9421319	5810	--	143	9421359	5810	--	160	9421395	5810	--	122
9400968	5340	--	187	9421320	5810	--	59	9421360	5810	--	189	9421396	5810	--	200
9400969	5340	--	187	9421321	5810	--	166	9421362	5810	--	121	9421397	5810	--	196
9400970	5340	--	187	9421323	5810	--	59	9421363	5810	--	200	9421398	5810	--	182
9400971	5340	--	187	9421324	5810	--	222	9421365	5810	--	164	9421399	5810	--	64
9400972	5340	--	187	9421325	5810	--	71	9421366	5810	--	133	9421402	5810	--	140
9400973	5340	--	187	9421328	5810	--	30	9421367	5810	--	42	9421403	5810	--	200
9400974	5340	--	187	9421329	5810	--	30	9421369	5810	--	59	9421404	5810	--	199
9400975	5340	--	187	9421330	5810	--	166	9421371	5810	--	158	9421405	5810	--	199
9400976	5340	--	187	9421331	5810	--	230	9421372	5810	--	3	9421406	5810	--	199
9400977	5340	--	187	9421332	5810	--	50	9421373	5810	--	51	9421408	5810	--	104
9400978	5340	--	187	9421333	5810	--	154	9421374	5810	--	111	9421412	5810	--	218
9400979	5340	--	187	9421334	5810	--	50	9421375	5810	--	70	9421414	5810	--	241
9400980	5340	--	187	9421335	5810	--	213	9421376	5810	--	213	9421415	5810	--	243
9400981	5340	--	187	9421336	5810	--	198	9421378	5810	--	145	9421416	5810	--	32
9400982	5340	--	187	9421337	5810	--	50	9421379	5810	--	45	9421418	5810	--	198

RESTRICTED

203

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT

INDEX TO REFERENCE NUMBERS

SECTION 10G—cont.

Ref. No.	N. A. T. O. Group / Class No.	Old Ref. No.	Page No.	Ref. No.	N. A. T. O. Group / Class No.	Old Ref. No.	Page No.	Ref. No.	N. A. T. O. Group / Class No.	Old Ref. No.	Page No.	Ref. No.	N. A. T. O. Group / Class No.	Old Ref. No.	Page No.
9421419	5810	—	200	9421465	5810	—	241	9421501	5810	—	59	9421557	5810	—	15
9421421	5810	—	125	9421466	5810	—	160	9421504	5810	—	191	9421560	5810	—	26
9421422	5810	—	125	9421467	5810	—	160	9421505	5810	—	53	9421561	5810	—	212
9421423	5810	—	4	9421468	5810	—	4	9421506	5810	—	199	9421562	5810	—	62
9421427	5810	—	241	9421469	5810	—	121	9421507	5810	—	200	9421563	5810	—	26
9421428	5810	—	122	9421470	5810	—	199	9421510	5810	—	200	9421565	5810	—	55
9421430	5810	—	241	9421471	5810	—	94	9421511	5810	—	90	9421566	5810	—	55
9421431	5810	—	117	9421472	5810	—	98	9421512	5810	—	199	9421567	5810	—	176
9421433	5810	—	199	9421473	5810	—	133	9421513	5810	—	144	9421568	5810	—	176
9421434	5810	—	199	9421474	5810	—	200	9421517	5810	—	69	9421569	5810	—	176
9421437	5810	—	94	9421475	5810	—	199	9421518	5810	—	145	9421570	5810	—	176
9421439	5810	—	133	9421476	5810	—	55	9421522	5810	—	241	9421571	5810	—	176
9421440	5810	—	200	9421478	5810	—	96	9421523	5810	—	241	9421572	5810	—	177
9421441	5810	—	200	9421479	5810	—	55	9421524	5810	—	191	9421573	5810	—	178
9421446	5810	—	241	9421480	5810	—	200	9421525	5810	—	241	9421575	5810	—	178
9421447	5810	—	199	9421483	5810	—	200	9421526	5810	—	68	9421577	5810	—	236
9421449	5810	—	241	9421484	5810	—	199	9421527	5810	—	199	9421591	5810	—	62
9421450	5810	—	196	9421485	5810	—	118	9421532	5810	—	224	9421597	5895	—	64
9421451	5810	—	133	9421486	5810	—	199	9421533	5810	—	224	9421598	5895	—	217
9421452	5810	—	200	9421487	5810	—	43	9421534	5810	—	68	9421599	5895	—	217
9421453	5810	—	199	9421490	5810	—	183	9421538	5810	—	182	9421600	5895	—	193
9421454	5810	—	199	9421491	5810	—	154	9421540	5810	—	161	9421607	5895	—	223
9421455	5810	—	199	9421492	5810	—	94	9421542	5810	—	212	9421609	5895	—	223
9421456	5810	—	67	9421493	5810	—	94	9421548	5810	—	198	9421610	5895	—	47
9421457	5810	—	241	9421494	5810	—	121	9421549	5810	—	213	9421611	5895	—	183
9421458	5810	—	41	9421495	5810	—	103	9421550	5810	—	102	9421612	5895	—	23
9421459	5810	—	41	9421496	5810	—	133	9421552	5810	—	48	9421613	5895	—	176
9421460	5810	—	32	9421497	5810	—	179	9421553	5810	—	129	9421615	5895	—	217
9421461	5810	—	43	9421498	5810	—	136	9421554	5810	—	114	9421616	5895	—	142
9421462	5810	—	241	9421499	5810	—	133	9421556	5810	—	212	9421617	5895	—	141

RESTRICTED

264

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT

INDEX TO REFERENCE NUMBERS

SECTION 10G—cont.

Ref. No.	N.A.T.O. Group / Class No.	Old Ref. No.	Page No.	Ref. No.	N.A.T.O. Group / Class No.	Old Ref. No.	Page No.	Ref. No.	N.A.T.O. Group / Class No.	Old Ref. No.	Page No.	Ref. No.	N.A.T.O. Group / Class No.	Old Ref. No.	Page No.
9421618	5895	—	200	9421660	5895	—	41	9421696	5895	—	10	9424315	5315	—	132
9421620	5895	—	58	9421661	5810	—	232	9421697	5895	—	125	9424316	5315	—	132
9421623	5895	—	76	9421662	5895	—	222	9421698	5895	—	78	9424317	5315	—	127
9421624	5895	—	3	9421664	5895	—	15	9421699	5895	—	123	9424318	5315	—	127
9421625	5895	—	126	9421665	5895	—	206	9421700	5895	—	123	9424319	5315	—	127
9421626	5895	—	33	9421666	5895	—	59	9421701	5895	—	123	9424320	5315	—	161
9421627	5895	—	241	9421667	5895	—	216	9421702	5895	—	123	9424321	5340	—	161
9421629	5895	—	183	9421668	5895	—	94	9421703	5895	—	123	9424322	5340	—	161
9421630	5895	—	199	9421669	5895	—	78	9421704	5895	—	72	9424329	5340	—	114
9421631	5895	—	198	9421670	5895	—	194	9421705	5895	—	199	9424335	5355	—	92
9421634	5895	—	76	9421671	5895	—	59	9421706	5895	—	199	9424336	5355	—	92
9421635	5895	—	183	9421672	5895	—	59	9421707	5895	—	140	9424337	5355	—	92
9421636	5895	—	67	9421673	5895	—	194	9421708	5895	—	176	9424338	5355	—	92
9421637	5895	—	77	9421677	5895	—	62	9421710	5895	—	60	9424955	5340	—	46
9421638	5895	—	76	9421678	5895	—	223	9421711	5895	—	60	9424956	5340	—	49
9421641	5895	—	58	9421679	5895	—	47	9421713	5895	—	15	9428474	6350	—	35
9421643	5895	—	111	9421681	5895	—	186	9421714	5895	—	160	9429549	6105	—	113
9421644	5895	—	50	9421682	5895	—	200	9421716	5895	—	198				
9421645	5895	—	59	9421683	5895	—	200	9421717	5895	—	206				
9421646	5895	—	59	9421684	5895	—	125	9421718	5895	—	193				
9421647	5895	—	35	9421685	5895	—	125	9421723	5895	—	113				
9421648	5895	—	36	9421686	5895	—	186	9421725	5895	—	30	9429866	5805	—	82
9421649	5895	—	36	9421687	5895	—	30	9421726	5895	—	30				
9421650	5895	—	186	9421689	5895	—	52	9424305	5330	—	235				
9421651	5895	—	4	9421690	5895	—	135	9424306	5330	—	235				
9421653	5895	—	31	9421691	5895	—	41	9424307	5330	—	235				
9421656	5895	—	80	9421692	5895	—	3	9424308	5330	—	235				
9421657	5895	—	71	9421693	5895	—	191	9424309	5330	—	235				
9421658	5895	—	71	9421694	5895	—	200	9424311	5315	—	132				
9421659	5810	—	232	9421695	5895	—	162	9424312	5315	—	132				

Printed for H. M. Stationery Office by McCordvale London
(7/8/63), 1341 3,400. 2/12/63. 462/4

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT

INDEX TO REFERENCE NUMBERS

SECTION 10G—cont.

Ref. No.	N.A.T.O. Group / Class No.	Old Ref. No.	Page No.	Ref. No.	N.A.T.O. Group / Class No.	Old Ref. No.	Page No.	Ref. No.	N.A.T.O. Group / Class No.	Old Ref. No.	Page No.	Ref. No.	N.A.T.O. Group / Class No.	Old Ref. No.	Page No.
9330834	5950	—	50	9400983	5340	—	187	9421338	5810	—	241	9421380	5810	—	196
9330835	5805	—	68	9400984	5340	—	187	9421340	5810	—	161	9421381	5810	—	199
9330836	5805	—	98	9400985	5340	—	187	9421344	5810	—	133	9421382	5810	—	191
9330837	5815	—	5	9400986	5340	—	187	9421345	5810	—	133	9421384	5810	—	133
9330840	5340	—	199	9400987	5340	—	187	9421348	5810	—	41	9421385	5810	—	182
9330841	5340	—	199	9400988	5340	—	187	9421349	5810	—	16	9421386	5810	—	145
9330842	5945	—	59	9401997	5895	—	152	9421350	5810	—	183	9421387	5810	—	145
9330843	5305	—	83	9420950	5315	—	132	9421351	5810	—	41	9421388	5810	—	145
9331111	5920	—	151	9421308	5810	—	83	9421352	5810	—	16	9421389	5810	—	145
9331112	5920	—	24	9421310	5810	—	62	9421353	5810	—	189	9421390	5810	—	145
9400963	5340	—	187	9421313	5810	—	72	9421354	5810	—	41	9421391	5810	—	145
9400964	5340	—	187	9421314	5810	—	218	9421356	5810	—	183	9421392	5810	—	145
9400965	5340	—	187	9421316	5810	—	5	9421357	5810	—	200	9421393	5810	—	145
9400966	5975	—	188	9421317	5810	—	183	9421358	5810	—	160	9421394	5810	—	122
9400967	5340	—	187	9421319	5810	—	143	9421359	5810	—	160	9421395	5810	—	122
9400968	5340	—	187	9421320	5810	—	59	9421360	5810	—	189	9421396	5810	—	200
9400969	5340	—	187	9421321	5810	—	166	9421362	5810	—	121	9421397	5810	—	196
9400970	5340	—	187	9421323	5810	—	59	9421363	5810	—	200	9421398	5810	—	182
9400971	5340	—	187	9421324	5810	—	222	9421365	5810	—	164	9421399	5810	—	64
9400972	5340	—	187	9421325	5810	—	71	9421366	5810	—	133	9421402	5810	—	140
9400973	5340	—	187	9421328	5810	—	30	9421367	5810	—	42	9421403	5810	—	200
9400974	5340	—	187	9421329	5810	—	30	9421369	5810	—	59	9421404	5810	—	199
9400975	5340	—	187	9421330	5810	—	166	9421371	5810	—	158	9421405	5810	—	199
9400976	5340	—	187	9421331	5810	—	230	9421372	5810	—	3	9421406	5810	—	199
9400977	5340	—	187	9421332	5810	—	50	9421373	5810	—	51	9421408	5810	—	104
9400978	5340	—	187	9421333	5810	—	154	9421374	5810	—	111	9421412	5810	—	218
9400979	5340	—	187	9421334	5810	—	50	9421375	5810	—	70	9421414	5810	—	241
9400980	5340	—	187	9421335	5810	—	213	9421376	5810	—	213	9421415	5810	—	243
9400981	5340	—	187	9421336	5810	—	198	9421378	5810	—	145	9421416	5810	—	32
9400982	5340	—	187	9421337	5810	—	50	9421379	5810	—	45	9421418	5810	—	198

RESTRICTED

263

RESTRICTED

RESTRICTED

**AIR PUBLICATION 1086
BOOK 4, PART 3
SECOND EDITION**

SECTION 10GP
GROUND TELEPHONE AND TELEGRAPH
EQUIPMENT
POST OFFICE PATTERN

**Items under Section 10GP
are covered by
VOTE 7 D I**

RESTRICTED

VOCABULARY OF ROYAL AIR FORCE EQUIPMENT
GROUND TELEPHONE AND TELEGRAPH EQUIPMENT—POST OFFICE PATTERN
SECTION 10GP
(16th December, 1959)

RESTRICTED

Ref. No.	PART No.	NOMENCLATURE	DETAIL	Class of Store	Demom. of Qty.
1	2	3	4	5	6
49	G.P.O. 26	BASEBOARDS:— No. 26	M.S., 3½ in. × 3½ in. × 1½ in., with contact clips for mounting G.P.O. 299 AN type relays. Used on panels, telegraph two-tone.	C	each
142	G.P.O. 27C	No. 27C	Used on teleprinter equipment	B	„
152	G.P.O. No. 12	BEARINGS, oil, No. 12	C	„
508	G.P.O.	BINDERS, copper:— No. 1	Rated at 100 lb.	C	„
567	G.P.O.	No. 3	Rated at 200 lb.	C	„
541	G.P.O. 21/10	BLOCKS, terminal:— 10-way	Used on Perforators, No. 44, Mk. 2	C	„
37	G.P.O. No. 3	CLEANERS:— Contact	Used on Switchboards, Teleprinter, 40 line, Nos. 1 and 2	C	„
50	G.P.O. 40E	COILS, retardation	Iron cored inductor, in metal case. Used on panels, telegraph, two-tone.	C	„
51	G.P.O. 64A	COILS, retardation	Used on Rectifiers, G.P.O. 26B (Reference 10G/13179) ...	C	„
150	G.P.O. 73E	COILS, retardation	48 ohm, 1.35 henries. Used on Teleprinter equipment ...	C	„

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT—POST OFFICE PATTERN

SECTION 10GP—cont.

Ref. No.	PART No.	NOMENOLATURE	DETAIL	Class of Store	Denom. of Qty.
1	2	3	4	5	6
506	G.P.O. 3/77	CORDS:— Instrument	60-in.	C	each
133	G.P.O. 273	Switchboard	Red. Used on teleprinter switchboard	C	"
95	G.P.O. 6/4ZA	Test	Used on auxiliary teleprinter equipment	C	"
141	G.P.O. 5	DECIBEL METERS	Used on test equipment drive unit 42	B	"
81	G.P.O. 3	DRIVERS, jack fastener	Used with screwdriver instrument G.P.O. No. 7, 24 in. long × $\frac{1}{4}$ in. blade.	C	"
144	G.P.O. 9	FILTERS:— Suppression	Used on teleprinter equipment	B	"
145	G.P.O. 10	Suppression	Used on teleprinter equipment	B	"
146	G.P.O. 11	Suppression	Used on teleprinter equipment	B	"
147	G.P.O. 13	Suppression	Used on teleprinter equipment	B	"
505	G.P.O. 52.	JACKS	Rectangular. Flanged moulding containing 9-1 way sockets in 2 rows of 4 and 5 sockets respectively. Distance between socket centres $\frac{7}{16}$ in. $\frac{1}{2}$ in. between rows $\frac{3}{8}$ in. socket holes including flange $3\frac{1}{2}$ in. × $1\frac{1}{2}$ in. × $1\frac{1}{2}$ in. with sockets protruding $\frac{1}{8}$ in. beyond case. 4 fixing holes. Used on Reperforators No. 2.	C	"
537	G.P.O. 60	JACKS	Seventeen 1-way sockets arranged in 2 rows for telegraph instrument tables.	C	"
509	G.P.O. 800B/6	JACKS	Used on instrument panel which is part of a Post Office modification to American Automatic Pilots.	C	"
557	G.P.O. 25	JACKS:— Lamp	Pilot, for $\frac{7}{8}$ -in., $1\frac{1}{4}$ -in. and $1\frac{3}{4}$ -in. stiles, uses lamp, No. 2	C	"
59	G.P.O. 12	Test	Six 2-way test jacks at $\frac{3}{8}$ -in. centres with guide... ..	C	"

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT—POST OFFICE PATTERN

SECTION 10GP—cont.

Ref. No.	PART No.	NOMENCLATURE	DETAIL	Class of Store	Denom. of Qty.
1	2	3	4	5	6
76	G.P.O.	KEYS, pillar	C	each
130	G.P.O. 4	LINKS, "U"	$\frac{3}{4}$ -in. Used on Drive Units, Type 42	C	"
61	G.P.O. 13	MARKERS, red	Ring, $\frac{1}{2}$ -in. deep	C	"
503	G.P.O. 4001	MOUNTINGS:— Fuse	Sheet iron framework, $8\frac{1}{2}$ -in. \times $2\frac{1}{16}$ -in. \times $9\frac{7}{16}$ -in., with end clips for fuses 1/1.5.	C	"
86	G.P.O. 34A	PANELS, telegraph	Synchroscope panel for checking transmitting speed of teleprinters.	A	"
129	G.P.O. 1/550/14	PARTS, Panel, Type 576	Socket for panels, $\frac{5}{16}$ -in. to $\frac{1}{2}$ -in. thick	C	"
510	G.P.O. 16	PEGS, green	Used on instrument panel which is part of a Post Office modification to American Automatic Pilots.	C	"
136	G.P.O. 6	PLIERS, adjusting	Used on teleprinter test equipment	C	"
3		PLUGS:—			
603	G.P.O. Ericsson	Dummy "U", No. 6 $\frac{1}{2}$ Plug and socket. Used on Panels, Type 735	C C	" "
6	H.C.-F. 40/40	PROTECTORS	W.I. Base and sheet iron cover fully equipped. $14\frac{1}{2}$ -in. \times $12\frac{1}{2}$ -in. \times $7\frac{1}{2}$ -in.	A	"
8	G.P.O. No. 1	PULLEYS	Ceiling. Used with pulley weights	C	"
70	G.P.O. 2A	RACKS, ticket	B	"
140	G.P.O. 1 B.M.	RELAYS, static	Incorporating copper oxide rectifiers. Used on F.G.R.I. 5461.	B	"

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT—POST OFFICE PATTERN

SECTION 10GP—cont.

Ref. No.	PART No.	NOMENCLATURE	DETAIL	Class of Store	Denom. of Qty.
1	2	3	4	5	6
45	G.P.O. 13	RINGS, Jumper	4½-in. × 1½-in. and 4½-in. × 1-in., 2 rings at right angles to one another.	C	each
524	—	RODS:— Stay, No. 1	6-ft. × ⅝-in. Complete. Fitted with bow and ratchet nut.	C	"
1	G.P.O. 3	Stiffening	C	"
138	G.P.O. W.L. 17282, Ferranti 78226	SIGNALLING UNITS:— Multi-channel	A	"
38	G.P.O. 1	SPIKES, capstan	5½-in. long × ⅓-in. dia... ..	C	"
36	G.P.O. N.T. No. 1	STRIPPERS, cable	C	"
538	G.P.O. 22A	STRIPS:— Designation	1½-in. deep	C	"
4	—	Flexible, transparent	C	"
151	G.P.O. 3	STROBOSCOPES	4-frequency generators	B	"
192	G.P.O. 4	STROBOSCOPES	Test equipment for use with Reperforators, No. 2, speed 666.7 periods per minute.	B	"

RESTRICTED

4

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT—POST OFFICE PATTERN

SECTION 10GP—cont.

Ref. No.	PART No.	NOMENCLATURE	DETAIL	Class of Store	Denom. of Qty.
1	2	3	4	5	6
553	—	STROBOSCOPES:— No. 5	Used on Teleprinter, 7B, Mk. 2	B	each
143	G.P.O. 91/1	SWITCHES, tumbler	Brown. Used on teleprinter equipment	C	"
601	G.P.O. D.T.N. 2082	TABLES:— Equipment	Used on F.G.R.I. 5461... ..	A	"
121	G.P.O. D.T.N. 2000	Equipment	Apparatus table for use on V.F. teleprinter circuits. Uses Teleprinter No. 7 (Reference 10G/16930).	A	"
122	G.P.O. 1A	Teleprinter	Steel table, 27-in. × 36-in. × 30-in.	A	"
565	G.P.O. 30	TAGS:— Clinch, type 30	Used: A.T.G.R.I. 5690—GEE—H—LIGHT. Transportable equipment, tropical.	C	"
504	G.P.O. 1 PLS.	TAPES:— Copper, No. 1	For Aerial Systems 422 and 423 for A.T.S.U.	C	"
532	—	Copper, No. 2	300 lb. and 400 lb. wire. Used on medium and high power aerial systems.	C	"
163	G.P.O. 2	TAPE-WINDERS	Includes Roll Holder G.P.O. No. 7. (Reference 10G/15739.)	A	"
74	G.P.O. 248 C.B.	TELEPHONES:— G.P.O. No. 248 C.B.	Black, minus base	A	"
128	G.P.O. 332 C.B. Ericsson No. 1365B	G.P.O. No. 332 C.B.	Black. Complete	A	"
71	G.P.O. 80	TESTERS, G.P.O. No. 80	For operate and non-operate test on uniselectors	A	"
72	G.P.O. AT.4220	No. AT.4220	12-in. × 10½-in. × 8½-in., for testing 2000 Type	A	"
135	G.P.O. T.G. 957	No. T.G. 957	Teleprinter test set	A	"
134	G.P.O. T.G. 958	No. T.G. 958	Teleprinter test set	A	"

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT—POST OFFICE PATTERN

SECTION 10GP—cont.

Ref. No.	PART No.	NOMENCLATURE	DETAIL	Class of Store	Denom. of Qty.
1	2	3	4	5	6
73	G.P.O. T.L. 2169	TESTERS, G.P.O.—cont. No. T.L. 2169	A	each
127	G.P.O.	UNITS:— Auxiliary	Filter and spark quench unit. Part of Equipment Table D.T.N. 2000 (Ref. No. 121).	B	..
83	G.P.O. P.A. No. 6T	Telephone	Terminal unit in G.P.O. P.A. 150 systems, loud-speaker telephone.	A	..
154	G.P.O. 11 T.G. 3529	Teleprinter broadcast	Broadcast relay unit for telegraph circuits... ..	B	..
602	G.P.O. N. 29	VOLTMETERS, M.1	Portable, 7-in. × 4-in. × 4 in., 4½-in. scale, voice frequency two-tone. Used on F.G.R.I. 5451.	B	..

RESTRICTED

RESTRICTED

GROUND TELEPHONE AND TELEGRAPH EQUIPMENT—POST OFFICE PATTERN

SECTION 10GP—cont.

INDEX TO REFERENCE NUMBERS

Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.	Ref. No.	Page No.
1	4	134	5	567	1												
3	3	135	5	601	5												
4	4	136	3	602	6												
6	3	138	4	603	3												
8	3	140	3														
36	4	141	2														
37	1	142	1														
38	4	143	5														
45	4	144	2														
49	1	145	2														
50	1	146	2														
51	1	147	2														
59	2	150	1														
61	3	151	4														
70	3	152	1														
71	5	153	5														
72	5	154	6														
73	6	503	3														
74	5	504	5														
76	3	505	2														
81	2	506	2														
83	6	508	1														
86	3	509	2														
95	2	510	3														
121	5	524	4														
122	5	532	5														
127	6	537	2														
128	5	538	4														
129	3	541	1														
130	3	553	5														
132	4	557	2														
133	2	565	5														

RESTRICTED

**PERIODICAL INSPECTION OF EQUIPMENT--
STORAGE CATEGORIES**

For details of different storage categories see A.P. 1086, Book 1, Second Edition, Memorandum of Instructions, Part 3.

**GROUND TELEPHONE AND TELEGRAPH EQUIPMENT,
POST OFFICE PATTERN**

SECTION 106P

Unless specifically shown below all items in this sub-section have an indefinite shelf life under normal storage conditions and are therefore in category 4.

GENERIC HEADING	CATEGORY	PERIODICITY OF INSPECTION IN TEMPERATE CLIMATES	
		PACKAGED	UNPACKAGED

* For method of calculating periodicity of inspection in tropical climate see A.P. 1086, Book 1, Second Edition, Memorandum of Instructions, Part 3.

RESTRICTED

Issued with A.L. 102

**AIR PUBLICATION 1086
BOOK 4, PART 3,
SECOND EDITION**

SECTION 10H

**RADIO CABLE ASSEMBLIES (CONNECTORS), DISCS
INDICATING, FUSES, LEADS, PLUGS AND SOCKETS
AND ANCILLARY PARTS, HOLDERS AND TERMINALS**

**Items under Section 10H
are covered by
VOTE 7 D.1**

RESTRICTED

**RADIO CABLE ASSEMBLIES (CONNECTORS), DISCS INDICATING, FUSES, LEADS, PLUGS AND SOCKETS AND ANCILLARY PARTS,
HOLDERS AND TERMINALS
SECTION 10H—cont.**

1	2	3	4	5
	BOARDS, terminal—cont.	All overall dimensions shown are excluding terminals.—cont.		
9010435	Double screw:— 12 terminals	P.V.C. Board dims.: 5 in. long \times $\frac{3}{4}$ in. wide \times $\frac{5}{8}$ in. deep. Mounting holes 0.120 in. diam. spaced 0.425 in. down centre row, 0.093 in. diam. mounting holes spaced 0.425 in. down outer velos.	C	each
9402362	Double solder lug:— 5 terminals	Plastic moulding—Bakelite. Board dims.: $\frac{7}{16}$ in. wide \times 0.410 in. thick \times 1.420 in. long, 2 \times 0.125/0.130 in. diam. mounting holes on 0.830 in. mounting centres. Terminals marked 1–5 on top face. Working voltage, 500 v. DC., 3 amp	C	"
9402361	10 terminals	Plastic moulding—Bakelite. Board dims.: 2.520 in. long \times $\frac{1}{16}$ in. wide \times 0.410 in. thick, 2 \times 0.125/0.130 in. diam. mounting holes on 1.930 in. mounting centres. Terminals marked 1–10 on top face. Working voltage, 500 v. DC.	C	"
9433519	12 terminals	3 amp. Flexible, grey P.V.C. insulation. Resistance to S.R.D.E. spec. PS.334/1 and BS. 415 (250 v.). Board dims. 5 in. long \times $\frac{3}{4}$ in. wide \times $\frac{5}{8}$ in. deep. 3 fixing holes between each pair of terminals.	C	"
23372	Ediswan clix	Comprising:— Socket board, 4 sockets, 1.032 in. long \times 0.846 in. \times 0.627 in. deep	B	"
23373	Ediswan clix	Comprising:— Socket board, sockets 1.640 in. long \times 0.517 in. wide \times 0.541 in. deep.	B	"
9326364	Post	7 Fibre glass turret tags and 2 bushes, 3(A)2. Binding post type. Dims.: $1\frac{1}{16}$ in. \times $1\frac{1}{4}$ in. \times $1\frac{1}{16}$ in.	B	"
9729699	Post:— 1 terminal	Dims.: $\frac{1}{2}$ in. long \times $\frac{1}{2}$ in. high (not including spills and locating shoulder). O/a height $\frac{1}{2}$ in. One (0.073 in. diam.) locating shoulder 0.125 in. diam. with centre 0.156 in. from fixing hole centre. Moulded X4933 semi-filled BS.771.H.2 40/70	C	"
9325199	3 terminals	Positional accuracy of pin important S.R.B.P. $\frac{1}{16}$ in. thick to R.C.S. 1000 R.C.G. 4 Grade 2. Dims.: $1\frac{1}{4}$ in. long \times 1 in. wide. Fixing holes 2 \times $\frac{1}{16}$ in. diam. Markings T.B.1401, C.R.1401, L.1401, C.1402, R.1403.	B	"
0119649	4 terminals	1,500 v., 5 amp. max. O/a dims.: 2.332 in. \times 0.5 in. \times 0.176 in. max. 2 \times 6 BA clearing 2 in. \pm 0.005 fixing centres. Base, steel, cadmium plated. 40/100 H1.	C	"
0119650	6 terminals	1,500 v., 5 amp. max. O/a dims.: 3.082 in. \times 0.5 in. \times 0.176 in. max. 2 \times 6 BA clearing. 2.750 in. \pm 0.005 in., fixing centres. Base, steel, cadmium plated. 40/100. H1.	C	"
0561121	6 terminals	1,500 v., 5 amp. max. O/a dims.: 2.625 in. \times 0.5 in. max. 2 fixing holes, 6 BA clearance. Fixing centres, 2.375 in. (nominal).	C	"

RESTRICTED

B

RESTRICTED

7

**RADIO CABLE ASSEMBLIES (CONNECTORS), DISCS INDICATING, FUSES, LEADS, PLUGS AND SOCKETS AND ANCILLARY PARTS,
HOLDERS AND TERMINALS
SECTION 10H—cont.**

1	2	3	4	5
	BOARDS, terminal—cont. Post—cont.	All overall dimensions shown are excluding terminals—cont.		
9992143	6 terminals	1,500 v., 5 amp. max. O/a dims. $2\frac{1}{2}$ in. \times $\frac{27}{4}$ in. \times $\frac{3}{16}$ in. Steel, cadmium plated ceramic. 40/100°C. H.1.	C	each
0561122	8 terminals	1,500 v., 5 amp. max. O/a dims.: 3-375 in. \times 0-5 in. max. 2 fixing holes 6 BA clearance. Fixing centres, 3-125 in. (nominal).	C	..
9992142	8 terminals	1,500 v., 5 amp. O/a dims.: 3 in. \times $\frac{27}{4}$ in. \times $\frac{3}{16}$ in. 2 holes $\frac{1}{8}$ in. \times $\frac{3}{16}$ in. $2\frac{5}{8}$ in. fixing centres. Steel, cadmium plated 40/100°C. H.1.	B	..
9119652	10 terminals	1,500 v., 5 amp. max. O/a dims.: 4-582 in. \times 0-5 in. \times 0-176 in. max. 2 \times 6 BA clearing. 4-250 \pm 0-005 in. fixing centres. Steel, cadmium plated. 40/100. H.1.	C	..
0561123	10 terminals	1,500 v. 5 amp. max. O/a dims.: 4-125 in. \times 0-5 in. max. 2 fixing holes, 6 BA clearance. Fixing centres, 3-875 in. (nominal).	C	..
9110434	12 terminals	1-5 Kv., 5 amp. 4 in. long \times $\frac{27}{4}$ in. wide. Temp. 40/100°C. Humidity 1. ..	B	..
0561124	12 terminals	1,500 v. 5 amp. max. O/a dims.: 4-875 in. \times 0-5 in. max. 2 fixing holes 6 BA clearance. Fixing centres 4-625 in. (nominal).	C	..
9992141	12 terminals	1,500 v., 5 amp. O/a dims.: 4 in. \times $\frac{27}{4}$ in. \times $\frac{3}{16}$ in. 2 holes $\frac{1}{8}$ in. \times $\frac{3}{16}$ in., $3\frac{5}{8}$ in. fixing centres. Steel, cadmium plated, 40/100°C. H.1.	C	..
9114484	14 terminals	O/a dims.: 2-38 in. long \times 0-55 in. \times 0-55 in. max. wide. 3 fixing holes, 0-101 in. diam. 0-43 in. \times 1-1 in. centres.	B	..
0561125	15 terminals	1,500 v., 5 amp. max. O/a dims. 6 in. \times 0-5 in. max. 2 fixing holes, 6 BA clearance. Fixing centres 5-75 in. (nominal).	C	..
9325177	16 terminals	O/a dims. of board $4\frac{9}{16}$ in. long \times $2\frac{1}{2}$ in. wide. Fixing centres 5 cut-outs around edges of board. Material S.R.B.P. to R.C.S. 1000. Grade 2P $\frac{3}{32}$ in. thick.	B	..
0561126	18 terminals	1,500 v. 5 amp. max. O/a dims. 7-125 in. \times 0-5 in. max. 2 fixing holes 6 BA clearance. Fixing centres 6-875 in. (nominal).	C	..
0561127	21 terminals	1,500 v., 5 amp. max. O/a dims.: 8-25 in. \times 0-5 in. max. 2 fixing holes, 6 BA clearance. Fixing centres 8 in. (nominal).	C	..
	Nickel plated:—			
9729933	12 terminals	5 kv., 15 amp. Dims.: $7\frac{3}{4}$ in. \times $1\frac{1}{32}$ in. \times $\frac{1}{8}$ in. high 40/85°C. H.1	B	..
	Screw/Barrier:—			
9995272	8 terminals	Plastic board. Dims.: $1\frac{1}{2}$ in. long \times $\frac{5}{8}$ in. wide \times $\frac{5}{16}$ in. thick. 4 \times 0-142 in. mounting holes on $\frac{1}{4}$ in. mounting centres.	C	..
	Solder lug:—			
9114487	2 terminals	S.R.B.F. B.S.972 Grade 'B'. Dims.: 1-312 in. long \times 0-531 in. wide \times $\frac{1}{16}$ in. thick.	B	..

RESTRICTED

RESTRICTED

**RADIO CABLE ASSEMBLIES (CONNECTORS), DISCS INDICATING, FUSES, LEADS, PLUGS AND SOCKETS AND ANCILLARY PARTS,
HOLDERS AND TERMINALS
SECTION 10H -cont.**

1	2	3	4	5
	BOARDS, terminal <i>cont.</i>	All overall dimensions shown are excluding terminals <i>cont.</i>		
	Post—<i>cont.</i>			
	Solder lug—<i>cont.</i>			
9997386	10 terminals	Mild steel cadmium plated Dims.: $3\frac{1}{2}$ in. long \times $\frac{27}{64}$ in. wide \times $\frac{3}{16}$ in. thick	B	each
9325010	31 terminals	E.5578. Sheet phenolic, natural colour. Dims.: $5\frac{3}{8}$ in. long \times $2\frac{1}{8}$ in. wide \times $\frac{3}{32}$ in. thick.	B	"
	Stand off solder lug:	E.5578. Sheet phenolic, natural colour.		
9325011	2 terminals	Dims.: $3\frac{3}{8}$ in. long \times 2 in. wide \times $\frac{3}{32}$ in. thick	B	"
9325032	7 terminals	Bakelite, laminated. Grade P.A.17409/1. Natural colour	B	"
9325016	10 terminals	Dims.: $2\frac{3}{8}$ in. long \times $1\frac{3}{8}$ in. wide \times $\frac{3}{32}$ in. thick	B	"
9325028	13 terminals	Dims.: $5\frac{1}{2}$ in. long \times $3\frac{1}{8}$ in. wide \times $\frac{3}{32}$ in. thick	B	"
9325020	15 terminals	Dims.: $4\frac{1}{4}$ in. long \times $2\frac{1}{2}$ in. wide \times $\frac{3}{32}$ in. thick	B	"
9325013	20 terminals	Dims.: 5 in. long \times $1\frac{7}{8}$ in. wide \times $\frac{3}{32}$ in. thick	B	"
9325027	22 terminals	Dims.: $5\frac{1}{2}$ in. long \times $2\frac{1}{2}$ in. wide \times $\frac{3}{32}$ in. thick	B	"
9325025	24 terminals	Dims.: $5\frac{1}{4}$ in. long \times $2\frac{1}{8}$ in. wide \times $\frac{3}{32}$ in. thick	B	"
9325029	26 terminals	Bakelite sheet. Grade P.A.17275/1. Dims.: $7\frac{1}{8}$ in. long \times 2 $\frac{1}{4}$ in. wide \times $\frac{3}{32}$ in. thick.	B	"
9325022	33 terminals	Dims.: $5\frac{1}{2}$ in. long \times $2\frac{1}{2}$ in. wide \times $\frac{3}{32}$ in. thick	B	"
9325030	33 terminals	Dims.: $4\frac{1}{4}$ in. long \times $2\frac{1}{8}$ in. wide \times $\frac{3}{32}$ in. thick	B	"
9325024	36 terminals	Dims.: $5\frac{3}{8}$ in. long \times $2\frac{1}{8}$ in. wide \times $\frac{3}{32}$ in. thick	B	"
9325031	37 terminals	Dims.: 6 in. long \times $2\frac{1}{2}$ in. wide \times $\frac{3}{32}$ in. thick	B	"
9325018	39 terminals	Dims.: $5\frac{1}{8}$ in. long \times $2\frac{1}{4}$ in. wide \times $\frac{3}{32}$ in. thick	B	"
9325026	40 terminals	Dims.: $6\frac{1}{2}$ in. long \times $2\frac{1}{2}$ in. wide \times $\frac{3}{32}$ in. thick	B	"
9325033	40 terminals	Dims.: $5\frac{1}{2}$ in. long \times $2\frac{1}{2}$ in. wide \times $\frac{3}{32}$ in. thick	B	"
9325019	42 terminals	Dims.: 6 $\frac{1}{2}$ in. long \times $2\frac{3}{8}$ in. wide \times $\frac{3}{32}$ in. thick	B	"
9325023	50 terminals	Dims.: $5\frac{7}{8}$ in. long \times $2\frac{1}{8}$ in. wide \times $\frac{3}{32}$ in. thick	B	"
9325021	72 terminals	Dims.: $10\frac{3}{4}$ in. long \times $2\frac{3}{8}$ in. wide \times $\frac{3}{32}$ in. thick	B	"
9321928	Tag	10 Terminals. O/a dims.: $3\frac{1}{16}$ in. \times 0.340 in. \times 0.171 in. Two holes \times 0.120 in. fixing centres. Moulded bakelite	C	"
9729667	Tag	12 in. Dims.: $4\frac{3}{16}$ in. \times $\frac{1}{4}$ in. \times $\frac{1}{2}$ in. No fixing holes, $\frac{1}{8}$ in. diam. fixing centres, $3\frac{7}{8}$ in.	B	"
	Type:	Synthetic resin moulding, tag material 18 SWG. T.C.W.		
20873	226 (tag)	42 tags. O/a dims.: 2 ft. 5 in. \times 1.81 in. \times $\frac{1}{16}$ in. 2 hank bushes, 1.5 in. fixing centres. S.R.B.P.	B	"
20876	228 (tag)	10 tags. O/a dims.: 4 in. \times 1.71 in. \times 0.093 in. 4 hank bushes, 3.312 in. \times 0.906 in. fixing centres. S.R.B.P.	B	"

RESTRICTED

RESTRICTED

**RADIO CABLE ASSEMBLIES (CONNECTORS), DISCS INDICATING, FUSES, LEADS, PLUGS AND SOCKETS AND ANCILLARY PARTS,
HOLDERS AND TERMINALS
SECTION 10H—cont.**

1	2	3	4	5
	BOARDS, terminal—cont.	All overall dimensions shown are excluding terminals—cont.		
	Type—cont.			
20878	230 (post)	28 terminals. O/a dims.: 3.5 in. × 1.37 in. × $\frac{1}{16}$ in. 3 hank bushes. S.R.B.P.	B	each
20879	231 (post)	6 terminals. O/a dims.: 1.5 in. × 1.12 in. × $\frac{1}{16}$ in. 2 hank bushes, 0.75 in. × 0.375 in. diagonally fixing centres. S.R.B.P.	B	..
20880	232 (post)	As Boards, Terminal, Post, Type 231 but fixing centres on opposite diagonal ..	B	..
20881	233 (post)	34 terminals. O/a dims.: 4.75 in. × 1.25 in. × $\frac{1}{16}$ in. 3 hank bushes. S.R.B.P.	B	..
20882	234 (post)	12 terminals. O/a dims.: 1.75 in. × 1.25 in. × $\frac{1}{16}$ in. 3 hank bushes, 1.25 in. × 0.5 in. fixing centres. S.R.B.P.	B	..
20883	235 (post)	20 terminals. O/a dims. 4.25 in. × 2 in. × 0.093 in. 4 × 6 BA hank bushes. 3.125 in. × 1.375 in. fixing centres. S.R.B.P.	B	..
20884	236 (post)	12 terminals. O/a dims.: 2.312 in. × 1.25 in. × 0.062 in. Fixing centres 1.562 in. S.R.B.P.	B	..
20885	237 (post)	10 terminals. O/a dims.: 1.5 in. × 1.25 in. × $\frac{1}{16}$ in. 2 × 6 BA hank bushes. 0.75 in. × 0.5 in. diagonal fixing centres, S.R.B.P.	B	..
20886	238 (post)	14 terminals. O/a dims. 2 in. × 1.66 in. × $\frac{1}{16}$ in. 4 × 6 BA hank bushes. 1 in. × 0.9 in. fixing centres. S.R.B.P.	B	..
20887	239 (post)	10 terminals. O/a dims. 2.62 in. × 2 in. × $\frac{1}{16}$ in. 4 × 6 BA hank bushes, 2.25 in. × 1.625 in. fixing centres. S.R.B.P.	B	..
20888	240 (post)	18 terminals. O/a dims.: 2.87 in. × 2.25 in. × $\frac{1}{16}$ in. 4 × 6 BA hank bushes. 2.5 in. × 1.875 in. fixing centres. S.R.B.P.	B	..
20009	241 (screwed/post)	8 terminals. O/a dims.: 3.75 in. × 1.4 in. × $\frac{1}{8}$ in. 2 holes, 0.149 in. diam. Fixing centres 2.875 in. Silicone bonded glass fibre. Terminals, brass, D.N.P.	B	..
20912	243 (tag)	5 terminals. O/a dims.: 0.562 in. × 2.79 in. × 0.406 in. 2 fixing lugs, 1.687 in. fixing centres. Ceramic.	B	..
20913	244 (tag)	2 terminals. O/a dims. 0.562 in. × 1.02 in. × 0.406 in. 1 fixing lug. Ceramic ..	B	..
20017	245 (screwed/post)	2-way. O/a dims.: 2.5 in. × $\frac{3}{4}$ in. × $\frac{1}{8}$ in. 2 holes 0.149 in. diam. Fixing centres, 1.4 in. S.R.B.F. Terminals, brass, D.N.P.	B	..
20030	246 (post)	16-way. O/a dims. 6.5 in. × 1.4 in. × $\frac{1}{8}$ in. thick. 2 holes 0.166 in. diam. Fixing centres, 5.4 in. S.R.B.F.	B	..
20031	247 (post)	22-way. O/a dims.: 6.75 in. × 2.4 in. × $\frac{1}{8}$ in. thick. 4 holes 0.166 in. diam. Fixing centres, 1.75 in. × 5.4 in. S.R.B.F.	B	..
20032	248 (post)	18-way. O/a dims.: 4.5 in. × 2.4 in. × $\frac{1}{8}$ in. thick. 4 holes 0.166 in. diam. Fixing centres, 1.4 in. × 3.45 in.	B	..

RESTRICTED

RESTRICTED

**RADIO CABLE ASSEMBLIES (CONNECTORS), DISCS INDICATING, FUSES, LEADS, PLUGS AND SOCKETS AND ANCILLARY PARTS,
HOLDERS AND TERMINALS
SECTION 10H—cont.**

1	2	3	4	5
	BOARDS, terminal—cont. Type—cont.	All overall dimensions shown are excluding terminals—cont.		
20939	251 (tag and post)	6 tags, 16 posts. O/a dims.: $3\frac{1}{8}$ in. \times $3\frac{1}{8}$ in. \times $\frac{3}{32}$ in. 4 holes, $\frac{1}{8}$ in. diam. Fixing centres $2\frac{1}{2}$ in. \times $2\frac{1}{8}$ in. S.B.G.F.	B	each
20940	252 (post)	11 posts. O/a dims.: $2\frac{3}{8}$ in. \times $1\frac{1}{4}$ in. \times $\frac{1}{16}$ in. 4 \times 6 BA hank nuts. Fixing centres $2\frac{1}{8}$ in. \times $\frac{3}{4}$ in.	B	..
20941	253 (post)	5 posts. O/a dims. $2\frac{1}{16}$ in. \times $1\frac{5}{8}$ in. \times $\frac{1}{16}$ in. 4 \times 6 BA hank nuts. Fixing centres irregularly spaced.	B	..
20942	254 (post)	13 posts. O/a dims. $4\frac{7}{16}$ in. \times $1\frac{9}{16}$ in. 6 \times 4 BA hank nuts. Fixing centres irregularly spaced.	B	..
20978	258 (post)	3 posts. O/a dims.: max. length $2\frac{1}{2}$ in., max. width $1\frac{1}{2}$ in. \times $\frac{1}{16}$ in. 4 holes \times $\frac{1}{8}$ in. diam. Fixing centres. $1\frac{7}{16}$ in. \times $\frac{1}{16}$ in. S.B.G.F.	B	..
20979	259 (post)	16 posts. O/a dims.: length 4 in., width $1\frac{5}{8}$ in. \times $\frac{1}{8}$ in. 4 holes \times $\frac{3}{16}$ in. diam. Fixing centres $4\frac{1}{4}$ in. \times $1\frac{3}{16}$ in. S.B.G.F.	B	..
20981	260 (post)	4 posts. O/a dims.: 0.875 in. \times 0.312 in. \times 0.187 in. 3 holes \times 4 BA. Fixing centres 0.25 in. Moulding.	B	..
20048	263 (tag)	12 tags. O/a dims. $1\frac{1}{2}$ in. \times $2\frac{1}{16}$ in. \times $\frac{1}{16}$ in. thick. 2 holes 0.113 in. diam. Tufnol	C	..
21857	275 (post)	4 posts. O/a dims.: $1\frac{1}{2}$ in. \times 1 in. \times $\frac{1}{16}$ in. thick. 2 holes, 0.2 in. diam. to attach to terminals of standard $2\frac{1}{2}$ in. dial meter.	C	..
21862	276 (tag)	5 tags. O/a dims.: $1\frac{1}{2}$ in. \times $1\frac{1}{2}$ in. \times $\frac{1}{16}$ in. thick. 3 \times 6 BA hank nuts for fixing. Fixing centres $1\frac{1}{2}$ in. \times $\frac{1}{16}$ in. (Gate switch tag board).	C	..
21866	278 (post)	3 terminals. O/a dims.: 1.824 in. \times $1\frac{1}{8}$ in. \times 0.687 in. 2 holes at 6 BA \times 0.156 in. diam. Bakelite moulding.	C	..
21879	279 (tag)	3 tags. O/a dims.: 1.7 in. \times 0.25 in. \times 0.56 in. 2 holes \times 0.096 in. diam. Fixing centres 1 in. Polythene. Test point assembly. H.1.	B	..
21889	283 (tag)	13 tags. O/a dims.: $2\frac{3}{8}$ in. \times $2\frac{1}{2}$ in. \times $\frac{1}{16}$ in. 2 holes \times 0.120 in. diam. Fixing centres, 1 in. S.R.B.P.	C	..
21891	285 (tag)	2 tags. O/a dims.: 2 in. \times $2\frac{1}{16}$ in. \times $\frac{1}{16}$ in. 4 holes \times $\frac{7}{64}$ in. diam. Fixing centres $1\frac{7}{16}$ in. \times $1\frac{1}{16}$ in. S.R.B.P. Grade 1.	B	..
21900	286 (tag)	3 \times 20 tags. O/a dims.: $6\frac{1}{32}$ in. \times $2\frac{9}{16}$ in. \times $2\frac{9}{16}$ in. 4 \times 1 BA fixing holes ..	C	..
22102	287 (tag)	5 \times 20 tags. O/a dims.: $6\frac{1}{32}$ in. \times $2\frac{9}{16}$ in. \times $3\frac{9}{16}$ in. 4 \times 1 BA fixing holes ..	C	..
21701	292 (post)	7 posts. O/a dims.: $1\frac{1}{2}$ in. long \times $\frac{3}{16}$ in. wide \times $\frac{45}{64}$ in. high. 2 holes \times 6 BA. Countersunk head screws spaced $\frac{1}{4}$ in. between centres. Moulded body.	C	..
21703	293 (tag)	Silverplated tags and bracket fittings spaced $\frac{1}{8}$ in. 2 line tags, 1 fixing tag, 500 v. working. $\frac{3}{8}$ in. wide Bakelite strip.	B	..

RESTRICTED

RESTRICTED

**RADIO CABLE ASSEMBLIES (CONNECTORS), DISCS INDICATING, FUSES, LEADS, PLUGS AND SOCKETS AND ANCILLARY PARTS,
HOLDERS AND TERMINALS
SECTION 10H—cont.**

1	2	3	4	5
	BOARDS, terminal—cont. Type—cont.	All overall dimensions shown are excluding terminals—cont.		
21704	294 (tag)	Silver plated tags and bracket fittings spaced $\frac{3}{8}$ in., 5 double ended live tags, 2 fixing tags, 500 v. working. $\frac{3}{8}$ in. wide Bakelite strip.	B	each
21705	295 (tag)	Silver plated tags and bracket fittings spaced $\frac{3}{8}$ in. 2 double ended live tags, 1 fixing tag, 500 v. working. $\frac{3}{8}$ in. wide Bakelite strip	B	..
22126	299 (post)	30 terminals. O/a dims.: 6 in. \times 3 in. \times $\frac{1}{8}$ in. thick. 4 holes, 6 BA clear. Fixing centres $5\frac{1}{16}$ in. \times $2\frac{1}{16}$ in. 8 Grade 1. S.R.B.P.	C	..
20572	311 (tag)	3 tags, $\frac{1}{2}$ in. wide \times 3 in. long. First used on Transmitter Receiver, Type 3715 Reference 10D/18896.	B	..
20589	312 (tag)	11 tags. O/a dims.: $3\frac{3}{16}$ in. \times $1\frac{1}{4}$ in. \times 1 in. approx. Black moulded bakelite. Connector block with tags.	C	..
21487	321 (post)	22 terminals with numbers. O/a dims.: $3\frac{1}{4}$ in. \times $7\frac{1}{2}$ in. 6 \times 4 BA fixing holes ..	C	..
21488	322 (post)	9 terminals with numbers. O/a dims.: $1\frac{5}{8}$ in. \times $\frac{7}{8}$ in. 2 \times 6 BA fixing holes. S.R.B.P. $\frac{1}{16}$ in. thick.	B	..
21489	323 (post)	28 terminals with numbers. O/a dims.: $2\frac{5}{8}$ in. \times $2\frac{3}{4}$ in. 4 \times 4 BA fixing holes. S.R.B.P. $\frac{1}{16}$ in. thick.	B	..
21490	324 (post)	22 terminals with numbers. O/a dims.: $2\frac{5}{8}$ in. \times $1\frac{3}{4}$ in. 2 \times 4 BA fixing holes. S.R.B.P. $\frac{1}{16}$ in. thick.	B	..
21491	325 (post)	16 terminals with numbers. O/a dims.: 10 \times 3. 6 \times 4 BA fixing holes. S.R.B.P. $\frac{1}{16}$ in. thick.	B	..
21513	327 (screw)	2 terminals, threaded 4 BA. O/a dims.: 1 in. \times $1\frac{1}{4}$ in. \times $\frac{5}{16}$ in. Bakelite moulding	B	..
22205	333 (post)	4 terminals. O/a dims.: 0.760 in. \times 0.625 in. \times 0.93 in. thick. 2 \times 0.125 in. diam. fixing holes. 0.312 in. fixing centres.	C	..
22211	334 (post)	10 terminals. O/a dims.: 1.925 in. \times 0.795 in. \times 0.375 in. 2 \times 0.125 in. diam. fixing holes. 1.625 in. fixing centres.	C	..
22212	335 (post)	20 terminals. O/a dims.: 3.200 in. \times 0.795 in. \times 0.375 in. 2 \times 0.125 in. diam. fixing holes 2.900 in. fixing centres.	C	..
22215	338 (post)	20 terminals. O/a dims.: 3.200 in. \times 0.795 in. \times 0.375 in. 2 \times 6 BA tapped holes. 2.900 in. centres.	C	..
22216	339 (post)	10 terminals. O/a dims.: 1.925 in. \times 0.795 in. \times 0.375 in. 2 \times 6 BA fixing holes. Tapped.	B	..
22217	340 (post)	10 terminals. O/a dims. of board 1.925 \times 0.795 in. \times 0.375 in. 2 \times 6 BA tapped holes. Fixing centres, 1.625 in.	B	..
22218	341 (post)	20 terminals. O/a dims.: 3.200 in. \times 0.795 in. \times 0.375 in. 2 \times 6 BA tapped holes. Fixing centres, 2.900 in.	B	..

RESTRICTED

RESTRICTED

**RADIO CABLE ASSEMBLIES (CONNECTORS), DISCS INDICATING, FUSES, LEADS, PLUGS AND SOCKETS AND ANCILLARY PARTS,
HOLDERS AND TERMINALS
SECTION 10H—cont.**

1	2	3	4	5
	BOARDS, terminal—cont.	All overall dimensions shown are excluding terminals—cont		
	Type—cont.			
22220	343 (post)	20 terminals, O/a. dims.: 3-200 in. × 0-670 in. × 0-375 in. 2 × 6 B.A tapped holes. Fixing centres, 2-900 in.	B	each
22221	344 (post)	20 terminals. O/a. dims.: 3-2 in. × 0-795 in. × 0-375 in. 2 × 0-125 in. diam. fixing holes. Fixing centres 2-9 in.	B	..
22222	345 (post)	10 terminals. O/a. dims.: 1-925 in. × 0-795 in. × 0-375 in. 2 × 1.25 in. diam. fixing holes.	B	..
22224	346 (post)	2 terminals. Dims.: 1-070 in. × 0-530 in. × 0-093 in. thick. 2 × 0-125 in. diam. fixing holes.	B	..
22244	352 (tag)	O/a. dims.: 5 ³ / ₁₆ in. × 1 ³ / ₈ in. × ¹ / ₁₆ in.	B	..
22303	362 (post)	20 terminals. Dims.: 3-200 in. × 0-795 in. × 0-375 in. 2 × 0-125 in. diam. fixing holes.	B	..
22304	363 (post)	20 terminals. O/a. dims.: 3-200 in. × 0-375 in. × 0-375 in. 2 × 6 B.A. tapped holes. Fixing centres 12-900 in.	B	..
22315	366 (tag)	11 tags. O/a. dims.: 2 ¹ / ₈ in. × 2 ³ / ₄ in. × ¹ / ₁₆ in. thick fixing holes. 3 fixing centres, 0-101 in. diam. on ¹ / ₁₆ in. thick synthetic resin bonded laminated board, glass base.	B	..
22316	367 (tag)	18 tags. O/a. dims.: 3 in. × 2 ¹ / ₈ in. × ¹ / ₁₆ in. thick. 3 holes fixing ¹ / ₈ in. diam. Synthetic resin bonded laminated board, glass base.	B	..
22317	368 (tag)	25 tags. O/a. dims.: 3 ³ / ₄ in. × 4 ¹ / ₄ in. × ¹ / ₁₆ in. thick. 6 holes fixing ¹ / ₈ in. diam. Synthetic resin bonded laminated board, glass base.	B	..
22323	373 (tag)	8 tag holes ⁵ / ₁₆ in. approx. O/a. dims.: 1 ⁷ / ₈ in. × 1 ¹ / ₄ in. × ¹ / ₁₆ in. thick. 4 fixing holes ¹ / ₈ in. diam. Synthetic resin bonded laminated board, ¹ / ₁₆ in. glass base.	B	..
22353	376 (tag)	26 tags	B	..
22354	377 (tag)	25 tags	B	..
22355	378 (tag)	31 tags	B	..
22356	379 (tag)	31 tags	B	..
22364	380	4-way, 15 amp. O/a. dims.: 1 ⁷ / ₁₆ in. × 1 ³ / ₈ in. × ¹ / ₂ in. 2 × 6 B.A. clearance fixing holes. Bakelite moulding.	B	..
22377	381 (tag)	18 tags. O/a. dims.: 4 ³ / ₁₆ in. × 1 ¹ / ₁₆ in. × ¹ / ₁₆ in. thick. 5 fixing holes, ¹ / ₈ in. diam. Synthetic resin bonded laminated board, fabric base.	B	..
22378	382 (terminal)	10 tags. O/a. dims.: 2 ³ / ₈ in. × 1 ¹ / ₄ in. × ¹ / ₁₆ in. thick. 4 fixing holes ¹ / ₈ in. diam. Synthetic resin bonded laminated board, fabric base.	B	..

RESTRICTED

13

RESTRICTED

**RADIO CABLE ASSEMBLIES (CONNECTORS), DISCS INDICATING, FUSES, LEADS, PLUGS AND SOCKETS AND ANCILLARY PARTS,
HOLDERS AND TERMINALS
SECTION 10H—cont.**

1	2	3	4	5
	BOARDS, terminal—cont. Type—cont.	All overall dimensions shown are excluding terminals—cont.		
22379	383 (tag)	21 tags. O/a. dims.: $1\frac{3}{4}$ in. \times 3 in. \times $\frac{1}{16}$ in. thick. 4 fixing holes $\frac{1}{8}$ in. diam. Synthetic resin bonded laminated board, glass base.	B	each
22380	384 (tag)	14 tags. O/a. dims.: $1\frac{3}{8}$ in. \times $\frac{7}{16}$ in. \times $\frac{1}{16}$ in. thick. Bracket $1\frac{3}{8}$ in. \times $\frac{7}{16}$ in. \times $\frac{3}{32}$ in. Fixing holes $7 \frac{1}{16}$ in. diam. S.R.B.J..B. Glass board base, bracket aluminium alloy.	B	"
22386	385 (tag)	Two terminals. O/a. dims.: $1\frac{1}{2}$ in. \times $\frac{23}{32}$ in. S.R.B.P.	C	"
22407	386 (post)	2 terminals. O/a. dims.: 2.080 in. \times 1.600 in. \times 0.093 in. thick. 2 \times 0.125 in. fixing holes.	C	"
22455	393 (post)	10 terminals. O/a. dims.: 1.925 in. \times 0.375 in. \times 0.375 in. 2 \times 6 B.A. tapped holes. Fixing centres 1.625 in.	B	"
22457	395 (post)	20 terminals. O/a. dims.: 3.200 in. \times 0.375 in. \times 0.375 in. 2 \times 6 B.A. tapped holes. Fixing centres, 2.900 in.	B	"
22128	400 (post)	24 posts. O/a. dims.: $1\frac{1}{2}$ in. \times 2 in. \times $\frac{1}{2}$ in. Material 0.062 in. S.R.B.P.	C	"
22129	401 (post)	8 posts. O/a. dims.: 1.875 in. \times 0.281 in. \times 0.322 in. moulding	C	"
22130	402 (post)	48 terminals, $6\frac{3}{16}$ in. long \times 2 in. \times $\frac{3}{32}$ in. thick. 4 \times 4 B.A. Clinch nuts $5\frac{1}{8}$ in. \times $1\frac{3}{16}$ in. centres.	C	"
22131	403 (post)	14 terminals. $4\frac{3}{4}$ in. long \times $1\frac{5}{8}$ in. \times $\frac{3}{32}$ in. thick. 2 \times 4 B.A. Clinch nuts, $2\frac{1}{2}$ in. centres, S.R.B.P.	C	"
22132	404 (post)	4 terminals. $1\frac{3}{8}$ in. diam. \times $\frac{1}{16}$ in. thick, 2 in. \times $\frac{3}{32}$ in. diam. holes. $1\frac{3}{16}$ in. fixing centres, S.R.B.P.	C	"
22133	405 (tag)	12 tags. O/a. dims.: $6\frac{7}{16}$ in. long \times $\frac{3}{8}$ in. wide \times $\frac{3}{32}$ in. thick. Fixing holes $3 \times \frac{5}{32}$ in. diam. holes. Spacing 3 in. between holes, S.R.B.P.	C	"
22134	406 (tag)	2 tags. O/a. dims.: $1\frac{5}{16}$ in. long \times $\frac{5}{16}$ in. wide \times $\frac{3}{32}$ in. thick. Fixing holes $2 \times \frac{3}{32}$ in. Fixing centres, $1\frac{1}{16}$ in. S.R.B.P.	C	"
22139	407 (post)	$1\frac{1}{2}$ in. long \times $\frac{1}{2}$ in. wide \times $1\frac{1}{16}$ in. thick. 2 \times $\frac{3}{32}$ in. diam. $1\frac{3}{32}$ in. centres, S.R.B.P.	C	"
22140	408 (post)	4 terminals. $1\frac{1}{2}$ in. long \times $1\frac{3}{16}$ in. wide \times $\frac{1}{16}$ in. thick. 2 \times $\frac{3}{32}$ in. diam. $\frac{1}{2}$ in. centres, S.R.B.P.	C	"
22141	409 (post)	3 terminals. $1\frac{7}{32}$ in. \times $1\frac{1}{16}$ in. wide \times $1\frac{1}{16}$ in. thick. 2 \times $\frac{3}{32}$ in. \times $1\frac{3}{32}$ in. centres. S.R.B.P.	C	"
22142	410 (tag)	1 terminal. $2\frac{3}{8}$ in. \times 1 in. wide, max., $\frac{7}{16}$ in. wide, min. $\frac{1}{8}$ in. thick.	C	"
22144	411 (post)	18 terminals. $5\frac{1}{8}$ in. \times $2\frac{1}{16}$ in. wide \times $\frac{3}{32}$ in. thick. 5 in. \times $\frac{5}{32}$ in. diam. $2\frac{3}{32}$ in. \times 2 \times 1 sep. S.R.B.P.	C	"

RESTRICTED

RESTRICTED

**RADIO CABLE ASSEMBLIES (CONNECTORS), DISCS INDICATING, FUSES, LEADS, PLUGS AND SOCKETS AND ANCILLARY PARTS,
HOLDERS AND TERMINALS
SECTION 10H—cont.**

1	2	3	4	5
	BOARDS, terminal—cont. Type—cont.	All overall dimensions shown are excluding terminals—cont.		
21311	507		C	each
21347	508 (post)	3 terminals. O/a. dims.: $1\frac{5}{8}$ in. \times $\frac{3}{8}$ in. \times $\frac{3}{16}$ in. Fixing holes, 2 \times 0-161 in. diam.	C	"
21061	726	1 terminal. Brass, cadmium plated. O/a. dims.: $\frac{7}{8}$ in. long \times $\frac{3}{8}$ in. wide. Mounting hole $\frac{5}{32}$ in. diam marked "C.133". Bakelite $\frac{3}{32}$ in. thick.	B	"
21062	727	8 terminals. Brass, cadmium plated. O/a. dims.: $2\frac{5}{8}$ in. long \times $1\frac{1}{2}$ in. wide. 2 metal inserts for mounting two 4 B.A. screws. Bakelite $\frac{3}{32}$ in. thick.	B	"
21063	728	1 terminal. Brass, cadmium plated. O/a. dims.: $\frac{7}{8}$ in. long \times $\frac{3}{8}$ in. wide. 1 mounting hole $\frac{5}{32}$ in. diam. marked "L.102" and "R.103". Bakelite $\frac{3}{32}$ in. thick.	B	"
21064	729	3 terminals. Brass, cadmium plated. O/a. dims.: $2\frac{1}{8}$ in. long \times $1\frac{1}{8}$ in. wide. 2 mounting holes $\frac{5}{32}$ in. diam. on $1\frac{1}{4}$ in. mounting centres. Bakelite $\frac{3}{32}$ in. thick.	B	"
21065	730	6 terminals. Brass, cadmium plated. O/a. dims.: $2\frac{3}{8}$ in. long \times $1\frac{1}{2}$ in. wide. 2 metal inserts for mounting with 2×4 B.A., tapped holes on 1 in. mounting centres, marked "R.104", "R.105" and "R.110". Bakelite $\frac{3}{32}$ in. thick.	B	"
21066	731	1 terminal. Brass, cadmium plated. O/a. dims.: $\frac{7}{8}$ in. long \times $\frac{3}{8}$ in. wide. 1 mounting hole $\frac{5}{32}$ in. diam. marked "C.123", Bakelite $\frac{3}{32}$ in. thick.	B	"
21067	732	13 terminals. Brass, 1 solder lug, cadmium plated. O/a. dims.: $2\frac{1}{2}$ in. long \times $2\frac{1}{16}$ in. wide. Cadmium plated brass bracket, 1 \times 6 B.A., tapped hole for mounting. Bakelite $\frac{3}{32}$ in. thick.	B	"
21068	733	6 terminals, turret lugs, cadmium plated. O/a. dims.: $2\frac{5}{8}$ in. long \times $1\frac{1}{2}$ in. wide. 2 metal inserts for mounting with 2×4 B.A. tapped holes on 1 in. mounting centres, marked "R.115", "R.127" and "R.128". Bakelite $\frac{3}{32}$ in. thick.	B	"
21069	734	6 terminals, brass. O/a. dims.: $1\frac{3}{8}$ in. long \times $1\frac{1}{8}$ in. wide \times $\frac{3}{32}$ in. thick. 2 metal inserts for mounting with 2 tapped 4 B.A. holes on 1 in. mounting centres. Bakelite.	B	"
21070	735	5 terminals, brass. O/a. dims.: $2\frac{3}{8}$ in. long \times 1 in. wide \times $\frac{3}{32}$ in. thick. Bakelite Bracket brass.	B	"
21071	736	2 terminals, brass. O/a. dims.: $2\frac{3}{8}$ in. \times $\frac{7}{8}$ in. \times $\frac{3}{32}$ in. thick. Bakelite, drilled. Tapped 6 B.A. Bracket, brass.	B	"

RESTRICTED

RESTRICTED

**RADIO CABLE ASSEMBLIES (CONNECTORS), DISCS INDICATING, FUSES, LEADS, PLUGS AND SOCKETS AND ANCILLARY PARTS,
HOLDERS AND TERMINALS
SECTION 10H—cont.**

1	2	3	4	5
	BOARDS, terminal—cont. Type—cont.	All overall dimensions shown are excluding terminals—cont.		
22473	750	6 terminals, 4 in. long \times $3\frac{1}{8}$ in. wide \times $\frac{1}{8}$ in. thick. 4 in. \times $\frac{1}{8}$ in. diam. holes. $3\frac{1}{2}$ in. \times $3\frac{1}{2}$ in. S.R.B.P.	C	each
22474	751	2 terminals, $5\frac{1}{8}$ in. long \times $3\frac{3}{16}$ in. wide \times $\frac{1}{8}$ in. thick. 4 \times $\frac{1}{8}$ in. diam. holes, $4\frac{1}{16}$ in. \times $3\frac{1}{2}$ in. S.R.B.P.	C	..
22475	752	2 terminals, 4 in. long \times $2\frac{3}{8}$ in. \times $\frac{1}{8}$ in. thick. 4 in. \times $\frac{1}{8}$ in. diam. holes. $3\frac{1}{2}$ in. \times $\frac{7}{16}$ in. S.R.B.P.	C	..
22494	759 (post)	23 turret lugs. O/a. dims.: $4\frac{5}{16}$ in. \times $\frac{1}{16}$ in. \times $\frac{1}{16}$ in. thick. Silicon resin bonded glass fibre. Drilled 4 holes.	C	..
22495	760 (post)	18 turret lugs. O/a. dims.: $3\frac{1}{2}$ in. \times 1 in. 2 cut-outs, $\frac{1}{4}$ in. and $\frac{5}{16}$ in. Drilled 5 holes 0.044 in. diam. Silicon resin bonded glass fibre $\frac{1}{16}$ in. thick.	C	..
22496	761 (post)	18 turret lugs. O/a. dims.: $3\frac{5}{8}$ in. \times $1\frac{3}{8}$ in. 1 cut-out $2\frac{1}{8}$ in. \times $\frac{3}{8}$ in. Drilled 4 holes. Silicon resin bonded glass fibre $\frac{1}{16}$ in. thick.	C	..
23016	782 (post)	2 terminals. O/a. dims.: 0.750 in. \times 0.375 in. \times 0.093 in. Silicon bonded glass fibre, 0.500 in. centres.	B	..
23028	787 (tag)	9 tags. O/a. dims.: $\frac{3}{8}$ in. \times $1\frac{1}{4}$ in. S.R.B.P., BS.2076. Type "L"	C	..
21117	903	3 terminals, brass. O/a. dims.: $1\frac{1}{2}$ in. long \times $\frac{3}{32}$ in. wide \times $\frac{3}{32}$ in. thick. 2 fixing holes $\frac{1}{8}$ in. diam. \times $\frac{3}{4}$ in. centres. Bakelite.	B	..
21125	905	3 terminals. Turret lugs. O/a. dims.: $2\frac{1}{4}$ in. \times $1\frac{1}{4}$ in. \times $\frac{1}{16}$ in. 2 fixing holes $\frac{5}{32}$ in. diam. Synthetic resin bonded paper.	B	..
21127	907	53 terminals. Turret lugs. O/a. dims.: $14\frac{3}{8}$ in. long \times $1\frac{9}{16}$ in. wide \times $\frac{3}{32}$ in. thick. 5 fixing holes $\frac{5}{32}$ in. diam. S.R.B.P.	B	..
21164	925	1 terminal, brass. O/a. dims.: $\frac{7}{8}$ in. \times $\frac{3}{8}$ in. \times $\frac{3}{32}$ in. Bakelite	B	..
21181	928 (screwed head)	11-way terminals. O/a. dims: 0.687 in. wide \times 0.406 in. thick \times 4.437 in. long. 4 fixing holes 0.180 in. diam. Centres, 0.312 in. \times 4.125 in. Phenolic moulded.	B	..
21205	938	6 screw contacts. O/a. dims.: $2\frac{1}{2}$ in. long \times 0.687 in. wide \times 0.025 high ..	B	..
21206	939	5 screw contacts. O/a. dims.: $2\frac{9}{16}$ in. long \times 0.687 in. wide \times 0.25 in. high ..	B	..
21216	942	13 terminals, brass. Turret lugs. O/a. dims.: $6\frac{1}{8}$ in. \times $1\frac{1}{8}$ in. Bakelite $\frac{3}{32}$ in. thick.	B	..

RESTRICTED

RESTRICTED

**RADIO CABLE ASSEMBLIES (CONNECTORS), DISCS INDICATING, FUSES, LEADS, PLUGS AND SOCKETS AND ANCILLARY PARTS,
HOLDERS AND TERMINALS
SECTION 10H—cont.**

1	2	3	4	5
	BOARDS, terminal—cont. Type—cont.	All overall dimensions shown are excluding terminals—cont.		
21217	943	9 terminals, brass. Turret lugs. O/a dims.: $1\frac{1}{16}$ in. \times $4\frac{1}{4}$ in. Bakelite $\frac{3}{32}$ in. thick. 2 brackets.	B	each
21218	944	5 terminals, brass. O/a dims.: $4\frac{1}{8}$ in. \times 1 in. Bakelite $\frac{3}{32}$ in. thick	B	..
21219	945	1 terminal, brass. Turret lugs. O/a dims.: $\frac{3}{4}$ in. \times $\frac{3}{8}$ in. 1 mounting hole. Bakelite $\frac{3}{32}$ in. thick.	B	..
21220	946	4 terminals, brass. Turret lugs. O/a dims.: $3\frac{3}{32}$ in. \times $\frac{3}{8}$ in. Bakelite $\frac{3}{32}$ in. thick	B	..
21221	947	4 terminals, brass. Turret lugs. O/a dims.: $2\frac{3}{8}$ in. \times $\frac{3}{8}$ in. Bakelite $\frac{3}{32}$ in. thick. 2 metal inserts.	B	..
21222	948	5 terminals, brass. Turret lugs. O/a dims.: $1\frac{3}{8}$ in. \times $1\frac{7}{16}$ in. Bakelite $\frac{3}{32}$ in. thick.	B	..
21225	949 (tag)	1 tag. O/a dims.: $1\frac{3}{32}$ in. \times 1-182 in. With "L" brackets.	B	..
21227	950	2 terminals, brass. O/a dims.: $1\frac{1}{8}$ in. \times $1\frac{1}{8}$ in. Bakelite $\frac{3}{32}$ in. thick.	B	..
21266	985	12 terminals. Turret lugs. O/a dims.: $3\frac{3}{8}$ in. long \times $2\frac{1}{2}$ in. wide \times $\frac{3}{32}$ in. thick S.R.B.P. Grade 1.	B	..
21267	986	11 terminals. Turret lugs. O/a. dims.: $2\frac{3}{8}$ in. long \times $1\frac{5}{8}$ in. wide \times $\frac{3}{32}$ in. thick ..	B	..
21287	1000 (tag)	5 tags. O/a dims.: $2\frac{3}{8}$ in. long \times $\frac{7}{16}$ in. wide \times $\frac{3}{32}$ in. thick. Grade 1	B	..
21289	1002	44 terminals. Turret lugs. O/a dims.: 9 in. long \times $2\frac{1}{2}$ in. wide \times in. $\frac{3}{32}$ thick. S.R.B.P. Grade 1.	B	..
21290	1003	29 terminals. Turret lugs. O/a dims.: $6\frac{3}{8}$ in. long \times $2\frac{1}{2}$ in. wide \times $\frac{3}{32}$ in. thick. S.R.B.P. Grade 1.	B	..
21291	1004	33 terminals. Turret lugs. O/a dims.: $7\frac{1}{2}$ in. long \times $2\frac{1}{2}$ in. wide \times $\frac{3}{32}$ in. thick. S.R.B.P.	B	..
21294	1006	2 terminals. O/a dims.: $2\frac{1}{8}$ in. \times $\frac{3}{8}$ in. $1\frac{3}{8}$ in. Fixing centres. Nylon glass.	B	..
21295	1007	11-way. O/a dims.: $7\frac{3}{16}$ in. \times $1\frac{3}{8}$ in. \times $\frac{5}{8}$ in. depth. 4 hole fixing, $6\frac{1}{2}$ in. $\frac{1}{2}$ in. fixing centres.	B	..
21605	1009	Terminals—Tag. Class 9. Board dims.: $4\frac{1}{2}$ in. \times $\frac{3}{8}$ in.	B	..
21618	1017	1 solder lug. Single hole fixing	B	..
21628	1019 (post)	1 terminal—Turret lug. 2 holes 0-111 in. diam. fixing with fixing centres 0-595 in.	B	..
21686	1039 (post)	7 terminals, brass. 2 solder pins. O/a dims.: $2\frac{1}{2}$ in. \times $1\frac{3}{32}$ in. \times 0-087 in. Fixing centres $2\frac{1}{2}$ in. \times $1\frac{1}{2}$ in. 2 mounting brackets, fixing centres 1-25 in.	B	..
21687	1040 (post)	12 terminals, brass. O/a dims.: $2\frac{7}{16}$ in. \times $1\frac{3}{8}$ in. \times $\frac{1}{16}$ in. 4 fixing holes 0-156 in. diam. S.R.B.I. Grade 1.	B	..

RESTRICTED

RESTRICTED

**RADIO CABLE ASSEMBLIES (CONNECTORS), DISCS INDICATING, FUSES, LEADS, PLUGS AND SOCKETS AND ANCILLARY PARTS,
HOLDERS AND TERMINALS
SECTION 10H—cont**

1	2	3	4	5
	BOARDS, terminal—cont. Type—cont.	All overall dimensions shown are excluding terminals— cont.		
21688	1041 (post)	19 terminals, solder. O/a dims.: $3\frac{1}{8}$ in. \times $1\frac{3}{8}$ in. \times $\frac{1}{16}$ in. 4 fixing holes $\frac{5}{32}$ in. diam. Fixing centres $2\frac{3}{8}$ in. \times $1\frac{1}{8}$ in. S.R.B.P. Grade 1.	B	each
21689	1042 (post)	22 terminals, brass. 3 studs. O/a dims.: $3\frac{1}{16}$ in. \times $1\frac{7}{16}$ in. \times 0.078 in. Fixing centres 2.939 in. S.R.B.P. Grade 1.	B	"
21690	1043 (post)	4 terminals, brass. 2 studs. O/a dims.: $2\frac{1}{2}$ in. \times $\frac{3}{8}$ in. \times 0.087 in. Fixing centres $2\frac{3}{16}$ in. S.R.B.P. Grade 1.	B	"
21692	1045 (post)	2 terminals, brass. 1 stud. O/a dims.: $3\frac{3}{8}$ in. \times $\frac{3}{8}$ in. \times 0.087 in. S.R.B.P. Grade 1.	B	"
21685	1046 (post)	8 brass contacts. O/a dims.: $4\frac{1}{8}$ in. \times $1\frac{7}{8}$ in. \times $\frac{5}{16}$ in. Fixing centres $3\frac{1}{2}$ in. S.R.B.P. Grade 1.	B	"
21693	1047 (post)	3 terminals, brass. O/a dims.: $1\frac{2}{16}$ \times $1\frac{1}{8}$ in. 2 fixing holes, 0.625 in.	B	"
21694	1048 (post)	2 terminals, brass. O/a dims.: $1\frac{13}{16}$ in. \times $\frac{7}{16}$ in. 2 fixing holders, 1 in.	B	"
21695	1049 (post)	6 terminals, brass. O/a dims.: $1\frac{7}{8}$ in. \times $1\frac{1}{16}$ in. 2 fixing studs tapped 4 B.A. Fixing centres $1\frac{1}{4}$ in.	B	"
21696	1050 (post)	5 terminals, brass. O/a dims.: $1\frac{5}{16}$ in. \times $1\frac{5}{16}$ in. 2 studs. Fixing centres 0.875 in.	B	"
21376	1052 (post)	6 terminals, solder. O/a dims.: $1\frac{3}{8}$ in. \times $1\frac{1}{8}$ in. S.R.B.P. Grade 1	B	"
21377	1053 (post)	8 terminals, solder. O/a dims.: $1\frac{3}{8}$ in. \times $1\frac{5}{16}$ in. S.R.B.P. Grade 1	B	"
21378	1054 (post)	58 terminals, solder. O/a dims.: $13\frac{1}{2}$ in. \times $2\frac{3}{4}$ in. S.R.B.P. Grade 1	B	"
21379	1055 (post)	8 terminals, solder. O/a dims.: $2\frac{1}{2}$ in. \times $2\frac{1}{2}$ in. S.R.B.P. Grade 1	B	"
21380	1056 (post)	8 terminals, solder. O/a dims.: $2\frac{1}{2}$ in. \times $1\frac{5}{16}$ in. S.R.B.P. Grade 1	B	"
21387	1061 (post)	13 terminals, solder. O/a dims.: $6\frac{5}{16}$ in. \times $4\frac{5}{16}$ in. S.R.B.P. Grade 1.	B	"
21388	1062 (post)	4 terminals, solder. O/a dims.: 2 in. \times $1\frac{1}{16}$ in. S.R.B.P. Grade 1	B	"
21400	1067 (post)	4 terminals turret lugs. O/a dims.: 2 in. long \times $\frac{5}{8}$ in. wide \times $\frac{1}{16}$ in. thick. With right angle mounting bracket.	B	"
21937	1082 (screwed head)	7 terminals. O/a dims.: $3\frac{1}{16}$ in. long \times $\frac{7}{8}$ in. wide \times $\frac{13}{32}$ in. high	B	"
21938	1083 (screwed head)	8 terminals. O/a dims.: $3\frac{1}{16}$ in. long \times $\frac{7}{8}$ in. wide \times $\frac{13}{32}$ in. high	B	"
21940	1085 (screwed head)	13 terminals, 13 contacts. O/a dims.: $5\frac{9}{16}$ in. long \times $\frac{7}{8}$ in. wide \times $\frac{13}{32}$ in. high	B	"
21944	1089 (screwed head)	6 terminals. O/a dims.: $3\frac{3}{8}$ in. long \times $1\frac{1}{2}$ in. wide \times $\frac{1}{2}$ in. high	B	"
21995	1101 (post)	3-way. O/a dims.: 2 in. long \times $\frac{3}{8}$ in. wide \times $\frac{1}{16}$ in. thick. 2 \times 4 B.A. fixing holes.	B	"
22098	1112 (tag)	14 tags, solder. O/a dims.: 3 in. long \times $1\frac{5}{8}$ in. wide \times 0.092 in. thick. S.R.B.P. Grade 1.	B	"
22511	1116 (tag)	20 tags, solder. O/a dims.: $1\frac{9}{16}$ in. \times $3\frac{1}{2}$ in. \times $\frac{1}{8}$ in. 2 fixing holes $\frac{3}{32}$ in. diam. on $1\frac{1}{8}$ in. centres. Character marked in white, $\frac{1}{8}$ in. high.	B	"

RESTRICTED

RESTRICTED

**RADIO CABLE ASSEMBLIES (CONNECTORS), DISCS INDICATING, FUSES, LEADS, PLUGS AND SOCKETS AND ANCILLARY PARTS,
HOLDERS AND TERMINALS
SECTION 10H—cont.**

1	2	3	4	5
	BOARDS, terminal <i>cont.</i>	All overall dimensions shown are excluding terminals—cont.		
	Type—cont.			
22512	1117 (tag)	17 tags, solder. O/a dims.: $2\frac{7}{8}$ in. \times $2\frac{1}{2}$ in. \times $\frac{1}{8}$ in. 2 fixing holes $\frac{5}{32}$ in. diam. on 2 in. centres. Character marked in white $\frac{1}{8}$ in. high.	B	each
	BODIES:—			
	Plug:—			
6763	Insulated		C	"
13130	Large	Outer shell only on W.203. Used as dummy stowage for Connectors.	B	"
13129	Medium		B	"
2691	Small	Light alloy, square flange, panel mounting. Outer shell of Plug-W.196	B	"
	Type:—			
4547	1..	Used on all 2, 4 and 6-pole Plugs	C	"
4548	2..	Used on Plugs, Type 509	C	"
4549	3..		C	"
18509	BRACKET	Cable binding, straight. Cast alloy support. Straight arm grooved for cable. Drilled for fixing screws, $1\frac{1}{2}$ in. \times 1 in. wide \times $\frac{5}{8}$ in. high, overall.	C	"
	BUSHES:—			
9402834	Electrical conduit	Used on Gearcase. M.E. Ref. No. 9320206. Schedule, 23683. Main Equipment. M.G.G. R.I.-1.	C	"
18362	Reducing	1 in. o.d. \times $\frac{7}{8}$ in. i.d. \times $\frac{5}{8}$ in. long	C	"
	CAPS:			
	Blanking:—			
	Type:—			
18740	1..	For Pye sockets	C	"
18741	2..	Includes retaining spring for Pye plugs	C	"
18742	3..	For Plugs, Type 552	C	"
18743	4..	For Plugs, Type 552	C	"
18744	5..	For Socket Assembly, Type 1	C	"
18909	101	Polythene 0.911 in. o.d. \times $\frac{3}{4}$ in. wide \times 0.845 in. dia. thread \times 20 t.p.i.	C	"
18931	102	For blanking off R/F. Sockets, Ref. No. 9560042 and Ref. No. 9560043	C	"
21085	355	For "N" type chassis mounted connectors	C	"

RESTRICTED

RESTRICTED

**RADIO CABLE ASSEMBLIES (CONNECTORS), DISCS INDICATING, FUSES, LEADS, PLUGS AND SOCKETS AND ANCILLARY PARTS,
HOLDERS AND TERMINALS
SECTION 10H *cont.***

1	2	3	4	5
	CAPS <i>cont.</i>			
	Blanking <i>cont.</i>			
	Type - <i>cont.</i>			
21166	356	Black bakelite. Dims.: $1\frac{5}{32}$ in. dia. \times $\frac{5}{16}$ in. thick. Thread 24 inside	C	each
21228	357	Red bakelite. Dims.: $1\frac{9}{32}$ in. dia. \times $\frac{5}{16}$ in. thick. $1\frac{1}{8}$ in. \times 24 inside thread with 2 in chain.	C	"
22581	Dust, protective	Dims.: 1.5 in. o.d. \times 1.375 in. i.d. to depth of 0.375 in. O/a thickness 0.437 in. To fit AN. Type Socket, Shell, Size 22.	B	"
22582	Dust, protective	Dims.: 1.125 in. o.d. \times 1.000 in. i.d. to depth of 0.375 in. O/a thickness 0.437 in. Plastic. To fit AN. Type Socket, Size 16.	B	"
22583	Dust, protective	Dims.: 1.000 in. o.d. \times 0.875 in. i.d. to depth of 0.375 in. O/a thickness 0.437 in. To fit AN. Type Socket, Shell, Size 16.	B	"
9114501	Electronic Valve Connector	Insulated Cap, 0.25 in. Dims.: $1\frac{1}{8}$ in. \times $1\frac{1}{32}$ in. high. Red moulded bakelite. .. .	B	"
9115732	Electronic Valve Connector	Insulated. Dims.: of valve cap 0.25 in. O/a dims.: (less tag) $\frac{5}{16}$ in. 1 terminal, H2	B	"
9321085	Electronic Valve Connector	Insulated shroud. Dims.: of valve cap 0.360 in. O/a dims.: $1\frac{1}{8}$ in. dia. \times $1\frac{1}{32}$ in. 1 terminal. Red moulded bakelite.	B	"
9402288	Electronic Valve Connector	Dims.: $\frac{1}{4}$ in. diam. O/a dims.: $1\frac{1}{32}$ in. \times $\frac{3}{32}$ in. 1 terminal. Beryllium copper, silver plated.	B	"
9402354	Electronic Valve Connector	Insulated. Dims.: of valve cap $\frac{3}{8}$ in. O/a dims.: $\frac{1}{4}$ in. diam. \times $\frac{29}{32}$ in. dcep. Red bakelite.	B	"
9324942	Electronic Valve Connector	Non-insulated, 1 termination, $1\frac{1}{16}$ in. dia. (nominal). $\frac{3}{8}$ in. min. diam. $\frac{9}{16}$ in. long ..	B	"
9990734	Electronic Valve Connector	Screened 1 terminal, brass, silver plated. $\frac{3}{8}$ in. dia. (nominal) $2\frac{1}{4}$ in. diam. \times $2\frac{1}{2}$ in. long, approx.	B	"
9990788	Electronic Valve Connector	Screened, 1 terminal, brass, silver plated. $\frac{3}{8}$ in. diam. (nominal) $3\frac{1}{8}$ in. diam. \times $2\frac{1}{8}$ in. long, approx.	B	"
9990860	Electronic Valve Connector	Non-insulated with tag board. One terminal. Dims. of Valve Cap, $\frac{11}{32}$ in. long \times $\frac{1}{8}$ in. diam. O/a dims.: $\frac{1}{2}$ in. long \times $\frac{3}{16}$ in. diam. (each solder tag). Board dims.: (circular) $\frac{3}{4}$ in. diam. \times $\frac{1}{8}$ in. thick. Beryllium copper finish, natural.	C	"
9114202	Electronic Valve Connector	Insulated. Dims. of Cap Valve accommodated (nom.) 0.36 in. O/a dims.: (less tag or cleat) $\frac{3}{8}$ in. One terminal moulded cap.	C	"
18106	End	Screwed cap to fit over end of plug guide. Ref. No. 18107, when not in use ..	C	"
3903	Insulating	Steatite, $\frac{5}{16}$ in. diam.: reduced to 0.252 in. diam. \times $\frac{5}{16}$ in. long, centre hole 0.084 in. diam. reduced.	C	"

RESTRICTED

20

RESTRICTED

**RADIO CABLE ASSEMBLIES (CONNECTORS), DISCS INDICATING, FUSES, LEADS, PLUGS AND SOCKETS AND ANCILLARY PARTS,
HOLDERS AND TERMINALS
SECTION 10H—cont.**

1	2	3	4	5
	CAPS—cont.			
	Plug, Type W:—			
2816	Large	Used with A.R.I. 5206	B	each
1145	Medium	To fit any medium sized 'W' Plug	B	"
2814	Small	1.3 in. diam. complete with 4½ in. diam. chain and washer	B	"
2211	Small	Locking ring and sealing disc	B	"
23014	Protective	Main Equipment. A.R.I. 5897	C	"
23015	Protective	Main Equipment. A.R.I. 5897	C	"
	Protective:—			
	Fixed:—			
0970057	Large	C	"
0970056	Medium	C	"
0970055	Small	C	"
	Free:—			
0970054	Large	C	"
20860	Medium	Mark 4, brass	B	"
0970053	Medium	C	"
20859	Small	Mark 4, brass	B	"
0970052	Small	C	"
9569067	Mark 4	C	"
9569068	Medium	Polythene	C	"
0569069	Large	First used on Boxes, Junction, Type 9247	C	"
	Socket:—			
153	Brass turned	B	"
7410	Knurled	1-125 in. external diam., 0.689 in. deep, counterboard at open end, 0.094 in. deep × 0.968 in. diam., threaded.	C	"
22147	Valve Connector Assembly	Assembly of panel with 2 caps. Valve connector, resistors and clips	B	"
9119111	Valve Connector	Insulated, non-screened. 0.25 in. diam. O/a dims. 5/16 in. × 3/16 in. diam.	B	"
	Valve Connector:—			
	Type:			
20900	131	Bent to form right angle, approx. total length 7¼ in. covered with 5 in., 2 mm. white sleeving.	C	"
21837	136	Anti-carbona. Dims. 0.25 in. diam. × 0.468 in. long × 0.415 in. max. Cable diam. accommodation 0.156 in. Carbon steel, silver plated. (Clip with N/P shell).	B	"

RESTRICTED

RESTRICTED

**RADIO CABLE ASSEMBLIES (CONNECTORS), DISCS INDICATING, FUSES, LEADS, PLUGS AND SOCKETS AND ANCILLARY PARTS,
HOLDERS AND TERMINALS
SECTION 10H—cont.**

1	2	3	4	5	
	CAPS—cont.				
	Valve connector—cont.				
	Type—cont.				
20093	140	Non-insulated, circular finned for heat dissipation (8 fins). Suitable for top cap, 0.569 in. – 0.572 in. diam. Fitted with 1 terminal connecting screw, 6 BA × ½ in. long. O/a dims.: 1.34 in. × 1.37 in. diam. Aluminium alloy.	B	each	
22112	143	Non-insulated. 18 S.W.G. pin ⅜ in. long, ⅞ in. × ⅝ in. Fitted with lead, phosphor bronze strip, ⅜ in. × 2⅜ in. long.	C	"	
21409	332	B	"	
22297	344	Non-insulated with tag board. Dims. of valve cap 0.250 in. O/a dims.: 0.950 in. × 0.500 in. × 0.468 in. 2 terminals.	B	"	
22358	348	Dims.: Cable ⅝ in. diam. × 8 in. long — Comprising Valve Top Clip Assembly, V.T.C. moulding and polythene.	B	"	
22369	350	Brass, tin plated, 0.749 in. × 0.375 in. diam. Non-insulated. To fit 0.250 in. 'D' Valve Cap.	B	"	
22404	352	} Non-insulated with tag board. Dims.: of Cap Valve 0.250 in. O/a dims.: 0.950 in. × 0.500 in. × 0.468 in. 2 terminals.	C	"	
22405	353		B	"	
22406	354		Brass. O/a dims.: 4 in. diam. × 1½ in. approx. Clamp "C" type secured by screw type terminal. With label "Danger, 45,000 v.—Cathode".	B	"
22408	355		Brass, 4 in. diam. × 1½ in. approx. Clamp "C" type secured by screw terminal. With label "Danger, 45,000 v.—Cathode".	B	"
22409	356	Brass. O/a dims.: 4 in. diam. × 2½ in. approx. Clamp "C" type secured by screw terminal. With label "Danger, 45, K.V.—Heater".	B	"	
22410	357	Brass. O/a dims.: 4 in. diam. × 1½ in. approx. Clamp "C" type secured by screw type terminal.	B	"	
22411	358	Brass. O/a dims.: 4 in. diam. × 1½ in. approx. Clamp "C" type secured by screw type terminal.	B	"	
21759	364	Caps, Valve, Ref. No. 20514. Modified by a drilled hole 0.125 in. diam. in cap ..	C	"	
21343	507	Insulated with rubber shroud. Dims. of Cap 0.096 in. O/a dims.: 1⅞ in. × 1⅞ in. 1 terminal, brass. Hot tinned to R.C.S. 1000.	B	"	
21365	510	B	"	
21370	511	Dims.: ⅞ in. diam. × 1 in. Domed. Two internal clips with retaining spring ..	B	"	
22043	521	B	"	
21640	557	Dims.: i.d. 1⅜ in. long × 1⅞ in. Top Cap size ⅞ in. For American C.R.T. ..	B	"	

RESTRICTED

RESTRICTED