

**Please do not upload this copyright pdf document to any other website. Breach of copyright may result in a criminal conviction.**

This pdf document was generated by me Colin Hinson from a Crown copyright document held at R.A.F. Henlow Signals Museum. It is presented here (for free) under the Open Government Licence (O.G.L.) and this pdf version of the document is my copyright (along with the Crown Copyright) in much the same way as a photograph would be.

The document should have been downloaded from my website <https://blunham.com/Radar>, or any mirror site named on that site. If you downloaded it from elsewhere, please let me know (particularly if you were charged for it). You can contact me via my Genuki email page: <https://www.genuki.org.uk/big/eng/YKS/various?recipient=colin>

**You may not copy the file for onward transmission of the data nor attempt to make monetary gain by the use of these files. If you want someone else to have a copy of the file, point them at the website. (<https://blunham.com/Radar>). Please do not point them at the file itself as it may move or the site may be updated.**

It should be noted that most of the pages are identifiable as having been processed by me.

---

I put a lot of time into producing these files which is why you are met with this page when you open the file.

In order to generate this file, I need to scan the pages, split the double pages and remove any edge marks such as punch holes, clean up the pages, set the relevant pages to be all the same size and alignment. I then run Omnipage (OCR) to generate the searchable text and then generate the pdf file.

Hopefully after all that, I end up with a presentable file. If you find missing pages, pages in the wrong order, anything else wrong with the file or simply want to make a comment, please drop me a line (see above).

It is my hope that you find the file of use to you personally – I know that I would have liked to have found some of these files years ago – they would have saved me a lot of time !

Colin Hinson

In the village of Blunham, Bedfordshire.

AIR PUBLICATION 830  
VOLUME 3, PART A

*incorporating the  
PACKAGE CONTENTS  
PARTS. (A/B)*

SCALES OF ROYAL AIR FORCE  
EQUIPMENT

PART A

TOOL KITS

*SECTIONS 1008*

*SCALE A1 for GEN MOUNTS & TUNERS  
— A20 for 2 TUBS & SETS*

AIR MINISTRY

| Amendment List                  |                | Inserted by:-                    | Date                       |
|---------------------------------|----------------|----------------------------------|----------------------------|
| No.                             | Dated          |                                  |                            |
| AMENDMENTS 1 to 29 INCORPORATED |                |                                  | February 1961              |
| 30                              | 20/10/61       | <i>[Signature]</i>               | 18-2-62.                   |
| 31                              | 15/4/62        | <i>[Signature]</i>               | 27-7-62                    |
| 32                              | JUNY 62.       | <i>[Signature]</i>               | 9-10-62.                   |
| 33                              | OCT. 1962      | <i>[Signature]</i> etc.          | 30-1-63.                   |
| 34                              | JAN 1963       | <i>[Signature]</i> etc.          | 28-3-63.                   |
| 35                              | MAY 1963       | <i>[Signature]</i> etc.          | 12-9-63.                   |
| 36                              | SEPT. 1963.    | <i>[Signature]</i> etc.          | 11-12-63.                  |
| 37                              | MAR '64        | <i>[Signature]</i> CR            | 9/9/64.                    |
| 38                              | MARCH '64      | <i>[Signature]</i> CR            | 9/9/64.                    |
| 39                              | MAY '64        | <i>[Signature]</i> CR            | 16/2/64.                   |
| 40                              | SEPTEMBER 1964 | R Shore Sec.                     | 12/2/65.                   |
| 41                              | FEB. 1965.     | <i>[Signature]</i>               | 26-3-65.                   |
| 42                              |                | <i>[Signature]</i> CR            | 25/10/65.                  |
| 43                              | NOVEMBER 1965  | J Barrett Wo.                    | 14/10/66.                  |
| 44                              | MARCH 1966     | R Shore sec.                     | 12/7/66.                   |
| 45                              | Nov. 1966      | R Shore etc.                     | 24/2/67.                   |
| 47                              | JUNE 1967      | R Shore etc.                     | 26/2/68.                   |
| 48                              | JANUARY 1967   | <i>[Signature]</i>               | 2/4/68.                    |
| 49                              | APRIL 1968     | <i>[Signature]</i>               | 24/3/69.                   |
| 50                              | JULY 1968      | <i>[Signature]</i>               | 26/3/69.                   |
| 51                              | DEC. 68        | INCORPORATED                     | CHECKED<br>9. 11. 72       |
| 52                              |                |                                  |                            |
| 53                              |                |                                  |                            |
| 54                              |                |                                  |                            |
| 55                              | JAN 71         | INCORPORATED                     | CHECKED<br>9. 11. 72       |
| 56                              |                |                                  |                            |
| 57                              | JUNE 72        | <i>[Signature]</i>               | 9 NOV 72                   |
| 58                              | SEPT. 72       | <i>[Signature]</i>               | 3 Apr. 73                  |
| 59                              |                |                                  |                            |
| 60                              |                |                                  |                            |
| 61                              |                |                                  |                            |
| 62                              | Nov 73         | NO PREVIOUS ENTRY<br>14/9/107868 | <i>[Signature]</i> 13/5/74 |
| 63                              |                |                                  |                            |
| 64                              | OCT 74         | <i>[Signature]</i>               | 17/10/74                   |
| 65                              | JAN 75         | <i>[Signature]</i>               | 3-1-75                     |
| 66                              | MAY 75         | <i>[Signature]</i>               | 13-5-75                    |
| 67                              |                |                                  |                            |
| 68                              |                |                                  |                            |

(67) 13  
70  
-

MEMORANDUM OF INSTRUCTIONS

1. This publication details the scales, or gives cross reference to the publications containing scales of equipment authorised for use in the Royal Air Force.

Submission of Demands

2. These scales are to be regarded as maximum entitlements. The requirements at units or formations will vary with their size, location and layout, even though they carry out the same or similar functions. Accordingly, discretion is to be used when demanding on the basis of a scale. Equipment already held is to be taken into account before new demands are submitted for <sup>Ac</sup> items listed in these scales.
3. Initial demands for items are to be made under index letter "C", quote the scale number, and be endorsed "programme". Demands for excess quantities, or items not listed in the scales, are to be made under index letters "D" or "E" and routed via the appropriate formation headquarters. Full details of these procedures can be found in A.P.830, Vol. 1, Leaflet B.5/2.
4. Tradesmens' tool kits may be demanded to equip all airmen up to and including the rank of sergeant on the Command ladder and all airmen up to and including master technician on the Technician ladder.
5. All tool kits are to be demanded in detail.
6. Before placing demands when opening a new station, the "Officer demanding" is required to ascertain which flights, sections and bays have been included in the stations' authorised establishment.

Amendments to Scales

7. This publication will be kept up to date by means of periodical consecutively numbered amendment lists. Holders of the publication are to ensure that amendments are incorporated without delay and that the "Record of amendments" in the front of the publication is completed accordingly.
8. Specialist personnel at units and formations <sup>Ac Su</sup> are requested to review, periodically, those scales which are applicable to their work. Only by any resulting suggestions for additions or deletions can realism be maintained.
9. Suggestions for amendments to this publication are to be forwarded to the Under Secretary of State, ~~Air Ministry~~, ~~E.15~~ through the usual channels.

M.O.D E 4 (d) (RAF)

AL 40

AIR PUBLICATION 830

VOLUME 3, PART A

3rd. EDITION

# SCALES OF ROYAL AIR FORCE EQUIPMENT

A.P. 830, VOLUME 3, PART A  
incorporating

PREFACE TO A.P. 830, VOLUME 3  
INDEX TO SCALES OF EQUIPMENT  
FOR THE ROYAL AIR FORCE  
SCALES OF TOOLS AND TECHNICAL EQUIPMENT  
SECTIONS 1 to 8

PROMULGATED BY COMMAND OF THE DEFENCE COUNCIL.

L. T. Dunnett.

MINISTRY OF DEFENCE (RAF)

CONTENTS

TITLE PAGE

TABLE OF CONTENTS

RECORD OF AMENDMENTS

MEMORANDUM OF INSTRUCTIONS

PREFACE TO A.P.830, VOLUME 3

- Section 1 Alphabetical Index to Scales of Royal Air Force Equipment.
- Section 2 Index to Miscellaneous Scales not contained in A.P.830, Volume 3.
- Section 3 Cross reference to Scales Covering M.T. Vehicles. (Including Radio Vehicles.)
- Section 4 Index to Scales Covering Marine Craft.
- Section 5 Index to Scales Covering Radio Installations.
- Section 6 Index to Scales Covering Specific to Type Equipment for Current Aircraft.
- Section 7 Tradesmen's Tool Kits.
- Section 8 Basic Scales for Station Flights Sections and Servicing Bays.
- Section 9 Scales for Commands.

Publishing Authorities

1. Scales of equipment for the Royal Air Force are published by the following authorities:-

| <u>Authority</u>                         | <u>Subject</u>  | <u>Air Publication</u>   |
|--|---|--|
| Ministry of Defence,<br>(E.4) (RAF)      | Tool Kits and Basic Station<br>Technical Equipment  | 830 Vol. 3, Pt. A  |
|  | Barrack Equipment   | 830 Vol. 3, Pt. B  |
|  | Clothing  | 830 Vol. 3, Pt. C  |
|  | Miscellaneous Scales  | 830 Vol. 3, Pt. E  |
|  | Checking List and List of<br>Carried Spares for<br>Specialist Vehicles                          | S.V.I's.   |
|  | Scales for Miscellaneous<br>Units or Sections   | Various  |
|  | Scales of Unit Equipment<br>(Aircraft)  | Appropriate Vol. 3,<br>Pt. 3   |
| Ministry of Defence,<br>(E.25) (RAF)     | Scales of Servicing Spares<br>for Airframes, Engines and<br>Associated Equipment                | Available only on<br>request to MOD<br>(E.4) (RAF) see guide<br>card to Section 6. |
|  | Scales of Test Equipment and<br>Servicing Spares for Airborne<br>and Ground Radio Installations |  |
| Ministry of Defence,<br>(D.D.M.S.) (RAF) | Scales of Medical and Dental<br>Equipment   | 132  |
| Ministry of Defence,<br>(D.D.M.T.) (RAF) | M.T. Vehicle Inventories  | Forms 748  |
|  | Scales and Schedules for<br>Spare Parts   | Appropriate Vol. 3   |
| Ministry of Defence,<br>(D.D.M.C.) (RAF) | Marine Craft Inventories  | Forms 1668   |
|  | Scales and Schedules of<br>Spare Parts  | Appropriate Vol. 4   |
| Ministry of Aviation                     | Airframe Appendices "A"   | Appropriate Serial No.   |

Note Defence Council Instructions may be used to promulgate certain scales which are not included in any other official publication. If constituting a permanent scale, the terms of the D.C.I. will normally be incorporated in the appropriate publication by amendment action and the D.C.I. will be cancelled.

Index to R.A.F. Scales of Equipment

2. An alphabetical index to all scales of equipment published for the Royal Air Force is given at Section 1 of this publication.

3. A detailed list of publishing authorities and their appropriate publications will be found in this publication as follows:-

|                  |                                    |
|------------------|------------------------------------|
| E.4 (RAF)        | Section 2, Section 3 and Section 6 |
| E.25 (RAF)       | Section 5                          |
| D.D.M.T. (M.T.5) | Section 3                          |
| D.D.M.C. (M.C.1) | Section 4                          |
| M. of A.         | Section 6                          |

Authority for Demanding

4. Published scales constitute the authority, to be quoted on demands, for equipment submitted by established units. Units may make use of all scales appropriate to their established function. Differences in size, location and layout of units will occur, even though they carry out the same or similar functions. Accordingly discretion is to be used when demanding on the basis of a scale. Equipment already held is to be taken into account before new demands are submitted.

5. In the event of units adopting a mobile role A.P.1827, Scale for Units in the Field, is to be used in substitution for basic scales in A.P.830, Vol. 3. It will still be necessary, however, for those units with functions not covered by A.P.1827 to demand additional equipment in accordance with A.P.830, Volume 3.



## SECTION 1

### ALPHABETICAL INDEX TO SCALES OF ROYAL AIR FORCE EQUIPMENT

1. This index contains an alphabetical guide to scales and schedules of R.A.F. equipment. In some instances an actual scale is quoted by A.P. and scale number, in others an A.P. number only is given. Further instances refer to the appropriate Vol. 3, but in these circumstances a cross reference has been given to the subsequent section of this publication, in which a list of volumes 3 and their associated equipment can be found.
2. Similar cross reference has been made to lists of airframe appendix "A" serial numbers, Forms 1668 serial numbers and specialist vehicle inventory numbers. It should be noted that at the present moment both "specialist vehicle inventories" (S.V.Is) and "radio vehicle inventories" (R.V.Is) are in existence. A revised layout for these inventories has been approved and a programme is in hand to replace the present issue with a superseding issue printed in the new format. Radio and Specialist Vehicle Inventories will be merged under the title Specialist Vehicle Inventories, which will then be common to both types of vehicle.
3. Barrack scales, prefixed "B" in this index, which have a number of 200 or higher are War scales. They are promulgated in A.P.830, Volume 3, Part 3 (War) 1954 Edition. In all instances except one (Mobile 1st Aid Units at Hospitals, which has no equivalent) they have been bracketed with the equivalent peace time scale.

| TITLE   | A.P. No.                  | SCALE No.              |
|---|---------------------------|------------------------|
| <u>ACCOUTREMENTS:-</u>  |                           |                        |
| Held on Personal Charge   | 830                       | C.5                    |
| Held on Unit Charge   | 830                       | C.7                    |
| Issued to Reserves on Mobilisation or in an Emergency                   | 830                       | C.68                   |
| Aerial Installation Section   | 830                       | A.40                   |
| <u>AIR ARMAMENT:-</u>   |                           |                        |
| Ranges  | 830                       | E.60                   |
| Tools   | 1882                      | -                      |
| <u>AIRCRAFT:-</u>   |                           |                        |
| Additional Equipment when operating in <sup>Arctic</sup> Arctic Regions | 830                       | E.62                   |
| Finishing Sections  | 830                       | A.56                   |
| Flight Lock-up (1st Line Servicing)                                     | 830                       | A.48                   |
| Scales of Appendix "A" Equipment when issued for Training Purposes      | <del>1942</del>           | <del>-</del> AL 45     |
| Schedule of Airframe Equipment  | Appropriate Appendix "A"  | )                      |
| Specific to Type Equipment  | Appropriate Vol. 3, Pt. 3 | ) See Section 6        |
| <u>AIRCREW:-</u>  |                           |                        |
| Airmanship and Survival Demonstration Rooms                             | 3166 Pt. 1                | -                      |
| Crew Rooms  | 830                       | B.73, B.278            |
| Meal Centres  | 830                       | B.30, B.95             |
| AIRFIELD BUFFETS  | 830                       | B.92, B.292            |
| AIRFIELD CONSTRUCTION SERVICES  | 3010, 830                 | A Scales               |
| <del>AIRFRAME ACCESSORIES - TOOLS AND TEST EQUIPMENT</del>              | <del>3178</del>           | <del>Pt. 1</del> AL 45 |
| AIR MOVEMENTS SECTIONS  | 830                       | )A.71, B.93,<br>)B.293 |
| AIR TRAFFIC CONTROL   | 830                       | A.69, B.96             |
| <u>ARMAMENT SECTIONS:-</u>  |                           |                        |
| Squadron  | 830                       | A.43                   |
| Station   | 830                       | A.42                   |

| TITLE  | A.P. No.                      | SCALE No.   |
|--|-------------------------------|-------------|
| <u>AIR TRAINING CORPS:-</u>  |                               |             |
| Glider Units   | 3169                          | -           |
| Squadrons  | 1896                          | -           |
| <u>BADGES:-</u>  |                               |             |
| Airman   | 830                           | C.6         |
| Airwomen   | 830                           | C.55        |
| BALLOON TOOLS AND GROUND EQUIPMENT   | 830                           | A.68        |
| BATTERY CHARGING ROOMS   | 830                           | A.57        |
| BOMBING TEACHERS INSTALLATION SECTIONS   | 830                           | A.67        |
| BOMB DISPOSAL UNITS  | 1946                          | -           |
| <u>CASUALTY AIR EVACUATION:-</u>   |                               |             |
| Conversion of Freighter or other A/C.<br>Units   | 830<br><i>1623 from AL 50</i> | B.68<br>-   |
| CHURCHES AND CHAPELS   | 830                           | B.85        |
| <u>CIVILIAN ACCOMMODATION:-</u>  |                               |             |
| Female First Aid and Rest Rooms  | 830                           | B.51/4      |
| First Aid Centres  | 830                           | B.51/3      |
| Instructors Common Rooms   | 830                           | B.94, B.294 |
| Messing Rooms  | 830                           | B.51/2      |
| Restaurants and Canteens   | 830                           | B.51/1      |
| Rest Rooms   | 830                           | B.51/5      |
| Washing Facilities   | 830                           | B.51/6      |
| <u>CLEANING MATERIALS:-</u>  |                               |             |
| R.A.F. Units other than Works Units  | 830                           | E.64        |
| Works Units  | 830                           | E.65        |
| CLOTHING (see Clothing for Reserve Forces,<br>Flying Clothing, Personal Clothing, Uniform Clothing<br>for Civilians, Working and Protective Clothing). |                               |             |

| TITLE   | A.P.No.  | SCALE NO.     |
|---|----------|---------------|
| <u>CLOTHING FOR RESERVE FORCES:-</u>                                |          |               |
| Airmen R. Aux. A.F. and R.A.F.V.R.                                  | 830      | C.63          |
| Airwomen W.R. Aux. A.F. and W.R.A.F.V.R.                            | 830      | C.64          |
| Kitting Regulations on Mobilisation                                 | 3155     | -             |
| Minimum Scales of Kitting at P.T.C's, P.D.U's<br>or Reserve Flights | 830      | C.66          |
| Officers R.A.F.R.O., R. Aux. A.F., R.A.F.V.R.                       | 830      | C.61          |
| Officers W.R.A.F.R.O., W.R. Aux. A.F., W.R.A.F.V.R.                 | 830      | C.62          |
| Retained by Airmen on Discharge                                     | 830      | C.65A         |
| Retained by Airwomen on Discharge                                   | 830      | C.65B         |
| Tropical Clothing   | 830      | C.67          |
| COMBINED CADET FORCE UNITS  | 3174     | -             |
| CONFERENCE ROOMS AT FORMATION H.Q.'s                                | 830      | B.50          |
| CRASH AND SALVAGE SECTIONS  | 830      | A.52          |
| CRASH GUARDING PARTIES  | 830      | B.116         |
| CRIMINAL INVESTIGATION KITS   | 830      | E.63          |
| DENTAL CENTRES  | 132, 830 | B.70          |
| DINGHY DRILL (NET)  | 830      | E.67, E.67(a) |
| DINGHY SECTIONS   | 830      | A.63          |
| DISPERSAL AND ISOLATED SITES  | 830      | B.111         |
| DOG TEAMS   | 830      | E.56          |
| DRAWING OFFICES   | 830      | E.61          |
| DRUMS AND TRUMPETS  | 830      | E.53          |

| TITLE   | A.P. No.       | SCALE NO.            |
|---|----------------|----------------------|
| <b>EDUCATION:-</b>  |                |                      |
| <del>Drawing Instruments and Instructional aids<br/>Children's Schools Overseas</del> | <del>830</del> | <del>B.50(a)</del>   |
| Drawing Instruments and Instructional aids -<br>Station Education Sections            | 830            | E.50(a)              |
| Instructional and Lecture Rooms (other than G.E.S.)                                   | 830            | B.76                 |
| Practical Activities  | 830            | E.57                 |
| Rooms for the General Education Scheme  | 830            | B.84                 |
| Science   | 830            | E.58                 |
| <del>EJECTION SEAT SERVICING BAY</del>  | <del>830</del> | <del>A.77</del>      |
| ELECTRICAL SECTIONS   | 830            | A.44                 |
| <b>ELECTRONIC CENTRES:-</b>   |                |                      |
| Barrack Equipment   | 830            | B.79                 |
| Technical Equipment consisting of:-   |                |                      |
| (a) Electrical Section  | 830            | A.44                 |
| (b) Instrument Section  | 830            | A.50                 |
| (c) Combined Radio Bays   | 830            | A.58                 |
| <b>ENGINE:-</b>   |                |                      |
| Bays  | 830            | A.45                 |
| Tools and Test Equipment for Engine Accessories                                       | 3178 Pt. 2     | -                    |
| Tool Kits   | 1957           | -                    |
| EQUIPMENT SECTIONS  | 830            | A.46                 |
| EQUIPMENT TO BE CARRIED ON MT VEHICLES IN SIGNALS<br>CONVOYS                          | 830            | E.55                 |
| EXPLOSIVES STORE HOUSES MAGAZINES AND DANGER AREAS                                    | 830            | A.79                 |
| FIGHTER COMMAND FLIGHT PLANNING SECTIONS  | 830            | E.66                 |
| <b>FIRE FIGHTING APPLIANCES FOR:-</b>   |                |                      |
| <del>AA&amp;W SITES</del>   | <del>830</del> | <del>B.106</del>     |
| Aviation Fuel Reserve and Distributing Depots   | 830            | B.100                |
| <del>BLUE STEEL BUILDINGS</del>   | <del>830</del> | <del>B.107</del>     |
| Control and Reporting Buildings   | 830            | B.103, B.303         |
| Explosive and Chemical Depots   | 830            | B.101, B.301         |
| Permanent Stations/Hutted Camps   | 830            | B.97/163,<br>(B.297) |
| S.A.G.N. Sites  | 830            | B.104                |
| <del>SARAH SITES</del>  | <del>830</del> | <del>B.105</del>     |
| Tented Camps  | 830            | B.102, B.302         |
| Unestablished A/C. and F.I.D.O.   | 830            | B.99, B.299          |
| Unit Fire Sections  | 830            | B.98                 |
| FIRST AID AND REST ROOMS  | 830            | B.88                 |

437

9432.

| TITLE  | A.P. No.           | SCALE No.              |
|--|--------------------|------------------------|
| FLIGHT REFUELLING TRAINER - TOOLS AND TEST EQUIPMENT | 830                | A.75                   |
| <u>FLIGHT SIMULATOR:-</u>                            |                    |                        |
| Buildings  | 830                | B.79/1                 |
| Installation Sections                                | 830                | A.72                   |
| <u>FLYING CLOTHING:-</u>                             |                    |                        |
| Appropriate to special A/C. only                     | 830                | C.22                   |
| Locker Rooms   | 830                | L.64                   |
| Scale of Personal Equipment                          | 830                | C.21                   |
| Watches  | 830                | C.21 App. 1            |
| <u>FUEL AND LIGHT:-</u>                              |                    |                        |
| Fuel - Home Stations                                 | 830                | B.117                  |
| Light - Home Stations                                | 830                | B.118                  |
| GARDENS AND GROUNDS                                  | 830                | B.108                  |
| GAS PRODUCTION UNITS                                 | 3179               | Pt. 2                  |
| <u>GROUND DEFENCE:-</u>                              |                    |                        |
| Active Defence                                       | 3111 Part A        | -                      |
| Passive Defence                                      | 3111 Part B        | -                      |
| <b>SAFETY TEAMS</b>                                  | <b>3111 Part C</b> |                        |
| GROUND EQUIPMENT SERVICING SECTION                   | 830                | A.54                   |
| GUARD HOUSE  | 830                | B.87                   |
| GYMNASIA AND SQUASH COURTS                           | 830                | B.86, B.86/1,<br>B.286 |
| HAIRDRESSERS SHOP                                    | 830                | B.89, B.289            |

| TITLE  | A.P. No.             | SCALE No.       |
|--|----------------------|-----------------|
| <u>HOSPITALS</u>   |                      |                 |
| Fixed and Mobile   | 132                  | -               |
| (see also):-   |                      |                 |
| Airmens/Airwomens block  | 830                  | B.56            |
| Clinical Photographic Equipment  | 830                  | E.51            |
| Clothing   | 830                  | <del>E.45</del> |
| Dispensary, Operating Theatre, X-ray Room and<br>Clinical Photography Section          | 830                  | B.59            |
| Duty and Common Rooms  | 830                  | B.58            |
| Entrance Halls, Lobbies, Corridors, Bathrooms,<br>Showers, Cloakrooms, Cleaner's Rooms | 830                  | E.61            |
| Families accommodation   | 830                  | B.57            |
| Mobile 1st Aid Units   | 830                  | B.205           |
| Officer's Block  | 830                  | B.55            |
| Physiotherapy Department   | 830                  | B.62            |
| Practical Nursing and Trained Nurse 1 Courses  | 830                  | E.72            |
| Stores, Mortuary, Gardens, Disinfecting Chamber  | 830                  | B.63            |
| Visitors, Reception, Waiting, Casualty, Board,<br>Dressing Rooms and Cubicles          | 830                  | B.60            |
| WELFARE FAMILY HEALTH CENTRE<br>OVERSEAS COMPANIES                                     | 830                  | B.64            |
| <u>TITLE</u>   |                      |                 |
| <u>AP NO.</u>  |                      |                 |
| <u>Scale No.</u>   |                      |                 |
| HYDRAULIC BAY  | 830                  | A81             |
| PNEUMATIC BAY  | 830                  | A83             |
| INSECT CONTROL   | 830                  | B.109           |
| <u>INSTITUTES AND CLUBS:-</u>  |                      |                 |
| <del>Airmen's Clubs</del>  | <del>830</del>       | <del>B.42</del> |
| <del>Airmen's Institutes</del>   | <del>830</del>       | <del>B.41</del> |
| R.A.F. Clubs and Institutes - Accommodation for<br>A.M. Civilians                      | 830                  | B.43            |
| INSTRUMENT SECTION   | 830                  | A.50            |
| JOINT AIR PHOTOGRAPHIC INTERPRETATION UNITS OVERSEAS                                   | 830                  | E.68            |
| <u>MARINE CRAFT:-</u>  |                      |                 |
| Crash and Medical kits   |                      |                 |
| Equipment for Pinnaces and R.S.L's Operating<br>Outside Harbour Areas                  | )<br>3176 Pt. 1<br>) | -               |
| Life Saving Equipment  |                      |                 |
| Repair Depots  | 3176 Pt. 2           | -               |
| Schedule of Spares   | Appropriate Vol. 3   | Sec Section 4   |

| TITLE   | A.P. No.     | SCALE No.     |
|---|--------------|---------------|
| <u>MARINE CRAFT (Contd.)</u>  |              |               |
| Sections  | 3176 Pt. 2   | -             |
| Special Clothing Issued for S & R Purposes                          | 3176 Pt. 1   | -             |
| Standard Lists of Equipment   | Forms 1668   | See Section 4 |
| Storage units   | )            |               |
| Units   | ) 3176 Pt. 2 |               |
| <u>MARRIED QUARTERS:-</u>   |              |               |
| Airmens (including Warrant Officers)                                | 830          | B.2           |
| Officers  | 830          | B.1           |
| MASTER DIVERSION AIRFIELDS  |              |               |
|   | 830          | A.74          |
| <u>MATERIALS:-</u>  |              |               |
| Covering for Upholstered Furniture                                  | 830          | B.112         |
| Service Manned Shoemakers Shops (Home Units)                        | 830          | C.113         |
| Service Manned Tailors Shops (Home Units)                           | 830          | C.112         |
| Straw   | 830          | B.110         |
| <u>M.I. AND ACCIDENT RECEPTION BLOCKS AT SATELLITE AERODROMES:-</u> |              |               |
| Barrack Equipment   | 830          | B.71          |
| Clothing  | 830          | C.47          |
| MEDICAL AND DENTAL SER, SECTION WORKSHOP LOCK-UP                    |              |               |
|   | 830          | A.76          |
| MEDICAL INSPECTION BLOCKS   |              |               |
|   | 830          | B.69          |
| <u>METEOROLOGICAL:-</u>   |              |               |
| Barrack Equipment   | 830          | B.91          |
| Sections  | 830          | E.52          |
| <u>MISSILES:-</u>   |              |               |
| Preparation Sheds   | 830          | A.73          |
| MOBILE AIR MOVEMENTS TEAMS  |              |               |
|   | 830          | E.73          |
| MODIFICATION SECTIONS (see Rectification and Modification Sections) |              |               |



| TITLE   | A.P. No.           | SCALE No.   |
|---|--------------------|-------------|
| <u>M.T.:-</u>   |                    |             |
| Squadron  | 1911               | -           |
| Flights   | 830                | A.51        |
| Light Repair Units  | 3011               | -           |
| <u>M.T. VEHICLES:-</u>  |                    |             |
| Inventories of Equipment  | Form 748           | )           |
| Schedule of Spares  | Appropriate Vol. 3 | ) See A.P.  |
| Specialist Vehicle Inventories  | S.V.I.'s           | ) 2515A     |
|   |                    | )           |
| OFFICES   | 830                | B.49, B.249 |
| OPERATIONS BLOCKS   | 830                | B.77, B.277 |
| PARACHUTE MEDICAL TEAM  | 3172               | -           |
| PARACHUTE SECTIONS  | 830                | A.62        |
| <u>PERSONAL CLOTHING AND NECESSARIES, ETC.:-</u>  |                    |             |
| Airmen Initial Issue on Establishment   | 830                | C.2(a)      |
| Airwomen Initial Issue on Establishment   | 830                | C.51        |
| Airwomen posted to certain specified duties   | 830                | C.58        |
| Airmen on Goodwill Flights, Short Tours Abroad,<br>Transport Command Aircrew and Airmen Serving<br>at Fontainebleau | 830                | C.4(a)      |
| Airwomen on Flights of Short Duration to -<br>Overseas Countries where Tropical clothing is worn                    | 830                | C.53A       |
| Airmen Posted to Certain Specified Duties   | 830                | C.10        |
| Airwomen Posted to Certain Specified Duties   | 830                | C.58        |
| Airwomen of W.R.A.F. Central Band   | 830                | C.59        |
| Apprentices and Boy Entrants  | 830                | C.1         |
| Flight Cadets at Cranwell and Technical Cadets<br>at Henlow   | 830                | C.8         |
| Maintained by Airmen in Specified Overseas Areas  | 830                | C.4         |
| Maintained by Airwomen in M.E.A.F. and F.E.A.F.   | 830                | C.54        |
| Maintained by Airmen in U.K.  | 830                | C.26        |
| Maintained by Airwomen in U.K.  | 830                | C.52        |
| Maintained by Airmen in R.A.F. Germany (2nd T.A.F.)   | 830                | C.3         |
| Maintained by Airwomen in R.A.F. Germany (2nd R.A.F.)   | 830                | C.53        |
| Officer Cadets (G.D.) at No. 1 I.T.S.   | 830                | C.11        |
| Personnel Operating in Artic Regions  | 830                | C.9         |
| R.A.F. Bands (Established)  | 830                | C.37        |

| TITLE   | A.P. No.        | SCALE No.       |
|---|-----------------|-----------------|
| <del>PHOTOGRAPHIC SECTIONS MOBILE FIELD</del>                   | <del>3014</del> | <del>A.50</del> |
| POST ROOMS  | 830             | B.90            |
| <del>AL 47<br/>PROPPELLER:-</del>                               |                 |                 |
| Bays  | 830             | A.53            |
| <del>AL 47<br/>Tool Kits</del>                                  | <del>3110</del> |                 |
| <u>QUARTERS AND MESSSES:-</u>                                   |                 |                 |
| Airmen's Single Quarters  | 830             | B.30, B.230     |
| Airmen's/Airwomen's Dining Rooms                                | 830             | B.32, B.232     |
| Airmen's/Airwomen's Kitchens                                    | 830             | B.33, B.233     |
| Airwomen's Single Quarters                                      | 830             | B.31, B.231     |
| Airwomen's Sitting Rooms  | 830             | B.35, B.235     |
| <i>CORPORALS &amp; AIRMEN'S SITTING ROOMS</i>                   | <i>830</i>      | <i>B.34</i>     |
| Officers' Mess - Ancillary Accommodation                        | 830             | B.9             |
| Officers' Mess - Dining Rooms                                   | 830             | B.10, B.210     |
| Officers' Mess - General Accommodation                          | 830             | B.8, B.208      |
| Officers' Mess - Kitchens                                       | 830             | B.11, B.211     |
| Officers' Mess - Single Quarters                                | 830             | B.7, B.207      |
| Officers' Mess - W.R.A.F. Officers' Sitting Rooms               | 830             | B.12, B.212     |
| Sergeants' Mess - Dining Rooms                                  | 830             | B.21, B.221     |
| Sergeants' Mess - Kitchens                                      | 830             | B.22, B.222     |
| Sergeants' Mess - Mess Rooms                                    | 830             | B.20, B.220     |
| Sergeants' Mess - Single Quarters                               | 830             | B.19, B.219     |
| Sergeants' Mess - W.R.A.F. W.O's and S.N.C.O's<br>Sitting Rooms | 830             | B.23, B.223     |
| RADAR AND RADIO (see Signals)                                   |                 |                 |
| RADIOGRAPHIC TEAMS  | 830             | E.70            |
| R.A.F. CAREERS INFORMATION CENTRES                              | 830             | B.88            |
| R.A.F. REGIMENT (including Malaya)                              | 1913            | -               |
| REDIFICATION AND MODIFICATION SECTIONS                          | 830             | A.41            |
| REPAIR AND SALVAGE UNITS  | 3179 Pt. 1      | -               |

HL  
43

HL  
12

| TITLE                                 | A.P. No.                | SCALE No.       |
|---------------------------------------|-------------------------|-----------------|
| RESCUE TEAMS LAND                     | 3172                    | -               |
| ROCKET MOTOR TOOL KITS                | 1957                    | -               |
| ROYAL OBSERVER CORPS                  | 1943                    | -               |
| <u>SCHOOLS:-</u>                      |                         |                 |
| Advanced Flying                       | 3168                    | -               |
| Air Electronics                       | 3156                    | -               |
| Air Navigation                        | 3166                    | -               |
| Childrens Overscas                    | 830                     | B.82, E.50(b)   |
| Flying Training                       | 3167                    | -               |
| <u>SHOEMAKERS' SHOPS:-</u>            |                         |                 |
| Barrack Equipment                     | 830                     | B.39, B.289     |
| Materials                             | 830                     | C.113           |
| Tools                                 | 830                     | A.65            |
| <u>SICK QUARTERS</u>                  |                         |                 |
| (see also)                            |                         |                 |
| Clothing                              | 830                     | <del>C.67</del> |
| Miscellaneous Accommodation           | 830                     | B.67            |
| Wards, Kitchens and General Store     | 830                     | B.66            |
| <u>SIGNALS, RADAR, RADIO:-</u>        |                         |                 |
| Combined Radio Bays                   | 830                     | A.58            |
| Radio Installations - Air             | ) Appropriate Volumes 3 | See Section 5   |
| - Ground                              |                         |                 |
| Stations Signals Section              | 830                     | A.55            |
| Teleprinter Repair Section            | 830                     | A.59            |
| <u>STATIONS FIRE SECTIONS:-</u>       |                         |                 |
| Barrack Equipment and Fire Appliances | 830                     | B.98            |
| Tools and Technical Equipment         | 830                     | A.70            |

| TITLE   | A.P. No.  | SCALE No.   |
|---|---|-------------|
| <u>STORAGE UNITS:-</u>                              |   |             |
| Aircraft Equipment Depots                           | 3179 Pt. II   | S.2         |
| Aircraft Storage Units                              | 3179 Pt. II   | S.1         |
| Explosives Depots                                   | 3179 Pt. II   | S.3         |
| Gas Production and Storage Units                    | 3179 Pt. II   | S.5         |
| M.T. Storage Units                                  | 1990  | -           |
| <u>STOREHOUSES (EXCLUDING PARACHUTE STORES)</u>     |   |             |
|   | 830   | B.83        |
| <u>STUDY ROOMS FOR APPRENTICES AND BOY ENTRANTS</u> |   |             |
|   | 830   | B.36        |
| <u>SYNTHETIC TRAINING EQUIPMENT</u>                 |   |             |
|   | M. G. D. No. 40<br>Controlled by Air Ministry T.O.7 to whom application should be made through the usual channels |             |
| <u>TAILORS SHOPS:-</u>                              |   |             |
| Barrack Equipment                                   | 830   | B.89, B.289 |
| Materials   | 830   | C.112       |
| Tools   | 830   | A.66        |
| <u>TECHNICAL BUILDINGS</u>                          |   |             |
|   | 830   | B.80, B.280 |
| <u>TOOL KITS TRADESMANS</u>                         |   |             |
| Aerial Erectors (Riggers)                           | 830   | A.21        |
| Air Electronics Officers - V Class Aircraft         | 830   | A.10        |
| Air Signallers - Comet and Britannia Aircraft       | 830   | A.9         |
| Aircraft Assistants                                 | 830   | A.2         |
| Aircraft Fitters                                    | 830   | A.1         |
| Airframe Fitters (apprentices)                      | 830   | A.4         |
| Airframe Fitters                                    | 830   | A.2         |
| Airframe Mechanics                                  | 830   | A.2         |
| Armament Assistants                                 | 830   | A.5         |
| Armament Fitters                                    | 830   | A.5         |
| Armament Mechanics                                  | 830   | A.5         |
| Blacksmiths and Welders                             | 830   | A.13        |
| Boatwrights and Boat Repairers                      | 830   | A.17        |
| Bricklayers   | 830   | A.27        |
| Carpenters  | 830   | A.16        |
| Carpenters (Works)                                  | 830   | A.28        |

| TITLE                                      | A.P. No.   | SCALE No.   |
|--|------------|-------------|
| <u>TOOL KITS TRADESMANS (Contd.):-</u>     |            |             |
| Coppersmiths                               | 830        | A.15        |
| Cryptographic Mechanics                    | 830        | A.22        |
| Electrical Fitters                         | 830        | A.6         |
| Electrical Mechanics                       | 830        | A.6         |
| Electricians (Works)                       | 830        | A.29        |
| Engine Fitters                             | 830        | A.3         |
| Engine Mechanics                           | 830        | A.3         |
| Engineer Assistants on Ocean Weather Ships | 830        | A.25        |
| Excavation Operator Mechanics              | 830        | A.31        |
| Fabric Workers                             | 830        | A.12        |
| Flight Engineers                           | 830        | A.8         |
| General Fitters                            | 830        | A.1         |
| General Mechanics                          | 830        | A.3         |
| Grinders                                   | 830        | A.14        |
| Instrument Fitters                         | 830        | A.7         |
| Instrument Mechanics                       | 830        | A.7         |
| Machine Tool Setter and Operator           | 830        | A.14        |
| Marine Assistants                          | 830        | A.3         |
| Marine Fitters                             | 830        | A.3         |
| Marine Mechanics                           | 830        | A.3         |
| <b>MEDICAL TECHNICIANS</b>                 | <b>830</b> | <b>A.34</b> |
| Millers                                    | 830        | A.14        |
| Model Makers                               | 830        | A.16        |
| Moulders                                   | 830        | A.23        |
| M.T. Assistants                            | 830        | A.3         |
| M.T. Drivers                               | 830        | A.19        |
| M.T. Driver Operators                      | 830        | A.19        |
| M.T. Fitters                               | 830        | A.3         |
| M.T. Mechanics                             | 830        | A.3         |
| M.T. Mechanic Drivers                      | 830        | A.3         |
| Painters and Dopers                        | 830        | A.12        |
| Photographic II - Reconnaissance Servicing | 830        | A.11        |
| Plant Fitters                              | 830        | A.30        |
| Plant Operators                            | 830        | A.31        |
| Plumbers and Pipe Fitters                  | 830        | A.32        |
| Radar, Radio and Wireless Fitters          | 830        | A.20        |
| Radar, Radio and Wireless Mechanics        | 830        | A.20        |
| Safety and Surface Workers                 | 830        | A.12        |
| Safety Equipment Assistants                | 830        | A.12        |
| Safety Equipment Workers                   | 830        | A.12        |
| Sheet Metal Wrokers                        | 830        | A.15        |
| Shoemakers                                 | 830        | A.24        |

|         | TITLE  | A.P. NO. | SCALE NO. |
|---------|--|----------|-----------|
|         | <u>TOOL KITS TRADESMANS (Contd.):-</u>   |          |           |
|         | Surface Workers  | 830      | A.12      |
|         | Telegraph Fitters  | 830      | A.22      |
|         | Telegraph Mechanics  | 830      | A.22      |
|         | Towed Target Operators   | 830      | A.18      |
|         | Tractor Operator Mechanics   | 830      | A.31      |
|         | Turners  | 830      | A.14      |
|         | Works Constructors   | 830      | A.33      |
|         | Works Fitters  | 830      | A.26      |
|         | Works Mechanics  | 830      | A.26      |
| 3       | TEST EQUIPMENT NON DESTRUCTIVE   | 830      | A 82      |
|         | TRANSTOCK SERVICING SPARES   | 3180     | -         |
|         | TYRE AND WHEEL BAYS  | 830      | A.60      |
|         | <u>UNIFORM CLOTHING FOR CIVILIANS:-</u>  |          |           |
|         | Aeronautical Inspection Services   | 830      | C.83      |
|         | Air Ministry Constabulary  | 830      | C.73      |
|         | Batmen   | 830      | C.70      |
|         | Crews of Ocean Weather Ships   | 830      | C.78      |
|         | Customs Officers and Guards (S.B.A.) Cyprus  | 830      | C.87      |
|         | Employees in B.F.A.P.  | 830      | C.72(d)   |
|         | Employees in F.E.A.F. <i>AL 50</i>   | 830      | C.72(a)   |
|         | Employees in <del>S.B.A.</del> <i>A.F.G.</i> , Malta and Gibraltar                           | 830      | C.72(c)   |
|         | Firemen  | 830      | C.76      |
|         | Hall Porters (Officers Messes)   | 830      | C.70      |
|         | Mess Waiters (R.A.F. College Cranwell)   | 830      | C.71(a)   |
|         | Mess Waiters (other than Cranwell)   | 830      | C.71(b)   |
|         | Messengers   | 830      | C.70      |
|         | Motor Boat Crews   | 830      | C.79      |
|         | M.T. Drivers   | 830      | C.77      |
| 7-40    | NURSING GRADES   | 830      | C.90      |
|         | Paid Pensioner Recruiters  | 830      | C.75      |
|         | POLICE AUXILIARIES ADEN  | 830      | C.89      |
|         | Police Auxiliaries F.E.A.F.  | 830      | C.74(b)   |
|         | Police Auxiliaries in Hong King  | 830      | C.74(c)   |
|         | Police Auxiliaries M.E.A.F.  | 830      | C.74(a)   |
| K<br>12 | POLICE (S.B.A.) CYPRUS.  | 830      | C.88      |
|         | R.A.F. Careers Information Centre Attendants   | 830      | C.70      |
|         | Range Wardens  | 830      | C.70      |
|         | Servants and M.T. Drivers in Official Residences Overseas Except R.A.F. Germany (2nd T.A.F.) | 830      | C.72(b)   |
|         | Special Duties Uniform   | 830      | C.82      |
|         | UNITS IN THE FIELD   | 1827     | -         |

| TITLE  | A.P. No.       | SCALE NO.                           |
|--|----------------|-------------------------------------|
| UNIVERSITY AIR SQUADRONS                                   | 1892           | -                                   |
| V.C.C.P. BAYS  | 830            | L.47                                |
| W.R.A.F. REST/CHANGING ROOMS                               | 830            | B.81                                |
| WATCHES FOR USE WITH POLICE MOBILE RADIO VEHICLES          | 830            | E.69                                |
| W.C.'S AND URINALS   | 830            | B.108                               |
| <u>WORKING AND PROTECTIVE CLOTHING:-</u>                   |                |                                     |
| Airmen Butchers  | 830            | C.29 <del>1</del>                   |
| Airmen Cooks and Bakers                                    | 830            | <del>C.29</del> C38 C.29(a)         |
| Airwomen Cooks   | 830            | C.57                                |
| Airmen Crews of H.M. Air Force Vessels                     | 830            | <del>C.24</del> C24 <del>C.32</del> |
| <i>AIRMEN HANDLING CHEMICALS &amp; GASES</i>               | <del>830</del> | C.38                                |
| Airmen in other Trades and Duties                          | 830            | C.31                                |
| Airwomen in other Trades and Duties                        | 830            | C.56                                |
| Airwomen Posted to Certain Specified Duties                | 830            | C.58                                |
| Civilian Aeronautical Inspection Personnel                 | 830            | C.83                                |
| Civilian Cooks   | 830            | C.80                                |
| Civilians Employed in Certain Other Duties                 | 830            | C.81                                |
| Magazine Clothing  | 830            | C.26                                |
| Motor Cyclists   | 820            | <del>C.25</del> C25 <del>C.24</del> |
| M.T. Drivers   | 830            | <del>C.25</del> C25 <del>C.24</del> |
| Parachute Jumping Instructors                              | 830            | <del>C.35</del> C35 <del>C.34</del> |
| Personnel of Marine Craft Sections                         | 830            | C.23                                |
| <i>PROTECTION AGAINST WEATHER &amp; ADVERSE CONDITIONS</i> | <del>830</del> | C.32                                |
| Rescue Training  | 830            | C.33                                |
| Sanitary Squads  | 830            | C.27                                |
| <i>SCHOOL OF COMBAT SURVIVAL AND RESCUE.</i>               | <del>830</del> | C.34                                |
| WORKSHOPS  | 830            | A.61                                |

AL 32

DL  
32.

## SECTION 2

### INDEX TO MISCELLANEOUS SCALES NOT CONTAINED IN A.P. 830 Vol. 3 (MOD SM 4 (RAF) PUBLICATIONS)

- (a) Maintenance or Mobile Units
- (b) Ground Instructional
- (c) Reserve
- (d) Defence
- (e) Servicing and Inspection
- (f) Radio and Radar Convoys



SECTION 2INDEX TO MISCELLANEOUS SCALES NOT CONTAINED IN THE A.P.830, VOL. 3

## (E.4 PUBLICATIONS)

(a) MAINTENANCE OR MOBILE UNITS

|  |                  |
|--|------------------|
| Aircraft Storage and Supply Depots, General Equipment  | A.P.3179, Part 2 |
| Bomb Disposal Units                                    | A.P.1946         |
| Land Rescue Teams                                      | A.P.3172         |
| Marine Craft and Marine Craft Units                    | A.P.3176         |
| Repairs and Salvage Units                              | A.P.3179, Part 1 |
| Royal Air Force Front Line Squadrons and Support Units | A.P.1827         |

(b) GROUND INSTRUCTIONAL

|                         |          |
|-------------------------|----------|
| Air Electronics Schools | A.P.3166 |
| Air Navigation Schools  | A.P.3166 |
| Flying Training Schools | A.P.3167 |

(c) RESERVE

|                            |          |
|----------------------------|----------|
| A.T.C. Squadrons           | A.P.1896 |
| Combined Cadet Force       | A.P.3174 |
| Glider Units in the A.T.C. | A.P.3169 |
| Royal Observer Corps       | A.P.1943 |
| University Air Squadrons   | A.P.1892 |

(d) DEFENCE

|                     |          |
|---------------------|----------|
| Bomb Disposal Units | A.P.1946 |
| Ground Defence      | A.P.3111 |
| Active Defence      | Part A   |
| Passive Defence     | Part B   |
| R.A.F. Regiment     | A.P.1918 |

NOTE:- For details of aircraft 101B 3C see section 6.

## SECTION 3

### INDEX TO SCALES COVERING M. T. VEHICLES (including Radio Vehicles)

1. A comprehensive index to scales covering M.T. Vehicles can be found in A.P.2515A, Mechanical Transport Vehicles Complete.

2. The vocabulary section, reference number, Form 748 serial number, specialist vehicle inventory number (where applicable), spares Volume 3 number and other useful information, is given under the following breakdown:-

|           |                       |
|-----------|-----------------------|
| Section 1 | Index                 |
| Section 2 | Prime Movers          |
| Section 3 | Trailers              |
| Section 4 | Radio Vehicles        |
| Section 5 | Chassis Applicability |

## SECTION 4

### INDEX TO SCALES COVERING MARINE CRAFT

Para. 1. A Comprehensive Index to Scales covering Marine Craft, and Marine Craft Units is contained in A.P. 3176

Para. 2. The information contained in this Section is amplified below, Cols. 1, 2 etc.

Column 1 - Standard List of Equipment for Marine Craft

Column 2 - Reference No. of Craft

Column 3 - Description of Craft

Column 4 - Spares, Volume 3 for Craft

Column 5 - Description of engine

Column 6 - Spares, Volume 3 for engine

RESTRICTED

## INDEX TO STANDARD LISTS OF EQUIPMENT AND VOLUMES 3 FOR MARINE CRAFT

A/L.58 SEPTEMBER 1972

| Standard List of Equipment Serial No. | Ref. No. 16F/ | Marine Craft                    | Spares Vol.3 | Engine   | Spares Vol.3 |
|---------------------------------------|---------------|---------------------------------|--------------|--|--------------|
|                                       |               | Description                     |              | Description  |              |
| 1                                     | 2             | 3                               | 4            | 5  | 6            |
|                                       |               | CRAFT:-                         |              |  |              |
| 21                                    | 186           | Inshore Rescue                  | A.P.4879A    | Evinrude Big Rwin, 18ZZ/1  | A.P.4879A    |
| 19                                    | 184           | Landing General Purpose, Mk.1   | -            | Rolls-Royce C6SFLM, Qty 2, 18Q/1   | A.P.4542A    |
| 20                                    | 185           | Landing General Purpose, Mk.2   | -            | Rolls-Royce C6SFLM, Qty 2, Ref. Nos:-<br>Series 118 - 18Q/8000 - Port<br>Series 119 - 18Q/9000 - Starboard | A.P.4542A    |
| 18                                    | 183           | Landing vehicle                 | -            | Perkins S6M 130 H.P., Qty 2,<br>18AA/1330  | A.P.1812     |
|                                       |               | DINCHIES:-                      |              |  |              |
|                                       |               | Non-Powered                     |              |  |              |
|                                       | 156           | 14 Ft.                          |              |  |              |
|                                       | 37            | 15 Ft.                          |              |  |              |
|                                       | 153           | 16 Ft.                          |              |  |              |
|                                       | 175           | Reinforced glass fibre - 12 Ft. |              |  |              |
| 5                                     | 122           | 18 Ft.                          | A.P.2790A    | Meadows 8/28 H.P., Qty 1 - 18N/377   | A.P.1836     |
| 17                                    | 150           | Salvage 20 Ft 6 Ins             | A.P.4285A    | Meadows 8/28 H.P., Qty 1 - 18N/761   | A.P.1836     |
|                                       |               | LAUNCHES:-                      |              |  |              |
|                                       |               | Range Safety,                   |              |  |              |
| 8                                     | 108           | 4 1/2 Ft. Mk.1A                 | A.P.2200A    | Perkins S6M 130 H.P., Qty 2, 18AA/1330   | A.P.1812     |
| 3                                     | 158           | 43 Ft.                          | Rolls-Royce  | C6SFLM, Qty 2, 18Q/1   | A.P.4542A    |

RESTRICTED

## RESTRICTED

| 1  | 2   | 3                    | 4           | 5  | 6                      |
|----|-----|----------------------|-------------|--|------------------------|
|    |     | LAUNCHES (Contd.)    |             |  |                        |
|    |     | Rescue/Target Towing |             |  |                        |
| 1  | 182 | 68 Ft., Mk.1B        | A.P.5422A-B | Rolls-Royce Sea Griffon, Qty 2 - 18U/1                               | A.P.4561A              |
| 1  | 163 | 68 Ft., Mk.2         | A.P.4522A-B | Rolls-Royce Sea Griffon, Qty 2 - 18U/1                               | A.P.4561A              |
|    |     | PINNACES:-           |             |  |                        |
| 9  | 109 | 60 Ft., Mk.1         | A.P.1853    | Perkins SGM 130 H.P., Qty 3, 18AA/1330<br>or 18AA/1329               | A.P.1812               |
| 7  | 55  | 60 Ft., Mk.2         |             | Perkins SGM 130 H.P., Qty 3, 18AA/1330<br>or 18AA/1329               | A.P.1812               |
| 2  | 157 | 63 Ft.               | A.P.4521    | Rolls-Royce C6SFLM Qty.2 - 18Q/1                                     | A.P.4542A              |
|    |     | REFUELLERS:-         |             |  |                        |
| 22 | 149 | Mk.2                 | A.P.2791A   | Perkins SGM 130 H.P., Qty 2 -<br>18AA/1330                           | A.P.1812               |
|    | 188 | SAMPAN               |             |  |                        |
|    |     | TENDERS:-            |             |  |                        |
|    |     | Marine               |             |  |                        |
| 6  | 164 | 23 Ft., Mk.2         | A.P.4031B   | Ford/Parsons - 18HH/1  | A.P.2510A              |
| 4  | 82  | 24 Ft., Mk.2         | A.P.2505A   | Ford/Parsons Mk.2 65 H.P. - 18HH/1 <u>or</u><br>PERKINS 4/107-18AB/3 | A.P.2510A<br>A.P.4902A |

(51009) 10

A/L. 30 to A.P. 830

Vol. 3, Part A

## **SECTION 5**

**INDEX TO SCALES  
COVERING RADIO INSTALLATIONS  
(for Radio Vehicles see Section 3)**

SECTION (5)  
RADIO INSTALLATION VOLUMES 3  
 E25 Publications  
 Containing:- (a) Test Equipment  
 (b) Spares

| Installation                        | A.P. number           | Installation  | A.P. number         |
|-------------------------------------|-----------------------|---------------|---------------------|
| 1                                   | 2                     | 3             | 4                   |
| <u>AIRBORNE RADIO INSTALLATIONS</u> |                       | A.R.I.5876    | A.P.2554 C          |
| A.R.I.5267                          | A.P.2915 A and B      | A.R.I.5877    | A.P.2530 M          |
| A.R.I.5284                          | A.P.2533 C            | A.R.I.5878    | A.P.2890 G          |
| A.R.I.5378                          | A.P.2533 H            | A.R.I.5885    | A.P.2890 S          |
| A.R.I.5380                          | A.P.2533 G            | A.R.I.5887    | A.P.2917 E          |
| A.R.I.5386                          | A.P.2534 B            | A.R.I.5888    | A.P.2892 G          |
| A.R.I.5388                          | A.P.2876, A, B, and E | A.R.I.5890    | A.P.2892 H          |
| A.R.I.5398                          | A.P.2567 C            | A.R.I.5119    | A.P.2891 J          |
| A.R.I.5421                          | A.P.2567 C            | A.R.I.18006   | A.P.2898 C          |
| A.R.I.5428                          | A.P.2530 D            | A.R.I.18011   | A.P.2534 E          |
| A.R.I.5487                          | A.P.2552 L            | A.R.I.18012   | A.P.2876 G          |
| A.R.I.5570                          | A.P.2913              | A.R.I.18021   | A.P.2898 B and E    |
| A.R.I.5610                          | A.P.2914 Y            | A.R.I.18032   | A.P.2538 Q          |
| A.R.I.5634                          | A.P.2890 N            | A.R.I.18041   | A.P.2528 M          |
| A.R.I.5715                          | A.P.2890 Q            | A.R.I.18048   | A.P.2898 D          |
| A.R.I.5718                          | A.P.2557 B            | A.R.I.18049   | A.P.2898 D          |
| A.R.I.5729                          | A.P.2544 P            | A.R.I.18051   | A.P.2569 E          |
| A.R.I.5771                          | A.P.2915 A and B      | A.R.I.18059   | A.P.2534 K          |
| A.R.I.5800                          | A.P.2891 H            | A.R.I.18060 ) | A.P.2528 P          |
| A.R.I.5807                          | A.P.2892 F            | to )          |                     |
| A.R.I.5810                          | A.P.2894 K and M      | A.R.I.18068 ) |                     |
| A.R.I.5816                          | A.P.2557 M            | A.R.I.18069   | A.P.2528 N          |
| A.R.I.5820                          | A.P.2917 E            | A.R.I.18085   | A.P.2898 D          |
| A.R.I.5829                          | A.P.2557 G            | A.R.I.18089   | A.P.2876 A, B & C   |
| A.R.I.5835                          | A.P.2914 Y            | A.R.I.18090   | A.P.2533 G A        |
| A.R.I.5836                          | A.P.2914 Y            | A.R.I.18093   | A.P.2898 D          |
| A.R.I.5837                          | A.P.2557 B            | A.R.I.18107/2 | A.P.2534 N          |
| A.R.I.5839                          | A.P.2913 E            | A.R.I.18114   | A.P.2566 H          |
| A.R.I.5840                          | A.P.2917 E            | A.R.I.18124   | A.P.2531 J          |
| A.R.I.5847                          | A.P.2887 K            | A.R.I.18143   | A.P.2569 H          |
| A.R.I.5848                          | A.P.2887 N            | A.R.I.23007   | A.P.2553 B          |
| A.R.I.5849                          | A.P.2914 A F          | A.R.I.23010   | A.P.2538 K A        |
| A.R.I.5851                          | A.P.2890 R            | A.R.I.23013   | A.P.2914 A G        |
| A.R.I.5860                          | A.P.2913 D            | A.R.I.23016 ) |                     |
| A.R.I.5863                          | A.P.2528 K            | 23021 )       | A.P.2883 K D        |
| A.R.I.5870                          | A.P.2887 K            | 23022 )       |                     |
| A.R.I.5874                          | A.P.2535 E            | 23023 )       |                     |
|                                     |                       | A.R.I.23025   | A.P.2487 Q          |
|                                     |                       | A.R.I.23039   | A.P.2487 V          |
|                                     |                       | A.R.I.23040   | A.P.2883 L A and LB |

| 1                                       | 2                            | 3  | 4                 |
|---|------------------------------|--|-------------------|
| A.R.I.23041                             | A.P.2916 B                   | F.G.R.I.23003                            | A.P.2899 W        |
| A.R.I.23042                             | A.P.2914 AM                  | F.G.R.I.23008)                           | A.P.2556 R        |
| A.R.I.23043                             | A.P.2883 KD                  | F.G.R.I.23009)                           |                   |
| A.R.I.23044                             | A.P.2534 J                   | F.G.R.I.23014(W)                         | A.P.2885          |
| A.R.I.23048                             | A.P.2528 Q                   | F.G.R.I.23035                            | A.P.2555 T        |
| A.R.I.23057                             | A.P.2531 N                   | F.G.R.I.23072                            | A.P.2922 Z and ZA |
| A.R.I.23060                             | A.P.2528 KC                  |  |                   |
| AD.97/108                               | A.P.2883 H, HA, J, JA, K, KA |  |                   |
|   |                              | <u>MOBILE GROUND RADIO INSTALLATIONS</u> |                   |
|   |                              | M.G.R.I.5495                             | A.P.2542 V        |
| <u>FIXED GROUND RADIO INSTALLATIONS</u> |                              | M.G.R.I.5577 )                           |                   |
| F.G.R.I.5069                            | A.P.2534 C                   | M.G.R.I.5586 )                           | A.P.2885 L        |
| F.G.R.I.5305                            | A.P.2877 P                   | M.G.R.I.5866                             | A.P.2899 U        |
| F.G.R.I.5370                            | A.P.2530 F                   | M.G.R.I.18016                            | A.P.2555 M        |
| F.G.R.I.5417                            | A.P.2555 K                   | M.G.R.I.18088                            | A.P.2556 G        |
| F.G.R.I.5439                            | A.P.2528 H                   | M.G.R.I.18134)                           |                   |
| F.G.R.I.5439 A                          | A.P.2555 L                   | M.G.R.I.23001)                           | A.P.2555 RA to RM |
| F.G.R.I.5460                            | A.P.2980 K                   | M.G.R.I.23002                            | A.P.2899          |
| F.G.R.I.5461                            | A.P.2980 L                   | M.G.R.I.23026)                           |                   |
| F.G.R.I.5470 A                          | A.P.2530 G                   | M.G.R.I.23029)                           | A.P.2555 RA to RM |
| F.G.R.I.5472                            | A.P.2980 P                   | M.G.R.I.23038                            | A.P.2899 AA       |
| F.G.R.I.5614                            | A.P.2885 L                   | M.G.R.I.23049                            | A.P.2530 HA       |
| F.G.R.I.5666                            | A.P.2914 DA                  | M.G.R.I.23059                            | A.P.2524 L        |
| F.G.R.I.18013                           | A.P.2876 G                   |  |                   |
| F.G.R.I.18014                           | A.P.2980 R                   |  |                   |
| F.G.R.I.18015                           | ( A.P.2555 N                 |  |                   |
|   | ( A.P.2530 H                 |  |                   |
| F.G.R.I.18017                           | A.P.2534 F                   |  |                   |
| F.G.R.I.18018                           | A.P.2487 D and M             |  |                   |
| G.G.R.I.18020                           | A.P.2980 S                   |  |                   |
| F.G.R.I.18054 )                         |                              |  |                   |
| F.G.R.I.18055 )                         | A.P.2527 N                   |  |                   |
| F.G.R.I.18056 )                         |                              |  |                   |
| F.G.R.I.18081 )                         |                              |  |                   |
| F.G.R.I.18082 )                         | A.P.2527 N                   |  |                   |
| F.G.R.I.18148 )                         |                              |  |                   |
| F.G.R.I.18149 )                         | A.P.2980 U                   |  |                   |
| F.G.R.I.23036 )                         |                              |  |                   |
| F.G.R.I.23037 )                         |                              |  |                   |
| F.G.R.I.18151                           | A.P.2922 L                   |  |                   |
| F.G.R.I.23000 )                         |                              |  |                   |
| F.G.R.I.23002 )                         |                              |  |                   |
| F.G.R.I.23027 )                         | A.P.2555 RA to RM            |  |                   |
| F.G.R.I.18135 )                         |                              |  |                   |
| F.G.R.I.18140 )                         |                              |  |                   |
| (69792)38                               |                              |  |                   |



| 1                                   | 2                     |
|-------------------------------------|-----------------------|
| <u>AERIALS</u>                      |                       |
| Auto selection equipment            | A.P.2878 F            |
| Switch Unit type 10199              | A.P.2878 J and K      |
| V.H.F. ground station systems       | A.P.2521 J            |
| British V.H.F. (ground)             | A.P.2531 A to F       |
| Switch Units type 15088 to 10199    | A.P.2878 J and K      |
| Aircraft servicing intercom.        | A.P.2487 R            |
| <br>                                |                       |
| <u>AMPLIFIERS</u>                   |                       |
| Unit type 10173                     | A.P.2878 H            |
| A.1416 A                            | A.P.2881 B            |
| Type 1977                           | A.P.2881 D            |
| <br>                                |                       |
| <u>ARMY WIRELESS</u>                |                       |
| Type 46                             | A.P.2524 E            |
| No. 31 man pack                     | A.P.2524 G            |
| No. 88 A                            | A.P.2524 K            |
| BE.201                              | A.P.2524 M            |
| No. 19/31                           | A.P.2541 C (obsolete) |
| B.70                                | A.P.2541 D            |
| C.42                                | A.P.2541 F            |
| A.41                                | A.P.2541 H            |
| C.13                                | A.P.2541 G            |
| <br>                                |                       |
| <u>CABINETS FITTED</u>              |                       |
| Type 8756                           | A.P.2922 G            |
| Type 8755                           | A.P.2922 Q            |
| <br>                                |                       |
| <u>CONSOLES</u>                     |                       |
| Types 60 and 60 A                   | A.P.2897 NA           |
| Types 61, C1 A and 61 B             | A.P.2897 NB           |
| Type 64 (Fixed Coll Display System) | A.P.2897 R            |
| Type 65                             | A.P.2897 S            |
| Type 4476                           | A.P.2897 U            |
| <br>                                |                       |
| <u>CONTROL UNIT</u>                 |                       |
| T.310                               | A.P.2550 B            |
| Remote Ground Station Type 7225     | A.P.2883 GA           |

| 1   | 2                             |
|---|-------------------------------|
| <u>DRIVE UNITS RADIO</u>                      |                               |
| Type 16159                                    | A.P.2900 D                    |
| Type 10155                                    | A.P.2902 G                    |
| Type 10198                                    | A.P.2907 K                    |
| Type 42 and 42 A                              | A.P.2900 H                    |
| Type 9787                                     | A.P.2877 X                    |
| Type 4  | A.P.2877 U                    |
| <u>KEYING UNITS</u>                           |                               |
| Type 10195                                    | A.P.2902 F                    |
| Type 10161                                    | A.P.2922 U                    |
| <u>MISCELLANEOUS AIRBORNE INSTALLATIONS</u>   |                               |
| Speech Broadcast Equipment                    | A.P.2487 NA                   |
| Aircraft Servicing Intercom.                  | A.P.2497 R                    |
| AN/ANQ - 1A                                   | A.P.2407 T                    |
| 10 channel VHF TR1085                         | ) A.P.2528 P                  |
| 1000  |                               |
| 1007  |                               |
| SCR - 502                                     | A.P.2523 H                    |
| T. 1154/R 1155                                | A.P.2548 A                    |
| AN/ARC - 3                                    | A.P.2567 J                    |
| AN/APR - 5                                    | A.P.2563 D                    |
| AN/APR - 4, AN/ALR - 5                        | A.P.2500 F and G              |
| AN/IFR - 9B                                   | A.P.2563 G                    |
| AN/APA - 11A                                  | A.P.2568 J                    |
| AN/APC - 17B, AN/AIA - 6                      | A.P.2538 M                    |
| AN/ALA - 2                                    | A.P.2538 H                    |
| AN/ALA - 7                                    | A.P.2568 R                    |
| AN/ARR - 7                                    | A.P.2502 S                    |
| AN/APA - 74                                   | A.P.2568 T                    |
| AN/ALT - 7                                    | A.P.2568 U                    |
| AN/APT - 5                                    | A.P.2570 E                    |
| AN/APT - 16A                                  | A.P.2570 G                    |
| AN/ARC - 27                                   | A.P.2537 H and P              |
| Marconi Radio Installations                   | A.P.2883 H, HA, J, JA, K & KA |
| <u>MISCELLANEOUS GROUND INSTALLATIONS</u>     |                               |
| Radar Bomb Score Tables or 2113               | A.P.2899 AE                   |
| I.F.F. Mk. 10 (British)                       | A.P.2906 K                    |
| AN - MPN - 1.A Bendix GCA                     | A.P.2909 P                    |
| Loudspeaker and Equipment types 8061 and 8354 | A.P.2487 P                    |

| 1  | 2                |
|--|------------------|
| <u>MISCELLANEOUS GROUND INSTALLATIONS (Contd.)</u> |                  |
| Hadley Intercom. (Amplifier type 1996)             | A.P.2487 S       |
| Repeaters telephone, 2 circuit, No. 3W (Universal) | A.P.2487 W       |
| 12-24 Channel Remote Control Equipment             | A.P.2529 G       |
| British VHF Equipment                              | A.P.2531 RGF     |
| AN/G.R.C. - 32A                                    | A.P.2567 M and P |
| AN/G.R.C. - 27                                     | A.P.2567 R       |
| T.R. 1982  | A.P.2883 NJ      |
| Automatic Keying Units                             | A.P. 2885 N      |
| <br>   |                  |
| <u>MODULATOR UNITS</u>                             |                  |
| Type 98  | A.P.2877 G       |
| Types 96 and 96 A                                  | A.P.2980 M       |
| Type 127   | A.P.2887 U       |
| <br>   |                  |
| <u>MONITOR UNITS</u>                               |                  |
| Type 10164   | A.P.2922 T       |
| <br>   |                  |
| <u>OSCILLATOR UNITS</u>                            |                  |
| Types 350 )  |                  |
| 355 )  |                  |
| 7386 )   | A.P.2883 NH      |
| 7387 )   |                  |
| Type 7169  | A.P.2883 NM      |
| <br>   |                  |
| <u>PHOTO FACSIMILE EQUIPMENT</u>                   |                  |
| Terminal   | A.P.2923 A and B |
| <br>   |                  |
| <u>PORTABLE RADIO</u>                              |                  |
| W/T station type 20A                               | A.P.2524 H       |
| station type 26A                                   | A.P.2524 J       |
| TR.13280 VHF man pack                              | A.P.2524 P       |
| <br>   |                  |
| <u>RACK ASSEMBLIES</u>                             |                  |
| Types 242 and 242 A                                | A.P.2566 D       |
| Types 274  | A.P.2566 E       |
| Types 243 and 246                                  | A.P.2566 F       |

| 1   | 2                  |
|---|--------------------|
| <u>RACK ASSEMBLIES (Contd.)</u>   |                    |
| Types 254 )<br>254 A )<br>255 )<br>255 A )<br>277 )<br>7200 )<br>7201 )<br>7209 ) | A.P.2883 NB and ND |
| Types 276 )<br>266 )<br>7198 )<br>266 A )<br>7204 )<br>9453 )                     | A.P.2883 NE        |
| Types 7116 )<br>7203 )  | A.P.2883 NM        |
| Types 772 )<br>272 A )<br>9352 )<br>9352 A )                                      | A.P.2980 R         |
| Types 238 )<br>239 )  | A.P.2980 S         |
| Types 7199 )<br>7202 )  | A.P.2883 NH        |
| Types 233 )<br>268 )<br>269 )<br>270 )  | A.P.2980 J         |
| <u>RADAR</u>  |                    |
| Photographic display systems  | A.P.2523 C         |
| Recording Equipment type 1497   | A.P.2523 D         |
| Type 13 Mks. 6 and 7 )<br>Type 14 Mks. 7, 8 and 9 )                               | A.P.2527 B         |
| Information Generator   | A.P.2527 C         |
| Information Generation and Distribution   | A.P.2527 E         |
| Static C.H.E.   | A.P.2527 F         |
| Static C.E.W.   | A.P.2527 G         |
| Static G.C.I.   | A.P.2527 H         |
| Type 54 Mks. 2 and 3  | A.P.2527 K         |
| Type 80 Mks. 1, 2 and 2A  | A.P.2527 Q         |
| Type 80 Mk. 3   |                    |
| Marker Unit (Video Map) type 30   | A.P.2527 R         |
| AV/FPS - 6  | A.P.2527 U         |
| AN/GPN - T2   | A.P.2909 L         |
| Type 7 Mk. 2 and 3  | A.P.2901 M         |
| RADAR LINK TYPE 1   | A.P.2527 N         |
| CPN - 4   | A.P.2899 X         |
| CPN - 18 A  | A.P.2899 AD        |

| 1                                  | 2                |
|------------------------------------|------------------|
| <u>RADIO VEHICLES AND TRAILERS</u> |                  |
| R.V.T.'s 500, 501 and 502          | A.P.2527 B       |
| R.V.T. 195                         | A.P.2530 HA      |
| R.V.T. 150                         | A.P.2542 JA      |
| R.V.T. 105 Mk. 1                   | A.P.2542 C       |
| R.V.T. 370 Mk. 1                   | A.P.2542 Q       |
| R.V.T. 393 Mk. 1                   | A.P.2542 X       |
| R.V.T. 571 )                       |                  |
| R.V.T. 572 )                       |                  |
| R.V.T. 573 )                       | A.P.2556 G       |
| R.V.T. 575 )                       |                  |
| R.V.T. 576 )                       |                  |
| R.V.T. 510                         | A.P.2897 Q       |
| R.V.T. 529 Mk. 1 AA 3 Mk. 7        | A.P.2899 AB      |
| <u>RECEIVERS</u>                   |                  |
| R. 209 Mk. 2                       | A.P.2541 E       |
| R. 1392 D                          | A.P.2555 F       |
| R. 216                             | A.P.2555 Q       |
| HRG Mk. 1 and 2                    | A.P.2567 D       |
| A.R. 88 LF                         | A.P.2567 E       |
| AR 88 (1100/391)                   | A.P.2567 F       |
| TR 18 Q                            | A.P.2567 H       |
| AN/GRR - 7                         | A.P.2880 D and E |
| AN/CRD - 6                         | A.P.2880 G       |
| R. 1475                            | A.P.2555 K       |
| R. 10149                           | A.P.2922 H       |
| RA. 17 Mk. 2                       | A.P.2550 M       |
| R. 8998                            | A.P.2922 R       |
| R. 10168                           | A.P.2922 P       |
| R. 15095                           | A.P.2922 Y       |
| R.10149                            | A.P.2922 H       |
| <u>SEABORN RADIO INSTALLATIONS</u> |                  |
| S.R.I. 23020                       | A.P.2539 B       |
| S.R.I. 23070                       | A.P.2539 C       |
| S.R.I. 23006                       | A.P.2554 C       |
| Standard Display Edit. No. 1       | A.P.2554 B       |

| 1   | 2                |
|---|------------------|
| <u>GROUND RECORDING AND REPRODUCING APPARATUS</u>     |                  |
| Type 2  | A.P.2487 C       |
| Types 7A and 8A                                       | A.P.2487 D and M |
| Type 6  | A.P.2487 E       |
| Type 4178   | A.P.2487 L       |
| Types 9673 and 9674                                   | A.P.2487 X       |
| <u>TELEPRINTER EQUIPMENT</u>                          |                  |
| Reperforator Printing type 85 R                       | A.P.2980 A       |
| T.P. type 7B (Page) friction feed                     | A.P.2980 E       |
| T.P. type 7B (Page) Sprocket feed                     | A.P.2980 ED      |
| T.P. type 7B (WD) Mk. 1                               | A.P.2980 EE      |
| T.P. type 7B (tape)                                   | A.P.2980 EG      |
| Rectifier type 68 (G.P.O. type 56A)                   | A.P.2980 EH      |
| T.P. type 7 Mk. 10 (Page)                             | A.P.2980 EL      |
| T.P. type 8B (Page)                                   | A.P.2980 EN      |
| T.P. type 8B R/P (Page)                               | A.P.2980 EP      |
| T.P. type 7B/RPN3                                     | A.P.2980 EQ      |
| Boxes Signalling Telegraphic No. 1, 2, 2 and 4        | A.P.2980 ER      |
| Reperforator printing type 85 E/M                     | A.P.2980 FA      |
| Referforator printing type 85 R/M                     | A.P.2980 FB      |
| Reperforator creed type 7 TR/3                        | A.P.2980 G       |
| Reperforator keyboard creed type 7 PN/3               | A.P.2980 GA      |
| Transmitter auto creed type 74 D                      | A.P.2980 HE      |
| Transmitter auto 1C, 2A, 2D, 6S/5                     | A.P.2980 HC      |
| Transmitter auto type 6S/6                            | A.P.2980 HF      |
| Twintone VH telegraph for SSB                         | A.P.2980 J       |
| Apparatus VF telegraph S + DX No. 2                   | A.P.2980 JA      |
| Apparatus carrier telephone (1 + 4) No. 2             | A.P.2980 JB      |
| Power Unit type 761                                   | A.P.2980 KA      |
| Electronic Regenerative Repeaters, T.R.R.I., 1A and 2 | A.P.2980 PA      |
| Adaptor Unit (FS)                                     | A.P.2980 KB      |

| Installation                                    | A.P. Number     | Installation           | A.P. Number |
|---|-----------------|------------------------|-------------|
| 1   | 2               | 3                      | 4           |
| <u>TRANSPORTABLE GROUND RADIO INSTALLATIONS</u> |                 | T.1995 )<br>T.1999 )   | A.P.2877 V  |
| T.G.R.I.18181/1                                 | A.P.2524 N      | T.8894 and<br>T.15074  | A.P.2922 C  |
| T.G.R.I.5433                                    | A.P.2534 C      | T.10158                | A.P.2922 D  |
| T.G.R.I.5509                                    | A.P.2914 DA     | T.10197 and<br>T.15086 | A.P.2922 E  |
| A.T.G.R.I.5690                                  | A.P.2556 J      |                        |             |
| T.G.R.I.5861                                    | A.P.2885 Q - QA |                        |             |
| <u>TEST EQUIPMENT</u>                           |                 |                        |             |
| Concise details                                 | A.P.2276 F      |                        |             |
| Pulse generator,<br>Magnetism<br>conditioner    | A.P.2563 DS     |                        |             |
| <u>TRAINERS</u>                                 |                 |                        |             |
| Type 110  | A.P.29115       |                        |             |
| Types 2292<br>and 2293                          | A.P.2909 J      |                        |             |
| Type 4175                                       | A.P.2909 K      |                        |             |
| Type 4176                                       | A.P.2909 H      |                        |             |
| <u>TRANSMITTERS</u>                             |                 |                        |             |
| T.1509  | A.P.2550 B      |                        |             |
| T.1412 A  | A.P.2550 E      |                        |             |
| T.1918  | A.P.2550 G      |                        |             |
| T.8555 )<br>T.8556 )                            | A.P.2550 H      |                        |             |
| T.11768   | A.P.2550 J      |                        |             |
| T.1946 series                                   | A.P.2552 J      |                        |             |
| T.1945 series                                   | A.P.2552 K      |                        |             |
| T.1540  | A.P.2555 D      |                        |             |
| T.1978  | A.P.2555 P      |                        |             |
| T.7197  | A.P.2555 S      |                        |             |
| T.1365  | A.P.2556 M      |                        |             |
| T.3670  | A.P.2556 Q      |                        |             |
| EC - 640 B                                      | A.P.2567 G      |                        |             |
| TR 189  | A.P.2567 H      |                        |             |
| T.12842   | A.P.2550 K      |                        |             |
| T.1975 )<br>T.1976 )<br>E.2000 )<br>T.7095 )    | A.P.2877 U      |                        |             |

## SECTION 6

### INDEX TO SCALES COVERING SPECIFIC TO TYPE EQUIPMENT FOR CURRENT AIRCRAFT

- COLUMN (1) - AIRCRAFT TYPE.
- COLUMN (2) - AIRFRAME APPENDICES 'A'
- COLUMN (3) - SCALES OF UNIT EQUIPMENT VOL.3 PART 3.

#### SCALES OF SERVICING SPARES FOR AIRFRAMES, ENGINES AND ASSOCIATED EQUIPMENT

Initial issues of spares for Airframes, Engines and Associated Equipment are normally arranged by Mod. Craft task action, and consequently the basic scales of servicing spares are not required for general distribution in Air Publication form. Such scales are, however, maintained in M.O.D. SM 4 RAF and photostat copies are automatically issued to the appropriate Command Headquarters, when a unit is being re-equipped with a new type of aircraft. Where other specific needs arise, photostat copies may be obtained from SM 4 RAF by means of a written application, submitted through the appropriate Command Headquarters. The scales are designed to cover the first four months of the life of a standard squadron of aircraft, by which time sufficient consumption data will have been accumulated by user units to enable them to provision future requirements. It is to be noted that amended scales are not issued by Ministry of Defence (RAF).

**RESTRICTED**



| Aircraft Type   | Appendix 'A' Serial No.   | Vol 3, Part 3 Scales of Ground Support Equipment AP. No.   | Aircraft Type  | Appendix 'A' Serial No.   | Vol 3, Part 3 Scales of Ground Support Equipment AP. No.   |
|---|---|--|--|---|--|
| (1)   | (2)   | (3)  | (4)  | (5)   | (6)  |
| Andover C.1<br>Andover, CC.2  | 2259<br>2264  | 101B-0300-3C<br>101B-0300-3C   | Comet, C.2<br>Comet, C.2 (RC)<br>Comet, C.4C   | 2158<br>2145  | 4681<br>4681   |
| Argosy, C.1   | 2209  | 101B-2401-3C   | Dominie, T.1   | 2254  | 101B-2001-3C   |
| Basset, CC.1  | 2269  | 101B-2201-3C   | Gnat   | 2153  | 101B-1800-3C   |
| Belfast, C.1  | 2224  | 101B-001-3C  | Harrier  | -   | 101B-0601-3C   |
| Britannia, C.1<br>Britannia, C.2  | 2156<br>2186  | 101B-2700-3C<br>101B-2700-3C   | Hercules, C.1<br>Hunter, F.6<br>Hunter, T.7<br>Hunter, D.F/Gank 9<br>Hunter, FR.10   | 2290<br>2096<br>2134<br>2211<br>2220  | 101B-0701-3C<br>101B-1300-3C<br>101B-1300-3C<br>101B-1300-3C<br>101B-1300-3C   |
| Canberra, B.2<br>Canberra, P.R.3<br>Canberra, T.4<br>Canberra, B.6 & B(1) 6<br>Canberra, P.R.7<br>Canberra, B.(1)8<br>Canberra, P.R.9<br>Canberra, T.11<br>Canberra, T.19<br>Canberra, B.6 (BS)<br>Canberra, B.15<br>Canberra, B.16<br>Canberra, T.17 | 2100<br>2097<br>2135<br>2155<br>2048<br>2171<br>2127<br>2193<br>2193<br>-<br>2236<br>2237<br>2273 | 101B-0400-3C<br>101B-0400-3C<br>101B-0400-3C<br>101B-0400-3C<br>101B-0400-3C<br>101B-0400-3C<br>101B-0400-3C<br>101B-0400-3C<br>101B-0400-3C<br>101B-0400-3C<br>101B-0400-3C<br>101B-0400-3C | Jet, Provost, T.3<br>Jet, Provost, T.4<br><br>Lightning F, Mk 1<br>Lightning F, Mk 2<br>Lightning, T, Mk 4<br>Lightning, F, Mk1A<br>Lightning, F,Mk 2A<br>Lightning, F.3<br>Lightning, T, Mk 5<br>Lightning, F, Mk 6 | 2188<br>2188<br><br>2178<br>2204<br>2199<br>2228<br>-<br>2217<br>2218<br>2217 | 101B-2300-3C<br>101B-2300-3C<br><br>101B-1000-3C<br>101B-1000-3C<br>101B-1000-3C<br>101B-1000-3C<br>101B-1000-3C<br>101B-1000-3C<br>101B-1000-3C<br>101B-1000-3C |
| Chipmunk, T.10  | 2063  | 4308   |  |   |  |
| Nimrod, MR 4<br>Mk 1<br>Nimrod, MR  | -<br>-<br>-   | 101B-0501-3C<br>101B-0501-3C   | Varsity, T.1<br>V.C. 10, C.1<br>V.C. 10, C.1   | 2010<br>2266<br>2266  | 101B-3201-3C<br>101B-0201-3C<br>101B-0201-3C   |
| Pembroke, C Mk 1<br>C(PR)Mk 1   | 1968  | 101B-2500-3C   | Victor, B.1<br>Victor, B.2<br>Victor, B.1A<br>Victor, K.1<br>Victor, K.1A<br>Victor, B(K)1A<br>Victor B(SR)2   | 2038<br>2177<br>2221<br>2275  | 4506<br>4506<br>4506<br>4506<br>4506<br>4506   |
| Phantom, FG 1<br>Phantom, FGR 2   |   | 101B-0902-3C<br>101B-0902-3C   |  |   |  |
| Provost, T.1  | 1956  | 4349   | Vulcan, B.2  | 2176  | 101B-1900-3C   |
| Shackleton, M.R.2<br>Shackleton, M.R.3<br>Shackleton, T.4   | 1909<br>2066<br>2168  | 101B-1700-3C<br>101B-1700-3C<br>101B-1700-3C   | Wessex, H.C.2  |   | 101C-0100-3C   |
|   |   |  | Whirlwind, Har, 10<br>Whirlwind, Hec, 12   | 2252<br>2271  | 101C-0300-3C<br>101C-0300-3C   |

## SECTION 7

### TRADESMENS' TOOL KITS

1. Aircraft Fitters, General Fitters.
2. Airframe Fitters, Airframe Mechanics, Aircraft Assistants.
3. Engine Fitters, General Mechanics, ~~M.F. Fitters~~, Marine Fitters, ~~M.F. Mechanics~~, ~~M.F. Mechanic Drivers~~, Marine Mechanics, Engine Mechanics, ~~M.F. Assistants~~, Marine Assistants. AL 72.
4. Airfram Fitters (Apprentices).
5. Armament Fitters, Armament Mechanics, Armament Assistants.
6. Electrical Fitters, Electrical Mechanics.
7. Instrument Fitters, Instrument Mechanics.
8. Flight Engineers.
9. Air Signallers - Comet and Britannia Aircraft.
10. Air Electronics Officer - "V" Class Aircraft.
11. Camera Fitters.
12. Safety Equipment Workers, Safety Equipment Assistants, Safety and Surface Workers, Surface Workers, Fabric Workers, Painters and Dopers.
13. Blacksmiths, Welders.
14. Machine Tool Fitters and Operators, Millers, Turners, Grinders.
15. Coppersmiths, Sheetmetal Workers.

RESTRICTED

CONTINUED ON REVERSE

16. Carpenters, Model Makers (see also Scale 28).
17. Boatwrights, Boat Repairers.
18. Towed Target Operators.
19. M.T. Drivers, Driver Operators.
20. Radar, Radio and Wireless Fitters and Mechanics.
21. Aerial Erectors (Riggers).
22. Telegraph Fitters, Telegraph Mechanics, Cryptographic Mechanics.
23. Moulders.
24. Shoemakers.
25. Engineer Assistants - Ocean Weather Ships.
26. Works Fitters, Works Mechanics.
27. Bricklayers.
28. Works Carpenters (see also Scale 16).
29. Works Electricians.
30. Plant Fitters.
31. Plant Operators, Excavator Operator Mechanics, Tractor Operator Mechanics.
32. Plumbers II, Plumbers and Pipe Fitters.
33. Works Constructors.
34. Medical Technicians.
35. Erection Teams for Portable Buildings.

GENERAL FITTERS AND GENERAL MECHANICS

AP 830, Vol. 3, Part A  
Section 7  
Scale A.1  
Page 1

A/L.58 September 1972

| Ref. No. | Description                                |      |   | Remarks |
|----------|--|------|---|---------|
| 1        | 2  | 3    | 4 | 5       |
|          | <u>SECTION 1.A</u>                         |      |   |         |
| 1275310  | BAG, tool                                  | Each | 1 |         |
| 9575039  | BOX, tool, standard medium                 | Each | 1 |         |
| 9432845  | BRUSH, engine cleaning                     | Each | 1 |         |
| 9104203  | CHISEL, cold, flat 1/2 in. x 6 in.         | Each | 1 |         |
| 9104427  | DRIFT, copper                              | Each | 1 |         |
|          | <u>FILE</u>                                |      |   |         |
| 9104870  | H/rd smooth 8 in.                          | Each | 1 |         |
| 9104879  | Hand bastard, 10 in.                       | Each | 1 |         |
| 9104886  | Hand s/cut 6 in. )                         | Each | 1 |         |
| 9104888  | Hand s/cut 10 in. )                        |      |   |         |
| 9104893  | Hand smooth 6 in.                          | Each | 1 |         |
| 9104933  | Round smooth 10 in.                        | Each | 1 |         |
| 9104966  | Three square or triangular<br>smooth 4 in. | Each | 1 |         |
| 9104971  | Warding, bastard 4 in.                     | Each | 1 |         |
|          | <u>SECTION 1.B</u>                         |      |   |         |
| 1207068  | GAUGE, thickness, 4 in. taper<br>10 blades | Each | 1 |         |
| 9104649  | HAMMER, engineers B/P 3/4 lb.              | Each | 1 |         |
| 1207307  | HAMMER, nylon faced                        | Each | 1 |         |
|          | <u>HANDLE, file</u>                        |      |   |         |
| 9105184  | No. 2                                      | Each | 2 |         |
| 9105185  | No. 3                                      | Each | 2 |         |
| 9105186  | No. 5                                      | Each | 2 |         |
| 1204198  | NIPPERS, diagonal cutting 8 in.            | Each | 1 |         |
| 9105522  | PLIER, side cutting, 6 in.                 | Each | 1 |         |
| 9105536  | PLIER, taper nose                          | Each | 1 |         |

A/L.58 September 1972

| 1         | 2                                | 3    | 4  | 5 |
|-----------|----------------------------------|------|----|---|
|           | <u>SECTION 1.B (Contd.)</u>      |      |    |   |
| 9105542   | PRICKER, ice                     | Each | 1  |   |
| 9105548   | PUNCH, centre, 4 in.             | Each | 1  |   |
| 9105585   | PUNCH, round taper point 1/8 in. | Each | 1  |   |
| 9105725   | RULE, steel 6 in.                | Each | 1  |   |
|           | <u>SECTION 1.C</u>               |      |    |   |
| 9105747   | SAW, hack, fixed 6 in.           | Each | 1  |   |
| 9105748   | BLADE                            | Each | 12 |   |
|           | <u>SCREWDRIVER</u>               |      |    |   |
| 7899      | G.S, handle 6 in.                | Each | 1  |   |
| 1209176   | Flat, point                      | Each | 1  |   |
| 9105868   | Ratchet                          | Each | 1  |   |
| 9105876   | Watchmakers                      | Each | 1  |   |
| 9105891   | SCRIBER, fitters                 | Each | 1  |   |
|           | <u>SPANNER</u>                   |      |    |   |
| 9105964   | Adjustable, crescent, 8 in.      | Each | 1  |   |
|           | <u>D.E.O.J.</u>                  |      |    |   |
| 9106177   | 0 x 2 BA                         | Each | 2  |   |
| 9106179   | 4 x 6 BA                         | Each | 1  |   |
| 9552995   | 1/8 in. x 3/16 in. B.S.W.        | Each | 2  |   |
| 9106228   | 3/6 in. x 1/4 in. B.S.W.         | Each | 2  |   |
| 9106229   | 5/16 in. x 3/8 in. B.S.W.        | Each | 1  |   |
| 9106230   | 7/16 in. x 1/2 in. B.S.W.        | Each | 1  |   |
|           | <u>D.E.O.J. AF</u>               |      |    |   |
| 9551728~  | 1/4 in. x 5/16 in. ✓             | Each | 1  |   |
| 9426752 ~ | 5/16 in. x 3/8 in. ✓             | Each | 1  |   |
| 9106000~  | 3/8 in. x 7/16 in.               | Each | 1  |   |
| 1300070   | 1/2 in. x 9/16 in. ✓             | Each | 2  |   |
| 9106002   | 9/16 in. x 5/8 in.               | Each | 1  |   |
| 9575002   | 19/32 in. x 25/32 in.            | Each | 1  |   |
| 9551731   | 5/8 in. x 3/4 in.                | Each | 1  |   |

A/L.58 September 1972

| 1       | 2   | 3    | 4 | 5 |
|---------|---|------|---|---|
|         | <u>SECTION 1.C</u> (Contd.)                           |      |   |   |
|         | <u>D.E.O.J. AF</u> (Contd.)                           |      |   |   |
| 9552991 | 11/16 in. x 13/16 in. ✓                               | Each | 1 |   |
| 9552990 | 3/4 in. x 7/8 in. ✓                                   | Each | 1 |   |
| 9106006 | 15/16 in. x 1 in. ✓                                   | Each | 1 |   |
|         | <u>SECTION 1.L</u>                                    |      |   |   |
|         | SPANNER, socket set 1/4 in.<br>SQDR - BA comprising:- |      |   |   |
| 1208415 | BAR, extension 4 in. x 1/4 in.                        | Each | 1 |   |
| 9553994 | CASE, steel   | Each | 1 |   |
| 1208478 | EXTENSION, flexible, 5 in.<br><br>HANDLE              | Each | 1 |   |
| 1208418 | Ratchet 1/4 in. SD                                    | Each | 1 |   |
| 1208419 | Sliding bar tee 4/2 in.                               | Each | 1 |   |
| 1208417 | Swivel, 6 in. x 1/4 in. SD                            | Each | 1 |   |
|         | SOCKET, hexagon                                       |      |   |   |
| 1208395 | 0 BA  | Each | 1 |   |
| 1208397 | 2 BA  | Each | 1 |   |
| 1208399 | 4 BA  | Each | 1 |   |
|         | SPANNER, socket set 1/4 in. SD - AF<br>comprising:-   |      |   |   |
|         | SOCKET hexagon  |      |   |   |
| 1208404 | 3/16 in.  | Each | 1 |   |
| 1209526 | 1/4 in.   | Each | 1 |   |
| 1208409 | 9/32 in.  | Each | 1 |   |
| 1209527 | 5/16 in.  | Each | 1 |   |
| 1209528 | 11/32 in.   | Each | 1 |   |
|         | ADAPTER   |      |   |   |
| 9106307 | 1/4 in. socket x 9/32 in. plug                        | Each | 1 |   |
| 9106308 | 9/32 in. socket x 1/4 in. plug                        | Each | 1 |   |
| 9106305 | 9/32 in. socket x 3/8 in. plug                        | Each | 1 |   |
| 9106304 | 3/8 in. socket x 9/32 in. plug                        | Each | 1 |   |

A/L.58 September 1972

| 1       | 2  | 3    | 4 | 5 |
|---------|--|------|---|---|
|         | <u>SECTION 1.L (Contd.)</u>                        |      |   |   |
|         | SPANNER, socket set 3/8 in. SD BSW<br>comprising:- |      |   |   |
|         | BAR, extension, 6 in.                              |      |   |   |
| 9106316 | 6 in.  | Each | 1 |   |
| 9106317 | 12 in.   | Each | 1 |   |
|         | HANDLE   |      |   |   |
| 9552992 | Sliding bar tee 6 in.                              | Each | 1 |   |
| 9106329 | Ratchet  | Each | 1 |   |
| 9106337 | Nut, Spinner 9 in.                                 | Each | 1 |   |
| 9106342 | JOINT, universal 1/2 in. SD                        | Each | 1 |   |
|         | SOCKET, hexagon BSW                                |      |   |   |
| 9106386 | 3/16 in.   | Each | 1 |   |
| 9106387 | 1/4 in.  | Each | 1 |   |
| 9106388 | 5/16 in.   | Each | 1 |   |
| 9106389 | 3/8 in.  | Each | 1 |   |
| 9106390 | 7/16 in.   | Each | 1 |   |
| 1276112 | 7/16 in. double depth                              | Each | 1 |   |
|         | SOCKET, bi-hex 3/8" SD, AF                         |      |   |   |
| 1209530 | 7/16 in.   | Each | 1 |   |
| 1209531 | 1/2 in.  | Each | 1 |   |
| 9106356 | 9/16 in.   | Each | 1 |   |
| 9575005 | 19/32 in.  | Each | 1 |   |
| 9106357 | 5/8 in.  | Each | 1 |   |
| 9106358 | 11/16 in.  | Each | 1 |   |
| 9106359 | 3/4 in.  | Each | 1 |   |
| 1354098 | 7/8 in. AF x 3/8 in. SD                            | Each | 1 |   |
| 376     | 15/16 in.  | Each | 1 |   |
| 352     | SET SOCKET, AF 1/4 in. square drive                | Each | 1 |   |

A/L.58 September 1972

| 1       | 2  | 3    | 4  | 5 |
|---------|--|------|----|---|
|         | <u>ADDITIONSL TOOLS ISSUED TO GENERAL<br/>FITTERS ONLY FOR SERVICING EQUIPMENT<br/>INCORPORATING THE METRIC SYSTEM</u> |      |    |   |
|         | <u>SECTION 1.C</u>   |      |    |   |
|         | <u>SPANNER, double edged, open Jaw<br/>Metric</u>  |      |    |   |
| 9106287 | 6 x 7 mm   | Each | 1  |   |
| 9106288 | 8 x 9 mm   | Each | 1  |   |
| 9106289 | 10 x 11 mm   | Each | 1  |   |
| 9106290 | 12 x 13 mm   | Each | 1  |   |
| 9106291 | 14 x 15 mm   | Each | 1  |   |
| 9106292 | 16 x 17 mm   | Each | 11 |   |
| 9106293 | 18 x 19 mm   | Each | 1  |   |
| 9106294 | 20 x 21 mm   | Each | 1  |   |
| 9106295 | 22 x 23 mm   | Each | 1  |   |
| 9106296 | 24 x 25 mm   | Each | 1  |   |
|         | <u>SECTION 1.L</u>   |      |    |   |
|         | <u>SPANNER, socket, Metric 1/2 in.<br/>square drive socket bi-hexagon</u>  |      |    |   |
| 1302367 | 10 mm  | Each | 1  |   |
| 4347308 | 11 mm  | Each | 1  |   |
| 4347309 | 12 mm  | Each | 1  |   |
| 4347310 | 13 mm  | Each | 1  |   |
| 4347311 | 14 mm  | Each | 1  |   |
| 4347312 | 15 mm  | Each | 1  |   |
| 4347313 | 16 mm  | Each | 1  |   |
| 4347314 | 17 mm  | Each | 1  |   |
| 4347315 | 18 mm  | Each | 1  |   |
| 4347316 | 19 mm  | Each | 1  |   |
| 265     | 20 mm  | Each | 1  |   |



A/L 58 September 1972

| 1       | 2  | 3    | 4 | 5 |
|---------|--|------|---|---|
|         | <u>SECTION 1.L (Contd.)</u>  |      |   |   |
|         | <u>SPANNER, socket, Metric 1/4 in.</u><br><u>Square drive socket hexagon</u> |      |   |   |
| 1302363 | 6 mm   | Each | 1 |   |
| 1302364 | 7 mm   | Each | 1 |   |
| 1302365 | 8 mm   | Each | 1 |   |
| 1302366 | 9 mm   | Each | 1 |   |

FOR TRADESMEN SERVICING HARRIER, GAZELLE, JAGUAR, LYNX AND PUMA AIRCRAFT,  
REFER TO TOPIC FOR ENTITLEMENT OF HAND TOOLS

AIRFRAME FITTERS

COLUMN 5  
AIRFRAME MECHANICS  
AIRCRAFT ASSISTANTS

SECTION 7  
SCALE A.2  
Page 1

A/L.58 September 1972

| Ref.No. | Description                                 | Denom.<br>of<br>Qty. | Qty. | Qty. | Remarks                                |
|---------|---|----------------------|------|------|--|
| 1       | 2   | 3                    | 4    | 5    | 6                                      |
|         | <u>SECTION 1.A</u>                          |                      |      |      |  |
| 1275310 | BAG, tool G.P.                              | Each                 | -    | 1    |  |
| 9575039 | BOX, tool, standard, medium                 | Each                 | 1    | -    |  |
| 9432845 | BRUSH, engine cleaning                      | Each                 | -    | 1    |  |
| 9552988 | CAN, lubricating oil, small                 | Each                 | 1    | 1    |  |
| 9552987 | CARD, scratch, 1 1/2 in. to 2 in.           | Feet                 | 1/2  | 1/2  |  |
| 9104427 | DRIFT, copper, 1/2 in. x 6 1/2 in.          | Each                 | 1    | 1    |  |
|         | <u>FILE</u>                                 |                      |      |      |  |
| 9104870 | Half-round, smooth 8 in.                    | Each                 | 1    | 1    |  |
| 9104879 | Hand, bastard, 10 in.                       | Each                 | 1    | -    |  |
| 9104893 | Hand, smooth 6 in.                          | Each                 | 1    | 1    |  |
| 9104932 | Round, smooth, 8 in.                        | Each                 | 1    | -    |  |
| 9104966 | Three square or triangular, 4 in.           | Each                 | 1    | -    |  |
| -       | HOLDALL                                     | Each                 | 1    | -    | Ref. 1.B/1250326 -<br>For drills twist |
| 9104281 | STOCKS, hand, drill                         | Each                 | 1    |      |  |
|         | <u>SECTION 1.B</u>                          |                      |      |      |  |
| 1207068 | GAUGE, thickness taper, 4 in. set 10 blades | Each                 | 1    | -    |  |
|         | <u>HAMMER</u>                               |                      |      |      |  |
| 9104648 | Engineers', ballpein, 1/2 lb.               | Each                 | 1    | 1    |  |
| 1207307 | Hide faced, No. 1, 1 lb.                    | Each                 | 1    | 1    |  |
|         | <u>HANDLE file</u>                          |                      |      |      |  |
| 9105184 | No. 2                                       | Each                 | 1    | -    |  |
| 9105185 | No. 3                                       | Each                 | 1    | 1    |  |
| 9105186 | No. 5                                       | Each                 | 3    | 1    |  |

A/L.58 September 1972

| 1       | 2                                       | 3    | 4    | 5    | 6   |
|---------|---|------|------|------|---|
|         | <u>SECTION 1.B (Contd.)</u>             |      |      |      |   |
|         | <u>NIPPER, end cutting 6 in.</u>        |      |      |      |   |
| 1208026 | 6 1/2 in.                               | Each | 1    | 1    |   |
| 9105522 | PLIER, side cutting, 6 in.              | Each | 1    | 1    |   |
| 9105542 | PRICKER, ice, 6 in x 1/4 in. blade      | Each | 1    | 1    |   |
|         | <u>PUNCH</u>                            |      |      |      |   |
| 9105548 | Centre, 4 in.                           | Each | 1    | -    |   |
| 9105585 | Round, tapered poin, 1/8 in.            | Each | 1    | 1    |   |
| 9105726 | RULE, steel, 1 ft.                      | Each | 1    | 1    |   |
|         | <u>SECTION 1.C</u>                      |      |      |      |   |
|         | <u>SCREWDRIVER, crosspoint Phillips</u> |      |      |      |   |
| 9105864 | No. 1                                   | Each | 1(d) | 1(d) |   |
| 9105865 | No. 2                                   | Each | 1(d) | 1(d) |   |
|         | <u>SCREWDRIVER</u>                      |      |      |      |   |
| 7899    | G.S. handle, 6 in.                      | Each | 1    | 1    |   |
| 9105868 | Ratchet, 5 in. x 1/4 in. point          | Each | 1    | 1    |   |
| 9105876 | Watchmaker, 6 in. x 5/32 in.            | Each | 1(b) | -    | (b) For "V" class aircraft servicing only.                |
| 9105891 | SCRIBER, fitters, 7 in.                 | Each | 1    | -    |   |
|         | <u>SPANNER D.E.O.J.</u>                 |      |      |      |   |
| 9106177 | 0 x 2 B.A.                              | Each | 1    | 1    |   |
| 9106179 | 4 x 6 B.A.                              | Each | 1    | 1    |   |
| 9552995 | 3/16 in. 1/8 in. B.S.W.                 | Each | 1    | 1    |   |
| 9106228 | 3/16 in. x 1/4 in. B.S.W.               | Each | 1    | 1    |   |
| 9106229 | 5/16 in. x 3/8 in. B.S.W.               | Each | 1    | 1    |   |
| 9106230 | 7/16 in. x 1/2 in. B.S.W.               | Each | 1(b) | -    |   |
|         | <u>WRENCH, allen key, A.F.</u>          |      |      |      |   |
| 9106060 | 3/32 in.                                | Each | 1(d) | 1(d) | (d) Only to be issued when employed on Britannia aircraft |
| 9106063 | 5/32 in.                                | Each | 1(d) | 1(d) |   |
| 9105963 | WRENCH, crescent type 6 in.             |      | 1    |      |   |

A/L.58 September 1972

| 1       | 2   | 3    | 4    | 5    | 6  |
|---------|---|------|------|------|--|
|         | <u>SECTION 1.G</u>  |      |      |      |  |
|         | <u>DRILL, twist, parallel shank</u>                             |      |      |      |  |
| 9108353 | 1/16 in.  | Each | 3    |      |  |
| 9108385 | 3/32 in.  | Each | 1    |      |  |
| 9108387 | 1/8 in.   | Each | 1    |      |  |
| 9108389 | 5/32 in.  | Each | 1    |      |  |
| 9108391 | 3/16 in.  | Each |      |      |  |
|         | <u>SECTION 1.L</u>  |      |      |      |  |
| 9105747 | SAW, hack, fixed, 6 in.   | Each | 1    | 1    |  |
|         | <u>Accessories</u>  |      |      |      |  |
| 9105748 | BLADE   | Each | 12   | 12   |  |
|         | <u>SPANNER, SOCKET SET No. 1</u><br><u>1/4 in. SQUARE DRIVE</u> |      |      |      |  |
| 9106313 | BAR, extension, 4 in.   | Each | 1    | 1    |  |
| 1208478 | EXTENSION, flexible, 6 in.                                      | Each | 1    | 1    |  |
|         | <u>HANDLE</u>   |      |      |      |  |
| 1208418 | Ratchet   | Each | 1    | 1    |  |
| 1208419 | Sliding, bar, tee, 4 1/2 in.                                    | Each | 1    | 1    |  |
|         | <u>SOCKET, hexagon</u>  |      |      |      |  |
| 1208397 | 2 B.A.  | Each | 1    | 1    |  |
| 1208399 | 4 B.A.  | Each | 1    | 1    |  |
|         | <u>SPANNER SOCKET SET No. 2</u><br><u>3/8 in. SQUARE DRIVE</u>  |      |      |      |  |
| 9106316 | BAR, extension, 6 in.   | Each | 1    | 1    |  |
| 9106324 | BRACE, speeder  | Each | 2(c) | 2(c) |  |
|         | <u>HANDLE</u>   |      |      |      |  |
| 9106329 | Ratchet   | Each | 1(a) | 1(a) | (a) An additional Qty.<br>1 for use with<br>Ref. 1.L/9106329 and<br>1.L/9106387 when<br>servicing Britannia<br>seats only. |
| 9552992 | Sliding bar, tee, 6 in.   | Each | 1    | 1    |  |
| 9106341 | JOINT, universal  | Each | 1(b) | -    |  |

A/L.58 September 1972

| 1       | 2  | 3    | 4    | 5    | 6  |
|---------|--|------|------|------|--|
|         | <u>SECTION 1.L (Contd.)</u>                      |      |      |      |  |
|         | <u>SOCKET, bi-hexagon B.S.W.</u>                 |      |      |      |  |
| 9106386 | 3/16 in.   | Each | 1    | 1    |  |
| 9106387 | 1/4 in.  | Each | 1    | 1    |  |
| 9106388 | 5/16 in.   | Each | 1(a) | 1(a) | (c) For use with<br>Ref. 1.L/9106329 and<br>1.L/9106387 when<br>servicing Britannia<br>seats only. |
| 9106389 | 3/8 in.  | Each | 1    | 1    |  |
| 9106390 | 7/16 in.   | Each | 1    | 1    |  |
|         |  |      |      |      |  |
|         | <u>SECTION 29.G</u>                              |      |      |      |  |
| 9108185 | PADLOCK, iron, 1 <sup>1</sup> / <sub>4</sub> in. | Each | 1    | 1    |  |

A/L.58 September 1972

| 1   | 2  | 3    | 4 | 5 | 6 |
|---|--|------|---|---|---|
| <u>ADDITIONAL TOOLS TO BE ISSUED ONLY WHEN SERVICING EQUIPMENT INCORPORATING THE UNIFIED SCREW THREAD SYSTEM (BS. 1580) AND NUT AND BOLT HEADS (BS. 1768)</u> |  |      |   |   |   |
| <u>SECTION 1.C</u>  |  |      |   |   |   |
| 9551728   | <u>SPANNERS, double ended, open jaw A.F.</u> |      |   |   |   |
| 9551728   | 1/4 in. x 5/16 in.                           | Each | 1 | 1 |   |
| 9552787   | 5/16 in. x 3/8 in.                           | Each | 1 | 1 |   |
| 9106000   | 3/8 in. x 7/16 in.                           | Each | 1 | 1 |   |
| 9704851   | 1/2 in. x 9/16 in.                           | Each | 1 | 1 |   |
| 9551731   | 5/8 in. x 3/4 in.                            | Each | 1 | 1 |   |
| 9552991   | 11/16 in. x 13/16 in.                        | Each | 1 | 1 |   |
| <u>SECTION 1.L</u>  |  |      |   |   |   |
| <u>SPANNERS SOCKET MIDGET</u><br><u>9/32 in. SQUARE DRIVE</u>   |  |      |   |   |   |
| <u>SOCKETS Hexagon</u>  |  |      |   |   |   |
| 1208404   | 3/16 in.                                     | Each | 1 | 1 |   |
| 1208407   | 1/4 in.                                      | Each | 1 | 1 |   |
| 1209527   | 5/16 in.                                     | Each | 1 | 1 |   |
| 1209528   | 11/32 in.                                    | Each | 1 | 1 |   |
| 1209529   | 3/8 in.                                      | Each | 1 | 1 |   |
| <u>SPANNERS SOCKET AMERICAN TYPE</u><br><u>3/8 in. SQUARE DRIVE</u>   |  |      |   |   |   |
| <u>SOCKETS bi-hexagon</u>   |  |      |   |   |   |
| 9106354   | 7/16 in.                                     | Each | 1 | 1 |   |
| 9106355   | 1/2 in.                                      | Each | 1 | 1 |   |
| 9106356   | 9/16 in.                                     | Each | 1 | 1 |   |
| 9106357   | 5/8 in.                                      | Each | 1 | 1 |   |
| 9106358   | 11/16 in.                                    | Each | 1 | 1 |   |
| 9106359   | 3/4 in.                                      | Each | 1 | 1 |   |

COLUMN 4

ENGINE FITTERS  
M.T. FITTERS  
MARINE FITTERS

COLUMN 5

M.T. MECHANICS  
M.T. MECHANIC DRIVERS  
MARINE MECHANICS  
M.T. ASSISTANTS  
MARINE ASSISTANTS

COLUMN 6

ENGINE MECHANIC

FOR TRADESMEN SERVICING HARRIER, GAZELLE, JAGUAR, LYNX AND PUMA AIRCRAFT,  
REFER TO THE RESPECTIVE TOPIC 3C FOR SCALES OF ENTITLEMENT OF HAND TOOLS

SECTION 7  
SCALE A.3  
Page 1

A/L.58 September 1972

| Ref. No. | Description                                  | Denom. of. Quantity | Quantity | Quantity | Quantity | Remarks                 |
|----------|--|---------------------|----------|----------|----------|-------------------------|
| 1        | 2  | 3                   | 4        | 5        | 6        | 7                       |
|          | <u>SECTION 1.A</u>                           |                     |          |          |          |                         |
| 1275310  | BAG, tool, G.P.                              | Each                |          |          | 1        |                         |
| 3717     | BOX, tool, standard, small                   | Each                | 1        | 1        |          |                         |
| 9432845  | BRUSH, engine, cleaning                      | Each                | 1        | 1        | 11       |                         |
| 9552987  | CARD, scratch, 1/2 in. to 2 in.              | Feet                | 1/2      | 1/2      | 1/2      |                         |
| 9104427  | DRAFT, copper, 1/2 in. x 6 1/2 in.           | Each                | 1        | 1        | 1        |                         |
|          | <u>FILE</u>                                  |                     |          |          |          |                         |
| 9104877  | Hand, bastard, 6 in.                         | Each                | 1        |          | 1        |                         |
| 9104870  | Half round, smooth 8 in.                     | Each                | 1        | 1        | 1        |                         |
| 9104893  | Hand, smooth 6 in.                           | Each                | 1        | 1        | 1        |                         |
| 9104924  | Round, bastard, 8 in                         | Each                | 1        | 1        |          |                         |
| 9104932  | Round, smooth, 8 in.                         | Each                | 1        | 1        |          |                         |
| 9104961  | Three square or triangular, bastard 6 in.    | Each                | 1        | 1        |          |                         |
| 9104966  | Three square, or triangular, smooth 4 in.    | Each                | 1        | 1        |          |                         |
| 9552988  | OILER, hand, 3 "2 oz.                        | Each                |          |          | 1        |                         |
| 4610     | OILER, valve, sprout, leakproof              | Each                | 1        | 1        |          |                         |
|          | <u>SECTION 1.B</u>                           |                     |          |          |          |                         |
| 1207068  | GAUGE, thickness, taper, 4 in. 10 blades Set | Each                | 1        | 1        | 1        |                         |
|          | <u>HAMMER, Engineers', ballpein</u>          |                     |          |          |          |                         |
| 9104647  | 1/4 lb.                                      | Each                | 1(a)     | -        | -        | (a) Engine Fitters only |
| 9104648  | 1/2 lb.                                      | Each                | 1        | 1        | 1        |                         |
| 1207307  | Hand, nylon 1 lb.                            | Each                | 1        | 1        | 1        |                         |

A/L.58 September 1972

| 1       | 2   | 3    | 4            | 5            | 6    | 7   |
|---------|---|------|--------------|--------------|------|---|
|         | <u>SECTION 1.B (Contd.)</u>                         |      |              |              |      |   |
|         | <u>HANDLE, file</u>                                 |      |              |              |      |   |
| 9105184 | No. 2   | Each | 1            | 1            |      |   |
| 9105185 | No. 3   | Each | 2            | 2            | 1    |   |
| 9105186 | No. 5   | Each | 2            | 2            | 2    |   |
|         | <u>IRON, soldering</u>                              |      |              |              |      |   |
|         | Holder, soldering iron<br>depending on type of iron |      |              |              |      |   |
|         | Taps and Dies as required                           |      |              |              |      |   |
| 1208026 | Nippers, end cutting 7 in.                          | Each | 1            | 1            | 1    |   |
|         | <u>PLIERS</u>                                       |      |              |              |      |   |
| 9105522 | Side, cutting 6 in.                                 | Each | 1            | 1            | 1    |   |
|         | <u>PUNCH</u>  |      |              |              |      |   |
| 9105548 | Centre, 4 in.                                       | Each | 1            | 1            |      |   |
| 9105585 | Round, tapered point, 1/8 in.                       | Each |              |              | 1    |   |
| 9105587 | Round, tapered point, 3/4 in.                       | Each | 1            | 1            |      |   |
|         | <u>RULE STEEL</u>                                   |      |              |              |      |   |
| 9105725 | 6 in.   | Each | 1(a)         | 1            |      |   |
| 1276230 | 12 in.  | Each | 1(d)         | 1            | 1    | (d) For Marine and<br>MT fitting only.                          |
|         | <u>SECTION 1.C</u>                                  |      |              |              |      |   |
| 9105747 | SAW, Hack, fixed 6 in.                              | Each | 1            | 1(g)         | 1    | (b) Only to be issued<br>when employed on<br>Britannia Aircraft |
|         | <u>Accessory</u>                                    |      |              |              |      |   |
| 9105742 | Blade   | Each | 12           |              | 12   |   |
|         | <u>SCREWDRIVER</u>                                  |      |              |              |      |   |
| 7899    | G.S. handle 6 in crosspoint                         | Each | 1            | 1            | 1    |   |
| 9105864 | No. 1   | Each | 1(b)         | 1(b)         | 1(b) |   |
| 9105865 | No. 2   | Each | 1(b)<br>1(h) | 1(b)<br>1(h) | 1(b) |   |
| 9105866 | No. 3   | Each | 1(h)         | 1(g)         | -    |   |



A/L 58 September 1972

| 1       | 2                                    | 3    | 4    | 5    | 6    | 7                      |
|---------|--------------------------------------|------|------|------|------|------------------------|
|         | <u>SECTION 1.C (Contd.)</u>          |      |      |      |      |                        |
|         | <u>SCREWDRIVER (Contd.)</u>          |      |      |      |      |                        |
| 1219176 | Chubby, 1 1/2 in. x 1/4 in.          | Each | 1    | 1    |      | (g) MT. Mechanics only |
| 9105876 | Watchmakers blades, 3 in. x 3/16 in. | Each | 1    | 1    | 1    |                        |
|         | <u>SPANNER, D.E.O.J.</u>             |      |      |      |      |                        |
| 9106177 | 0 x 2 BA                             | Each | 1    | 1    | 1    |                        |
| 9106179 | 4 x 6 BA                             | Each | 1    | 1    | 1    |                        |
|         | BSW                                  |      |      |      |      |                        |
| 9106228 | 3/16 in. x 1/4 in.                   | Each | 1    | 1    | 1    |                        |
| 9106229 | 5/16 in. x 3/8 in.                   | Each | 1    |      | 1    |                        |
| 9106230 | 7/16 in. x 1/2 in.                   | Each | 1    | 1    | 1    |                        |
| 9552995 | 3/16 in. x 1/8 in.                   | Each | 11   | 1(g) | 1    |                        |
|         | <u>SPANNER, RING A/F</u>             |      |      |      |      |                        |
| 9105967 | 5/16 in. x 3/8 in.                   | Each | 11   | 1    | 1    |                        |
| 9105968 | 7/16 in. x 1/2 in.                   | Each | 1    | 1    |      |                        |
| 9105969 | 9/16 in. x 5/8 in.                   | Each | 1    | 1    |      |                        |
| 1276116 | 19/32 in. x 11/16 in.                | Each | 1    | 1    |      |                        |
| 9105970 | 11/16 in. x 13/16 in.                | Each | 1    | 1    |      |                        |
| 1276118 | 5/8 in. x 3/4 in.                    | Each | 1    | 1    |      |                        |
|         | <u>WRENCH, Allen Key</u>             |      |      |      |      |                        |
| 9106060 | 3/32 in.                             | Each | 1(b) |      | 1(b) |                        |
| 9106063 | 5/32 in.                             | Each | 1(b) |      | 1(b) |                        |
|         | <u>WRENCH</u>                        |      |      |      |      |                        |
| 9105963 | Crescent type, 6 in.                 | Each | 1    | 1    | 1    |                        |
|         | <u>SECTION 1.H</u>                   |      |      |      |      |                        |
| 139     | CLEANER, contact, Grade A            | Each | 1    | 1    |      |                        |

A/L.58 September 1972

| 1       | 2  | 3    | 4    | 5    | 6    | 7   |
|---------|--|------|------|------|------|---|
|         | <u>SECTION 1,L</u>                           |      |      |      |      |   |
|         | <u>SPANNER SOCKET SET No. 1 1/4 in. S.D.</u> |      |      |      |      | (a) Engine Fitters only                                   |
| 1208415 | BAR, extension, 4 in.                        | Each | -    | -    | 1    |   |
| 1208478 | EXTENSION, flexible, 6 in.                   | Each |      | -    | 1    |   |
|         | <u>HANDLE</u>                                |      |      |      |      |   |
| 1208418 | HATCHET                                      | Each | 1(a) | -    | 1    |   |
| 1208419 | SLICING BAR, tee, 4 1/2 in.                  |      |      |      |      |   |
|         | <u>SOCKET, Hexagon</u>                       |      |      |      |      |   |
| 1208397 | 2 BA   | Each | 1    |      | 1    |   |
| 1208399 | 4 BA   | Each | 1    |      | 1    |   |
| 481     | 1/8 in. W                                    | Each | 1(f) |      |      | (f) For Engine Fitters servicing "V" class aircraft only. |
|         | <u>SPANNER, SOCKET SET, No. 2 3/8 in. SD</u> |      |      |      |      |   |
| 9106316 | BAR, extension, 6 in.                        | Each | 1(c) | 1    | 1    |   |
|         | <u>HANDLE</u>                                |      |      |      |      |   |
| 9106329 | Ratchet, 3/8 in. SD                          | Each | 1(a) | 1    | 1    | (g) MT Mechanics only                                     |
| 9552992 | Sliding Bar Tee, 6 in.                       | Each | 1(h) | 1    | 1    | (h) MT Fitters only                                       |
| 9106341 | Joint, Universal                             | Each | 1    | 1    |      |   |
|         | <u>SOCKET, Bi-Hexagon, B.S.W.</u>            |      |      |      |      |   |
| 9106386 | 3/16 in.                                     | Each | 1    | 1    | 1    | (k) For Tradesmen other than MT Fitters and Mechanics     |
| 9106387 | 1/4 in.                                      | Each | 1    | 1    | 1    |   |
| 9106388 | 5/16 in.                                     | Each | 1    | 1    | 1    |   |
| 9106389 | 3/8 in.                                      | Each | 1    | 1    | 1    |   |
| 1276112 | 7/16 in.                                     | Each | 1(h) | 1(g) | -    |   |
| 9106390 | 7/16 in.                                     | Each | 1(k) | 1(k) | 1(k) |   |
|         | <u>BAR, Extension</u>                        |      |      |      |      |   |
| 9106315 | 3 in.  | Each | 1    | 1    |      |   |
| 9106317 | 12 in.                                       | Each | 1    | 1    |      |   |
|         | <u>HANDLE</u>                                |      |      |      |      |   |
| 9106333 | Sliding, Tee, 8 in.                          | Each | 1    | 1    |      |   |
| 9106337 | Swivel                                       | Each | 1    | 1    |      |   |
| 9575005 | Socket, Bi-Hex., 19/32 in. A/F.              | Each | 1    | 1    |      |   |

| 1   | 2                     | 3    | 4 | 5 | 6 | 6 |
|---|-----------------------|------|---|---|---|---|
| <u>ADDITIONAL TOOLS TO BE ISSUED ONLY WHEN SERVICING EQUIPMENT INCORPORATING THE UNIFIED SCREWTHREAD SYSTEM (BS 1580) WITH NUT AND BOLT HEAD DIMENSIONS (BS 1768)</u> |                       |      |   |   |   |   |
| <u>SECTION 1.C</u>  |                       |      |   |   |   |   |
| 9551728   | 1/4 in. x 5/16 in.    | Each | 1 | 1 | 1 |   |
| 9426752   | 5/16 in. x 3/8 in.    | Each | 1 | 1 | 1 |   |
| 9106000   | 3/8 in. x 7/16 in.    | Each | 1 | 1 | 1 |   |
| 1300070   | 1/2 in. x 9/16 in.    | Each | 1 | 1 | 1 |   |
| 9551731   | 5/8 in. x 3/4 in.     | Each | 1 | 1 | 1 |   |
| 9552991   | 11/16 in. x 13/16 in. | Each | 1 | 1 | 1 |   |
| 9552990   | 3/4 in. x 7/7 in.     | Each | 1 | 1 | 1 |   |
| <u>SECTION 1.L</u>  |                       |      |   |   |   |   |
| <u>SPANNERS SOCKET MIDGET 1/4 in. SQUARE DRIVE</u>  |                       |      |   |   |   |   |
| <u>SOCKET, Hexagon</u>  |                       |      |   |   |   |   |
| 1208404   | 3/16 in.              | Each | 1 | 1 | 1 |   |
| 1208407   | 1/4 in.               | Each | 1 | 1 | 1 |   |
| 1209527   | 5/16 in.              | Each | 1 | 1 | 1 |   |
| 1209528   | 11/32 in.             | Each | 1 | 1 | 1 |   |
| 1209529   | 3/8 in.               | Each | 1 | 1 | 1 |   |
| <u>SPANNERS SOCKET AMERICAN TYPE 3/8 in. SQUARE DRIVE</u>   |                       |      |   |   |   |   |
| <u>SOCKET, Bi-hexagon</u>   |                       |      |   |   |   |   |
| 1209530   | 7/16 in.              | Each | 1 | 1 | 1 |   |
| 1209531   | 1/2 in.               | Each | 1 | 1 | 1 |   |
| 1209532   | 9/16 in.              | Each | 1 | 1 | 1 |   |
| 9106357   | 5/8 in.               | Each | 1 | 1 | 1 |   |
| 9106358   | 11/16 in.             | Each | 1 | 1 | 1 |   |
| 9106359   | 3/4 in.               | Each | 1 | 1 | 1 |   |

| 1       | 2   | 3    | 4 | 5 | 6 | 7 |
|---------|---|------|---|---|---|---|
| 9108185 | <p><u>ADDITIONAL TOOLS TO BE ISSUED ONLY WHEN SERVICING EQUIPMENT INCORPORATING THE UNIFIED SCREWTHREAD SYSTEM (BS 1580) WITH NUT AND BOLT HEAD DIMENSIONS (BS 1768) (Contd.)</u></p> |      |   |   |   |   |
|         | <p><u>SECTION 29.G</u><br/>PADLOCK, 1 1/2 in.</p>   | Each |   | 1 | 1 |   |

AIRFRAME FITTERS (APPRENTICES)

SECTION 7  
SCALE A.4  
Page 1

A/L.58 September 1972

| Ref. No. | Description                                     | Denom. of Quantity | Quantity | Remarks                         |
|----------|---|--------------------|----------|---------------------------------|
| 1        | 2   | 3                  | 4        | 5                               |
|          | <u>SECTION 1.A</u>                              |                    |          |                                 |
| 9575039  | BOX, tool, standard, medium                     | Each               | 1        |                                 |
|          | <u>CALIPER</u>                                  |                    |          |                                 |
| 9104460  | Inside, 6 in.                                   | Each               | 1        |                                 |
| 9104466  | Outside, 6 in.                                  | Each               | 1        |                                 |
| 9552988  | CAN, lubricating, oil, small                    | Each               | 1        |                                 |
| 9552987  | CARD, scratch, 1 1/2 in. to 2 in.               | Feet               | 1/2      |                                 |
| 9104202  | CHISEL, cold, light sets, flat, 3/8 in. x 4 in. | Each               | 1        |                                 |
| 9104483  | CLAMP, toolmaker's parallel, 5 in.              | Each               | 2        |                                 |
| 9104476  | DIVIDER, spring, split nut, 6 in.               | Each               | 1        |                                 |
| 9104427  | DRIFT, copper, 1/2 in. x 6 1/2 in.              | Each               | 1        |                                 |
|          | <u>FILE</u>                                     |                    |          |                                 |
| 9104852  | Half round, bastard, 6 in.                      | Each               | 2        |                                 |
| 9104870  | Half round, smooth, 8 in.                       | Each               | 1        |                                 |
| 9104879  | Hand, bastard, 10 in.                           | Each               | 2        |                                 |
| 9104886  | Hand, second cut, 6 in.                         | Each               | 1        |                                 |
| 9104887  | Hand, second cut, 8 in.                         | Each               | 1        |                                 |
| 9104893  | Hand, smooth, 6 in.                             | Each               | 1        |                                 |
| 9104895  | Hand, smooth, 10 in.                            | Each               | 1        |                                 |
| 9104930  | Round, smooth, 4 in.                            | Each               | 1        |                                 |
| 9104932  | Round, smooth, 8 in.                            | Each               | 1        |                                 |
| 9104946  | Square, smooth, 4 in.                           | Each               | 1        | Ref. 1B/1250326.<br>For drills. |
|          | <u>HOLDALL</u>                                  |                    |          |                                 |
| 9104281  | STOCK, drill, hand                              | Each               | 1        |                                 |
|          | <u>SECTION 1.B</u>                              |                    |          |                                 |
| 1207068  | GAUGE, thickness taper, 4 in.<br>10 blades Set  | Each               | 1        |                                 |

A/L.58 September 1972

| 1       | 2   | 3    | 4  | 5 |
|---------|---|------|----|---|
|         | <u>SECTION 1.B (Contd.)</u>                           |      |    |   |
|         | <u>HAMMER</u>   |      |    |   |
| 9104648 | Fitters', ballpein, 1/2 lb.                           | Each | 1  |   |
| 9104654 | Fitters', crosspein, 1/4 lb.                          | Each | 1  |   |
| 1207307 | Hide faced, No. 1                                     | Each | 1  |   |
|         | <u>HANDLE file</u>                                    |      |    |   |
| 9105184 | No. 2   | Each | 2  |   |
| 9105185 | No. 3   | Each | 2  |   |
| 9105186 | No. 5   | Each | 2  |   |
| 1208026 | NIPPER, end cutting 6 <sup>1</sup> / <sub>2</sub> in. | Each | 1  |   |
| 9105522 | PLIER, side cutting, 6 in.                            | Each | 1  |   |
| 9105542 | PRICKER, ice  | Each | 1  |   |
|         | <u>PUNCH</u>  |      |    |   |
| 9105548 | Centre, 4 in.   | Each | 1  |   |
| 9105585 | Round, tapered point 1/8 in.                          | Each | 1  |   |
| 9105726 | RULE, steel, 1 ft.                                    | Each | 11 |   |
|         | <u>SECTION 1.C</u>                                    |      |    |   |
| 9105747 | SAW, hack, fixed, 6 in.                               | Each | 1  |   |
|         | <u>Accessory</u>                                      |      |    |   |
| 9105748 | <u>BLADE</u>  | Each | 12 |   |
| 7899    | GS 6 in.  | Each | 1  |   |
| 9105868 | SCREWDRIVER, ratchet, 5 in. x 1/4 in.                 | Each | 1  |   |
| 9105891 | SCRIBER, fitters', 7 in.                              | Each | 1  |   |
|         | <u>SPANNER, D.E.O.J.</u>                              |      |    |   |
| 9106177 | 0 x 2 BA  | Each | 1  |   |
| 9106179 | 4 x 6 BA  | Each | 1  |   |
| 9552995 | 3/16 in. x 1/8 in., B.S.W.                            | Each | 1  |   |
| 9106228 | 3/16 in. x 1/4 in., B.S.W.                            | Each | 1  |   |
| 9106229 | 5/16 in. x 3/8 in., B.S.W.                            | Each | 1  |   |
| 9106422 | SQUARE, fitters', 4 in.                               | Each | 1  |   |
| 9106597 | VICE, hand, 4 in.                                     | Each | 1  |   |
| 9105963 | WRENCH, crescent type, 6 in.                          | Each | 1  |   |

A/L.58 September 1972

| 1                                   | 2  | 3    | 4 | 5 |
|-------------------------------------|--|------|---|---|
| <u>SECTION 1.G</u>                  |  |      |   |   |
| <u>DRILL, twist, parallel shank</u> |  |      |   |   |
| 9108383                             | 1/16 in.   | Each | 3 |   |
| 9108385                             | 3/32 in.   | Each | 1 |   |
| 9108387                             | 1/8 in.  | Each | 1 |   |
| 9108389                             | 5/32 in.   | Each | 1 |   |
| 9108391                             | 3/16 in.   | Each | 1 |   |
| 9108394                             | 15/64 in.  | Each | 1 |   |
| <u>SECTION 1.L</u>                  |  |      |   |   |
| <u>SPANNER SOCKET SET No. 1</u>     |  |      |   |   |
| <u>9/32 in. SQUARE DRIVE</u>        |  |      |   |   |
| 9106313                             | BAR, extension, 4 in.                                      | Each | 1 |   |
| 1208478                             | EXTENSION, flexible, 6 in.                                 | Each | 1 |   |
| 1208419                             | HANDLE, sliding bar tee, 4 <sup>1</sup> / <sub>2</sub> in. | Each | 1 |   |
| <u>SOCKET hexagon</u>               |  |      |   |   |
| 1208397                             | 3 B.A.   | Each | 1 |   |
| 1208399                             | 4 B.A.   | Each | 1 |   |
| <u>SPANNER SOCKET SET No. 2</u>     |  |      |   |   |
| <u>3/8 in. SQUARE DRIVE</u>         |  |      |   |   |
| 9106316                             | BAR, extension, 6 in.                                      | Each | 1 |   |
| 9552992                             | HANDLE, sliding bar tee, 6 in.                             | Each | 1 |   |
| <u>SOCKET, bi hexagon B.S.W.</u>    |  |      |   |   |
| 9106386                             | 3/16 in.   | Each | 1 |   |
| 9106387                             | 1/4 in.  | Each | 1 |   |
| 9106388                             | 5/16 in.   | Each | 1 |   |
| 9106389                             | 3/8 in.  | Each | 1 |   |
| 9106390                             | 7/16 in.   | Each | 1 |   |
| <u>SECTION 29.G</u>                 |  |      |   |   |
| 9108185                             | PADLOCK, iron, 1 <sup>1</sup> / <sub>2</sub> in.           | Each | 1 |   |

COLUMN 5

ARMAMENT MECHANICS  
ARMAMENT ASSISTANT

FOR TRADESMEN SERVICING, HARRIER, GAZELLE, JAGUAR, LYNX AND PUNA AIRCRAFT  
REFER TO THE RESPECTIVE AIRCRAFT TOPIC 3C FOR  
SCALES OF ENTITLEMENT OF HAND TOOLS

SECTION 7  
SCALE A.5  
Page 1

A/L 58 SEPTEMBER 1972

| Ref. No. | Description                                  | Denom. of Quantity | Quantity | Quantity | Remarks |
|----------|--|--------------------|----------|----------|---------|
| 1        | 2  | 3                  | 4        | 5        | 6       |
|          | <u>SECTION 1A</u>                            |                    |          |          |         |
| 1275310  | BAG, tool, G.P.                              | Each               | -        | 1        |         |
| 9104309  | AWL, brad                                    | Each               | 1        |          |         |
| 9575039  | BOX, tool, standard, large                   | Each               | 1        | -        |         |
| 9552987  | CARD, scratch, 1 1/2 in. to 2 in.            | Feet               | 1/2      | 1/2      |         |
| 9104202  | CHISEL, cold, light sets, nickel steel, flat | Each               | 1        | -        |         |
|          | <u>FILES</u>                                 |                    |          |          |         |
| 9104979  | Equalling                                    | Each               | 1        | -        |         |
| 9104870  | Half round, smooth, 8 in.                    | Each               | 1        | 1        |         |
| 9104879  | Hand, bastard, 10 in.                        | Each               | 1        | 1        |         |
| 9104886  | Hand, second cut, 6 in.                      | Each               | -        | 1        |         |
| 9104893  | Hand, smooth, 6 in.                          | Each               | 1        | -        |         |
| 9104932  | Round, smooth, 8 in.                         | Each               | 1        | -        |         |
| 9104961  | Three square or triangular bastard, 6 in.    | Each               | 1        | -        |         |
| 9552988  | OILER, hand, 3/2 oz.                         | Each               | 1        | 1        |         |
|          | <u>SECTION 1B</u>                            |                    |          |          |         |
| 1207068  | GAUGE, thickness 4 in. taper 10 blades set   | Each               | 1        | 1        |         |
|          | <u>HAMMER</u>                                |                    |          |          |         |
| 9104648  | Engineers', ball pein, 1/2 lb.               | Each               | 1        | 1        |         |
| 1207297  | Rubber, flat head, 3/4 lbs.                  | Each               | 1        | -        |         |
|          | <u>HANDLE, file</u>                          |                    |          |          |         |
| 9105185  | No. 3  | Each               | 3        | 1        |         |
| 9105186  | No. 5  | Each               | 3        | 1        |         |
| 1206137  | NIPPER, diagonal cutting, 5 1/2 in.          | Each               | 1        | 1        |         |
| 1688     | OILSTONE, chaped, No. 53, medium             | Each               | 1        |          |         |



| 1       | 2   | 3    | 4 | 5 | 6 |
|---------|---|------|---|---|---|
|         | <u>SECTION 1B (Contd.)</u>                          |      |   |   |   |
|         | <u>PLIERS</u>                                       |      |   |   |   |
| 1206710 | Flat nose   | Each | 1 | - |   |
| 9105522 | Side, cutting plain handle, 6 in.                   | Each | 1 | 1 |   |
|         | <u>PUNCH</u>  |      |   |   |   |
| 9105548 | Centre  | Each | 1 | - |   |
| 9105585 | Round, tapered point, 1/8 in.                       | Each | 1 | - |   |
| 9105587 | Round, tapered point, 3/16 in.                      | Each | 1 | 1 |   |
| 9105726 | RULE, steel, 1 ft.                                  | Each | 1 | 1 |   |
|         | <u>SECTION 1C</u>                                   |      |   |   |   |
|         | <u>SCREWDRIVER</u>                                  |      |   |   |   |
| 7899    | G.S. handle, 6 in.                                  | Each | 1 | 1 |   |
| 9105853 | Common, 3 in. x 1/4 in.                             | Each | 1 | 1 |   |
| 9105871 | Watchmaker's, blades,<br>2 1/2 in. x 1/8 in. points | Each | 1 | - |   |
| 2229    | SPANNER, box, D/E, 1/8 in. x 3/16 in.<br>B.S.W.     | Each | - | 1 |   |
|         | <u>SPANNER, D.E.O.J.</u>                            |      |   |   |   |
| 9106177 | 0 x 2 BA  | Each | 1 | 1 |   |
| 9106179 | 4 x 6 BA  | Each | 1 | 1 |   |
| 9425967 | 3/16 in. x 1/8 in. B.S.W.                           | Each | 1 | 1 |   |
| 9106228 | 3/16 in. x 1/4 in. B.S.W.                           | Each | 1 | 1 |   |
| 9106229 | 5/16 in. x 3/8 in. B.S.W.                           | Each | 1 | 1 |   |
| 9106230 | 7/16 in. x 1/2 in. B.S.W.                           | Each | 1 | 1 |   |
| 9106232 | 11/16 in. x 3/4 in. B.S.W.                          | Each | 1 | 1 |   |
| 9106066 | WRENCH, "Allen" key, A.F., 1/4 in.                  | Each | 1 | 1 |   |
| 9105963 | WRENCH, crescent type, 6 in.                        | Each | 1 | 1 |   |
|         | <u>SECTION 1E</u>                                   |      |   |   |   |
| 3705    | OILSTONES, slip                                     | Each | 1 | - |   |

A/L 58 September 1972

ARMAMENT MECHANICS  
ARMAMENT ASSISTANTS

| 1       | 2                                  | 3    | 4 | 5 | 6 |
|---------|------------------------------------|------|---|---|---|
|         | <u>SECTION 1.L</u>                 |      |   |   |   |
|         | <u>SPANNER SOCKET SET No. 1</u>    |      |   |   |   |
|         | <u>1/4 in. SQUARE DRIVE</u>        |      |   |   |   |
| 1208415 | BARS, extension, 4 in.             | Each | 1 | 1 |   |
| 9552994 | CASES, steel                       | Each | 1 | - |   |
| 1208419 | HANDLES, sliding bar tee 4.1/2 in. | Each | 1 | 1 |   |
|         | <u>SOCKET, hexagon</u>             |      |   |   |   |
| 1208395 | O.B.A.                             | Each | 1 | - |   |
| 1208397 | O.B.A.                             | Each | 1 | - |   |
| 1208399 | 4.B.A.                             | Each | 1 | - |   |
| 1208401 | 6.B.A.                             | Each | 1 | - |   |
|         | <u>SPANNER SOCKET SET No. 2</u>    |      |   |   |   |
|         | <u>3/8 in. SQUARE DRIVE</u>        |      |   |   |   |
| 9106316 | BARS, extension, 6 in.             | Each | 1 | 1 |   |
| 9552992 | HANDLES, sliding bar tee, 6 in.    | Each | 1 | 1 |   |
|         | <u>SOCKET, bi-hexagon, B.S.W.</u>  |      |   |   |   |
| 9106386 | 3/16 in.                           | Each | 1 | - |   |
| 9106387 | 1/4 in.                            | Each | 1 | 1 |   |
| 9106388 | 5/16 in.                           | Each | 1 | 1 |   |
| 9106389 | 3/8 in.                            | Each | - | 1 |   |
| 9106390 | 7/16 in.                           | Each | - | 1 |   |
|         | <u>SECTION 29.G</u>                |      |   |   |   |
| 9108185 | PADLOCK, iron, 1.1/2 in.           | Each | 1 | 1 |   |

COLUMN 5

ARMAMENT MECHANICS  
ARMAMENT ASSISTANT

FOR TRADESMEN SERVICING, HARRIER, GAZELLE, JAGUAR, LYNX AND FUNA AIRCRAFT  
REFER TO THE RESPECTIVE AIRCRAFT TOPIC 3C FOR  
SCALES OF ENTITLEMENT OF HAND TOOLS

SECTION 7  
SCALE A.5  
Page 1

A/L 58 SEPTEMBER 1972

| Ref. No. | Description                                  | Denom. of Quantity | Quantity | Quantity | Remarks |
|----------|--|--------------------|----------|----------|---------|
| 1        | 2  | 3                  | 4        | 5        | 6       |
|          | <u>SECTION 1A</u>                            |                    |          |          |         |
| 1275310  | BAG, tool, G.P.                              | Each               | -        | 1        |         |
| 9104309  | AWL, brad                                    | Each               | 1        |          |         |
| 9575039  | BOX, tool, standard, large                   | Each               | 1        | -        |         |
| 9552987  | CARD, scratch, 1 1/2 in. to 2 in.            | Feet               | 1/2      | 1/2      |         |
| 9104202  | CHISEL, cold, light sets, nickel steel, flat | Each               | 1        | -        |         |
|          | <u>FILES</u>                                 |                    |          |          |         |
| 9104979  | Equalling                                    | Each               | 1        | -        |         |
| 9104870  | Half round, smooth, 8 in.                    | Each               | 1        | 1        |         |
| 9104879  | Hand, bastard, 10 in.                        | Each               | 1        | 1        |         |
| 9104886  | Hand, second cut, 6 in.                      | Each               | -        | 1        |         |
| 9104893  | Hand, smooth, 6 in.                          | Each               | 1        | -        |         |
| 9104932  | Round, smooth, 8 in.                         | Each               | 1        | -        |         |
| 9104961  | Three square or triangular bastard, 6 in.    | Each               | 1        | -        |         |
| 9552988  | OILER, hand, 3/2 oz.                         | Each               | 1        | 1        |         |
|          | <u>SECTION 1B</u>                            |                    |          |          |         |
| 1207068  | GAUGE, thickness 4 in. taper 10 blades set   | Each               | 1        | 1        |         |
|          | <u>HAMMER</u>                                |                    |          |          |         |
| 9104648  | Engineers', ball pein, 1/2 lb.               | Each               | 1        | 1        |         |
| 1207297  | Rubber, flat head, 3/4 lbs.                  | Each               | 1        | -        |         |
|          | <u>HANDLE, file</u>                          |                    |          |          |         |
| 9105185  | No. 3  | Each               | 3        | 1        |         |
| 9105186  | No. 5  | Each               | 3        | 1        |         |
| 1206137  | NIPPER, diagonal cutting, 5 1/2 in.          | Each               | 1        | 1        |         |
| 1688     | OILSTONE, chaped, No. 53, medium             | Each               | 1        |          |         |

| 1       | 2   | 3    | 4 | 5 | 6 |
|---------|---|------|---|---|---|
|         | <u>SECTION 1B (Contd.)</u>                          |      |   |   |   |
|         | <u>PLIERS</u>                                       |      |   |   |   |
| 1206710 | Flat nose   | Each | 1 | - |   |
| 9105522 | Side, cutting plain handle, 6 in.                   | Each | 1 | 1 |   |
|         | <u>PUNCH</u>  |      |   |   |   |
| 9105548 | Centre  | Each | 1 | - |   |
| 9105585 | Round, tapered point, 1/8 in.                       | Each | 1 | - |   |
| 9105587 | Round, tapered point, 3/16 in.                      | Each | 1 | 1 |   |
| 9105726 | RULE, steel, 1 ft.                                  | Each | 1 | 1 |   |
|         | <u>SECTION 1C</u>                                   |      |   |   |   |
|         | <u>SCREWDRIVER</u>                                  |      |   |   |   |
| 7899    | G.S. handle, 6 in.                                  | Each | 1 | 1 |   |
| 9105853 | Common, 3 in. x 1/4 in.                             | Each | 1 | 1 |   |
| 9105871 | Watchmaker's, blades,<br>2 1/2 in. x 1/8 in. points | Each | 1 | - |   |
| 2229    | SPANNER, box, D/E, 1/8 in. x 3/16 in.<br>B.S.W.     | Each | - | 1 |   |
|         | <u>SPANNER, D.E.O.J.</u>                            |      |   |   |   |
| 9106177 | 0 x 2 BA  | Each | 1 | 1 |   |
| 9106179 | 4 x 6 BA  | Each | 1 | 1 |   |
| 9425967 | 3/16 in. x 1/8 in. B.S.W.                           | Each | 1 | 1 |   |
| 9106228 | 3/16 in. x 1/4 in. B.S.W.                           | Each | 1 | 1 |   |
| 9106229 | 5/16 in. x 3/8 in. B.S.W.                           | Each | 1 | 1 |   |
| 9106230 | 7/16 in. x 1/2 in. B.S.W.                           | Each | 1 | 1 |   |
| 9106232 | 11/16 in. x 3/4 in. B.S.W.                          | Each | 1 | 1 |   |
| 9106066 | WRENCH, "Allen" key, A.F., 1/4 in.                  | Each | 1 | 1 |   |
| 9105963 | WRENCH, crescent type, 6 in.                        | Each | 1 | 1 |   |
|         | <u>SECTION 1E</u>                                   |      |   |   |   |
| 3705    | OILSTONES, slip                                     | Each | 1 | - |   |

A/L 58 September 1972

ARMAMENT MECHANICS  
ARMAMENT ASSISTANTS

| 1       | 2                                  | 3    | 4 | 5 | 6 |
|---------|------------------------------------|------|---|---|---|
|         | <u>SECTION 1.L</u>                 |      |   |   |   |
|         | <u>SPANNER SOCKET SET No. 1</u>    |      |   |   |   |
|         | <u>1/4 in. SQUARE DRIVE</u>        |      |   |   |   |
| 1208415 | BARS, extension, 4 in.             | Each | 1 | 1 |   |
| 9552994 | CASES, steel                       | Each | 1 | - |   |
| 1208419 | HANDLES, sliding bar tee 4.1/2 in. | Each | 1 | 1 |   |
|         | <u>SOCKET, hexagon</u>             |      |   |   |   |
| 1208395 | O.B.A.                             | Each | 1 | - |   |
| 1208397 | O.B.A.                             | Each | 1 | - |   |
| 1208399 | 4.B.A.                             | Each | 1 | - |   |
| 1208401 | 6.B.A.                             | Each | 1 | - |   |
|         | <u>SPANNER SOCKET SET No. 2</u>    |      |   |   |   |
|         | <u>3/8 in. SQUARE DRIVE</u>        |      |   |   |   |
| 9106316 | BARS, extension, 6 in.             | Each | 1 | 1 |   |
| 9552992 | HANDLES, sliding bar tee, 6 in.    | Each | 1 | 1 |   |
|         | <u>SOCKET, bi-hexagon, B.S.W.</u>  |      |   |   |   |
| 9106386 | 3/16 in.                           | Each | 1 | - |   |
| 9106387 | 1/4 in.                            | Each | 1 | 1 |   |
| 9106388 | 5/16 in.                           | Each | 1 | 1 |   |
| 9106389 | 3/8 in.                            | Each | - | 1 |   |
| 9106390 | 7/16 in.                           | Each | - | 1 |   |
|         | <u>SECTION 29.G</u>                |      |   |   |   |
| 9108185 | PADLOCK, iron, 1.1/2 in.           | Each | 1 | 1 |   |

A/L 58 September 1972

| 1   | 2                              | 3    | 4 | 5 | 6 |
|---|--------------------------------|------|---|---|---|
| <p align="center"><u>ADDITIONAL TOOLS TO BE ISSUED ONLY FOR SERVICING EQUIPMENT INCORPORATING<br/>THE UNIFIED SCREW THREAD SYSTEM (B.S. 1580) AND NUT AND BOLT HEADS (B.S.1768)</u></p> |                                |      |   |   |   |
| <p align="center"><u>SECTION 1.C</u></p>  |                                |      |   |   |   |
| <p><u>SPANNER, double ended, open jaw</u><br/><u>A.F.</u></p>   |                                |      |   |   |   |
| 9551728   | 1/4 in. x 5/16 in.             | Each | 1 | 1 |   |
| 9426752   | 5/16 in. x 3/8 in.             | Each | 1 | 1 |   |
| 1203948   | 3/8 in. x 7/16 in.             | Each | 1 | 1 |   |
| 1300070   | 1/2 in. x 9/16 in.             | Each | 1 | 1 |   |
| 9551731   | 5/8 in. x 3/4 in.              | Each | 1 | 1 |   |
| 9552991   | 11/16 in. x 13/16 in.          | Each | 1 | - |   |
| 9552990   | 3/4 in. x 7/8 in.              | Each | 1 | - |   |
| <p align="center"><u>SECTION 1.L</u></p>  |                                |      |   |   |   |
| <p><u>SPANNER, SOCKET MIDGET</u><br/><u>9/32 in. SQUARE DRIVE</u><br/><u>SOCKETS, hexagon</u></p>   |                                |      |   |   |   |
| 1208404   | 3/16 in.                       | Each | 1 | 1 |   |
| 1208407   | 1/4 in.                        | Each | 1 | 1 |   |
| 1209527   | 5/16 in.                       | Each | 1 | 1 |   |
| 1209528   | 11/32 in.                      | Each | 1 | 1 |   |
| 1209529   | 3/8 in. x 3/8 in. Square Drive | Each | 1 | - |   |

ELECTRICAL FITTERS (AIR)  
 ELECTRICAL FITTERS (GROUND)  
 ELECTRICAL MECHANICS (AIR)  
 ELECTRICAL MECHANICS (GROUND)

FOR TRADESMEN SERVICING, HARRIER, GAZELLE, JAGUER, LYNX AND PURVA AIRCRAFT  
REFER TO THE RESPECTIVE AIRCRAFT TOPIC 3C FOR SCALES OF  
ENTITLEMENT OF HAND TOOLS

SECTION 7  
 SCALE A.6  
 Page 1

A/L 58 September 1972

| Ref.No.            | Description                                      | Denom. of Quantity | Quantity | Remarks      |
|--------------------|--|--------------------|----------|--------------|
| 1                  | 2  | 3                  | 4        | 5            |
| <u>SECTION 1A</u>  |  |                    |          |              |
| <u>AWL brad</u>    |  |                    |          |              |
| 9104309            | BLADE  | Each               | 1        |              |
| 9104308            | HANDLE, No. 4                                    | Each               | 1        |              |
| 1275310            | BAG, tool, G.P.                                  | Each               | 1        |              |
| 9552987            | CARD, scratch, 1 1/2 in. to 2 in.                | Feet               | 1/2      |              |
| <u>FILE</u>        |  |                    |          |              |
| 9104979            | Equalling  | Each               | 1        |              |
| 9104853            | Half round, bastard, 8 in.                       | Each               | 1        |              |
| 9104869            | Half round, smooth, 6 in.                        | Each               | 1        |              |
| 9104893            | Hand, smooth, 6 in.                              | Each               | 1        |              |
| 9104923            | Round, bastard, 6 in.                            | Each               | 1        |              |
| 9104961            | Three square or triangular, bastard 6 in.        | Each               | 1        |              |
| <u>SECTION 1B</u>  |  |                    |          |              |
| 1207068            | GAUGE, thickness 4 in. taper<br>10 blades sets   | Each               | 1        | Fitters only |
| <u>HAMMER</u>      |  |                    |          |              |
| 9104648            | Engineers', ball pein, 1/2 lb.                   | Each               | 1        |              |
| 1207297            | Rubber faced, No. 1, 1 lb.                       | Each               | 1        | Fitters only |
| <u>HANDLE FILE</u> |  |                    |          |              |
| 9105185            | No. 3  | Each               | 1        |              |
| 9105186            | No. 5  | Each               | 1        |              |
| 9105295            | NIPPER, cutting, diagonal, 5 in.<br>pointed nose | Each               | 1        |              |
| <u>PLIER</u>       |  |                    |          |              |
| 1206710            | Flat nose, 6 in.                                 | Each               | 1        |              |
| 9105525            | Side cutting, insulated, 6 in.                   | Each               | 1        |              |
| 1206709            | Snipe, Nose, 8 in.                               | Each               | 1        |              |

| 1       | 2   | 3    | 4    | 5   |
|---------|---|------|------|---|
|         | <u>SECTION 1B (Contd.)</u>                        |      |      |   |
|         | <u>PUNCH</u>                                      |      |      |   |
| 9105548 | Centre, 4 in.                                     | Each | 1    |   |
| 9105585 | Round, tapered point, 1/8 in.                     | Each | 1    |   |
| 1300282 | RULE, steel, 6 in.                                | Each | 1    |   |
|         | <u>SECTION 1C</u>                                 |      |      |   |
| 9105747 | SAW, hack, fixed, 6 in.                           | Each | 1    |   |
|         | <u>Accessory</u>                                  |      |      |   |
| 9105748 | BLADE   | Each | 12   |   |
| 7899    | SCREWDRIVER, G.S., handle 6 in.                   | Each | 1    |   |
|         | <u>SCREWDRIVER, crosspoint Phillips</u>           |      |      |   |
| 9105864 | No. 1   | Each | 1(c) | (c) Only to be issued when<br>employed on Britannia<br>aircraft |
| 9105865 | No. 2   | Each | 1(c) |   |
|         | <u>SCREWDRIVER</u>                                |      |      |   |
| 9105875 | Insulated, blade and handle<br>7" x 5 1/2"        | Each | 1    |   |
| 9105868 | Ratchet, 5 in. x 1/4 in. point                    | Each | 1    |   |
| 9105871 | Watchmakers', blade<br>2 1/2 in. x 1/8 in. points | Each | 1    |   |
| 9105879 | Watchmakers', blade<br>8 in. x 3/16 in. points    | Each | 1    |   |
|         | <u>SPANNER, D.E.O.J.</u>                          |      |      |   |
| 9106177 | 0 x 2 BA  | Each | 1    |   |
| 9106179 | 4 x 6BA   | Each | 1    |   |
| 9552995 | 3/16 in. x 1/8 in. B.S.W.                         | Each | 1    |   |
| 9106228 | 3/16 in. x 1/4 in. B.S.W.                         | Each | 1    |   |
| 9106229 | 5/16 in. x 3/8 in. B.S.W.                         | Each | 1    |   |
| 1206743 | WRENCH, pipe                                      | Each | 1    | Fitters only  |
| 9437819 | STRIPPER, wire                                    | Each | 1    |   |
|         | <u>WRENCH, Allen key, A.F.</u>                    |      |      |   |
| 9106060 | 3/32 in.  | Each | 1(c) |   |
| 9106063 | 5/32 in.  | Each | 1(c) |   |
| 1205609 | WRENCH, torque, 5.25 in./lbs.                     | Each | 1(a) | (a) Fitters (Air)   |
| 9105963 | WRENCH, crescent type, 6 in.                      | Each | 1    | Mechanics (Air) only  |



A/L 58 September 1972

| 1       | 2  | 3    | 4    | 5   |
|---------|--|------|------|---|
|         | <u>SECTION 1H</u>  |      |      |   |
| 9438611 | PLIES, stretching, and sleeving                                | Each | 1    | Fitters only  |
|         | <u>SECTION 1L</u>  |      |      |   |
| 9106305 | ADAPTOR, socket spanner  | Each | 1(a) |   |
|         | <u>SCREWDRIVER</u>   |      |      |   |
| 9443077 | Bit, 3/16 in.  | Each | 1(a) |   |
| 282     | Bit 5/16 in.   | Each | 1(a) |   |
| 9538119 | Bit, holder  | Each | 1(a) |   |
|         | <u>SPANNER SOCKET SET No. 1</u><br><u>1/4 in. SQUARE DRIVE</u> |      |      |   |
| 1208415 | BAR, extension, 4 in.  | Each | 1    |   |
| 9552994 | CASE, steel  | Each | 1    | Fitters only  |
| 1208478 | EXTENSION, flexible, 6 in.                                     | Each | 1    | Fitters only  |
|         | <u>HANDLE</u>  |      |      |   |
| 1208418 | Ratchet  | Each | 1(a) |   |
| 1208419 | Sliding bar, tee 4 <sup>1</sup> / <sub>2</sub> in.             | Each | 1    |   |
| 1208417 | Swivel, 6 in.  | Each | 1    | Fitters only  |
|         | <u>SOCKET, hexagon</u>   |      |      |   |
| 1208395 | O.B.A.   | Each | 1    | Fitters only  |
| 1208397 | 2B.A.  | Each | 1    | (a) For Electrical fitters (Air) and Electrical mechanics (Air) only. |
| 1208399 | 4 B.A.   | Each | 1    |   |
| 1208401 | 6B.A.  | Each | 1    | (b) For Electrical fitters servicing 'V' class aircraft only          |
|         | <u>SPANNER SOCKET SET No. 2</u><br><u>3/8 in. SQUARE DRIVE</u> |      |      |   |
| 9106316 | BARS, extension, 6 in.   | Each | 1    | For Electrical Fitters (Air) only                                     |
|         | <u>HANDLE</u>  |      |      |   |
| 9106329 | Ratchet  | Each | 1(a) |   |
| 9552992 | Sliding bar tee  | Each | 1    | )   |
|         | <u>SOCKET, bi-hexagon, B.S.W.</u>                              |      |      | )   |
| 9106386 | 3/16 in.   | Each | 1    | )   |
| 9106387 | 1/4 in.  | Each | 1    | )   |
| 9106388 | 5/16 in.   | Each | 1(b) | )   |

| 1       | 2  | 3    | 4 | 5   |
|---------|--|------|---|---|
| 3421    | <p style="text-align: center;"><u>SECTION 5G</u></p> <p>INDICATOR, high voltage</p>                        | Each | 1 | For use on "V" Bomber and Lightning aircraft only |
| 9108185 | <p style="text-align: center;"><u>SECTION 29G</u></p> <p>PADLOCK, iron, 1<sup>1</sup>/<sub>2</sub> in.</p> | Each | 1 |   |

A/L 58 September 1972

| 1  | 2  | 3    | 4 | 5 |
|--|--|------|---|---|
|  | <u>SECTION 1.C</u>                           |      |   |   |
|  | <u>SPANNERS, double ended, open jaw A.F.</u> |      |   |   |
| 9551728                                  | 1/4 in. x 5/16 in.                           | Each | 1 |   |
| 9106000                                  | 3/8 in. x 7/16 in.                           | Each | 1 |   |
| 9704854                                  | 1/2 in. x 9/16 in.                           | Each | 1 |   |
| 9551731                                  | 5/8 in. x 3/4 in.                            | Each | 1 |   |
| 9552991                                  | 11/16 in. x 13/16 in.                        | Each | 1 |   |
|  | <u>SECTION 1.L</u>                           |      |   |   |
|  | <u>SPANNERS SOCKET MIDGET</u>                |      |   |   |
|  | <u>1/4 <del>9/32</del> in. SQUARE DRIVE</u>  |      |   |   |
|  | <u>SOCKETS hexagon</u>                       |      |   |   |
| 1208404                                  | 3/16 in.                                     | Each | 1 |   |
| 1209525                                  | 7/32 in.                                     | Each | 1 |   |
| <del>1209526</del><br><del>1208407</del> | 1/4 in.                                      | Each | 1 |   |
| 1209527                                  | 5/16 in.                                     | Each | 1 |   |
| 1209528                                  | 11/32 in.                                    | Each | 1 |   |

FOR TRADESMEN SERVICING HARRIER, GAZELLE, JAGUAR, LYNX AND PUMA AIRCRAFT  
REFER TO THE RESPECTIVE AIRCRAFT TOPIC 3C FOR SCALES OF ENTITLEMENT OF HAND TOOLS

COLUMN 4

COLUMN 5

INSTRUMENT FITTERS  
INSTRUMENT FITTERS (NAV.)  
INSTRUMENT FITTERS (GEN.)

INSTRUMENT MECHANICS

SECTION 7  
SCALE A.7  
Page 1

A/L.58 September 1972

| Ref. No. | Description                                      | Denom.<br>of<br>Quantity | Quantity | Quantity | Remarks |
|----------|--|--------------------------|----------|----------|---------|
| 1        | 2  | 3                        | 4        | 5        | 6       |
|          | <u>SECTION 1.A</u>                               |                          |          |          |         |
| 1275310  | BAG, tool, G.P.                                  | Each                     | 1        | 1        |         |
| 9432863  | BRUSH, watchmakers                               | Each                     | 1        | 1        |         |
| 9552987  | CARD, scratch, 1 1/2 in. to 2 in.                | Feet                     | 1/2      | 1/2      |         |
| 887      | EYEGLASS, watchmakers'                           | Each                     | 1        | -        |         |
| 9552988  | OILER, Hand, 3 1/2 oz.                           | Each                     | 1        | 1        |         |
|          | <u>SECTION 1.B</u>                               |                          |          |          |         |
|          | <u>HAMMER</u>                                    |                          |          |          |         |
| 9104647  | Engineers' ballpein, 1/4 lb. )                   | Each                     | 1        | 1        |         |
| 9104654  | Engineers' crosspein, 1/4 lb. )                  |                          |          |          |         |
| 9104721  | Watchmakers', 2 oz. head                         | Each                     | 1        | -        |         |
| 9105185  | <u>HANDLE, file No. 3</u>                        | Each                     | 1        | 1        |         |
| 9105295  | NIPPER, cutting, diagonal, 5 in.<br>rounded nose | Each                     | 1        | 1        |         |
|          | <u>PLIER</u>                                     |                          |          |          |         |
| 1206932  | Flat taper nose, 3 1/2 in.                       | Each                     | 1        | 1        |         |
| 9105525  | Side cutting, insulated, 6 in.                   | Each                     | 1        | 1        |         |
| 1206933  | Watchmakers', fine round nose, 4 in.             | Each                     | 1        | 1        |         |
|          | <u>PUNCH</u>                                     |                          |          |          |         |
| 9105548  | Centre, 4 in.                                    | Each                     | 1        | 1        |         |
| 9105583  | Round, tapered nose 1/16 in.                     | Each                     | 1        | 1        |         |
| 9105725  | RULE, steel, 6 in.                               | Each                     | 1        | -        |         |
|          | <u>SECTION 1.C</u>                               |                          |          |          |         |
|          | SCREWDRIIVER, crosspoint, Phillips               |                          |          |          |         |
| 9105864  | No. 1  | Each                     | 1(a)     | 1(a)     |         |
| 9105865  | No. 2  | Each                     | 1(a)     | 1(a)     |         |

A/L.58 September 1972

| 1       | 2  | 3    | 4    | 5    | 6  |
|---------|--|------|------|------|--|
|         | <u>SECTION 1.C (Contd.)</u>                                  |      |      |      |  |
|         | <u>SCREWDRIVER</u>   |      |      |      |  |
| 7899    | G.S. handle, 6 in.   | Each | 1    | -    |  |
| 9105875 | Insulated blade & handle 7 in. x 5/32 in.                    | Each | 1    | 1    |  |
| 9105868 | Ratchet, 5 in. x 1/4 in.                                     | Each | 1    | 1    |  |
| 9105848 | Inst. maker's sets   | Each | 1    | -    |  |
| 9105871 | Watchmaker's blades, 7 <sup>1</sup> / <sub>2</sub> x 1/8 in. | Each | 1    | 1    | (a) Only to be issued when employed on Britannia and Nimrod aircraft |
| 9105879 | Watchmaker's blades, 8 in. x 3/10 in.                        | Each | 1    | 1    |  |
| 9105922 | SHEARS, watchmaker's   | Each | 1    | 1    |  |
|         | <u>SPANNER, D.E.O.J.</u>                                     |      |      |      |  |
| 9106177 | 0 x 2 BA   | Each | 1    | 1    |  |
| 9106179 | 4 x 6 BA   | Each | 1    | 1    |  |
| 9106181 | 8 x 10 BA  | Each | 1    | -    |  |
| 9106228 | 3/16 in. x 1/4 in. B.S.W.                                    | Each | 1    | 1    |  |
| 9106229 | 5/16 in. x 3/8 in. B.S.W.                                    | Each | 1    | 1    |  |
| 9106230 | 7/16 in. x 1/2 in. B.S.W.                                    | Each | 1    | 1    |  |
| 1206743 | SPANNER, strap, adjustable                                   | Each | 1    | -    |  |
| 9437819 | STRIPPER, wire   | Each | 1    | -    |  |
| 9106586 | TWEEZERS, watchmakers'                                       | Each | 1    | -    |  |
|         | <u>WRENCH, Allen key A/F</u>                                 |      |      |      |  |
| 9106060 | 3/32 in.   | Each | 1(a) | 1(a) |  |
| 9106063 | 5/32 in.   | Each | 1(a) | 1(a) |  |
| 9105963 | WRENCH, crescent, type, 6 in.                                | Each | 1    | 1    |  |
| 1201243 | WRENCH, spin torque  | Each | 1    |      |  |
|         | <u>SECTION 1.L</u>   |      |      |      |  |
| 9552994 | CASE, steel  | Each | 1    | 1    |  |
| 9105747 | SAW, hack, fixed, 6 in.                                      | Each | 1    | 1    |  |
|         | <u>Accessories</u>   |      |      |      |  |
| 9105748 | BLADE  | Each | 12   | 12   |  |

A/L.58 September 1972

| 1       | 2  | 3    | 4 | 5 | 6   |
|---------|--|------|---|---|---|
|         | <u>SECTION 1.L (Contd.)</u>                                    |      |   |   |   |
|         | <u>SPANNER SOCKET SET No. 1</u><br><u>1/4 in. SQUARE DRIVE</u> |      |   |   |   |
| 9106305 | ADAPTOR 9/32 in. to 3/8 in. sq. drive                          | Each | 1 | - |   |
| 1208415 | BARS, extension, 1/4 in.                                       | Each | 1 | 1 |   |
| 1208478 | EXTENSIONS, flexible, 6 in.                                    | Each | 1 | - |   |
|         | <u>HANDLES</u>   |      |   |   |   |
| 1208418 | Ratchet  | Each | 1 | 1 |   |
| 1208419 | Sliding, bar, tee, 4 1/2 in.                                   | Each | 1 | 1 |   |
| 1208417 | SWIVEL, 6 in.  | Each | 1 | - |   |
| 9538119 | ADAPTER, Screw set   | Each | 1 | 1 |   |
| 9443077 | 3/16 in.   | Each | 1 | 1 |   |
| 282     | 5/16 in.   | Each | 1 | 1 |   |
|         | <u>SOCKETS, hexagon</u>  |      |   |   |   |
| 1208395 | 0.B.A.   | Each | 1 | - |   |
| 1208397 | 2 B.A.   | Each | 1 | 1 |   |
| 1208399 | 4 B.A.   | Each | 1 | 1 |   |
| 1208401 | 6 B.A.   | Each | 1 | 1 |   |
| 481     | 1/8 in. B.S.W.   | Each | 1 | 1 |   |
|         | <u>SPANNER SOCKET SET No. 2</u><br><u>3/8 in. SQUARE DRIVE</u> |      |   |   |   |
| 9106316 | BARS, extension, 4 in.   | Each | 1 | 1 |   |
| 9106329 | HANDLES, ratchet   | Each | 1 | 1 |   |
| 9552992 | HANDLES, sliding bar, tee 6 in.                                | Each | 1 | 1 |   |
|         | <u>SOCKETS, bi-hexagon B.S.W.</u>                              |      |   |   |   |
| 9106386 | 3/16 in.   | Each | 1 | 1 |   |
| 9106387 | 1/4 in.  | Each | 1 | 1 |   |
| 9106388 | 5/16 in.   | Each | 1 | 1 |   |
|         | <u>SECTION 6.C</u>   |      |   |   |   |
| 1015    | TUBES, suction, for testing oxygen regulators                  | Each | 1 | 1 | Only to be issued to personnel servicing Pressure Demand Oxygen Systems |

A/L.58 September 1972

| 1  | 2                     | 3    | 4 | 5 | 6 |
|--|-----------------------|------|---|---|---|
| <u>ADDITIONAL TOOLS TO BE ISSUED ONLY FOR SERVICING EQUIPMENT INCORPORATING THE UNIFIED SCREW THREAD (B.S.1580) AND NUTS AND BOLT HEADS (B.S.1768)</u> |                       |      |   |   |   |
| <u>SECTION 1.C</u>   |                       |      |   |   |   |
| <u>SPANNERS, double ended, open jaw, A.F.</u>  |                       |      |   |   |   |
| 9551728  | 1/4 in. x 5/16 in.    | Each | 1 | 1 |   |
| 1203948  | 3/8 in. x 7/16 in.    | Each | 1 | 1 |   |
| 9704854  | 1/2 in. x 9/16 in.    | Each | 1 | 1 |   |
| 9551731  | 5/8 in. x 3/4 in.     | Each | 1 | 1 |   |
| 9552991  | 11/16 in. x 13/16 in. | Each | 1 | 1 |   |
| 9552990  | 3/4 in. x 7/8 in.     | Each | 1 | 1 |   |
| <u>SECTION 1.L</u>   |                       |      |   |   |   |
| <u>SPANNERS SOCKET MIDGET 1/4 in. SQUARE DRIVE SOCKETS, hexagon</u>  |                       |      |   |   |   |
| 1208404  | 3/16 in.              | Each | 1 | 1 |   |
| 1209525  | 7/32 in.              | Each | 1 | 1 |   |
| 1209526  | 1/4 in.               | Each | 1 | 1 |   |
| 1209527  | 5/16 in.              | Each | 1 | 1 |   |
| 1209528  | 11/32 in.             | Each | 1 | 1 |   |
| <u>SPANNERS SOCKET AMERICAN TYPE 3/8 in. SQUARE DRIVE SOCKETS, bi-hexagon</u>  |                       |      |   |   |   |
| 1209530  | 7/16 in.              | Each | 1 | 1 |   |
| 1209531  | 1/2 in.               | Each | 1 | 1 |   |
| 1209532  | 9/16 in.              | Each | 1 | 1 |   |

FLIGHT ENGINEERS

SECTION 7  
SCALE A.8  
Page 1

A/L.58 September

| Ref. No. | Description   | Denom. of Quantity | Britannia | Snackleton | Hastings | Beverley | Comet | Argosy | Remarks |
|----------|---|--------------------|-----------|------------|----------|----------|-------|--------|---------|
| 1        | 2   | 3                  | 4         | 5          | 6        | 7        | 8     | 9      | 10      |
|          | <u>SECTION 1.A</u>  |                    |           |            |          |          |       |        |         |
| 1275310  | BAG, tool, general purpose                                  | Each               | 1         | 1          | 1        | -        | 1     | 1      |         |
| 9575039  | BOX, tool, standard, medium                                 | Each               | -         | -          | -        | 1        | -     |        |         |
| 9104206  | CHISEL, cold, cast steel, flat<br>3/8 in.                   | Each               | -         | 1          | -        | 1        | -     |        |         |
| 9104427  | DRIFT, copper, 1/2 in. x 6 1/2 in.<br><u>DRILL, twist:-</u> | Each               | -         | 1          | -        | 1        | 1     |        |         |
| 9104979  | <u>FILE</u> , equalling                                     | Each               | -         | -          | -        | -        | 1     |        |         |
| 9104852  | Half round, bastard 6 in.                                   | Each               | -         | -          | 1        | 1        |       |        |         |
| 9104854  | Half round, bastard 10 in.                                  | Each               | -         | 1          | -        |          |       |        |         |
| 9104886  | Hand safe edge, second cut, 6 in.                           | Each               | -         | -          | 1        | 1        |       |        |         |
| 9104869  | Half round, smooth, 6 in.                                   | Each               | -         | -          | 1        | 1        | 1     |        |         |
| 9104893  | Smooth, hand 6 in.  | Each               | -         | 1          | -        | 1        |       |        |         |
| 9104281  | STOCK, drill, hand<br><u>TOMMYBAR</u>                       | Each               | -         | -          | -        | 1        | -     |        |         |
| 9106536  | 3/16 in. x 4 in.  | Each               | -         | 1          | -        |          |       |        |         |
| 9106537  | 1/4 in. x 5 in.   | Each               | -         | 1          | -        | 1        |       |        |         |
|          | <u>SECTION 1.B</u>  |                    |           |            |          |          |       |        |         |
|          | <u>HAMMER</u>   |                    |           |            |          |          |       |        |         |
| 9104647  | Ballpein, 1/4 lb.   | Each               | 1         | -          | 1        | 1        | -     | -      |         |
| 9104649  | Engineers, ballpein, 3/4 lb.                                | Each               | -         | 1          | -        | 1        | 1     | 1      |         |
| 1207307  | Hide faced, 1 lb.   | Each               | 1         | -          | 1        | 1        | 1     | 1      |         |
|          | <u>HANDLE</u>   |                    |           |            |          |          |       |        |         |
| 9105184  | File, No. 2   | Each               | -         | 1          |          |          |       |        |         |
| 9105185  | File, No. 3   | Each               |           | 1          | 1        | 1        | 1     |        |         |
| 9105186  | File, No. 5   | Each               |           | 1          | -        | -        | -     | -      |         |
| 1027068  | GAUGE, thickness, taper 4 in.<br>10 blades Set              | Each               | 1         | -          | -        | -        | -     | -      |         |
| 9105295  | NIPPER, cutting, diagonal, 5 in.                            | Each               | 1         | -          | -        | -        | 1     | -      |         |



A/L.58 September 1972

| 1       | 2                                   | 3    | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|---------|-------------------------------------|------|---|---|---|---|---|---|----|
|         | <u>SECTION 1.B (Contd.)</u>         |      |   |   |   |   |   |   |    |
|         | <u>PLIER, sidecutting</u>           |      |   |   |   |   |   |   |    |
| 9105525 | 6 in. insulated                     | Each | 1 | 1 | - | 1 | 1 | 1 |    |
| 9105522 | 6 in.                               | Each | - | - | 1 | - | - | - |    |
| 9105526 | 8 in. insulated                     | Each | - | 1 | - | - | - | - |    |
| 9105585 | PUNCH, round, tapered point 1/8 in. | Each | - | 1 | - | - | 1 | - |    |
|         | <u>SECTION 1.C</u>                  |      |   |   |   |   |   |   |    |
| 9105747 | SAW, hack, fixed 16 in.             | Each | - | - | - | 1 | - | - |    |
| 9105746 | SAW, hack 12 in.                    | Each | - | - | - | 1 | - | - |    |
|         | <u>SCREWDRIVER</u>                  |      |   |   |   |   |   |   |    |
| 7899    | G.S., handle, 6 in.                 | Each | - | 1 | - | 1 | - | - |    |
|         | <u>Common</u>                       |      |   |   |   |   |   |   |    |
| 9105855 | 6 in. x 1/2 in.                     | Each | - | - | 1 | 1 | 1 | 1 |    |
| 9105865 | Crosspoint, "Phillips" No. 2        | Each | 1 | - | - | - | 1 | 1 |    |
| 9105868 | Ratchet, 5 in. x 1/4 in.            | Each | - | 1 | - | 1 | - | 1 |    |
|         | <u>Watchmaker's</u>                 |      |   |   |   |   |   |   |    |
| 9105871 | 2 1/2 in. x 1/8 in.                 | Each | 1 | - | - | - | - | 1 |    |
| 9105876 | 3 in. x 5/32 in.                    | Each | - | 1 | 1 | 1 | - | 1 |    |
| 9105884 | 10 in. x 1/4 in.                    | Each | - | 1 | - | - | 1 | 1 |    |
|         | <u>SPANNER</u>                      |      |   |   |   |   |   |   |    |
| 9105954 | Adjustable, 4 in.                   | Each | - | - | 1 | 1 | - | 1 |    |
| 9106183 | Folding sets                        | Each | - | 1 | - | - | - | 1 |    |
|         | <u>SPANNER, 'C' Adjustable:-</u>    |      |   |   |   |   |   |   |    |
| 1208731 | Medium                              | Each | - | - | - | 1 | - | - |    |
| 1208730 | Small                               | Each | - | - | - | 1 | - | - |    |
|         | <u>SPANNER, bi-hexagon ring</u>     |      |   |   |   |   |   |   |    |
| 1276113 | 5/16 in. x 1/4 in.                  | Each |   |   |   | 1 |   |   |    |
| 9105967 | 5/16 in. x 3/8 in. A.F.             | Each |   |   | 1 |   |   |   |    |
| 9105968 | 7/16 in. x 3/8 in.                  | Each |   |   | 1 |   |   |   |    |
| 9105969 | 9/16 in. x 5/8 in. A.F.             | Each |   |   | 1 |   |   |   |    |
| 1276115 | 9/16 in. x 1/2 in.                  | Each |   |   | 1 |   |   |   |    |
| 9105970 | 11/16 in. x 13/16 in. A.F.          | Each |   |   | 1 |   |   |   |    |
| 1276116 | 11/16 in. x 19/32 in.               | Each |   |   | 1 |   |   |   |    |

A/L.58 September 1972

| 1       | 2  | 3    | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|---------|--|------|---|---|---|---|---|---|----|
|         | <u>SECTION 1.C (Contd.)</u>                |      |   |   |   |   |   |   |    |
|         | <u>SPANNER, D.E.O.J.</u>                   |      |   |   |   |   |   |   |    |
| 9106177 | 0 x 2. B.A.                                | Each | 1 | - | 1 | 1 | 1 | 1 |    |
| 9106179 | 4 x 6. B.A.                                | Each | 1 | - | 1 | - | 1 | 1 |    |
| 9552995 | 3/16 in. x 1/8 in. B.S.W.                  | Each | - | 1 | - | 1 | 1 | 1 |    |
| 9106228 | 3/16 in. x 1/4 in. B.S.W.                  | Each | 1 | 1 | - | 1 | 1 | 1 |    |
| 9106229 | 5/16 in. x 3/8 in. B.S.W.                  | Each | 1 | 1 | - | 1 | 1 | 1 |    |
| 9106230 | 7/16 in. x 1/2 in. B.S.W.                  | Each | 1 | 1 | - | 1 | 1 | 1 |    |
| 9106231 | 9/16 in. x 5/8 in. B.S.W.                  | Each | - | 1 | - | 1 | 1 | 1 |    |
| 9106233 | 7/8 in. x 1 in. B.S.W.                     | Each | - | - | - | 1 | - | - |    |
|         | <u>SPANNER, double ended open jaw, A/F</u> |      |   |   |   |   |   |   |    |
| 9551728 | 1/4 in. x 5/6 in.                          | Each |   |   |   |   |   | 1 |    |
| 9426742 | 5/16 in. x 3/8 in.                         | Each |   |   |   |   |   | 1 |    |
| 9106000 | 3/8 in. x 7/16 in.                         | Each |   |   |   |   |   | 1 |    |
| 1300070 | 1/2 in. x 9/16 in.                         | Each |   |   |   |   |   | 1 |    |
| 9551731 | 5/8 in. x 3/4 in.                          | Each |   |   |   |   |   | 1 |    |
| 9552990 | 3/4 in. x 7/8 in.                          | Each |   |   |   |   |   | 1 |    |
| 9552991 | 11/16 in. x 13/16 in.                      | Each |   |   |   |   |   | 1 |    |
| 9106006 | 15/16 in. x 1 in.                          | Each |   |   |   |   |   | 1 |    |
| 1206743 | SPANNER, strap adjustable                  | Each | - | - | - | - | 1 | 1 |    |
| 1201254 | SPANNER, torque, Model A/C double handled  | Each | - | - | - | 2 | - | - |    |
|         | <u>WRENCH, crescent type</u>               |      |   |   |   |   |   |   |    |
| 9105963 | 6 in.                                      | Each | - | - | - | 1 |   |   |    |
| 9105964 | 8 in.                                      | Each | - | 1 | - | - | - | 1 |    |
|         | <u>SECTION 1.G</u>                         |      |   |   |   |   |   |   |    |
|         | <u>DRILL, twist, parallel shank</u>        |      |   |   |   |   |   |   |    |
| 9108383 | 1/16 in.                                   | Each |   |   |   | 1 |   |   |    |
| 9108385 | 3/32 in.                                   | Each |   |   |   | 1 |   |   |    |
| 9108386 | 7/64 in.                                   | Each |   |   |   | 1 |   |   |    |
| 9108387 | 1/8 in.                                    | Each |   |   |   | 1 |   |   |    |

A/L.58 September 1972

| 1       | 2                                       | 3    | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|---------|---|------|---|---|---|---|---|---|----|
|         | <u>SECTION 1,G (Contd.)</u>             |      |   |   |   |   |   |   |    |
|         | DRILL, twist, parallel shank (Contd.)   |      |   |   |   |   |   |   |    |
| 9108389 | 5/32 in.                                | Each |   |   |   | 1 |   |   |    |
| 9108391 | 3/16 in.                                | Each |   |   |   | 1 |   |   |    |
| 9108395 | 1/4 in.                                 | Each |   |   |   | 1 |   |   |    |
|         | <u>SECTION 1,L</u>                      |      |   |   |   |   |   |   |    |
|         | <u>SPANNER SOCKET SET No. 1 1/4 in.</u> |      |   |   |   |   |   |   |    |
|         | <u>SQUARE DRIVE</u>                     |      |   |   |   |   |   |   |    |
| 9106313 | BAR, extension                          | Each | - | 1 | - | 1 | 1 | - |    |
| 1208478 | EXTENSIONS, flexible, 6 in. long        | Each | 1 | - | - | 1 | 1 | - |    |
|         | <u>HANDLE</u>                           |      |   |   |   |   |   |   |    |
| 1208418 | Ratchet                                 | Each | 1 | 1 | 1 | 1 | 1 |   |    |
| 1208420 | Sliding bar tee, 4/2 in.                | Each | 1 | 1 | - | 1 | 1 | - |    |
| 1208420 | JOINT, universal                        | Each | - | - | 1 | - | - | - |    |
|         | <u>SOCKET, hexagon</u>                  |      |   |   |   |   |   |   |    |
| 1208395 | O.B.A.                                  | Each | - | 1 | 1 | - | 1 | - |    |
| 1208397 | 2 B.A.                                  | Each | 1 | 1 | 1 | 1 | 1 | - |    |
| 1208399 | 4 B.A.                                  | Each | 1 | 1 | 1 | 1 | 1 | - |    |
| 1208400 | 5 B.A.                                  | Each | - | - | 1 | - | - | - |    |
| 1208401 | 6 B.A.                                  | Each | - | 1 | - | 1 | 1 | - |    |
|         | <u>SPANNER SOCKET SET No. 2 3/8 in.</u> |      |   |   |   |   |   |   |    |
|         | <u>SQUARE DRIVE</u>                     |      |   |   |   |   |   |   |    |
|         | <u>BAR, extension</u>                   |      |   |   |   |   |   |   |    |
| 9106316 | 6 in.                                   | Each | 1 | 1 | 1 | 1 | 1 | - |    |
| 9106317 | 12 in.                                  | Each | - | - | 1 | - | - | - |    |
|         | <u>HANDLE</u>                           |      |   |   |   |   |   |   |    |
| 9106329 | Ratchet                                 | Each | - | 1 | 1 | 1 | 1 | - |    |
| 9552992 | Sliding bar tee 6 in.                   | Each | 1 | 1 | 1 | 1 | 1 | - |    |
| 9106341 | JOINT, universal                        | Each | 1 | - | 1 | - | 1 | - |    |
|         | <u>SOCKET bi-hexagon B.S.W.</u>         |      |   |   |   |   |   |   |    |
| 9106386 | 3/16 in.                                | Each | 1 | - | 1 | 1 | 1 | - |    |
| 9106387 | 1/4 in.                                 | Each | 1 | 1 | 1 | 1 | 1 | - |    |

A/L.58 September 1972

| 1       | 2   | 3    | 4 | 5  | 6 | 7 | 8 | 9 | 10  |
|---------|---|------|---|----|---|---|---|---|---|
|         | <u>SECTION 1,L (Contd.)</u>                                     |      |   |    |   |   |   |   |   |
|         | <u>SOCKET bi-hexagon B.S.W. (Contd.)</u>                        |      |   |    |   |   |   |   |   |
| 9106388 | 5/16 in.  | Each | 1 | 1  | 1 | 1 | 1 | - |   |
| 9106389 | 3/8 in.   | Each | 1 | -  | 1 | 1 | 1 | - |   |
| 1276112 | 7/16 in.  | Each | - | -- | 1 | 1 | - | - |   |
|         | <u>SPANNER, SOCKET SET No. 3 1/2 in.</u><br><u>SQUARE DRIVE</u> |      |   |    |   |   |   |   |   |
| 9106334 | HANDLE, sliding bar tee   | Each | - | -  | - | 1 | - | - |   |
|         | <u>SECTION 5,A</u>  |      |   |    |   |   |   |   |   |
| 9105033 | TORCHES, hand electric, type Y                                  | Each | 1 | 1  | 1 | - | - | 1 |   |
| 4190    | TORCHES, electric, type V                                       | Each | - | -  | - | 1 | - | - |   |
| 1085992 | TORCHES, aircrew  | Each | 1 | 1  | 1 | 1 | 1 | 1 | 1 Each per<br>established<br>Flying School. |
|         | <u>SECTION 5,GX</u>   |      |   |    |   |   |   |   |   |
| 369     | LAMPS, inspection, Mk. 2  | Each | - | 1  | - | - | - | - |   |
|         | <u>SECTION 5,J</u>  |      |   |    |   |   |   |   |   |
| 9101101 | BATTERIES, 1.5V, No. 1  | Each | - | -  | - | 1 | - | 1 |   |
|         | <u>SECTION 6,B</u>  |      |   |    |   |   |   |   |   |
| 2645    | Computer Dr Mk 4A   | Each |   | 1  |   |   |   |   |   |

A/L.58 September 1972

| 1       | 2                          | 3    | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|---------|----------------------------|------|---|---|---|---|---|---|----|
|         | <u>SECTION 13</u>          |      |   |   |   |   |   |   |    |
| 94      | COMPASS SETS               | Each | - | - | - | - | - | 1 |    |
|         | <u>SECTION 22,B</u>        |      |   |   |   |   |   |   |    |
| 442     | KNIVES, clasp N.P.         | Each | - | 1 | - | - | - | - |    |
|         | <u>SECTION 26,DL</u>       |      |   |   |   |   |   |   |    |
|         | SPANNERS, flarenut         |      |   |   |   |   |   |   |    |
| 95093   | 3/8 in.                    | Each | - | - | - | - | 1 | - |    |
| 95094   | 7/16 in.                   | Each | - | - | - | - | 1 | - |    |
| 95097   | 5/8 in.                    | Each | - | - | - | - | 1 | - |    |
| 95098   | 11/16 in.                  | Each | - | - | - | - | 1 | - |    |
|         | <u>SECTION 29,G</u>        |      |   |   |   |   |   |   |    |
| 91C8185 | PADLOCKS, iron 1 /2 in.    | Each | - | 1 | 1 | 1 | - | 1 |    |
|         | <u>SECTION 36,DD</u>       |      |   |   |   |   |   |   |    |
| 427553  | SPANNERS                   | Each | - | 1 | - | - | - | - |    |
|         | <u>SECTION 36,HH</u>       |      |   |   |   |   |   |   |    |
| 70439   | SPANNERS, box, Rolls Royce | Each | - | 1 | - | - | - | - |    |

A/L.58 September 1972

| 1      | 2                                    | 3    | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|--------|--------------------------------------|------|---|---|---|---|---|---|----|
|        | <u>SECTION 36.R</u>                  |      |   |   |   |   |   |   |    |
|        | SPANNERS                             |      |   |   |   |   |   |   |    |
| 120699 | Plug                                 | Each | - | - | 1 | - | - | - |    |
| 121021 | Plug elbow                           | Each | - | - | 1 | 1 | - | - |    |
| 120692 | Ring                                 | Each | - | - | - | 1 | - | - |    |
|        | <u>SECTION 36.W</u>                  |      |   |   |   |   |   |   |    |
| 130575 | SPANNERS, sparking plug special      | Each | - | - | - | 1 | - | - |    |
|        | <u>SECTION 37.B</u>                  |      |   |   |   |   |   |   |    |
| 1903   | SPANNERS, sparking plug, Rolls Royce | Each | - | 1 | - | - | - | - |    |

AIR SIGNALLERS

FOR "IN FLIGHT" AND "ROUTE" SERVICING OF  
COMMERCIAL RADIO EQUIPMENT FITTED TO  
COMET AND BRITANNIA AIRCRAFT

SECTION 7  
SCALE A.9  
Page 1

A/L 58 September 1972

| Ref. No.              | Description  | Denom. of<br>Quantity | Quantity | Remarks |
|-----------------------|--|-----------------------|----------|---------|
| 1                     | 2  | 3                     | 4        | 5       |
|                       | <u>SECTION 1A</u>  |                       |          |         |
| 1275310               | BAGS, tool, G.P.   | Each                  | 1        |         |
|                       | <u>SECTION 1B</u>  |                       |          |         |
| 1278853               | IRONS, soldering, electric,<br>24V/48W                         | Each                  | 1        |         |
|                       | <u>PLIERS</u>  |                       |          |         |
| 1206932               | Flat, taper nose, <sup>1</sup> / <sub>2</sub> in.              | Each                  | 1        |         |
| 9105526               | Side cutting, 8 in., insulated                                 | Each                  | 1        |         |
|                       | <u>SECTION 1C</u>  |                       |          |         |
|                       | SCREWDRIVER  |                       |          |         |
| 9105853               | Common, 3 in. x 1/4 in.  | Each                  | 1        |         |
| 9105875               | Insulated blade, 7 in.   | Each                  | 1        |         |
| 9105868               | Ratchet, 5 in. x 1/4 in.                                       | Each                  | 1        |         |
|                       | <u>SECTION 5A</u>  |                       |          |         |
| 4190<br>or<br>1067577 | TORCHES, electric, type V )<br>)<br>TORCHES, electric type Z ) | Each                  | 1        |         |
| 1085942               | TORCHES, aircrew   | Each                  | 1        |         |
|                       | <u>SECTION 5CY</u>   |                       |          |         |
| 959                   | PLUGS, type A, 2 pole  | Each                  | 1        |         |

AIR ELECTRONIC OFFICERS

NOTE:- For "In flight" and "ground" servicing of Radio and Electrical equipment on Valiant, Victor, and Vulcan aircraft.

SECTION 7  
SCALE A.10  
Page 1

A/L 58 September 1972

| Ref. No. | Description  | Denom. of Quantity | Quantity | Remarks |
|----------|--|--------------------|----------|---------|
| 1        | 2  | 3                  | 4        | 5       |
|          | <u>SECTION 1.A</u>   |                    |          |         |
| 1275310  | BAG, tool, G.P.  | Each               | 1        |         |
|          | <u>SECTION 1.B</u>   |                    |          |         |
|          | <u>PLIERS</u>  |                    |          |         |
| 1206932  | Flat taper nose, 3 <sup>1</sup> / <sub>2</sub> in.                     | Each               | 1        |         |
| 9105525  | Side cutting, 6 in. insulated  | Each               | 1        |         |
| 1206709  | Snipe nose, long insulated 6 in.                                       | Each               | 1        |         |
|          | <u>SECTION 1.C</u>   |                    |          |         |
| 7899     | SCREWDRIVER, G.S. handle, 6 in.  | Each               | 1        |         |
| 9105871  | SCREWDRIVER, watchmakers', 2 <sup>1</sup> / <sub>2</sub> in. x 1/8 in. | Each               | 1        |         |
|          | <u>SPANNER, box B.S.W.</u>   |                    |          |         |
| 2229     | 1/8 in. x 3/16 in.   | Each               | 1        |         |
| 5033     | 1/4 in. x 5/16 in.   | Each               | 1        |         |
| 1208730  | SPANNER, "C", adjustable small   | Each               | 1        |         |
| 1206743  | SPANNER, strap, adjustable   | Each               | 1        |         |
| 9105963  | WRENCH, crescent type, 6 in.   | Each               | 1        |         |
|          | <u>SECTION 1.H</u>   |                    |          |         |
| 100      | EXTRACTOR, radio valve set   | Each               | 1        |         |



A/L 58 September 1972

| 1                     | 2  | 3            | 4      | 5          |
|-----------------------|--|--------------|--------|------------|
| 9105875               | <u>SECTION 1.L</u><br><u>SCREWDRIVER</u><br>Insulated 7 in. x 5/32 in.<br>WRENCH, crescent type, 6 in. | Each<br>Each | 1<br>1 | IC/9105963 |
| 4190<br>or<br>1067377 | <u>SECTION 5.A</u><br>TORCH, electric, type V )<br>TORCH, electric, type Z )                           | Each         | 1      |            |

AIR CAMERA FITTERS

AP.830 VOL.3 PART A  
SECTION 7  
SCALE A.11  
Page 1

A/L 58 September 1972

| Ref. No. | Description   |      |     | Remarks |
|----------|---|------|-----|---------|
| 1        | 2   | 3    | 4   | 5       |
|          | <u>SECTION 1A</u>                                     |      |     |         |
| 1275310  | BAG, tool, G.P.                                       | Each | 1   |         |
|          | <u>BRUSH</u>  |      |     |         |
| 9430434  | CAMEL HAIR, No. 1                                     | Each | 1   |         |
| 9430404  | DUSTING   | Each | 1   |         |
| 9432863  | VARNISH, hard   | Each | 1   |         |
| 9552987  | CARD, scratch, 1 <sup>1</sup> / <sub>2</sub> to 2 in. | Feet | 1/2 |         |
| 887      | EYEGLASS, watchmaker                                  | Each | 1   |         |
| 9104579  | FILE, equaling  | Each | 1   |         |
| 9552988  | OILER, hand 3 <sup>1</sup> / <sub>2</sub> oz.         | Each | 1   |         |
|          | <u>SECTION 1B</u>                                     |      |     |         |
| 1207068  | GAUGE, thickness, 4 in. taper                         | Each | 1   |         |
|          | <u>HAMMER</u>   |      |     |         |
| 9104617  | Engineers, ballpein 1/4 lb.                           | Each | 1   |         |
| 1207307  | Nylon, faced  | Each | 1   |         |
| 9104721  | Watchmaker, 2 oz. head                                | Each | 1   |         |
| 9105185  | HANDLE, file No. 3                                    | Each | 1   |         |
| 9552996  | MIRROR, inspection                                    | Each | 1   |         |
| 9105295  | NIPPERS, diagonal, cutting                            | Each | 1   |         |
|          | <u>PLIERS</u>   |      |     |         |
| 1206932  | FLAT Nose, 4 <sup>1</sup> / <sub>4</sub> in.          | Each | 1   |         |
| 1206933  | Round, needle nose                                    | Each | 1   |         |
| 9105525  | Sidecutting, 6 in. insulated                          | Each | 1   |         |
|          | <u>PUNCH</u>  |      |     |         |
| 9105548  | Centre, 4 in.   | Each | 1   |         |
| 9105551  | Drive Pin, parallel point                             | Each | 1   |         |
| 9105583  | Drive Pin, taper point                                | Each | 1   |         |
| 1300282  | RULE, steel, 6 in.                                    | Each | 1   |         |

A/L 58 September 1972

| 1       | 2   | 3    | 4 | 5 |
|---------|---|------|---|---|
|         | <u>SECTION 1C</u>   |      |   |   |
| 9105747 | SAW, hack, fixed, 6 in.                                   | Each | 1 |   |
|         | <u>Accessory</u>  |      |   |   |
| 9105748 | Blade   | Each | 6 |   |
|         | <u>SCREWDRIVER</u>  |      |   |   |
| 7899    | G.S. Handle, 6 in.  | Each | 1 |   |
| 1275189 | Crosspoint, phillips, No. 0                               | Each | 1 |   |
| 9105864 | Crosspoint, phillips, No. 1                               | Each | 1 |   |
| 9105865 | Crosspoint, phillips, No. 2                               | Each | 1 |   |
| 9105661 | Flat point, engineer                                      | Each | 1 |   |
| 9105875 | Flat point, instrument                                    | Each | 1 |   |
| 9105848 | Instrument maker set                                      | Each | 1 |   |
| 9105868 | Ratchet   | Each | 1 |   |
| 9105871 | Watchmaker, blade 2 <sup>1</sup> / <sub>2</sub> x 1/8 in. | Each | 1 |   |
| 9105879 | Watchmaker, blade 8 x 3/16 in.                            | Each | 1 |   |
|         | <u>SPANNER, D.E.O.J.</u>                                  |      |   |   |
| 9106177 | 0 x 2 BA  | Each | 1 |   |
| 9106179 | 4 x 6 BA  | Each | 1 |   |
| 9106181 | 8 x 10 BA   | Each | 1 |   |
| 9552995 | 1/8 x 3/16 in. B.S.W.                                     | Each | 1 |   |
| 9106228 | 3/16 x 1/4 in. B.S.W.                                     | Each | 1 |   |
| 9106229 | 5/16 x 3/8 in. B.S.W.                                     | Each | 1 |   |
| 9106230 | 7/10 x 1/2 in. B.S.W.                                     | Each | 1 |   |
| 1206743 | SPANNER, STRAP, adjustable                                | Each | 1 |   |
| 9437819 | STRIPPER, wire  | Each | 1 |   |
| 9106586 | TWEEZERS, watchmaker                                      | Each | 1 |   |
| 9105963 | WRENCH, crescent type, 6 in.                              | Each | 1 |   |
|         | <u>SECTION 1J</u>   |      |   |   |
| 218     | OILER, fountain pen, type                                 | Each | 1 |   |

A/L 58 September 1972

| 1       | 2  | 3    | 4 | 5 |
|---------|--|------|---|---|
|         | <u>SECTION 1L</u>                                  |      |   |   |
|         | <u>SPANNER SOCKET SET, No. 1 1/4 in. SD</u>        |      |   |   |
| 1208415 | BAR, extension, 4 in.                              | Each | 1 |   |
| 9552994 | CASE, steel  | Each | 1 |   |
| 1208478 | EXTENSION, flexible, 6 in.                         | Each | 1 |   |
|         | <u>HANDLE</u>                                      |      |   |   |
| 1208418 | Ratchet  | Each | 1 |   |
| 1208419 | Sliding bar tee, 4 <sup>1</sup> / <sub>2</sub> in. | Each | 1 |   |
| 1208417 | Swivel, 6 in.                                      | Each | 1 |   |
|         | <u>SOCKET, HEXAGON</u>                             |      |   |   |
| 1208395 | 0 BA   | Each | 1 |   |
| 1208397 | 2 BA   | Each | 1 |   |
| 1208399 | 4 BA   | Each | 1 |   |
| 1208401 | 6BA  | Each | 1 |   |
| 1208403 | 8 BA   | Each | 1 |   |
| 481     | 1/8 B.S.W.   | Each | 1 |   |
|         | <u>SPANNER SOCKET SET No. 2 3/8 in. SD</u>         |      |   |   |
| 9106305 | ADAPTOR  | Each | 1 |   |
| 9106316 | BAR, extension, 4 in.                              | Each | 1 |   |
|         | <u>HANDLE</u>                                      |      |   |   |
| 9106329 | Ratchet  | Each | 1 |   |
| 9552992 | Sliding Bar Tee                                    | Each | 1 |   |
|         | <u>SOCKET BI-HEXAGON</u>                           |      |   |   |
|         | B.S.W.   |      |   |   |
| 9106386 | 3/16 in.   | Each | 1 |   |
| 9106387 | 1/4 in.  | Each | 1 |   |
| 9106388 | 5/16 in.   | Each | 1 |   |
| 9106389 | 3/8 in.  | Each | 1 |   |
|         | <u>SCREWDRIVER</u>                                 |      |   |   |
| 9538119 | HOLDER   | Each | 1 |   |
| 9443077 | BIT 3/16 in.                                       | Each | 1 |   |
| 282     | BIT 5/16 in.                                       | Each | 1 |   |

A/L 58 September 1972

| 1                     | 2  | 3    | 4 | 5 |
|-----------------------|--|------|---|---|
| 4190<br>or<br>1067377 | <p style="text-align: center;"><u>SECTION 5A</u></p> TORCH, electric, type Y )<br>)<br>TORCH, electric, type Z ) | Each | 1 |   |
| 9108185               | <p style="text-align: center;"><u>SECTION 29G</u></p> PADLOCK, iron, 1 <sup>1</sup> / <sub>2</sub> in.           | Each | 1 |   |

COLUMN 4:- SAFETY EQUIPMENT WORKERS, SAFETY EQUIPMENT ASSISTANTS  
 COLUMN 5:- SAFETY AND SURFACE WORKERS, SURFACE WORKERS  
 COLUMN 6:- FABRIC WORKERS  
 COLUMN 7:- PAINTERS AND DOPERS

SECTION 7  
 SCALE A.12  
 Page 1

A/L.58 September 1972

| Ref. No. | Description                                | Denom.<br>of<br>Quantity | Quantity   | Quantity | Quantity | Quantity | Remarks                                       |
|----------|--|--------------------------|------------|----------|----------|----------|---|
| 1        | 2  | 3                        | 4          | 5        | 6        | 7        | 8   |
|          | <u>SECTION 1.A</u>                         |                          |            |          |          |          |   |
| 1275310  | BAGS, tool, G.P.                           | Each                     | 1          | -        | -        | -        |   |
| 5717     | BOXES, tool, standard, small               | Each                     | -          | 1        | 1        | 1        |   |
|          | <u>BRUSHES</u>                             |                          |            |          |          |          |   |
| 9430404  | Dusting                                    | Each                     | -          | 1        | -        | 1        |   |
| 9430415  | Stencil                                    | Each                     | -          | 1        | 1        | 1        |   |
| 9424743  | Varnish, 1 in.                             | Each                     | -          | -        | -        | 1        |   |
| 9430557  | Varnish, 2 in.                             | Each                     | -          | -        | -        | 1        |   |
| 9430452  | Writing, crow                              | Each                     | -          | 1        | 1        | 1        |   |
|          | <u>SECTION 1.B</u>                         |                          |            |          |          |          |   |
| 9104654  | HAMMERS, engineers',<br>crosspein, 1/4 lb. | Each                     | 1          | 1        | 1        | -        |   |
| 9105408  | KNIVES, putty                              | Each                     | -          | 1        | -        | 1        |   |
|          | <u>NEEDLES</u>                             |                          |            |          |          |          |   |
| 1250300  | Parachute harness                          | Dozen                    | 1/2        | 1/2      | 1/2      | -        |   |
| 2935     | Sailmakers'                                | Dozen                    | 1/2<br>(a) | 1/2      | 1/2      | -        | (a) Other sizes<br>may be demanded<br>in lieu |
| 2937     | Sewing between                             | Dozen                    | 1<br>(a)   | 1        | 1        | -        |   |
| 1634     | Upholsterers'                              | Dozen                    | 1/2<br>(a) | 1/2      | 1/2      | -        |   |
| 9105471  | PALMS, sewing sailmakers'                  | Each                     | 1          | 1        | 1        | -        |   |
|          | <u>PLIERS</u>                              |                          |            |          |          |          |   |
| 9434429  | Eyelet, fixing plain                       | Each                     | 1          | 1        | 1        | -        |   |
| 9105522  | Sidecutting, 6 in.                         | Each                     | 1          | 1        | 1        | -        |   |
|          | <u>RULES</u>                               |                          |            |          |          |          |   |
| 9105718  | Boxwood                                    | Each                     | -          | 1        | -        | 1        |   |
| 9105726  | Steel, 1 ft.                               | Each                     | 1          | 1        | 1        | -        |   |

A/L,58 September 1972

| 1       | 2   | 3    | 4 | 5 | 6 | 7 | 8 |
|---------|---|------|---|---|---|---|---|
|         | <u>SECTION 1.C</u>                              |      |   |   |   |   |   |
| 9105818 | SCRAVERS, cabinetmakers'                        | Each | - | 1 | - | 1 |   |
|         | <u>SCISSORS</u>                                 |      |   |   |   |   |   |
| 1275131 | Fabric  | Each | 1 | 1 | 1 | - |   |
| 1275127 | Shears, straight, trimmers                      | Each | 1 | 1 | 1 | - |   |
| 7899    | SCREWDRIVER, cabinet,<br>handle 6 in.           | Each | - | 1 | - | 1 |   |
| 9105868 | SCREWDRIVER, ratchet,<br>5 in. x 1/4 in. points | Each | 1 | 1 | 1 | - |   |
| 9105954 | SPANNER, adjustable, 4 in.                      | Each | - | 1 | - | 1 |   |
| 2590    | THIMBLE, tailors'                               | Each | 1 | 1 | 1 | - |   |
| 9105963 | WRENCH, Creasent type 6 in.                     | Each | 1 | 1 |   |   |   |
|         | <u>SECTION 29.G</u>                             |      |   |   |   |   |   |
| 9108185 | PADLOCKS, iron 1/2 in.                          | Each | 1 | - | - | - |   |

COLUMN 4:- BLACKSMITH/WELDERS  
 COLUMN 5:- BLACKSMITHS  
 COLUMN 6:- WELDERS

SECTION 7  
 SCALE A.13  
 Page 1

A/L.58 September 1972

| Ref. No. | Description                                   | Denom.<br>of<br>Quantity | Quantity | Quantity | Quantity | Quantity | Remarks |
|----------|---|--------------------------|----------|----------|----------|----------|---------|
| 1        | 2   | 3                        | 4        | 5        | 6        | 7        | 7       |
|          | <u>SECTION 1.A</u>                            |                          |          |          |          |          |         |
| ←        | APRONS, basil, brown                          | Each                     | 1        | 1        | 1        |          |         |
| 9104140  | BRACES, smiths'                               | Each                     | 1        | 1        | -        |          |         |
|          | <u>Accessories</u>                            |                          |          |          |          |          |         |
|          | <u>BITS</u>                                   |                          |          |          |          |          |         |
| 9104143  | Countersunk                                   | Each                     | 1        | 1        | -        |          |         |
| 9104144  | Rimer, half round                             | Each                     | 1        | 1        | -        |          |         |
| 9104145  | Rimer, square                                 | Each                     | 1        | 1        | -        |          |         |
|          | <u>BOXES, tool, standard</u>                  |                          |          |          |          |          |         |
| 9552997  | Large   | Each                     | 1        | 1        | -        |          |         |
| 9575039  | Medium  | Each                     | 1        | -        | 1        |          |         |
| 3878     | BRUSHES, wire, surface cleaning<br>small      | Each                     | 1        | -        | 1        |          |         |
|          | <u>CALIPERS</u>                               |                          |          |          |          |          |         |
| 9104461  | Inside 8 in.                                  | Each                     | 1        | 1        | 1        |          |         |
| 9104467  | Outside, 8 in.                                | Each                     | 1        | 1        | 1        |          |         |
| 9552987  | CARDS, scratch, 1/2 in. to 2 in.              | Feet                     | 1/2      | 1/2      | 1/2      |          |         |
|          | <u>CHISELS, cold, cast steel</u>              |                          |          |          |          |          |         |
| 9104180  | Crosscut                                      | Each                     | 1        | 1        | 1        |          |         |
| 9104206  | Flat 8 in. x 3/4 in.                          | Each                     | 1        | 1        | 1        |          |         |
| 9104546  | COMPASSES, wing "Lancashire"<br>black, 10 in. | Each                     | 1        | 1        | 1        |          |         |
|          | <u>FILES</u>                                  |                          |          |          |          |          |         |
| 1001     | Dreadnaught, 12 in.                           | Each                     | 1        | 1        | -        |          |         |
| 9104856  | Half round, bastard, 14 in.                   | Each                     | 1        | 1        | 1        |          |         |
| 9104879  | Hand, bastard, 10 in.                         | Each                     | 1        | 1        | 1        |          |         |
| 9104924  | Round, bastard, 8 in.                         | Each                     | 1        | 1        | 1        |          |         |
| 9104949  | Square, smooth, 10in.                         | Each                     | 1        | 1        | 1        |          |         |
| 9104961  | Three square or triangular<br>bastard 6 in.   | Each                     | 1        | 1        | 1        |          |         |

54009)73



| 1       | 2   | 3    | 4 | 5 | 6 | 7 |
|---------|---|------|---|---|---|---|
|         | <u>SECTION 1.A (Contd.)</u>                     |      |   |   |   |   |
|         | <u>SETS</u>                                     |      |   |   |   |   |
| 9105892 | Cold  | Each | 1 | 1 | 1 |   |
| 9105906 | Hot   | Each | 1 | 1 | 1 |   |
| 9107774 | TOOL, forming                                   | Each | 1 | 1 | - |   |
|         | <u>SECTION 1.B</u>                              |      |   |   |   |   |
|         | <u>HAMMERS engineer's ballpeen</u>              |      |   |   |   |   |
| 9104648 | 1/2 lb.   | Each | - | - | 1 |   |
| 9104650 | 1 lb.   | Each | 1 | 1 | 1 |   |
| 9104652 | 2 lb.   | Each | 1 | 1 | - |   |
|         | <u>HANDLES, file</u>                            |      |   |   |   |   |
| 9105185 | No. 3   | Each | 5 | 5 | 4 |   |
| 9105186 | No. 5   | Each | 1 | 1 | - |   |
| 9105523 | FLIERS, sidecutting, 8 in.                      | Each | 1 | 1 | 1 |   |
| 9105541 | POKERS, smiths'                                 | Each | 1 | 1 | - |   |
|         | <u>PUNCHES</u>                                  |      |   |   |   |   |
| 9105548 | Centre, 4 in.                                   | Each | 1 | 1 | 1 |   |
| 9105595 | Round, tapered point with eye,<br>1/4 in.       | Each | 1 | 1 | - |   |
| 9105598 | Round, tapered point with eye,<br>1/2 in.       | Each | 1 | 1 | - |   |
| 9105692 | RAKERS, blacksmith's                            | Each | 1 | 1 | - |   |
| 9105720 | RULES, brass, 2 ft., 2 fold                     | Each | 1 | 1 | 1 |   |
|         | <u>SECTION 1.C</u>                              |      |   |   |   |   |
| 9105857 | SCREWDRIVERS, common, 12 in. x 5/8 in.<br>point | Each | 1 | 1 | 1 |   |
| 9105891 | SCRIBERS, fitter's 7 in.                        | Each | 1 | 1 | 1 |   |

A/L.58 September 1972

| 1       | 2                              | 3    | 4 | 5 | 6 | 7 |
|---------|--------------------------------|------|---|---|---|---|
|         | <u>SECTION 1,C (Contd.)</u>    |      |   |   |   |   |
| 9105891 | SLICES, smith's 25 in. overall | Each | 1 | 1 | - |   |
| 9105957 | SPANNERS, adjustable, 11 in.   | Each | 1 | 1 | - |   |
| 9106420 | SQUARE, smith's 18 in. x 8 in. | Each | 1 | 1 | 1 |   |
|         | <u>TONGS, smith's</u>          |      |   |   |   |   |
| 9106557 | Bolt                           | Each | 1 | 1 | - |   |
| 9106565 | Flat, grooved mouth            | Each | 1 | 1 | - |   |
| 9106564 | Flat, grooved mouth            | Each | 1 | 1 | - |   |
| 9106567 | Hollow nose, medium            | Each | 1 | 1 | - |   |
| 9106570 | Plier                          | Each | 1 | 1 | - |   |
| 9106598 | VICES, hand, 5 in.             | Each | 1 | 1 | 1 |   |
| 9105964 | WRENCH, crescent type 6 in.    | Each | - | - | 1 |   |
|         | <u>SECTION 29,G</u>            |      |   |   |   |   |
|         | <u>PADLOCKS, iron</u>          |      |   |   |   |   |
| 9108185 | 1 1/2 in.                      | Each | - | - | 1 |   |
| 2067    | 2 in. special                  | Each | 1 | 1 | - |   |

MACHINE TOOL SETTERS AND OPERATORS  
MILLERS  
TURNERS  
GRINDERS

SECTION 7  
SCALE A.14  
Page 1

A/L 58 September 1972

| Ref. No. | Description                                 | Denom. of Quantity | Quantity | Remarks |
|----------|---|--------------------|----------|---------|
| 1        | 2   | 3                  | 4        | 5       |
|          | <u>SECTION 1.A</u>                          |                    |          |         |
| 3717     | BOXES, tool, standard, small                | Each               | 1        |         |
| 9432845  | BRUSHES, engine cleaning, with metal socket | Each               | 1        |         |
|          | <u>CALIPERS</u>                             |                    |          |         |
| 9104464  | Jenny, firm joint, 6 in.                    | Each               | 1        |         |
| 9104463  | Inside, spring, 6 in.                       | Each               | 1        |         |
| 9104471  | Outside, spring, 6 in.                      | Each               | 1        |         |
| 9552987  | CARD, scratch, 1 1/2 in. to 2 in.           | Feet               | 1/2      |         |
| 9104476  | DIVIDERS, spring, split nut, 6 in.          | Each               | 1        |         |
|          | <u>FILES</u>                                |                    |          |         |
| 9104870  | Half round, smooth, 8 in.                   | Each               | 1        |         |
| 9104878  | Hand, bastard, 8 in.                        | Each               | 1        |         |
| 9104893  | Hand, smooth, 6 in.                         | Each               | 1        |         |
| 9104895  | Hand, smooth, 10 in.                        | Each               | 1        |         |
| 9426907  | Oiler hand, 1/2 pint                        | Each               | 1        |         |
|          | <u>SECTION 1.B</u>                          |                    |          |         |
| 9105216  | GAUGES, screw thread angle                  | Each               | 1        |         |
|          | <u>HAMMERS</u>                              |                    |          |         |
| 9104648  | Engineer's, ballpeen, 1/2 lb.               | Each               | 1        |         |
| 1207307  | Hide face, No. 1, 1 lb.                     | Each               | 1        |         |
|          | <u>HANDLES, file</u>                        |                    |          |         |
| 9105185  | No. 3                                       | Each               | 1        |         |
| 9105186  | No. 5                                       | Each               | 3        |         |
| 1702     | OILSTONES, slip, turkey                     | Each               | 1        |         |
| 9105548  | PUNCHES, centre, 4 in.                      | Each               | 1        |         |
|          | <u>RULES, steel</u>                         |                    |          |         |
| 1300282  | 6 in.                                       | Each               | 1        |         |
| 9105726  | 1 ft.                                       | Each               | 1        |         |

(54009)77

A/L 58 September 1972

| 1 | 2  | 3                                   | 4                          | 5 |
|---|--|-------------------------------------|----------------------------|---|
|   | <p style="text-align: center;"><u>SECTION 1.C</u></p> <p>9105839 SCREWDRIVER, cabinet handle<br/>6 in.</p> <p>9105891 SCRIBERS, fitters</p> <p>9106422 SQUARES, fitters, 4 in.</p> | <p>Each</p> <p>Each</p> <p>Each</p> | <p>1</p> <p>1</p> <p>1</p> |   |

A/L 58 September 1972

| Ref. No.     | Description                                    | Denom.<br>of<br>Quantity | Quantity     | Remarks |
|--------------|--|--------------------------|--------------|---------|
| 1            | 2  | 3                        | 4            | 5       |
|              | <u>SECTION 1.A</u>                             |                          |              |         |
| <del>6</del> | <del>APRONS, basil brown</del>                 | <del>Each</del>          | <del>1</del> |         |
| 9104140      | BRACES, smith's                                | Each                     | 1            |         |
|              | <u>Accessories</u>                             |                          |              |         |
|              | <u>BITS</u>                                    |                          |              |         |
| 9104143      | Countersink, rose                              | Each                     | 1            |         |
| 9104144      | Rimer, half round                              | Each                     | 1            |         |
| 9104145      | Rimer, square                                  | Each                     | 1            |         |
| 9575039      | BOXES, tool, standard, medium                  | Each                     | 1            |         |
|              | <u>CALIPERS</u>                                |                          |              |         |
| 9104461      | Inside, 8 in.                                  | Each                     | 1 ✓          |         |
| 9104467      | Outside, 8 in.                                 | Each                     | 1 ✓          |         |
| 9552987      | CARDS, scratch 1/2 in. to<br>2 in.             | Feet                     | 1/2          |         |
|              | <u>CHISELS, cold, cast steel</u>               |                          |              |         |
| 9104181      | Crosscut                                       | Each                     | 1            |         |
| 9104203      | Flat 6 in. x 1/2 in.                           | Each                     | 1 ✓          |         |
| 9104206      | Flat 8 in. x 3/4 in.                           | Each                     | 1            |         |
| 9104546      | COMPASSES, wing, "Lancashire",<br>black 12 in. | Each                     | 1 ✓          |         |
|              | <u>FILES</u>                                   |                          |              |         |
| 1001         | Dreadnaught, 12 in.                            | Each                     | 1 ✓          |         |
| 9104855      | Half round, bastard, 12 in.                    | Each                     | 1 ✓          |         |
| 9104879      | Hand, bastard, 10 in.                          | Each                     | 1 ✓          |         |
| 9104925      | Round, bastard, 10 in.                         | Each                     | 1            |         |
| 9104940      | Square, bastard, 8 in.                         | Each                     | 1            |         |
| 9104961      | Three square or triangular,<br>bastard 6 in.   | Each                     | 1 ✓          |         |

A/L 58 September 1972

| 1       | 2  | 3    | 4   | 5 |
|---------|--|------|-----|---|
|         | <u>SECTION 1B</u>  |      |     |   |
| 9107823 | GROOVERS, timmans', 1/4 in. groove   | Each | 1   |   |
|         | <u>HAMMERS, engineers</u>  |      |     |   |
| 9104648 | Ballpein, 1/2 lb.  | Each | 1 ✓ |   |
| 9104650 | Ballpein, 1 lb.  | Each | 1 ✓ |   |
| 9104652 | Ballpein, 2 lb.  | Each | 1 ✓ |   |
| 9104654 | Crosspein, 1/4 lb.   | Each | 1 ✓ |   |
|         | <u>HAMMERS, timmans</u>  |      |     |   |
| 1204976 | Creasing, 3/4 lb.  | Each | 1   |   |
| 9104716 | Planishing 3 lb.   | Each | 1   |   |
|         | <u>HANDLES, file</u>   |      |     |   |
| 9105185 | No. 3  | Each | 1 ✓ |   |
| 9105186 | No. 5  | Each | 5 ✓ |   |
|         | <u>IRONS, soldering straight</u>   |      |     |   |
| 9105268 | 4 oz. bit  | Each | 1   |   |
| 9105272 | 28 oz. bit   | Each | 1   |   |
| 9421996 | MALLETS, timmans', 5 <sup>1</sup> / <sub>4</sub> in. x 2 <sup>3</sup> / <sub>4</sub> in. | Each | 1   |   |
|         | <u>PLIERS</u>  |      |     |   |
| 9105515 | Pipe grip, 7 in.   | Each | 1 ✓ |   |
| 9105518 | Round nose, 6 in.  | Each | 1   |   |
| 9105523 | Sidecutting, 8 in.   | Each | 1 ✓ |   |
|         | <u>PUNCHES</u>   |      |     |   |
| 9105546 | Centre, 4 in.  | Each | 1 ✓ |   |
| 9105585 | Round, tapered point, 1/8 in.  | Each | 1   |   |
| 9105716 | RODS, smiths', iron  | Each | 4   |   |
|         | <u>RULES</u>   |      |     |   |
| 9105720 | Brass, 2 ft. 2 fold  | Each | 1   |   |
| 9105726 | Steel, 1 ft.   | Each | 1 ✓ |   |
|         | <u>SECTION 1.C</u>   |      |     |   |
| 9105857 | SCREWDRIVERS, common, 12 in.   | Each | 1   |   |
| 9105891 | SCRIBERS, fitters'   | Each | 1 ✓ |   |

A/L 58 September 1972

| 1                           | 2                                  | 3    | 4   | 5 |
|-----------------------------|------------------------------------|------|-----|---|
| <u>SECTION 1.C (Contd.)</u> |                                    |      |     |   |
| 1207288                     | SHEARS, tinmens', snip<br>straight | Each | 1 ✓ |   |
| 9105954                     | SPANNERS, adjustable, 4 in.        | Each | 1 ✓ |   |
| 9106598                     | VICES, hand, 5 in.                 | Each | 1 ✓ |   |
| 9105964                     | WRENCH, crescent type, 8 in.       | Each | 1 ✓ |   |

CARPENTERS 1  
 CARPENTERS 11

SECTION 7  
 SCALE A16  
 Page 1

A/L 62 November 1973

| Ref No  | Description                            | Denom of Quantity | Quantity | Remarks |
|---------|--|-------------------|----------|---------|
| 1       | 2                                      | 3                 | 4        | 5       |
|         | <u>SECTION 1A</u>                      |                   |          |         |
| 9104310 | AWL, brad                              | Each              | 1        |         |
| 9104453 | BEVELS, sliding 10 $\frac{1}{2}$ in    | Each              | 1        |         |
| 9104079 | BRACES, carpenters', 10 in sweep       | Each              | 1        |         |
|         | <u>BITS AUGER CARPENTERS, SET No 1</u> |                   |          |         |
| 9104081 | 3/16 in                                | Each              | 1        |         |
| 9104082 | 1/4 in                                 | Each              | 1        |         |
| 9104083 | 5/16 in                                | Each              | 1        |         |
| 9104084 | 3/8 in                                 | Each              | 1        |         |
| 9104085 | 7/16 in                                | Each              | 1        |         |
| 9104086 | 1/2 in                                 | Each              | 1        |         |
| 9104087 | 9/16 in                                | Each              | 1        |         |
| 9104088 | 5/8 in                                 | Each              | 1        |         |
| 9104089 | 11/16 in                               | Each              | 1        |         |
| 9104090 | 3/4 in                                 | Each              | 1        |         |
| 9104091 | 13/16 in                               | Each              | 1        |         |
| 9104092 | 7/8 in                                 | Each              | 1        |         |
| 9104093 | 15/16 in                               | Each              | 1        |         |
| 9104094 | 1 in                                   | Each              | 1        |         |
|         | <u>BITS</u>                            |                   |          |         |
| 9104113 | COUNTERSINK, ROSE, 1/8 in              | Each              | 1        |         |
| 9104129 | SCREWDRIVER, 3/8 in                    | Each              | 1        |         |
| 9552997 | BOXES, tool, standard, large           | Each              | 1        |         |
| 9426907 | OILER, hand, 1/2 pint                  | Each              | 1        |         |
|         | <u>CHISELS, firmer, handled</u>        |                   |          |         |
| 9104218 | 1/8 in                                 | Each              | 1        |         |
| 9104221 | 1/2 in                                 | Each              | 1        |         |
| 9104223 | 3/4 in                                 | Each              | 1        |         |
| 9104226 | 1 $\frac{1}{4}$ in                     | Each              | 1        |         |
| 9104243 | 1/4 in                                 | Each              | 1        |         |
| 9104952 | FILES, taper saw, second cut, 3 in     | Each              | 1        |         |



A/L 62 November 1973

| 1       | 2   | 3    | 4 | 5 |
|---------|---|------|---|---|
|         | <u>SECTION 1B</u>                                   |      |   |   |
| 9105191 | GAUGES, carpenters', mortice and marking (combined) | Each | 1 |   |
| 9105120 | GIMLETS, 3/16 in                                    | Each | 1 |   |
| 9104670 | HAMMERS, joiners, No 2, 3/4 lb                      | Each | 1 |   |
| 9104632 | Carpenters', claw, 1 $\frac{1}{4}$ lbs              | Each | 1 |   |
| 9104720 | Upholsters' London No 2                             | Each | 1 |   |
| 9105184 | HANDLES, file, No 2                                 | Each | 1 |   |
| 9105426 | MALLETS, carpenters'                                | Each | 1 |   |
|         | <u>OILSTONES</u>                                    |      |   |   |
| 1647    | General purposes, fine                              | Each | 1 |   |
| 1702    | Slip, turkey  | Each | 1 |   |
| 9105482 | PINCERS, carpenters', 8 in                          | Each | 1 |   |
|         | <u>PLANES</u>                                       |      |   |   |
| 9105339 | Jack, 2" width of iron, metal body                  | Each | 1 |   |
| 9105319 | Metal body smoothing, adjustable 9 in               | Each | 1 |   |
| 9105583 | PUNCHES, round, tapered 1/16 in                     | Each | 1 |   |
| 9105701 | RASPS, rough 12 in                                  | Each | 1 |   |
| 1278205 | RULES, Carpenter, folding, 2 ft                     | Each | 1 |   |
|         | <u>SECTION 1C</u>                                   |      |   |   |
|         | <u>SAWS</u>   |      |   |   |
| 9105798 | Dovetail )  | Each | 1 |   |
| OR      | )   |      |   |   |
| 9105806 | Tenon )   |      |   |   |
| 9105781 | Hand  | Each | 1 |   |
|         | <u>SCRAPERS</u>                                     |      |   |   |
| 9105818 | Cabinet makers'                                     | Each | 1 |   |
| 5949    | Wood  | Each | 1 |   |
|         | <u>SCREWDRIVERS</u>                                 |      |   |   |
| 9105857 | Common 12 in  | Each | 1 |   |
| 9105868 | Ratchet, 5 in x 1/4 in                              | Each | 1 |   |

A/L 58 September 1972

| 1                           | 2  | 3    | 4 | 5 |
|-----------------------------|--|------|---|---|
| <u>SECTION 1.C (Contd.)</u> |  |      |   |   |
| 9105890                     | SCRIBERS, carpenters'                          | Each | 1 |   |
| 9437821                     | SPOKESHAVES, 3 <sup>1</sup> / <sub>4</sub> in. | Each | 1 |   |
| 9106413                     | SQUARES, carpenters', 6 in.                    | Each | 1 |   |
| <u>SECTION 29.C</u>         |  |      |   |   |
| 2067                        | PADLOCKS, iron, 2 in. special                  | Each | 1 |   |

BOATWRIGHTS  
BOAT REPAIRERS

SECTION 7  
SCALE A.17  
Page 1

A/L 58 September 1972

| Ref. No. | Description  |      |   | Remarks         |
|----------|--|------|---|-----------------|
| 1        | 2  | 3    | 4 | 5               |
|          | <u>SECTION 1.A</u>                                 |      |   |                 |
| 9104310  | AWL, brad  | Each | 1 |                 |
| 9104453  | BEVELS, sliding 10 <sup>1</sup> / <sub>2</sub> in. | Each | 1 |                 |
| 9104079  | BRACES, carpenters', 10 in. sweep                  | Each | 1 |                 |
|          | <u>BITS AUGER CARPENTERS SET No. 1</u>             |      |   |                 |
| 9104081  | 3/16 in.   | Each | 1 |                 |
| 9104082  | 1/4 in.  | Each | 1 |                 |
| 9104083  | 5/16 in.   | Each | 1 |                 |
| 9104084  | 3/8 in.  | Each | 1 |                 |
| 9104085  | 7/16 in.   | Each | 1 |                 |
| 9104086  | 1/2 in.  | Each | 1 |                 |
| 9104087  | 9/16 in.   | Each | 1 |                 |
| 9104088  | 5/8 in.  | Each | 1 |                 |
| 9104089  | 11/16 in.  | Each | 1 |                 |
| 9104090  | 3/4 in.  | Each | 1 |                 |
| 9104091  | 13/16 in.  | Each | 1 |                 |
| 9104092  | 7/8 in.  | Each | 1 |                 |
| 9104093  | 15/16 in.  | Each | 1 |                 |
| 9104094  | 1 in.  | Each | 1 |                 |
| -        | HOLDALLS, canvas                                   | Each | 1 | Ref. 1B/1250293 |
|          | <u>BITS</u>  |      |   |                 |
| 9104113  | Countersunk, rose 5/8 in.                          | Each | 1 |                 |
| 9104129  | Screwdriver, 3/8 in.                               | Each | 1 |                 |
| 9552997  | BOXES, tool, standard, large                       | Each | 1 |                 |
| 9426907  | OILER, hand, 1/2 pint                              | Each | 1 |                 |
|          | <u>CHISELS, firmer, handled</u>                    |      |   |                 |
| 9104218  | 1/8 in.  | Each | 1 |                 |
| 9104219  | 1/4 in.  | Each | 1 |                 |
| 9104221  | 1/2 in.  | Each | 1 |                 |
| 9104223  | 3/4 in.  | Each | 1 |                 |
| 9104226  | 1 <sup>1</sup> / <sub>4</sub> in.                  | Each | 1 |                 |

A/L 58 September 1972

| 1       | 2   | 3    | 4 | 5 |
|---------|---|------|---|---|
|         | <u>SECTION 1.A (Contd.)</u>                         |      |   |   |
| 9104243 | CHISELS, paring handled, 1/4 in.                    | Each | 1 |   |
| 9104545 | COMPASSES, wing, Lancashire, black, 7 in.           | Each | 1 |   |
|         | <u>FILES</u>  |      |   |   |
| 9104854 | Half round, bastard, 10 in.                         | Each | 1 |   |
| 9104952 | Raper saw, second cut, 3 in.                        | Each | 1 |   |
| 9104811 | IRON, caulking, shipwrights making single crease    | Each | 1 |   |
|         | <u>SECTION 1.B</u>                                  |      |   |   |
| 9105191 | GAUGES, carpenters', mortice and marking (combined) | Each | 1 |   |
| 9105120 | GIMLETS, 3/16 in.                                   | Each | 1 |   |
|         | <u>GAUGES, firmer handled</u>                       |      |   |   |
| 9105125 | 3/8 in.   | Each | 1 |   |
| 9105127 | 5/8 in.   | Each | 1 |   |
| 1274    | GAUGES, scriber, 3/8 in.                            | Each | 1 |   |
|         | <u>HAMMERS</u>                                      |      |   |   |
| 9104670 | Joiners', No. 2, 3/4 lb.                            | Each | 1 |   |
| 9104648 | Engineers', ballpein, 1/2 lb.                       | Each | 1 |   |
| 9105184 | HANDLES, file, No. 2                                | Each | 1 |   |
|         | <u>IRONS, caulking, shipwrights</u>                 |      |   |   |
| 9104804 | Common  | Each | 1 |   |
| 9105283 | KNIVES, drawing, 8 in. carpenters'                  | Each | 1 |   |
| 9105426 | MALLETS, carpenters'                                | Each | 1 |   |
| 1208026 | NIPPERS, end cutting, 7 in.                         | Each | 1 |   |
|         | <u>OILSTONES</u>                                    |      |   |   |
| 1647    | General purposes, fine                              | Each | 1 |   |
| 1702    | Slip, turkey  | Each | 1 |   |
|         | <u>PIERCERS, boat builders, wire gauge</u>          |      |   |   |
| 3571    | No. 16  | Each | 1 |   |
| 3572    | No. 17  | Each | 1 |   |

A/L 58 September 1972

| 1       | 2   | 3    | 4 | 5 |
|---------|---|------|---|---|
|         | <u>SECTION 1.B (Contd.)</u>                           |      |   |   |
|         | <u>PIERCERS, boat builders, wire gauge (Contd.)</u>   |      |   |   |
| 3573    | No. 18  | Each | 1 |   |
| 3574    | No. 19  | Each | 1 |   |
| 3575    | No. 20  | Each | 1 |   |
| 9105482 | PINCERS, carpenters', 8 in.                           | Each | 1 |   |
|         | <u>PLANES, metal body</u>                             |      |   |   |
| 9105314 | Circular adjustable 1 <sup>3</sup> / <sub>4</sub> in. | Each | 1 |   |
| 9105319 | Smoothing, iron, adjustable, 9 in.                    | Each | 1 |   |
| 9105341 | PLANES, wood body jack, 17 in.                        | Each | 1 |   |
| 9105583 | PUNCHES, round, tapered point 1/16 in.                | Each | 1 |   |
| 9105701 | RASPS, rough, 12 in.                                  | Each | 1 |   |
| 9105718 | RULES, boxwood  | Each | 1 |   |
|         | <u>SECTION 1.C</u>                                    |      |   |   |
|         | <u>SAWS</u>   |      |   |   |
| 1205935 | Dovetail )  | Each | 1 |   |
| OR      | )   |      |   |   |
| 9105806 | Tenon )   |      |   |   |
| 9105781 | Hand  | Each | 1 |   |
| 9105792 | Keyhole   | Each | 1 |   |
| 1200943 | SCRAPERS, hook  | Each | 1 |   |
|         | <u>SCREWDRIVERS</u>                                   |      |   |   |
| 9105857 | Common, 12 in.  | Each | 1 |   |
| 9105868 | Ratchet, 5 in. x 1/4 in.                              | Each | 1 |   |
| 9105890 | SCRIBERS, carpenters'                                 | Each | 1 |   |
| 9105915 | SETS, saw, hand                                       | Each | 1 |   |
| 9437821 | SPOKESHAVES, 3 <sup>1</sup> / <sub>4</sub> in.        | Each | 1 |   |
| 9106413 | SQUARES, carpenters', 6 in.                           | Each | 1 |   |

A/L 58 September 1972

| 1       | 2   | 3    | 4 | 5 |
|---------|---|------|---|---|
|         | <u>SECTION 1.C (Contd.)</u>   |      |   |   |
|         | <u>TOOLS, riveting, solid rivets,</u><br><u>set-ups for rivet diameters</u> |      |   |   |
| 9107832 | 1/16 in.  | Each | 1 |   |
| 9107833 | 3/32 in.  | Each | 1 |   |
| 9107834 | 1/8 in.   | Each | 1 |   |
| 9107836 | 3/16 in.  | Each | 1 |   |
| 9107842 | 3/8 in.   | Each | 1 |   |
| 9105963 | WRENCH, crescent type, 6"   | Each | 1 |   |
|         | <u>SECTION 29.G</u>   |      |   |   |
| 2067    | PADLOCKS, iron, 2 in., special  | Each | 1 |   |

TOWED TARGET OPERATORS

SECTION 7  
SCALE A.18  
Page 1

A/L.58 September 1972

| Ref. No. | Description                          | Denom. of Quantity | Quantity | Remarks |
|----------|--------------------------------------|--------------------|----------|---------|
| 1        | 2                                    | 3                  | 4        | 5       |
|          | <u>SECTION 1.A</u>                   |                    |          |         |
| 3717     | BOXES, tool, standard, small         | Each               | 1        |         |
| 4589     | BRUSHES, paint, 2 in.                | Each               | 1        |         |
|          | <u>SECTION 1.B</u>                   |                    |          |         |
|          | <u>HAMMERS</u>                       |                    |          |         |
| 9104654  | Engineers, crosspein, 1/4 in.        | Each               | 1        |         |
| 1207307  | Hide faced, No. 1, 1 lb.             | Each               | 1        |         |
| 1208026  | NIPPERS, end-cutting, 7 in.          | Each               | 1        |         |
| 9105522  | PLIERS, sidecutting, 6 in.           | Each               | 1        |         |
| 9105542  | PRICKERS, ice, 6 in. x 1/4 in. blade | Each               | 1        |         |
|          | <u>SECTION 1.C</u>                   |                    |          |         |
| 9106597  | VICES, hand, 4 in.                   | Each               | 1        |         |
|          | <u>SECTION 22.B</u>                  |                    |          |         |
| 9757402  | KNIVES, pocket                       | Each               | 1        |         |

M.T. DRIVERS  
M.T. DRIVER OPERATORS  
M.T. DRIVERS (H)  
M.T. DRIVERS (P)  
PROVOST DRIVERS  
DRIVERS MT RAF REGIMENT

SECTION 7  
SCALE A.19  
Page 1

A/L.58 September 1972

| Ref. No. | Description   | Denom of Quantity | Quantity | Remarks   |
|----------|---|-------------------|----------|---|
| 1        | 2   | 3                 | 4        | 5   |
|          | <u>SECTION 1.B</u>                                  |                   |          |   |
| 1250325  | HOLDALLS, canvas, tool, type E                      | Each              | 1(a)     |   |
| 9105522  | PLIERS, sidecutting, 6 in.                          | Each              | 1(a)     | (a) 1 kit per Provost vehicle established on U.K. Police districts and overseas commands. |
|          | <u>SECTION 1.C</u>                                  |                   |          |   |
| 9105853  | SCREWDRIVERS, 4 in.                                 | Each              | 1(a)     |   |
| 9105954  | SPANNERS, adjustable, 4 in.                         | Each              | 1(a)     |   |
|          | <u>SECTION 1.L</u>                                  |                   |          |   |
|          | <u>SPANNER SOCKET SET No.3 1/2 in. SQUARE DRIVE</u> |                   |          |   |
| 9106319  | BARS, extension                                     | Each              | 1(a)     |   |
| 9106334  | HANDLES, sliding bar tee, 12 in.                    | Each              | 1(a)     |   |
|          | <u>SOCKETS, bi-hexagon B.S.W.</u>                   |                   |          |   |
| 9106392  | 7/16 in.  | Each              | 1(a)     | Extra deep  |
| 9106395  | 9/16 in.  | Each              | 1(a)     | Extra deep  |
|          | <u>SECTION 4.G</u>                                  |                   |          |   |
| 2509     | GAUGES, tyre, pressure, 20-120 lbs.                 | Each              | 1(a)     |   |



A/L.58 September 1972

| 1    | 2   | 3    | 4    | 5 |
|------|---|------|------|---|
| 1928 | <u>SECTION 16.C</u><br>EXTRACTORS, valve tyre | Each | 1(a) |   |

COLUMN 4  
 AIR AND GROUND FITTERS  
 RADIO  
 RADAR  
 WIRELESS  
 A/L 62 November 1973

COLUMN 5  
 AIR AND GROUND MECHANICS  
 RADAR  
 WIRELESS

SECTION 7  
 SCALE A20  
 Page 1

| Ref No            | Description                                      | Denom<br>of<br>Qty | Qty | Qty | Remarks |
|-------------------|--|--------------------|-----|-----|---------|
| 1                 | 2  | 3                  | 4   | 5   | 6       |
| <u>SECTION 1A</u> |  |                    |     |     |         |
| 1275310           | BAG, tool GP                                     | Each               | 1   | 1   |         |
| 9102367           | BALANCE, spring, 0-4 lbs                         | Each               | 1   |     |         |
| 9575039           | BOX, tool, medium                                | Each               | 1   |     |         |
| 9430434           | BRUSH, mop, camel hair, No 1                     | Each               | 1   | 1   |         |
| 9104512           | BURNISHER, contact                               | Each               | 1   | 1   |         |
| 9104877           | FILE, HSE, bastard 6 in                          | Each               |     | 1   |         |
| 9104868           | FILE, half round, smooth                         | Each               |     |     |         |
| <u>SECTION 1B</u> |  |                    |     |     |         |
| 9105185           | HANDLE, file No 3                                | Each               |     | 1   |         |
| 1278853           | IRON, soldering, elect, extra light<br>24 v 48 W | Each               | 1   |     |         |
| 9552996           | MIRROR, inspection                               | Each               | 1   | 1   |         |
| 9105295           | NIPPER, cutting, diagonal                        | Each               | 1   | 1   |         |
| 1206932           | PLIER, flat, taper nose 3½ in                    | Each               | 1   | 1   |         |
| 9105536           | PLIER, long, snipe nose 5½ in                    | Each               | 1   | 1   |         |
| 1206709           | PLIER, long, snipe nose 6 in                     | Each               | 1   | 1   |         |
| 9105525           | PLIER, side cutting 6 in                         | Each               | 1   | 1   |         |
| 1300282           | RULE, steel 6 in                                 | Each               | 1   | 1   |         |
| <u>SECTION 1C</u> |  |                    |     |     |         |
| 9437819           | PLIER, cable, stripping                          | Each               | 1   | 1   |         |
| 9105747           | SAW, Hack, fixed, 6 in                           | Each               | 1   | 1   |         |
| 9105748           | BLADE  | Each               | 2   | 2   |         |

| 1       | 2   | 3    | 4    | 5    | 6  |
|---------|---|------|------|------|--|
|         | <u>SECTION 1C (Contd)</u>                                 |      |      |      |  |
|         | <u>SCREWDRIVER, crosspoint, Phillips</u><br><u>Head</u>   |      |      |      |  |
| 9105864 | No 1  | Each | 1    | 1    |  |
| 9105365 | No 2  | Each | 1    | 1    |  |
| 9105848 | SCREWDRIVER, instrument, maker sets                       | Each | 1    |      |  |
| 9105875 | SCREWDRIVER, insulated blade handle<br>7 in x 5/32 in     |      |      |      |  |
| 9105853 | SCREWDRIVER, common 3 in x 1/4 in<br>point                | Each | 1    | 1    |  |
| 9105876 | SCREWDRIVER, instrument, No 4                             | Each | 1    | 1    |  |
| 9105886 | SCREWDRIVER, instrument, No 66                            | Each | 1    | 1    |  |
| 9105877 | SCREWDRIVER, insulated blade handle<br>9 1/2 in x 5/32 in | Each | 1    | 1    |  |
| 7051    | SCREWDRIVER, insulated handle                             | Each | 1    | 1    |  |
| 9105868 | SCREWDRIVER, ratchet, 5 in x 1/4 in<br>point              | Each | 1    | 1    |  |
| 9105922 | SHEARS, watchmakers                                       | Each | 1    |      |  |
|         | SPANNER, DEOJ   |      |      |      |  |
| 9106177 | OBA x 2 BA  | Each | 1    | 1    |  |
| 9106179 | 4 BA x 6 BA   | Each | 1    | 1    |  |
| 9106181 | 8 BA x 10 BA  | Each | 1    | 1    |  |
| 9106228 | 3/16 in x 1/4 in  | Each | 1    | 1    |  |
| 9106229 | 5/16 in x 3/8 in  | Each | 1    | 1    |  |
| 1206743 | SPANNER, strap, adjustable                                | Each | 1    | 1    |  |
| 9107783 | TOOL, holding, 12 in reach                                | Each | 1    | 1    |  |
| 9106584 | TWEEZERS, steel, No 1                                     | Each | 1    | 1    |  |
| 9106060 | WRENCH, Allen Key 3/32 in A/F                             | Each | 1(f) | 1(f) | (f) Only to be issued<br>when employed on<br>Britannia A/C |
| 9106063 | WRENCH, Allen Key 5/32 in A/F                             |      |      |      |  |
| 1205609 | WRENCH, torque, 1 in - 25                                 | Each | 1(g) | 1(g) | (g) For use by<br>personnel servicing<br>ARI's 23087/88    |
| 9105963 | WRENCH, crescent type 6 in                                | Each | 1    | 1    |  |
|         | <u>SECTION 1H</u>   |      |      |      |  |
| 9104539 | CLEANER, Contact, No 1                                    | Each | 1    | 1    |  |
| 100     | EXTRACTOR, Valve, B7G                                     |      |      |      |  |

A/L.58 September 1972

| 1                     | 2  | 3    | 4    | 5    | 6   |
|-----------------------|--|------|------|------|---|
|                       | <u>SECTION 1.L</u>   |      |      |      |   |
| 9552994               | CASE, steel No. 1, socket set                              | Each | 1    | 1    |   |
|                       | <u>SPANNERS, SOCKET 1/4 in. SQUARE DRIVE</u>               |      |      |      |   |
| 1208415               | BAR, extension 4in, 1/4 in. SD                             | Each | 1    | 1    |   |
| 1208478               | EXTENSIONS, flexible 6 in.                                 | Each | 1    | 1    |   |
| 1208419               | HANDLE, sliding bar tee 4 <sup>1</sup> / <sub>2</sub> in.  | Each | 1    | 1    |   |
| 1208417               | HANDLE, swivel 6 in.                                       | Each | 1    | 1    |   |
| 1208420               | JOINT, universal   | Each | 1    | 1    |   |
|                       | <u>SOCKET</u>  |      |      |      |   |
| 1208395               | hex 0.BA   | Each | 1    | 1    |   |
| 1208396               | hex 1.BA   | Each | 1    | 1    |   |
| 1208397               | hex 2.BA   | Each | 1    | 1    |   |
| 1208399               | hex 4.BA   | Each | 1    | 1    |   |
| 1208401               | hex 6.BA   | Each | 1    | 1    |   |
| 1208403               | hex 8.BA   | Each | 1    | 1    |   |
|                       | <u>SPANNER, SOCKET 3/8 in. SQUARE DRIVE</u>                |      |      |      |   |
| 9106316               | BAR, extension   | Each | 1    |      |   |
| 9552992               | HANDLE, sliding bar tee 6 in.                              | Each | 1    |      |   |
| 9106386               | SOCKET bi-hex 3/16 in. Whit                                | Each | 1    |      |   |
|                       | <u>SECTION 5.A</u>   |      |      |      |   |
| 3751<br>OR<br>9401682 | PLUG, 5 amp., 150 volt )<br>)<br>PLUG, 3 pole            ) | Each | 1*   |      | *For use with 1B/4614<br>Irons, soldering                                     |
|                       | <u>SECTION 10.A</u>  |      |      |      |   |
| 14381                 | MICROPHONE, assembly, Type 48                              | Each | 1(a) | 1(a) | (a) Wireless fitter<br>and Wireless Mechanic<br>only when employed on<br>A/C. |

A/L.58 September 1972

| 1  | 2  | 3                                    | 4                     | 5                     | 6 |
|--|--|--------------------------------------|-----------------------|-----------------------|---|
| 14   | <p style="text-align: center;"><u>SECTION 10.AH</u></p> <p>HEADSET T.9</p>   | Each                                 | 1(a)                  | 1(a)                  |   |
| 14841<br>0144883   | <p style="text-align: center;"><u>SECTION 10.HA</u></p> <p>CONNECTOR, type 10113</p> <p>CONNECTOR, type 10041</p>  | Each<br>Each                         | 2(a)<br>1(a)          | 2(a)<br>1(a)          |   |
| 9108185  | <p style="text-align: center;"><u>SECTION 29.G</u></p> <p>PADLOCK, iron.</p>   | Each                                 | 1                     | 1                     |   |
| <u>ADDITIONAL TOOLS TO BE ISSUED ONLY FOR SERVICING EQUIPMENT INCORPORATING THE UNIFIED SCREW THREAD SYSTEM (BS.1580) AND NUT AND BOLT HEADS (BS.1768)</u> |  |                                      |                       |                       |   |
| 9551728<br>9426752<br>9106000  | <p style="text-align: center;"><u>SECTION 1.C</u></p> <p><u>SPANNER</u></p> <p>D.E.O.J. 1/4 in. x 5/16 in. A/F</p> <p>D.E.O.J. 3/8 in. x 5/16 in. A/F</p> <p>D.E.O.J. 3/8 in. x 7/16 in. A/F</p>   | Each<br>Each<br>Each                 | 1<br>1<br>1           | 1<br>1<br>1           |   |
| 1208404<br>1208407<br>1209527<br>1209528<br>1209529  | <p style="text-align: center;"><u>SECTION 1.L</u></p> <p><u>SOCKET, Hex</u></p> <p>3/16 in. A/F. x 1/4 in. S.D.</p> <p>1/4 in. A/F x 1/4 in. S.D.</p> <p>5/16 in. A/F x 1/4 in. S.D.</p> <p>11/32 in. A/F x 1/4 in. S.D.</p> <p>3/8 in. A/F x 1/4 in. S.D.</p> | Each<br>Each<br>Each<br>Each<br>Each | 1<br>1<br>1<br>1<br>1 | 1<br>1<br>1<br>1<br>1 |   |

ADDITIONAL TOOLS TO BE DEMANDED FOR 3RD AND 4TH LINE SERVICING TYPE X MACHINES

SECTION 7  
SCALE A.20  
Page 4

A/L.58 September 1972

| 1       | 2   | 3    | 4 | 5 | 6 |
|---------|---|------|---|---|---|
|         | <u>SECTION 1.A</u>                            |      |   |   |   |
| 3585    | CASE, file                                    | Each | 1 | 1 |   |
|         | <u>SECTION 1.B</u>                            |      |   |   |   |
| 1207068 | GAUGE, thickness 4 in. taper<br>10 blades set | Each | 1 |   |   |
| 4269    | GUN, lubricating type 'G'                     | Each | 1 |   |   |
|         | <u>SECTION 1.C</u>                            |      |   |   |   |
| 9105857 | SCREWDRIVER, common 12 in.                    | Each | 1 |   |   |
| 9105858 | SCREWDRIVER, instrument, No. 1                | Each | 1 |   |   |
| 9106602 | VICE, pin.                                    | Each | 1 | 1 |   |
|         | <u>SECTION 1.H</u>                            |      |   |   |   |
| 4       | ADJUSTERS, spring No. 4                       | Each | 1 |   |   |
| 5       | ADJUSTERS, spring No. 14                      | Each | 1 |   |   |
|         | <u>SECTION 1.G</u>                            |      |   |   |   |
| 431     | BALANCES, spring                              | Each | 1 | 1 |   |
| 16942   | BALANCES, spring                              | Each | 1 | 1 |   |
| 420     | BARS, tommy                                   | Each | 1 | 1 |   |
| 419     | BARE, tommy                                   | Each | 1 | 1 |   |
| 424     | BRUSHES, type head                            | Each | 1 | 1 |   |
| 408     | BURNISHERS, contact                           | Each | 1 | 1 |   |
| 427     | EXTRACTORS, No. 9                             | Each | 1 | 1 |   |

ADDITIONAL TOOLS TO BE DEMANDED FOR 3RD AND 4TH LINE SERVICING TYPE X MACHINES (Contd.)

SECTION 7  
SCALE A.20  
Page 5

A/L.58 September 1972

| 1       | 2  | 3    | 4 | 5 | 6 |
|---------|--|------|---|---|---|
|         | <u>SECTION 10.G (Contd.)</u>   |      |   |   |   |
| 428     | EXTRACTORS, No. 11   | Each | 1 | 1 |   |
| 432     | GAUGES, tension, No. 2   | Each | 1 | 1 |   |
| 433     | GAUGES, tension, No. 11  | Each | 1 | 1 |   |
| 445     | SETTERS, contact springs   | Each | 1 | 1 |   |
|         | <u>SPANNERS, flat</u>  |      |   |   |   |
| 418     | 2.BA (special)   | Each | 1 | 1 |   |
| 417     | 2.BA x3.BA   | Each | 1 | 1 |   |
| 416     | 4.BA x 6.BA  | Each | 1 | 1 |   |
| 1261    | 8.BA x 10.BA   | Each | 1 | 1 |   |
|         | <u>ADDITIONAL TOOLS TO BE DEMANDED FOR 3RD AND 4TH LINE SERVICING<br/>TSEC/KL.7 CRYPTOGRAPHIC MACHINES</u> |      |   |   |   |
|         | <u>SECTION 1.A</u>   |      |   |   |   |
| 9430452 | BRUSSELS, writing, crew  | Each | 1 |   |   |
| 3750    | EXTRACTORS, screw sets   | Each | 1 |   |   |
|         | <u>SECTION 1.B</u>   |      |   |   |   |
| 1207068 | GAUGE, thickness feeler type 4 in<br>Sets  | Each | 1 |   |   |
| 9005883 | IRONS, soldering, extra light 230/<br>250 Volts 65 Watts.  | Each | 1 |   |   |
| 9552996 | MIRRORS, inspection  | Each | 1 |   |   |
| 9105585 | PUNCHES, pin 1/8 in.   | Each | 1 |   |   |
|         | <u>SECTION 1.C</u>   |      |   |   |   |
|         | <u>WRENCHES, Allen, Key</u>  |      |   |   |   |
| 9106057 | 3/64 in. A/F   | Each | 1 |   |   |
| 9106058 | 1/16 in A/F.   | Each | 1 |   |   |

A/L.58 September 1972

| 1                           | 2  | 3    | 4 | 5 | 6 |
|-----------------------------|--|------|---|---|---|
| <u>SECTION 1.C (Contd.)</u> |  |      |   |   |   |
| 9106059                     | 5/64 in. A/F.                                    | Each | 1 |   |   |
| 9106060                     | 3/32 in. A/F.                                    | Each | 1 |   |   |
| 9106062                     | 1/8 in. A/F.                                     | Each | 1 |   |   |
| 9106063                     | 5/32 in. A/F.                                    | Each | 1 |   |   |
| 9106064                     | 3/16 in. A/F.                                    | Each | 1 |   |   |
| <u>SECTION 1.J</u>          |  |      |   |   |   |
| 218                         | OILER, fountain pen type                         | Each | 1 |   |   |
| <u>SECTION 1.L</u>          |  |      |   |   |   |
| 1209527                     | SPANNER, socket 9/32 in. S.D. x<br>5/16 in. A/F. |      |   |   |   |
| 1209529                     | SPANNER, socket 9/32 in. S.D. x<br>3/8 in. A/F.  |      |   |   |   |
| <u>SECTION 5.A</u>          |  |      |   |   |   |
| 9105033                     | TTORCHES electric, Type '0'                      | Each | 1 |   |   |
| <u>SECTION 5.QP</u>         |  |      |   |   |   |
| 46                          | TESTMETERS, type H                               | Each | 1 |   |   |



A/L.58 September 1972

| 1                                       | 2                            | 3    | 4 | 5 | 6 |
|---|------------------------------|------|---|---|---|
|   | <u>SECTION 10.G</u>          |      |   |   |   |
| 431                                     | BALANCES, spring             | Each | 1 |   |   |
| 6942                                    | BALANCES, spring             | Each | 1 |   |   |
| 420                                     | BARS, tommy                  | Each | 1 |   |   |
| 419                                     | BARS, tommy                  | Each | 1 |   |   |
| 424                                     | BRUSHES, type hand           | Each | 1 |   |   |
| 408                                     | BURNISHERS, contact          | Each | 1 |   |   |
| 427                                     | EXTRACTORS, No. 9            | Each | 1 |   |   |
| 428                                     | EXTRACTORS, No. 11           | Each | 1 |   |   |
| 415                                     | SETTERS, contact, springs    | Each | 1 |   |   |
|   | <u>SPANNERS, flat</u>        |      |   |   |   |
| 418                                     | 2.BA (Special                | Each | 1 |   |   |
| 417                                     | 2.BA x 3.BA                  | Each | 1 |   |   |
| 416                                     | 4.BA x 6.BA                  | Each | 1 |   |   |
| 1261                                    | 8.BA x 10.BA                 | Each | 1 |   |   |
|   | <u>SECTION 10.AG</u>         |      |   |   |   |
| 20                                      | VALVES, pin straightener     | Each | 1 |   |   |
|   | <u>SECTION (U.S.A.) 16.L</u> |      |   |   |   |
| 1730/NSL-<br>CE.87493                   | ADJUSTING, tool              | Each | 1 |   |   |
| 1730/NSL-<br>CE.87293<br>OR<br>SO-39-11 | BLOCK, cleaning assembly     | Each | 1 |   |   |
| 1730/NSL-<br>CE.14700                   | PLIERS, Waldes No. 2 (bent)  | Each | 1 |   |   |
| 1730/NSL-<br>CE.14702                   | WRENCH, spanner              | Each | 1 |   |   |
| 1730/NSL-<br>CE.87494                   | WRENCH, spanner              | Each | 1 |   |   |

A/L.58 September 1972

| 1 | 2  | 3                                   | 4                          | 5 | 6 |
|---|--|-------------------------------------|----------------------------|---|---|
|   | <p style="text-align: center;"><u>SECTION (U.S.A.) 16.L (Contd.)</u></p> <p><u>SECTION (U.S.A.) 16.L/1730/N.S.L.</u></p> <p>PLIERS (Waldes) No. 1 - CE 14690<br/>(5120 - 288 - 9711)</p> <p>PLIERS (Waldes) No. 0018 - CE 1469)</p> <p>PLIERS (Waldes) No. 0015 CE 14692<br/>5120 - 595 - 9548</p> | <p>Each</p> <p>Each</p> <p>Each</p> | <p>1</p> <p>1</p> <p>1</p> |   |   |

ADDITIONAL TOOLS TO BE DEMANDED WHEN EMPLOYED ON TACTICAL CONTROL RADAR (F.G.G.R.1.2)

A/L.58 September 1972

SECTION 7  
SCALE A.20  
Page 7

| 1       | 2  | 3    | 4 | 5 | 6 |
|---------|--|------|---|---|---|
|         | <u>SECTION 1,C</u>                                   |      |   |   |   |
| 9106000 | SPANNER, D.E.O.J. 3/8 in. x 7/16 in. A/F.            | Each | 1 | 1 |   |
| 9106058 | WRENCHES, Allen Key 1/16 in. A/F.                    | Each | 1 | 1 |   |
| 9106060 | WRENCHES, Allen Key 3/32 in. A/F                     | Each | 1 | 1 |   |
|         | <u>SECTION 1,H</u>                                   |      |   |   |   |
| 9104553 | EXTRACTORS, No. 1                                    | Each | 1 | 1 |   |
| 9104554 | EXTRACTORS, No. 5                                    | Each | 1 | 1 |   |
|         | <u>SECTION 1,L</u>                                   |      |   |   |   |
| 9106329 | HANDLES, ratchet 3/8 in. S.D.                        | Each | 1 | 1 |   |
| 9106386 | SPANNERS, socket bi-hex 3/8 in. S.D. x 3/16 in. W.   | Each | 1 | 1 |   |
| 9107388 | SPANNERS, socket bi-hex 3/8 in. S.D. x 5/16 in. W.   | Each | 1 |   |   |
| 9106354 | SPANNERS, socket bi-hex 3/8 in. S.D. x 7/16 in. A/F. | Each | 1 | 1 |   |

ADDITIONAL TOOLS TO BE DEMANDED FOR 3RD LINE SERVICING OF  
AN/ARC. - 52 at No. 30 MAINTENANCE UNIT

SECTION 7  
SCALE A.20  
Page 8

A/L.58 September 1972

| 1                          | 2   | 3    | 4 | 5 | 6 |
|----------------------------|---|------|---|---|---|
|                            | <u>SECTION 1.B</u>                              |      |   |   |   |
| 1278853                    | IRONS, soldering, Electric Light,<br>24 V 48 W. | Each | 1 |   |   |
| 1206934                    | NIPPERS, side cutting, polished                 | Each | 1 |   |   |
| 5284                       | PLIERS, chain, polished                         | Each | 1 |   |   |
|                            | <u>SECTION 10.AG</u>                            |      |   |   |   |
| 9437464<br>Item No.<br>42  | 'E' RING Applicators                            | Each | 1 |   |   |
| 9437465<br>Item No.<br>42A | 'E' RING Applicators                            | Each | 1 |   |   |
| 9437466<br>Item No.<br>42B | 'E' RING Applicators                            | Each | 1 |   |   |

AERIAL ERECTORS (RIGGERS)

SECTION 7  
SCALE A.21  
Page 1

A/L.58 September 1972

| Ref. No. | Description                                      | Denom. of Qty. | Qty. | Remarks |
|----------|--|----------------|------|---------|
| 1        | 2  | 3              | 4    | 5       |
|          | <u>SECTION 1,A</u>                               |                |      |         |
| 9575039  | BOX, tool, standard, medium                      | Each           | 1    |         |
| 1202537  | Brush, wire, surface cleaning, large             | Each           | 1    |         |
|          | <u>CHISEL</u>                                    |                |      |         |
| 9104206  | Cold, cast steel, 8 in. x 3/4 in. firmer handled | Each           | 1    |         |
| 9104221  | 1/2 in.  | Each           | 1    |         |
| 9104225  | 1 in.  | Each           | 1    |         |
|          | <u>FILE</u>                                      |                |      |         |
| 9104887  | Hand, second cut, 8 in.                          | Each           | 1    |         |
| 9104894  | Hand, smooth, 8 in.                              | Each           | 1    |         |
| 9104924  | Round, bastard, 8 in.                            | Each           | 1    |         |
| 1204199  | Cutter wire                                      | Each           | 1    |         |
|          | <u>SECTION 1,B</u>                               |                |      |         |
| 9104650  | HAMMER, engineers, ball pein, 1 lb.              | Each           | 1    |         |
| 9105186  | HANDLE, file, No..5                              | Each           | 3    |         |
| 9105523  | PLIER, sidecutting, 8 in.                        | Each           | 1    |         |
| 9105542  | PRICKER, ice, 6 in. x 1/4 in. blade              | Each           | 2    |         |
| 9105720  | RULE, brass, 2 ft. 2 fold                        | Each           | 1    |         |
|          | <u>SECTION 1,C</u>                               |                |      |         |
| 9105746  | SAW, hack, frames                                | Each           | 1    |         |
|          | <u>Accessories</u>                               |                |      |         |
| 1202547  | BLADE, progressive pitch                         | Each           | 6    |         |
| 9105868  | SCREWDRIVER, ratchet, 5 in. x 1/4 in. point      | Each           | 1    |         |

A/L.58 September 1972

| 1       | 2  | 3    | 4 | 5 |
|---------|--|------|---|---|
|         | <u>SECTION 1.C (Contd.)</u>                      |      |   |   |
| 9106534 | TAPE, measuring, steel, 100 ft.                  | Each | 1 |   |
| 9106598 | VICE, hand, 5 in.                                | Each | 1 |   |
|         | WRENCH, adjustable, crescent                     |      |   |   |
| 9105963 | 6 in.  | Each | 1 |   |
| 9105964 | 8 in.  | Each | 1 |   |
|         | <u>SECTION 29.G</u>                              |      |   |   |
| 9108185 | PADLOCK, iron, 1 <sup>1</sup> / <sub>2</sub> in. | Each | 1 |   |

TELEGRAPH MECHANICS

SECTION 7  
SCALE A,22  
Page 1

A/L,58 September 1972

| Ref. No. | Description                                   | Denom.<br>of<br>Quantity | Quantity | Remarks  |
|----------|---|--------------------------|----------|--|
| 1        | 2   | 3                        | 4        | 5  |
|          | <u>SECTION 1.A</u>                            |                          |          |  |
| 3717     | BOX, tool, standard, small                    | Each                     | 1        |  |
|          | <u>BRUSH</u>                                  |                          |          |  |
| 9430434  | Camel hair No. 1                              | Each                     | 1(a)     | (a) Additional tools. To be demanded only when servicing TSEC/KL-7 Cryptographic Machines at 1st and 2nd line servicing                |
| 9430436  | Camel hair, No. 3                             | Each                     | 1(a)     |  |
| 3947     | Commutator, cleaning                          | Each                     | 1        |  |
| 9430452  | Writing, crow                                 | Each                     | 1(a)     |  |
| 9104512  | BURNISHER, Contact, No. 1                     | Each                     | 2(b)     |  |
|          | <u>CALIPER</u>                                |                          |          |  |
| 9104459  | Inside, 4 in.                                 | Each                     | 1        |  |
| 9104465  | Outside, 4 in.                                | Each                     | 1        |  |
| 3912     | CAN, oil, bicycle                             | Each                     | 2        |  |
| 9552987  | CARD, scratch 1 1/2 in. to 2 in.              | Feet                     | 1/2      |  |
| 887      | EYEGLASS, watchmakers'                        | Each                     | 1        |  |
|          | <u>FILE</u>                                   |                          |          |  |
| 9104883  | Dead smooth, 3 in.                            | Each                     | 1        |  |
| 9104884  | Dead smooth, 6 in.                            | Each                     | 1        |  |
| 9104868  | Half round, smooth, 4 in.                     | Each                     | 1        |  |
| 9104876  | Hand, bastard                                 | Each                     | 1        |  |
| 9104893  | Hand, smooth, 6 in.                           | Each                     | 1        |  |
| 9104930  | Round, smooth, 4 in.                          | Each                     | 1        |  |
|          | <u>SECTION 1.B</u>                            |                          |          |  |
| 1207068  | GAUGE, thickness 4 in. taper<br>10 blades set | Each                     | 2(b)     | (b) Includes Qty. 1 additional tool to be demanded only when servicing TSEC/KL.7 Cryptographic Machines at 1st and 2nd line servicing. |
| 9104647  | Engineers', ball pein, 4 oz.                  | Each                     | 1        |  |
| 1207307  | Hide faced, No. 1, 1 lb.                      | Each                     | 1        |  |
| 9104721  | Watchmakers', 2 2oz. head                     | Each                     | 1        |  |
|          | <u>HAMMER</u>                                 |                          |          |  |

A/L.58 September 1972

| 1       | 2                                       | 3    | 4    | 5  |
|---------|---|------|------|--|
|         | <u>SECTION 1,B (Contd.)</u>             |      |      |  |
|         | <u>HANDLE, file</u>                     |      |      |  |
| 9105184 | No. 2.                                  | Each | 4    |  |
| 9105185 | No. 3                                   | Each | 2    |  |
| 1208026 | NIPPER, end cutting 6 in.               | Each | 1    |  |
|         | <u>PLIERS</u>                           |      |      |  |
| 9105500 | Adjusting No. 5. 5 in.                  | Each | 1    |  |
| 1206932 | Flat, taper nose, 3 1/2 in.             | Each | 1    |  |
| 9105503 | Parallel jaws, 6 1/2 in.                | Each | 1    |  |
| 1206709 | SNIPE, hose, long 6 in.                 | Each | 1(a) |  |
| 1206933 | Watchmakers' fine round nose 4 in.      | Each | 1    |  |
|         | <u>PUNCH</u>                            |      |      |  |
| 9105548 | Centre 3 in. <u>round tapered point</u> | Each | 1    |  |
| 9105584 | 3/32 in.                                | Each | -    | See Ref. 1.L/9105577   |
| 9105587 | 3/16 in.                                | Each | 1    |  |
| 9105577 | Parallel pin 3/32 in.                   | Each | 1    |  |
| 9105726 | RULE, steel, 1 ft.                      | Each | 1    |  |
|         | <u>SECTION 1,C</u>                      |      |      |  |
|         | <u>SCREWDRIVER</u>                      |      |      |  |
| 7899    | G.S. handle, 6 in.                      | Each | 1    | Ref. 1C/9105855 may be issued in lieu.   |
| 9105855 | Common                                  | Each | -    | See Ref. 1C/9105839  |
| 9105886 | Instrument, No. 6                       | Each | 1    |  |
| 9105875 | Insulated Blade, 7 in.                  | Each | 1(a) |  |
|         | <u>Watchmakers</u>                      |      |      |  |
| 1201009 | ATTACHMENT Screw positioner             | Each | 1    |  |
|         | <u>BLADE</u>                            |      |      |  |
| 9105871 | 2 1/2 x 1/8 in.                         | Each | 1    |  |
| 9105876 | 3 x 3/16 in.                            | Each | 1    | (a) Additional tools. To be demanded only when servicing TSEC/KL.7 Cryptographic Machines at 1st and 2nd line servicing. |
| 9105884 | 10 x 1/4 in.                            | Each | 1    |  |
| 9105891 | SCRIBER, fitter, 7 in.                  | Each | 1    |  |
| 9105922 | SHEAR, watchmakers'                     | Each | 1    |  |



A/L.58 September 1972

| 1                           | 2                                   | 3    | 4    | 5  |
|-----------------------------|-------------------------------------|------|------|--|
| <u>SECTION 1.C (Contd.)</u> |                                     |      |      |  |
| 9105954                     | SPANNER, adjustable, 4 in.          | Each | 1    | (a) Additional tools. To be demanded only when servicing TSEC/KL.7 Cryptographic Machines at 1st and 2nd line servicing. |
| 9107783                     | TOOL, holding, 12 in.               | Each | 1(c) |  |
| 9106586                     | TWEEZER, watchmakers'               | Each | 1    |  |
| WRENCH, Allen key, A.F.     |                                     |      |      |  |
| 9106057                     | 3/64 in.                            | Each | 1(a) | (c) Additional tools. To be demanded only when servicing Typex machines at 1st and 2nd line servicing.                   |
| 9106058                     | 1/16 in.                            | Each | 1(a) |  |
| 9106059                     | 5/64 in.                            | Each | 1(a) |  |
| 9106060                     | 3/32 in.                            | Each | 1(a) |  |
| 9106062                     | 1/8 in.                             | Each | 1(a) |  |
| 9106063                     | 5/32 in.                            | Each | 1(a) |  |
| 9106064                     | 3/16 in.                            | Each | 1(a) |  |
| <u>SECTION 1.H</u>          |                                     |      |      |  |
| 9104539                     | CLEANER, contact, No.1              | Each | 1    |  |
| 100                         | EXTRACTOR, valve (B7G)              | Each | 1(a) |  |
| 59                          | GAUGE, tension, No. 3, 50-250 grams | Each | 1    |  |
| <u>SPANNER, flat</u>        |                                     |      |      |  |
| 9106200                     | No. 1                               | Each | 1    |  |
| 9106201                     | No. 2                               | Each | 1    |  |
| 9106202                     | No. 3                               | Each | 1    |  |
| 9106203                     | No. 4                               | Each | 1    |  |
| 9106204                     | No. 5                               | Each | 1    |  |
| 70                          | TWEEZER, steel, No. 1               | Each | 1    |  |
| <u>SECTION 10.G</u>         |                                     |      |      |  |
| 424                         | BRUSH, typehead                     | Each | 1(a) |  |
| 428                         | EXTRACTOR, G.P.O., type 11          | Each | 1(a) |  |
| 418                         | SPANNER, flat, 2 BA, (Special)      | Each | 1(c) |  |

A/L.58 September 1972

| 1   | 2                                    | 3    | 4    | 5   |
|---|--------------------------------------|------|------|---|
| <u>SECTION (U.S.A.) 16.L</u>                  |                                      |      |      |   |
| 1730/NSL-<br>CE.87293                         | BLOCK, cleaning assembly             | Each | 1(a) |   |
| 1730/NSL- )<br>CE.87296 )<br>OR<br>SO.39.11)) | ERASER, pencil                       | Each | 1(a) |   |
| 1730/NSL-<br>CE.87240                         | VALVE, pin straightener, 7 and 9 pin | Each | 1(a) | (a) Additional tools. To be demanded only when servicing TSEC/K17 Cryptographic Machines at 1st and 2nd line servicing. |
| 1730/NSL-<br>CE.14687                         | WRENCH, Allen "T" 5/52 in.           | Each | 2(a) |   |

MOULDERS

SECTION 7  
SCALE A.23  
Page 1

A/L.58 September 1972

| Ref. No. | Description  | Denom.<br>of<br>Quantity | Quantity | Remarks |
|----------|--|--------------------------|----------|---------|
| 1        | 2  | 3                        | 4        | 5       |
|          | <u>SECTION 1.A</u>   |                          |          |         |
| 9552997  | BOX, tool, standard large  | Each                     | 1        |         |
|          | BRUSH  |                          |          |         |
| 4635     | Dust   | Each                     | 1        |         |
|          | Map, cmale hair  |                          |          |         |
| 9430434  | No. 1  | Each                     | 1        |         |
| 9430436  | No. 3  | Each                     | 1        |         |
| 4631     | Wet  | Each                     | 1        |         |
|          | <u>CALIPER</u>   |                          |          |         |
| 9104461  | Inside, 8 in.  | Each                     | 1        |         |
| 9104467  | Outside, 8 in.   | Each                     | 1        |         |
|          | CHISEL, cold, light sets, N.S.   |                          |          |         |
| 9104180  | Crosscut   | Each                     | 1        |         |
| 9104188  | Diamond point  | Each                     | 1        |         |
| 9104202  | Flat   | Each                     | 1        |         |
| 9104476  | DIVIDER, spring, split nut, 6 in.  | Each                     | 1        |         |
|          | <u>FILE</u>  |                          |          |         |
| 9104870  | Half round, smooth, 8 in.  | Each                     | 1        |         |
| 9104894  | Hand smooth, 8 in.   | Each                     | 1        |         |
| 9104924  | Round, bastard, 8 in.  | Each                     | 1        |         |
|          | <u>SECTION 1.B</u>   |                          |          |         |
| 9104652  | HAMMER, engineers, ball pein, 2 lb.  | Each                     | 1        |         |
|          | <u>HANDLE, file</u>  |                          |          |         |
| 9105185  | No. 3  | Each                     | 1        |         |
| 9105186  | No. 4  | Each                     | 2        |         |
| 9105421  | LEVEL, spirit, 10 in.  | Each                     | 1        |         |
| 9421996  | MALLET, tinmens, 5 <sup>1</sup> / <sub>4</sub> in. x 2 <sup>1</sup> / <sub>4</sub> in. | Each                     | 1        |         |

A/L.58 September 1972

| 1       | 2  | 3    | 4 | 6 |
|---------|--|------|---|---|
|         | <u>SECTION 1.C</u>                           |      |   |   |
| 9106493 | STRAIGHTEDGE, steel, 2 ft.                   | Each | 1 |   |
|         | <u>TROWEL</u>                                |      |   |   |
| 9107938 | English square 6 in. x 1 1/2 in.<br>handled. | Each | 1 |   |
| 9107941 | Heart, broad, 4 in. x 3 in.                  | Each | 1 |   |
| 9107944 | Taper 6 1/2 in. x 1 1/2 in.                  | Each | 1 |   |
|         | <u>SECTION 29.C</u>                          |      |   |   |
| 2067    | PADLOCK, iron, 2 in, special                 | Each | 1 |   |

SHOEMAKERS

SECTION 7  
SCALE A.24  
Page 1

A/L.58 September 1972

| Ref. No.           | Description   | Denom.<br>of<br>Quantity | Quantity     | Remarks                    |
|--------------------|---|--------------------------|--------------|----------------------------|
| 1                  | 2   | 3                        | 4            | 5                          |
| <u>SECTION 1.A</u> |   |                          |              |                            |
| <del>6</del>       | <del>APRONS, basil, brown</del>   | <del>Each</del>          | <del>1</del> |                            |
|                    | <u>AWLS</u>   |                          |              |                            |
| 9104322            | Pegging, handled  | Each                     | 2            |                            |
| 9104325            | Sewing, shoemakers, 3 <sup>3</sup> / <sub>8</sub> in.<br>sharp end curved | Each                     | 2            |                            |
| 9104326            | Stabbing, shoemakers, 2 <sup>1</sup> / <sub>2</sub> in.<br>sharp end      | Each                     | 2            |                            |
| 1275310            | BAGS, tool, G.P.  | Each                     | 1            |                            |
| <u>SECTION 1.B</u> |   |                          |              |                            |
| 9104688            | HAMMERS, shoemakers, double-faced   | Each                     | 1            |                            |
| 9105292            | KNIVES, trimming  | Each                     | 1            |                            |
| 9105297            | NIPPERS, cutting, shoemakers  | Each                     | 1            |                            |
| 9105584            | PUNCHES, round, tapered point,  | Each                     | 1            |                            |
| <u>SECTION 1.C</u> |   |                          |              |                            |
| 2577               | STICKS, emery   | Each                     | 1            | To be manufactured locally |

ENGINEER ASSISTANTS  
OCEAN WEATHER SHIPS

SECTION 7  
SCALE A.25  
Page 1

A/L.58 September 1972

| Ref. No. | Description                                 | Denom. of Qty. | Qty. | Remarks |
|----------|---|----------------|------|---------|
| 1        | 2   | 3              | 4    | 5       |
|          | <u>SECTION 1.A</u>                          |                |      |         |
| 9424743  | BRUSHES, varnish or enamel flat<br>1 in.    | Each           | 1    |         |
|          | <u>FILES</u>                                |                |      |         |
| 9104853  | Half round bastard 8 in.                    | Each           | 1    |         |
| 9104923  | Round bastard 6 in.                         | Each           | 1    |         |
| 9104961  | Three square or triangular<br>bastard 6 in. | Each           | 1    |         |
| 9104869  | Half round smooth 6 in.                     | Each           | 1    |         |
| 9104893  | Hand smooth 6 in.                           | Each           | 1    |         |
|          | <u>SECTION 1.B</u>                          |                |      |         |
|          | <u>HAMMERS</u>                              |                |      |         |
| 9104648  | Engineer's ball pein 1/2 lb.                | Each           | 1    |         |
| 1207297  | Rubber faced No. 1, 1 lb.                   | Each           | 1    |         |
|          | <u>HANDLES, file</u>                        |                |      |         |
| 9105185  | No. 3                                       | Each           | 1    |         |
| 9105186  | No. 5                                       | Each           | 2    |         |
|          | <u>PLIERS</u>                               |                |      |         |
| 1206710  | Flat nose 8 in.                             | Each           | 1    |         |
| 9105525  | Side cutting insulated 6 in.                | Each           | 1    |         |
| 1206709  | Snipe nose, long 6 in.                      | Each           | 1    |         |
| 9005883  | IRONS, soldering 230/150V. 65W.             | Each           | 1    |         |
|          | <u>SECTION 1.C</u>                          |                |      |         |
| 9437819  | PLIER, cable stripping                      | Each           | 1    |         |
| 9105746  | SAWS, hack, adjustable                      | Each           | 1    |         |

A/L.58 September 1972

| 1       | 2  | 3    | 4 | 5 |
|---------|--|------|---|---|
|         | <u>SECTION 1.C (Contd.)</u>                                  |      |   |   |
|         | <u>SCREWDRIVERS</u>  |      |   |   |
| 9105868 | Ratchet 5 x 1/4 in.  | Each | 1 |   |
| 9105879 | Watchmakers' blade, 8 in. x 8 in.<br>8 in. x 3/16 in.        | Each | 1 |   |
| 9106000 | <u>SPANNERS, D/E, open jaw,</u><br><u>3/8 in. x 7/16 in.</u> |      |   |   |
|         | <u>TOOLS, screwcutting</u>                                   |      |   |   |
|         | <u>DIES</u>  |      |   |   |
| 9101308 | 0 B.A.   | Each | 1 |   |
| 9101310 | 2 B.A.   | Each | 1 |   |
| 9101312 | 4 B.A.   | Each | 1 |   |
| 9101314 | 6 B.A.   | Each | 1 |   |
| 9101463 | DIESTOCKS, X   | Each | 1 |   |
|         | <u>TAPS</u>  |      |   |   |
|         | <u>Bottoming</u>   |      |   |   |
| 9101679 | 0 B.A.   | Each | 1 |   |
| 9101681 | 2 B.A.   | Each | 1 |   |
| 9101683 | 4 B.A.   | Each | 1 |   |
| 9101685 | 6 B.A.   | Each | 1 |   |
|         | <u>Taper</u>   |      |   |   |
| 23      | 0 B.A.   | Each | 1 |   |
| 5240    | 2 B.A.   | Each | 1 |   |
| 5241    | 4 B.A.   | Each | 1 |   |
| 5242    | 6 B.A.   | Each | 1 |   |
| 9101476 | WRENCHES, tap D/E FF   | Each | 1 |   |
|         | <u>DIES</u>  |      |   |   |
| 9102301 | 3/16 in. B.S.W.  | Each | 1 |   |
| 9102302 | 1/4 in. B.S.W.   | Each | 1 |   |
|         | <u>TAPS</u>  |      |   |   |
|         | <u>Bottoming</u>   |      |   |   |
| 9101978 | 3/16 in. B.S.W.  | Each | 1 |   |
| 9101979 | 1/4 in. B.S.W.   | Each | 1 |   |
| 9101980 | 5/16 in. B.S.W.  | Each | 1 |   |
|         | <u>Taper</u>   |      |   |   |
| 9101943 | 1/4 in. B.S.W.   | Each | 1 |   |
| 9101944 | 5/16 in. B.S.W.  | Each | 1 |   |

A/L.58 September 1972

| 1                                   | 2   | 3    | 4  | 5 |
|-------------------------------------|---|------|----|---|
| <u>SECTION 1.C (Contd.)</u>         |   |      |    |   |
| <u>SPANNER, D.E.O.J.</u>            |   |      |    |   |
| 9106177                             | 0 x 2.BA  | Each | 1  |   |
| 9106179                             | 4 x 6.BA  | Each | 1  |   |
| 9552995                             | 3/16 in. x 1/8 in. B.S.W.   | Each | 1  |   |
| 9106228                             | 3/16 in. x 1/4 in. B.S.W.   | Each | 1  |   |
| 9106229                             | 5/16 in. x 3/8 in. B.S.W.   | Each | 1  |   |
| 1206743                             | SPANNER, wrench pipe  | Each | 1  |   |
| <u>SECTION 1.G</u>                  |   |      |    |   |
| <u>DRILL, twist, parallel shank</u> |   |      |    |   |
| 9108381                             | 1/32 in.  | Each | 1  |   |
| 9108383                             | 1/16 in.  | Each | 1  |   |
| 9108385                             | 3/32 in.  | Each | 1  |   |
| 9108387                             | 1/8 in.   | Each | 1  |   |
| 9108389                             | 5/32 in.  | Each | 1  |   |
| 9108391                             | 3/16 in.  | Each | 1  |   |
| 9108393                             | 7/32 in.  | Each | 1  |   |
| 9108395                             | 1/4 in.   | Each | 1  |   |
| 9108397                             | 9/32 in.  | Each | 1  |   |
| 9108399                             | 5/16 in.  | Each | 1  |   |
| <u>SECTION 1.L</u>                  |   |      |    |   |
| 9105747                             | SAWS, hack fixed 6 in.  | Each | 1  |   |
| Spares:-                            |   |      |    |   |
| 9105748                             | BLADES, flexible 6 in.  | Each | 12 |   |
| 9105875                             | SCREWDRIVERS, insulated blade                                       | Each | 1  |   |
| SPANNERS                            |   |      |    |   |
| 9106388                             | <u>B1-hexagon, 5/16 in. B.S.W.</u><br><u>Double ended, open jaw</u> | Each | 1  |   |



A/L.58 September 1972

| 1       | 2   | 3    | 4 | 5 |
|---------|---|------|---|---|
| 9105033 | <p style="text-align: center;"><u>SECTION 5.A</u></p> TORCHES, electric type,Y                          | Each | 2 |   |
| 9108185 | <p style="text-align: center;"><u>SECTION 29.G</u></p> PADLOCKS, iron 1 <sup>1</sup> / <sub>2</sub> in. | Each | 1 |   |

A/L.58 September 1972

| Ref.No.                          | Description                                 | Denom.<br>of<br>Quantity | Quantity | Quantity | Remarks |
|----------------------------------|---|--------------------------|----------|----------|---------|
| 1                                | 2   | 3                        | 4        | 5        | 6       |
| <u>SECTION 1.A</u>               |   |                          |          |          |         |
| 1275310                          | BAG, tool, G.P.                             | Each                     | 1        | 1        |         |
| 9432845                          | BRUSH, engine, cleaning                     | Each                     | 1        | 1        |         |
| <u>CALIPER</u>                   |   |                          |          |          |         |
| 9104463                          | Inside, 6 in.                               | Each                     | 1        | -        |         |
| 9104471                          | Outside, 6 in.                              | Each                     | 1        | -        |         |
| 9552987                          | CARD, scratch, 1 1/2 in. to 2 in.           | Feet                     | 1/2      | 1/2      |         |
| 9104427                          | DRIFT, copper, 1/2 in. x 6 1/2 in.          | Each                     | 1        | 1        |         |
| <u>DRILL, twist, bits stocks</u> |   |                          |          |          |         |
| 9108933                          | 7/16 in.                                    | Each                     | 1        | -        |         |
| 9108934                          | 1/2 in.                                     | Each                     | 1        | -        |         |
| <u>FILE</u>                      |   |                          |          |          |         |
| 9104870                          | Half round, smooth, 8 in.                   | Each                     | 1        | 1        |         |
| 9104877                          | Hand, bastard, 6 in.                        | Each                     | 1        | -        |         |
| 9104893                          | Hand, smooth, 6 in.                         | Each                     | 1        | 1        |         |
| 9104924                          | Round, bastard, 8 in.                       | Each                     | 1        | -        |         |
| 9104932                          | Round, smooth, 8 in.                        | Each                     | -        | 1        |         |
| 9104961                          | Three square, bastard, 6 in.                | Each                     | -        | 1        |         |
| 9104966                          | Three square, smooth, 4 in.                 | Each                     | 1        | -        |         |
| 9552998                          | Oiler, hand, 3 1/2 oz.                      | Each                     | 1        | 1        |         |
| 9104280                          | STOCK, drill, 0 in. to 1/2 in.              | Each                     | 1        | -        |         |
| <u>SECTION 1.B</u>               |   |                          |          |          |         |
| 1207068                          | GAUGE, thickness, 4 in. taper set 10 blades | Each                     | 1        | 1        |         |
| <u>HAMMER</u>                    |   |                          |          |          |         |
| <u>Engineers ballpein</u>        |   |                          |          |          |         |
| 9104648                          | 1/2 lb.                                     | Each                     | 1        | 1        |         |
| 9104652                          | 2 lb.                                       | Each                     | 1        | -        |         |
| 1207307                          | Hide faced, No. 1, 1 lb.                    | Each                     | 1        | 1        |         |

A/L.58 September 1972

| 1       | 2                                     | 3    | 4 | 5 | 6 |
|---------|---------------------------------------|------|---|---|---|
|         | <u>SECTION 1.B (Contd.)</u>           |      |   |   |   |
|         | <u>HANDLE, file</u>                   |      |   |   |   |
| 9105184 | No. 2                                 | Each | 1 | - |   |
| 9105185 | No. 3                                 | Each | 2 | 2 |   |
| 9105186 | No. 5                                 | Each | 2 | 2 |   |
| 9105419 | LEVEL, spirit, metal, 4 in.           | Each | 1 | - |   |
| 1208026 | NIPPER, end cutting, 7 in.            | Each | 1 | 1 |   |
| 9105522 | PLIER, side cutting, 6 in.            | Each | 1 | 1 |   |
|         | <u>PUNCH</u>                          |      |   |   |   |
| 9105548 | Centre, 4 in.                         | Each | 1 | - |   |
| 9105587 | Round, tapered point, 3/16 in.        | Each | 1 | 1 |   |
| 9105726 | RULE, steel, 1 ft.                    | Each | 1 | - |   |
|         | <u>SECTION 1.C</u>                    |      |   |   |   |
|         | <u>SCRAPER</u>                        |      |   |   |   |
| 9105822 | Flat, 6 in.                           | Each | 1 | - |   |
| 9105826 | Half round, 6 in.                     | Each | 1 | - |   |
|         | <u>SCREWDRIVER</u>                    |      |   |   |   |
| 7899    | G.S., handle, 6 in.                   | Each | 1 | 1 |   |
| 9105868 | Ratchet, 5 in. x 1/4 in.              | Each | 1 | - |   |
| 9105876 | Watchmakers', blades 3 in. x 3/16 in. | Each | 1 | 1 |   |
|         | <u>SPANNER, D.E.O.J.</u>              |      |   |   |   |
| 9106177 | 0.B.A. -2 B.A.                        | Each | 1 | 1 |   |
| 9106179 | 4 B.A. x 6 B.A.                       | Each | 1 | 1 |   |
| 9552995 | 3/16 in. x 1/8 in. B.S.W.             | Each | 1 | - |   |
| 9106228 | 3/16 in. x 1/4 in. B.S.W.             | Each | 1 | 1 |   |
| 9106229 | 5/16 in. x 1/8 in. B.S.W.             | Each | 1 | 1 |   |
| 9106230 | 7/16 in. x 1/2 in. B.S.W.             | Each | 1 | 1 |   |
| 9105963 | WRENCH, crescent type, 6 in.          | Each | 1 | 1 |   |

| 1       | 2   | 3    | 4    | 5 | 6 |
|---------|---|------|------|---|---|
|         | <u>SECTION 1,G</u>                          |      |      |   |   |
|         | <u>DRILL, twist, parallel shank, H.S.S.</u> |      |      |   |   |
| 9108387 | 1/8 in.                                     | Each | 1    | - |   |
| 9108391 | 3/16 in.                                    | Each | 1    | - |   |
| 9108395 | 1/4 in.                                     | Each | 1    | - |   |
|         | <u>DRILL, twist, parallel shank, H.S.S.</u> |      |      |   |   |
| 9108397 | 9/32 in.                                    | Each | 1    | - |   |
|         | <u>SECTION 1,L</u>                          |      |      |   |   |
| 9105747 | SAW, hack, fixed, 6 in.                     | Each | 1    | - |   |
|         | <u>Accessories</u>                          |      |      |   |   |
| 9105748 | BLADE                                       | Each | 12   | - |   |
|         | <u>SPANNER</u>                              |      |      |   |   |
|         | <u>Socket set No. 1 9/32 in. sq. drive</u>  |      |      |   |   |
| 9106313 | BARE, extension, 4 in.                      | Each | 1    | - |   |
| 9552994 | CASES, steel                                | Each | 1    | - |   |
| 1208478 | EXTENSIONS, flexible, 6 in.                 | Each | 1    | - |   |
| 1208419 | HANDLES, sliding bar, tee, 4 1/2 in.        | Each | 1    | - |   |
|         | <u>SOCKET, hexagon</u>                      |      |      |   |   |
| 1208397 | 2 B.A.                                      | Each | 1    | - |   |
| 1208399 | 4 B.A.                                      | Each | 1    | - |   |
|         | <u>Socket set No. 2 3/8 in. sq. drive</u>   |      |      |   |   |
| 9106316 | BARE, extension, 6 in.                      | Each | 1    | 1 |   |
| 72      | CASES, steel                                | Each | 1    | 1 |   |
| 9106329 | HANDLES, ratchet, 3/8 in. sq. drive         | Each | 1(e) |   |   |
| 9552992 | HANDLES, sliding bar, tee, 6 in.            | Each | 1    | 1 |   |
| 9106341 | JOINTS, universal                           | Each | 1    | 1 |   |
|         | <u>SOCKET, bi-hexagon</u>                   |      |      |   |   |
| 9106386 | 3/16 in. B.S.W.                             | Each | 1    | 1 |   |
| 9106387 | 1/4 in. B.S.W.                              | Each | 1    | 1 |   |
| 9106388 | 5/16 in. B.S.W.                             | Each | 1    | 1 |   |
| 9106389 | 3/8 in. B.S.W.                              | Each | 1    | 1 |   |
| 9106390 | 7/16 in. B.S.W.                             | Each | 1    | 1 |   |

A/L.58 September 1972

| 1       | 2  | 3    | 4 | 5 | 6 |
|---------|--|------|---|---|---|
| 9108185 | <u>SECTION 29.G</u><br>PADLOCK 1 1/2 in. | Each | 1 | 1 |   |

## BRICKLAYERS I and II

SECTION 7  
SCALE A.27  
Page 1

A/L.58 September 1972

| Ref. No.           | Description                                      | Denom.<br>of<br>Quantity | Quantity | Remarks |
|--------------------|--|--------------------------|----------|---------|
| 1                  | 2  | 3                        | 4        | 5       |
| <u>SECTION 1.A</u> |  |                          |          |         |
| 9104458            | BOARD, plumb, masons, 2 ft. 6 in.                | Each                     | 1        |         |
| 1275310            | BAG, tool, G.P.                                  | Each                     | 1        |         |
| 9552997            | BOX, tool, standard, large                       | Each                     | 1        |         |
| 9104203            | CHISEL, cold cast steel, flat<br>6 in. x 1/2 in. | Each                     | 2        |         |
| 9104206            | 8 in. x 3/4 in.                                  | Each                     | 2        |         |
| 9105539            | PLUMB BOB, steel 8 oz.                           | Each                     | 1        |         |
| <u>SECTION 1.B</u> |  |                          |          |         |
| <u>HAMMER</u>      |  |                          |          |         |
| 9104630            | Brick, 1 lb. 12 oz.                              | Each                     | 1        |         |
| 9104631            | Bricklayer, scutching                            | Each                     | 1        |         |
| 9104674            | Lead 4 lb.                                       | Each                     | 1        |         |
| 9105423            | LEVEL, bricklayer, 36 in.                        | Each                     | 1        |         |
| 9105720            | RULE, brass, 2 ft. 2 fold                        | Each                     | 1        |         |
| <u>SECTION 1.C</u> |  |                          |          |         |
| <u>TROWEL</u>      |  |                          |          |         |
| 9106574            | Brick, 10 in.                                    | Each                     | 2        |         |
| 9106577            | Float 10 1/2 in. x 3 1/2 in.                     | Each                     | 1        |         |
| 9106580            | Pointing, 6 in.                                  | Each                     | 2        |         |

A/L.58 September 1972

| 1    | 2                                       | 3    | 4 | 5                   |
|------|---|------|---|---------------------|
|      | <u>SECTION 1.K</u>                      |      |   |                     |
| 27   | BOLSTER, bricklayer,<br>4 1/2 in. width | Each | 1 |                     |
| 129  | PIN, line                               | Each | 1 |                     |
|      | <u>SECTION 29.G</u>                     |      |   |                     |
| 2067 | PADLOCK, iron, 2 in.                    | Each | 1 |                     |
|      | <u>SECTION 32.A</u>                     |      |   |                     |
| 11   | LINE, whipcord                          | Each | 3 |                     |
|      | <u>SECTION 89.XY</u>                    |      |   |                     |
|      | <u>CHISEL, cold steel</u>               |      |   |                     |
| 106  | 1 in. x 12 in.                          | Each | 2 | )                   |
| 107  | 1 in. x 18 in.                          | Each | 2 | )                   |
| 123  | 12 in. diamond point                    | Each | 1 | )                   |
|      |   |      |   | ) See also A.P.3033 |

## WORKS CARPENTERS I and II

SECTION 7  
SCALE A.28  
Page 1

A/L.58 September 1972

| Ref. No. | Description   | Denom. of Quantity | Quantity | Remarks |
|----------|---|--------------------|----------|---------|
| 1        | 2   | 3                  | 4        | 5       |
|          | <u>SECTION 1.A</u>  |                    |          |         |
|          | <u>AWLS, brad</u>   |                    |          |         |
|          | <u>BLADES</u>   |                    |          |         |
| 9104308  | 1/16 in.  | Each               | 1        |         |
| 9104309  | 3/32 in.  | Each               | 1        |         |
| 9104310  | 1/8 in.   | Each               | 2        |         |
| 9104311  | 3/16 in.  | Each               | 1        |         |
|          | <u>HANDLES</u>  |                    |          |         |
| 9104729  | No. 6   | Each               | 1        |         |
| 9104308  | No. 4   | Each               | 1        |         |
| 9104310  | No. 5   | Each               | 1        |         |
| 9104069  | AXES, hand  | Each               | 1        |         |
| 9104453  | BEVELS, carpenters', 10 <sup>1</sup> / <sub>2</sub> in. blade | Each               | 1        |         |
|          | <u>BITS, auger, carpenters', set No. 1</u>                    |                    |          |         |
| 9104082  | 1/4 in.   | Each               | 1        |         |
| 9104083  | 5/16 in.  | Each               | 1        |         |
| 9104084  | 3/8 in.   | Each               | 1        |         |
| 9104085  | 7/16 in.  | Each               | 1        |         |
| 9104086  | 1/2 in.   | Each               | 1        |         |
| 9104087  | 9/16 in.  | Each               | 1        |         |
| 9104088  | 5/8 in.   | Each               | 1        |         |
| 9104089  | 11/16 in.   | Each               | 1        |         |
| 9104090  | 3/4 in.   | Each               | 1        |         |
| 9104091  | 13/16 in.   | Each               | 1        |         |
| 9104092  | 7/8 in.   | Each               | 1        |         |
| 9104093  | 15/16 in.   | Each               | 1        |         |
| 9104094  | 1 in.   | Each               | 1        |         |
|          | <u>BITS</u>   |                    |          |         |
| 9104113  | Countersunk 5/8 in. rose                                      | Each               | 1        |         |
| 9104129  | Screwdriver, 3/8 in.  | Each               | 1        |         |
| 9552997  | BOXES, tool, standard, large                                  | Each               | 1        |         |
| 9104079  | BRACES, carpenters', 10 in. sweep                             | Each               | 1        |         |

(54009) 129



A/L.58 September 1972

| 1                              | 5   | 2    | 3 | 4 |
|--------------------------------|---|------|---|---|
| <u>SECTION 1.A (Contd.)</u>    |   |      |   |   |
| <u>CHISELS</u>                 |   |      |   |   |
| <u>Firmer</u>                  |   |      |   |   |
| 9104219                        | 1/4 in.   | Each | 1 |   |
| 9104221                        | 1/2 in.   | Each | 1 |   |
| 9104223                        | 3/4 in.   | Each | 1 |   |
| 9104226                        | 1 <sup>1</sup> / <sub>4</sub> in.                     | Each | 1 |   |
| <u>Mortice</u>                 |   |      |   |   |
| 9104238                        | 1/4 in.   | Each | 1 |   |
| 9104239                        | 3/8 in.   | Each | 1 |   |
| 9104240                        | 1/2 in.   | Each | 1 |   |
| 9104241                        | 5/8 in.   | Each | 1 |   |
| 9104242                        | 3/4 in.   | Each | 1 |   |
| 9104952                        | FILES, saw, taper, second cut<br>single, 3 in.        | Each | 1 |   |
| 9426907                        | OILER, hand, 1/2 pint                                 | Each | 1 |   |
| <br><u>SECTION 1.B</u><br><br> |   |      |   |   |
| <u>GAUGES, carpenters</u>      |   |      |   |   |
| 9105190                        | Marking   | Each | 1 |   |
| 9105191                        | Mortice and marking                                   | Each | 1 |   |
| 9104120                        | GIMLETS, twist, 3/16 in.                              | Each | 1 |   |
| <u>GOUGES, firmer</u>          |   |      |   |   |
| 9105125                        | 3/8 in.   | Each | 1 |   |
| 9105127                        | 5/8 in.   | Each | 1 |   |
| <u>HAMMERS</u>                 |   |      |   |   |
| 9104670                        | Joiners', "Warrington"<br>No. 2, 3/4 lb.              | Each | 1 |   |
| 9104632                        | Carpenters', claw, 1 <sup>1</sup> / <sub>2</sub> lbs. | Each | 1 |   |
| 9105186                        | HANDLES, file, No. 5                                  | Each | 1 |   |
| 9105421                        | LEVELS, spirit, wood, 10 in.                          | Each | 1 |   |
| 9105426                        | MALLETS, carpenters'                                  | Each | 1 |   |
| 1647                           | OILSTONES, G.P., fine                                 | Each | 1 |   |
| 9105482                        | PINCERS, carpenters', 8 in.                           | Each | 1 |   |

A/L.58 September 1972

| 1                           | 2  | 3    | 4 | 5 |
|-----------------------------|--|------|---|---|
| <u>SECTION 1.B (Contd.)</u> |  |      |   |   |
| <u>PLANES</u>               |  |      |   |   |
| 9105341                     | Jack, 17 in. long                                | Each | 1 |   |
| 9105319                     | Smoothing, iron adjustable,<br>9 in. long        | Each | 1 |   |
| 1813                        | POTS, glue, common                               | Each | 1 |   |
| 9105583                     | PUNCHES, round, tapered point,<br>1/16 in.       | Each | 1 |   |
| 9105701                     | RASPS, wood, 12 in.                              | Each | 1 |   |
| 9105718                     | RULES, boxwood, 2 ft. 4 fold                     | Each | 1 |   |
| <u>SECTION 1.C</u>          |  |      |   |   |
| <u>SAWS</u>                 |  |      |   |   |
| <u>Combination</u>          |  |      |   |   |
| 9105786                     | BLADES, keyhole                                  | Each | 1 |   |
| 9105784                     | HANDLES, wood                                    | Each | 1 |   |
| 1205935<br>OR<br>9105806    | Dovetail<br>Tenon                                | Each | 1 |   |
| 9103396                     | Half rip, 28 in.                                 | Each | 1 |   |
| 9105781                     | Hand, 26 in.                                     | Each | 1 |   |
| <u>SCRAPERS</u>             |  |      |   |   |
| 9105818                     | Cabinetmakers', sheet metal<br>5 in. x 2 1/4 in. | Each | 1 |   |
| 5949                        | Wood   | Each | 1 |   |
| <u>SCREWDRIVERS</u>         |  |      |   |   |
| 9105857                     | Common, 12 in.                                   | Each | 1 |   |
| 9105868                     | Ratchet  | Each | 1 |   |
| 9105890                     | SCRIBERS, carpenters', 10 in.                    | Each | 1 |   |
| 9437821                     | SPOKESHAVES, 2 1/8 in.                           | Each | 1 |   |
| 9106413                     | SQUARES, carpenters', 6 in.                      | Each | 1 |   |
| <u>SECTION 29.G</u>         |  |      |   |   |
| 2067<br>(54009) 131         | PADLOCKS, iron, 2 in. special                    | Each | 1 |   |

A/L.58 September 1972

| 1  | 2   | 3    | 4 | 5                 |
|----|---|------|---|-------------------|
| 12 | <p style="text-align: center;"><u>SECTION 89.XY</u></p> <p>BAGS, tool, brown, canvas, 39 in.<br/>wide</p> | Each | 1 | See also A.P.3033 |

A/L.58 September 1972

| Ref. No. | Description   | Denom.<br>of<br>Quantity | Quantity | Remarks             |
|----------|---|--------------------------|----------|---------------------|
| 1        | 2   | 3                        | 4        | 5                   |
|          | <u>SECTION 1.A</u>  |                          |          |                     |
|          | AWLS, brad  |                          |          |                     |
| 9104309  | BLADES, 3/32 in.  | Each                     | 1        |                     |
| 9104308  | HANDLES, awl, No. 4                                       | Each                     | 1        |                     |
| 1275310  | BAGS, tool, G.P.  | Each                     | 1        |                     |
|          | <u>BITS, auger, carpenters',<br/>set No. 1</u>            |                          |          |                     |
| 9104082  | 1/4 in.   | Each                     | 1        |                     |
| 9104083  | 5/16 in.  | Each                     | 1        |                     |
| 9104084  | 3/8 in.   | Each                     | 1        |                     |
| 9104085  | 7/16 in.  | Each                     | 1        |                     |
| 9104086  | 1/2 in.   | Each                     | 1        |                     |
| 9104087  | 9/16 in.  | Each                     | 1        |                     |
| 9104088  | 5/8 in.   | Each                     | 1        |                     |
| 9104089  | 11/16 in.   | Each                     | 1        |                     |
| 9104090  | 3/4 in.   | Each                     | 1        |                     |
| 9104091  | 13/16 in.   | Each                     | 1        |                     |
| 9104092  | 7/8 in.   | Each                     | 1        |                     |
| 9104093  | 15/16 in.   | Each                     | 1        |                     |
| 9104094  | 1 in.   | Each                     | 1        |                     |
| 9552997  | BOXES, tool, standard, large                              | Each                     | 1        |                     |
| 9104079  | BRACES, carpenters', open ratchet<br>10 in.               | Each                     | 1        |                     |
| 3947     | BRUSHES, commutator, cleaning                             | Each                     | 1        | Wks. Elect. I. only |
| 9552987  | CARD, scratch, 1 1/2 in. to 2 in.                         | Each                     | 1/2      |                     |
|          | <u>CHISELS</u>  |                          |          |                     |
| 9104206  | Cold, cast, steel, flat, 3/4 in.<br><u>Firmer handled</u> | Each                     | 1        |                     |
| 9104221  | 1/2 in.   | Each                     | 1        |                     |
| 9104223  | 3/4 in.   | Each                     | 1        |                     |

(54009)133

A/L.58 September 1972

| 1                           | 2  | 3    | 4  | 5                  |
|-----------------------------|--|------|----|--------------------|
| <u>SECTION 1.A (Contd.)</u> |  |      |    |                    |
| <u>FILES</u>                |  |      |    |                    |
| 9104852                     | Half round, bastard, 6 in.   | Each | 1  |                    |
| 9104878                     | Hand, bastard, 8 in.   | Each | 1  |                    |
| 9104880                     | Hand, bastard, 12 in.  | Each | 1  |                    |
| 9104887                     | Hand, second cut, 8 in.  | Each | 1  |                    |
| 9104894                     | Hand, smooth, 8 in.  | Each | 1  |                    |
| 9104923                     | Round, bastard, 6 in.  | Each | 1  |                    |
| 9104931                     | Round, smooth, 6 in.   | Each | 1  |                    |
| 9104961                     | Three square bastard 6 in.   | Each | 1  |                    |
| 9104281                     | STOCKS, drill, hand  | Each | 1  |                    |
| <u>SECTION 1.B</u>          |  |      |    |                    |
| <u>HAMMERS engineers</u>    |  |      |    |                    |
| 9104651                     | Ballpein, 1 <sup>1</sup> / <sub>2</sub> lb.                          | Each | 1  |                    |
| 9104655                     | Crosspein, 3/4 lb.   | Each | 1  |                    |
| <u>HANDLES, file</u>        |  |      |    |                    |
| 9105185                     | No. 3  | Each | 2  |                    |
| 9105186                     | No. 5  | Each | 2  |                    |
| 9105268                     | IRONS, soldering, straight tip, 4 oz. bit                            | Each | 1  |                    |
| 9105292                     | KNIVES, shoemakers' paring or trimming, 4 1/2 in. blade, clipt edge. | Each | 11 |                    |
| 9105419                     | LEVELS, spirit, metal, 4 in.   | Each | 1  | Wks. Elect. 1 only |
| 9105295                     | NIPPERS, cutting, diagonal, 5 in. pointed nose                       | Each | 1  |                    |
| <u>FLIERS</u>               |  |      |    |                    |
| 1206710                     | Flat nose, 8 in.   | Each | 1  |                    |
| 9105526                     | Sidecutting, 8 in., insulated  | Each | 1  |                    |
| <u>PUNCHES</u>              |  |      |    |                    |
| 9105548                     | Centre, 4 in.  | Each | 1  |                    |
| 9105585                     | Round, tapered point, 1/8 in.  | Each | 1  |                    |
| <u>RULES</u>                |  |      |    |                    |
| 9105720                     | Brass, 2 ft. 2 - fold  | Each | 1  |                    |
| 9105725                     | Steel, graduated on four edges 6 in.                                 | Each | 1  |                    |

A/L.58 September 1972

| 1       | 2                                     | 3    | 4  | 5                            |
|---------|---------------------------------------|------|----|------------------------------|
|         | <u>SECTION 1,C</u>                    |      |    |                              |
|         | <u>SAW</u>                            |      |    |                              |
| 9105746 | Hack adjustable frame                 | Each | 1  |                              |
|         | <u>Accessory</u>                      |      |    |                              |
| 1202547 | BLADE, progressive pitch, 10 in. long | Each | 12 |                              |
| 9105792 | Keyhole                               | Each | 1  |                              |
|         | <u>Accessories</u>                    |      |    |                              |
| 9105794 | BLADE                                 | Each | 1  |                              |
| 9105806 | Tenon, 14 in.                         | Each | 1  |                              |
|         | <u>SCREWDRIVER</u>                    |      |    |                              |
|         | <u>Common</u>                         |      |    |                              |
| 9105857 | 12 in. x 3/8 in. points               | Each | 1  |                              |
| 9105868 | Ratchet, 5 in. x 1/4 in.              | Each | 1  |                              |
|         | <u>SCREWDRIVER</u>                    |      |    |                              |
|         | <u>Watchmakers blades</u>             |      |    |                              |
| 9105871 | 2 1/2 in. x 1/8 in. points.           | Each | 1  |                              |
| 9105879 | 8 in. x 3/16 in. points               | Each | 1  | Wks. Elect. 1 only           |
| 9105922 | SHEARS, watchmakers'                  | Each | 1  | Wks. Elect. 1 only           |
|         | <u>SPANNER</u>                        |      |    |                              |
| 9105954 | Adjustable, 4 in.                     | Each | 1  |                              |
| 9106183 | Folding Set                           | Each | 1  | Sets 2 B.A., 4 B.A. & 6 B.A. |
|         | <u>SPANNER, D.E.O.J.</u>              |      |    |                              |
| 9106228 | 3/16 in. x 1/4 in. B.S.W.             | Each | 1  |                              |
| 9106229 | 5/16 in. x 3/8 in. B.S.W.             | Each | 1  |                              |
| 9106230 | 7/16 in. x 1/2 in. B.S.W.             | Each | 1  |                              |
|         | <u>WRENCH pipe</u>                    |      |    |                              |
| 9106634 | Footprint 9 in.                       | Each | 1  |                              |
|         | <u>Stillson</u>                       |      |    |                              |
| 9106655 | 10 in.                                | Each | 1  |                              |
| 9106637 | 14 in.                                | Each | 1  |                              |

A/L.58 September 1972

| 1       | 2  | 3    | 4 | 5 |
|---------|--|------|---|---|
|         | <u>SECTION 1.G</u>                         |      |   |   |
|         | DRILL, twist, parallel shank               |      |   |   |
| 9108383 | 1/16 in.                                   | Each | 1 |   |
| 9108387 | 1/8 in.                                    | Each | 1 |   |
| 9108391 | 3/16 in.                                   | Each | 1 |   |
| 9108395 | 1/4 in.                                    | Each | 1 |   |
|         | <u>SECTION 1.L</u>                         |      |   |   |
| 9105747 | SAW, hack, fixed, 6 in.                    | Each | 1 |   |
|         | <u>Accessories</u>                         |      |   |   |
| 9105748 | BLADE, flexible, 6 in. fine                | Each | 3 |   |
|         | <u>Socket set No. 1, 1/4 in. sq. drive</u> |      |   |   |
| 9106313 | BAR, extension, 4 in.                      | Each | 1 |   |
| 9552994 | CASE, steel                                | Each | 1 |   |
| 1208478 | EXTENSION, flexible, 6 in.                 | Each | 1 |   |
|         | <u>HANDLE</u>                              |      |   |   |
| 1208419 | Sliding, bar, tee, 4 1/2 in.               | Each | 1 |   |
| 1208417 | Swivel, 6 in.                              | Each | 1 |   |
|         | <u>SOCKET, hexagon</u>                     |      |   |   |
| 1208395 | O.B.A.                                     | Each | 1 |   |
| 1208397 | 2 B.A.                                     | Each | 1 |   |
| 1208399 | 4 B.A.                                     | Each | 1 |   |
| 1208401 | 6 B.A.                                     | Each | 1 |   |
|         | <u>Socket set No. 2. 3/8 in. sq drive</u>  |      |   |   |
|         | <u>BAR, extension</u>                      |      |   |   |
| 9106316 | 6 in.                                      | Each | 1 |   |
| 9106317 | 12 in.                                     | Each | 1 |   |
| 9106324 | BRACE, speed, 12 in.                       | Each | 1 |   |
| 72      | CASE, steel                                | Each | 1 |   |
|         | <u>HANDLE</u>                              |      |   |   |
| 9106329 | Ratchet                                    | Each | 1 |   |

| 1       | 2                            | 3    | 4 | 5 |
|---------|------------------------------|------|---|---|
|         | <u>SECTION 1.L (Contd.)</u>  |      |   |   |
|         | <u>HANDLE (Contd.)</u>       |      |   |   |
|         | <u>Sliding bar, tee</u>      |      |   |   |
| 9552992 | 6 in.                        | Each | 1 |   |
| 9106333 | 8 in.                        | Each | 1 |   |
| 9106341 | JOINT, universal             | Each | 1 |   |
|         | <u>SOCKET, bi-hexagon</u>    |      |   |   |
| 9106386 | 3/16 in. B.S.W.              | Each | 1 |   |
| 9106387 | 1/4 in. B.S.W.               | Each | 1 |   |
| 9106388 | 5/16 in. B.S.W.              | Each | 1 |   |
| 9106389 | 3/8 in. B.S.W.               | Each | 1 |   |
| 9106390 | 7/16 in. B.S.W.              | Each | 1 |   |
|         | <u>SECTION 29.G</u>          |      |   |   |
| 2067    | PADLOCK, iron, 2 in. special | Each | 2 |   |



PLANT FITTERS

SECTION 7  
SCALE A.30  
Page 1

A/L.58 September 1972

| Ref.No. | Description                                       | Denom.<br>of<br>Quantity | Quantity | Remarks |
|---------|---|--------------------------|----------|---------|
| 1       | 2   | 3                        | 4        | 5       |
|         | <u>SECTION 1.A</u>                                |                          |          |         |
|         | <u>BAR tommy</u>                                  |                          |          |         |
| 9106536 | 3/16 in. x 4 in.                                  | Each                     | 1        |         |
| 9106539 | 3/8 in. x 6 in.                                   | Each                     | 1        |         |
| 3717    | BOX, tool, standard small                         | Each                     | 1        |         |
| 9432845 | BRUSH, engine, cleaning                           | Each                     | 1        |         |
|         | <u>CALIPER, spring, 6 in.</u>                     |                          |          |         |
| 9104463 | Inside  | Each                     | 1        |         |
| 9104471 | Outside   | Each                     | 1        |         |
| 9552987 | CARD, scratch 1 1/2 in. to 2 in.                  | Each                     | 1/2      |         |
| 9104206 | CHISEL, cold, cast steel, flat<br>8 in. x 3/4 in. | Each                     | 1        |         |
| 9104427 | DRIFT, copper 1/2 in. x 6 1/2 in.                 | Each                     | 1        |         |
|         | <u>FILE</u>                                       |                          |          |         |
| 9104870 | Half round, smooth, 8 in.                         | Each                     | 1        |         |
| 9104877 | Hand, bastard, 6 in.                              | Each                     | 1        |         |
| 9104880 | Hand, bastard, 12 in.                             | Each                     | 1        |         |
| 9104893 | Hand, smooth, 6 in.                               | Each                     | 1        |         |
| 9104896 | Hand, smooth, 12 in.                              | Each                     | 1        |         |
| 9104924 | Round, bastard, 8 in.                             | Each                     | 1        |         |
| 9104932 | Round, smooth, 8 in.                              | Each                     | 1        |         |
| 9104934 | Round, smooth, 12 in.                             | Each                     | 1        |         |
| 9104947 | Square, smooth, 6 in.                             | Each                     | 1        |         |
| 9104966 | Three square, smooth, 4 in.                       | Each                     | 1        |         |
| 9552988 | Oiler Hand, 3 1/2 oz.                             | Each                     | 1        |         |
| 9104281 | STOCK, drill, hand                                | Each                     | 1        |         |

A/L.58 September 1972

| 1       | 2   | 3    | 4  | 5 |
|---------|---|------|----|---|
|         | <u>SECTION 1.B</u>  |      |    |   |
| 1207068 | GAUGE, thickness, taper 4 in.<br>10 blades set                              | Each | 1  |   |
|         | <u>HAMMER</u><br><u>engineers, ballpein</u>                                 |      |    |   |
| 9104648 | 1/2 lb.   | Each | 1  |   |
| 9104649 | 3/4 lb.   | Each | 1  |   |
| 1207307 | Hide faced, No. 1, 1 lb.  | Each | 1  |   |
|         | <u>HANDLE, file</u>   |      |    |   |
| 9105184 | No. 2   | Each | 1  |   |
| 9105185 | No. 3   | Each | 2  |   |
| 9105186 | No. 5   | Each | 2  |   |
| 1204198 | NIPPER, cutting, diagonal 7 in.   | Each | 1  |   |
| 9105523 | PLIER, side cutting   | Each | 1  |   |
|         | <u>PUNCH</u>  |      |    |   |
| 9105548 | Centre, 4 in.<br><u>Round, tapered point</u>                                | Each | 1  |   |
| 9105587 | 3/16 in.  | Each | 1  |   |
| 9105591 | 1/2 in.   | Each | 1  |   |
| 9105726 | RULE, steel 1 ft.   | Each | 1  |   |
|         | <u>SECTION 1.C</u>  |      |    |   |
| 9105746 | SAW, hack, adjustable   | Each | 1  |   |
|         | <u>Accessories</u>  |      |    |   |
| 1202547 | BLADE, progressive pitch 19 in.   | Each | 12 |   |
|         | <u>SCRAPER, fitters'</u>  |      |    |   |
| 9105822 | Flat  | Each | 1  |   |
| 9105826 | Half round  | Each | 1  |   |
|         | <u>SCREWDRIVER</u>  |      |    |   |
| 7899    | G.S. handle, 6 in.  | Each | 1  |   |
| 9105857 | <u>Common, 12 in. x 3/8 in. point,</u><br><u>cross point, Phillips head</u> | Each | 1  |   |
| 9105864 | No. 1   | Each | 1  |   |
| 9105865 | No. 2   | Each | 1  |   |

A/L.58 September 1972

| 1       | 2   | 3    | 4 | 5 |
|---------|---|------|---|---|
|         | <u>SECTION 1.C (Contd.)</u>   |      |   |   |
|         | <u>SCREWDRIVER</u>  |      |   |   |
| 9105868 | Ratchet, 5 in. x 1/4 in. point  | Each | 1 |   |
| 9105876 | Watchmakders blades, 6 in. x 5/32<br>5/32 in.                         | Each | 1 |   |
| 9105891 | SCRIBER, fitters', 7 in.  | Each | 1 |   |
|         | <u>SPANNER D.E.O.J.</u>   |      |   |   |
| 9552995 | 3/16 in. x 1/8 in. B.S.W.   | Each | 1 |   |
| 9106228 | 3/16 in. x 1/4 in. B.S.W.   | Each | 1 |   |
| 9106229 | 5/16 in. x 3/8 in. B.S.W.   | Each | 1 |   |
| 9106230 | 7/16 in. x 1/2 in. B.S.W.   | Each | 1 |   |
| 9106231 | 9/16 in. x 5/8 in. B.S.W.   | Each | 1 |   |
| 9106233 | 7/8 in. x 1 in. B.S.W.  | Each | 1 |   |
| 9106177 | 0 x 2 in. B.A.  | Each | 1 |   |
| 9106179 | 4 x 6 B.A.  | Each | 1 |   |
|         | <u>SPANNER</u><br><u>double ended, open jar, A.F.</u>                 |      |   |   |
| 9551728 | 1/4 in. x 5/16 in.  | Each | 1 |   |
| 9106000 | 3/8 in. x 7/16 in.  | Each | 1 |   |
| 1300070 | 1/2 in. x 9/16 in.  | Each | 1 |   |
| 9551731 | 5/8 in. x 3/4 in.   | Each | 1 |   |
| 6348    | 1 <sup>1</sup> / <sub>8</sub> in. x 1 <sup>1</sup> / <sub>4</sub> in. | Each | 1 |   |
| 9106183 | Folding set   | Each | 1 |   |
| 9106422 | SQUARE, fitters, 4 in.  | Each | 1 |   |
| 9105963 | WRENCH, crescent ype 6 in.  | Each | 1 |   |
|         | <u>SECTION 1.G</u>  |      |   |   |
|         | DRILL, twist, parallel shank  |      |   |   |
| 9108387 | 1/8 in.   | Each | 1 |   |
| 9108395 | 1/4 in.   | Each | 1 |   |

(54009)141

A/L.58 September 1972

| 1       | 2  | 3    | 4  | 5 |
|---------|--|------|----|---|
|         | <u>SECTION 1.L</u>   |      |    |   |
| 9105747 | SAW, hack, fixed, 6 in.  | Each | 1  |   |
|         | <u>accessories</u>   |      |    |   |
| 9105748 | BLADES, flexible, 6 in. fine                                   | Each | 12 |   |
|         | <u>SPANNER</u>   |      |    |   |
|         | <u>Socket set No. 1. 1/4 in. sq. drive</u>                     |      |    |   |
| 9106313 | BAR, extension, 4 in.  | Each | 1  |   |
| 9552994 | CASE, steel  | Each | 1  |   |
| 1208478 | EXTENSION, flexible, 6 in.                                     | Each | 1  |   |
| 1208419 | HANDLE, sliding bar, tee, 4 <sup>1</sup> / <sub>2</sub> in.    | Each | 1  |   |
|         | <u>SOCKET, hexagon</u>   |      |    |   |
| 1209527 | 5/16 in. A.F.  | Each | 1  |   |
| 1209529 | 3/8 in. A.F.   | Each | 1  |   |
| 1208397 | 2 B.A.   | Each | 1  |   |
| 1208399 | 4 B.A.   | Each | 1  |   |
|         | <u>Socket set No. 2<sup>3</sup>/<sub>8</sub> in. sq. drive</u> |      |    |   |
| 9106316 | BAR, extension, 6 in.  | Each | 1  |   |
| 72      | CASE, steel  | Each | 1  |   |
|         | HANDLE, sliding bar, tee                                       | Each | 1  |   |
| 9552992 | 6 in.  | Each | 1  |   |
| 9106333 | 8 in.  | Each | 1  |   |
| 9106341 | JOINT, universal   | Each | 1  |   |
|         | <u>SOCKET, bi-hexagon</u>                                      |      |    |   |
| 9106386 | 3/16 in. B.S.W.  | Each | 1  |   |
| 9106387 | 1/4 in. B.S.W.   | Each | 1  |   |
| 9106388 | 5/16 in. B.S.W.  | Each | 1  |   |
| 9106389 | 3/8 in. B.S.W.   | Each | 1  |   |
| 9106390 | 7/16 in. B.S.W.  | Each | 1  |   |
| 9106354 | 7/16 in. American  | Each | 1  |   |
| 9106355 | 1/2 in. American   | Each | 1  |   |
| 9106356 | 9/16 in. American  | Each | 1  |   |
| 9106357 | 5/8 in. American   | Each | 1  |   |
| 9106359 | 3/4 in. American   | Each | 1  |   |

A/L.58 September 1972

| 1       | 2  | 3    | 4 | 5 |
|---------|--|------|---|---|
|         | <u>SECTION 1.L (Contd.)</u>                      |      |   |   |
|         | <u>Socket set No. 3, 1/2 in. sq. drive</u>       |      |   |   |
| 9106319 | BARS, extension                                  | Each | 1 |   |
| 9106334 | HANDLE, sliding bar, tee, 12 in.                 | Each | 1 |   |
| 9106342 | JOINT, universal                                 | Each | 1 |   |
|         | <u>SOCKET, bi-hexagon</u>                        |      |   |   |
| 9106361 | 13/16 in. American                               | Each | 1 |   |
| 9106362 | 7/8 in. American                                 | Each | 1 |   |
| 9106363 | 1/2 in. B.S.W.                                   | Each | 1 |   |
| 9106396 | 5/8 in. B.S.W.                                   | Each | 1 |   |
|         | <u>Socket set No. 4, 3/4 in. sq. drive</u>       |      |   |   |
| 9106322 | BAR, extension, 8 in.                            | Each | 1 |   |
| 9106335 | HANDLE, sliding, bar tee                         | Each | 1 |   |
| 9106343 | JOINT, universal                                 | Each | 1 |   |
|         | <u>SOCKET, bi-hexagon</u>                        |      |   |   |
| 9106399 | 3/4 in. B.S.W.                                   | Each | 1 |   |
| 9106401 | 7/8 in. B.S.W.                                   | Each | 1 |   |
| 9106403 | 1 in. B.S.W.                                     | Each | 1 |   |
|         | <u>SECTION 29.G</u>                              |      |   |   |
| 9108185 | PADLOCK, iron, 1 <sup>1</sup> / <sub>2</sub> in. | Each | 1 |   |

PLANT OPERATORS  
EXCAVATOR OPERATOR MECHANICS  
TRACTOR OPERATOR MECHANICS

SECTION 7  
SCALE A.31  
Page 1

A/L.58 September 1972

| Ref. No. | Description                                       | Demon.<br>of<br>quantity | Quantity | Remarks |
|----------|---|--------------------------|----------|---------|
| 1        | 2   | 3                        | 4        | 5       |
|          | <u>SECTION 1.A</u>                                |                          |          |         |
| 1275310  | BAG, tool, G.P.                                   | Each                     | 1        |         |
| 9432845  | BRUSH, engine, cleaning                           | Each                     | 1        |         |
| 9552987  | CARD, scratch 1 1/2 in. to 2 in.                  | Feet                     | 1/2      |         |
| 9104206  | CHISEL, cold, cast steel, flat 8 in.<br>x 3/4 in. | Each                     | 1        |         |
| 9104427  | DRIFT, copper, 1/2 in. x 6 1/2 in.                | Each                     | 1        |         |
|          | <u>FILE</u>                                       |                          |          |         |
| 9104855  | Half round, bastard 12 in.                        | Each                     | 1        |         |
| 9104870  | Half round, smooth, 8 in.                         | Each                     | 1        |         |
| 9104893  | Hand, smooth, 6 in.                               | Each                     | 1        |         |
| 9104932  | Round, smooth, 8 in.                              | Each                     | 1        |         |
| 9104961  | Three square, bastard, 6 in.                      | Each                     | 1        |         |
| 9552998  | Oiler, Hand, 3 1/2 oz.                            | Each                     | 1        |         |
|          | <u>SECTION 1.B</u>                                |                          |          |         |
| 1207068  | GAUGE, thickness taper 4 in. 10<br>blades set     | Each                     | 1        |         |
| 9757041  | GUN, lubricating, aircraft                        | Each                     | 1        |         |
|          | <u>HAMMER</u>                                     |                          |          |         |
|          | <u>engineers, ballpein</u>                        |                          |          |         |
| 9104648  | 1/2 lb.   | Each                     | 1        |         |
| 9104669  | 3/4 lb.   | Each                     | 1        |         |
| 1207307  | Hide Faced, No. 1, 1 lb.                          | Each                     | 1        |         |
|          | <u>HANDLE file</u>                                |                          |          |         |
| 9105185  | No. 3   | Each                     | 2        |         |
| 9105186  | No. 5   | Each                     | 2        |         |
| 1204198  | NIPPER, cutting, diagonal 7 in.                   | Each                     | 1        |         |
| 9105523  | PLIER, side cutting, 8 in.                        | Each                     | 1        |         |

(54009)145

| 1       | 2   | 3    | 4 | 5 |
|---------|---|------|---|---|
|         | <u>SECTION 1.B (Contd.)</u>                 |      |   |   |
| 9105585 | <u>PUNCH, round, tapered point, 1/8 in.</u> | Each | 1 |   |
| 9105587 | 3/16 in.                                    | Each | 1 |   |
| 9105725 | RULE, steel, 6 in.                          | Each | 1 |   |
|         | <u>SECTION 1.C</u>                          |      |   |   |
|         | <u>SCREWDRIVER</u>                          |      |   |   |
| 7899    | G.S. handle, 6 in.                          | Each | 1 |   |
| 9105857 | Common, 12 in. x 3/8 in.                    | Each | 1 |   |
| 9105868 | Ratchet, 5 in. x 1/4 in.                    | Each | 1 |   |
| 9105876 | Watchmakers' blades 6 in. x 5/32 in.        | Each | 1 |   |
|         | <u>SPANNER D.E.O.J.</u>                     |      |   |   |
| 9106177 | 0 x 2 B.A.                                  | Each | 1 |   |
| 9106179 | 4 x 6 B.A.                                  | Each | 1 |   |
| 9106228 | 3/16 in. x 1/4 in. B.S.W.                   | Each | 1 |   |
| 9106229 | 5/16 in. x 3/8 in. B.S.W.                   | Each | 1 |   |
| 1205559 | 7/16 in. x 3/8 in. B.S.W.                   | Each | 1 |   |
| 9106230 | 7/16 in. x 1/2 in. B.S.W.                   | Each | 1 |   |
| 1205561 | 5/8 in. x 3/4 in. B.S.W.                    | Each | 1 |   |
|         | <u>WRENCH</u>                               |      |   |   |
|         | <u>Crescent type</u>                        |      |   |   |
| 9105963 | 6 in.                                       | Each | 1 |   |
| 9105964 | 8 in.                                       | Each | 1 |   |
| 9106637 | Pipe, stillson, 14 in.                      | Each | 1 |   |
|         | <u>SECTION 1.L</u>                          |      |   |   |
|         | <u>SPANNER</u>                              |      |   |   |
|         | <u>double ended open jaw</u>                |      |   |   |
| 9106189 | 7/8 in. x 1 in. B.S.W.                      | Each | 1 |   |

A/L.58 September 1972

| 1       | 2  | 3    | 4 | 5 |
|---------|--|------|---|---|
|         | <u>SECTION 1.L (Contd.)</u>                |      |   |   |
|         | <u>SPANNER (Contd.)</u>                    |      |   |   |
|         | <u>Socket set No. 2, 3/8 in. sq. drive</u> |      |   |   |
| 9106316 | BAR, extension, 6 in.                      | Each | 1 |   |
| 6       | HANDLE, sliding bar, tee 6 in.             | Each | 1 |   |
| 9106341 | JOINT, universal                           | Each | 1 |   |
|         | <u>SOCKET, bi-hexagon</u>                  |      |   |   |
| 9106386 | 3/16 in. B.S.W.                            | Each | 1 |   |
| 9106387 | 1/4 in. B.S.W.                             | Each | 1 |   |
| 9106388 | 5/16 in. B.S.W.                            | Each | 1 |   |
| 9106389 | 3/8 in. B.S.W.                             | Each | 1 |   |
| 9106390 | 7/16 in. B.S.W.                            | Each | 1 |   |
|         | <u>SECTION 29.G</u>                        |      |   |   |
| 9108185 | PADLOCK, iron 1 1/2 in.                    | Each | 1 |   |



PLUMBERS II  
PLUMBERS AND PIPE FITTERS

SECTION 7  
SCALE A.32  
Page 1

A/L.58 September 1972

| Ref. No. | Description   | Denom.<br>of<br>Quantity | Quantity | Remarks |
|----------|---|--------------------------|----------|---------|
| 1        | 2   | 3                        | 4        | 5       |
|          | <u>SECTION 1.A</u>                                    |                          |          |         |
| 9104310  | AWL, brad   | Each                     | 1        |         |
| 1275310  | BAG, tool, G.P.                                       | Each                     | 1        |         |
| 9575039  | BOX, tool, standard, medium                           | Each                     | 1        |         |
|          | <u>CHISEL</u><br>cold cast steel, flat                |                          |          |         |
| 9104203  | 6 in. x 1/2 in.                                       | Each                     | 1        |         |
| 9104206  | 8 in. x 3/4 in.                                       | Each                     | 1        |         |
|          | <u>Firmer handled</u>                                 |                          |          |         |
| 9104221  | 1/2 in.   | Each                     | 1        |         |
| 9104223  | 3/4 in.   | Each                     | 1        |         |
| 9105896  | CUTTER, pipe 1/2 in. to 2 in.<br>capacity             | Each                     | 1        |         |
|          | <u>Accessories</u>                                    |                          |          |         |
| 9105901  | WHEEL, spare  | Each                     | 1        |         |
| 9104418  | DRESSER, plumbers, 7 /4 in. x 2 in.<br>working face   | Each                     | 1        |         |
|          | <u>FILE</u>   |                          |          |         |
| 9104884  | Dead smooth, 6 in.                                    | Each                     | 1        |         |
| 1001     | Dreadnought, 12 in.                                   | Each                     | 1        |         |
| 9104280  | STOCK, drill, breast                                  | Each                     | 1        |         |
|          | <u>SECTION 1.B</u>                                    |                          |          |         |
| 9104670  | HAMMER, joiners', Warrington<br>pattern, No. 23/4 lb. | Each                     | 1        |         |
| 9105188  | HOOK, shave, 2 1/2 in. x 15/8 in.                     | Each                     | 1        |         |
| 9105271  | IRON, soldering, straight 16 oz.<br>bit               | Each                     | 1        |         |
|          | <u>KNIVES</u>   |                          |          |         |
| 9105287  | Hacking, glaziers' straight<br>4 /2 in. x 1 /4 in.    | Each                     | 1        |         |
| 9105408  | Putty and stopping 5 in. blade                        | Each                     | 1        |         |

A/L.58 September 1972

| 1       | 2  | 2    | 3  | 4 |
|---------|--|------|----|---|
|         | <u>SECTION 1.B (Contd.)</u>                                |      |    |   |
| 9105411 | LADLE, melting, 4 in.                                      | Each | 1  |   |
| 1514    | LAMP, brazing, 1 pint                                      | Each | 1  |   |
| 9105421 | LEVEL, spirit, wood, 10 in.                                | Each | 1  |   |
| 9421995 | MALLET, tinmans, 2 in. x 5 <sup>1</sup> / <sub>4</sub> in. | Each | 1  |   |
| 9105482 | PINCER, carpenters', 8 in.                                 | Each | 1  |   |
|         | <u>PLIER</u>   |      |    |   |
| 1206710 | Flat nose, 8 in.   | Each | 1  |   |
|         | <u>Pipe grip</u>   |      |    |   |
| 9105515 | 7 in.  | Each | 1  |   |
| 9105516 | 9 in.  | Each | 1  |   |
| 9105701 | RASP, wood, 12 in.   | Each | 1  |   |
|         | <u>RULE, steel</u>   |      |    |   |
| 9105725 | 6 in.  | Each | 1  |   |
| 9105726 | 1 foot   | Each | 1  |   |
|         | <u>SECTION 1.C</u>   |      |    |   |
| 9105746 | SAW, hack, adjustable                                      | Each | 1  |   |
|         | <u>Accessories</u>   |      |    |   |
| 1202547 | BLADE, 10 in. progressive, pitch                           | Wach | 24 |   |
|         | <u>SCREWDRIVER, common</u>                                 |      |    |   |
| 9105855 | 8 in.  | Each | 1  |   |
| 9105857 | 12 in.   | Each | 1  |   |
| 1207288 | SHEAR, tinmans', snip, bent 10 in.                         | Each | 1  |   |
|         | <u>SPANNER, bi-hexagon B.S.W.</u>                          |      |    |   |
| 1276115 | 15/16 in. x 1/4 in.  | Each | 1  |   |
| 1205559 | 7/16 in. x 3/8 in.   | Each | 1  |   |
| 1276114 | 9/16 in. x 1/2 in.   | Each | 1  |   |
| 9106189 | 7/8 in. x 1 in.  | Each | 1  |   |
| 9106230 | SPANNER, D.E.O.J. 7/16 in. x 1/2 in.<br>B.S.W.             | Each | 1  |   |

A/L.58 September 1972

| 1       | 2  | 3    | 4 | 5 |
|---------|--|------|---|---|
|         | <u>SECTION 1.C (contd.)</u>                        |      |   |   |
|         | <u>WRENCH pipe</u>                                 |      |   |   |
|         | <u>Footprint type</u>                              |      |   |   |
| 9106633 | 6 in.  | Each | 1 |   |
| 9106634 | 9 in.  | Each | 1 |   |
| 9106637 | Stillson type 14 in.                               | Each | 1 |   |
|         | <u>SECTION 1.G</u>                                 |      |   |   |
|         | <u>DRILL, twist, parallel shank</u>                |      |   |   |
| 9108387 | 1/8 in.  | Each | 1 |   |
| 9108391 | 3/16 in.   | Each | 1 |   |
| 9108395 | 1/4 in.  | Each | 1 |   |
| 9108399 | 5/16 in.   | Each | 1 |   |
| 9108403 | 3/8 in.  | Each | 1 |   |
|         | <u>SECTION 1.K</u>                                 |      |   |   |
| 16      | BOBBIN, plumbers' sets, 1 in. dia.<br>to 4 in. set | Each | 1 |   |
| 9104370 | BOSS, plumbers', 2 1/4 in.                         | Each | 1 |   |
|         | <u>DRESSER</u>                                     |      |   |   |
| 57      | Bending, large                                     | Each | 1 |   |
| 59      | Hornbeam, 2 1/2 in.                                | Each | 1 |   |
| 96      | KNIVES, drawing, plumbers                          | Each | 1 |   |
|         | <u>OPENER, pipe</u>                                |      |   |   |
| 9105466 | 1 in.  | Each | 1 |   |
| 9105467 | 1 1/4 in.  | Each | 1 |   |
| 9105495 | PLATE, scribing plumbers'                          | Each | 1 |   |
| 9106486 | STICK, plumbers', bossing                          | Each | 1 |   |

A/L.58 September 1972

| 1       | 2   | 3    | 4 | 5                   |
|---------|---|------|---|---------------------|
|         | <u>SECTION 12.LL</u>  |      |   |                     |
| 61      | WRENCH, Stillson, 1 in. to 2 <sup>5</sup> / <sub>8</sub> in.          | Each | 1 |                     |
|         | <u>SECTION 29.G</u>   |      |   |                     |
| 9108185 | PADLOCK, iron, 1 <sup>1</sup> / <sub>2</sub> in.                      | Each | 1 |                     |
|         | <u>SECTION 89.XY</u>  |      |   |                     |
|         | <u>CLOTH, wiping</u>  |      |   |                     |
| 112     | 2 <sup>1</sup> / <sub>2</sub> in. x 1 <sup>1</sup> / <sub>2</sub> in. | Each | 1 | ) See also A.P.3033 |
| 113     | 4 <sup>3</sup> / <sub>4</sub> in. x 3 <sup>1</sup> / <sub>2</sub> in. | Each | 1 |                     |
|         | <u>TOOL, pipe, caulking, 8 in. overall</u>                            |      |   |                     |
|         | <u>1<sup>1</sup>/<sub>2</sub> in. x 1 in. flat</u>                    |      |   |                     |
| 830     | 3/16 in.  | Each | 1 | ) See also A.P.3033 |
| 831     | 5/16 in.  | Each | 1 |                     |
| 832     | 1/2 in.   | Each | 1 |                     |

WORKS CONSTRUCTORS

SECTION 7  
SCALE A. 33  
Page 1

A/L.58 September 1972

| Ref.No.                              | Description                                |      |   | Remarks |
|--------------------------------------|--|------|---|---------|
| 1                                    | 2  | 3    | 4 | 5       |
| <u>SECTION 1.A</u>                   |  |      |   |         |
| 1275310                              | BAG, tool, G.P.                            | Each | 1 |         |
| 9575037                              | BOX, standard, medium                      | Each | 1 |         |
| <u>CHISEL, cold cast steel, flat</u> |  |      |   |         |
| 9104203                              | 6 in. x 1/2 in.                            | Each | 1 |         |
| 9104206                              | 8 in. x 3/4 in.                            | Each | 1 |         |
| <u>SECTION 1.B</u>                   |  |      |   |         |
| 9104656                              | HAMMER, engineers', crosspein<br>1 1/4 lb. | Each | 1 |         |
| 9105421                              | LEVEL, spirit, wood, 10 in.                | Each | 1 |         |
| 9105720                              | RULE, brass, 2 ft. 2 fold                  | Each | 1 |         |
| <u>SECTION 1.C</u>                   |  |      |   |         |
| TROWEL                               |  |      |   |         |
| 9106574                              | Brick, 10 in.                              | Each | 1 |         |
| 9106577                              | Float, 10 1/2 in. x 3 1/2 in.              | Each | 1 |         |
| 9106580                              | Steel, pointing, 6 in.                     | Each | 1 |         |
| <u>SECTION 1.K</u>                   |  |      |   |         |
| 9105490                              | PIN, line                                  | Each | 1 |         |

A/L.58 September 1972

| 1       | 2   | 3    | 4 | 5  |
|---------|---|------|---|--|
|         | <p style="text-align: center;"><u>SECTION 22.C</u></p> <p><u>GLOVES, rubber, electricians'</u><br/>           Sizes 8 to 11</p> | Pair | 1 | M.P.B.W. Supply.   |
| 9108185 | <p style="text-align: center;"><u>SECTION 29.G</u></p> <p>PADLOCK, iron, 1 1/2 in.</p>  | Each | 1 |  |
| 11      | <p style="text-align: center;"><u>SECTION 32.A</u></p> <p>LINE, whipcord</p>  | Each | 1 |  |
| 832     | <p style="text-align: center;"><u>SECTION 89.XY</u></p> <p>TOOL, pipe caulking, flat</p>  | Set  | 1 | <p>) set of 6 tools<br/>           ) See also A.P.3033</p> |

MEDICAL TECHNICIANS

SECTION 7  
SCALE A.34  
Page 1

A/L.58 September 1972

| Ref.No.            | Description                                  | Denom.<br>of<br>Quantity | Quantity | Remarks |
|--------------------|--|--------------------------|----------|---------|
| 1                  | 2  | 3                        | 4        | 5       |
| <u>SECTION 1.A</u> |  |                          |          |         |
| 1275310            | BAG, tool GP                                 | Each                     | 1        |         |
| 9424743            | BRUSH, varnish 1 in.                         | Each                     | 1        |         |
| 9104203            | CHISEL, cold steel 1/2" x 6"                 | Each                     | 1        |         |
| 9104426            | DRIFT, copper 1/4" x 6 1/2"                  | Each                     | 1        |         |
| 9104427            | DRIFT, copper 1/2" x 6 1/2"                  | Each                     | 1        |         |
| <u>FILE</u>        |  |                          |          |         |
| 9104853            | Half, round, bastard 8 in.                   | Each                     | 1        |         |
| 9104877            | Hand bastard 6 in.                           | Each                     | 1        |         |
| 9104922            | Round bastard 4 in.                          | Each                     | 1        |         |
| 9104923            | Round bastard 6 in.                          | Each                     | 1        |         |
| 9104960            | Three Sq. bastard 4 in.                      | Each                     | 1        |         |
| 9104869            | Half round smooth 6 in.                      | Each                     | 1        |         |
| 9104892            | Hand smooth 4 in.                            | Each                     | 1        |         |
| 9104893            | Hand smooth 6 in.                            | Each                     | 1        |         |
| 9104974            | Warding smooth 4 in.                         | Each                     | 1        |         |
| 9104979            | Equalling                                    | Each                     | 1        |         |
| 9104281            | STOCK drillhand 0 - 1/2 in.                  | Each                     | 1        |         |
| <u>SECTION 1.B</u> |  |                          |          |         |
| 1207068            | GAUGE, thickness taper 4 in.                 | Each                     | 1        |         |
| 9104648            | HAMMER, fitter BP 8 ozs.                     | Each                     | 1        |         |
| 1207307            | HAMMER, nylon faced No. 1                    | Each                     | 1        |         |
| 9105186            | HANDLE, file, large                          | Each                     | 1        |         |
| 9105185            | HANDLE, file small                           | Each                     | 1        |         |
| 1250320            | HOLDALL, file                                | Each                     | 1        |         |
| 1278853            | IRON, sholdering electric light<br>24 V 48 W | Each                     | 1        |         |
| 9005883            | IRON, soldering extra light 65 W             | Each                     | 1        |         |

| 1       | 2   | 3    | 4 | 5 |
|---------|---|------|---|---|
|         | <u>SECTION 1.B (Contd.)</u>                     |      |   |   |
| 9105419 | LEVEL, spirit, metal 4 in.                      | Each | 1 |   |
| 9105295 | NIPPERS, cutting, diagonal<br>5" round nose     | Each | 1 |   |
| 1652    | OILSTONE shaped No. 9.3 sq. fine                | Each | 1 |   |
| 9438611 | PLIERS, sleeve fixing                           | Each | 1 |   |
| 9105525 | PLIER, S/C 6" insulated                         | Each | 1 |   |
| 1206709 | PLIERS, snipe nose 8 in.                        | Each | 1 |   |
| 9105548 | PUNCH, centre, 4 in.                            | Each | 1 |   |
| 9105585 | PUNCH, round tapered<br>point octagonal 1/8 in. | Each | 1 |   |
| 9105725 | RULE, steel                                     | Each | 1 |   |
| 1103908 | TRANSFORMER, 240/244                            | Each | 1 |   |
|         | <u>SECTION 1.C</u>                              |      |   |   |
|         | <u>TOOLS</u>                                    |      |   |   |
| 9101308 | DIES 0.BA RH                                    | Each | 1 |   |
| 9101310 | 2.BA.RH.  | Each | 1 |   |
| 9101312 | 4.BA.RH.  | Each | 1 |   |
| 9101314 | 6.BA.RH.  | Each | 1 |   |
| 9101316 | 8.BA.RH   | Each | 1 |   |
| 9101318 | DIES S/C 10 BA RH                               | Each | 1 |   |
| 9101463 | DIESTOCK S/C BSW 3/16" Bore                     | Each | 1 |   |
|         | <u>SCREWDRIVER</u>                              |      |   |   |
| 7899    | G.S., handle, 6 in.                             | Each | 1 |   |
| 9105864 | Crosspoint, No. 1                               | Each | 1 |   |
| 9105865 | Crosspoint, No. 2                               | Each | 1 |   |
| 9105848 | Inst. makers, Sets                              | Each | 1 |   |
| 9105875 | Insulated, Blade 7 in.                          | Each | 1 |   |
| 9105846 | Offset, No. 1                                   | Each | 1 |   |
| 9105868 | Ratchet, 5 in.                                  | Each | 1 |   |
| 9105871 | Watchmakers, 2 1/2 in. x 1/8 in.                | Each | 1 |   |
| 9105879 | Watchmers, 8 in. x 3/16 in.                     | Each | 1 |   |



A/L.58 September 1971

| 1       | 2                                | 3    | 4 | 5 |
|---------|----------------------------------|------|---|---|
|         | <u>SECTION 1.C (Contd.)</u>      |      |   |   |
| 9105922 | SHEARS, watchmakers              | Each | 1 |   |
| 2229    | SPANNER BOX D/E BSW 3/8" x 3/16" | Each | 1 |   |
|         | <u>SPANNER</u>                   |      |   |   |
| 9552995 | O/J 1/8 in. x 3/16 in.           | Each | 1 |   |
| 9106228 | O/J 1/4 in. x 3/16 in.           | Each | 1 |   |
| 9106229 | O/J 3/8 in. x 5/16 in.           | Each | 1 |   |
| 1276104 | O/J 2 BA x 1 BA                  | Each | 1 |   |
| 9106177 | O/J 0 BA x 2 BA                  | Each | 1 |   |
| 1276105 | O/J 2 BA x 3 BA                  | Each | 1 |   |
| 9106179 | O/J 4 BA x 6 BA                  | Each | 1 |   |
| 1276106 | O/J 3 BA x 5 BA                  | Each | 1 |   |
| 9105963 | O/J 6 in.                        | Each | 1 |   |
| 9105964 | O/J 8 in.                        | Each | 1 |   |
|         | <u>TAPS</u>                      |      |   |   |
| 9101679 | Bottoming 0 BS RH                | Each | 1 |   |
| 9101681 | Bottoming 2 BA RH                | Each | 1 |   |
| 9101683 | Bottoming 4 BA RH                | Each | 1 |   |
| 9101685 | Bottoming 6 BA RH                | Each | 1 |   |
| 9101687 | Bottoming 8 BA RH                | Each | 1 |   |
| 9101689 | Bottoming 10 BA RH               | Each | 1 |   |
| 9101665 | Taper 0 BA RH                    | Each | 1 |   |
| 9101667 | Taper 2 BA RH                    | Each | 1 |   |
| 9101669 | Taper 4 BA RH                    | Each | 1 |   |
| 9101671 | Taper 6 BA RH                    | Each | 1 |   |
| 9101673 | Taper 8 BA RH                    | Each | 1 |   |
| 9101675 | Taper 10 BA RH                   | Each | 1 |   |
|         | <u>WRENCH</u>                    |      |   |   |
| 9101476 | Taps, A.D.J.F.F.                 | Each | 1 |   |
| 6438    | Vice grip 7 in.                  | Each | 1 |   |
| 9106057 | Allen Key 3/64th                 | Each | 1 |   |
| 9106058 | Allen Key 1/16th                 | Each | 1 |   |
| 9106059 | Allen Key 5/64th                 | Each | 1 |   |
| 9106060 | Allen Key 3/32nd                 | Each | 1 |   |
| 9106062 | Allen Key 1/8th                  | Each | 1 |   |

A/L.58 September 1972

| 1                           | 2                       | 3    | 4 | 5 |
|-----------------------------|-------------------------|------|---|---|
| <u>SECTION 1.C (Contd.)</u> |                         |      |   |   |
| <u>WRENCH (Contd.)</u>      |                         |      |   |   |
| 9106063                     | Allen Key 5/32nd        | Each | 1 |   |
| 9106064                     | Allen Key 3/16th        | Each | 1 |   |
| 9106065                     | Allen Key 7/32nd        | Each | 1 |   |
| 9106066                     | Allen Key 1/4 in.       | Each | 1 |   |
| 9106067                     | Allen Key 5/16th        | Each | 1 |   |
| 9106068                     | Allen Key 3/8th         | Each | 1 |   |
| 9106069                     | Allen Key 7/16th        | Each | 1 |   |
| 1201232                     | Torque Spin             | Each | 1 |   |
| 1206742                     | Strap ADJ               |      |   |   |
| <u>SECTION 1.G</u>          |                         |      |   |   |
| <u>DRILL TWIST</u>          |                         |      |   |   |
| 9108549                     | 1.4 mm                  | Each | 1 |   |
| 9108556                     | 1.8 mm                  | Each | 1 |   |
| 9108557                     | 1.85 mm                 | Each | 1 |   |
| 9108564                     | 2.2 mm                  | Each | 1 |   |
| 9108565                     | 2.26 mm                 | Each | 1 |   |
| 9108577                     | 2.85 mm                 | Each | 1 |   |
| 9108578                     | 2.95 mm                 | Each | 1 |   |
| 1202712                     | 3.7 mm                  | Each | 1 |   |
| 9108591                     | 4.0 mm                  | Each | 1 |   |
| 9108604                     | 4.8 mm                  | Each | 1 |   |
| 9108608                     | 5.1 mm                  | Each | 1 |   |
| 1202713                     | 6.2 mm                  | Each | 1 |   |
| <u>SECTION 1.L</u>          |                         |      |   |   |
| 9106313                     | BAR Extension 4"        | Each | 1 |   |
| 9105748                     | BLADE Flexible 6" Fine  | Each | 3 |   |
| 9552994                     | CASE Spanner Socket Set | Each | 1 |   |

A/L.58 September 1972

| 1       | 2   | 3    | 4 | 5 |
|---------|---|------|---|---|
|         | <u>SECTION 1.L (Contd.)</u>                           |      |   |   |
| 1208478 | EXTENSION Flexible 6"                                 | Each | 1 |   |
| 1208419 | HANDLE, sliding Bar T 4 <sup>1</sup> / <sub>2</sub> " | Each | 1 |   |
| 1208417 | HANDLE, Swivel 6"                                     | Each | 1 |   |
| 9105577 | PUNCH, Pin Par. 3/32nd.                               | Each | 1 |   |
| 9105747 | SAW Hack Fixed 6"                                     | Each | 1 |   |
| 282     | SCREWDRIVER but 5/16th                                | Each | 1 |   |
| 9538119 | SCREWDRIVER holder 9/32nd                             | Each | 1 |   |
| 9443077 | SCREWDRIVER bit 3/16th                                | Each | 1 |   |
| 9504247 | SCREWDRIVER bit 1/4"                                  | Each | 1 |   |
|         | <u>SPANNER</u>  |      |   |   |
| 1208395 | Socket 0 BA   | Each | 1 |   |
| 1208397 | Socket 2 BA   | Each | 1 |   |
| 1208399 | Socket 4 BA   | Each | 1 |   |
| 1208401 | Socket 6 BA   | Each | 1 |   |
|         | <u>SECTION 5.A</u>                                    |      |   |   |
| 4967    | PLUG fit all  | Each | 1 |   |
| 9105033 | TORCH, electric                                       | Each | 1 |   |
|         | <u>SECTION 5.J</u>                                    |      |   |   |
| 9101101 | BATTERIES primary dry No. 1 1.5V                      | Each | 1 |   |
| 9101131 | BATTERIES primary dry No. 8 1.5V                      | Each | 1 |   |
|         | <u>SECTION 5.QP</u>                                   |      |   |   |
| 46      | TESTMETER type 'H'                                    | Each | 1 |   |

| 1       | 2  | 3    | 4 | 5 |
|---------|--|------|---|---|
| 9108185 | <u>SECTION 29.G</u><br>PADLOCKS iron 1 <sup>1</sup> / <sub>2</sub> " | Each | 1 |   |

ERECTION TEAMS - AIRPORTABLE BUILDINGS

SECTION 7  
SCALE A.35  
Page 1

A/L.58 September 1972

| Ref. No. | Description                               | Denom.<br>of<br>Quantity | Quantity | Remarks |
|----------|---|--------------------------|----------|---------|
| 1        | 2   | 3                        | 4        | 5       |
|          | <u>SECTION 1.A</u>                        |                          |          |         |
| 9575039  | BOX, tool, medium                         | Each                     | 3        |         |
| 9426907  | CAN, lubricating, oil, large              | Each                     | 3        |         |
|          | <u>FILE</u>                               |                          |          |         |
| 9104924  | Round, bastard, 8 in.                     | Each                     | 3        |         |
| 9104962  | Triangular, bastard, 8 in.                | Each                     | 3        |         |
|          | <u>PICK-HEAD</u>                          |                          |          |         |
| 9105474  | Digging, 7 lb, 3 in. x 2 in. E7E          | Each                     | 3        |         |
| 9104747  | Handle, No. 2                             | Each                     | 6        |         |
|          | <u>SECTION 1.B</u>                        |                          |          |         |
| 9105185  | HANDLE, file, no. 3                       | Each                     | 3        |         |
| 9104730  | HANDLE, hammer, No. 1                     | Each                     | 3        |         |
|          | <u>HAMMER</u>                             |                          |          |         |
| 9104652  | Engineers, B/P, 2 lb.                     | Each                     | 3        |         |
| 1207169  | Nylon face, 1 1/2 lb.                     | Each                     | 3        |         |
| 9104701  | Sledge, straight faced 14 lb.             | Each                     | 3        |         |
| 9105526  | PLIERS, S/C, 8 in., insulated             | Each                     | 3        |         |
| 9105587  | PUNCH, drive pin, taper point<br>3/16 in. | Each                     | 3        |         |
|          | <u>SECTION 1.C</u>                        |                          |          |         |
|          | <u>SCREWDRIVER</u>                        |                          |          |         |
| 7899     | G.S. Handle, 6 in.                        | Each                     | 3        |         |
| 9105868  | Ratchet, 5 in. x 1/4 in., Point           | Each                     | 3        |         |
| 9105938  | Shovel, hand, square mouth                | Each                     | 6        |         |

A/L.58 September 1972

| 1                             | 2   | 3    | 4  | 5 |
|-------------------------------|---|------|----|---|
| <u>SECTION 1.C (Contd.)</u>   |   |      |    |   |
| <u>SPANNER</u>                |   |      |    |   |
| 9105964                       | Adjustable, 8 in.                               | Each | 3  |   |
| 9105966                       | Adjustable, 12 in.                              | Each | 3  |   |
| 9106233                       | O.J.D.E. 7/8 in. x 1 in. Whit.                  | Each | 2  |   |
| 9106268                       | O.J.D.E. 1 <sup>1</sup> / <sub>2</sub> in. Whit | Each | 2  |   |
| 9106184                       | Ring, 3/16 in. x 1/4 in. Whit                   | Each | 12 |   |
| 1276113                       | Ring, 1/4 in. x 5/16 in. Whit                   | Each | 12 |   |
| 1205559                       | Ring, 3/8 in. x 7/16 in. Whit                   | Each | 12 |   |
| 1276114                       | Ring, 1/2 in. x 9/16 in. Whit                   | Each | 12 |   |
| 9106187                       | Ring, 9/16 in. x 5/8 in. Whit                   | Each | 12 |   |
| <u>SECTION 1.L</u>            |   |      |    |   |
| 9106316                       | BAR, extension, 3/8 in. SD x 6 in.              | Each | 12 |   |
| 9106329                       | HANDLE, ratchet, 3/8 in. SD x 7 in.             | Each | 12 |   |
| <u>SOCKET, bi-hex, B.S.W.</u> |   |      |    |   |
| 9106387                       | 1/4 in.   |      |    |   |
| 9106388                       | 5/16 in.  |      |    |   |
| 9106389                       | 3/8 in.   |      |    |   |
| <u>SECTION 4.GB</u>           |   |      |    |   |
| 9334256                       | WINCH, Tirfor, type, T35                        | Each | 2  |   |
| <u>SECTION 29.G</u>           |   |      |    |   |
| 9108185                       | PADLOCK, iron 1 <sup>1</sup> / <sub>2</sub> in. | Each | 3  |   |

A/L.58 September 1972

| 1               | 2  | 3            | 4       | 5  |
|-----------------|--|--------------|---------|--|
| 3236<br>9611850 | <p style="text-align: center;"><u>SECTION 30.C</u></p> STEEL, bar<br>STEEL, tubing | Feet<br>Feet | 3<br>10 | ) Bar to be turned to fit<br>) inside tubing tack welded<br>) with 1 Ft. protruding. |

A/L57 June 1972

**A.P. 830**

**VOLUME 3. PART A**

**SECTION 8**



A/L57 June 1972

RESTRICTED

## SECTION 8

# BASIC SCALES FOR FLIGHTS SECTIONS AND SERVICING BAYS

- A.40 Aerial Installation Sections
- A.41 NTU
- A.42 Station Armament Sections
- A.43 Aircraft Weapon Handling Servicing Section ✓
- A.44 Electrical Bays
- A.45 Engine Bays
- A.46 Station Equipment Sections
- A.47 VCCP Bays
- A.48 NTU
- A.49 Aircraft Weighing Teams
- A.50 Instrument Sections
- ~~A.51 Mechanical Transport Flights~~
- A.52 Crash and Salvage Sections
- A.53 Propeller Bays
- A.54 Ground Equipment Servicing Sections
- A.55 Station Signals Sections
- A.56 Aircraft Finishing Sections
- A.57 Battery Charging Rooms
- A.58 Airborne Radio Bays
- A.59 Teleprinter Repair Sections
- A.60 Tyre and Wheel Bays
- ~~A.61 Station Workshops~~
- ~~A.62 Parachute Sections~~
- A.63 Dinghy Sections
- A.64 Flying Clothing Locker Rooms
- A.65 Service Manned Shoemakers Shops
- A.66 Service Manned Tailors Shops

RESTRICTED





| 1     | 2                            | 3 | 4    | 5 | A 40 | A 41 | A 42 | A 43 | A 44 | A 45 | A 46 | A 47 | A 48 | A 49 | A 50 | A 51 | A 52 | A 53 | A 54 | A 55 | A 56 | A 57 | A 58 | A 59 | A 60 | A 61 | A 62 | A 63 | A 64 |
|-------|------------------------------|---|------|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|       | SECTION 1A (Contd)           |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|       | BIT, carpenters sets (Contd) |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 04129 | SCREWDRIVER 3/8 in           |   | Each |   |      |      | 3    |      |      |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 79    | BOARD, sleeve tailors        |   | Each |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 80    | BODKIN, bone tailors         |   | Each |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |

| 1       | 2  | 3 | 4    | 5 | A<br>40 | A<br>41 | A<br>42 | A<br>43 | A<br>44 | A<br>45 | A<br>46 | A<br>47 | A<br>48 | A<br>49 | A<br>50 | A<br>51 | A<br>52 | A<br>53 | A<br>54 | A<br>55 | A<br>56 | A<br>57 | A<br>58 | A<br>59 | A<br>60 | A<br>61 | A<br>62 | A<br>63 | A<br>64 | A<br>65 | A<br>66 |  |
|---------|--|---|------|---|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|--|
|         | <u>SECTION 1A (Contd.)</u>                                     |   |      |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |  |
|         | <u>BOX, tool, standard</u>                                     |   |      |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |  |
| 9552997 | Large  |   | Each |   | 1       |         | 1       |         |         | 1       |         |         |         |         |         |         |         |         |         |         |         |         |         | 1       |         |         |         |         |         |         |         |  |
| 9575039 | Medium   |   | Each |   |         |         |         |         |         |         |         |         |         |         |         |         | 2       |         |         |         | 1       |         |         |         |         |         |         |         |         |         |         |  |
| 9104079 | BRACE, carpenters, open ratchet<br>10 ins. sweep, without bits |   | Each |   | 1       |         | 2       |         |         |         |         |         |         |         |         |         |         |         | 1       | 1       |         |         |         | 1       |         |         |         |         |         |         |         |  |
|         | <u>BROACH, Lancashire</u>                                      |   |      |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |  |
| 9104146 | 1/64 in.   |   | Each |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         | 1       |         |         |         |         |         |         |  |
| 9104147 | 1/32 in.   |   | Each |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         | 1       |         |         |         |         |         |         |  |
| 9104148 | 3/64 in.   |   | Each |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         | 1       |         |         |         |         |         |         |  |
| 9104149 | 1/16 in.   |   | Each |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         | 1       |         |         |         |         |         |         |  |
| 9104150 | 5/64 in.   |   | Each |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         | 1       |         |         |         |         |         |         |  |
| 9104151 | 3/32 in.   |   | Each |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         | 1       |         |         |         |         |         |         |  |
| 9104152 | 7/64 in.   |   | Each |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         | 1       |         |         |         |         |         |         |  |
| 9104153 | 1/8 in.  |   | Each |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         | 1       |         |         |         |         |         |         |  |
| 9104154 | 9/64 in.   |   | Each |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         | 1       |         |         |         |         |         |         |  |
| 9104155 | 5/32 in.   |   | Each |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         | 1       |         |         |         |         |         |         |  |
| 9104156 | 11/64 in.  |   | Each |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         | 1       |         |         |         |         |         |         |  |
| 9104157 | 3/16 in.   |   | Each |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         | 1       |         |         |         |         |         |         |  |
| 9104158 | 13/64 in.  |   | Each |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         | 1       |         |         |         |         |         |         |  |
| 9104159 | 7/32 in.   |   | Each |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         | 1       |         |         |         |         |         |         |  |
| 9104160 | 15/64 in.  |   | Each |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         | 1       |         |         |         |         |         |         |  |
| 9104061 | 1/4 in.  |   | Each |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         | 1       |         |         |         |         |         |         |  |

| 1       | 2                               | 3                                   | 4    | 5 | A 40 | A 41 | A 42 | A 43 | A 44 | A 45 | A 46 | A 47 | A 48 | A 49 | A 50 | A 51 | A 52 | A 53 | A 54 | A 55 | A 56 | A 57 | A 58 | A 59 | A 60 | A 61 | A 62 | A 63 | A 64 | A 65 | A 66 |   |
|---------|---------------------------------|-------------------------------------|------|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|---|
|         | SECTION 1A (Contd.)             |                                     |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |   |
|         | <u>HANDLE, screw chuck type</u> |                                     |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |   |
| 4606    | No. 1                           |                                     | Each |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |   |
| 4607    | No. 3                           |                                     | Each |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |   |
| -       | HOLDALL BROACH                  | Ref. No. 1B/5298                    | Each |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |   |
|         | <u>BRUSH</u>                    |                                     |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |   |
| 3947    | COMMUTATOR cleaning             |                                     | Each |   |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |   |
| 9430404 | DUSTING                         |                                     | Each |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |   |
| 9432845 | ENGINE cleaning                 |                                     | Each |   |      |      | 2    | 2    |      |      | 1    |      | 2    |      |      |      |      |      | 2    | 1    |      |      | 2    | 1    | 1    |      |      |      |      |      |      |   |
| 9430416 | FLAT goat hair 1/2 in.          |                                     | Each |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 2    |      |      |      |      |      |   |
|         | <u>Lacquer Squirrel</u>         |                                     |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |   |
| 9430423 | 1 in.                           |                                     | Each |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 2    |      |      |      |      |   |
| 9430425 | 3 in.                           |                                     | Each |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 2    |      |      |      |      |   |
| 9430432 | Lining crow, small              |                                     | Each |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 2    |      |      |      |      |      |   |
|         | <u>Mop Camel hair</u>           |                                     |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |   |
| 9430434 | No. 1                           |                                     | Each |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |   |
| 9430436 | No. 3                           |                                     | Each |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |   |
| 3945    | Round hard                      |                                     | Each |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    | 1    |      |   |
|         | <u>Phosphor bronze</u>          |                                     |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |   |
| 1205257 | Large                           | * Only Flights servicing refuellers | Each |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1*   |   |
| 1205258 | Small                           |                                     | Each |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1*   |   |
| 9430415 | Stencil                         |                                     | Each |   |      |      | 1    | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 2    | 1    | 3    | 1    |      | 1    | 2 |



| 1       | 2                         | 3 | 4    | 5 | A 40 | A 41 | A 42 | A 43 | A 44 | A 45 | A 46 | A 47 | A 48 | A 49 | A 50 | A 51 | A 52 | A 53 | A 54 | A 55 | A 56 | A 57 | A 58 | A 59 | A 60 | A 61 | A 62 | A 63 | A 64 | A 65 | A 66 |  |  |
|---------|---------------------------|---|------|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--|--|
|         | SECTION 1A (Contd.)       |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
|         | <u>CALIPER</u>            |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
|         | <u>Inside Firm Joint</u>  |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
| 9104459 | 4 in.                     |   | Each |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      | 1    |      |      |      |      |      |  |  |
| 9104460 | 6 in.                     |   | Each |   |      |      | 1    |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
|         | <u>Outside firm joint</u> |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
| 9104465 | 4 in.                     |   | Each |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      | 1    |      |      |      | 1    |      |      |      |      |      |  |  |
| 9104466 | 6 in.                     |   | Each |   |      |      | 1    |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
|         | <u>Micrometer</u>         |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
| 9100057 | Inside 2 - 12 ins.        |   | Each |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
|         | <u>Outside</u>            |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
| 9100059 | 0-1 in.                   |   | Each |   |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      | 1    |      |      |      |      |      |      |      |      |  |  |
| 2721    | 0-1 in.                   |   | Each |   |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
| 2722    | 1-2 in.                   |   | Each |   |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |  |  |
| 2723    | 2-3 in.                   |   | Each |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |  |  |
|         | <u>Outside standard</u>   |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
| 9438677 | 1 in.                     |   | Each |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
| 9438678 | 2 in.                     |   | Each |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
|         | <u>Vernier</u>            |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
| 9100076 | 4 in.                     |   | Each |   |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
| 9100077 | 9 in.                     |   | Each |   |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      | 1    |      |      |      |      |  |  |

4 list







(50084) 15

A/L 57 June 1972

| 1       | 2                                      | 3 | 4    | 5 | A 40 | A 41 | A 42 | A 43 | A 44 | A 45 | A 46 | A 47 | A 48 | A 49 | A 50 | A 51 | A 52 | A 53 | A 54 | A 55 | A 56 | A 57 | A 58 | A 59 | A 60 | A 61 | A 62 | A 63 | A 64 | A 65 | A 66 |
|---------|--|---|------|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|         | <u>SECTION 1A</u> (Contd.)             |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>CROPPER, BOLT</u>                   |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1204678 | Centre cut type                        |   | Each |   |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |
| 1200894 | Shear type                             |   | Each |   |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>CUTTER</u>                          |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9104260 | Anvil, flat hardies, 2 in. wide        |   | Each |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |
| 9105896 | Pipe 1/2 in. to 2 ins.                 |   | Each | 1 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9104277 | Washer double 1/2 in. to 10 ins.       |   | Each |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |
| 9104476 | DIVIDER, spring split nut 6 in.        |   | Each |   |      |      | 1    |      | 1    |      |      |      |      |      | 1    |      |      |      |      |      | 1    |      |      |      |      |      | 2    |      |      |      |      |
| 9104547 | DRESSER, emerywheel cutter, type No. 0 |   | Each |   |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      | 1    |      |      |      |      |      |
| 9104452 | DRIVER, rivet, shoemakers              |   | Each |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 2    |
|         | <u>DRILL, twist</u>                    |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>Bit stock</u>                       |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9108934 | 1/2 in.                                |   | Each | 1 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9108935 | 9/16 in.                               |   | Each | 1 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 3750    | EXTRACTOR, screw                       |   | Each |   |      |      | 1    | 1    |      | 1    |      |      |      |      |      | 1    |      |      | 1    |      |      |      |      | 1    |      | 1    |      |      |      |      |      |
| 887     | EYEGLASS, watchmakers                  |   | Each |   |      |      | 1    | 1    |      |      |      |      |      |      |      |      |      |      | 1    | 1    |      |      |      |      |      |      |      |      |      |      |      |
| 9104979 | FILE, equalling                        |   | Each |   |      |      |      |      |      |      |      |      |      |      | 2    |      |      |      |      | 2    |      |      |      | 1    |      | 2    |      |      |      |      |      |
|         | <u>FILE</u>                            |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>Half round bastard</u>              |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9104852 | 6 ins.                                 |   | Each |   |      |      |      | 1    |      |      |      |      |      |      | 2    |      | 2    |      |      |      |      |      |      | 1    |      | 2    |      |      |      |      |      |
| 9104854 | 10 ins.                                |   | Each |   |      |      |      |      | 2    |      |      |      |      |      |      |      | 2    |      |      |      |      |      |      | 1    |      | 2    |      |      |      |      |      |





| 1       | 2                           | 3 | 4    | 5 | A 40 | A 41 | A 42 | A 43 | A 44 | A 45 | A 46 | A 47 | A 48 | A 49 | A 50 | A 51 | A 52 | A 53 | A 54 | A 55 | A 56 | A 57 | A 58 | A 59 | A 60 | A 61 | A 62 | A 63 | A 64 | A 65 | A 66 |
|---------|-----------------------------|---|------|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|         | <u>SECTION 1A (Contd.)</u>  |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>FILE (Contd.)</u>        |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>Square bastard</u>       |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9104938 | 4 ins.                      |   | Each |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      | 1    |      | 1    |      |      |      |      |      |
| 9104939 | 6 ins.                      |   | Each |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      | 1    |      | 1    |      |      |      |      |      |
| 9104940 | 8 ins.                      |   | Each |   |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |
| 9104941 | 10 ins.                     |   | Each |   |      |      |      | 2    | 1    |      |      |      |      |      |      |      |      |      |      | 2    | 1    |      |      | 1    |      |      |      |      |      |      |      |
|         | <u>Square smooth</u>        |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9104947 | 6 ins.                      |   | Each |   |      |      |      |      |      |      |      |      |      |      | 2    | 2    |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |
| 9104948 | 8 ins.                      |   | Each |   |      |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |
| 9104949 | 10 ins.                     |   | Each |   |      |      |      |      |      |      |      |      |      |      |      | 2    |      |      |      |      |      |      |      | 1    |      | 1    |      |      |      |      |      |
|         | <u>Three square bastard</u> |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9104960 | 4 ins.                      |   | Each |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      | 3    | 1    |      |      |      |      |      |      |      |
| 9104961 | 6 ins.                      |   | Each |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |
| 9104967 | Three square smooth 6 ins.  |   | Each |   |      |      | 1    |      |      |      |      |      |      |      | 2    |      |      |      |      | 1    |      |      |      | 1    |      |      |      |      |      |      |      |
|         | <u>Warding</u>              |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9104971 | 4 ins. bastard              |   | Each |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      | 2    | 1    |      |      |      |      |      |      |      |
| 9104974 | 4 ins. smooth               |   | Each |   |      |      |      |      | 1    |      |      |      |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9104976 | 6 ins. smooth               |   | Each |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 3    |      |      |      |      |      |
| 9104599 | Flatters smiths             |   | Each |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |



| 1       | 2                          | 3 | 4    | 5 | A<br>40 | A<br>41 | A<br>42 | A<br>43 | A<br>44 | A<br>45 | A<br>46 | A<br>47 | A<br>48 | A<br>49 | A<br>50 | A<br>51 | A<br>52 | A<br>53 | A<br>54 | A<br>55 | A<br>56 | A<br>57 | A<br>58 | A<br>59 | A<br>60 | A<br>61 | A<br>62 | A<br>63 | A<br>64 | A<br>65 | A<br>66 |
|---------|----------------------------|---|------|---|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|         | <u>SECTION 1A (Contd.)</u> |   |      |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |
| 9104280 | STOCKS, drill breast       |   | Each |   |         |         | 1       | 1       |         |         |         |         |         |         | 1       | 1       |         |         |         |         |         |         | 4       | 1       |         | 1       |         |         | 1       |         |         |
| 9104281 | STOCKS, drill, hand        |   | Each |   |         |         |         |         |         |         |         |         |         |         |         | 1       |         |         |         | 1       |         |         |         |         |         | 1       |         |         |         |         |         |
|         | <u>TOMMY BAR</u>           |   |      |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |
| 9106536 | 3/16 in. x 4 inc.          |   | Each |   | 1       |         | 2*      |         |         |         |         |         |         |         |         |         |         |         |         |         | 1       |         |         |         |         |         |         |         |         |         |         |
| 9106537 | 1/4 x 5 inc.               |   | Each |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         | 1       |         |         |         |         |         |         |         |         |         |         |
| 9106539 | 3/8 x 6 inc.               |   | Each |   |         |         | 2*      |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |
| 9106540 | 1/2 x 8 inc.               |   | Each |   |         |         | 2*      |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |
| 32      | 8 ins.                     |   | Each |   |         |         |         |         |         |         |         |         |         |         |         | 2       |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |
| 36      | 18 ins.                    |   | Each |   |         |         |         |         |         |         |         |         |         |         |         | 2       |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |

\* Denotes units Supporting RAF Regiment Squadron only



AL 64 MAY 1974

SECTION 8  
 VOCAB SECTION 1B  
 PAGE 1

| 1       | 2                                    | 3 | 4   | 5 | A 40 | A 41 | A 42 | A 43 | A 44 | A 45 | A 46 | A 47 | A 48 | A 49 | A 50 | A 51 | A 52 | A 53 | A 54 | A 55 | A 56 | A 57 | A 58 | A 59 | A 60 | A 61 | A 62 | A 63 | A 64 | A 65 | A 66 |  |
|---------|--------------------------------------|---|-----|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--|
|         | <u>SECTION 1B</u>                    |   |     |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
|         | <u>DRILL, metric</u>                 |   |     |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 1204953 | 1.00 mm - 3 mm                       |   | Ea  |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 1204954 | 3.00 mm - 9.50 mm                    |   | Ea  |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
|         | <u>GAUGE</u>                         |   |     |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 9100081 | Depth vernier 6 and 12 in. blades    |   | Ea  |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 9105202 | Feeler, No. 1                        |   | Ea  |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      | 1    |      |      |      |      |      |      |      |      |  |
| 9100082 | HEIGHT vernier 12 ins.               |   | Ea  |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 9105216 | Screwthread angle, unified           |   | Ea  |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 1222520 | Measuring                            |   | Ea  |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
|         | <u>SCREWTHREAD PITCH</u>             |   |     |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 9105221 | B.S.W.                               |   | Ea  |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 9105217 | Unified                              |   | Ea  |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 1207068 | Thickness type 4 in. taper 10 blades |   | Set |   |      |      | 1    |      |      |      |      |      |      |      | 1    |      |      |      |      |      | 1    |      |      | 2    |      |      |      |      |      |      |      |  |
| 9105233 | Wire                                 |   | Ea  |   |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |  |
|         | <u>GAUGE, firmer</u>                 |   |     |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 9105124 | 1/4 in.                              |   | Ea  |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 9105125 | 3/8 in.                              |   | Ea  |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 9105126 | 1/2 in.                              |   | Ea  |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 9105127 | 5/8 in.                              |   | Ea  |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |

AL 64 MAY 1974

| 1       | 2                            | 3          | 4  | 5 | A 40 | A 41 | A 42 | A 43 | A 44 | A 45 | A 46 | A 47 | A 48 | A 49 | A 50 | A 51 | A 52 | A 53 | A 54 | A 55 | A 56 | A 57 | A 58 | A 59 | A 60 | A 61 | A 62 | A 63 | A 64 | A 65 | A 66 |  |
|---------|------------------------------|------------|----|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--|
|         | <u>SECTION 1B (Contd)</u>    |            |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
|         | <u>GAUGE, firmer (contd)</u> |            |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 9105128 | 3/4 in.                      |            | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
|         | <u>GAUGE, set</u>            |            |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 1229361 | Thickness Feeler No 2        | (C Stores) | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
|         | <u>GROOVER, tinmans</u>      |            |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 9107821 | 1/8 in.                      |            | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 9107822 | 3/16 in.                     |            | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 9107824 | 5/16 in.                     |            | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 9107825 | 3/8 in.                      |            | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
|         | <u>GREASE GUN HAND</u>       |            |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 1276147 | GREASE GUN, hand             |            | Ea |   |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      | 4    |      | 1    |      |      |      |      |      |      |      |      |      |      |  |
|         | <u>Accessories</u>           |            |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
|         | <u>NOZZLE</u>                |            |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 1279672 | Reducer union                |            | Ea |   |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      | 4    |      | 1    |      |      |      |      |      |      |      |      |      |      |  |
| 8062045 | Hose Assy 11"                |            | Ea |   |      |      |      |      |      | 2    |      |      |      |      |      |      |      |      | 2    |      | 1    |      |      |      |      |      |      |      |      |      |      |  |
| 8025057 | Tube                         |            | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 2    |      | 1    |      |      |      |      |      |      |      |      |      |      |  |
| 9239955 | TUBE Flexible 8 in.          |            | Ea |   |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      | 2    |      | 1    |      |      |      |      |      |      |      |      |      |      |  |
| 9239097 | CONNECTOR                    |            | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 2    |      | 1    |      |      |      |      |      |      |      |      |      |      |  |
| 5716    | CONNECTOR, assy              |            | Ea |   |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |

| 1       | 2                         | 3 | 4  | 5 | A 40 | A 41 | A 42 | A 43 | A 44 | A 45 | A 46 | A 47 | A 48 | A 49 | A 50 | A 51 | A 52 | A 53 | A 54 | A 55 | A 56 | A 57 | A 58 | A 59 | A 60 | A 61 | A 62 | A 63 | A 64 | A 65 | A 66 |
|---------|---------------------------|---|----|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|         | <u>SECTION 1B (Contd)</u> |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>NOZZLE (Contd)</u>     |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 4609    | CONNECTOR                 |   | Ea |   |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      | 2    | 1    |      |      |      |      |      |      |      |      |      |      |      |
| 4612    | CONNECTOR                 |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 2    | 1    |      |      |      |      |      |      |      |      |      |      |      |
| 1276147 | Type "H"                  |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      | 2    |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |
|         | <u>HAMMER</u>             |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9104689 | Shoemaker single faced    |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 2    |
| 9104632 | Claw                      |   | Ea |   |      |      |      |      |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>Engineers ballpein</u> |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9104657 | 1/4 lb                    |   | Ea |   |      |      |      |      |      |      |      |      | 1    |      |      | 2    |      |      |      |      |      |      | 3    |      |      |      |      |      |      |      |      |
| 9104648 | 1/2 lb                    |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 2    |      |
| 9104649 | 3/4 lb                    |   | Ea |   |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      | 1    |      |      |      |      |      |
| 1226431 | 1 lb                      |   | Ea |   |      |      | 1    |      | 1    |      |      |      |      |      |      |      | 2    |      |      | 1    |      |      | 1    |      |      |      |      |      |      |      |      |
| 9104651 | 1 1/2 lb                  |   | Ea |   |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      | 1    |      |      |      |      |      |
| 9104652 | 2 lb                      |   | Ea |   |      |      |      |      |      |      | 1    |      |      |      |      |      | 2    |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |
| 1207307 | Hand, Nylon 1 lb          |   | Ea |   |      |      | 3    | 2    | 1    |      |      |      |      | 1    | 1    |      |      |      |      | 1    |      |      |      | 2    |      |      | 1    | 1    | 1    |      |      |
| 1207169 | Nylon, 1 1/2 lb           |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |
|         | <u>Hide Faced</u>         |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9104674 | Lead 4 lb                 |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      | 1    |      |      |      |      |
| 1207297 | Rubber, flat faced        |   | Ea |   |      |      | 3    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1207423 | Nylon screw in 3 lb       |   | Ea |   |      |      |      | 2    |      |      |      |      |      |      |      |      | 1    |      |      | 1    |      |      |      |      |      | 1    |      |      |      |      |      |

| 1       | 2                                | 3   | 4  | 5 | A 40 | A 41 | A 42 | A 43 | A 44 | A 45 | A 46 | A 47 | A 48 | A 49 | A 50 | A 51 | A 52 | A 53 | A 54 | A 55 | A 56 | A 57 | A 58 | A 59 | A 60 | A 61 | A 62 | A 63 | A 64 | A 65 | A 66 |
|---------|----------------------------------|---|----|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|         | <u>SECTION 1B (Contd)</u>        |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>Sledge</u>                    |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9104695 | Doublefaced, 7 lbs               |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      | 1    | 1    |      | 1    | 1    |      |      |      |      |      |      | 1    |      |      |      |      |
| 9104700 | Straight pein, 10 lbs            |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |
| 9104701 | Straight pein, 14 lbs            |   | Ea |   | 1    |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>Tinmans</u>                   |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9104706 | Blocking and hollowing, 1 lb     |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |
| 9104716 | Planishing, 3 lbs                |   | Ea |   | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1204977 | Round and square face, 1 1/2 lbs |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |
| 9104721 | Watchmakers flat face, 2 oz      |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>HANDLE, file</u>              |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9105184 | No 2                             |   | Ea |   |      |      |      |      | 1    |      |      |      |      |      | 9    | 2    |      |      |      | 2    |      |      | 18   | 1    |      | 6    |      |      | 1    |      |      |
| 9105185 | No 3                             |   | Ea |   |      |      |      |      |      |      |      |      |      |      | 5    | 2    |      |      | 1    | 2    |      | 8    | 1    |      | 1    | 1    | 1    |      |      |      |      |
| 9105186 | No 5                             |   | Ea |   |      |      |      |      | 1    |      |      |      |      |      | 3    | 2    |      |      | 2    | 2    |      |      |      | 2    |      | 3    |      |      |      |      |      |
| 1041118 | HOLDER                           | For use with 9005691<br>9005884 and 9005686 | Ea |   |      |      |      |      | 3    |      |      |      |      |      | 4    |      |      |      |      |      |      | 12   | 1    |      |      |      |      |      |      |      |      |
| 9104764 | <u>HORSES, tinmans</u>           |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |
|         | <u>Accessories</u>               |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>HEAD</u>                      |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9104766 | Long, 4 lbs                      |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |

| 1       | 2   | 3 | 4  | 5 | A 40 | A 41 | A 42 | A 43 | A 44 | A 45 | A 46 | A 47 | A 48 | A 49 | A 50 | A 51 | A 52 | A 53 | A 54 | A 55 | A 56 | A 57 | A 58 | A 59 | A 60 | A 61 | A 62 | A 63 | A 64 | A 65 | A 66 |   |
|---------|---|---|----|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|---|
|         | <u>SECTION 1B (Contd)</u>                 |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |   |
|         | <u>HEAD (Contd)</u>                       |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |   |
| 9104769 | Oval, 2 lbs                               |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |   |
| 9104772 | Round, 3 lbs                              |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |   |
|         | <u>INDICATOR</u>                          |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |   |
| 9438651 | Dial, Test set                            |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |   |
| 9100089 | Dial, test set, universal                 |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |   |
| 4554    | Revolution, type A.T.H.7                  |   | Ea |   |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |   |
| 4486    | Revolution, type A                        |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |   |
|         | <u>IRON</u>                               |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |   |
| 9105271 | Soldering, straight 16 oz BIT             |   | Ea |   |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |   |
| 1278853 | Soldering, electric, light, 24V, 49W      |   | Ea |   |      |      | 1    |      | 2    |      |      |      |      |      | 2    | 1    |      |      |      | 1    | 1    |      | 1    | 1    | 1    |      |      |      |      |      |      |   |
| 9005883 | 230/250V                                  |   | Ea |   |      |      | 1    | 1    | 1    |      |      |      |      |      | 1    | 1    |      |      |      | 1    | 1    |      | 1    | 1    | 1    |      |      |      |      |      |      |   |
| 9005892 | Soldering, electric, heavy, 230/250V 240W |   | Ea |   | 1    |      | 1    | 1    | 1    |      |      |      |      |      | 1    | 1    |      |      |      | 1    | 1    |      | 1    | 1    | 1    |      |      |      |      |      |      |   |
|         | <u>IRON, SHOEMAKERS, HANDLED</u>          |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |   |
| 9104821 | Glazing                                   |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1 |
| 2912    | Jar, essence                              |   | Ea |   |      |      |      |      |      |      |      |      |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |   |
| 9105405 | Knife, palette                            |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 2    |      |      |      |      |      |      |      |      |      |   |
| 9105414 | Ladle, melting, 7 in                      |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |   |

AL 64 MAY 1974

SECTION 8  
Vocab Section 1B  
PAGE 6

| 1       | 2                                     | 3                 | 4  | 5 | A 40 | A 41 | A 42 | A 43 | A 44 | A 45 | A 46 | A 47 | A 48 | A 49 | A 50 | A 51 | A 52 | A 53 | A 54 | A 55 | A 56 | A 57 | A 58 | A 59 | A 60 | A 61 | A 62 | A 63 | A 64 | A 65 | A 66 |  |  |
|---------|---------------------------------------|-------------------|----|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--|--|
|         | <u>SECTION 1B (Contd)</u>             |                   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
|         | <u>LAMP BRAZING</u>                   |                   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
| 1942670 | 1 Pint                                |                   | Ea |   | 1    |      | 1    | 1    |      |      |      |      |      |      |      |      |      |      |      | 1    | 1    |      |      |      |      |      |      |      |      |      |      |  |  |
| 4166    | 5 Pint                                |                   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
|         | <u>LEVEL SPIRIT</u>                   |                   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
| 1277745 | Adjustable 6 in 0°-10°                |                   | Ea |   |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
|         | <u>WOOD</u>                           |                   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
| 9105421 | 10 ins                                |                   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
| 9105422 | 18 ins                                |                   | Ea | 1 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
| 9105442 | MANDRELL, Tinreams 3 ft               |                   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
| 5930    | LUBRICATOR WHEEL Bearing              |                   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |  |  |
|         | <u>MEASURE, OIL, 1 PINT GRADUATED</u> |                   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
| 4280826 | Gills                                 |                   | Ea |   |      |      |      |      |      | 1    | 1    |      |      |      |      |      | 6    |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |  |  |
| 4280789 | 1/2 Gallon                            |                   | Ea |   |      |      |      |      |      |      | 1    |      |      |      |      |      | 6    |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |  |  |
| 4280790 | 1 Gallon                              |                   | Ea |   |      |      |      |      |      | 1    | 1    | 1    |      |      |      |      | 6    |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |  |  |
| 5902    | Mirror, inspection                    |                   | Ea |   |      |      | 1    | 2    | 1    |      |      |      |      |      | 1    |      |      |      |      | 2    | 1    |      | 1    |      |      |      |      |      |      |      |      |  |  |
| 9105463 | Nail Puller                           |                   | Ea |   |      |      | 1    | 1    |      |      | 3    |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |  |  |
|         | <u>NEEDLE</u>                         |                   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
|         | Circular                              | Doz               | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
| 1250307 | Sewing No 2                           | Doz               | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
|         |                                       | Sizes as required |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |

| 1       | 2                         | 3 | 4  | 5 | A 40 | A 41 | A 42 | A 43 | A 44 | A 45 | A 46 | A 47 | A 48 | A 49 | A 50 | A 51 | A 52 | A 53 | A 54 | A 55 | A 56 | A 57 | A 58 | A 59 | A 60 | A 61 | A 62 | A 63 | A 64 | A 65 | A 66 |  |
|---------|---------------------------|---|----|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--|
|         | <u>SECTION 1B (Contd)</u> |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
|         | <u>NIPPLE CLEANING</u>    |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 1250320 | Type "A" Doz              |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 4197    | Type "B" Doz              |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| -       | Sailmaker Doz             |   | Ea |   |      |      |      |      |      |      |      | 1/2  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| -       | Sewing Doz                |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
|         | <u>NIPPER</u>             |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
|         | <u>Diagonal cutting</u>   |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 1204198 | 7 in                      |   | Ea |   | 1    |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
|         | <u>End cutting</u>        |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 1208026 | 6 1/2                     |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    | 1    |      |      |      |      |      |      |      |      |      |      |      |  |







| 1       | 2                                 | 3                    | 4  | 5 | A 40 | A 41 | A 42 | A 43 | A 44 | A 45 | A 46 | A 47 | A 48 | A 49 | A 50 | A 51 | A 52 | A 53 | A 54 | A 55 | A 56 | A 57 | A 58 | A 59 | A 60 | A 61 | A 62 | A 63 | A 64 | A 65 | A 66 |
|---------|-----------------------------------|----------------------|----|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|         | <u>SECTION 1B (Contd)</u>         |                      |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>PLATE (Contd)</u>              |                      |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | Surface scrapped                  |                      |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1200300 | 12 x 8 ins                        |                      | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1200301 | 12 x 12 ins                       |                      | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |
| 1200302 | 12 x 18 ins                       |                      | Ea |   |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>PLIER</u>                      |                      |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9105496 | Adjusting No 1                    | *For servicing Tele- |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      | 1    |      |      |      |      |      |      |      |
| 9105498 | Adjusting No 3                    | printers at          |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      | 1    |      |      |      |      |      |      |      |
| 9105500 | Adjusting No 5                    | Overseas units Qty 1 |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1*   |      |      |      |      |      |      |      |      |      |      |
| 1205713 | Retaining Ring 1/2" to 3"         | per 10 Teleprinters  | Ea |   |      |      | 1    | 1    |      |      |      | 1    |      |      |      | 1    |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |
| 5667    | Closing, for nylon fasteners      | or part thereof      | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |
| 4495    | Cutting, table                    |                      | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |
| 9434429 | Eyelet fixing, plain, 8 ins       |                      | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    | 1    |      |
| 1206710 | Flat nose, 8 ins                  |                      | Ea |   |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      | 1    |      |      | 1    |      | 1    |      |      |      |      |      |
| 9105503 | Parallel jaw, 6 1/2 ins           |                      | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      | 1    |      |      |      |      |      |
| 9105536 | Long snipe nose 5 1/2 ins         |                      | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |
| 1206709 | Long snipe nose 8 in              |                      | Ea |   |      |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 3    |      |      |      |      | 1    |      |      |
| 9105515 | Pipe, grip 7 ins                  |                      | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      | 1    |      |      | 1    |      |      |      |      |      |      |      |
| 1794    | Quick grip No 3                   |                      | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      | 1    |      |      | 1    |      |      |      |      |      |      |      |
| 1205716 | Plier Retaining Ring 1 1/8" to 6" |                      | Ea |   |      |      |      | 1    |      |      |      | 1    |      |      |      | 1    |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |

| 1       | 2                                     | 3 | 4  | 5 | A 40 | A 41 | A 42 | A 43 | A 44 | A 45 | A 46 | A 47 | A 48 | A 49 | A 50 | A 51 | A 52 | A 53 | A 54 | A 55 | A 56 | A 57 | A 58 | A 59 | A 60 | A 61 | A 62 | A 63 | A 64 | A 65 | A 66 |   |
|---------|---------------------------------------|---|----|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|---|
|         | <u>SECTION 1B (Contd)</u>             |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |   |
|         | <u>PLIER (CONTD)</u>                  |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |   |
| 1206931 | Snipe nose 4 $\frac{3}{4}$ in         |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |   |
| 9105518 | Round nose, 6 ins                     |   | Ea |   |      |      | 1    | 1    |      |      |      |      |      |      |      | 1    |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |   |
|         | <u>Side cutting</u>                   |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |   |
| 9105522 | 6 ins                                 |   | Ea |   |      |      |      |      |      |      | 1    |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 3 |
| 9105526 | 8 ins insulated                       |   | Ea |   |      |      |      | 2    |      |      |      |      |      |      |      |      | 1    |      |      | 2    |      |      |      | 1    |      |      |      |      |      |      |      |   |
| 9105527 | Sleeve fixing 6 ins                   |   | Ea |   |      |      | 2    |      | 1    |      |      |      |      |      | 1    |      |      |      | 1    |      |      |      | 1    | 1    |      |      |      |      |      |      |      |   |
| 4252    | POT, glue, electric                   |   | Ea |   |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |   |
| 4122    | PRESSES, sealing                      |   | Ea |   |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |   |
|         | <u>PUNCH</u>                          |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |   |
| 9105548 | Centre 4 ins                          |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 2    |      |      |      |      |      | 1    | 1    |      |   |
|         | <u>PUNCH, hollow, leather, round:</u> |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |   |
| 9105567 | 1/4 in                                |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |   |
| 9105569 | 5/16 in                               |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |   |
| 9105570 | 3/8 in                                |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |   |
| 9105571 | 9/16 in                               |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |   |
| 9105572 | 1/2 in                                |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |   |
|         | <u>Eyelet closing with beds</u>       |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |   |
| 9105637 | 1/8 in                                |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1 |
| 9105638 | 3/8 in                                |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |   |

| 1       | 2                                       | 3 | 4  | 5 | A 40 | A 41 | A 42 | A 43 | A 44 | A 45 | A 46 | A 47 | A 48 | A 49 | A 50 | A 51 | A 52 | A 53 | A 54 | A 55 | A 56 | A 57 | A 58 | A 59 | A 60 | A 61 | A 62 | A 63 | A 64 | A 65 | A 66 |  |
|---------|---|---|----|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--|
|         | <u>SECTION 1B (Contd)</u>               |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
|         | <u>Eyelet closing with beds (Contd)</u> |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 9105577 | Pin parallel 3/32 in                    |   | Ea |   |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |  |
| 9105581 | Pin, parallel, 5/16 in                  |   | Ea |   |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
|         | <u>Round tapered point</u>              |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 9105583 | 1/16 in                                 |   | Ea |   |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |  |
| 9105585 | 1/8 in                                  |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      | 1    |      |      | 1    |      |      |      |      |      |      |      |      |  |
| 9105587 | 3/16 in                                 |   | Ea |   |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |  |
| 9105589 | 1/4 in                                  |   | Ea |   |      |      |      | 1    |      |      |      |      |      |      |      |      | 1    |      |      | 1    |      | 1    |      |      |      |      |      |      | 1    |      |      |  |
| 9105590 | 3/8 in                                  |   | Ea |   |      |      |      | 1    |      |      |      |      |      |      |      | 1    |      |      |      | 1    |      | 1    |      |      |      |      |      |      |      |      |      |  |
|         | <u>Round tapered point with rod</u>     |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 9105595 | 1/4 in                                  |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |  |
| 9105597 | 3/8 in                                  |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |  |
|         | <u>Wad</u>                              |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 9105666 | 1/4 in                                  |   | Ea |   |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      | 1    | 2    |      |      |      |      | 1    |      |      | 1    |      |      |  |
| 9105667 | 3/8 in                                  |   | Ea |   |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      | 1    |      |      |      |      |      |  |
| 9105669 | 1/2 in                                  |   | Ea |   |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |  |
| 9105670 | 9/16 in                                 |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |  |
| 9105702 | <u>RASP</u> , Rough, 4 ins              |   | Ea |   | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 4429    | <u>ROLLER</u> , rubber sheet            |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    | 1    |      |      |  |

A/L 62 November 1973

| 1       | 2                               | 3                                | 4   | 5 | A 40 | A 41 | A 42 | A 43 | A 44 | A 45 | A 46 | A 47 | A 48 | A 49 | A 50 | A 51 | A 52 | A 53 | A 54 | A 55 | A 56 | A 57 | A 58 | A 59 | A 60 | A 61 | A 62 | A 63 | A 64 | A 65 | A 66 |
|---------|---------------------------------|----------------------------------|-----|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|         | <u>SECTION 1B (Contd)</u>       |                                  |     |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>RULE</u>                     |                                  |     |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9105718 | Boxwood, 2 ft                   |                                  | Ea  |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | Steel                           |                                  |     |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1300282 | 6 in                            |                                  | Ea  |   |      |      | 2    |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |
| 1276230 | 1 ft                            |                                  | Ea  |   |      |      | 1    |      | 1    |      | 1    |      |      | 1    | 1    |      |      |      |      | 2    | 2    |      |      | 1    |      |      |      |      |      |      |      |
| 9105727 | 2 ft                            |                                  | Ea  |   |      |      | 1    |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 3174    | 1 metre                         |                                  | Ea  |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |
| 1226203 | TOOL, desoldering, Soldapult, ) |                                  |     |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | or De Luxe )                    |                                  | Ea  |   |      |      |      |      | 1    |      |      |      |      |      | 1    |      |      |      |      | 1    |      |      |      | 1    |      |      |      |      |      |      |      |
| 1226205 | Wellor, D8 & TCP )              |                                  |     |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1223210 | Tong soldering electric         |                                  | Set |   |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>Comprising:</u>              |                                  |     |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1223214 | Foot switch                     |                                  |     |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1223211 | T4 tool-carbon electrode        |                                  |     |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1223212 | T8 cool-carbon electrode        |                                  |     |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1223213 | Transformer                     |                                  |     |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1223210 | Tong soldering VENUM            | For units equipped with 16A/2353 | Ea  |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |
| 1103908 | TRANSFORMER for 1B/1278853      |                                  | Ea  |   |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      | 1    | 1    |      |      |      | 1    |      |      |      |      |      |      |
| 9105444 | SPIKE, marlink                  |                                  | Ea  |   |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1222254 | SPRAYER, Hand GP                |                                  | Ea  |   |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |

| 1       | 2                               | 3          | 4  | 5 | A 40 | A 41 | A 42 | A 43 | A 44 | A 45 | A 46 | A 47 | A 48 | A 49 | A 50 | A 51 | A 52 | A 53 | A 54 | A 55 | A 56 | A 57 | A 58 | A 59 | A 60 | A 61 | A 62 | A 63 | A 64 | A 65 | A 66 |  |  |
|---------|---------------------------------|------------|----|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--|--|
|         | <u>SECTION 1C</u>               |            |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
| 9101464 | DIESTOCK, hand YT               |            | Ea |   |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
| 9101465 | DIESTOCK, hand                  |            | Ea |   |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
| 9104352 | IRON, bick, tinman              |            | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |  |  |
| 9105836 | KNIFE, shoemaker edge           |            | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |  |  |
| 9437819 | PLIER, cable, stripping         |            | Ea |   |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |  |  |
|         | <u>SAW</u>                      |            |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
| 9105798 | BOW, carpenter, 10 in           |            | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
|         | <u>Accessories</u>              |            |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
| 9105800 | BLADE                           |            | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
| 9105746 | HACK, adjustable, frame         |            | Ea |   |      |      | 1    | 2    | 1    | 1    | 1    | 1    |      |      | 1    | 2    |      |      |      | 2    | 2    |      |      | 2    | 1    |      |      |      |      |      |      |  |  |
|         | <u>Accessories</u>              |            |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
| 1202547 | BLADE, progressive pitch, 10 in |            | Ea |   |      |      | 6    | 12   | 6    | 6    | 6    | 6    |      |      | 6    | 12   |      |      |      | 12   | 12   |      |      | 12   | 6    |      |      |      |      |      |      |  |  |
|         | FILE, tension, 8 in             |            |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
| -       | coarse                          | 1A/9104988 | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 6    |      |      |      |      |      |      |      |      |      |      |      |  |  |
| -       | medium                          | 1A/9104989 | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 6    |      |      |      |      |      |      |      |      |      |      |      |  |  |
| -       | LINK, spring clip               | 1A/9104990 | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 12   |      |      |      |      |      |      |      |      |      |      |      |  |  |
| 9103306 | HALF, RIP, 28 in                |            | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
| 9105781 | HAND, 26 in                     |            | Ea |   |      | 1    |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |

| 1       | 2                          | 3 | 4  | 5 | A 40 | A 41 | A 42 | A 43 | A 44 | A 45 | A 46 | A 47 | A 48 | A 49 | A 50 | A 51 | A 52 | A 53 | A 54 | A 55 | A 56 | A 57 | A 58 | A 59 | A 60 | A 61 | A 62 | A 63 | A 64 | A 65 | A 66 |
|---------|----------------------------|---|----|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|         | <u>SECTION 1C (Contd)</u>  |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>Accessories (Contd)</u> |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9105792 | KEY, hole                  |   | Ea |   | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 6181    | PAD, handle, Eclipse type  |   | Ea |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |
| 9105806 | TENNON, 14 in              |   | Ea |   | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>SCISSORS</u>            |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1220849 | Button, hole               |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      | 2    |
| 1275131 | Fabric                     |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      | 1    | 1    | 1    |      | 2    |
| 1275126 | Round, end                 |   | Ea |   |      |      |      |      |      |      | 1    |      |      |      |      | 1    |      |      | 1    |      |      |      |      |      |      |      | 1    | 1    | 1    |      |      |
| 1275127 | SHEARS, straight trimmers  |   | Ea |   |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      | 1    | 1    |      | 1    |      |      | 1    | 1    | 1    |      |      |
|         | <u>SCRAPER</u>             |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9105822 | Fitters, flat, tile, type  |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |
| 1200943 | Hook, skarsten, type       |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 4    |      |      |      |      |      |      |      |      |      |      |
|         | <u>SCREWDRIVER</u>         |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 7899    | G.S. handled 6"            |   | Ea |   |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>Common</u>              |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9105853 | 3 x 1/4 in                 |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |
| 9105855 | 8 x 1/2 in                 |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      | 1    | 1    |      |      | 1    |      |      |      |      |      |      |      |      |
| 9105857 | 12 x 8 in                  |   | Ea |   |      |      |      | 1    |      |      |      | 1    |      |      |      | 1    | 1    |      | 1    |      |      |      | 1    |      | 1    | 1    | 1    | 1    |      |      |      |
| 9105858 | 18 x 13/16 in              |   | Ea |   | 1    |      |      |      |      | 1    | 1    |      |      |      |      | 1    | 1    |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |

| 1       | 2                                 | 3 | 4  | 5 | A 40 | A 41 | A 42 | A 43 | A 44 | A 45 | A 46 | A 47 | A 48 | A 49 | A 50 | A 51 | A 52 | A 53 | A 54 | A 55 | A 56 | A 57 | A 58 | A 59 | A 60 | A 61 | A 62 | A 63 | A 64 | A 65 | A 66 |
|---------|-----------------------------------|---|----|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|         | <u>SECTION 1C (Contd)</u>         |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>Common (contd)</u>             |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1209176 | Chubby, 1 1/2" x 1/4"             |   | Ea |   |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>Crosspoint Phillips head</u>   |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9105864 | No 1                              |   | Ea |   |      |      | 1    |      |      |      |      |      |      |      |      |      |      | 1    |      | 1    |      |      |      | 1    |      |      |      |      |      | 1    |      |
| 9105365 | No 2                              |   | Ea |   |      |      | 1    |      |      |      |      |      |      |      |      |      |      | 1    |      | 1    |      |      |      | 1    |      |      |      |      |      |      |      |
| 9105866 | No 3                              |   | Ea |   |      |      | 1    | 1    |      |      |      |      |      |      |      |      |      | 1    |      | 1    |      |      |      |      |      |      |      |      |      |      |      |
| 9105867 | No 4                              |   | Ea |   |      |      | 1    |      |      |      |      |      |      |      |      | 2*   |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>Crosspoint Reed and Prince</u> |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1240464 | 2 1/2 x 3/16 in                   |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |
| 1240466 | 5/16 x 6 in                       |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |
| 1240465 | 4 x 1/4 in                        |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |
| 1240467 | 3/8 x 8 in                        |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |
| 9105839 | Flat, point cabinet               |   | Ea |   |      |      |      | 1    |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>FORK</u>                       |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9105844 | 1/8 x 5/32 in gaps                |   | Ea |   |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9105845 | 1/4 x 3/16 in gaps                |   | Ea |   |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>Instrument</u>                 |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9105878 | No 2                              |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      | 1    | 1    |      |      |      |      |      |      |
| 9105883 | No 3                              |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      | 1    | 1    |      |      |      |      |      |      |



AI. 64 MAY 1974

| 1       | 2                            | 3   | 4  | 5 | A 40 | A 41 | A 42 | A 43 | A 44 | A 45 | A 46 | A 47 | A 48 | A 49 | A 50 | A 51 | A 52 | A 53 | A 54 | A 55 | A 56 | A 57 | A 58 | A 59 | A 60 | A 61 | A 62 | A 63 | A 64 | A 65 | A 66 |  |
|---------|------------------------------|---|----|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--|
|         | <u>SECTION 1C (Contd)</u>    |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
|         | <u>Instrument Makers</u>     |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 9105848 | Set                          | Set of four                               | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    | 1    |      |      | 1    | 1    | 4    |      |      |  |
| 9105863 | Ratchet 5 x 1/4 in           | Ref 9105849, 9105850,<br>9105851, 9105852 | Ea |   |      |      | 1    | 1    |      |      |      |      |      | 1    |      |      |      |      |      | 1    |      |      | 1    |      |      |      |      |      | 2    |      |      |  |
| 9105870 | Spiral, Automatic, type B    |   | Ea |   |      |      |      |      |      |      | 1    |      |      |      |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 9105846 | Offset                       |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      | 1    |      |      |      |      |      |      |      |      |  |
|         | <u>Watchmaker</u>            |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 9105871 | 2 1/2 x 1/8 in               |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1+   |      |      | 1    |      |      |      |      |      |      |      |      |  |
| 9105876 | 6 x 5/32 in                  |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1+   |      |      | 1    |      |      |      |      |      | 1    |      |      |  |
| 9105879 | 8 x 3/16 in                  |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |  |
|         | <u>Accessories</u>           |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 9105891 | SCRIBER, filters, 7 in       |   | Fa |   | 1    |      |      |      |      | 1    |      |      |      |      | 1    | 1    |      |      |      |      | 1    |      | 1    |      |      |      |      |      |      |      |      |  |
| 9105915 | Flier, type                  |   | Fa |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |  |
|         | <u>SHEARS</u>                |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 9105920 | Serrating                    |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |  |
| 9105924 | Tailor                       |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
|         | <u>Tinman</u>                |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 9105927 | Scratch 16 ins               |   | Pr |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |  |
| 1207289 | Snip metalcutting hand 14 in |   | Pr |   |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      | 1    |      |      |      |      |  |
| 1207288 | Snip metalcutting hand 11 in |   | Pr |   |      |      | 1    |      |      |      |      | 1    |      |      | 1    |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |  |

AL 64 MAY 1974

SECTION 8  
 VOCAB SECTION 1C  
 PAGE 4A

| 1       | 2                         | 3 | 4  | 5 | A 40 | A 41 | A 42 | A 43 | A 44 | A 45 | A 46 | A 47 | A 48 | A 49 | A 50 | A 51 | A 52 | A 53 | A 54 | A 55 | A 56 | A 57 | A 58 | A 59 | A 60 | A 61 | A 62 | A 63 | A 64 | A 65 | A 66 |
|---------|---------------------------|---|----|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|         | <u>SECTION 1C (Contd)</u> |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9105922 | Watchmaker                |   | Pr |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9105934 | SHOVEL, G.S.              |   | Ea |   | 3    |      |      |      |      |      |      |      |      |      |      |      | 4    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>SPANNER</u>            |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>Adjustable</u>         |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9105954 | 4 ins                     |   | Ea |   |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    | 1    |      |      |
| 9105957 | 11 ins                    |   | Ea |   | 1    |      |      |      |      |      | 1    |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9105958 | 15 ins                    |   | Ea |   |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |
| 9105959 | 18 ins                    |   | Ea |   |      |      |      |      |      | 1    |      |      |      |      |      |      | 1    |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |



(50084) 38

A/L 57 June 1972

| 1                                     | 2  | 3 | 4    | 5 | A<br>40 | A<br>41 | A<br>42 | A<br>43 | A<br>44 | A<br>45 | A<br>46 | A<br>47 | A<br>48 | A<br>49 | A<br>50 | A<br>51 | A<br>52 | A<br>53 | A<br>54 | A<br>55 | A<br>56 | A<br>57 | A<br>58 | A<br>59 | A<br>60 | A<br>61 | A<br>62 | A<br>63 | A<br>64 | A<br>65 | A<br>66 |
|---------------------------------------|--|---|------|---|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                                       | <u>SECTION 1C (Contd.)</u>   |   |      |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |
|                                       | <u>SPANNER (Contd.)</u>  |   |      |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |
|                                       | <u>DOUBLE ENDED, OPEN JAW A.F.</u>                                 |   |      |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |
| 9552989                               | 5/16 x 3/8 in.   |   | Each |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         | 2       |         |         |         |         |         |         |         |         |         |         |         |         |
| 9105999                               | 5/16 x 11/32 in.   |   | Each |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         | 2       |         |         |         |         |         |         |         |         |         |         |         |         |
| 1203948                               | 3/8 x 7/16 in.   |   | Each |   |         |         |         | 2       |         |         |         |         |         |         |         |         | 1       |         | 2       |         |         |         |         |         |         |         |         |         |         |         |         |
| 9106001                               | 1/2 x 7/16 in.   |   | Each |   |         |         | 1       | 2       |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |
| 1300070                               | 1/2 x 9/16 in.   |   | Each |   |         |         |         | 2       |         |         |         |         |         |         |         |         | 1       |         | 2       |         |         |         |         |         |         |         |         |         |         |         |         |
| 9106002                               | 9/16 x 5/8 in.   |   | Each |   |         |         |         | 2       |         |         |         |         |         |         |         |         |         |         | 2       |         |         |         |         |         |         |         |         |         |         |         |         |
| 9575002                               | 19/32 x 25/32 in.  |   | Each |   |         |         |         |         |         |         |         |         |         |         |         | 2       |         |         | 2       |         |         |         |         |         |         |         |         |         |         |         |         |
| 9551731                               | 5/8 x 3/4 in.  |   | Each |   |         |         |         | 2       |         |         |         |         |         |         |         |         | 1       |         | 2       |         |         |         |         |         |         |         |         |         |         |         |         |
| 9552991                               | 11/16 x 13/16 in.  |   | Each |   |         |         |         | 2       |         |         |         |         |         |         |         |         | 1       |         | 2       |         |         |         |         |         |         |         |         |         |         |         |         |
| <del>9552990</del>                    | 3/4 x 7/8 in.  |   | Each |   |         |         |         | 2       |         |         |         |         |         |         |         |         | 1       |         | 2       |         |         |         |         |         |         |         |         |         |         |         |         |
| 9106006                               | 15/16 x 1 in.  |   | Each |   |         |         |         | 2       |         |         |         |         |         |         |         | 2       |         |         | 2       |         |         |         |         |         |         |         |         |         |         |         |         |
| 9106007                               | 15/16 x 1 <sup>1</sup> / <sub>8</sub> in.                          |   | Each |   |         |         |         | 1       | 2       |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |
| 9575001                               | 1 <sup>1</sup> / <sub>16</sub> x 1 <sup>1</sup> / <sub>8</sub> in. |   | Each |   |         |         |         | 2       |         |         |         |         |         |         |         | 2       |         |         | 2       |         |         |         |         |         |         |         |         |         |         |         |         |
| 6348                                  | 1 <sup>1</sup> / <sub>8</sub> x 1 <sup>1</sup> / <sub>4</sub> in.  |   | Each |   |         |         |         | 2       |         |         |         |         |         |         |         | 2       |         |         | 2       |         |         |         |         |         |         |         |         |         |         |         |         |
| <del>9709379</del><br><del>6528</del> | 1 <sup>1</sup> / <sub>8</sub> x 1 <sup>5</sup> / <sub>16</sub> in. |   | Each |   |         |         |         | 1       |         |         |         |         |         |         |         |         |         |         | 2       |         |         |         |         |         |         |         |         |         |         |         |         |
|                                       | <u>FLARE NUT, DOUBLE ENDED</u>                                     |   |      |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |
| 9106183                               | Folding set  |   | Each |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         | 1       | 1       | 1       |         |         |         |



| 1       | 2  | 3 | 4    | 5 | A<br>40 | A<br>41 | A<br>42 | A<br>43 | A<br>44 | A<br>45 | A<br>46 | A<br>47 | A<br>48 | A<br>49 | A<br>50 | A<br>51 | A<br>52 | A<br>53 | A<br>54 | A<br>55 | A<br>56 | A<br>57 | A<br>58 | A<br>59 | A<br>60 | A<br>61 | A<br>62 | A<br>63 | A<br>64 | A<br>65 | A<br>66 |
|---------|--|---|------|---|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|         | <u>SECTION 1C (Contd.)</u>                 |   |      |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |
|         | <u>SPANNER (Contd.)</u>                    |   |      |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |
|         | <u>Bi-hexagon ring double ended B.S.W.</u> |   |      |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |
| 1203958 | 1/8 x 3/16 in.                             |   | Each |   |         |         |         |         |         | 1       |         |         |         |         |         | 1       |         |         |         | 1       |         |         |         |         |         |         |         |         |         |         |         |
| 9106189 | 7/8 x 1 in.                                |   | Each |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         | 1       |         |         |         |         |         |         |         |         |         |         |         |
| 9106184 | 3/16 x 1/4 in.                             |   | Each |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         | 1       |         |         |         |         |         |         |         |         |         |         |         |
| 1203913 | 1/4 x 5/16 in.                             |   | Each |   |         |         |         |         |         | 1       |         |         |         |         |         | 1       |         |         |         | 1       |         |         |         |         |         |         |         |         |         |         |         |
| 1205559 | 3/8 x 7/16 in.                             |   | Each |   |         |         |         |         |         | 1       |         |         |         |         |         | 1       |         |         |         | 1       |         |         |         |         |         |         |         |         |         |         |         |
| 1276114 | 1/2 x 9/16 in.                             |   | Each |   |         |         |         |         |         | 1       |         |         |         |         |         | 1       |         |         |         | 1       |         |         |         |         |         |         |         |         |         |         |         |
| 1205561 | 5/8 x 3/4 in.                              |   | Each |   |         |         |         |         |         |         |         |         |         |         |         | 1       |         |         |         | 1       |         |         |         |         |         |         |         |         |         |         |         |
| 1205562 | 11/16 x 13/16 in.                          |   | Each |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         | 1       |         |         |         |         |         |         |         |         |         |         |         |
|         | <u>Double ended, open jaw</u>              |   |      |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |
| 9106177 | 0 x 2 BA                                   |   | Each |   |         |         |         | 2       |         |         |         |         |         |         |         |         |         |         |         | 1       |         |         |         |         |         |         |         |         |         | 2       |         |
| 9106179 | 4 x 6 BA                                   |   | Each |   |         |         |         | 2       |         |         |         |         |         |         |         |         |         |         |         | 1       |         |         |         |         |         |         |         |         |         | 2       |         |
| 9106228 | 3/16 x 1/4 in. B.S.W.                      |   | Each | 1 |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         | 1       |         |         |         |         |         |         | 2       | 2       |         |         |         |
| 9106229 | 5/16 x 3/8 in. B.S.W.                      |   | Each | 1 |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         | 1       |         |         |         |         |         |         |         | 1       |         |         |         |
| 9106230 | 7/16 x 1/2 in. B.S.W.                      |   | Each | 1 |         |         |         |         |         |         |         |         |         |         |         | 1       |         |         |         |         |         |         |         |         |         |         |         | 1       |         |         |         |
| 9106231 | 9/16 x 5/8 in. B.S.W.                      |   | Each | 1 |         | 2       |         | 1       | 1       |         |         |         |         |         |         | 1       |         |         |         |         |         |         |         | 1       |         |         |         |         |         |         |         |
| 9106232 | 11/16 x 3/4 in. B.S.W.                     |   | Each | 1 |         | 2       |         | 1       | 1       |         |         |         |         |         |         | 1       |         |         |         |         |         |         |         | 1       |         |         | 1       |         |         |         |         |
| 9106233 | 7/8 x 1 in. B.S.W.                         |   | Each |   |         | 2       |         |         | 1       |         |         |         |         |         |         | 1       |         |         |         |         |         |         |         | 1       |         |         |         |         |         |         |         |

A/L 62 November 1973

| 1       | 2                                     | 3 | 4  | 5 | A 40 | A 41 | A 42 | A 43 | A 44 | A 45 | A 46 | A 47 | A 48 | A 49 | A 50 | A 51 | A 52 | A 53 | A 54 | A 55 | A 56 | A 57 | A 58 | A 59 | A 60 | A 61 | A 62 | A 63 | A 64 | A 65 | A 66 |   |
|---------|---------------------------------------|---|----|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|---|
|         | <u>SECTION 1C (Contd)</u>             |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |   |
|         | <u>SPANNER (Contd)</u>                |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |   |
|         | <u>Double ended, open jaw (Contd)</u> |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |   |
| 9106289 | 10 x 11 mm                            |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |   |
| 9106291 | 14 x 15 mm                            |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |   |
| 9106292 | 16 x 17 mm                            |   | Ea |   |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |   |
|         | <u>Double ended open jaw Ring</u>     |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |   |
| 1275368 | 5 x 6 mm                              |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |   |
| 1275370 | 8 x 9 mm                              |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |   |
| 1275371 | 10 x 11 mm                            |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |   |
| 1275372 | 12 x 13 mm                            |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |   |
|         | <u>SQUARE</u>                         |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |   |
| 9106422 | Fitter, 4 in                          |   | Ea |   | 1    |      | 1    |      |      |      |      |      |      |      |      |      |      |      | 1    | 1    |      | 1    | 1    |      |      | 1    |      |      |      |      |      |   |
| 9106425 | Fitter, 12 in                         |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      | 1    |      |      |      |      |      |   |
| 9106428 | Tailors                               |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 2 |
|         | <u>Ring Double ended</u>              |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |   |
| 1275369 | 7 x 8 mm                              |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |   |
| 1275373 | 14 x 15 mm                            |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |   |
| 1275374 | 16 x 17 mm                            |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |   |
| 1275375 | 18 x 19 mm                            |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |   |

A/L 62 November 1973

| 1       | 2                                | 3 | 4  | 5 | A 40 | A 41 | A 42 | A 43 | A 44 | A 45 | A 46 | A 47 | A 48 | A 49 | A 50 | A 51 | A 52 | A 53 | A 54 | A 55 | A 56 | A 57 | A 58 | A 59 | A 60 | A 61 | A 62 | A 63 | A 64 | A 65 | A 66 |
|---------|----------------------------------|---|----|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|         | <u>SECTION 1C</u> (Contd)        |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>SPANNER</u> (Contd)           |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>Ring Double ended</u> (contd) |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1275376 | 20 x 22 mm                       |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |
| 1275377 | 21 x 23 mm                       |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |
| 1275378 | 24 x 26 mm                       |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |
| 1275379 | 25 x 28 mm                       |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |
| 1275380 | 27 x 32 mm                       |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |
| 1275381 | 28 x 30 mm                       |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |
| 1275382 | 29 x 32 mm                       |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>Double Ended open jaw</u>     |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9106288 | 8 x 9 mm                         |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |
| 9106290 | 12 x 13 mm                       |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |
| 9106293 | 18 x 19 mm                       |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |
| 9106294 | 20 x 21 mm                       |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |
| 9106295 | 22 x 23 mm                       |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |
| 9106296 | 24 x 25 mm                       |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |
| 9106297 | 26 x 27 mm                       |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |
| 9106298 | 28 x 29 mm                       |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |
| 9106306 | 29 x 32 mm                       |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |



A/L 62 November 1973

| 1       | 2   | 3 | 4  | 5 | A 40 | A 41 | A 42 | A 43 | A 44 | A 45 | A 46 | A 47 | A 48 | A 49 | A 50 | A 51 | A 52 | A 53 | A 54 | A 55 | A 56 | A 57 | A 58 | A 59 | A 60 | A 61 | A 62 | A 63 | A 64 | A 65 | A 66 |  |
|---------|---|---|----|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--|
|         | SECTION 1C (Contd)                                      |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
|         | SPANNER (Contd)   |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
|         | Double Ended open jaw (contd)                           |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 9106299 | 30 x 31 mm  |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |  |
| 9106300 | 32 x 35 mm  |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |  |
| 9106045 | Single ended open jaw AF 2 <sup>1</sup> / <sub>16</sub> |   | Ea |   |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |

| 1       | 2                               | 3 | 4  | 5 | A 40 | A 41 | A 42 | A 43 | A 44 | A 45 | A 46 | A 47 | A 48 | A 49 | A 50 | A 51 | A 52 | A 53 | A 54 | A 55 | A 56 | A 57 | A 58 | A 59 | A 60 | A 61 | A 62 | A 63 | A 64 | A 65 | A 66 |
|---------|---------------------------------|---|----|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|         | <u>SECTION 1C (Contd)</u>       |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>SPANNER RING</u>             |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1275368 | 5 x 6 mm hex                    |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1275369 | 7 x 8 mm hex                    |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1275370 | 8 x 9 mm hex                    |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1275371 | 10 x 11 mm hex                  |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1275372 | 12 x 13 mm hex                  |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1275373 | 14 x 15 mm hex                  |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1275374 | 16 x 17 mm hex                  |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1275375 | 18 x 19 mm hex                  |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1275376 | 20 x 22 mm hex                  |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1275377 | 21 x 22 mm hex                  |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1275378 | 24 x 26 mm hex                  |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1275379 | 25 x 28 mm hex                  |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1275380 | 27 x 32 mm hex                  |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1275381 | 28 x 30 mm hex                  |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1275382 | 29 x 30 mm hex                  |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>WRENCHES</u>                 |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>Allen Key Metric Section</u> |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1226464 | 3 mm                            |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |

AL 64 MAY 1974

SECTION 8  
 VOCAB SECTION 1C  
 PAGE 10C

| 1       | 2                               | 3 | 4  | 5 | A 40 | A 41 | A 42 | A 43 | A 44 | A 45 | A 46 | A 47 | A 48 | A 49 | A 50 | A 51 | A 52 | A 53 | A 54 | A 55 | A 56 | A 57 | A 58 | A 59 | A 60 | A 61 | A 62 | A 63 | A 64 | A 65 | A 66 |
|---------|---------------------------------|---|----|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|         | <u>SECTION 1C (Contd)</u>       |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>WRENCHES</u>                 |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>Allen Key Metric Section</u> |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1226465 | 4 mm                            |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1226466 | 5 mm                            |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1243483 | 6 mm                            |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1226467 | 8 mm                            |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1226468 | 10 mm                           |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1356911 | 12 mm                           |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1356912 | 14 mm                           |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1356913 | 17 mm                           |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1356914 | 19 mm                           |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |



| 1       | 2   | 3 | 4    | 5 | A<br>40 | A<br>41 | A<br>42 | A<br>43 | A<br>44 | A<br>45 | A<br>46 | A<br>47 | A<br>48 | A<br>49 | A<br>50 | A<br>51 | A<br>52 | A<br>53 | A<br>54 | A<br>55 | A<br>56 | A<br>57 | A<br>58 | A<br>59 | A<br>60 | A<br>61 | A<br>62 | A<br>63 | A<br>64 | A<br>65 | A<br>66 |
|---------|---|---|------|---|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|         | <u>SECTION 1C (Contd.)</u>                                |   |      |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |
|         | <u>SPANNER (Contd.)</u>                                   |   |      |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |
|         | <u>Socket, Double Depth A.F.<br/>3/8" sq.dr. (Contd.)</u> |   |      |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |
| 6863    | Union, Single end, open jaw 3/4 in.<br>whit               |   | Each |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         | 2       |
| 9106415 | Square combination, 12 in.                                |   | Each |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         | 1       |         |         |         |         |         |         |         |         |         |         | 1       |         |
|         | <u>STAKE, tinner</u>                                      |   |      |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |
| 9106430 | Cannister, 2 in. face                                     |   | Each |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         | 1       |         |         |         |         |         |
| 9106433 | Half moon, 8 lb.  |   | Each |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         | 1       |         |         |         |         |         |
| 9106434 | Hatchet, 7 1/2 lb.  |   | Each |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         | 1       |         |         |         |         |         |
| 9106437 | Pipe, special, 12 lbs.                                    |   | Each |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         | 1       |         |         |         |         |         |
| 1206743 | Strap, adjustable   |   | Each |   |         |         |         |         | 1       |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |
|         | <u>STAMP</u>  |   |      |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |
|         | <u>Brass on Wood</u>                                      |   |      |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |
|         | <u>Broad arrow</u>  |   |      |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |
| 6229    | 1/8 in.   |   | Each |   |         |         |         |         |         |         | 1       |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |
| 6230    | 1/4 in.   |   | Each |   |         |         |         |         |         |         | 1       |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |
| 9106457 | 1/2 in.   |   | Each |   |         |         |         |         |         |         | 1       |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |
| 6233    | 2 in.   |   | Each |   |         |         |         |         |         |         | 1       |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |
| 9106455 | Figures 1/2 in. Sets                                      |   | Each |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         | 1       |         | 1       |         |
| 9106456 | Letters 1/2 in. Sets                                      |   | Each |   |         |         |         |         |         |         | 1       |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         | 1       |         |         |         |         |

A/L 62 November 1973

| 1       | 2                   | 3 | 4  | 5 | A 40 | A 41 | A 42 | A 43 | A 44 | A 45 | A 46 | A 47 | A 48 | A 49 | A 50 | A 51 | A 52 | A 53 | A 54 | A 55 | A 56 | A 57 | A 58 | A 59 | A 60 | A 61 | A 62 | A 63 | A 64 | A 65 | A 66 |   |
|---------|---------------------|---|----|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|---|
|         | SECTION 1C (Cont'd) |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |   |
|         | RUBBER, numbering   |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |   |
|         | <u>Steel</u>        |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |   |
|         | <u>Broad arrow</u>  |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |   |
| 9106476 | 1/8 in              |   | Ea |   |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |   |
| 9106477 | 1/4 in              |   | Ea |   |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |   |
| 9106478 | 1/2 in              |   | Ea |   |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |   |
| 6227    | 1 in                |   | Ea |   |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |   |
| 6228    | 2 in                |   | Ea |   |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |   |
|         | <u>Figures</u>      |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |   |
| 9106466 | 1/8 in Sets         |   |    |   |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |   |
| 9106467 | 1/4 in Sets         |   | Ea |   |      |      | 1    |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |   |
|         | <u>Letters</u>      |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |   |
| 9106471 | 1/8 in Sets         |   | Ea |   |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |   |
| 9106472 | 1/4 in Sets         |   | Ea |   |      |      | 1    |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |   |
|         | <u>STRAIGHTEDGE</u> |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |   |
| 2582    | Tailors             |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1 |
| 2425    | STRAINER, paint     |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |   |

A/L 62 November 1973

| 1       | 2                                    | 3 | 4  | 5 | A 40 | A 41 | A 42 | A 43 | A 44 | A 45 | A 46 | A 47 | A 48 | A 49 | A 50 | A 51 | A 52 | A 53 | A 54 | A 55 | A 56 | A 57 | A 58 | A 59 | A 60 | A 61 | A 62 | A 63 | A 64 | A 65 | A 66 |  |   |
|---------|--------------------------------------|---|----|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--|---|
|         | <u>SECTION 1C (Contd)</u>            |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |   |
|         | <u>SWACE</u>                         |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |   |
|         | <u>Blade, large shank</u>            |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |   |
| 9106498 | 3/8 and 1/2 in                       |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |   |
|         | <u>Top, with rod</u>                 |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |   |
| 9106518 | 3/8 in                               |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |   |
| 9106519 | 1/2 in                               |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |   |
| 9106521 | 3/4 in                               |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |   |
| 2433    | SYRINGE, oil                         |   | Ea |   |      |      | 1    |      |      | 2    |      |      |      |      |      | 1    |      | 1    | 2    |      |      |      |      |      |      |      |      |      |      |      |      |  |   |
|         | <u>TAPE, measuring, wind up</u>      |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |   |
| 9106528 | 50 ft metallic woven, plastic finish |   | Ea |   |      |      | 1    | 1    |      |      |      |      |      |      |      |      |      |      |      | 1    | 1    |      |      | 1    |      |      |      |      |      |      |      |  |   |
| 9106532 | 50 ft steel                          |   | Ea |   |      |      |      |      | 1    |      | 1    |      |      |      |      | 1    |      |      | 1    |      |      |      |      | 1    |      |      |      |      |      |      |      |  |   |
| 9105705 | Tensioner, wire                      |   | Ea |   | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |   |
| 2590    | THIMBLE                              |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  | 2 |

















| 1       | 2                              | 3 | 4    | 5 | A<br>40 | A<br>41 | A<br>42 | A<br>43 | A<br>44 | A<br>45 | A<br>46 | A<br>47 | A<br>48 | A<br>49 | A<br>50 | A<br>51 | A<br>52 | A<br>53 | A<br>54 | A<br>55 | A<br>56 | A<br>57 | A<br>58 | A<br>59 | A<br>60 | A<br>61 | A<br>62 | A<br>63 | A<br>64 | A<br>65 | A<br>66 |   |  |
|---------|--------------------------------|---|------|---|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---|--|
|         | <u>SECTION 1C</u> (Contd.)     |   |      |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |   |  |
|         | <u>TOOL</u> (Contd.)           |   |      |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |   |  |
|         | <u>WRENCH</u> (Contd.)         |   |      |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |   |  |
|         | <u>Allen Key A.F.</u> (Contd.) |   |      |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |   |  |
| 9106071 | 9/16 in.                       |   | Each |   |         |         |         | 1       |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |   |  |
| 9106072 | 5/8 in.                        |   | Each |   |         |         |         | 1       |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |   |  |
|         | Spanner O.J.                   |   |      |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |   |  |
|         | <u>Crescent type</u>           |   |      |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |   |  |
| 9105963 | 6 in.                          |   | Each |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         | 1       | 1       |         |         |         |         |         |         |         |         |         |         |         | 2 |  |
| 9105964 | 8 in.                          |   | Each |   |         |         | 1       | 1       |         |         |         |         |         |         |         |         |         |         | 1       |         |         |         |         |         |         |         |         |         |         |         |         |   |  |
| 1206743 | Pipe                           |   | Each | 2 |         |         |         | 1       |         |         |         |         |         |         |         |         |         |         | 1       | 1*      |         |         | 1       |         |         |         |         |         |         |         |         |   |  |
| 1200931 | Pipe chain, 3/4 to 4 ins.      |   | Each |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         | 1       |         |         |         |         |         |         |         |         |         |         |         |         |   |  |
|         | <u>Pipe Fastpoint type</u>     |   |      |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |   |  |
| 9106633 | 6 ins.                         |   | Each |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         | 1       |         |         |         |         |         |         |         |         |         |         |         |         |   |  |
| 9106634 | 9 ins.                         |   | Each |   |         |         |         |         |         |         |         |         |         |         |         |         | 1       |         | 1       |         |         |         |         |         |         |         |         |         |         |         |         |   |  |
|         | <u>Pipe stillson type</u>      |   |      |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |   |  |
| 9106635 | 10 ins.                        |   | Each |   |         |         |         |         |         |         |         |         |         |         |         | 1       |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |   |  |
| 9106637 | 14 ins.                        |   | Each |   |         |         |         |         |         |         |         |         |         |         |         |         | 1       |         | 1       |         |         |         |         |         |         |         |         |         |         |         |         |   |  |
|         | <u>Mole grip</u>               |   |      |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |   |  |
| 1241042 | 7 ins.                         |   | Each |   |         |         |         |         |         |         |         |         |         |         |         | 2       |         |         | 2       |         |         |         |         |         |         | 2       |         |         |         |         |         |   |  |
| 1200939 | 10 ins.                        |   | Each |   |         |         |         |         |         |         |         |         |         |         |         | 2       |         |         | 1       |         |         |         |         |         |         | 2       |         |         |         |         |         |   |  |

\* For servicing Tele-  
printers at Over-  
seas Units Qty. 1  
per 10 Teleprinters  
or part thereof.











| 1       | 2                                       | 3 | 4    | 5 | A<br>40 | A<br>41 | A<br>42 | A<br>43 | A<br>44 | A<br>45 | A<br>46 | A<br>47 | A<br>48 | A<br>49 | A<br>50 | A<br>51 | A<br>52 | A<br>53 | A<br>54 | A<br>55 | A<br>56 | A<br>57 | A<br>58 | A<br>59 | A<br>60 | A<br>61 | A<br>62 | A<br>63 | A<br>64 | A<br>65 | A<br>66 |  |
|---------|---|---|------|---|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|--|
|         | <u>SECTION 1G</u>                       |   |      |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |  |
|         | <u>DRILL TWIST PARALLELSHANK H.S.S.</u> |   |      |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |  |
| 9108382 | 3/64 in.                                |   | Each |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         | 1       |         |         |         |         |         | 1       |         |         |         |         |         |  |
| 9108383 | 1/16 in.                                |   | Each | 1 |         |         |         | 3       | 4       |         |         |         |         |         |         | 6       |         |         | 6       |         |         |         |         |         |         | 10      |         |         | 2       |         |         |  |
| 9108384 | 5/64 in.                                |   | Each | 1 |         |         |         |         |         |         |         |         |         |         |         | 6       |         |         | 2       |         |         |         |         |         |         | 6       |         |         |         |         |         |  |
| 9108385 | 3/32 in.                                |   | Each | 1 |         |         |         |         |         | 2       |         |         |         |         |         | 6       |         |         | 6       |         |         |         |         |         |         | 6       |         |         |         |         |         |  |
| 9108386 | 7/64 in.                                |   | Each | 1 |         |         |         |         |         |         |         |         |         |         |         | 6       |         |         | 2       |         |         |         |         |         |         | 6       |         |         |         |         |         |  |
| 9108387 | 1/8 in.                                 |   | Each | 1 |         |         |         | 3       | 2       |         |         |         |         |         |         | 6       |         |         | 6       |         |         |         |         |         |         | 6       |         |         | 1       |         |         |  |
| 9108388 | 9/64 in.                                |   | Each |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         | 1       |         |         |         |         |         |         | 1       |         |         |         |         |         |  |
| 9108389 | 5/32 in.                                |   | Each | 1 |         |         |         |         |         | 2       |         |         |         |         |         | 6       |         |         | 2       |         |         |         |         |         |         | 6       |         |         |         |         |         |  |
| 9108391 | 3/16 in.                                |   | Each | 1 |         |         |         | 3       | 2       |         |         |         |         |         |         | 6       |         |         | 6       |         |         |         |         |         |         | 4       |         |         | 1       |         |         |  |
| 9108393 | 7/32 in.                                |   | Each | 1 |         |         |         |         |         | 2       |         |         |         |         |         | 4       |         |         | 2       |         |         |         |         |         |         | 2       |         |         |         |         |         |  |
| 9108395 | 1/4 in.                                 |   | Each | 1 |         | 1       |         | 3       | 2       |         |         |         |         |         |         | 4       |         |         | 4       |         |         |         |         |         |         | 2       |         |         | 1       |         |         |  |
| 9108396 | 17/64 in.                               |   | Each |   |         |         |         |         |         |         |         |         |         |         |         | 1       |         |         | 1       |         |         |         |         |         |         |         |         |         |         |         |         |  |
| 9108397 | 9/32 in.                                |   | Each | 1 |         | 1       |         |         |         |         |         |         |         |         |         | 2       |         |         | 2       |         |         |         |         |         |         | 1       |         |         |         |         |         |  |
| 9108399 | 5/16 in.                                |   | Each | 1 |         | 1       |         |         |         |         |         |         |         |         |         | 2       |         |         | 4       |         |         |         |         |         |         | 1       |         |         |         |         |         |  |
| 9108401 | 11/32 in.                               |   | Each | 1 |         | 1       |         |         |         |         |         |         |         |         |         |         |         |         | 2       |         |         |         |         |         |         | 1       |         |         |         |         |         |  |
| 9108403 | 3/8 in.                                 |   | Each | 1 |         | 1       |         |         |         |         |         |         |         |         |         | 2       |         |         | 2       |         |         |         |         |         |         | 1       |         |         |         |         |         |  |
|         | <u>METRIC:-</u>                         |   |      |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |  |
|         | <u>DRILL TWIST PARALLELSHANK H.S.S.</u> |   |      |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |  |
| 9108542 | 1.00 m.m.                               |   | Each |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         | 1       |         |         |         |         |         |         | 1       |         |         |         |         |         |  |
| 9108544 | 1.10 m.m.                               |   | Each |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         | 1       |         |         |         |         |         |         | 1       |         |         |         |         |         |  |



| 1       | 2  | 3 | 4    | 5 | A<br>40 | A<br>41 | A<br>42 | A<br>43 | A<br>44 | A<br>45 | A<br>46 | A<br>47 | A<br>48 | A<br>49 | A<br>50 | A<br>51 | A<br>52 | A<br>53 | A<br>54 | A<br>55 | A<br>56 | A<br>57 | A<br>58 | A<br>59 | A<br>60 | A<br>61 | A<br>62 | A<br>63 | A<br>64 | A<br>65 | A<br>66 |
|---------|--|---|------|---|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|         | <u>SECTION 1G (Contd.)</u>                           |   |      |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |
|         | <u>DRILL TWIST PARALLEL SHANK H.S.S.</u><br>(Contd.) |   |      |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |
|         | <u>METRIC (Contd.)</u>                               |   |      |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |
| 1202711 | 4.50 m.m.  |   | Each |   |         |         |         |         |         | 2       |         |         |         |         |         |         |         |         |         | 1       |         |         | 3       |         |         | 1       |         |         |         |         |         |
| 9108585 | 3.50 m.m.  |   | Each |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         | 1       |         |         |         |         |         | 1       |         |         |         |         |         |
| 1202712 | 3.70 m.m.  |   | Each |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         | 1       |         |         | 3       |         |         | 1       |         |         |         |         |         |
| 9108588 | 3.80 m.m.  |   | Each |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         | 1       |         |         |         |         |         | 1       |         |         |         |         |         |
| 9108590 | 3.90 m.m.  |   | Each |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         | 1       |         |         |         |         |         | 1       |         |         |         |         |         |
| 9108591 | 4.00 m.m.  |   | Each |   |         |         |         |         |         |         |         |         |         |         |         | 4       |         |         |         | 3       |         |         |         |         |         | 1       |         |         |         |         |         |
| 9108593 | 4.10 m.m.  |   | Each |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         | 1       |         |         |         |         |         | 1       |         |         |         |         |         |
| 9108595 | 4.20 m.m.  |   | Each |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         | 1       |         |         | 3       |         |         | 1       |         |         |         |         |         |
| 9108597 | 4.30 m.m.  |   | Each |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         | 1       |         |         |         |         |         | 1       |         |         |         |         |         |
| 9108599 | 4.50 m.m.  |   | Each |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         | 1       |         |         |         |         |         | 1       |         |         |         |         |         |
| 9108601 | 4.60 m.m.  |   | Each |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         | 1       |         |         |         |         |         | 1       |         |         |         |         |         |
| 9108602 | 4.70 m.m.  |   | Each |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         | 1       |         |         |         |         |         | 1       |         |         |         |         |         |
| 9108604 | 4.80 m.m.  |   | Each |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         | 1       |         |         | 3       |         |         | 1       |         |         | 1       |         |         |
| 9108606 | 4.90 m.m.  |   | Each |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         | 1       |         |         |         |         |         | 1       |         |         |         |         |         |
| 9108607 | 5.00 m.m.  |   | Each |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         | 1       |         |         |         |         |         | 1       |         |         |         |         |         |
| 9108608 | 5.10 m.m.  |   | Each |   |         |         |         |         |         |         |         |         |         |         |         |         | 2       |         |         | 3       |         |         |         |         |         | 1       |         |         |         |         |         |
| 9108609 | 5.20 m.m.  |   | Each |   |         |         |         |         |         |         |         |         |         |         |         |         | 2       |         |         | 1       |         |         |         |         |         | 1       |         |         |         |         |         |
| 9108611 | 5.30 m.m.  |   | Each |   |         |         |         |         |         |         |         |         |         |         |         |         | 2       |         |         | 2       |         |         |         |         |         | 1       |         |         |         |         |         |









| 1       | 2                                   | 3 | 4  | 5 | A 40 | A 41 | A 42 | A 43 | A 44 | A 45 | A 46 | A 47 | A 48 | A 49 | A 50 | A 51 | A 52 | A 53 | A 54 | A 55 | A 56 | A 57 | A 58 | A 59 | A 60 | A 61 | A 62 | A 63 | A 64 | A 65 | A 66 |
|---------|-------------------------------------|---|----|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|         | <u>SECTION 1G (Contd)</u>           |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>TOOL SCREW CUTTING HAND DIES</u> |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>A.N. COARSE THREAD</u>           |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9108131 | No 4                                |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9108132 | No 6                                |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9108133 | No 8                                |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9108134 | No 10                               |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>DIES A.N. FINE THREAD</u>        |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9108145 | No 10                               |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>DIES B.A. THREAD</u>             |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1359759 | No 0                                |   | Ea |   |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      | 1    | 1    |      |      |      |      |      |      |      |
| 1359760 | No 1                                |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1352254 | No 2                                |   | Ea |   |      | 4    |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      | 1    |      | 1    | 1    |      |      |      |      |      |      |      |
| 1359761 | No 3                                |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1352255 | No 4                                |   | Ea |   |      | 4    |      |      |      |      |      |      |      |      |      | 1    |      |      |      | 1    |      |      | 1    | 1    |      |      |      |      |      |      |      |
| 1352256 | No 5                                |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      | 1    | 1    |      |      |      |      |      |      |
| 1354612 | No 6                                |   | Ea |   |      | 2    |      |      |      |      |      |      |      |      |      | 1    |      |      |      | 1    |      |      | 1    | 1    |      |      |      |      |      |      |      |
| 1359762 | No 7                                |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1352257 | No 8                                |   | Ea |   |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      | 1    | 1    |      |      |      |      |      |      |      |
| 1359763 | No 9                                |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1359764 | No 10                               |   | Ea |   |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      | 1    | 1    |      |      |      |      |      |      |      |

| 1       | 2                            | 3 | 4  | 5 | A 40 | A 41 | A 42 | A 43 | A 44 | A 45 | A 46 | A 47 | A 48 | A 49 | A 50 | A 51 | A 52 | A 53 | A 54 | A 55 | A 56 | A 57 | A 58 | A 59 | A 60 | A 61 | A 62 | A 63 | A 64 | A 65 | A 66 |
|---------|------------------------------|---|----|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|         | <u>SECTION 16 (Contd)</u>    |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>DIES B.S. CYCLE</u>       |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 680     | 3/16 in x 26 tpi             |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1358046 | 3/16 in x 32 tpi             |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1358045 | 1/4 in x 26 tpi              |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 683     | 1/4 in x 30 tpi              |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1358044 | 5/16 in                      |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1358043 | 3/8 in                       |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>DIES B.S. FINE THREAD</u> |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9108105 | 1/4 in                       |   | Ea |   |      | 2    |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9108107 | 5/16 in                      |   | Ea |   |      | 1    |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9108108 | 3/8 in                       |   | Ea |   |      | 1    |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9108109 | 7/16 in                      |   | Ea |   |      | 1    |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9108110 | 1/2 in                       |   | Ea |   |      | 1    |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>DIES B.S. WHT THREAD</u>  |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9108120 | 1/4 in                       |   | Ea |   |      | 1    |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |
| 9108122 | 5/16 in                      |   | Ea |   |      | 1    |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |
| 9108123 | 3/8 in                       |   | Ea |   |      | 1    |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |
| 9108124 | 7/16 in                      |   | Ea |   |      | 1    |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |
| 9108125 | 1/2 in                       |   | Ea |   |      | 1    |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |

| 1       | 2                             | 3 | 4  | 5 | A 40 | A 41 | A 42 | A 43 | A 44 | A 45 | A 46 | A 47 | A 48 | A 49 | A 50 | A 51 | A 52 | A 53 | A 54 | A 55 | A 56 | A 57 | A 58 | A 59 | A 60 | A 61 | A 62 | A 63 | A 64 | A 65 | A 66 |  |  |  |  |
|---------|-------------------------------|---|----|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--|--|--|--|
|         | <u>SECTION 1G (Contd)</u>     |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |  |  |
|         | <u>DIES B.S. WHIT. THREAD</u> |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |  |  |
| 9108127 | 5/8 in                        |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |  |  |
| 9108128 | 3/4 in                        |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |  |  |
| 9108129 | 7/8 in                        |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |  |  |
| 9108130 | 1"                            |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |  |  |
|         | <u>DIES UN COARSE THREAD</u>  |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |  |  |
| 9108135 | 1/4 in                        |   | Ea |   |      |      |      | 1    |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |  |  |
| 9108136 | 5/16 in                       |   | Ea |   |      |      |      | 1    |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |  |  |
| 9108137 | 3/8 in                        |   | Ea |   |      |      |      | 1    |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |  |  |
| 9108138 | 7/16 in                       |   | Ea |   |      |      |      | 1    |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |  |  |
| 9108139 | 1/2 in                        |   | Ea |   |      |      |      | 1    |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |  |  |
|         | <u>DIES UN FINE THREAD</u>    |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |  |  |
| 9108145 | No 10                         |   | Ea |   |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |  |  |
| 9108146 | 1/4 in                        |   | Ea |   |      |      |      | 1    |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |  |  |
| 9108147 | 5/16 in                       |   | Ea |   |      |      |      | 1    |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |  |  |
| 9108148 | 3/8 in                        |   | Ea |   |      |      |      | 1    |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |  |  |
| 9108149 | 7/16 in                       |   | Ea |   |      |      |      | 1    |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |  |  |
| 9108150 | 1/2 in                        |   | Ea |   |      |      |      | 1    |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |  |  |
| 9108151 | 9/16 in                       |   | Ea |   |      |      |      | 1    |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |  |  |

| 1       | 2                                 | 3 | 4  | 5 | A 40 | A 41 | A 42 | A 43 | A 44 | A 45 | A 46 | A 47 | A 48 | A 49 | A 50 | A 51 | A 52 | A 53 | A 54 | A 55 | A 56 | A 57 | A 58 | A 59 | A 60 | A 61 | A 62 | A 63 | A 64 | A 65 | A 66 |
|---------|-----------------------------------|---|----|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|         | <u>SECTION 16 (Contd)</u>         |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>DIES UN FINE THREAD</u>        |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9108152 | 5/8 in                            |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |
| 9108153 | 3/4 in                            |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |
| 9108154 | 7/8 in                            |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |
| 9108155 | 1 in                              |   | Fa |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |
|         | <u>DIES B.S. PIPE FINE THREAD</u> |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1352258 | 1/8 in x 28 tpi x 1 5/16 o.d.     |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |
| 1358053 | 1/4 in x 19 tpi x 1 5/16 o.d.     |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |
| 479     | 3/8 in x 19 tpi x 2 1/4 o.d.      |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |
| 1352055 | 1/2 in x 14 tpi x 2 1/4 o.d.      |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |
| 1352050 | 5/8 in x 14 tpi x 2 1/4 o.d.      |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |
|         | <u>DIE METRIC THREAD</u>          |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 621     | 6.0 mm                            |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |
| 1352268 | 7.0 mm                            |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |
| 1352269 | 8.0 mm                            |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |
| 624     | 9.0 mm                            |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |
| 625     | 10.0 mm                           |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |
| 1352271 | 11.0 mm                           |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |
| 627     | 12.0 mm                           |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |

AL 64 MAY 1974

| 1       | 2                                       | 3 | 4  | 5 | A 40 | A 41 | A 42 | A 43 | A 44 | A 45 | A 46 | A 47 | A 48 | A 49 | A 50 | A 51 | A 52 | A 53 | A 54 | A 55 | A 56 | A 57 | A 58 | A 59 | A 60 | A 61 | A 62 | A 63 | A 64 | A 65 | A 66 |  |
|---------|---|---|----|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--|
|         | <u>SECTION 1G (Contd)</u>               |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
|         | <u>TAP BOTTOMING A.N. FINE THREAD</u>   |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 9102260 | No 10                                   |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |  |
|         | <u>TAP BOTTOMING A.N. COARSE THREAD</u> |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 9102104 | No 4                                    |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |  |
| 9102105 | No 6                                    |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |  |
| 9102106 | No 8                                    |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |  |
| 9102107 | No 10                                   |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |  |







| 1       | 2  | 3 | 4    | 5 | A<br>40 | A<br>41 | A<br>42 | A<br>43 | A<br>44 | A<br>45 | A<br>46 | A<br>47 | A<br>48 | A<br>49 | A<br>50 | A<br>51 | A<br>52 | A<br>53 | A<br>54 | A<br>55 | A<br>56 | A<br>57 | A<br>58 | A<br>59 | A<br>60 | A<br>61 | A<br>62 | A<br>63 | A<br>64 | A<br>65 | A<br>66 |
|---------|--|---|------|---|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|         | <u>SECTION 1G (Contd.)</u>                     |   |      |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |
|         | <u>TAP BOTTOMING U.N. FINE</u>                 |   |      |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |
| 9102216 | 1/4 in.  |   | Each |   |         |         |         |         |         |         |         |         |         |         |         | 1       |         |         |         |         |         |         |         |         |         | 1       |         |         |         |         |         |
| 9102217 | 5/16 in.                                       |   | Each |   |         |         |         |         |         |         |         |         |         |         |         | 1       |         |         |         |         |         |         |         |         |         | 1       |         |         |         |         |         |
| 9102218 | 3/8 in.  |   | Each |   |         |         |         |         |         |         |         |         |         |         |         | 1       |         |         |         |         |         |         |         |         |         | 1       |         |         |         |         |         |
| 9102219 | 7/16 in.                                       |   | Each |   |         |         |         |         |         |         |         |         |         |         |         | 1       |         |         |         |         |         |         |         |         |         | 1       |         |         |         |         |         |
| 9102220 | 1/2 in.  |   | Each |   |         |         |         |         |         |         |         |         |         |         |         | 1       |         |         |         |         |         |         |         |         |         | 1       |         |         |         |         |         |
| 9102221 | 9/16 in.                                       |   | Each |   |         |         |         |         |         |         |         |         |         |         |         | 1       |         |         |         |         |         |         |         |         |         | 1       |         |         |         |         |         |
| 9102222 | 5/8 in.  |   | Each |   |         |         |         |         |         |         |         |         |         |         |         | 1       |         |         |         |         |         |         |         |         |         | 1       |         |         |         |         |         |
| 9102223 | 3/4 in.  |   | Each |   |         |         |         |         |         |         |         |         |         |         |         | 1       |         |         |         |         |         |         |         |         |         | 1       |         |         |         |         |         |
| 9102224 | 7/8 in.  |   | Each |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         | 1       |         |         |         |         |         |
| 9102225 | 1 in.  |   | Each |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         | 1       |         |         |         |         |         |
|         | <u>TAP BOTTOMING B.S. FINE &amp; B.S. PIPE</u> |   |      |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |
| 1354729 | 1/8 in. x 28 tpi                               |   | Each |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         | 1       |         |         |         |         |         |
| 1359405 | 1/4 in. x 19 tpi                               |   | Each |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         | 1       |         |         |         |         |         |
| 1359406 | 3/8 in. x 19 tpi                               |   | Each |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         | 1       |         |         |         |         |         |
| 1359982 | 1/2 in. x 14 tpi                               |   | Each |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         | 1       |         |         |         |         |         |
| 473     | 5/8 in. x 14 tpi                               |   | Each |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         | 1       |         |         |         |         |         |
| 1359407 | 3/4 in. x 14 tpi                               |   | Each |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         | 1       |         |         |         |         |         |
| 1359408 | 1 in. x 11 tpi                                 |   | Each |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         | 1       |         |         |         |         |         |
| 1359409 | 1 1/4 in. x 11 tpi                             |   | Each |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         | 1       |         |         |         |         |         |









| 1       | 2                                  | 3 | 4    | 5 | A<br>40 | A<br>41 | A<br>42 | A<br>43 | A<br>44 | A<br>45 | A<br>46 | A<br>47 | A<br>48 | A<br>49 | A<br>50 | A<br>51 | A<br>52 | A<br>53 | A<br>54 | A<br>55 | A<br>56 | A<br>57 | A<br>58 | A<br>59 | A<br>60 | A<br>61 | A<br>62 | A<br>63 | A<br>64 | A<br>65 | A<br>66 |
|---------|------------------------------------|---|------|---|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|         | <u>SECTION 1G (Contd.)</u>         |   |      |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |
|         | <u>TAP TAPER B.S. CYCLE THREAD</u> |   |      |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |
| 674     | 3/16 in. x 26 tpi                  |   | Each |   |         |         |         |         |         |         |         |         |         |         |         | 1       |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |
| 675     | 3/16 in. x 32 tpi                  |   | Each |   |         |         |         |         |         |         |         |         |         |         |         | 1       |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |
| 1357983 | 1/4 in. x 26 tpi                   |   | Each |   |         |         |         |         |         |         |         |         |         |         |         | 1       |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |
| 677     | 1/4 in. x 30 tpi                   |   | Each |   |         |         |         |         |         |         |         |         |         |         |         | 1       |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |
| 678     | 5/16 in.                           |   | Each |   |         |         |         |         |         |         |         |         |         |         |         | 1       |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |
| 679     | 3/8 in.                            |   | Each |   |         |         |         |         |         |         |         |         |         |         |         | 1       |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |
|         | <u>TAP TAPER B.S. FINE THREAD</u>  |   |      |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |
| 9101724 | 1/4 in.                            |   | Each |   |         | 2       |         |         |         |         |         |         |         |         |         | 1       |         |         |         |         |         |         |         |         |         | 1       |         |         |         |         |         |
| 9101726 | 5/16 in.                           |   | Each |   |         | 1       |         |         |         |         |         |         |         |         |         | 1       |         |         |         |         |         |         |         |         |         | 1       |         |         |         |         |         |
| 9101727 | 3/8 in.                            |   | Each |   |         |         |         |         |         |         |         |         |         |         |         | 1       |         |         |         |         |         |         |         |         |         | 1       |         |         |         |         |         |
| 9101728 | 7/16 in.                           |   | Each |   |         |         |         |         |         |         |         |         |         |         |         | 1       |         |         |         |         |         |         |         |         |         | 1       |         |         |         |         |         |
| 9101729 | 1/2 in.                            |   | Each |   |         |         |         |         |         |         |         |         |         |         |         | 1       |         |         |         |         |         |         |         |         |         | 1       |         |         |         |         |         |
|         | <u>TAP TAPER B.S. WHIT. THREAD</u> |   |      |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |
| 9101868 | 1/4 in.                            |   | Each |   | 1       |         |         |         |         |         |         |         |         |         |         | 1       |         |         |         |         |         |         |         |         |         | 1       |         |         |         |         |         |
| 9101869 | 5/16 in.                           |   | Each |   | 1       |         |         |         |         |         |         |         |         |         |         | 1       |         |         |         |         |         |         |         |         |         | 1       |         |         |         |         |         |
| 9101870 | 3/8 in.                            |   | Each |   | 1       |         |         |         |         |         |         |         |         |         |         | 1       |         |         |         |         |         |         |         |         |         | 1       |         |         |         |         |         |
| 9101871 | 7/16 in.                           |   | Each |   | 1       |         |         |         |         |         |         |         |         |         |         | 1       |         |         |         |         |         |         |         |         |         | 1       |         |         |         |         |         |
| 9101872 | 1/2 in.                            |   | Each |   | 1       |         |         |         |         |         |         |         |         |         |         | 1       |         |         |         |         |         |         |         |         |         | 1       |         |         |         |         |         |
| 9101874 | 5/8 in.                            |   | Each |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         | 1       |         |         |         |         |         |







A/L 62 November 1973

| 1       | 2                        | 3  | 4  | 5 | A 40 | A 41 | A 42 | A 43 | A 44 | A 45 | A 46 | A 47 | A 48 | A 49 | A 50 | A 51 | A 52 | A 53 | A 54 | A 55 | A 56 | A 57 | A 58 | A 59 | 60 | A 61 | A 62 | A 63 | A 64 | A 65 | A 66 |
|---------|--------------------------|--|----|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|----|------|------|------|------|------|------|
|         | <u>SECTION 1H</u>        |  |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |    |      |      |      |      |      |      |
|         | <u>ADJUSTER SPRING</u>   |  |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |    |      |      |      |      |      |      |
| 51      | No 1                     |  | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 3    |      |      | 1    |      |    |      |      |      |      |      |      |
| 52      | No 2                     |  | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 3    |      |      | 1    |      |    |      |      |      |      |      |      |
| 9104512 | BURNISHER, Contact, No 1 | (*) For servicing teleprinters at overseas units, Qty 1 per 10 teleprinters or part thereof. | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1*   |      |      |      |      |    |      |      |      |      |      |      |
|         | <u>CLEANER CONTACT</u>   |  |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |    |      |      |      |      |      |      |
|         | <u>Diamond Laced</u>     |  |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |    |      |      |      |      |      |      |
| 139     | Grade A                  |  | Ea |   |      |      | 1    |      | 1    |      |      |      |      |      | 1    |      |      |      |      | 2    |      |      | 1    |      |    |      |      |      |      |      |      |
| 140     | Grade B                  |  | Ea |   |      |      | 1    |      | 1    |      |      |      |      |      | 1    |      |      |      |      | 2    |      |      | 1    |      |    |      |      |      |      |      |      |
| 141     | Grade C                  |  | Ea |   |      |      | 1    |      | 1    |      |      |      |      |      | 1    |      |      |      |      | 2    |      |      | 1    |      |    |      |      |      |      |      |      |
| 9104539 | No 1                     |  | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1*   |      |      |      |      |    |      |      |      |      |      |      |
| 719     | Cutters, Diagonal        |  | Ea |   |      |      |      |      | 1    |      |      |      |      |      | 1    |      |      |      |      |      |      |      | 1    |      | 1  |      |      |      |      |      |      |
| 720     | Cutters, Diagonal        |  | Ea |   |      |      |      |      | 1    |      |      |      |      |      | 1    |      |      |      |      |      |      |      | 1    |      | 1  |      |      |      |      |      |      |
| 721     | Cutters, Oblique         |  | Ea |   |      |      |      |      | 1    |      |      |      |      |      | 1    |      |      |      |      |      |      |      | 1    |      | 1  |      |      |      |      |      |      |
| 723     | Forceps                  |  | Ea |   |      |      |      |      | 1    |      |      |      |      |      | 1    |      |      |      |      |      |      |      | 1    |      | 1  |      |      |      |      |      |      |
|         | <u>GAUGE TENSION</u>     |  |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |    |      |      |      |      |      |      |
| 57      | No 1                     |  | Ea |   |      |      | 1    |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |    |      |      |      |      |      |      |
| 9485691 | No 3                     |  | Ea |   |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      | 1*   |      | 1    |      |    |      |      |      |      |      |      |

A/L 62 November 1973

| 1       | 2                                    | 3 | 4  | 5 | A 40 | A 41 | A 42 | A 43 | A 44 | A 45 | A 46 | A 47 | A 48 | A 49 | A 50 | A 51 | A 52 | A 53 | A 54 | A 55 | A 56 | A 57 | A 58 | A 59 | A 60 | A 61 | A 62 | A 63 | A 64 | A 65 | A 66 |  |  |
|---------|--------------------------------------|---|----|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--|--|
|         | <u>SECTION 1H (Contd)</u>            |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
|         | <u>PLIERS</u>                        |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
| 716     | Flat Nose                            |   | Ea |   |      |      |      |      | 1    |      |      |      |      |      | 1    |      |      |      |      |      |      |      | 1    | 1    |      |      |      |      |      |      |      |  |  |
| 717     | Snipe Nose                           |   | Ea |   |      |      |      |      | 1    |      |      |      |      |      | 1    |      |      |      |      |      |      |      | 1    | 1    |      |      |      |      |      |      |      |  |  |
| 718     | Round Nose                           |   | Ea |   |      |      |      |      | 1    |      |      |      |      |      | 1    |      |      |      |      |      |      |      | 1    | 1    |      |      |      |      |      |      |      |  |  |
| 9438612 | STRETCHING, Sleeve and Tubing Type G |   | Ea |   |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      | 1    |      | 2    |      |      |      |      | 1    |      |      |      |  |  |
| 9438611 | STRETCHING, Sleeve and Tubing Type K |   | Ea |   |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      | 2    | 1    |      |      |      |      |      |      |      |  |  |
| 722     | TWEEZERS                             |   | Ea |   |      |      |      |      | 1    |      |      |      |      |      | 1    |      |      |      |      |      |      |      | 1    | 1    |      |      |      |      |      |      |      |  |  |
|         | <u>SPANNER KIT CONSISTING OF:</u>    |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
|         | <u>HOLDER ASSEMBLIES BODY, DE</u>    |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
| 0569021 | Large                                |   | Ea |   |      |      |      |      | 1    |      |      |      |      |      | 1    |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |  |  |
| 0569020 | Medium                               |   | Ea |   |      |      |      |      | 1    |      |      |      |      |      | 1    |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |  |  |
| 0569019 | Small                                |   | Ea |   |      |      |      |      | 1    |      |      |      |      |      | 1    |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |  |  |
| 486     | SONOSCOPE, stethoscope, type         |   | Ea |   |      |      |      |      | 1    |      |      |      |      |      |      |      | 1    | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
|         | <u>SPANNER</u>                       |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
| 0970134 | Adjustable, special                  |   | Ea |   |      |      |      |      | 1    |      |      |      |      |      | 1    |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |  |  |
| 0441468 | Fixing                               |   | Ea |   |      |      |      | 4    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
|         | <u>TUBULAR</u>                       |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
| 0970140 | Large                                |   | Ea |   |      |      |      |      | 1    |      |      |      |      |      | 1    |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |  |  |
| 0970137 | Medium                               |   | Ea |   |      |      |      |      | 1    |      |      |      |      |      | 1    |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |  |  |

| 1       | 2   | 3 | 4  | 5 | A 40 | A 41 | A 42 | A 43 | A 44 | A 45 | A 46 | A 47 | A 48 | A 49 | A 50 | A 51 | A 52 | A 53 | A 54 | A 55 | A 56 | A 57 | A 58 | A 59 | A 60 | A 61 | A 62 | A 63 | A 64 | A 65 | A 66 |
|---------|---|---|----|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|         | <u>SECTION 1H (Contd)</u>                   |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>TUBULAR (Contd)</u>                      |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 0970133 | Small                                       |   | Ea |   |      |      |      | 1    |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |
| 0970143 | Tommy Bar                                   |   | Ea |   |      |      | 2    | 1    |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |
|         | <u>RESETTING EMERGENCY</u>                  |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 112     | Large                                       |   | Ea |   |      |      |      | 1    |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |
| 113     | Medium                                      |   | Ea |   |      |      |      | 1    |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |
| 114     | Small                                       |   | Ea |   |      |      |      | 1    |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |
|         | <u>TOOL</u>                                 |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1240405 | Crimping, hand                              |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |
| 1240406 | Crimping, hand                              |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |
| 245     | Crimping, kit, Hellerman                    |   | Ea |   |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1243477 | Extraction, insertion                       |   | Ea |   |      |      |      | 1    |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |
| 5809627 | Extraction, insertion                       |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |
| 1300387 | Extraction, insertion                       |   | Ea |   |      |      |      | 1    |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |
|         | <u>Servicing miniature plugs and socket</u> |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>BED PLATE, holder assembly</u>           |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 102     | Large                                       |   | Ea |   |      |      |      | 1    |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |
| 103     | Medium                                      |   | Ea |   |      |      |      | 1    |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |
| 104     | Small                                       |   | Ea |   |      |      |      | 1    |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |
|         | W/T relay adjusting                         |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |

A/L 62 November 1973

| 1       | 2   | 3  | 4  | 5 | A 40 | A 41 | A 42 | A 43 | A 44 | A 45 | A 46 | A 47 | A 48 | A 49 | A 50 | A 51 | A 52 | A 53 | A 54 | A 55 | A 56 | A 57 | A 58 | A 59 | A 60 | A 61 | A 62 | A 63 | A 64 | A 65 | A 66 |
|---------|---|--|----|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|         | <u>SECTION 1H (Contd)</u>                           |  |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>Servicing miniature plugs and socket (Contd)</u> |  |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>ADJUSTER</u>                                     |  |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 3       | Amature No 1  |  | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      | 1    |      |      |      |      |      |      |      |      |
| 4       | Spring, No 4  |  | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      | 1    |      |      |      |      |      |      |      |      |
| 5       | Spring, No 14                                       |  | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      | 1    |      |      |      |      |      |      |      |      |
| 9104539 | CLEANER, contact No 1                               |  | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      | 1    |      |      |      |      |      |      |      |      |
|         | <u>TOOL</u>   |  |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>W/T relay adjusting</u>                          |  |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>SCREWDRIVER, instrument</u>                      |  |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 16      | No 5  | (*) For servicing Teleprinters at overseas units | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1*   |      |      | 1    |      | 1    |      |      |      |      |      |      |
|         | <u>SPANNER, box</u>                                 | Qty 1 per 10 Teleprinters or part thereof        |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9106196 | No 1  |  | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      | 1    |      |      |      |      |      |      |      |      |
| 9106197 | No 2  |  | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      | 1    |      |      |      |      |      |      |      |      |
| 9106198 | No 3  |  | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      | 1    |      |      |      |      |      |      |      |      |
|         | <u>SPANNER, flat</u>                                |  |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9106200 | No 1  |  | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1*   |      |      | 1    |      |      |      |      |      |      |      |      |
| 9106201 | No 2  |  | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1*   |      |      | 1    |      |      |      |      |      |      |      |      |
| 9106202 | No 3  |  | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1*   |      |      | 1    |      |      |      |      |      |      |      |      |

| 1       | 2                                       | 3  | 4  | 5 | A 40 | A 41 | A 42 | A 43 | A 44 | A 45 | A 46 | A 47 | A 48 | A 49 | A 50 | A 51 | A 52 | A 53 | A 54 | A 55 | A 56 | A 57 | A 58 | A 59 | A 60 | A 61 | A 62 | A 63 | A 64 | A 65 | A 66 |
|---------|---|--|----|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|         | <u>SECTION 1H (Contd)</u>               |  |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>SPANNER, flat (Contd)</u>            | (*) For servicing Teleprinters at overseas units Qty 1 per 10 Teleprinters or part thereof |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9106203 | No 4                                    |  | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      | 1    |      |      |      |      |      |      |      |      |
| 9106204 | No 5                                    |  | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1*   |      |      | 1    |      |      |      |      |      |      |      |      |
| 1240402 | TOOL, threading cable                   |  | Ea |   |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 2036306 | TOOL, Hellerman, Tyton strapping, Mk 4A |  | Ea |   | 1    |      |      |      | 1    |      |      |      | 1    |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |
|         | <u>TOOL KIT</u>                         |  |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 2237678 | Crimping Hand, erma                     |  | Ea |   |      |      |      |      | 1    |      |      |      |      |      | 1    |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |
| 443     | AMP Crimping Tool                       |  | Ea |   |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1229844 | STRIPPER WIRE HAND H35/2                |  | Ea |   |      | 1    | 1    |      | 4    |      |      |      | 2    |      | 1    |      |      |      |      |      |      |      | 1    | 1    |      |      |      |      |      |      |      |
|         | <u>Accessories</u>                      |  |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1221391 | BLADE L4421, 0.025 to 0.101 in diam     |  | Ea |   |      | 1    | 1    |      | 1    |      |      |      | 1    |      | 1    |      |      |      |      |      |      |      | 1    | 1    |      |      |      |      |      |      |      |
| 1229845 | BLADE L5361, 0.01 to 0.032 in dia       |  | Ea |   |      | 1    | 1    |      | 1    |      |      |      | 1    |      | 1    |      |      |      |      |      |      |      | 1    | 1    |      |      |      |      |      |      |      |
| 675     | SOCKET Double Depth 8 mm insulated      |  | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |
| 676     | SOCKET Double Depth 10 mm insulated     |  | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |
| 4665487 | SOCKET Double Depth 14 mm insulated     |  | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |
| 4653831 | SOCKET Double Depth 1/2" AF insulated   |  | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |
| 4653832 | SOCKET Double Depth 3/8" AF insulated   |  | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |

| 1       | 2                                   | 3 | 4  | 5 | A 40 | A 41 | A 42 | A 43 | A 44 | A 45 | A 46 | A 47 | A 48 | A 49 | A 50 | A 51 | A 52 | A 53 | A 54 | A 55 | A 56 | A 57 | A 58 | A 59 | A 60 | A 61 | A 62 | A 63 | A 64 | A 65 | A 66 |  |
|---------|-------------------------------------|---|----|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--|
|         | <u>SECTION 1H (Contd)</u>           |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 4665485 | SOCKET Double Depth 10 mm insulated |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |  |
| 4665484 | SOCKET Double Depth 17 mm insulated |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |  |
| 4653833 | WRENCH Torque 1/4" 3-36 lbs/ins     |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |  |
| 3653830 | WRENCH Torque 3/8" SD 3-15 lbs/ins  |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |  |







| 1       | 2   | 3 | 4  | 5 | A 40 | A 41 | A 42 | A 43 | A 44 | A 45 | A 46 | A 47 | A 48 | A 49 | A 50 | A 51 | A 52 | A 53 | A 54 | A 55 | A 56 | A 57 | A 58 | A 59 | A 60 | A 61 | A 62 | A 63 | A 64 | A 65 | A 66 |
|---------|---|---|----|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|         | <u>SECTION 1L</u>   |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>SCREWDRIVER, BIT</u>   |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9538119 | HOLDER  |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |
| 9443077 | 3/16 in   |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |
| 282     | 5/16 in   |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |
| 1362596 | CROSSPOINT No 2, 1/2" Sq Drive<br>Socket 2" O/A                         |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1362597 | CROSSPOINT, No 3, 1/2" Sq Drive<br>Socket 2" O/A                        |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1362598 | CROSSPOINT No 4, 1/2" Sq Drive<br>Socket 2 1/4" O/A                     |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1362600 | TIP BIT Screwdriver No 2  |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1362601 | TIP BIT Screwdriver No 3  |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1362602 | TIP BIT Screwdriver No 4  |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>SPANNER</u>  |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>SOCKET SET NO 1, 1/4 IN SQ DRIVE</u><br><u>BAR EXTENSION 1/4" SD</u> |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1208414 | 2 in  |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |
| 1208415 | 4 in  |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      | 2    |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |
| 1208416 | 8 in  |   | Ea |   |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9552994 | CASE, STEEL   |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      | 2    |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |

| 1       | 2                                       | 3 | 4  | 5 | A 40 | A 41 | A 42 | A 43 | A 44 | A 45 | A 46 | A 47 | A 48 | A 49 | A 50 | A 51 | A 52 | A 53 | A 54 | A 55 | A 56 | A 57 | A 58 | A 59 | A 60 | A 61 | A 62 | A 63 | A 64 | A 65 | A 66 |
|---------|---|---|----|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|         | <u>SECTION 1L</u> (Contd)               |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>SPANNER</u> (Contd)                  |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>SOCKET SET NO 1, 1/4 in Sq Drive</u> |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>BAR EXTENSION 1/4" SD</u> (Contd)    |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1208478 | EXTENSION, FLEXIBLE, 6 in               |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      | 2    |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |
|         | <u>HANDLE</u>                           |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1208418 | Ratchet, 4½ in                          |   | Ea |   |      |      | 1    |      |      |      |      |      |      |      |      | 2    |      |      |      | 1    |      |      | 1    |      |      |      |      |      |      |      |      |
| 9106329 | Ratchet, 6 in                           |   | Ea |   |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1208419 | Sliding Bar Tee, 4½ in                  |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      | 2    |      |      |      | 1    |      |      | 1    |      |      |      |      |      |      |      |      |
| 1208417 | Swivel, 6 in                            |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      | 2    |      |      |      |      |      |      | 1    |      |      | 1    |      |      |      |      |      |
| 1208420 | <u>JOINT</u> , Universal                |   | Ea |   |      |      |      |      |      | 1    |      |      |      |      |      | 2    |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |
|         | <u>SOCKET, HEXAGON AF</u>               |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1208404 | 3/16 in                                 |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      | 2    |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |
| 1209525 | 7/32 in                                 |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |
| 1208407 | 1/4 in                                  |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1209527 | 5/16 in                                 |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      | 2    |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |
|         | <u>SOCKET, HEXAGON BA</u>               |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1208395 | 0                                       |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      | 2    |      |      |      | 1    |      |      |      | 1    |      |      |      |      |      |      |      |
| 1208396 | 1                                       |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |
| 1208397 | 2                                       |   | Ea |   |      |      |      | 1    |      |      |      |      |      |      |      | 2    |      |      |      | 1    |      |      |      | 1    |      |      |      |      |      |      |      |

| 1       | 2  | 3 | 4  | 5 | A 40 | A 41 | A 42 | A 43 | A 44 | A 45 | A 46 | A 47 | A 48 | A 49 | A 50 | A 51 | A 52 | A 53 | A 54 | A 55 | A 56 | A 57 | A 58 | A 59 | A 60 | A 61 | A 62 | A 63 | A 64 | A 65 | A 66 |
|---------|--|---|----|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|         | <u>SECTION 1L (Contd)</u>                      |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>SPANNER (Contd)</u>                         |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>SOCKET, HEXAGON BA (CONTD)</u>              |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1208398 | 3  |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      | 1    |      |      |      |      |      |      |      |
| 1208399 | 4  |   | Ea |   |      |      | 1    |      |      |      |      |      |      |      | 2    |      |      |      |      | 1    |      |      | 1    |      | 1    |      |      |      |      |      |      |
| 1208401 | 6  |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |
|         | <u>SOCKET, c/w Hexagon Bit 3/8 in SD</u>       |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1209763 | 7/32 in  |   | Ea |   |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1209764 | 1/4 in   |   | Ea |   |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1209765 | 5/16 in  |   | Ea |   |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>SOCKET SET, No 2 3/8 in Sq Drive</u>        |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9106304 | ADAPTER, 3/8 to 9/32 in SD                     |   | Ea |   |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9106302 | ADAPTER, 1/2 in Plug x 3/8" SD                 |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |
|         | <u>BARS Extension</u>                          |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9106316 | 6 in   |   | Ea |   |      | 1    | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    | 1    |      |      |      |      |      |      |      |
| 9106317 | 12 in  |   | Ea |   |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      | 1    |      | 1    | 1    | 1    | 1    | 1    |      |      |      |      |      |
|         | <u>Socket set no 2 3/8 in sq drive (Contd)</u> |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9106324 | <u>HANDLE, brace</u>                           |   | Ea |   |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      | 1    | 1    | 1    | 1    | 1    |      |      |      |      |      |
| 9106325 | Brace, speeder, 1/2 S.D.                       |   | Ea |   |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |

| 1       | 2  | 3 | 4  | 5 | A 40 | A 41 | A 42 | A 43 | A 44 | A 45 | A 46 | A 47 | A 48 | A 49 | A 50 | A 51 | A 52 | A 53 | A 54 | A 55 | A 56 | A 57 | A 58 | A 59 | A 60 | A 61 | A 62 | A 63 | A 64 | A 65 | A 66 |
|---------|--|---|----|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|         | <u>SECTION 1L (Contd)</u>                      |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>Socket set No 2 3/8 in sq drive (Contd)</u> |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 72      | <u>CASE</u> Steel                              |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |
|         | <u>HANDLE</u>                                  |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9106329 | Ratchet  |   | Ea |   |      |      | 1    | 1    |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      | 1    | 1    |      |      |      |      |      |      |      |
|         | <u>Sliding bar tee</u>                         |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9552992 | 6 ins  |   | Ea |   | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 2    | 1    | 1    |      |      |      |      |      |      |
| 9106333 | 8 ins  |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      | 1    | 1    |      |      | 1    |      |      |      |      |
| 9106337 | Swivel   |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      | 1    |      | 1    | 1    |      |      |      |      |      |
| 9106341 | <u>JOINT</u> universal                         |   | Ea |   | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      | 1    | 1    | 1    | 1    |      |      |      |      |      |
|         | <u>SOCKET, bi-hexagon A.F. 3/8 S.D.</u>        |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1209530 | 7/16 in  |   | Ea |   |      |      |      | 1    |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |
| 1209531 | 1/2 in   |   | Ea |   |      |      |      | 1    |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |
| 1209529 | 3/8 in   |   | Ea |   |      |      |      | 1    |      |      |      |      |      |      |      |      | 2    |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |
| 1209532 | 9/16 in  |   | Ea |   |      |      |      | 1    |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |
| 9575005 | 19/32 in                                       |   | Ea |   |      |      |      | 1    |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |
| 9106357 | 5/8 in   |   | Ea |   |      |      |      | 1    |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |
| 9106358 | 11/16 in                                       |   | Ea |   |      |      |      | 1    |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |
| 9106359 | 3/4 in   |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |

| 1       | 2                                      | 3   | 4  | 5 | A 40 | A 41 | A 42 | A 43 | A 44 | A 45 | A 46 | A 47 | A 48 | A 49 | A 50 | A 51 | A 52 | A 53 | A 54 | A 55 | A 56 | A 57 | A 58 | A 59 | A 60 | A 61 | A 62 | A 63 | A 64 | A 65 | 6 |
|---------|--|---|----|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|---|
|         | <u>SECTION 1L (Contd)</u>              |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |   |
|         | <u>SOCKET, bi-hexagon B.S.W.</u>       |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |   |
| 9106386 | 3/16 in                                |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |   |
| 9106387 | 1/4 in Whit                            |   | Ea | 1 |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      | 6    | 1    |      |      |      |      |      |      |   |
| 9106388 | 5/16 in                                |   | Ea | 1 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      | 6    | 1    |      |      |      |      |      |      |   |
| 9106389 | 3/8 in                                 |   | Ea | 1 |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      | 6    | 1    |      |      |      |      |      |      |   |
| 9106390 | 7/16 in                                |   | Ea | 1 |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      | 6    | 1    |      |      |      | 1    |      |      |   |
|         | <u>Socket Set No 3 1/2 in sq drive</u> |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |   |
| 9106303 | <u>ADAPTER 1/2 in to 3/8 in S Plug</u> |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      | 2*   | 1    |      | 1    |      |      |      |      | 1    |      |      |      |      |      |      |   |
|         | <u>BAR, extension</u>                  |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |   |
| 9106319 | 6 ins                                  |   | Ea | 1 |      |      | 1    |      |      | 1    |      |      |      |      |      | 2*   | 1    |      | 1    | 1    |      |      |      | 1    | 1    |      | 1    |      |      |      |   |
| 9106320 | 12 ins                                 |   | Ea |   |      |      | 1    |      |      | 1    |      |      |      |      |      | 2*   | 1    |      | 1    | 1    |      |      |      |      |      |      | 1    |      |      |      |   |
| 39      | <u>CASE, steel</u>                     |   | Ea | 1 |      |      |      |      |      |      |      |      |      |      |      | 2*   | 1    |      | 1    | 1    |      |      |      |      |      |      |      |      |      |      |   |
|         | <u>HANDLE</u>                          |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |   |
| 9106330 | Ratchet                                |   | Ea | 1 |      |      | 1    |      |      | 1    |      |      |      |      |      | 2*   | 1    |      | 1    | 1    |      |      |      | 1    |      |      | 1    |      |      |      |   |
| 9106334 | Sliding bar tee 12 ins                 | *MT Flights servicing                       | Ea | 1 |      |      | 1    |      |      | 1    |      |      |      |      |      | 2*   | 1    |      | 1    | 1    |      |      |      | 1    | 1    | 1    |      |      |      |      |   |
| 9106338 | Swivel 15 ins                          | 100 vehicles or less<br>are entitled to Qty | Ea |   |      |      | 1    |      |      | 1    |      |      |      |      |      | 2*   | 1    |      | 1    | 1    |      |      |      |      |      | 1    |      |      |      |      |   |
| 9106342 | JOINT, universal                       | 1 only of each item                         | Ea | 1 |      |      |      |      |      | 1    |      |      |      |      |      | 2*   | 1    |      | 1    | 1    |      |      |      | 1    | 1    | 1    |      |      |      |      |   |

RL 34 MAY 1974

| 1       | 2                                       | 3                      | 4  | 5 | A 40 | A 41 | A 42 | A 43 | A 44 | A 45 | A 46 | A 47 | A 48 | A 49 | A 50 | A 51 | A 52 | A 53 | A 54 | A 55 | A 56 | A 57 | A 58 | A 59 | A 60 | A 61 | A 62 | A 63 | A 64 | A 65 | A 66 |  |
|---------|---|------------------------|----|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--|
|         | <u>SECTION 1L (Contd)</u>               |                        |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
|         | <u>SOCKET, bi-hexagon A.F. 1/2 S.D.</u> |                        |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 1301318 | 23/32 AF                                |                        | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |  |
| 9106360 | 25/32 in                                |                        | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      | 1*   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 9106361 | 13/16 in                                |                        | Ea |   |      |      |      | 1    |      |      |      |      |      |      |      |      | 2*   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 9106362 | 7/8 in                                  |                        | Ea |   |      |      |      | 1    |      |      |      |      |      |      |      |      | 2*   |      | 1    |      |      |      |      |      |      | 1    |      |      |      |      |      |  |
| 9106363 | 15/16 in                                |                        | Ea |   |      |      |      | 1    |      |      |      |      |      |      |      |      | 2*   |      | 1    |      |      |      |      |      |      | 1    |      |      |      |      |      |  |
| 9707379 | 3/4 in                                  |                        | Ea |   |      |      |      | 1    |      |      |      |      |      |      |      |      | 2*   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 9106364 | 1 in                                    | * MT Flights servicing | Ea |   |      |      |      | 1    |      |      |      |      |      |      |      |      | 2*   |      | 1    |      |      |      |      |      |      | 1    |      |      |      |      |      |  |
| 9106365 | 1 1/16 in                               | 100 vehicles or less   | Ea |   |      |      |      | 1    |      |      |      |      |      |      |      |      | 2*   |      | 1    |      |      |      |      |      |      | 1    |      |      |      |      |      |  |
| 9106366 | 1 1/8 in                                | are entitled to        | Ea |   |      |      |      | 1    |      |      |      |      |      |      |      |      | 2*   |      | 1    |      |      |      |      |      |      | 1    |      |      |      |      |      |  |
| 9106367 | 1 3/16 in                               | Qty 1 only of each     | Ea |   |      |      |      | 1    |      |      |      |      |      |      |      |      | 2*   |      | 1    |      |      |      |      |      |      | 1    |      |      |      |      |      |  |
| 9106368 | 1 1/4 in                                | item                   | Ea |   |      |      |      | 1    |      |      |      |      |      |      |      |      | 2*   |      | 1    |      |      |      |      |      |      | 1    |      |      |      |      |      |  |
|         | <u>SOCKET, bi-hexagon B.S.W.</u>        |                        |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 9106391 | 7/16 in                                 |                        | Ea |   |      |      |      |      |      | 1    |      |      |      |      |      |      | 2*   | 1    |      | 1    | 1    |      |      |      |      |      |      |      |      |      |      |  |
| 9106392 | 7/16 in                                 | Extra deep             | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 198     | 3/8 in                                  |                        | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      | 1    |      |      |      |  |
| 1208415 | 1/2 in                                  |                        | Ea |   | 1    |      |      |      |      | 1    |      |      |      |      |      |      | 2*   | 1    |      | 1    | 1    |      |      |      |      |      |      |      |      |      |      |  |
| 9106394 | 9/16 in                                 |                        | Ea |   | 1    |      |      | 1    |      | 1    |      |      |      |      |      |      | 2*   | 1    |      | 1    |      |      |      |      |      |      |      |      |      |      |      |  |
| 9106395 | 9/16 in                                 | Extra deep             | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      | 2*   | 1    |      | 1    |      |      |      |      |      |      |      |      |      |      |      |  |
| 9106396 | 5/8 in                                  |                        | Ea |   | 1    |      |      |      |      | 1    |      |      |      |      |      |      | 2*   | 1    |      | 1    | 1    |      |      |      |      |      |      |      |      |      |      |  |

| 1       | 2                                       | 3                      | 4  | 5 | A 40 | A 41 | A 42 | A 43 | A 44 | A 45 | A 46 | A 47 | A 48 | A 49 | A 50 | A 51 | A 52 | A 53 | A 54 | A 55 | A 56 | A 57 | A 58 | A 59 | A 60 | A 61 | A 62 | A 63 | A 64 | A 65 | A 66 |
|---------|---|------------------------|----|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|         | <u>SECTION 1L (Contd)</u>               |                        |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>SPANNER (Contd)</u>                  |                        |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>SOCKET bi-hexagon B.S.W. (Contd)</u> |                        |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9106397 | 1 1/16 in                               |                        | Ea |   |      |      |      |      |      | 1    |      |      |      |      |      | 2*   | 1    |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |
| 9106398 | 3/4 in                                  | * MT Flights servicing | Ea |   | 1    |      |      |      |      | 1    |      |      |      |      |      | 2*   | 1    |      | 1    | 1    |      |      |      |      |      | 1    |      |      |      |      |      |
| 1209763 | 3/8 sq dr x 7/32 a/f                    | 100 vehicles or less   | Ea |   |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1209764 | 3/8 sq dr x 1/4 a/f                     | are entitled to        | Ea |   |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1209765 | 3/8 sq dr x 5/16 a/f                    | Qty 1 only of each     | Ea |   |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>SOCKET Set No 4 3/4 in sq drive</u>  | item                   | Ea |   |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>BAR, extension</u>                   |                        |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9106322 | 8 ins                                   | **MT Flights           | Ea |   |      |      |      |      |      |      |      |      |      |      |      | 1**  |      |      | 1    | 1    |      |      |      |      | 1    |      |      |      |      |      |      |
| 9106323 | 16 ins                                  | servicing 100          | Ea |   |      |      |      |      |      |      |      |      |      |      |      | 1**  |      |      | 1    | 1    |      |      |      |      |      |      |      |      |      |      |      |
| 40      | <u>CASE, steel</u>                      | vehicles or more       | Ea |   |      |      |      |      |      |      |      |      |      |      |      | 1**  |      |      | 1    |      |      |      |      |      | 1    |      |      |      |      |      |      |
|         | <u>HANDLE</u>                           | are entitled to Qty    | Ea |   | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         |   | 2 of each item         |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9106331 | Ratchet                                 |                        | Ea |   |      |      |      | 1    |      |      |      |      |      |      |      | 1**  |      |      | 1    | 1    |      |      |      |      | 1    |      |      |      |      |      |      |
| 9106335 | Sliding bar tee, 16 ins                 |                        | Ea |   |      |      |      |      |      |      |      |      |      |      |      | 1**  |      |      | 1    | 1    |      |      |      |      | 1    |      |      |      |      |      |      |
| 9106339 | Nut spinner hinged                      |                        | Ea |   |      |      |      |      |      |      |      |      |      |      |      | 1**  |      |      | 1    | 1    |      |      |      |      |      |      |      |      |      |      |      |
| 9106343 | JOINT Universal                         |                        | Ea |   |      |      |      |      |      |      |      |      |      |      |      | 1**  |      |      | 1    | 1    |      |      |      |      | 1    |      |      |      |      |      |      |

| 1       | 2  | 3 | 4  | 5 | A 40 | A 41 | A 42 | A 43 | A 44 | A 45 | A 46 | A 47 | A 48 | A 49 | A 50 | A 51 | A 52 | A 53 | A 54 | A 55 | A 56 | A 57 | A 58 | A 59 | A 60 | A 61 | A 62 | A 63 | A 64 | A 65 | A 66 |
|---------|--|---|----|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|         | <u>SECTION 1L (Contd)</u>                |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>SOCKET, bi-hexagon 1/2, 3/4 sq dr</u> |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9106376 | 1 3/8 in                                 |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      | 1    |      |      |      |      |      |      |
| 9106375 | 1 5/16 in                                |   | Ea |   |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      | 1    | 1    |      |      |      |      |      |      |      |      |      |      |
| 9106377 | 1 1/16 in                                |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |







| 1   | 2                      | 3 | 4  | 5 | A 40 | A 41 | A 42 | A 43 | A 44 | A 45 | A 46 | A 47 | A 48 | A 49 | A 50 | A 51 | A 52 | A 53 | A 54 | A 55 | A 56 | A 57 | A 58 | A 59 | A 60 | A 61 | A 62 | A 63 | A 64 | A 65 |  |  |
|-----|------------------------|---|----|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--|--|
|     | SECTION 1L (Contd)     |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
|     | IMPACT SOCKETS (Contd) |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
|     | AF 5/8" SD             |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
| 619 | 25/32"                 |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
| 620 | 11/16"                 |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
| 621 | 5/8"                   |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
| 622 | 9/16"                  |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
| 623 | RETAINING RING 'O'     |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
| 624 | RETAINING PIN X        |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |

2 APEX 6125 D  
 2 APEX 6122 D  
 2 APEX 6120 D  
 2 APEX 6418 D  
 BRITOL OR APEX 0-23  
 BRITOL OR APEX P-23

| 1   | 2                  | 3 | 4  | 5 | A 40 | A 41 | A 42 | A 43 | A 44 | A 45 | A 46 | A 47 | A 48 | A 49 | A 50 | A 51 | A 52 | A 53 | A 54 | A 55 | A 56 | A 57     | A 58     | A 59 | A 60 | A 61 | A 62 | A 63 | A 64 | A 65 | 6 |
|-----|--------------------|---|----|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|----------|----------|------|------|------|------|------|------|------|---|
|     | SECTION 1L 9Contd) |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |          |          |      |      |      |      |      |      |      |   |
|     | IMPACTS SOCKETS    |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |          |          |      |      |      |      |      |      |      |   |
|     | WHITWORTH 1/2" SD  |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |          |          |      |      |      |      |      |      |      |   |
| 604 | 1/4"               |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    | BRITTOOL | PES 525  |      |      |      |      |      |      |      |   |
| 605 | 3/8"               |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    | BRITTOOL | PFS 710  |      |      |      |      |      |      |      |   |
| 606 | 7/16"              |   | Fa |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    | BRITTOOL | PES 820  |      |      |      |      |      |      |      |   |
| 607 | 1/2"               |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    | BRITTOOL | PES 920  |      |      |      |      |      |      |      |   |
|     | WHITWORTH 3/4" SD  |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |          |          |      |      |      |      |      |      |      |   |
| 608 | 5/8"               |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    | BRITTOOL | PES 1100 |      |      |      |      |      |      |      |   |
| 609 | 3/4"               |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    | BRITTOOL | PES 1300 |      |      |      |      |      |      |      |   |
|     | AF 1/2" SD         |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |          |          |      |      |      |      |      |      |      |   |
| 610 | 11/16"             |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    | BRITTOOL | PES 687  |      |      |      |      |      |      |      |   |
| 611 | 3/4"               |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    | BRITTOOL | PES 750  |      |      |      |      |      |      |      |   |
| 612 | 15/16"             |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    | BRITTOOL | PES 937  |      |      |      |      |      |      |      |   |
|     | AF 3/4" SD         |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |          |          |      |      |      |      |      |      |      |   |
| 613 | 1"                 |   | Fa |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    | BRITTOOL | PHH 1000 |      |      |      |      |      |      |      |   |
| 614 | 1 1/16"            |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    | BRITTOOL | PHH 1062 |      |      |      |      |      |      |      |   |
| 615 | 1 1/8"             |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    | BRITTOOL | PHH 1125 |      |      |      |      |      |      |      |   |
| 616 | 1 3/16"            |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    | BRITTOOL | PHH 1187 |      |      |      |      |      |      |      |   |
| 617 | 1 1/4"             |   | Fa |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    | BRITTOOL | PHH 1250 |      |      |      |      |      |      |      |   |
| 618 | 1 5/16"            |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    | BRITTOOL | PHH 1312 |      |      |      |      |      |      |      |   |

| 1       | 2                             | 3 | 4  | 5 | A 40 | A 41 | A 42 | A 43 | A 44 | A 45 | A 46 | A 47 | A 48 | A 49 | A 50 | A 51 | A 52 | A 53 | A 54 | A 55 | A 56 | A 57 | A 58 | A 59 | A 60 | A 61 | A 62 | A 63 | A 64 | A 65 | 66 |
|---------|-------------------------------|---|----|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|----|
|         | <u>SPANNER</u>                |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |    |
|         | <u>SOCKET 1/4 in Sq Drive</u> |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |    |
| 1302363 | 6 mm Hex                      |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |    |
| 1302364 | 7 mm Hex                      |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |    |
| 1302365 | 8 mm Hex                      |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |    |
| 1302366 | 9 mm Hex                      |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |    |
| 1363155 | 10 mm Hex                     |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |    |
|         | <u>SOCKET 1/2 in Sq Drive</u> |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |    |
| 4347308 | 11 mm Hex                     |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |    |
| 4347309 | 12 mm Hex                     |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |    |
| 4347310 | 13 mm Hex                     |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |    |
| 4347311 | 14 mm Hex                     |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |    |
| 4347312 | 15 mm Hex                     |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |    |
| 4347313 | 16 mm Hex                     |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |    |
| 4347314 | 17 mm Hex                     |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |    |
| 4347315 | 18 mm Hex                     |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |    |
| 4347316 | 19 mm Hex                     |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |    |
| 4347317 | 20 mm Hex                     |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |    |
| 4347318 | 21 mm Hex                     |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |    |
| 1363156 | 22 mm Hex                     |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |    |
| 1229511 | 29 mm Hex                     |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |    |

AL 64 MAY 1974

| 1       | 2                        | 3 | 4  | 5 | A 40 | A 41 | A 42 | A 43 | A 44 | A 45 | A 46 | A 47 | A 48 | A 49 | A 50 | A 51 | A 52 | A 53 | A 54 | A 55 | A 56 | A 57 | A 58 | A 59 | A 60 | A 61 | A 62 | A 63 | A 64 | A 65 | A 66 |
|---------|--------------------------|---|----|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|         | <u>SPANNER (Contd)</u>   |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>OJDE Fixed Metric</u> |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9106287 | 6 x 7 mm                 |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9106288 | 8 x 9 mm                 |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9106289 | 10 x 11 mm               |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9106290 | 12 x 13 mm               |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9106291 | 14 x 15 mm               |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9106292 | 16 x 17 mm               |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9106293 | 18 x 19 mm               |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9106294 | 20 x 21 mm               |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9106295 | 22 x 23 mm               |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9106296 | 26 x 27 mm               |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9106298 | 28 x 29 mm               |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9106299 | 30 x 31 mm               |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9106300 | 32 x 35 mm               |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1302275 | 30 x 36 mm               |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |

| 1       | 2  | 3   | 4    | 5 | A<br>40 | A<br>41 | A<br>42 | A<br>43 | A<br>44 | A<br>45 | A<br>46 | A<br>47 | A<br>48 | A<br>49 | A<br>50 | A<br>51 | A<br>52 | A<br>53 | A<br>54 | A<br>55 | A<br>56 | A<br>57 | A<br>58 | A<br>59 | A<br>60 | A<br>61 | A<br>62 | A<br>63 | A<br>64 | A<br>65 | A<br>66 |
|---------|--|---|------|---|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|         | <u>SECTION 3A</u>                        |   |      |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |
| 757     | EXTRACTOR                                |   | Each |   |         |         |         | 1       |         |         |         |         |         |         |         |         |         |         | 1       |         |         |         |         |         |         |         |         |         |         |         |         |
| 4278810 | GRINDSTONE, 24 in. type G.               |   | Each |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         | 1       |         |         |         |         |         |
|         | <u>MACHINE</u>                           |   |      |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |
| 1300399 | Cable, crimping                          |   | Each |   |         |         |         | 1       |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |
|         | <u>Drilling, electric, bench</u>         |   |      |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |
| 4074    | 230/250V. 0-1/4 in. chuck type A         |   | Each |   |         |         |         |         |         |         |         |         |         |         |         | 1       |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |
| 4279264 | 230/250V. 0-1/2 in. chuck type A         |   | Each |   |         |         | 1       |         |         |         |         |         |         |         |         | 1       |         |         | 1       |         |         |         |         |         |         |         |         |         |         |         |         |
|         | <u>Drilling, electric, hand portable</u> |   |      |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |
| 2017052 | 130/250V, 0-1/4 in. chuck                |   | Each |   |         |         | 1       |         | 1       |         |         |         |         |         |         |         |         |         | 1       |         |         |         | 1       | 1       |         | 1       | 1       |         |         |         |         |
| 3030    | 110V-0 1/2 in. chuck )                   |   |      |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |
| or      | )  |   |      |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |
| 2663    | 230/250V-1/2 in. chuck )                 |   | Each |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         | 1       |         |         |         |         |         |         |         | 1       |         |         |         |         |
|         | <u>Grinding, bench</u>                   |   |      |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |
| 2590    | 6 in. type A                             |   | Each |   |         |         |         |         | 1       |         |         |         |         |         |         |         |         |         |         |         |         |         | 1       |         |         |         |         |         |         |         |         |
| 4278931 | Electric, 230V. A.C.                     | Model B.8   | Each |   |         |         |         | 1       | 1       |         |         |         |         |         |         | 1       |         |         | 1       |         |         |         |         |         |         |         | 1       |         |         |         |         |
|         | <u>Sanding</u>                           |   |      |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |
| 2017758 | Electric portable 230/250V. 7 in.        | (a) Per station operating A/C with bare metal finish which requires polishing | Each |   |         |         |         | 1       |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         | 1(a)    |         |         |         |         |





(50084) 97

A/L 57 June 1972

| 1 | 2   | 3 | 4    | 5 | A<br>40 | A<br>41 | A<br>42 | A<br>43 | A<br>44 | A<br>45 | A<br>46 | A<br>47 | A<br>48 | A<br>49 | A<br>50 | A<br>51 | A<br>52 | A<br>53 | A<br>54 | A<br>55 | A<br>56 | A<br>57 | A<br>58 | A<br>59 | A<br>60 | A<br>61 | A<br>62 | A<br>63 | A<br>64 | A<br>65 | A<br>66 |
|---|---|---|------|---|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|   | <p style="text-align: center;"><u>SECTION 3A</u> (Contd.)</p> <p><u>MACHINE</u> (Contd.)</p> <p><u>PRESSES, Arbor or Mandrel</u></p> <p>2937      Open type bench      )<br/> or                                    )<br/> 2935      Two column type bench      )</p> |   | Each |   |         |         |         |         |         |         |         |         |         |         |         | 1       |         |         | 1       |         |         |         |         |         |         |         |         |         |         |         |         |





| 1       | 2                                     | 3   | 4  | 5 | A 40 | A 41 | A 42 | A 43 | A 44 | A 45 | A 46 | A 47 | A 48 | A 49 | A 50 | A 51 | A 52 | A 53 | A 54 | A 55 | A 56 | A 57 | A 58 | A 59 | A 60 | A 61 | A 62 | A 63 | A 64 | A 65 | A 66 |  |  |
|---------|---------------------------------------|---|----|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--|--|
|         | <u>SECTION 3AP (contd)</u>            |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
|         | <u>PISTOL</u>                         |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
| 4278537 | Corrosion inhibitor pressure spraying | *Not entitled when supported by Station Workshops | Ea |   |      |      |      |      |      | 1    |      |      |      |      |      | 1*   |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
|         | <u>Paint Spraying</u>                 |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
| 4278766 | Type J.G.A.                           |   | Ea |   |      |      |      | 1    |      |      |      |      |      |      |      | 2    |      |      |      |      | 4    |      |      |      |      |      | 1    |      |      |      |      |  |  |
|         | <u>Accessories</u>                    |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
| 2041974 | ADAPTOR, low mist and nozzle assembly | For use with Gun 4092                             | Ea |   |      |      |      | 1    |      |      |      |      |      |      |      | 2    |      |      |      |      | 1    |      |      |      |      |      | 1    |      |      |      |      |  |  |
|         | <u>Container, paint</u>               |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
| 4053    | 1 quart type D                        |   | Ea |   |      |      |      | 1    |      |      |      |      |      |      |      | 1    |      |      |      |      | 4    |      |      |      |      |      | 1    |      |      |      |      |  |  |
| 4056    | 2 gallons                             |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 2    |      |      |      |      |      |      |      |      |      |      |  |  |
| 4099    | Saw, portable pneumatic               |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |  |  |
| 4123    | TRANSFORMER, air                      |   |    |   |      |      |      |      |      | 1    |      |      |      |      | 1    |      |      |      |      |      |      | 2    |      |      |      |      |      |      |      |      |      |  |  |
|         | <u>MACHINE RIPPAGUN</u>               |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
|         | <u>Consisting of:</u>                 |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
| 3920    | FRAME                                 |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
| 3916    | Harness, shoulder                     |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
| 3624    | Reducer                               |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
| 3994    | Manifold                              |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
| 4019    | Street Elbow                          |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |

| 1       | 2                       | 3 | 4  | 5 | A 40 | A 41 | A 42 | A 43 | A 44 | A 45 | A 46 | A 47 | A 48 | A 49 | A 50 | A 51 | A 52 | A 53 | A 54 | A 55 | A 56 | A 57 | A 58 | A 59 | A 60 | A 61 | A 62 | A 63 | A 64 | A 65 | A 66 |
|---------|-------------------------|---|----|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|         | SECTION 3AP (Contd)     |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>MACHINE RIPPAGUN</u> |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>CONSISTING OF:</u>   |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 4148    | HAMMER Rippagun         |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 4152    | Hose                    |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 4156    | Pipe Cylinder           |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 4204    | Plate                   |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 2040650 | Swivel Coupling         |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 2042102 | Chisel                  |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 2042113 | Retainer Chisel         |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 4195875 | Ring                    |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 4278664 | Valve                   |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |

















| 1    | 2  | 3                                      | 4    | 5    | A 40 | A 41 | A 42 | A 43 | A 44 | A 45 | A 46 | A 47 | A 48 | A 49 | A 50 | A 51 | A 52 | A 53 | A 54 | A 55 | A 56 | A 57 | A 58 | A 59 | A 60 | A 61 | A 62 | A 63 | A 64 | A 65 | A 66 |
|------|--|--|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|      | <u>SECTION 4A</u>                              |  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 2832 | ADAPTER, for testing spanner torque valve care |  | Each |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |
| 526  | ANVIL, 2 cwt.                                  |  | Each |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |
|      | <u>Accessory</u>                               |  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 527  | STAND  |  | Each |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |
|      | <u>APPARATUS, tyre repairing type 'A'</u>      |  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1648 | Brush, wire                                    |  | Each |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1649 | Buffer cover                                   |  | Each |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1650 | Gun dough                                      |  | Each |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1651 | Knife, shiving                                 |  | Each |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1652 | Rasp, rat tail                                 |  | Each |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1653 | Sealfast solvent and cleaner                   |  | Each |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 768  | BATH, salt                                     |  | Each |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |
|      | <u>BENCH</u>                                   |  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 6    | Carpenter type 'A'                             |  | Each |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | (ar) |      |      |      |      |
| 7    | Fitter   |  | Each | (ar) | 4    |      | 2    | (ar) | (ar) | (ar) |      |      |      | 1    | (ar) |      | 1    | (ar) |      | 1    |      |      | 2    | (ar) | 1    | (ar) | 1    | 1    | 1    |      |      |
| 483  | Flight   |  | Each | (ar) |      |      |      |      |      |      |      |      |      |      |      |      |      |      | (ar) |      |      |      |      |      |      |      |      |      |      |      |      |
| 1367 | Repair   | * Where fixed benches are not supplied | Each |      |      |      |      |      |      |      |      |      |      |      | 5*   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 543  | BLOCK, swage 18 x 18 x 6 ins.                  |  | Each |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |
|      | <u>Accessory</u>                               |  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 544  | STAND, swage                                   |  | Each |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |

| 1                  | 2                                     | 3   | 4    | 5 | A 40 | A 41 | A 42 | A 43 | A 44 | A 45 | A 46 | A 47 | A 48 | A 49 | A 50 | A 51 | A 52 | A 53 | A 54 | A 55 | A 56 | A 57 | A 58 | A 59 | A 60 | A 61 | A 62 | A 63 | A 64 | A 65 | A 66 |  |
|--------------------|---------------------------------------|---|------|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--|
|                    | <u>SECTION 4A</u> (Contd.)            |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 2277<br>or<br>2345 | BLOWER, air portable                  |   | Each |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
|                    | <u>Accessory</u>                      |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 2958               | EXTRACTOR, internal race 1/2" to 2"   |   | Set  |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |  |
| 2645               | EXTRACTOR, internal race 1 1/2" to 6" |   | Set  |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |  |
| 612                | FORGE, fan type, collapsible          | * Only units where no built in forge is installed |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1*   |      |      |      |      |      |  |
| 2646               | HAMMER, slide                         |   | Each |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |  |
| 2419               | KIT, crack detection, Andox 996       |   | Each |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |  |
|                    | <u>LEVER type</u>                     |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 1304               | Size 1                                |   | Each |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |  |
| 1305               | Size 2                                |   | Each |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 2    |      |      |      |      |  |
| 1306               | Size 3                                |   | Each |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |  |
| 1679               | Size 4                                |   | Each |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 2    |      |      |      |      |  |
| 1782               | MACHINE, valve seat grinding          |   | Each |   |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 2253               | OVEN, drying                          |   | Each |   |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
|                    | <u>PLANT, welding</u>                 |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
|                    | <u>Oxy-acetylene</u>                  |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 632                | Acetylene                             |   | Each |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |  |



| 1                        | 2                              | 3 | 4    | 5 | A<br>40 | A<br>41 | A<br>42 | A<br>43 | A<br>44 | A<br>45 | A<br>46 | A<br>47 | A<br>48 | A<br>49 | A<br>50 | A<br>51 | A<br>52 | A<br>53 | A<br>54 | A<br>55 | A<br>56 | A<br>57 | A<br>58 | A<br>59 | A<br>60 | A<br>61 | A<br>62 | A<br>63 | A<br>64 | A<br>65 | A<br>66 |  |
|--------------------------|--------------------------------|---|------|---|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|--|
|                          | <u>SECTION 4A</u> (Contd.)     |   |      |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |  |
|                          | <u>TABLE</u>                   |   |      |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |  |
| 1291                     | Fabric workers                 |   | Each |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         | 1       |         |         |         | 1       |         |  |
|                          | Marking out                    |   |      |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |  |
| 728                      | 6 x 4 ft.                      |   | Each |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         | 1       |         |         |         |         |         |  |
|                          | <u>TANK, component washing</u> |   |      |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |  |
|                          | <u>Small</u>                   |   |      |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |  |
| 8012512<br>or<br>8012512 | Type B                         |   | Each |   |         |         | 1       |         |         | 1       |         |         |         |         |         | 1       |         | 1       | 1       |         |         |         | 1       |         | 1       |         |         |         |         |         |         |  |
|                          | Degreaser, spray type          |   | Each |   |         |         | 1       |         |         | 1       |         |         |         |         |         | 1       |         | 1       | 1       |         |         |         | 1       |         | 1       |         |         |         |         |         |         |  |





| 1       | 2   | 3  | 4  | 5 | A 40 | A 41 | A 42 | A 43 | A 44 | A 45 | A 46 | A 47 | A 48                   | A 49 | A 50 | A 51 | A 52 | A 53 | A 54 | A 55 | A 56 | A 57 | A 58 | A 59 | A 60 | A 61 | A 62 | A 63 | A 64 | A 65 | A 66 |  |
|---------|---|--|----|---|------|------|------|------|------|------|------|------|------------------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--|
|         | <u>SECTION 40</u>   |  |    |   |      |      |      |      |      |      |      |      |                        |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 4227445 | BENCH, component  |  | Ea |   |      |      | 1    |      | 7    | 2    |      |      |                        |      |      |      |      |      |      |      |      |      |      |      |      | 2    |      |      |      |      |      |  |
| 4227447 | BIN, storage, inflammable liquids                             | Loc man  | Ea |   |      |      |      |      |      |      | 1    |      |                        |      |      |      |      |      | 1    |      |      |      |      |      | 1    | 1    |      |      |      |      |      |  |
| 4891    | CANTILEVER, RACKING UNITS                                     |  | Ea |   |      |      |      |      |      |      | 2    |      |                        |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
|         | CONVEYOR, gravity, roller                                     |  | Ea |   |      |      |      |      |      |      |      |      |                        |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 4227473 | Curve, 45°  |  | Ea |   |      |      |      |      |      |      | ar)  |      |                        |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 1714    | Straight lengths  |  | Ea |   |      |      |      |      |      |      | ar)  |      |                        |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 2078    | CONVEYOR, portable, ramp type                                 | *Not for Fighter Command Stations  | Ea |   |      |      |      |      |      |      | 1*   |      |                        |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 2636    | CUPBOARD, storage, clothing, (including rods hanging 40/2637) | +Per Home Unit with more than 500 service personnel  | Ea |   |      |      |      |      |      |      | 1+   |      |                        |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 4889    | LADDER, Step, double approach                                 |  | Ea |   |      |      |      |      |      |      | 1    |      | PER 50 FT NARROW AISLE |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 2638    | SHELF   |  | Ea |   |      |      |      |      |      |      | 11   |      |                        |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 2639    | TRAY  |  | Ea |   |      |      |      |      |      |      | 33   |      |                        |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 4227486 | PALLET, box   | )Demands with full particulars in support of the requirements to be submitted to MOD (SM7 (RAF)), through Command HQ | Ea |   |      |      |      |      |      |      |      |      |                        |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 4227502 | PALLET, flat wooden   |  | Ea |   |      |      |      |      |      |      |      |      |                        |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 4227519 | PALLET, post, detachable                                      |  | Ea |   |      |      |      |      |      |      |      |      |                        |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 457     | MEASURE, 5 gallon   |  | Ea |   |      |      |      |      |      |      | 1    |      |                        |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |

| 1                        | 2                                  | 3  | 4  | 5 | A 40 | A 41 | A 42 | A 43 | A 44 | A 45 | A 46 | A 47            | A 48 | A 49 | A 50 | A 51 | A 52 | A 53 | A 54 | A 55 | A 56 | A 57 | A 58 | A 59 | A 60 | A 61 | A 62 | A 63 | A 64 | A 65 | A 66 |
|--------------------------|------------------------------------|--|----|---|------|------|------|------|------|------|------|-----------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|                          | <u>SECTION 4D (Contd)</u>          |  |    |   |      |      |      |      |      |      |      |                 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|                          | <u>RACK, storage</u>               |  |    |   |      |      |      |      |      |      |      |                 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 3648                     | "C" Stores                         |  | Ea |   |      |      |      |      |      |      |      |                 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -                        | General purpose type 'A'           | To be demanded by components as shown in AP 1086 | Ea |   |      |      |      |      |      |      | (ar) |                 |      |      |      | (ar) |      |      |      |      |      |      |      |      | 1    |      | (ar) | (ar) |      |      |      |
| -                        | Plane, rigid base                  |  | Ea |   |      |      |      |      |      |      | (ar) |                 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 4887                     | TROLLEY, Stabs, lightweight        |  | Ea |   |      |      |      |      |      |      | 2    |                 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 223                      | TROLLEY, platform                  |  | Ea |   |      |      |      |      |      |      | 4    |                 |      |      |      | 1    |      |      | 1    |      | 1    |      |      |      |      |      |      |      |      |      |      |
| 4221429<br>or<br>4227430 | TRUCK case warehouse               |  | Ea |   |      |      |      |      |      |      | 1    |                 |      |      |      | 1    |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |
| 4890                     | TRUCK, Drum handling               |  | Ea |   |      |      |      |      |      |      | 1    | PER SUPPLY SQUN |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1020                     | TRUCK, elevating platform type 'A' |  | Ea |   |      |      |      |      |      |      | 2    |                 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 2014                     | Platform                           |  | Ea |   |      |      |      |      |      |      | (ar) |                 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 2021                     | TRUCK, elevating platform type 'B' |  | Ea |   |      |      |      |      |      |      | 2    |                 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 4227479                  | Platform                           |  | Ea |   |      |      |      |      |      |      | (ar) |                 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 228                      | TRUCK, sack                        |  | Ea |   |      |      |      |      |      |      | 4    |                 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 4888                     | TRUCK, SACK, STAIR CLIMBING        |  | Ea |   |      |      |      |      |      |      | 1    |                 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1278340                  | TRUCK, tubular steel               |  | Ea |   |      |      | 1    |      | 1    |      | 4    |                 |      |      | 1    |      |      |      |      |      |      |      |      | 2    |      |      | 1    | 1    |      |      |      |



| 1     | 2  | 3  | 4  | 5 | A 40 | A 41 | A 42 | A 43 | A 44 | A 45 | A 46 | A 47 | A 48 | A 49 | A 50 | A 51 | A 52 | A 53 | A 54 | A 55 | A 56 | A 57 | A 58 | A 59 | A 60 | A 61 | A 62 | A 63 | A 64 | A 65 | A 66 |
|-------|--|--|----|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|       | <u>SECTION 4G</u>                                  |  |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 11154 | ADAPTOR, inflator                                  |  | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |
| 6246  | Inflation Mk 2                                     |  | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |
|       | <u>Accessories</u>                                 |  |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|       | <u>GAUGE, pressure</u>                             |  |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 3027  | 0-1500 p.s.i.                                      |  | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |
| 3029  | 0-3500 p.s.i.                                      |  | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |
|       | <u>CLEANER, vacuum aircraft</u>                    |  |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 5421  | Model T.L. 1                                       | *For common use<br>between Electrical<br>and Instrument Bays | Ea |   |      |      |      |      | 1*   |      |      |      |      | 1    | 1    |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      | 1    |      |
|       | <u>Accessories</u>                                 |  |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|       | Bags dust disposable                               |  |    |   |      |      |      |      | A/R  |      |      |      |      |      |      |      |      |      |      |      |      |      | A/R  |      |      |      |      |      |      |      | A/R  |
|       | Rugs rubber  |  |    |   |      |      |      |      | A/R  |      |      |      |      |      |      |      |      |      |      |      |      |      | A/R  |      |      |      |      |      |      |      | A/R  |
| 3195  | DYNAMOMETER ) additiona for<br>) companson testing |  | Ea |   |      |      |      | J    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|       | <u>GAUGE</u>                                       |  |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 2509  | Aircraft tyre pressure 20-120 p.s.i.               |  | Ea |   |      |      |      |      | 1    |      |      |      |      |      | 2    |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |
| 3738  | LADDER, flat top, type 'B'                         |  | Ea |   |      |      |      |      |      |      |      |      |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|       | <u>INFLATOR, type automatic</u>                    |  |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 5968  | 0-120 p.s.i.                                       |  | Ea |   |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |

AL 64 MAY 1974

SECTION 8  
 VOCAB SECTION 4G  
 PAGE 2

| 1       | 2   | 3              | 4  | 5 | A 40 | A 41 | A 42 | A 43 | A 44 | A 45 | A 46 | A 47 | A 48 | A 49 | A 50 | A 51 | A 52 | A 53 | A 54 | A 55 | A 56 | A 57 | A 58 | A 59 | A 60 | A 61 | A 62 | A 63 | A 64 | A 65 | A 66 |
|---------|---|----------------|----|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|         | <u>SECTION 4G (Contd)</u>                       |                |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>PUMP</u>                                     |                |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1054066 | Tyre inflating Type 'B'                         |                | Ea |   |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>Accessory</u>                                |                |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1054065 | Tube, Rubber type 'C'                           |                | Ea |   |      |      |      |      |      |      |      |      |      |      |      | 2    |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>RIG test</u>                                 |                |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 4420140 | Gauge Tyre Pressure                             |                | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |
| 3981    | Gauge tyre pressure                             |                | Ea |   |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>Accessory</u>                                |                |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 3982    | GAUGE, air test duplex                          |                | Ea |   |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>Accessories</u>                              |                |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -       | BAR extension 4 in x 9/32 in S.D.               | Ref 1L/1       | Ea |   |      |      |      | -    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -       | HANDLES, sliding bar tee<br>4 1/2" x 9/32" S.D. | Ref 1L/4       | Ea |   |      |      |      | -    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>KEY</u>                                      |                |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 3193    | Adjustment                                      |                | Ea |   |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 3194    | Looking   |                | Ea |   |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -       | SCHRAEDER ASPIRATOR                             | Part No 5262   | Ea |   |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |
| -       | SCREWDRIVER, watchmakers 8 x 3/16"              | Ref 1C/9105879 | Ea |   |      |      |      | -    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -       | SPANNER, socket hexagon, 2BA 9/32"<br>S.D.      | Ref 1L/1208397 | Ea |   |      |      |      | -    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |

| 1    | 2                                 | 3  | 4  | 5 | A 40 | A 41 | A 42 | A 43 | A 44 | A 45 | A 46 | A 47 | A 48 | A 49 | A 50 | A 51 | A 52 | A 53 | A 54 | A 55 | A 56 | A 57 | A 58 | A 59 | A 60 | A 61 | A 62 | A 63 | A 64 | A 65 | A 66 |  |
|------|-----------------------------------|--|----|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--|
|      | <u>SECTION 4G (Contd)</u>         |  |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
|      | <u>KEY (Contd)</u>                |  |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 8325 | STEPS, A/C servicing, 3 ft        | ** 1 per 20 vehicles<br>2 per 50 vehicles<br>3 for over 50 vehicles  | Ea |   |      |      |      |      |      |      |      |      |      |      |      | **   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
|      | <u>TROLLEY</u>                    |  |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 6259 | Charging nitrogen single cylinder | * Only Flights servicing Fire/crash trucks when not supported by aircraft servicing sections equipped with nitrogen trolleys | Ea |   |      |      |      |      |      |      |      |      |      |      |      | 1*   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |





| 1       | 2   | 3 | 4  | 5 | A 40 | A 41 | A 42 | A 43 | A 44 | A 45 | A 46 | A 47 | A 48 | A 49 | A 50 | A 51 | A 52 | A 53 | A 54 | A 55 | A 56 | A 57 | A 58 | A 59 | A 60 | A 61 | A 62 | A 63 | A 64 | A 65 | A 66 |  |
|---------|---|---|----|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--|
| 4232191 | <u>SECTION 4 GC</u><br>SLING, propeller, nylon type |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 4399488 | <u>SECTION 4 GD</u><br>TROLLEY, Nitrogen            |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |  |

A/L 64 MAY 1974

| 1       | 2                                  | 3                      | 4  | 5 | A 40 | A 41 | A 42 | A 43 | A 44 | A 45 | A 46 | A 47 | A 48 | A 49 | A 50 | A 51 | A 52 | A 53 | A 54 | A 55 | A 56 | A 57 | A 58 | A 59 | A 60 | A 61 | A 62 | A 63 | A 64 | A 65 | A 66 |
|---------|------------------------------------|------------------------|----|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|         | <u>SECTION 4K</u>                  |                        |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 4431667 | ADAPTER, hose connection           |                        | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 2963    | BAG, canvas                        |                        | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      | 200  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1550    | CART, hand type 'B'                |                        | Ea |   |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 2573    | COUPLING, pressure refuelling      |                        | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>HOSE</u>                        |                        |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1338    | Fuel and oil 1 1/4 in dia          | As reqd for use on     | Ea |   |      |      |      |      |      |      | (ar) |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 115     | Water 1 1/4 in dia (40 ft lengths) | bulk fuel installation | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |
|         | <u>LADDER, refueller</u>           |                        |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 3283    | Tank, servicing                    | )Per Refueller         | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 3284    | Tank, servicing                    | )Tank servicing        |    |   |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 3285    | Tank, servicing                    | )bay                   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 4796    | LUBRICATOR, air operated           | )                      | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 4654456 | LUBRICATOR, Bucket, Type 5000      | For MT use only        | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |
| 1187    | NOZZLE, type 'F'                   | As reqd for use on     | Ea |   |      |      |      |      |      |      | (ar) |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 4754    | PUMP drum                          | bulk fuel installation | Ea |   |      |      |      |      | 1    | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 4331328 | PUMP, semi-rotary                  |                        | Ea |   |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |
|         | <u>Accessory</u>                   |                        |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 4431272 | Stand pump                         |                        | Ea |   |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |

| 1       | 2                                    | 3   | 4  | 5 | A 40 | A 41 | A 42 | A 43 | A 44 | A 45 | A 46 | A 47 | A 48 | A 49 | A 50 | A 51 | A 52 | A 53 | A 54 | A 55 | A 56 | A 57 | A 58 | A 59 | A 60 | A 61 | A 62 | A 63 | A 64 | A 65 | A 66 |
|---------|--------------------------------------|---|----|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|         | <u>SECTION 4K (Contd)</u>            |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 122     | ROLLER, ground                       |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 3124    | RAMP BARREL, lifting, Mk 3           |   | Ea |   |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>TANK</u>                          |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 4431405 | Fuel storage                         | *Not entitled if holding (46/6541)<br>Trolleys Fuel Replenishment | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1*   |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>Accessory</u>                     |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>TUBING, flexible 1 1/2 in dia</u> |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1202    | TAP                                  |   | Ea |   |      |      |      |      |      |      | 3    | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1124    | TROLLEY, barrel                      |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |













A/L 64 MAY 1974

| 1       | 2                           | 3   | 4  | 5 | A 40 | A 41 | A 42 | A 43 | A 44 | A 45 | A 46 | A 47 | A 48 | A 49 | A 50 | A 51 | A 52 | A 53 | A 54 | A 55 | A 56 | A 57 | A 58 | A 59 | A 60 | A 61 | A 62 | A 63 | A 64 | A 65 | A 66 |
|---------|-----------------------------|---|----|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|         | <u>SECTION 5A</u>           |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9723881 | BLOWER, air portable type D |   | Ea |   |      |      |      |      | 1    |      |      |      |      |      | 1    |      |      |      |      | 1    |      |      | 2    |      |      |      |      |      |      |      |      |
|         | <u>Accessory</u>            |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 4345664 | NOZZLE                      |   | Ea |   |      |      |      |      | 1    |      |      |      |      |      | 1    |      |      |      |      | 1    |      |      | 2    |      |      |      |      |      |      |      |      |
|         | <u>LAMP</u>                 |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>Inspection</u>           |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 4349619 | Flameproof type "J"         | *Not applicable where pits have D.G.W. fixed flame-proof lighting installed | Ea |   |      |      |      |      |      |      |      |      |      |      |      | 1*   |      |      |      | 6    |      |      |      |      |      |      |      |      |      |      |      |
| 390     | Type B                      |   | Ea |   |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 3729    | Tank                        |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 390     | Type 'B'                    |   | Ea |   |      | 1    |      |      |      | 2    |      |      |      |      |      | 4    |      |      |      | 3    |      |      |      |      |      |      | 2    |      |      |      |      |
| 2430    | Type 'D'                    |   | Ea |   |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 4345284 | Pedestal Type 'E'           |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>TORCH, electric</u>      |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1067377 | Type 'V'                    |   | Ea |   |      | 4    | 1    |      | 1    | 4    | 1    |      |      |      |      | 6    | 6    |      |      | 2    |      |      | 1    |      | 1    | 2    |      |      |      |      |      |
| 9105033 | Type 'Y'                    |   | Ea |   |      | 4    |      |      |      | 2    |      |      |      |      |      | 6    |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |
| 5015    | Type 'Z'                    |   | Ea |   |      | 4    |      |      | 1    | 1    | 1    |      | 1    |      |      | 6    | 6    |      |      | 2    |      |      | 1    | 2    |      | 2    |      |      |      |      |      |
| 4966    | SAFELOC SOCKETS             | For use in Station Electrical Servicing Sections                            | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1*   |      |      |      |      |
| 4803    | REEL, cable extension       |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 5007    | THORN, Light                |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |

| 1          | 2                                 | 3                             | 4  | 5 | A 40 | A 41 | A 42 | A 43 | A 44 | A 45 | A 46 | A 47 | A 48 | A 49 | A 50 | A 51 | A 52 | A 53 | A 54 | A 55 | A 56 | A 57 | A 58 | A 59 | A 60 | A 61 | A 62 | A 63 | A 64 | A 65 | A 66 |
|------------|-----------------------------------|-------------------------------|----|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|            | <u>SECTION 56</u>                 |                               |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 3429       | DETECTOR, refrigerant leak        |                               | Fa |   |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 548        | RHEOSTAT, carbon pile             |                               | Ea |   |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 214        | SWITCHBOARD, type K               |                               | Ea |   |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|            | <u>Accessory</u>                  |                               |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 215        | Panel loading                     |                               | Ea |   |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 2836       | SYNCHRONISER, magneto, type B     | Require battery<br>5J/9101144 | Ea |   |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |
|            | <u>TESTER</u>                     |                               |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 2126 or    | Bonding, type 'B' )               |                               | Ea |   |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |
| 1097544    | Bonding, type 'C' )               |                               | Ea |   |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 2271       | Cell, heavy discharge             |                               | Fa |   |      |      |      | 1    |      |      |      |      |      | 1    |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |
| 1142       | Fuse                              |                               | Fa |   |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 2924       | Generator mains operated          |                               | Ea |   |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|            | <u>Accessory</u>                  |                               |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 2925       | Panel testing                     |                               | Fa |   |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|            | <u>TESTER</u>                     |                               |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 399        | Ignition, H.I. Mk.2               |                               | Ea |   |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9531154 or | Insulation resistance, Type 'A' ) |                               | Ea | 1 |      | 1    |      |      |      |      |      |      |      |      |      | 1    |      |      | 2    | 1    |      |      | 3    |      | 1    |      |      |      |      |      |      |
| 203        | Insulation resistance, Type 'D' ) |                               |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 152        | Insulation resistance, Type C     |                               |    |   |      |      |      | 1    | 3    |      |      |      |      | 1    |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |

| 1       | 2                                     | 3  | 4  | 5 | A 40 | A 41 | A 42 | A 43 | A 44 | A 45 | A 46 | A 47 | A 48 | A 49 | A 50 | A 51 | A 52 | A 53 | A 54 | A 55 | A 56 | A 57 | A 58 | A 59 | A 60 | A 61 | A 62 | A 63 | A 64 | A 65 | A 66 |
|---------|---------------------------------------|--|----|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|         | <u>SECTION 5G</u> (Contd)             |  |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>TESTER</u> (Contd)                 |  |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1112740 | Insulating multi-range type 1905 Mk 2 |  | Ea |   |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 3624    | Lead for Earthing Systems             | *For units established with Married Quarters | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1*   |      |      |      |      |      |      |      |      |      |      |      |      |
| 1708    | Megger bridge type 'B'                |  | Ea |   |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      | 1    | 1    |      |      |      |      |      |      |      |
| 2181    | Secondary battery capacity            |  |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |
| 9156675 | Insulation Resistance 250V            |  | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |













A/L 57 June 1972

| 1  | 2  | 3  | 4    | 5 | A<br>40 | A<br>41 | A<br>42 | A<br>43 | A<br>44 | A<br>45 | A<br>46 | A<br>47 | A<br>48 | A<br>49 | A<br>50 | A<br>51 | A<br>52 | A<br>53 | A<br>54 | A<br>55 | A<br>56 | A<br>57 | A<br>58 | A<br>59 | A<br>60 | A<br>61 | A<br>62 | A<br>63 | A<br>64 | A<br>65 | A<br>66 |
|--|--|--|------|---|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|  | <u>SECTION 6.B</u>   |  |      |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |
|  | <u>KEY, corrector, compass</u>                                       |  |      |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |
| 365  | A.T.M. and P type  |  | Each |   |         |         |         |         |         |         |         |         |         |         | 2       |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |
| 1042081  | E.Z. and Z.A. type   |  | Each |   |         |         |         |         |         |         |         |         |         |         | 2       |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |
|  | <u>WATCH, stop</u>   |  |      |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |
| 9101001<br>or<br>9101002<br>or<br>117<br>or<br>221 | G.S. 1/5 th. second )<br>G.S. 1/10 th. second )<br>Mk.3 )<br>Mk.3A ) |  | Each |   |         |         | 1       |         | 1       |         |         |         |         | 1       | 2       |         |         |         |         | 2*      |         |         | 2       |         |         |         |         | 1       | 2       |         |         |
|  | <u>Accessory</u>   |  |      |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |
| 1465   | <u>HOLDER, watch</u>   | (* ) Only for use with telegraph automatic switching system observation desks. | Each |   |         |         | 1       |         | 1       |         |         |         |         | 1       | 2       |         |         |         |         | 2*      |         |         | 2       |         |         |         |         | 1       | 2       |         |         |

A/L 64 MAY 1974

| 1       | 2                                      | 3 | 4  | 5 | A 40 | A 41 | A 42 | A 43 | A 44 | A 45 | A 46 | A 47 | A 48 | A 49 | A 50 | A 51 | A 52 | A 53 | A 54 | A 55 | A 56 | A 57 | A 58 | A 59 | A 60 | A 61 | A 62 | A 63 | A 64 | A 65 | A 66 |   |
|---------|--|---|----|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|---|
|         | <u>SECTION 6C</u>                      |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |   |
|         | <u>BALANCE</u>                         |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |   |
| 2008    | Weighing, semi automatic               |   | Ea |   |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |   |
| 2215    | Weighing, semi automatic (small)       |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1 |
|         | <u>Accessories</u>                     |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |   |
|         | <u>Weight Flat iron</u>                |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |   |
| 2472    | 1/2 lb                                 |   | Ea |   |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1 |
| 2471    | 1 lb                                   |   | Ea |   |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1 |
| 2470    | 2 lb                                   |   | Ea |   |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1 |
| 2469    | 4 lb                                   |   | Ea |   |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1 |
| 2468    | 7 lb                                   |   | Ea |   |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1 |
| 2467    | 14 lb                                  |   | Ea |   |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1 |
| 4360903 | BAROMETER, precision, Aneroid portable |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |   |
| 1164    | BOX, resistance, Mk 2                  |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |   |
|         | <u>CALIBRATOR</u>                      |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |   |
| 84      | Pressure gauge                         |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |   |
|         | <u>Accessory</u>                       |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |   |
| 150     | Adaptor                                |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |   |
|         | <u>CALIBRATOR</u>                      |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |   |
| 656     | Pressure gauge Mk 2                    |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |   |
| 4360485 | Thermometer Mk 1                       |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |   |

A/L 64 MAY 1974

| 1       | 2   | 3   | 4  | 5 | A 40 | A 41 | A 42 | A 43 | A 44 | A 45 | A 46 | A 47 | A 48 | A 49 | A 50 | A 51 | A 52               | A 53 | A 54 | A 55 | A 56 | A 57 | A 58 | A 59 | A 60 | A 61 | A 62 | A 63 | A 64 | A 65 | A 66 |
|---------|---|---|----|---|------|------|------|------|------|------|------|------|------|------|------|------|--------------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|         | <u>SECTION 60</u> (Contd)                           |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |                    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 4360494 | <u>CHAMBER</u> , Vacuum, Mk.6<br><u>Accessory</u>   |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      | 1    |                    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1041351 | PANEL, control                                      |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      | 1    |                    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9542399 | <u>COMPASS</u> , landing medium<br><u>Accessory</u> |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      | 1    |                    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9542398 | Tripod  |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      | 1    |                    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | DESYNN, No 2  |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      | 1    |                    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1042127 | <u>DEVICE</u>                                       |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |                    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 4360481 | Filling   |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      | 1    |                    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1052164 | Timing  |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      | 1    |                    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 4360484 | <u>EXTRACTOR</u> , pointer<br><u>Accessory</u>      |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      | 1    |                    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 4360489 | Plate, extractor                                    |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      | 1    |                    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1051749 | GYRO Test Table Mk 4A<br><u>HYDROMETER</u>          |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      | 1    | Per Instrument Bay |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 4360895 | Aviation Fuel testing                               | (*) Per in use<br>aviation refueller at                 | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      | 1*                 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 2194    | <u>CONTAINER</u> Fuel sample                        | operational units and<br>per pre-stocked                | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      | 1*                 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1325    | <u>CASE</u> transit<br><u>Set type B</u>            | aviation refueller at<br>Remote Dispersal<br>Airfields. | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      | 1*                 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 112     | CASE, carrying                                      |   | Ea |   |      |      |      |      |      |      |      | 1    |      |      |      |      | 1                  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 113     | JAR, glass  |   | Ea |   |      |      |      |      |      |      |      | 1    |      |      |      |      | 1                  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |



























| 1       | 2                              | 3 | 4    | 5 | A<br>40 | A<br>41 | A<br>42 | A<br>43 | A<br>44 | A<br>45 | A<br>46 | A<br>47 | A<br>48 | A<br>49 | A<br>50 | A<br>51 | A<br>52 | A<br>53 | A<br>54 | A<br>55 | A<br>56 | A<br>57 | A<br>58 | A<br>59 | A<br>60 | A<br>61 | A<br>62 | A<br>63 | A<br>64 | A<br>65 | A<br>66 |  |
|---------|--------------------------------|---|------|---|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|--|
|         | <u>SECTION 13</u>              |   |      |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |  |
| 93      | COMPASS, blackboard            |   | Each |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         | 1       |         |         |         |         |         |         |         |         |         |         |  |
| 3/44    | STENCIL SET, U.N.O. No. 64     |   | Each |   |         |         |         |         |         | 1       |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |  |
| 5213983 | STENCIL SET, duplicating point |   | Each |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         | 1       |         |         |         |         |         |  |



A/L 64 MAY 1974

| 1    | 2                            | 3 | 4  | 5 | A 40 | A 41 | A 42 | A 43 | A 44 | A 45 | A 46 | A 47 | A 48 | A 49 | A 50 | A 51 | A 52 | A 53 | A 54 | A 55 | A 56 | A 57 | A 58 | A 59 | A 60 | A 61 | A 62 | A 63 | A 64 | A 65 | A 66 |
|------|------------------------------|---|----|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|      | <u>SECTION 148</u>           |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 12   | <u>BOTTLE</u> , glass, 80 oz |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 3    |
|      | <u>BRUSH</u> , spotting      |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1758 | No 2                         |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      | 1    |
| 1762 | No 6                         |   | Ea |   |      |      |      |      | 2    |      |      |      |      |      | 2    | 1    |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      | 1    |



| 1    | 2   | 3 | 4    | 5 | A<br>40 | A<br>41 | A<br>42 | A<br>43 | A<br>44 | A<br>45 | A<br>46 | A<br>47 | A<br>48 | A<br>49 | A<br>50 | A<br>51 | A<br>52 | A<br>53 | A<br>54 | A<br>55 | A<br>56 | A<br>57 | A<br>58 | A<br>59 | A<br>60 | A<br>61 | A<br>62 | A<br>63 | A<br>64 | A<br>65 | A<br>66 |
|------|---|---|------|---|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| 2232 | <p style="text-align: center;"><u>SECTION 16.B</u></p> <p>ROPE, towing steel 15 ft.</p> |   | Each |   |         |         |         |         |         |         |         |         |         |         |         | 1       |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |



| 1       | 2  | 3 | 4    | 5 | A<br>40 | A<br>41 | A<br>42 | A<br>43 | A<br>44 | A<br>45 | A<br>46 | A<br>47 | A<br>48 | A<br>49 | A<br>50 | A<br>51 | A<br>52 | A<br>53 | A<br>54 | A<br>55 | A<br>56 | A<br>57 | A<br>58 | A<br>59 | A<br>60 | A<br>61 | A<br>62 | A<br>63 | A<br>64 | A<br>65 | A<br>66 |  |
|---------|--|---|------|---|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|--|
|         | <u>SECTION 21.C</u>                              |   |      |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |  |
| 2937    | FLASK, vacuum 3 <sup>1</sup> / <sub>2</sub> pint |   | Each |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         | 2       |         |         |         |         |         |         |         |         |         |         |  |
| 2313    | KETTLE, electric                                 |   | Each |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         | 1       |         |         |  |
| 2248    | SCALE, weighing chemicals                        |   | Each |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         | 1       |         |         |  |
| 1324    | SPRAYER, insecticide                             |   | Each |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         | 1       |         |         |  |
| 9105949 | SPADE, G.S.                                      |   | Each | 2 |         | 1       |         |         |         | 1       |         |         |         |         |         | 2       | 6       |         |         |         |         |         |         |         |         |         |         |         |         |         |         |  |
|         | <u>WEIGHT</u> , brass                            |   |      |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |  |
| 2253    | 1 gramme   |   | Each |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         | 1       |         |         |  |
| 2252    | 2 grammes  |   | Each |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         | 1       |         |         |  |
| 2251    | 5 grammes  |   | Each |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         | 2       |         |         |  |
| 2250    | 10 grammes                                       |   | Each |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         | 4       |         |         |  |
| 2249    | 20 grammes                                       |   | Each |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         | 4       |         |         |  |
| 616     | 8 oz.  |   | Each |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         | 1       |         |         |  |
| 1340    | 1 lb.  |   | Each |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         | 1       |         |         |  |
| 1341    | 2 lb.  |   | Each |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         | 1       |         |         |  |
| 1342    | 4 lb.  |   | Each |   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         | 1       |         |         |  |



A/L 64 MAY 1974

| 1       | 2                                       | 3 | 4  | 5 | A 40 | A 41 | A 42 | A 43 | A 44 | A 45 | A 46 | A 47 | A 48 | A 49 | A 50 | A 51 | A 52 | A 53 | A 54 | A 55 | A 56 | A 57 | A 58 | A 59 | A 60 | A 61 | A 62 | A 63 | A 64 | A 65 | 6 |
|---------|---|---|----|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|---|
|         | <u>SECTION 22B</u>                      |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |   |
|         | <u>BRUSH</u>                            |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |   |
| 9432826 | Clothes                                 |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 4 |
| 9432831 | Nail                                    |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 4 |
| 9432833 | Shoe blacking                           |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 4 |
| 9432835 | Shoe polishing                          |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 4 |
|         | <u>SECTION 23C</u>                      |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |   |
| Niv     | BLOCK, Assembly push rod, part No 50/52 |   | Ea |   | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1 |
| Niv     | EXPANDER, "D" ring, part No P54         |   | Ea |   | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1 |
| Niv     | PLIERS, circlip, Part No P55            |   | Ea |   | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1 |
| Niv     | PRESSING BLADES                         |   | Ea |   | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 2 |

| 1    | 2                         | 3 | 4  | 5 | A 40 | A 41 | A 42 | A 43 | A 44 | A 45 | A 46 | A 47 | A 48 | A 49 | A 50 | A 51 | A 52 | A 53 | A 54 | A 55 | A 56 | A 57 | A 58 | A 59 | A 60 | A 61 | A 62 | A 63 | A 64 | A 65 |  |
|------|---------------------------|---|----|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--|
|      | <u>SECTION 27A</u>        |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 4322 | BEARING, Press            |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 4383 | DEFLATOR "Screw On"       |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 4462 | WRENCH Torque, Valve Core |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |







| 1       | 2                  | 3 | 4  | 5 | A 40 | A 41 | A 42 | A 43 | A 44 | A 45 | A 46 | A 47 | A 48 | A 49 | A 50 | A 51 | A 52 | A 53 | A 54 | A 55 | A 56 | A 57 | A 58 | A 59 | A 60 | A 61 | A 62 | A 63 | A 64 | A 65 | A 66 |
|---------|--------------------|---|----|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|         | <u>SECTION 29G</u> |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>PADLOCK</u>     |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 2062    | Brass 2 in         |   | Ea |   |      |      |      |      |      |      | (ar) |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | (ar) |      |      |      |      |
|         | <u>Iron</u>        |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9168184 | 1¼ ins             |   | Ea | 1 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9108185 | 1½ ins             |   | Ea |   |      | 20   |      | (ar) | (ar) | (ar) | (ar) |      |      | 1    | (ar) | (ar) | 2    | 1    | 1    | 1    | 2    | 1    | (ar) | (ar) |      | (ar) | (ar) | (ar) | 1    |      |      |
| 9108186 | 2 ins              |   | Ea |   |      |      |      |      |      |      | (ar) |      |      |      |      |      |      |      |      |      |      |      |      |      |      | (ar) | 4    |      |      |      |      |
| 2067    | 2 ins special      |   | Ea | 1 |      | 1    | 1    |      |      |      | (ar) |      |      |      |      |      |      |      |      |      |      |      |      |      |      | (ar) |      |      |      |      |      |
| 9108188 | 3 ins              |   | Ea |   |      |      |      |      |      |      | (ar) |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>SECTION 29H</u> |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1761    | SEAL, lead         |   | Ea |   |      |      |      |      |      |      | (ar) |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |

| 1                             | 2   | 3 | 4                       | 5 | A<br>40 | A<br>41 | A<br>42 | A<br>43 | A<br>44 | A<br>45 | A<br>46 | A<br>47 | A<br>48 | A<br>49 | A<br>50 | A<br>51 | A<br>52    | A<br>53 | A<br>54 | A<br>55 | A<br>56 | A<br>57 | A<br>58 | A<br>59 | A<br>60 | A<br>61 | A<br>62 | A<br>63 | A<br>64 | A<br>65 | A<br>66 |
|-------------------------------|---|---|-------------------------|---|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| <p>9425041</p> <p>9425051</p> | <p><u>SECTION 32A</u></p> <p><u>ROPE, sissal</u></p> <p>1<sup>1</sup>/<sub>4</sub> in.</p> <p>4 in.</p> |   | <p>Coil</p> <p>Coil</p> |   |         |         |         |         |         |         |         |         |         |         |         |         | <p>120</p> |         |         |         |         |         |         |         |         |         |         |         |         |         |         |





| 1       | 2  | 3   | 4              | 5 | A<br>40 | A<br>41 | A<br>42 | A<br>43 | A<br>44 | A<br>45 | A<br>46 | A<br>47 | A<br>48 | A<br>49 | A<br>50 | A<br>51 | A<br>52  | A<br>53 | A<br>54 | A<br>55 | A<br>56 | A<br>57 | A<br>58 | A<br>59 | A<br>60 | A<br>61 | A<br>62 | A<br>63 | A<br>64 | A<br>65 | A<br>66 |
|---------|--|---|----------------|---|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| 2202590 | <p style="text-align: center;"><u>SECTION 33D</u></p> <p>POLISH, car silicone emulsion</p> | (a) Qty. 1 -<br>16 fluid oz.<br>container per year<br>per major Fire<br>Fighting vehicle,<br>and per passenger<br>carrying vehicle<br>established | Cont-<br>ainer |   |         |         |         |         |         |         |         |         |         |         |         |         | 1<br>(a) |         |         |         |         |         |         |         |         |         |         |         |         |         |         |
| 510     | <p style="text-align: center;"><u>SECTION 34D</u></p> <p>PASTE, water finding</p>          |   | Ozs.           |   |         |         |         |         |         |         |         |         |         |         |         |         |          |         |         |         |         |         |         |         |         |         |         |         |         |         |         |





(50084)201

A/L 57 June 1972

| 1              | 2   | 3 | 4            | 5 | A<br>40 | A<br>41 | A<br>42 | A<br>43 | A<br>44 | A<br>45 | A<br>46 | A<br>47 | A<br>48 | A<br>49 | A<br>50 | A<br>51 | A<br>52 | A<br>53 | A<br>54 | A<br>55 | A<br>56 | A<br>57 | A<br>58 | A<br>59 | A<br>60 | A<br>61 | A<br>62 | A<br>63 | A<br>64 | A<br>65 | A<br>66 |
|----------------|---|---|--------------|---|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| 531<br>8022405 | <p align="center"><u>SECTION 4OR</u></p> <p>DRUM, mild steel<br/>45 gallon, class A</p> <p>JERRICAN, petrol</p> |   | Each<br>Each |   |         |         |         | (ar)    | 4       |         |         | 1       |         |         |         | (ar)    | 4       |         | (ar)    | 4       |         |         |         |         |         |         |         |         |         |         |         |

(50084) 203

A/L 57 June 1972

| 1    | 2  | 3   | 4    | 5 | A<br>40 | A<br>41 | A<br>42 | A<br>43 | A<br>44 | A<br>45 | A<br>46 | A<br>47 | A<br>48 | A<br>49 | A<br>50 | A<br>51 | A<br>52 | A<br>53 | A<br>54 | A<br>55 | A<br>56 | A<br>57 | A<br>58 | A<br>59 | A<br>60 | A<br>61 | A<br>62 | A<br>63 | A<br>64 | A<br>65 | A<br>66 |
|------|--|---|------|---|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| 3739 | <p style="text-align: center;"><u>SECTION 53B</u></p> <p>COMPUTOR, Fuel weight</p> | <p>*Per in use aviation refueller at operational units and per pre-stocked Aviation refueller at Remote Dispersal Airfields</p> | Each |   |         |         |         |         |         |         |         |         |         |         |         |         | 1*      |         |         |         |         |         |         |         |         |         |         |         |         |         |         |

A/L 64 MAY 1974

| 1        | 2                       | 3  | 4  | 5 | A 40 | A 41 | A 42 | A 43 | A 44 | A 45 | A 46 | A 47 | A 48 | A 49 | A 50 | A 51 | A 52 | A 53 | A 54 | A 55 | A 56 | A 57 | A 58 | A 59 | A 60 | A 61 | A 62 | A 63 | A 64 | A 65 | A 66 |
|----------|-------------------------|--|----|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|          | <u>SECTION 71A</u>      |  |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|          | <u>CYLINDER gas</u>     |  |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| * 29     | Compressed air Mk 7A    | *Where no built in or static air supply is available | Ea |   |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 201 or ) | Nitrogen Mk 12A         |  | Ea |   |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | A/R  |      |      |      |      |      |      |
| 37       | Nitrogen Mk 7A          |  |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|          | <u>Oxygen breathing</u> |  |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 41       | Mk 7A                   | )  |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| or       | Mk 12                   | )  | Ea |   |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|          | <u>Transport</u>        |  |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 320      | Arcton 11 (65 lb)       |  | Ea |   |      |      |      |      |      |      | 2    |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |
| 127      | CC 12 F2 (56 lb)        |  | Ea |   |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |
| 87       | KEY, straight type      |  | Ea |   |      |      |      |      |      |      |      |      |      |      | 2    |      |      |      |      | 1    | 1    |      |      |      |      |      |      | 1    |      |      |      |
|          | <u>SECTION 71B</u>      |  |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|          | <u>HYDROMETER</u>       |  |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 121      | PE Mk 3                 |  | Ea |   |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|          | <u>Accessory</u>        |  |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 132      | CASE, transit           |  | Ea |   |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |

| 1 | 2  | 3  | 4  | 5 | A 40 | A 41 | A 42 | A 43 | A 44 | A 45 | A 46 | A 47 | A 48 | A 49 | A 50 | A 51 | A 52 | A 53 | A 54 | A 55 | A 56 | A 57 | A 58 | A 59 | A 60 | A 61 | A 62 | A 63 | A 64 | A 65 | A 66 |  |  |
|---|--|--|----|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--|--|
|   | <p><u>SECTION 71B</u> (Contd)</p> <p>TOOL, Gas Release, Walter Kidde<br/>K 15016</p> <p>TOOL, Peg Wrench, Walter Kidde,<br/>K 15024</p> <p>ADAPTOR, Filling, Walter Kidde,<br/>K 15017</p> | <p>Only for Units<br/>servicing Marine<br/>craft</p> | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
|   |  |  | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
|   |  |  | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
|   |  |  | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |

A/L 64 MAY 1974

| 1               | 2   | 3   | 4  | 5 | A 40 | A 41 | A 42 | A 43 | A 44 | A 45 | A 46 | A 47 | A 48 | A 49 | A 50 | A 51 | A 52 | A 53 | A 54 | A 55 | A 56 | A 57 | A 58 | A 59 | A 60 | A 61 | A 62 | A 63 | A 64 | A 65 | A 66 |  |  |
|-----------------|---|---|----|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--|--|
| 5440-99-1292118 | <u>GROUP CLASS 5440</u><br>LADDER 10 ft swing back      |   | Ea |   |      |      |      |      |      |      | 4    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
| 6530-99-1204803 | <u>GROUP CLASS 6530</u><br>BIN, soiled linen            |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
| 6645-99-1297017 | <u>GROUP CLASS 6645</u><br>CLOCK, wall, brass, 8 in dia | Battery charging rooms servicing aircraft batteries | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |  |  |
| 7105-99-1290611 | <u>GROUP CLASS 7105</u><br>CHAIR                        |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |  |  |

A/L 64 MAY 1974

| 1               | 2                               | 3   | 4  | 5 | A 40 | A 41 | A 42 | A 43 | A 44 | A 45 | A 46 | A 47 | A 48 | A 49 | A 50 | A 51 | A 52 | A 53 | A 54 | A 55 | A 56 | A 57 | A 58 | A 59 | A 60 | A 61 | A 62 | A 63 | A 64 | A 65 | A 66 |
|-----------------|---------------------------------|---|----|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|                 | <u>GROUP CLASS 7105 (Contd)</u> |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 7105-99-1290144 | CHAIR                           |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |
| 7105-99-9425835 | TABLE, portable, F.S.           |   | Ea |   |      |      | 2    |      |      |      |      | 1    |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    | 1    | 1    |      |
|                 | <u>GROUP CLASS 7110</u>         |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 7110-99-9425637 | CABINET, Filing                 |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |
| 7110-99-1205660 | CABINET, Metal                  |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | A/R  |      |      |      |      |      |
| 7110-99-1296083 | CUPBOARD, common                | *Only to be demanded where no built in cupboards supplied by D.G.W. | Ea |   |      |      |      |      | (ar) | (ar) |      | (ar) |      | (ar) | (ar) | (ar) | 1    | 1*   |      |      |      | 2    | 1    | (ar) |      |      | (ar) | (ar) | 1    |      |      |
| 7110-99-1204613 | DESK, Flat Top                  |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |
| 7110-99-1296197 | STOOL                           |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | A/R  |      |      |      |      |      |
|                 | <u>GROUP CLASS 7125</u>         |   |    |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 7125-99-1293450 | LOCKER, Clothing                |   | Ea |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    | PER  | MAN  |      |      |      |







A/L 57 June 1972

| 1               | 2   | 3   | 4    | 5 | A 40 | A 41 | A 42 | A 43 | A 44 | A 45 | A 46 | A 47 | A 48 | A 49 | A 50 | A 51 | A 52 | A 53 | A 54 | A 55 | A 56 | A 57 | A 58 | A 59 | A 60 | A 61 | A 62 | A 63 | A 64 | A 65 | A 66 |
|-----------------|---|---|------|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|                 | <u>SECTION LV6 MT2 (Contd.)</u>           |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 5120-99-4020348 | CUP, suction, rubber, large )<br>)<br>)   | Use with LV7 HL1<br>5110-99-402030347                 | Each |   |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |
| 4020349         | CUP, suction, rubber, small )             |   | Each |   |      |      |      | 1    |      |      |      |      |      |      |      | 2    |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |
| 4012316         | KEY, nipple, 4 way                        |   | Each |   |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 4019754         | LEVER, type, bicycle                      |   | Each |   |      |      |      |      |      |      |      |      |      |      |      | 3    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 8030264         | LEVER, type, cranked                      |   | Each |   |      |      |      |      |      |      |      |      |      |      |      | 3    |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |
| 4012524         | LEVER, type, spoon, 7 in.                 |   | Each |   |      |      |      |      |      |      |      |      |      |      |      | 3    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 4021252         | LEVER, type                               |   | Each |   |      |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 8030263         | LEVER, type, straight                     |   | Each |   |      |      |      |      |      |      |      |      |      |      |      | 3    |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |
| 4013588         | MANDRELL, clutch alignment universal      |   | Each |   |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|                 | <u>REPAIR OUTFIT TUBELESS TYPES</u>       |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 4910-99-4013127 | TANK, Water, rubber                       |   | Each |   |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 4013131         | TOOL, submerging                          |   | Each |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |
| 4013125         | TOURNIQUET                                |   | Each |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |
| 5120-99-4012561 | SPANNER, cone                             |   | Each |   |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 4305457         | SPANNER, special, cycle pedal pin         |   | Each |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |
| 8030196         | SPANNER, special, wheel nut<br>6 way H.D. |   | Each |   |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |
| 4012910         | SPANNER, universal                        |   | Each |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 4910-99-4021826 | SERVICING UNIT, hydraulic brakes          | Only for flights<br>servicing 150 or<br>more vehicles | Each |   |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |

50084/211









## SECTION 8

BASIC SCALES FOR FLIGHTS SECTIONS  
AND SERVICING BAYS

|      |  |      |                                |
|------|--|------|--------------------------------|
| A.67 | Bombing Teacher Installation Sections  | A.81 | Hydraulic Bays                 |
| A.68 | Balloon Tools and Ground Equipment   | A.82 | Non Destructive Test Equipment |
| A.69 | Air Traffic Control Sections and Units   | A.83 | Pneumatic Bays                 |
| A.70 | Station Fire Sections  | A.84 |                                |
| A.71 | Air Movements Sections   | A.85 |                                |
| A.72 | Flight Simulator Installation Sections   | A.86 |                                |
| A.73 | Missile Preparation Sheds ✓  | A.87 |                                |
| A.74 | Master Diversion Airfields (See Note 1)  | A.88 |                                |
| A.75 | Flight Refuelling Trainers - Tools and Test Equipment                                    | A.89 |                                |
| A.76 | Workshop Lock-up for Medical and Dental Servicing Section                                | A.90 |                                |
| A.77 | Air Camera Servicing Bay   | A.91 |                                |
| A.78 |  | A.92 |                                |
| A.79 | Explosives Storehouses Magazines and Danger Areas ✓                                      | A.93 |                                |
| A.80 | M.T. (Fighter Command Remote Units only) - Tools<br>and equipment for 1st Line Servicing |      |                                |

NOTE:- Scales A.81 and A.83 Units Servicing, Gazelle, Jaguar, Lynx and Puma Aircraft refer to the respective Topic 3C for Entitlement of Section 1 items

A/L62 NOVEMBER 1973

| 1       | 2                               | 3                               | 4    | 5 | A 67 | A 68 | A 69 | A 70 | A 71 | A 72 | A 73 | A 74 | A 75 | A 76 | A 77 | A 78 | A 79 | A 80 | A 81 | A 82 | A 83 | A 84 | A 85 | A 86 | A 87 | A 88 | A 89 | A 90 | A 91 | A 92 | A 93 |
|---------|---------------------------------|---------------------------------|------|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|         | <u>SECTION 1A</u>               |                                 |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9104066 | AXE, felling                    |                                 | Each |   |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1275310 | BAG, tool G.P.                  |                                 |      | 1 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>BAR, Crow, chisels, claw</u> |                                 |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9104341 | 3 ft. 6 in.                     | Per 1st Line, Serv.,<br>Team    | Each |   |      | 2    |      |      |      |      |      |      |      |      |      |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9104343 | 5 ft. 6 in.                     | Per 1st Line, Serv.,<br>Team    | Each |   |      | 2    |      |      |      |      |      |      |      |      |      |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9552997 | BOX, tool, large                | Per 1st Line, Serv.,<br>team    | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         |                                 | Per Major & Minor<br>Serv. Team | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         |                                 | Per Fabric shop                 | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         |                                 | Per Static Site Crew            | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         |                                 | Per Met. Site Crew              | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9575039 | BOX, tool medium                |                                 | Each |   |      |      |      |      |      |      | 1    |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>BRACE, Carpenter</u>         |                                 |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | BITS, Auger                     |                                 |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9104086 | 1/2 in.                         |                                 | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9104090 | 3/4 in.                         |                                 | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | BITS, Screwdriver               |                                 |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9104129 | 3/8 in.                         |                                 | Each |   |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 4127    | 5/8 in.                         |                                 | Each |   |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |

A/L62 NOVEMBER 1973

| 1       | 2  | 3  | 4    | 5 | A 67 | A 68 | A 69 | A 70 | A 71 | A 72 | A 73 | A 74 | A 75 | A 76 | A 77 | A 78 | A 79 | A 80 | A 81 | A 82 | A 83 | A 84 | A 85 | A 86 | A 87 | A 88 | A 89 | A 90 | A 91 | A 92 | A 93 |
|---------|--|--|------|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|         | <u>SECTION 1A (Contd)</u>                  |  |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>BRACE, Carpenter (Contd)</u>            |  |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9104079 | Open ratchet 10 ins.<br>Sweep without bits |  | Each | 1 |      |      |      |      | 1    |      | 1    |      |      |      |      |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>BRUSH</u>                               |  |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 3945    | Round hard                                 | ) Per 1st Line Serv.<br>) Team<br>) Per Major & Minor<br>) Serv. Team<br>) Per Fabric Shop<br>) Per Static Site Crew<br>) Per Met. Site Crew | Each |   | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1255009 | Varnish or enamel 1 in.                    | Per Major & Minor<br>Serv. Team  | Each |   | 3    |      | 3    |      |      |      | 2    |      |      |      | 1    |      |      | 1    | 1    |      |      |      |      |      |      |      |      |      |      |      |      |
| 4589    | Flat 2 in.                                 |  | Each |   |      |      | 2    | 3    | 1    |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 4590    | Flat 4 in.                                 |  | Each |   |      |      | 1    |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9430415 | Stencil                                    |  | Each |   |      |      |      |      | 2    |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9432845 | Engine cleaning                            |  | Each |   |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      | 2    |      | 2    |      |      |      |      |      |      |      |      |      |      |
| 9432856 | Tank cleaning                              |  | Each |   |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1202537 | Wire surface cleaning                      |  | Each |   |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9430452 | Writing crow                               |  | Each |   |      |      |      |      |      |      |      |      |      | 1    | 1    |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |
| 1275139 | BALANCE, spring 0-60 lbs                   |  | Each |   |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 2721    | CALIPER, Micrometer, Outside,<br>0-1 in    |  | Each |   |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |



A/L62 NOVEMBER 1973

| 1       | 2                              | 3                               | 4    | 5 | A 67 | A 68 | A 69 | A 70 | A 71 | A 72 | A 73 | A 74 | A 75 | A 76 | A 77 | A 78 | A 79 | A 80 | A 81 | A 82 | A 83 | A 84 | A 85 | A 86 | A 87 | A 88 | A 89 | A 90 | A 91 | A 92 | A 93 |
|---------|--------------------------------|---------------------------------|------|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|         | <u>SECTION 1A (Contd)</u>      |                                 |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9100077 | CALIPER, Vernier, 9 in         |                                 | Each |   |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>CHISEL, firmer handled</u>  |                                 |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9104221 | 1/2 in                         |                                 | Each |   | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9104223 | 3/4 in                         |                                 | Each |   | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 4658    | CIRCLIP APPLICATOR             |                                 | Each |   |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9104203 | Cold cast steel Flat 1/2 x 6in | Per 1st Line Serv Team          | Each |   |      | 1    |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         |                                | Per Major & Minor Serv Team     | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         |                                | Per Static Site Crew            | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         |                                | Per Met.Site Crew               | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9104206 | Cold cast steel flat 3/4 x 8in |                                 | Each |   |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | CAN                            |                                 |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9426907 | Oiler, Hand, 1/2 Pint          | Per Major & Minor Serv Team     | Each |   |      | 1    |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         |                                | Per Fabric Shop                 | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 348     | Paint                          |                                 | Each |   |      |      |      |      |      |      |      |      |      |      |      |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1092385 | Oiler, Hand, 24 oz             |                                 | Each |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |
| 1200891 | CROPPER, bolt                  | Per 1st Line Serv Team          | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         |                                | Per 2, Major & Minor Serv Teams | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         |                                | Per Static Site Crew            | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         |                                | Per Met Site Crew               | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |

A/L62 NOVEMBER 1973

| 1       | 2                               | 3  | 4            | 5      | A 67 | A 68 | A 69 | A 70 | A 71 | A 72 | A 73 | A 74 | A 75 | A 76 | A 77 | A 78 | A 79 | A 80 | A 81 | A 82 | A 83 | A 84 | A 85 | A 86 | A 87 | A 88 | A 89 | A 90 | A 91 | A 92 | A 93 |
|---------|---------------------------------|--|--------------|--------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|         | <u>SECTION 1A (Contd)</u>       |  |              |        |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9104476 | DIVIDER, Spring split nut 6 in  |  | Each         | 1      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9104426 | DRIFT, Copper, 1/4in x 6 1/2 in |  | Each         |        |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9104427 | DRIFT, Copper 1/2 x 6 1/2 in    |  | Each         |        |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9104280 | DRILL, Breast                   |  | Each         |        |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9104281 | DRILL, Breast                   |  | Each         |        |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>DRILL, bit stock</u>         |  |              |        |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9108930 | 1/4 in                          |  |              |        |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9108931 | 5/16 in                         |  |              |        |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9108932 | 3/8 in                          |  |              |        |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9108933 | 7/16 in                         |  |              |        |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9108934 | 1/2 in                          |  |              |        |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 3750    | Extractor Screw Set             |  | Each         |        |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 887     | EYE GLASS, watchmaker           |  | Each         |        |      |      |      | 1    |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>FUNNEL</u>                   |  |              |        |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1175    | 8 in                            | ) Per 1st Line Serv<br>) Team<br>) Per Met Site Crew | Each<br>Each | 1<br>1 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1178    | G.P. round 1 qt.                |  | Each         |        |      |      | 1    | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1174    | Oil round                       |  | Each         |        |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    | 1    |      |      |      |      |      |      |      |      |      |      |      |      |

A/L62 NOVEMBER 1973

| 1       | 2                                     | 3 | 4    | 5 | A 67 | A 68 | A 69 | A 70 | A 71 | A 72 | A 73 | A 74 | A 75 | A 76 | A 77 | A 78 | A 79 | A 80 | A 81 | A 82 | A 83 | A 84 | A 85 | A 86 | A 87 | A 88 | A 89 | A 90 | A 91 | A 92 | A 93 |
|---------|---------------------------------------|---|------|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|         | <u>SECTION 1A (Contd)</u>             |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>FILE</u>                           |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9104843 | Flat smooth 6 in                      |   | Each |   |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9104852 | Half round, bastard 6 in              |   | Each |   |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9104922 | Round, Bastard 4 in                   |   | Each |   |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9104931 | Round, smooth, 6 in                   |   | Each |   |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9104747 | Square, smooth, 6 in                  |   | Each |   |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9104957 | Taper, Saw, 10 in                     |   | Each |   |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9104967 | Three Square, smooth, 6 in            |   | Each |   |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9104974 | Warding, smooth                       |   | Each |   |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9104902 | Knife, smooth, 4 in                   |   | Each |   |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9104870 | Half round smooth, 8 in               |   | Each |   |      |      |      | 1    |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9104887 | Hand, second cut, 8 in                |   | Each |   |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9104895 | Hand smooth, 10 in                    |   | Each |   |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1001    | Dreadnought 12 in                     |   | Each |   |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1200894 | Miscellaneous Files and<br>Burnishers |   | Each |   |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | Precision, Escarpment or<br>Geneva    |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9104992 | Cylinder Match Cut 6                  |   | Each |   |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9104994 | Dovetail Cut 6                        |   | Each |   |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9104996 | Knife Cut 6                           |   | Each |   |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |

A/L62 NOVEMBER 1973

| 1       | 2                            | 3 | 4    | 5 | A 67 | A 68 | A 69 | A 70 | A 71 | A 72 | A 73 | A 74 | A 75 | A 76 | A 77 | A 78 | A 79 | A 80 | A 81 | A 82 | A 83 | A 84 | A 85 | A 86 | A 87 | A 88 | A 89 | A 90 | A 91 | A 92 | A 93 |  |  |
|---------|------------------------------|---|------|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--|--|
|         | <u>SECTION 1A (Contd)</u>    |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
|         | <u>FILE (Contd)</u>          |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
| 9104998 | Ratchet Cut 6                |   | Each |   |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
| 9105000 | Round Cut 6                  |   | Each |   |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
| 9105002 | Square Cut 6                 |   | Each |   |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
| 9105004 | Three Square Cut 6           |   | Each |   |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
| 9104854 | Half Round Bastard 10 in     |   | Each |   |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
| 9104879 | Hand Bastard 10 in           |   | Each |   |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
| 9104925 | Round, Bastard 10 in         |   | Each |   |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
| 9105539 | Plumb, Bob, 8 oz             |   | Each | 1 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
|         | <u>PICK</u>                  |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
| 9104746 | Handle No 1                  |   | Each |   |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
| 9105473 | Head chisel and Point 4½ lbs |   | Each |   |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
|         | <u>TOMMY BAR</u>             |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
| 9106536 | 3/16 in x 4 in               |   | Each |   |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
| 9106537 | 1/4 in x 5 in                |   | Each |   |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |

A/L62 NOVEMBER 1973

| 1       | 2                        | 3                             | 4    | 5 | A 67 | A 68 | A 69 | A 70 | A 71 | A 72 | A 73 | A 74 | A 75 | A 76 | A 77 | A 78 | A 79 | A 80 | A 81 | A 82 | A 83 | A 84 | A 85 | A 86 | A 87 | A 88 | A 89 | A 90 | A 91 | A 92 | A 93 |
|---------|--------------------------|-------------------------------|------|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|         | <u>SECTION 1B</u>        |                               |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9575041 | <u>GUN lubricating</u>   |                               |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | Aircraft universal       |                               | Each |   |      |      |      |      |      |      |      |      |      | 1    |      |      |      | 2    | 1    |      | 1    |      |      |      |      |      |      |      |      |      |      |
|         | <u>Accessories</u>       |                               |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>NOZZLE ASSEMBLIES</u> |                               |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 4469    | Hydraulic push-on        |                               | Each |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      | 1    |      |      |      |      |      |      |      |      |      |
| 5455    | Miniature tat, hook-on   |                               | Each |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      | 1    |      |      |      |      |      |      |      |      |      |
| 4468    | "TECAZERK" push-on       |                               | Each |   |      |      |      |      |      |      |      |      |      | 1    |      |      |      | 2    | 1    |      | 1    |      |      |      |      |      |      |      |      |      |      |
| 4289    | Type "C"                 |                               | Each |   |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1276147 | Type "H"                 |                               | Each |   |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9239955 | Tube                     |                               | Each |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      | 1    |      |      |      |      |      |      |      |      |      |
| 5716    | Connector                |                               | Each |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      | 1    |      |      |      |      |      |      |      |      |      |
|         | <u>HAMMER</u>            |                               |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>Engineer ballpein</u> |                               |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9104654 | 1/4 lb                   |                               | Each |   |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9104648 | 1/2 lb                   |                               | Each |   |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9104649 | 3/4 lb                   | ) Per 1st Line Serv Team      | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         |                          | ) Per Major & Minor Serv Team | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         |                          | ) Per Fabric Shop             | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         |                          | ) Per Static Site Crew        | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         |                          | ) Per Met Site Crew           | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9104650 | 1 lb                     |                               | Each |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |

A/L62 NOVEMBER 1973

| 1       | 2  | 3   | 4                                    | 5 | A 67 | A 68 | A 69 | A 70 | A 71 | A 72 | A 73 | A 74 | A 75 | A 76 | A 77 | A 78 | A 79 | A 80 | A 81 | A 82 | A 83 | A 84 | A 85 | A 86 | A 87 | A 88 | A 89 | A 90 | A 91 | A 92 | A 93 |  |
|---------|--|---|--------------------------------------|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--|
|         | <u>SECTION 1B (Contd)</u>  |   |                                      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
|         | <u>HAMMER (Contd)</u>  |   |                                      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 1207307 | Hide faced No. 1 )<br>Team )<br>Per Major & Minor )<br>Serv Team )<br>Per Fabric Shop )<br>Per Static Site Crew )<br>Per Met Site Crew ) | Per 1st Line Serv Team<br>Per Major & Minor Serv Team<br>Per Fabric Shop<br>Per Static Site Crew<br>Per Met Site Crew | Each<br>Each<br>Each<br>Each<br>Each |   | 4    |      |      | 1    |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 1204744 | Hand joiners Exeter patt $\frac{3}{4}$ lb  |   | Each                                 |   |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 1203936 | Hand engineers, ballpein $1\frac{3}{4}$ lb   |   | Each                                 |   |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 1207169 | Nylon $1\frac{1}{2}$ lbs   |   | Each                                 |   |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 9104670 | Joiner No 2, $\frac{3}{4}$ lbs   |   | Each                                 |   |      |      |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 9104697 | Sledge 14 lb   |   | Each                                 |   |      | 24   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
|         | <u>HANDLE file</u>   |   |                                      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 9105184 | No 2   |   | Each                                 |   |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 9105185 | No 3   |   | Each                                 |   |      |      |      | 3    |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 9105186 | No 5   |   | Each                                 |   |      |      |      |      |      |      |      |      |      |      | 1    |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
|         | <u>INDICATOR</u>   |   |                                      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 4554    | Type A.T.H. 7  |   | Each                                 |   | 1    |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |

A/L62 NOVEMBER 1973

| 1       | 2                                 | 3                                   | 4    | 5 | A 67 | A 68 | A 69 | A 70 | A 71 | A 72 | A 73 | A 74 | A 75 | A 76 | A 77 | A 78 | A 79 | A 80 | A 81 | A 82 | A 83 | A 84 | A 85 | A 86 | A 87 | A 88 | A 89 | A 90 | A 91 | A 92 | A 93 |
|---------|-----------------------------------|-------------------------------------|------|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|         | <u>SECTION 1B (Contd)</u>         |                                     |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>IRON</u>                       |                                     |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>Soldering, electric medium</u> |                                     |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9005892 | 230/250V, 240W                    | Per 2 Major and<br>Minor Serv Teams | Each |   |      | 1    |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9005883 | IRON, Soldering 230/250V,65W      |                                     | Each |   |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1278853 | IRON, Soldering - Wellor(TCP)     |                                     | Each |   |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1278865 | STAND, Iron, Wellor (TCP)         |                                     | Each |   |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1103908 | TRANSFORMER, 240/250V             |                                     | Each |   |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>LEVEL, spirit</u>              |                                     |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9105419 | Metal 7 ins                       |                                     | Each | 1 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>MEASURE, oil</u>               |                                     |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 4280826 | Gills                             |                                     | Each |   |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    | 1    |      | 1    |      |      |      |      |      |      |      |      |      |      |
| 4280789 | 1/2 gallon                        |                                     | Each |   |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 5275    | 1 pint graduated in c.c.o.        |                                     | Each |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |
| 9105436 | MALLET, carpenter                 |                                     | Each |   |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9105463 | NAIL PULLERS                      |                                     | Each |   |      |      |      |      | 2    |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>NIPPERS</u>                    |                                     |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>Diagonal cutting</u>           |                                     |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9105295 | 5 in pointed nose                 | Per Major and Minor<br>Serv Team    | Each |   |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |

A/L62 NOVEMBER 1973

| 1       | 2                                | 3                     | 4    | 5 | A 67 | A 68 | A 69 | A 70 | A 71 | A 72 | A 73 | A 74 | A 75 | A 76 | A 77 | A 78 | A 79 | A 80 | A 81 | A 82 | A 83 | A 84 | A 85 | A 86 | A 87 | A 88 | A 89 | A 90 | A 91 | A 92 | A 93 |  |
|---------|----------------------------------|-----------------------|------|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--|
|         | <u>SECTION 1B (Contd)</u>        |                       |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
|         | <u>OILSTONES</u>                 |                       |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 1647    | G.P. Fine                        |                       | Each |   |      | 1    |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 9105471 | PALM, sewing sailmakers          | ( Per Lt Line Serv    |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
|         |                                  | ( Team                | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
|         |                                  | ( Per Major and Minor | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
|         |                                  | ( Serv Team           |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
|         |                                  | ( Per Fabric Shop     | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
|         |                                  | ( Per Static Site     |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
|         |                                  | ( Crew                | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
|         |                                  | ( Per Met Site Crew   | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 9105482 | PINCER, carpenter 8 in           |                       | Each |   |      |      |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |  |
|         | <u>PLATE</u>                     |                       |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
|         | <u>Stencilinterlocking</u>       |                       |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
|         | <u>Brass letters and figures</u> |                       |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 5160    | 1/2 in Set                       |                       | Each |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |  |
| 5161    | 1 in Set                         |                       | Each |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |  |
| 5162    | 2 in Set                         |                       | Each |   |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
|         | <u>Zinc figures</u>              |                       |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 1759    | 1 1/2 in                         |                       | Each |   |      |      |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
|         | <u>Zinc letters</u>              |                       |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 1766    | 1 1/2 in                         |                       | Each |   |      |      |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |



A/L62 NOVEMBER 1973

| 1       | 2                             | 3                                    | 4    | 5 | A 67 | A 68 | A 69 | A 70 | A 71 | A 72 | A 73 | A 74 | A 75 | A 76 | A 77 | A 78 | A 79 | A 80 | A 81 | A 82 | A 83 | A 84 | A 85 | A 86 | A 87 | A 88 | A 89 | A 90 | A 91 | A 92 | A 93 |  |
|---------|-------------------------------|--------------------------------------|------|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--|
|         | <u>SECTION 1B (Contd)</u>     |                                      |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
|         | <u>PLIERS</u>                 |                                      |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 9434429 | Eyelet Fixing, Plain, 8 in    | Per Fabric Shop                      | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 1204686 | Long, Snipe Nose 7½ in        |                                      | Each |   |      |      |      |      |      |      |      | 3    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 1205713 | Retaining, Ring 1/2" x 3"     |                                      | Each |   |      |      |      |      |      |      | 1    |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 9438610 | Stretching, Sleeve and Tubing |                                      | Each |   |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 9438611 | Stretching, Sleeve and Tubing |                                      | Each |   |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
|         | <u>SIDE CUTTING</u>           |                                      |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 9105522 | 6 ins                         | ( Per Major and Minor<br>( Serv Team | Each |   |      | 2    |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
|         |                               | ( Per Fabric Shop                    | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
|         |                               | ( Per 1st Line Serv                  | Each |   |      | 4    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 9105542 | Pricket, Ice                  | ( Per Major and Minor<br>( Serv Team | Each |   |      | 5    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
|         |                               | ( Per Fabric Shop                    | Each |   |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
|         |                               | ( Per Static Site                    | Each |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
|         |                               | ( Crew                               | Each |   |      | 4    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
|         |                               | ( Per Met Site Crew                  | Each |   |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
|         | <u>PUNCH</u>                  |                                      |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 9105585 | Drive Pin Taper point         |                                      | Each |   |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
|         | <u>Round tapered point</u>    |                                      |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 9105584 | 3/32 in                       |                                      | Each |   |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 9105590 | 3/8 in                        |                                      | Each |   |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |

A/L62 NOVEMBER 1973

| 1       | 2                               | 3   | 4    | 5 | A 67 | A 68 | A 69 | A 70 | A 71 | A 72 | A 73 | A 74 | A 75 | A 76 | A 77 | A 78 | A 79 | A 80 | A 81 | A 82 | A 83 | A 84 | A 85 | A 86 | A 87 | A 88 | A 89 | A 90 | A 91 | A 92 | A 93 |
|---------|---------------------------------|---|------|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|         | <u>SECTION 1B (Contd)</u>       |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>PUNCH (Contd)</u>            |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>Wad</u>                      |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9105666 | 1/4 in                          | ( Per Fabric Shop                         | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9105669 | 1/2 in                          | ( Per Fabric Shop                         | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9105671 | 5/8 in                          | ( Per Fabric Shop                         | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9105677 | 1 in                            | ( Per Fabric Shop                         | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>Seal unit identification</u> | See AP 1086 for appropriate Ref No        | Each |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>RULE</u>                     |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9105726 | Steel, 12 ins                   | ( Per 1st Line Serv Team                  | Each |   |      | 1    |      |      |      |      |      |      |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         |                                 | ( Per Major and Minor Serv Team           | Each |   |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         |                                 | ( Per Fabric Shop                         | Each |   |      | 6    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9105728 | Steel, 48 ins                   | ( Per Major and Minor Serv Team           | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         |                                 | ( Per Fabric Shop                         | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1041118 | SHIELD, protective              | For use with 1B/4614, 5151, 5152 and 5287 | Each |   |      |      |      |      | 9    |      |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 5791    | SURFORM FILE, standard          |   | Each |   |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>Accessory</u>                |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1240513 | BLADE, Surform file             |   | Doz  |   |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |

A/L62 NOVEMBER 1973

| 1                        | 2   | 3 | 4    | 5 | A 67 | A 68 | A 69 | A 70 | A 71 | A 72 | A 73 | A 74 | A 75 | A 76 | A 77 | A 78 | A 79 | A 80 | A 81 | A 82 | A 83 | A 84 | A 85 | A 86 | A 87 | A 88 | A 89 | A 90 | A 91 | A 92 | A 93 |
|--------------------------|---|---|------|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|                          | <u>SECTION 1B (Contd)</u>                                       |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1226203<br>OR<br>1226205 | TOOL, Desoldering, Soldapult )<br>De-Luxe )<br>WELLER, DS-TCP ) |   | Each |   |      |      |      |      |      | 1    |      |      | 1    |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1103908                  | TRANSFORMER, 240/24V  |   | Each |   |      |      |      |      |      | 3    |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |

| 1       | 2                             | 3               | 4    | 5 | A 67 | A 68 | A 69 | A 70 | A 71 | A 72 | A 73 | A 74 | A 75 | A 76 | A 77 | A 78 | A 79 | A 80 | A 81     | A 82 | A 83 | A 84 | A 85 | A 86 | A 87 | A 88 | A 89 | A 90 | A 91 | A 92 | A 93 |
|---------|-------------------------------|-----------------|------|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|----------|------|------|------|------|------|------|------|------|------|------|------|------|
|         | <u>SECTION 1C (Contd)</u>     |                 |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |          |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>Crosspoint Phillips</u>    |                 |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |          |      |      |      |      |      |      |      |      |      |      |      |      |
| 9105865 | No 2                          |                 | Each |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1        |      |      |      |      |      |      |      |      |      |      |      |      |
| 9105866 | No 3                          |                 | Each |   |      |      |      |      |      | 1    |      |      |      |      | 2    |      |      |      | 1        |      |      |      |      |      |      |      |      |      |      |      |      |
| 9105867 | No 4                          |                 | Each |   |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |          |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>SHEAR</u>                  |                 |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |          |      |      |      |      |      |      |      |      |      |      |      |      |
| 1207288 | Snip metal cutting hand 11 in |                 | Each |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      | <b>1</b> |      |      |      |      |      |      |      |      |      |      |      |      |
| 9105922 | Watchmakers                   |                 | Each |   |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |          |      |      |      |      |      |      |      |      |      |      |      |      |
| 9105924 | Tailors                       | Per Fabric Shop | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |          |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>SPANNER</u>                |                 |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |          |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>Adjustable</u>             |                 |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |          |      |      |      |      |      |      |      |      |      |      |      |      |
| 9105954 | 4 in                          |                 | Each |   |      | 1    |      | 1    |      |      |      |      |      |      |      |      |      |      |          |      |      |      |      |      |      |      |      |      |      |      |      |
| 9105957 | 11 in                         |                 | Each |   |      |      |      | 1    |      | 1    | 1    |      |      |      |      |      |      |      |          |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>Box double ended BSW</u>   |                 |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |          |      |      |      |      |      |      |      |      |      |      |      |      |
| 2229    | 1/8 x 3/16 in                 |                 | Each |   |      |      |      | 1    |      |      | 1    |      |      |      |      |      |      |      |          |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>"C" adjustable</u>         |                 |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |          |      |      |      |      |      |      |      |      |      |      |      |      |
| 6183    | 7/8 in                        |                 | Each |   |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |          |      |      |      |      |      |      |      |      |      |      |      |      |
| 1208730 | 1.06 in - max dia             |                 | Each |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |          |      |      |      |      | 1    |      |      |      |      |      |      |      |
| 1208731 | 1.06 in - 2.36 in dia         |                 | Each |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |          |      |      |      |      | 1    |      |      |      |      |      |      |      |
| 1208732 | 2.36 in - 7.00 in dia         |                 | Each |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |          |      |      |      |      | 1    |      |      |      |      |      |      |      |
| 1208733 | 6.00 in - 10.60 in dia        |                 | Each |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |          |      |      |      |      | 1    |      |      |      |      |      |      |      |

A/L 62 November 1973

| 1       | 2   | 3                     | 4    | 5 | A 67 | A 68 | A 69 | A 70 | A 71 | A 72 | A 73 | A 74 | A 75 | A 76 | A 77 | A 78 | A 79 | A 80 | A 81 | A 82 | A 83 | A 84 | A 85 | A 86 | A 87 | A 88 | A 89 | A 90 | A 91 | A 92 | A 93 |
|---------|---|-----------------------|------|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|         | <u>SECTION 1C (Contd)</u>                 |                       |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>SCREWDRIVER</u>                        | ) Per major and minor |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 7899    | GS Handle 6 in                            | ) Serv Teams          | Each |   |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         |   | ) Per Fabric Shop     | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9105891 | SCRIBER, Fitter, 7 in                     |                       | Each |   |      |      |      |      |      |      |      |      |      |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1207288 | SNIP, Metal, Cutting, Hand, 11 in         |                       | Each |   |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9105922 | SNIP, Watchmaker                          |                       | Each |   |      |      |      |      |      |      |      |      |      |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>SPANNER</u>                            |                       |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1276114 | Bi-Hexagon Ring DE BSW 1/2 in x 9/16 in   |                       | Each |   |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1208731 | "C" Adjustable                            |                       | Each |   |      |      |      |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>SPANNER, DOUBLE ENDED, OPEN JAW AF</u> |                       |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9551728 | 3/16 x 1/4 in                             |                       | Each |   |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1203948 | 7/16 x 3/8 in                             |                       | Each |   |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9704854 | 1/2 x 9/16 in                             |                       | Each |   |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9551731 | 5/8 x 3/4 in                              |                       | Each |   |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9552991 | 11/16 x 13/16 in                          |                       | Each |   |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9552990 | 3/4 x 7/8 in                              |                       | Each |   |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |

A/L 62 November 1973

| 1       | 2  | 3                               | 4    | 5 | A 67 | A 68 | A 69 | A 70 | A 71 | A 72 | A 73 | A 74 | A 75 | A 76 | A 77 | A 78 | A 79 | A 80 | A 81 | A 82 | A 83 | A 84 | A 85 | A 86 | A 87 | A 88 | A 89 | A 90 | A 91 | A 92 | A 93 |
|---------|--|---------------------------------|------|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|         | <u>SECTION 1C (Contd)</u>  |                                 |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>SPANNER (Contd)</u>   |                                 |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>DOUBLE ENDED, OPEN JAW</u>                                    |                                 |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9106228 | 3/16 x 1/4 in, BSW   | ) Per 1st Line Serv Team        | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         |  | ) Per Major and Minor Serv Team | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         |  | ) Per Static Site Crew          | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         |  | ) Per Met Site Crew             | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9106230 | 7/16 x 1/2 in BSW  |                                 | Each |   |      |      |      |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9106231 | 9/16 x 5/8 in BSW  |                                 | Each |   |      |      |      |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9106232 | 11/16 x 3/4 in BSW   |                                 | Each |   |      |      |      |      |      | 2    | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9552995 | 3/16 x 1/8 in BSW  | Per 1st Line Serv Team          | Each |   |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         |  | Per Major and Minor Serv Team   | Each |   |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         |  | Per Static Site Crew            | Each |   |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         |  | Per Met Site Crew               | Each |   |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>DOUBLE ENDED, OPEN JAW AF</u>                                 |                                 |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9704854 | 1/2 x 9/16 in  | ) Per Static Site Crew          | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         |  | ) Per Met Site Crew             | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9106234 | 1 <sup>3</sup> / <sub>8</sub> x 1 <sup>1</sup> / <sub>2</sub> in |                                 | Each |   |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |

A/L 62 November 1973

| 1       | 2   | 3               | 4    | 5 | A 67 | A 68 | A 69 | A 70 | A 71 | A 72 | A 73 | A 74 | A 75 | A 76 | A 77 | A 78 | A 79 | A 80 | A 81 | A 82 | A 83 | A 84 | A 85 | A 86 | A 87 | A 88 | A 89 | A 90 | A 91 | A 92 | A 93 |
|---------|---|-----------------|------|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|         | <u>SECTION 1C (Contd)</u>   |                 |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>SPANNER (Contd)</u>  |                 |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>Double ended, open jaw BSW</u>   |                 |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 6550    | 1/4 x 5/16 in )<br>Per 1st Line Serv Team )<br>Per Major and Minor Serv Team )<br>Per Static Site Crew )<br>Per Met Site Crew ) |                 | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>Single ended, open jaw BSW</u>   |                 |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9106264 | 1 in  |                 | Each |   |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1209563 | Spanner, Ring DE Ratchet<br>1/2" x 9/16" AF   |                 | Each |   |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>SQUARE</u>   |                 |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9106422 | 4 in  |                 | Each |   | 1    |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9106421 | Smiths  | Per Fabric Shop | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9106428 | Tailor  | Per Fabric Shop | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 2433    | SYRINGE, oil  |                 | Each |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>TAPE, measuring, wind up</u>   |                 |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9106532 | 50 ft steel   |                 | Each |   | 1    |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |

A/L 62 November 1973

| 1       | 2                                      | 3   | 4  | 5 | A 67 | A 68 | A 69 | A 70 | A 71 | A 72 | A 73 | A 74 | A 75 | A 76 | A 77 | A 78 | A 79 | A 80 | A 81 | A 82 | A 83 | A 84 | A 85 | A 86 | A 87 | A 88 | A 89 | A 90 | A 91 | A 92 | A 93 |
|---------|--|---|--|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|         | <u>SECTION 1C (Contd)</u>              |   |  |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>TAPE, measuring wind up (Contd)</u> |   |  |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9106530 | 100 ft )<br>)<br>)<br>)<br>)<br>)<br>) | Per 1st Line Serv Team<br>Per Major and Minor Serv Team<br>Per Fabric Shop<br>Per Static Site Crew<br>Per Met Site Crew | Each<br><br>Each<br>Each<br>Each<br>Each |   |      | 1    |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9106534 | Steel 100 ft                           | Per Major and Minor Serv Team   | Each                                     |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 7015    | TOOL, banding                          |   | Each                                     |   |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>Accessory</u>                       |   |  |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 5431    | Holder Steel                           |   | Each                                     |   |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9107783 | <u>TOOL, Holding 12 in reach</u>       |   | Each                                     |   |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>TOOL</u>                            |   |  |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>Screw cutting hand</u>              |   |  |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>DIES, BA thread RH</u>              |   |  |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9101308 | No 0                                   |   | Each                                     |   |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9101310 | No 2                                   |   | Each                                     |   |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9101312 | No 5                                   |   | Each                                     |   |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9101314 | No 6                                   |   | Each                                     |   |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9101316 | No 8                                   |   | Each                                     |   |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |



A/L 62 November 1973

| 1       | 2                                  | 3 | 4    | 5 | A 67 | A 68 | A 69 | A 70 | A 71 | A 72 | A 73 | A 74 | A 75 | A 76 | A 77 | A 78 | A 79 | A 80 | A 81 | A 82 | A 83 | A 84 | A 85 | A 86 | A 87 | A 88 | A 89 | A 90 | A 91 | A 92 | A 93 |
|---------|------------------------------------|---|------|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|         | <u>SECTION 1C (Contd)</u>          |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>DIES, BS Brass</u>              |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9101322 | 1/4 in                             |   | Each |   |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9101323 | 5/16 in                            |   | Each |   |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9101324 | 3/8 in                             |   | Each |   |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>BSF tpi</u>                     |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9101335 | 1/4 in 26                          |   | Each |   |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9101337 | 5/16 in 22                         |   | Each |   |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9101338 | 3/8 in 20                          |   | Each |   |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>BSW tpi</u>                     |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9101357 | 1/4 in 20                          |   |      |   |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9101358 | 5/16 in 18                         |   |      |   |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9101359 | 3/8 in 16                          |   |      |   |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9101463 | DIESTOCKS 'X'                      |   | Each |   |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9101464 | DIESTOCKS, YT                      |   | Each |   |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>TAP, bottoming BA thread RH</u> |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9101679 | No 0                               |   | Each |   |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9101681 | No 2                               |   | Each |   |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9101683 | No 4                               |   | Each |   |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9101685 | No 6                               |   | Each |   |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |

A/L 62 November 1973

| 1       | 2  | 3 | 4    | 5 | A 67 | A 68 | A 69 | A 70 | A 71 | A 72 | A 73 | A 74 | A 75 | A 76 | A 77 | A 78 | A 79 | A 80 | A 81 | A 82 | A 83 | A 84 | A 85 | A 86 | A 87 | A 88 | A 89 | A 90 | A 91 | A 92 | A 93 |  |
|---------|--|---|------|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--|
|         | <u>SECTION 1C</u> (Contd)                  |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
|         | <u>TOOL</u> (Contd)                        |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
|         | <u>Screw cutting hand</u> (Contd)          |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
|         | <u>TAP, bottoming BA thread RH</u> (Contd) |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 9101687 | No 8                                       |   | Each |   |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
|         | <u>TAP, bottoming</u>                      |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
|         | BSB  |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 9101702 | 1/4 in                                     |   | Each |   |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 9101703 | 5/16 in                                    |   | Each |   |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 9101704 | 3/8 in                                     |   | Each |   |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
|         | BSF  |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 9101825 | 1/4 in                                     |   | Each |   |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 9101827 | 5/16 in                                    |   | Each |   |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 9101828 | 3/8 in                                     |   | Each |   |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
|         | BSW  |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 9101979 | 1/4 in                                     |   | Each |   |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
|         | BSW  |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 9101980 | 5/16 in                                    |   | Each |   |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 9101981 | 3/8 in                                     |   | Each |   |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |

| 1       | 2                                 | 3 | 4    | 5 | A 67 | A 68 | A 69 | A 70 | A 71 | A 72 | A 73 | A 74 | A 75 | A 76 | A 77 | A 78 | A 79 | A 80 | A 81 | A 82 | A 83 | A 84 | A 85 | A 86 | A 87 | A 88 | A 89 | A 90 | A 91 | A 92 | A 93 |  |  |  |
|---------|-----------------------------------|---|------|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--|--|--|
|         | <u>SECTION 1C (Contd)</u>         |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |  |
|         | <u>TOOL (Contd)</u>               |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |  |
|         | <u>Screw cutting hand (Contd)</u> |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |  |
|         | <u>TAP, Second</u>                |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |  |
|         | BSF                               |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |  |
| 9101788 | 1/4 in                            |   | Each |   |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |  |
| 9101790 | 5/16 in                           |   | Each |   |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |  |
| 9101791 | 3/8 in                            |   | Each |   |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |  |
|         | BSW                               |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |  |
| 9101961 | 1/4 in                            |   | Each |   |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |  |
| 9101962 | 5/16 in                           |   | Each |   |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |  |
| 9101963 | 3/8 in                            |   | Each |   |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |  |
|         | <u>TAP, taper BA thread RH</u>    |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |  |
| 9101665 | No 0                              |   | Each |   |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |  |
| 9101667 | No 2                              |   | Each |   |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |  |
| 9101669 | No 4                              |   | Each |   |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |  |
| 9101671 | No 6                              |   | Each |   |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |  |
| 9101673 | No 8                              |   | Each |   |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |  |

A/L 62 November 1973

| 1       | 2                                 | 3 | 4    | 5 | A 67 | A 68 | A 69 | A 70 | A 71 | A 72 | A 73 | A 74 | A 75 | A 76 | A 77 | A 78 | A 79 | A 80 | A 81 | A 82 | A 83 | A 84 | A 85 | A 86 | A 87 | A 88 | A 89 | A 90 | A 91 | A 92 | A 93 |  |
|---------|-----------------------------------|---|------|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--|
|         | <u>SECTION 1C (Contd)</u>         |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
|         | <u>TOOL (Contd)</u>               |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
|         | <u>Screw cutting hand (Contd)</u> |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
|         | <u>TAP, Taper</u>                 |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
|         | BSB                               |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 9101693 | 1/4 in                            |   | Each |   |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 9101694 | 5/16 in                           |   | Each |   |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 9101695 | 3/8 in                            |   | Each |   |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
|         | BSF                               |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 9101772 | 1/4 in                            |   | Each |   |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 9101774 | 5/16 in                           |   | Each |   |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 9101775 | 3/8 in                            |   | Each |   |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
|         | BSW                               |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 9101943 | 1/4 in                            |   | Each |   |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 9101944 | 5/16 in                           |   | Each |   |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 9101945 | 3/8 in                            |   | Each |   |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
|         | <u>VICE</u>                       |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 9106587 | BENCH                             |   | Each |   |      | 1    |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 9106597 | HAND, 4 in                        |   | Each |   |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |

A/L 62 November 1973

| 1       | 2                                 | 3 | 4    | 5 | A 67 | A 68 | A 69 | A 70 | A 71 | A 72 | A 73 | A 74 | A 75 | A 76 | A 77 | A 78 | A 79 | A 80 | A 81 | A 82 | A 83 | A 84 | A 85 | A 86 | A 87 | A 88 | A 89 | A 90 | A 91 | A 92 | A 93 |
|---------|-----------------------------------|---|------|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|         | <u>SECTION 1C (Contd)</u>         |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>VICE (Contd)</u>               |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>Fitter bench quick release</u> |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9106588 | 3 in                              |   | Each |   |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9106589 | 3/4 in                            | ) | Each |   | 1    |      | 1    |      |      |      |      |      |      |      |      |      |      |      | 1    |      | 1    |      |      |      |      |      |      |      |      |      |      |
|         |                                   | ) | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         |                                   | ) | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         |                                   | ) | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9106592 | 4 1/2 in                          |   | Each |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>WRENCH</u>                     |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | Allen key AF                      |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9106057 | 3/64 in                           |   | Each |   |      |      |      |      |      | 4    |      |      | 2    |      | 2    |      |      |      | 1    |      | 1    |      |      |      |      |      |      |      |      |      |      |
| 9106058 | 1/16 in                           |   | Each |   |      |      |      |      |      | 4    |      |      | 2    |      | 2    |      |      |      | 1    |      | 1    |      |      |      |      |      |      |      |      |      |      |
| 9106059 | 5/64 in                           |   | Each |   |      |      |      |      |      | 4    |      |      | 2    |      | 2    |      |      |      | 1    |      | 1    |      |      |      |      |      |      |      |      |      |      |
| 9106060 | 3/32 in                           |   | Each |   |      |      |      |      |      | 4    | 12   |      | 2    |      | 2    |      |      |      | 1    |      | 1    |      |      |      |      |      |      |      |      |      |      |
| 9106062 | 1/8 in                            |   | Each |   |      |      |      |      |      | 4    | 2    |      |      |      | 2    |      |      |      | 1    |      | 1    |      |      |      |      |      |      |      |      |      |      |
| 9106063 | 5/32 in                           |   | Each |   |      |      |      |      |      | 4    | 6    |      |      |      | 2    |      |      |      | 1    |      | 1    |      |      |      |      |      |      |      |      |      |      |
| 9106064 | 3/16 in                           |   | Each |   |      |      |      |      |      | 4    |      |      |      |      | 2    |      |      |      | 1    |      | 1    |      |      |      |      |      |      |      |      |      |      |
| 9106065 | 7/32 in                           |   | Each |   |      |      |      |      |      | 4    |      |      |      |      | 2    |      |      |      | 1    |      | 1    |      |      |      |      |      |      |      |      |      |      |
| 9106066 | 1/4 in                            |   | Each |   |      |      |      |      |      | 4    | 2    |      |      |      | 2    |      | 2    |      | 1    |      | 1    |      |      |      |      |      |      |      |      |      |      |

A/L 62 November 1973

| 1       | 2  | 3                                | 4    | 5 | A 67 | A 68 | A 69 | A 70 | A 71 | A 72 | A 73 | A 74 | A 75 | A 76 | A 77 | A 78 | A 79 | A 80 | A 81 | A 82 | A 83 | A 84 | A 85 | A 86 | A 87 | A 88 | A 89 | A 90 | A 91 | A 92 | A 93 |
|---------|--|----------------------------------|------|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|         | <u>SECTION 1C</u> (Contd)                |                                  |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>WRENCH</u> (Contd)                    |                                  |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>Allen key AF</u> (Contd)              |                                  |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9106067 | 5/16 in                                  |                                  | Each |   |      |      |      |      |      | 4    |      |      |      |      |      |      |      |      |      | 1    | 1    |      |      |      |      |      |      |      |      |      |      |
| 9106068 | 3/8 in                                   |                                  | Each |   |      |      |      |      |      | 4    |      |      |      |      |      |      |      |      |      | 1    | 1    |      |      |      |      |      |      |      |      |      |      |
| 9106069 | 7/16 in                                  |                                  | Each |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    | 1    |      |      |      |      |      |      |      |      |      |      |
| 9106070 | 1/2 in                                   |                                  | Each |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    | 1    |      |      |      |      |      |      |      |      |      |      |
|         | <u>Torque</u>                            |                                  |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1275790 | 3-36 in/lbs x 1/4 in SD                  |                                  | Each |   |      |      |      |      |      |      | 6    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1207077 | 60-360 in/lbs 1/2 in SD                  |                                  | Each |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    | 1    |      |      |      |      |      |      |      |      |      |      |
| 1201243 | 1-25 in/lbs                              |                                  | Each |   |      |      |      |      |      |      |      |      |      |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1202795 | 200-1200 in/lbs 1/2 in                   |                                  | Each |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    | 1    |      |      |      |      |      |      |      |      |      |      |
| 1201252 | 10-50 lb/ft x 1/2 in <sup>SD</sup><br>SD |                                  | Each |   |      |      |      |      |      |      | 6    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9101475 | WRENCH, tap, 'EE' adjustable             |                                  | Each |   |      |      |      |      |      |      | 6    |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9101476 | WRENCH, tap 'FF'                         |                                  | Each |   |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9106587 | VICE, bench                              | Per major and minor<br>Ser Teams | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9106589 | VICE, fitter, bench, 3/4 in              |                                  | Each |   |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |

| 1       | 2                        | 3 | 4    | 5 | A 67 | A 68 | A 69 | A 70 | A 71 | A 72 | A 73 | A 74 | A 75 | A 76 | A 77 | A 78 | A 79 | A 80 | A 81 | A 82 | A 83 | A 84 | A 85 | A 86 | A 87 | A 88 | A 89 | A 90 | A 91 | A 92 | A 93 |  |
|---------|--------------------------|---|------|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--|
|         | <u>SECTION 1E</u>        |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
|         | <u>BIT, screwdriver</u>  |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 1207506 | 1/4 in. Mk. 2            |   | Each |   |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 1204359 | 1/2 in. Mk. 2            |   | Each |   |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 1204358 | BRACE, magazine, Mk. 4   |   | Each |   |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 3616    | DRIFT, No 5              |   | Each |   | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 1207356 | SCISSORS, magazine, Mk.2 |   | Each |   |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
|         | <u>SPANNER C</u>         |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 5142    | Adjusting head screw top |   | Each |   | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |

A/L 62 NOVEMBER 1973

| 1       | 2  | 3 | 4    | 5 | A 67 | A 68 | A 69 | A 70 | A 71 | A 72 | A 73 | A 74 | A 75 | A 76 | A 77 | A 78 | A 79 | A 80 | A 81 | A 82 | A 83 | A 84 | A 85 | A 86 | A 87 | A 88 | A 89 | A 90 | A 91 | A 92 | A 93 |
|---------|--|---|------|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|         | <u>SECTION 1G</u><br><u>DRILL, TWIST, PARALLEL SHANK</u> |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9108544 | 1.1 mm   |   | Each |   |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9108556 | 1.8 mm   |   | Each |   |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9108565 | 2.25 mm  |   | Each |   |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9108567 | 2.35 mm  |   | Each |   |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9108571 | 2.55 mm  |   | Each |   |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9108579 | 3.00 mm  |   | Each |   |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1202711 | 3.30 mm  |   | Each |   |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1202712 | 3.70 mm  |   | Each |   |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9108588 | 3.80 mm  |   | Each |   |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9108604 | 4.80 mm  |   | Each |   |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9108602 | 4.70 mm  |   | Each |   |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9108611 | 5.30 mm  |   | Each |   |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9108614 | 5.60 mm  |   | Each |   |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9108616 | 5.80 mm  |   | Each |   |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9108619 | 6.10 mm  |   | Each |   |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9108621 | 6.50 mm  |   | Each |   |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9108622 | 6.60 mm  |   | Each |   |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9108625 | 6.90 mm  |   | Each |   |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |



A/L 62 NOVEMBER 1973

| 1       | 2  | 3 | 4    | 5 | A 67 | A 68 | A 69 | A 70 | A 71 | A 72 | A 73 | A 74 | A 75 | A 76 | A 77 | A 78 | A 79 | A 80 | A 81 | A 82 | A 83 | A 84 | A 85 | A 86 | A 87 | A 88 | A 89 | A 90 | A 91 | A 92 | A 93 |
|---------|--|---|------|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|         | <u>SECTION 1G (Contd)</u>                          |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>DRILL, TWIST, PARALLEL SHANK</u>                |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9108613 | 8.20 mm  |   | Each |   |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9108637 | 8.60 mm  |   | Each |   |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9108635 | 8.40 mm  |   | Each |   |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9108641 | 9.25 mm  |   | Each |   |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1209733 | 9.70 mm  |   | Each |   |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9108383 | DRILL, TWIST, PARALLEL SHANK<br>HSS JOBBER 1/16 in |   | Each |   | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1202174 | REAMER, Hand expanding 1/4 in<br>to 9/32 in        |   | Each |   | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |

A/L 62 NOVEMBER 1973

| 1       | 2                      | 3 | 4    | 5 | A 67 | A 68 | A 69 | A 70 | A 71 | A 72 | A 73 | A 74 | A 75 | A 76 | A 77 | A 78 | A 79 | A 80 | A 81 | A 82 | A 83 | A 84 | A 85 | A 86 | A 87 | A 88 | A 89 | A 90 | A 91 | A 92 | A 93 |
|---------|------------------------|---|------|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|         | <u>SECTION 1H</u>      |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 51      | No 1                   |   | Each |   |      |      |      |      |      | 1    |      |      | 3    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 52      | No 2                   |   | Each |   |      |      |      |      |      | 1    |      |      | 3    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>CLEANER CONTACT</u> |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 139     | Grade A                |   | Each |   |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 140     | Grade B                |   | Each |   |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 141     | Grade C                |   | Each |   |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 719     | Cutters Diagonal       |   | Each |   |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 720     | Cutters Diagonal       |   | Each |   |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 721     | Cutters, Oblique       |   | Each |   |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>EXTRACTOR</u>       |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9104553 | No 1                   |   | Each |   |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9104554 | No 5                   |   | Each |   |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 723     | Forceps                |   | Each |   |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>GAUGE TENSION</u>   |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 57      | No 1                   |   | Each |   |      |      |      |      |      | 1    |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9146188 | No 2                   |   | Each |   |      |      |      |      |      | 1    |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9485691 | No 3                   |   | Each |   |      |      |      |      |      | 1    |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |

A/L 62 November 1973

| 1       | 2   | 3 | 4    | 5 | A 67 | A 68 | A 69 | A 70 | A 71 | A 72 | A 73 | A 74 | A 75 | A 76 | A 77 | A 78 | A 79 | A 80 | A 81 | A 82 | A 83 | A 84 | A 85 | A 86 | A 87 | A 88 | A 89 | A 90 | A 91 | A 92 | A 93 |
|---------|---|---|------|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|         | <u>HOLDER ASSEMBLY BODY PLATE</u>                                       |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 102     | LARGE   |   | Each |   |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 103     | MEDIUM  |   | Each |   |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 104     | SMALL   |   | Each |   |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>KIT, PLESSEY TYPE FOR MINATURE PLUGS AND SOCKETS HOLDING TOOL DE</u> |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 0569021 | LARGE   |   | Each |   |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 0569020 | MEDIUM  |   | Each |   |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 0569019 | SMALL   |   | Each |   |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>PLIERS</u>   |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9105496 | ADJUSTING No 1  |   | Each |   |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9105498 | ADJUSTING, No 2   |   | Each |   |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9105500 | ADJUSTING, No 3   |   | Each |   |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 716     | FLAT Nose   |   | Each |   |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 717     | SNIPE Nose  |   | Each |   |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 718     | ROUND Nose  |   | Each |   |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 722     | TWEEZERS, Reverse action  |   | Each |   |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>SPANNER</u>  |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 0970134 | ADJUSTABLE, Special, Semi-tubular                                       |   | Each |   |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |

A/L 62 NOVEMBER 1973

| 1       | 2                                | 3 | 4    | 5 | A 67 | A 68 | A 69 | A 70 | A 71 | A 72 | A 73 | A 74 | A 75 | A 76 | A 77 | A 78 | A 79 | A 80 | A 81 | A 82 | A 83 | A 84 | A 85 | A 86 | A 87 | A 88 | A 89 | A 90 | A 91 | A 92 | A 93 |
|---------|----------------------------------|---|------|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|         | <u>SECTION 1H (Contd)</u>        |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>SPANNER (Contd)</u>           |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 0870140 | LARGE                            |   | Each |   |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 0970137 | MEDIUM                           |   | Each |   |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 0870133 | SMALL                            |   | Each |   |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | RESETTING EMERG                  |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 112     | LARGE                            |   | Each |   |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 113     | MEDIUM                           |   | Each |   |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 114     | SMALL                            |   | Each |   |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>TOOL</u>                      |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 5807066 | CRIMPING Kit, Plessey            |   | Each |   |      |      |      |      | 1    | 6    |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 2036306 | HELLERMAN, Tyton Strapping Mk 4A |   | Each |   |      |      |      |      | 1    |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 245     | HAND Crimping Kit Hellerman      |   | Each |   |      |      |      |      |      |      |      |      | 1    | 1    | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 0970143 | TOMMY Bar                        |   | Each |   |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |

| 1   | 2  | 3               | 4    | 5 | A 67 | A 68 | A 69 | A 70 | A 71 | A 72 | A 73 | A 74 | A 75 | A 76 | A 77 | A 78 | A 79 | A 80 | A 81 | A 82 | A 83 | A 84 | A 85 | A 86 | A 87 | A 88 | A 89 | A 90 | A 91 | A 92 | A 93 |
|-----|--|-----------------|------|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| 221 | <u>SECTION 1J</u><br>SYRINGE, hypodermic     |                 | Each |   |      |      |      |      |      |      |      |      | 1    |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 170 | <u>SECTION 1K</u><br>PUNCH, revolving tongue | Per fabric shop | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |

A/L 62 NOVEMBER 1973

| 1       | 2                                 | 3                     | 4    | 5 | A 67 | A 68 | A 69 | A 70 | A 71 | A 72 | A 73 | A 74 | A 75 | A 76 | A 77 | A 78 | A 79 | A 80 | A 81 | A 82 | A 83 | A 84 | A 85 | A 86 | A 87 | A 88 | A 89 | A 90 | A 91 | A 92 | A 93 |
|---------|-----------------------------------|-----------------------|------|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|         | <u>SECTION 1L</u>                 |                       |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>SCREWDRIVER</u>                |                       |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9105877 | INSTRUMENT                        | ) Per Major and Minor | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         |                                   | ) Serv. Teams         |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         |                                   | ) Per Fabric Shop     | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>SPANNER</u>                    |                       |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | Socket set No 1 1/4 in. Sq. drive |                       |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | BAR, extension                    |                       |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9106313 | 4 in.                             |                       | Each |   |      |      |      | 1    |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9552994 | CASES, steel                      |                       | Each |   |      |      |      | 1    |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1208478 | EXTENSION, flexible 6 in.         |                       | Each |   |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>HANDLE</u>                     |                       |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1208419 | Sliding bar tee, 4 1/2 in.        |                       | Each |   |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1208417 | Swivel                            |                       | Each |   |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>SOCKET, hexagon B A</u>        |                       |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1208395 | 0                                 |                       | Each |   |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1208397 | 2                                 |                       | Each |   |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1208399 | 4                                 |                       | Each |   |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1208401 | 6                                 |                       | Each |   |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 480     | 10                                |                       | Each |   |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |

A/L 62 NOVEMBER 1973

| 1       | 2   | 3 | 4                    | 5    | A 67 | A 68 | A 69 | A 70 | A 71 | A 72 | A 73 | A 74 | A 75 | A 76 | A 77 | A 78 | A 79 | A 80 | A 81 | A 82 | A 83 | A 84 | A 85 | A 86 | A 87 | A 88 | A 89 | A 90 | A 91 | A 92 | A 93 |  |
|---------|---|---|----------------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--|
|         | <u>SECTION 1L(Contd)</u>                  |   |                      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
|         | <u>SPANNER (Contd)</u>                    |   |                      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
|         | <u>Socket Set No. 2 3/8 in. sq. drive</u> |   |                      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
|         | BAR, extension                            |   |                      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 9106315 | 3 in                                      | ) | Per 1st Line Serv    | Each |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
|         |   | ) | Per Major and Minor  | Each |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
|         |   | ) | Serv Teams           |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
|         |   | ) | Per Static Site Crew | Each |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
|         |   | ) | Per Met. Site Crew   | Each |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 9106316 | 6 in                                      |   |                      | Each |      |      |      | 1    |      |      |      |      |      | 1    | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 9106317 | 12 in                                     |   |                      | Each |      |      |      | 1    |      | 1    |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 9106324 | BRACE, speeder                            |   |                      | Each |      |      |      | 1    |      | 1    |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 72      | CASE, steel                               |   |                      | Each |      |      |      | 1    |      |      |      |      |      | 1    | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
|         | <u>HANDLE</u>                             |   |                      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 9106329 | Ratchet                                   | ) | Per 1st Line Serv.   | Each |      | 1    |      | 1    |      | 1    |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
|         |   | ) | Team                 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
|         |   | ) | Per Major and Minor  | Each |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
|         |   | ) | Serv Teams           |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
|         |   | ) | Per Static Site Crew | Each |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
|         |   | ) | Per Met Site Crew    | Each |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 9106330 | Ratchet 1/2 in. SDX 10 in. long           |   |                      | Each |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |

A/L 62 NOVEMBER 1973

| 1       | 2  | 3 | 4    | 5 | A 67 | A 68 | A 69 | A 70 | A 71 | A 72 | A 73 | A 74 | A 75 | A 76 | A 77 | A 78 | A 79 | A 80 | A 81 | A 82 | A 83 | A 84 | A 85 | A 86 | A 87 | A 88 | A 89 | A 90 | A 91 | A 92 | A 93 |
|---------|--|---|------|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|         | <u>SECTION 1L</u> (Contd)                  |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>SPANNER</u> (Contd)                     |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>Sliding Bar, tee</u>                    |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9552992 | 6 in                                       |   | Each |   |      |      |      | 1    |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9106333 | 8 in                                       |   | Each |   |      |      |      | 1    |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9106337 | SWIVEL, 9 in                               |   | Each |   |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9106341 | JOINT, universal                           |   | Each |   |      |      |      | 1    |      | 1    |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | SPANNER socket bi-hexagon A/F<br>1/4 in SD |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1208404 | 3/16 in                                    |   | Each |   |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1209525 | 7/32 in                                    |   | Each |   |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1209526 | 1/4 in                                     |   | Each |   |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1208409 | 9/32 in                                    |   | Each |   |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1208410 | 5/16 in                                    |   | Each |   |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1209528 | 11/32 in                                   |   | Each |   |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1209531 | 1/2 in                                     |   | Each |   |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1209532 | 9/16 in                                    |   | Each |   |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1209530 | 7/16 in                                    |   | Each |   |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |



A/L 62 NOVEMBER 1973

| 1       | 2                                      | 3                               | 4    | 5 | A 67 | A 68 | A 69 | A 70 | A 71 | A 72 | A 73 | A 74 | A 75 | A 76 | A 77 | A 78 | A 79 | A 80 | A 81 | A 82 | A 83 | A 84 | A 85 | A 86 | A 87 | A 88 | A 89 | A 90 | A 91 | A 92 | A 93 |  |  |
|---------|--|---------------------------------|------|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--|--|
|         | <u>SECTION 1L (Contd)</u>              |                                 |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
|         | <u>SPANNER (Contd)</u>                 |                                 |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
|         | <u>SOCKET, bi-hexagon BSW</u>          |                                 |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
| 9106386 | 3/16 in )                              | Per 1st Line Serv. Team         | Each |   |      | 1    |      | 1    |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
|         | )                                      | Per Major and Minor Serv. Teams | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
|         | )                                      | Per Static Site Crew            | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
|         | )                                      | Per Met Site Crew               | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
| 9106387 | 1/4 in )                               | Per 1st Line Serv Team          | Each |   |      | 1    |      | 1    |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
|         | )                                      | Per Major and Minor Serv Teams  | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
|         | )                                      | Per Static Site Crew            | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
|         | )                                      | Per Met Site Crew               | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
| 9106388 | 5/16 in                                |                                 | Each |   |      |      |      | 1    |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
| 9106389 | 3/8 in                                 |                                 | Each |   |      |      |      | 1    |      | 1    |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
| 9106390 | 7/16 in                                |                                 | Each |   |      |      |      | 1    |      | 1    |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
|         | <u>Socket Set No 3 1/2 in sq drive</u> |                                 |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
| 9106303 | ADAPTER, 1/2 to 3/8 in SD              |                                 | Each |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      | 1    |      |      |      |      |      |      |      |      |      |  |  |
|         | <u>SOCKET, bi-hexagon BSW</u>          |                                 |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
| 9106394 | 9/16 in                                |                                 | Each |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      | 1    |      |      |      |      |      |      |      |      |      |  |  |
| 9106396 | 5/8 in                                 |                                 | Each |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      | 1    |      |      |      |      |      |      |      |      |      |  |  |

A/L 62 November 1973

| 1       | 2                                      | 3 | 4    | 5 | A 67 | A 68 | A 69 | A 70 | A 71 | A 72 | A 73 | A 74 | A 75 | A 76 | A 77 | A 78 | A 79 | A 80 | A 81 | A 82 | A 83 | A 84 | A 85 | A 86 | A 87 | A 88 | A 89 | A 90 | A 91 | A 92 | A 93 |
|---------|--|---|------|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|         | <u>SECTION 1L (Contd)</u>              |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>SPANNER (Contd)</u>                 |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>SOCKET, bi-hexagon BSW (Contd)</u>  |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9106397 | 11/16 in                               |   | Each |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      | 1    |      |      |      |      |      |      |      |      |      |
| 1242291 | PLUG, Hex, 5/8 in AF x 1/2 in          |   | Each |   |      |      |      |      |      |      | 6    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1209768 | PLUG, hex 1/2 in SD x 5/16 in AF       |   | Each |   |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9106359 | SPANNER, Socket, 3/4 in AF x 3/8 in SD |   | Each |   |      |      |      |      |      |      | 6    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |

A/L 62 November 1973

| 1                 | 2  | 3                                     | 4    | 5 | A 67 | A 68 | A 69 | A 70 | A 71 | A 72 | A 73 | A 74 | A 75 | A 76 | A 77 | A 78 | A 79 | A 80 | A 81 | A 82 | A 83 | A 84 | A 85 | A 86 | A 87 | A 88 | A 89 | A 90 | A 91 | A 92 | A 93 |
|-------------------|--|---------------------------------------|------|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|                   | <u>SECTION 3A</u>  |                                       |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 757               | EXTRACTOR, ballrace<br><u>HAMMER</u><br><u>Drilling electric hand portable</u> |                                       | Each |   |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 2304<br>or<br>883 | 110V 0 - 1/4 in chuck<br>230/250V 0 - 1/4 in chuck<br><u>MACHINE</u>           |                                       | Each |   |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 2590              | GRINDING bench 6 in  |                                       | Each |   |      |      |      | 1    |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 3876              | GRINDING, electric, 230V. AC<br>8 in model                                     |                                       | Each |   |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|                   | <u>Drilling</u>  |                                       |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 4029              | Electric type H model A  |                                       | Each |   |      |      |      |      |      |      |      |      | 1    | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1945              | Electric type A  |                                       | Each |   |      |      |      |      |      |      |      |      |      | 1    | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1946              | Stand type ES 23   | Supplied with 1945                    | Each |   |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|                   | <u>SECTION 3AP</u>   |                                       |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 4385              | RESCUE outfit (Hydraulic)  | Not for category<br>1 (one) airfields | Each |   |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |

A/L 62 NOVEMBER 1973

| 1    | 2   | 3 | 4    | 5 | A 67 | A 68 | A 69 | A 70 | A 71 | A 72 | A 73 | A 74 | A 75 | A 76 | A 77 | A 78 | A 79 | A 80 | A 81 | A 82 | A 83 | A 84 | A 85 | A 86 | A 87 | A 88 | A 89 | A 90 | A 91 | A 92 | A 93 |  |
|------|---|---|------|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--|
| 2127 | <p style="text-align: center;"><u>SECTION 3B</u></p> <p>VICE, Machine sliding jaw</p> |   | Each |   |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |

AL 62 NOVEMBER 1973

| 1    | 2                              | 3                   | 4    | 5 | A 67 | A 68 | A 69 | A 70 | A 71 | A 72 | A 73 | A 74 | A 75 | A 76 | A 77 | A 78 | A 79 | A 80 | A 81 | A 82 | A 83 | A 84 | A 85 | A 86 | A 87 | A 88 | A 89 | A 90 | A 91 | A 92 | A 93 |
|------|--------------------------------|---------------------|------|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|      | <u>SECTION 4A</u>              |                     |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 7    | BENCH, fitter )                | Per 2, Major and    | Each |   |      | 1    |      |      |      |      |      |      |      | 1    |      |      |      | 1    | 1    |      | 1    |      |      |      |      |      |      |      |      |      |      |
|      | )                              | Minor Serv. Teams   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|      | )                              | Per Fabric Shop     | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|      | )                              | Per Static Site     | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|      | )                              | Per Met. Site Crew  | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1367 | BENCH, instrument, repair type |                     | Each |   |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|      | <u>PROBE</u>                   |                     |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1291 | TABLE, Fabric workers )        | Per Major and Minor | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|      | )                              | Serv. Teams         |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|      | )                              | Per Fabric Shop     | Each |   |      | 3    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |

A/L 62 NOVEMBER 1973

| 1 | 2  | 3               | 4    | 5 | A 67 | A 68 | A 69 | A 70 | A 71 | A 72 | A 73 | A 74 | A 75 | A 76 | A 77 | A 78 | A 79 | A 80 | A 81 | A 82 | A 83 | A 84 | A 85 | A 86 | A 87 | A 88 | A 89 | A 90 | A 91 | A 92 | A 93 |
|---|--|-----------------|------|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|   | <u>SECTION 4B</u>                              |                 |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|   | <u>FLAG</u>                                    |                 |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| - | MARKER, snow )                                 |                 | Each |   |      |      | 200  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| - | RED (circuit) )                                | Locally         | Each |   |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| - | GREEN (circuit) )                              | Manufactured    | Each |   |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|   | STRIP  |                 |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|   | SIGNALLING, ground standard<br>(8' 6" x 1' 3") | (8' 6" x 1' 3") | Each |   |      |      | 60   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |

AL 62 NOVEMBER 1973

| 1    | 2                                    | 3   | 4    | 5 | A 67 | A 68 | A 69 | A 70 | A 71 | A 72 | A 73 | A 74 | A 75 | A 76 | A 77 | A 78 | A 79 | A 80 | A 81 | A 82 | A 83 | A 84 | A 85 | A 86 | A 87 | A 88 | A 89 | A 90 | A 91 | A 92 | A 93 |
|------|--------------------------------------|---|------|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|      | <u>SECTION 4C</u>                    |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1273 | FLARE, paraffin, type 'B'            | (*) Airfields with main runways 2,000 yards or less, Qty 44 plus 20 reserve. Airfields with main runways over 2,000 yds. 2 additional for every 100 yds. or part thereof in excess of 2,000 yds | Each |   |      |      | (*)  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|      | <u>INDICATOR</u>                     |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1323 | Landing, Direction illuminated       |   | Each |   |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|      | <u>Accessories</u>                   |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -    | BATTERY, lead acid 12V 40 AH         | Ref 5J/9101535  |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 2656 | Wind Direction                       |   | Each |   |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|      | <u>Spares</u>                        |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|      | CONE, nylon fluorescent flame orange |   | Each |   |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -    | MARKER, ground, danger               | Local Manufacture   | Each |   |      |      | 60   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -    | SIGNAL, ground                       | (/) As per AP 3024 Pt 5, Section 6  | Each |   |      |      | /    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |

A/L 62 NOVEMBER 1973

| 1    | 2                               | 3                 | 4    | 5 | A 67 | A 68 | A 69 | A 70 | A 71 | A 72 | A 73 | A 74 | A 75 | A 76 | A 77 | A 78 | A 79 | A 80 | A 81 | A 82 | A 83 | A 84 | A 85 | A 86 | A 87 | A 88 | A 89 | A 90 | A 91 | A 92 | A 93 |
|------|---------------------------------|-------------------|------|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|      | <u>SECTION 4C (Contd)</u>       |                   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -    | TEE, landing                    | Local Manufacture | Each |   |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 440  | TROLLEY, airfield               |                   | Each |   |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 3137 | TROLLEY, floodlight low voltage |                   | Each |   |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |



A/L 62 November 1973

| 1    | 2   | 3   | 4    | 5 | A 67 | A 68 | A 69 | A 70 | A 71 | A 72 | A 73 | A 74 | A 75 | A 76 | A 77 | A 78 | A 79 | A 80 | A 81 | A 82 | A 83 | A 84 | A 85 | A 86 | A 87 | A 88 | A 89 | A 90 | A 91 | A 92 | A 93 |
|------|---|---|------|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|      | <u>SECTION 4D</u>   |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1458 | <u>BIN</u><br>Storage, inflammable liquid                     | + per 10 vehicles established<br>* per major and minor serv team                            | Each |   |      | 1*   |      |      |      |      |      |      |      |      |      |      |      | 1+   |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 2059 | <u>CONVEYOR</u> , gravity roller<br>BRACKET, attachment lorry |   | Each |   |      |      |      |      |      |      |      |      |      |      |      |      | 4    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1713 | Curve 45°   |   | Each |   |      |      |      |      | (ar) |      |      |      |      |      |      |      | 4    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1715 | Stand, Large  |   | Each |   |      |      |      |      | (ar) |      |      |      |      |      |      |      | 24   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1716 | Stand, small  |   | Each |   |      |      |      |      |      |      |      |      |      |      |      |      | 24   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1714 | STRAIGHT, lengths   |   | Each |   |      |      |      |      |      |      |      |      |      |      |      |      | 24   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -    | <u>RACK</u> , storage<br>General purpose, type 'A'            | // as required up to a maximum of Qty 5<br>To be demanded by components as shown in AP 1086 | Each |   |      |      | //   |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -    | Portable  |   | Each |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      | (ar) |      | (ar) |      |      |      |      |      |      |      |      |      |      |
| 322  | TRAY, size No 2 (wooden)                                      |   | Each |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      | (ar) |      | (ar) |      |      |      |      |      |      |      |      |      |      |
| 223  | TROLLEY, platform   |   | Each |   |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |

A/L 62 NOVEMBER 1973

| 1                | 2                         | 3                                | 4    | 5 | A 67 | A 68 | A 69 | A 70 | A 71 | A 72 | A 73 | A 74 | A 75 | A 76 | A 77 | A 78 | A 79 | A 80 | A 81 | A 82 | A 83 | A 84 | A 85 | A 86 | A 87 | A 88 | A 89 | A 90 | A 91 | A 92 | A 93 |
|------------------|---------------------------|----------------------------------|------|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|                  | <u>SECTION 4D (Contd)</u> |                                  |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|                  | <u>TRUCK</u>              |                                  |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 228              | Sack                      | Qty 1 for use in                 | Each |   |      |      |      |      | 3    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 240<br>or<br>241 | Warehouse                 | unaccompanied<br>baggage section | Each |   |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |

| 1                                | 2  | 3               | 4    | 5 | A 67 | A 68 | A 69 | A 70 | A 71 | A 72 | A 73 | A 74 | A 75 | A 76 | A 77 | A 78 | A 79 | A 80 | A 81 | A 82 | A 83 | A 84 | A 85 | A 86 | A 87 | A 88 | A 89 | A 90 | A 91 | A 92 | A 93 |
|----------------------------------|--|-----------------|------|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|                                  | <u>SECTION 4FE</u>                         |                 |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|                                  | <u>TROLLEY</u>                             |                 |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1718                             | ELECTRIC, Battery type, Mk 5               |                 | Each |   |      |      |      |      |      |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|                                  | <u>ACCESSORIES</u>                         |                 |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|                                  | BATTERY, Secondary, lead-acid<br>GV7 230AH | Ref, 5J/9101525 | Each |   |      |      |      |      |      |      |      | 8    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|                                  | SET Generator                              | Ref 42U/500     | Each |   |      |      |      |      |      |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|                                  | <u>TROLLEY</u>                             |                 |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 2394<br>or<br>2400<br>or<br>2401 | ELECTRIC, Starting and servicing           |                 | Each |   |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |

A/L 62 November 1973

| 1                  | 2   | 3                   | 4    | 5 | A 67 | A 68 | A 69 | A 70 | A 71 | A 72 | A 73 | A 74 | A 75 | A 76 | A 77 | A 78 | A 79 | A 80 | A 81 | A 82 | A 83 | A 84 | A 85 | A 86 | A 87 | A 88 | A 89 | A 90 | A 91 | A 92 | A 93 |  |
|--------------------|---|---------------------|------|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--|
|                    | <u>SECTION 4G</u>   |                     |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 6246               | ADAPTER, inflation Mk 2                                       |                     | Each |   |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |  |
|                    | <u>Accessories</u>  |                     |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
|                    | <u>GAUGE, pressure</u>  |                     |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 3026               | 0-600 psi   |                     | Each |   |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 3027               | 0-1500 psi  |                     | Each |   |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 3029               | 0-3500 psi  |                     | Each |   |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
|                    | <u>GAUGE</u>  |                     |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 2509               | Aircraft tyre pressure<br>20-120 psi                          |                     | Each |   |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 3430               | HYDRAULIC, test set Mk 1                                      |                     | Each |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    | 1    |      |      |      |      |      |      |      |      |      |      |      |  |
|                    | <u>LADDER</u>   |                     |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 3742               | Swing back 12 ft  | ) Per 1st Line Serv | Each |   |      | 1    |      |      |      |      |      | 2    |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |  |
|                    |   | ) Team              |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
|                    |   | ) Per Static Site   | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
|                    |   | ) Crew              |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
|                    |   | ) Per Met Site Crew | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 4229<br>or<br>8311 | Aircraft entrance<br>Step aircraft servicing<br>transportable |                     | Each |   |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
|                    |   |                     | Each |   |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |

AL 62 NOVEMBER 1973

| 1    | 2                               | 3 | 4    | 5 | A 67 | A 68 | A 69 | A 70 | A 71 | A 72 | A 73 | A 74 | A 75 | A 76 | A 77 | A 78 | A 79 | A 80 | A 81 | A 82 | A 83 | A 84 | A 85 | A 86 | A 87 | A 88 | A 89 | A 90 | A 91 | A 92 | A 93 |
|------|---------------------------------|---|------|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|      | <u>SECTION 4G (Contd)</u>       |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 5641 | Giraffe model AA Mk 2           |   | Each |   |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|      | <u>Accessories</u>              |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 5707 | Extension 4 ft                  |   | Each |   |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 5708 | JIB                             |   | Each |   |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 5709 | BRACKET attachment              |   | Each |   |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|      | <u>PUMP</u>                     |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 3743 | Tyre inflating foot operated    |   | Each |   |      |      |      | 1    |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|      | <u>Accessory</u>                |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 3745 | TUBE, rubber type 'C'           |   | Each |   |      |      |      | 1    |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|      | <u>CANS, Fluid replenishing</u> |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 4684 | Mk 1                            |   | Each |   |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 5358 | MK 2                            |   | Each |   |      |      |      |      |      |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|      | <u>Accessories</u>              |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 5719 | COUPLING, half AVX 1492         |   | Each |   |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 5720 | ELBOW, adapter                  |   | Each |   |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 5371 | TROLLEY                         |   | Each |   |      |      |      |      |      |      |      | 3    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 5970 | INFLATOR tyre                   |   | Each |   |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |

A/L 62 NOVEMBER 1973

| 1    | 2  | 3               | 4    | 5 | A 67 | A 68 | A 69 | A 70 | A 71 | A 72 | A 73 | A 74 | A 75 | A 76 | A 77 | A 78 | A 79 | A 80 | A 81 | A 82 | A 83 | A 84 | A 85 | A 86 | A 87 | A 88 | A 89 | A 90 | A 91 | A 92 | A 93 |
|------|--|-----------------|------|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|      | <u>SECTION 4G (Contd)</u>                  |                 |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|      | <u>TROLLEY</u>                             |                 |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 5888 | Air charging HP Mk 2B                      |                 | Each |   |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|      | <u>Accessories</u>                         |                 |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|      | <u>CYLINDER gas compressed air</u>         |                 |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -    | Mk 12                                      | Ref 71A/9422196 |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|      | or   |                 | Each |   |      |      |      |      |      |      |      | 4    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -    | Mk 12A                                     | Ref 71A/9431516 |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 4856 | AIRCRAFT defrosting                        |                 | Each |   |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|      | <u>Accessories</u>                         |                 |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|      | <u>CYLINDER, gas oxygen</u>                |                 |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|      | Mk 7A                                      | Ref 71A/41      |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|      | or   |                 | Each |   |      |      |      |      |      |      |      | 4    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|      | Mk 12                                      | Ref 71A/202     |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 5421 | CLEANER, vacuum, electrical<br>model TLD 1 |                 | Each |   |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|      | <u>Accessories</u>                         |                 |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|      | BAGS, Dust, disposable                     |                 | Each |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|      | RINGS, rubber                              |                 | Each |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |

A/L 62 NOVEMBER 1973

| 1    | 2                          | 3   | 4    | 5 | A 67 | A 68 | A 69 | A 70 | A 71 | A 72 | A 73 | A 74 | A 75 | A 76 | A 77 | A 78 | A 79 | A 80 | A 81 | A 82 | A 83 | A 84 | A 85 | A 86 | A 87 | A 88 | A 89 | A 90 | A 91 | A 92 | A 93 |
|------|----------------------------|---|------|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|      | <u>SECTION 4GB</u>         |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|      | <u>ARM, steering</u>       |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 3071 | Long                       |   | Each |   |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1365 | Tail wheel type 'G'        |   | Each |   |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 4139 | BRIDLE, towing 50 ft       | Not entitled if<br>35 ft bridle<br>already held | Each |   |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 5612 | FORK UNIT, adjustable Mk 3 |   | Each |   |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1496 | PICKET, screw 3 ft 6 in    | Per 1st line serv<br>team                       | Each |   |      | 40   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1497 | PICKET, screw              |   | Each |   |      |      |      |      |      |      |      | 6    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 2792 | ARM, towing tail           |   | Each |   |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|      | <u>CHOCK</u>               |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 5890 | Main wheel                 |   | Each |   |      |      |      |      |      |      |      | 12   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|      | <u>Accessories</u>         |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 5891 | BAR, locking               |   | Each |   |      |      |      |      |      |      |      | 12   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|      | <u>CHOCK</u>               |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 5892 | Nose undercarriage         |   | Each |   |      |      |      |      |      |      |      | 3    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|      | <u>Accessory</u>           |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 5893 | BARS, locking              |   | Each |   |      |      |      |      |      |      |      | 3    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |

A/L 62 NOVEMBER 1973

| 1       | 2                                   | 3 | 4    | 5 | A 67 | A 68 | A 69 | A 70 | A 71 | A 72 | A 73 | A 74 | A 75 | A 76 | A 77 | A 78 | A 79 | A 80 | A 81 | A 82 | A 83 | A 84 | A 85 | A 86 | A 87 | A 88 | A 89 | A 90 | A 91 | A 92 | A 93 |
|---------|-------------------------------------|---|------|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|         | <u>SECTION 4GB (Contd)</u>          |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>CHOCK</u>                        |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 3458    | Wooden, large                       |   | Each |   |      |      |      |      |      |      |      | 30   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 10728   | TOW BAR 1A                          |   | Each |   |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 10985   | TOW BAR 1B                          |   | Each |   |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 3785    | TOE PIECE, large                    |   | Each |   |      |      |      |      |      |      |      | 30   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 5726    | STROP, 60 ft                        |   | Each |   |      |      |      |      |      |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 5725    | TACKLE, emergency drag-off, Mk 1    |   | Each |   |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 3727    | TRACK, metal standard               |   | Sets |   |      |      |      |      |      |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>Accessories</u>                  |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 3728    | HOOK, lifting                       |   | Sets |   |      |      |      |      |      |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>TROLLEY, salvage</u>             |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 4409948 | Main, type 'C'                      |   | Each |   |      |      |      |      |      |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 3735    | Tail, type 'B'                      |   | Each |   |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 7901    | WINCHES, TIRFOR, Type T35           |   | Each |   |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 4398948 | TACKLE, emergency, "DRAY-OFF", Mk 1 |   | Each |   |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>Comprising:</u>                  |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | 4L/2657 BLOCKS SNATCH               |   | Each |   |      |      |      |      |      |      |      | 4    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | 4GB/5727 STROPS 25 ft               |   | Each |   |      |      |      |      |      |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |



A/L 62 November 1973

| 1    | 2   | 3 | 4    | 5 | A 67 | A 68 | A 69 | A 70 | A 71 | A 72 | A 73 | A 74 | A 75 | A 76 | A 77 | A 78 | A 79 | A 80 | A 81 | A 82 | A 83 | A 84 | A 85 | A 86 | A 87 | A 88 | A 89 | A 90 | A 91 | A 92 | A 93 |
|------|---|---|------|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| 5726 | <u>SECTION 4GB (Contd)</u><br>STRAPS, 60 ft c/w loop and special hook |   | Each |   |      |      |      |      |      |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 4220 | <u>SECTION 4GD</u><br>TROLLEY, oxygen charging Mk 2                   |   | Each |   |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 6259 | TROLLEY, nitrogen, charging, single cylinder                          |   | Each |   |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |
| 5888 | TROLLEY, HP, air charging Mk 2B                                       |   | Each |   |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |

| 1    | 2                  | 3 | 4 | 5 | A 67 | A 68 | A 69 | A 70 | A 71 | A 72 | A 73 | A 74 | A 75 | A 76 | A 77 | A 78 | A 79 | A 80 | A 81 | A 82 | A 83 | A 84 | A 85 | A 86 | A 87 | A 88 | A 89 | A 90 | A 91 | A 92 | A 93 |
|------|--------------------|---|---|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|      | <u>SECTION 4K</u>  |   |   |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1302 | TAP                |   |   |   |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|      | <u>Accessories</u> |   |   |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1307 | Washer             |   |   |   |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |

A/L 62 NOVEMBER 1973

| 1    | 2   | 3                         | 4    | 5 | A 67 | A 68 | A 69 | A 70 | A 71 | A 72 | A 73 | A 74 | A 75 | A 76 | A 77 | A 78 | A 79 | A 80 | A 81 | A 82 | A 83 | A 84 | A 85 | A 86 | A 87 | A 88 | A 89 | A 90 | A 91 | A 92 | A 93 |
|------|---|---------------------------|------|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|      | <u>SECTION 4L</u>                         |                           |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 2015 | BLOCK, pulley geared, 40 cwt              |                           | Each |   |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|      |   | ( Per 1st line serv. team | Each |   |      | 12   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 2687 | BLOCK, snatch type 'C'                    | ( Per static site crew    | Each |   |      | 12   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|      |   | ( Per met site crew       | Each |   |      | 12   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 576  | CROWBAR, handy No 1                       |                           | Each |   |      |      |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 2560 | GRAB, chain                               |                           | Each |   |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 103  | LEVER, wood iron shode, crow              |                           | Each |   |      |      |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 2336 | RING, 'D' 1 1/8 in dia                    |                           | Each |   |      |      |      |      | 4    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|      | <u>SLING</u>                              |                           |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 2571 | Chain, barrel                             |                           | Each |   |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 2614 | Wire, rope                                |                           | Each |   |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|      | Compressed gas cylinder                   |                           |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 2586 | Type 'C'                                  |                           | Each |   |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 2686 | Type 'E'                                  |                           | Each |   |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 2607 | 15 cwt                                    |                           | Each |   |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|      | <u>Endless wire rope, soft eye strops</u> |                           |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 2615 | 40 cwt.                                   |                           | Each |   |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |

A/L 62 NOVEMBER 1973

| 1    | 2   | 3 | 4    | 5 | A 67 | A 68 | A 69 | A 70 | A 71 | A 72 | A 73 | A 74 | A 75 | A 76 | A 77 | A 78 | A 79 | A 80 | A 81 | A 82 | A 83 | A 84 | A 85 | A 86 | A 87 | A 88 | A 89 | A 90 | A 91 | A 92 | A 93 |
|------|---|---|------|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|      | <u>SECTION 4L (Contd)</u>                         |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|      | <u>Endless wire rope, soft eye strops (Contd)</u> |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 2622 | 40 cwt.   |   | Each |   |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|      | <u>Wire rope, four legged</u>                     |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 2579 | 10 cwt  |   | Each |   |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 2580 | 30 cwt  |   | Each |   |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 2581 | 40 cwt  |   | Each |   |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |

A/L 62 NOVEMBER 1973

| 1       | 2                                     | 3 | 4    | 5 | A 67 | A 68 | A 69 | A 70 | A 71 | A 72 | A 73 | A 74 | A 75 | A 76 | A 77 | A 78 | A 79 | A 80 | A 81 | A 82 | A 83 | A 84 | A 85 | A 86 | A 87 | A 88 | A 89 | A 90 | A 91 | A 92 | A 93 |
|---------|---------------------------------------|---|------|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| 14      | <u>SECTION 4N</u><br>BATH, degreasing |   | Each |   |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>SECTION 4Q</u>                     |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>JACK</u>                           |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 3013    | Hydralite 25 ton                      |   | Each |   |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>Lifting</u>                        |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1349    | Lever hydraulic 8 ton                 |   | Each |   |      |      |      |      |      |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>Pillar hydraulic</u>               |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1045837 | 15 ton, four-legged                   |   | Each |   |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>Accessory</u>                      |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 2663    | ADAPTOR, head Mk. 104                 |   | Each |   |      |      |      |      |      |      |      | 4    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 2666    | TROLLEY, transporter                  |   | Each |   |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>JACK</u>                           |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 2624    | 25 ton, four-legged                   |   | Each |   |      |      |      |      |      |      |      | 4    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>Accessory</u>                      |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 2910    | <u>ADAPTOR</u> , head Mk 53           |   | Each |   |      |      |      |      |      |      |      | 4    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |

A/L 62 NOVEMBER 1973

| 1       | 2  | 3  | 4    | 5 | A 67 | A 68 | A 69 | A 70 | A 71 | A 72 | A 73 | A 74 | A 75 | A 76 | A 77 | A 78 | A 79 | A 80 | A 81 | A 82 | A 83 | A 84 | A 85 | A 86 | A 87 | A 88 | A 89 | A 90 | A 91 | A 92 | A 93 |
|---------|--|--|------|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|         | <u>SECTION 5A</u>                                  |  |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 960     | BOX, junction                                      | *Qty 1 per Major and<br>Minor serv Teams | Each |   |      | 1*   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         |  | ** Qty 2 per Fabric<br>Shop              | Each |   |      | 2**  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 4732    | BLOCK, mounting                                    |  | Each |   |      |      |      |      |      |      |      |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9723881 | BLOWER, air, portable type 'D'                     |  | Each |   |      |      |      |      |      |      |      |      |      | 1    | 1    |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>Accessory</u>                                   |  |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 4345664 | NOZZLE   | *Qty 2 per Ref<br>5A/4124 scaled         | Each |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 2*   |      |      |      |      |      |      |      |      |      |      |      |
| 3579    | FLARE PATH, sodium type FF                         |  | Each |   |      |      | 1    |      |      |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 4650    | FLOODLIGHT, low voltage<br>fluorescent 24/28V, 30W |  | Each |   |      |      |      |      |      |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 2091    | INDICATOR, angle of approach                       |  | Each |   |      |      | 4    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>Accessories</u>                                 |  |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 2093    | SECTOR, glass                                      |  | Each |   |      |      | 4    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | LAMP   |  |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 4349619 | SAFETY, Handlight, type 260                        |  | Each |   |      |      |      | 1    |      |      | 3    |      | 1    |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |
| 4388    | INSPECTION, type H                                 | / Qty 1 per two<br>servicing teams       | Each |   |      | 1/   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |

AL 62 NOVEMBER 1973

| 1    | 2                         | 3   | 4    | 5 | A 67 | A 68 | A 69 | A 70 | A 71 | A 72 | A 73 | A 74 | A 75 | A 76 | A 77 | A 78 | A 79 | A 80 | A 81 | A 82 | A 83 | A 84 | A 85 | A 86 | A 87 | A 88 | A 89 | A 90 | A 91 | A 92 | A 93 |  |  |  |  |
|------|---------------------------|---|------|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--|--|--|--|
|      | <u>SECTION 5A (Contd)</u> |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |  |  |
|      | <u>LAMP</u>               |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |  |  |
| 2334 | Signalling, type B )      | * Includes Qty 1 for use in Air Traffic               | Each |   |      |      | 5*   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |  |  |
|      | Accessories )             |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |  |  |
|      | Boxes )                   |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |  |  |
| 2338 | Type 1 )                  |   | Each |   |      |      | 5*   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |  |  |
| 2368 | Type 2 )                  |   | Each |   |      |      | 5*   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |  |  |
|      | Fronts )                  | * Includes Qty 1 for use in Air Traffic Guide vehicle |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |  |  |
| 2336 | Green )                   |   | Each |   |      |      | 5*   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |  |  |
| 2337 | Red )                     |   | Each |   |      |      | 5*   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |  |  |
| 3660 | LIGHT, marker             |   | Each |   |      |      | 140  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |  |  |
|      | <u>Accessories</u>        |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |  |  |
|      | Screen, plastic           |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |  |  |
| 3671 | Blue )                    |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |  |  |
| or   |                           |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |  |  |
| 3672 | Red )                     |   | Each |   |      |      | 160  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |  |  |
| or   |                           |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |  |  |
| 3673 | Yellow )                  |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |  |  |

A/L 62 NOVEMBER 1973

| 1       | 2                         | 3 | 4    | 5 | A 67 | A 68 | A 69 | A 70 | A 71 | A 72 | A 73 | A 74 | A 75 | A 76 | A 77 | A 78 | A 79 | A 80 | A 81 | A 82 | A 83 | A 84 | A 85 | A 86 | A 87 | A 88 | A 89 | A 90 | A 91 | A 92 | A 93 |
|---------|---------------------------|---|------|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|         | <u>SECTION 5A (Contd)</u> |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 4731    | OUTLET, Switch sockets    |   | Each |   |      |      |      |      |      |      |      |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | PLUG, 3 pole              |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 2939    | 2 amp No 2                |   | Each |   |      |      |      |      |      | 4    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 3731    | 5 amp No 18               |   | Each |   |      |      |      |      |      | 3    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 4803    | REEL, cable extension     |   | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 4966    | SWITCH, safe, bloc        |   | Each |   |      |      |      |      |      |      |      |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>TORCH, electric</u>    |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 4190    | Type V                    |   | Each |   |      | 11   |      |      |      |      |      |      |      |      |      |      | 4    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9105033 | Type Y                    |   | Each |   |      |      |      |      |      | 3    |      |      |      |      |      |      |      | 3    |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1067377 | Type Z                    |   | Each |   |      | 11   |      |      |      |      |      |      |      | 1    |      |      | 4    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>SECTION 5D</u>         |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 2038    | CONNECTOR, fuzing Mk 3    |   | Each |   |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |



AL 62 NOVEMBER 1973

| 1       | 2                                   | 3                                     | 4    | 5 | A 67 | A 68 | A 69 | A 70 | A 71 | A 72 | A 73 | A 74 | A 75 | A 76 | A 77 | A 78 | A 79 | A 80 | A 81 | A 82 | A 83 | A 84 | A 85 | A 86 | A 87 | A 88 | A 89 | A 90 | A 91 | A 92 | A 93 |
|---------|-------------------------------------|---------------------------------------|------|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|         | <u>SECTION 5G</u>                   |                                       |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>ADAPTOR</u>                      |                                       |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 2998    | Electrical servicing 28V 3 pin      |                                       | Each |   |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 3495    | Male connectors                     |                                       | Each |   |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 4350414 | MILLIOMETER, Type 47A               |                                       | Each |   |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9018429 | SAFETY Ohmeter Mk 6                 |                                       | Each |   |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>ACCESSORY</u>                    |                                       |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| NIV     | Test load (Local Manufacture)       |                                       | Each |   |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>TESTER</u>                       |                                       |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 203     | Type 'D'                            |                                       | Each |   |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>Accessory</u>                    |                                       |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 204     | Case leather                        |                                       | Each |   |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>TESTER</u>                       |                                       |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1621    | Insulation type A                   | (a) Qty 1 per 2 man<br>(minimum of 2) | Each |   |      |      |      |      |      |      |      |      |      |      | 2A   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 152     | Insulation, type C                  |                                       | Each |   |      |      |      |      |      |      |      |      |      |      |      | 1    | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1708    | Megger, bridge, type B              |                                       | Each |   |      |      |      |      |      |      |      |      |      | 1    | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 560     | Store (portable)                    |                                       | Each |   |      |      |      |      |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 3648    | TEST, lead standard                 |                                       | Each |   |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | TESTER, Lead (for earthing systems) |                                       | Each |   |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |

A/L 62 NOVEMBER 1973

| 1       | 2                              | 3                 | 4    | 5 | A 67 | A 68 | A 69 | A 70 | A 71 | A 72 | A 73 | A 74 | A 75 | A 76 | A 77 | A 78 | A 79 | A 80 | A 81 | A 82 | A 83 | A 84 | A 85 | A 86 | A 87 | A 88 | A 89 | A 90 | A 91 | A 92 | A 93 |
|---------|--------------------------------|-------------------|------|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|         | <u>SECTION 5J</u>              |                   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>BATTERY</u>                 |                   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9101101 | Primary dry, 15V No 1 )        | For use with      | Each | 1 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | )                              | 5QP/17447         |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9101168 | Primary dry, 15V No 1 )        |                   | Each | 1 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1531    | Dry 4.5V                       |                   | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1387    | Lead, acid 2V, 20 AH           | For use with      | Each |   |      |      | 280  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | )                              | 5A/3660           |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9101534 | Lead, acid 2V, 40 AH           | For use with      | Each |   |      |      |      | 4    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | )                              | 5A/2091           |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9101535 | Lead, acid 12V, 48 AH )        | For use with      | Each |   |      |      |      | 6    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | )                              | 5A/2334, plus 50% |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | )                              | reserve           |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>FILLER</u>                  |                   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 3324    | Battery, secondary, Lucas type |                   | Each |   |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 3264    | Battery, secondary, pump type  |                   | Each |   |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>LUG</u>                     |                   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 2328    | Connector type 'C', negative   | For use with      | Each |   |      |      |      | 4    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | )                              | 5A/2091           |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 2327    | Connector type 'C', positive   | For use with      | Each |   |      |      |      | 4    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | )                              | 5A/2091           |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |

A/L 62 NOVEMBER 1973

| 1       | 2                     | 3 | 4 | 5 | A 67 | A 68 | A 69 | A 70 | A 71 | A 72 | A 73 | A 74 | A 75 | A 76 | A 77 | A 78 | A 79 | A 80 | A 81 | A 82 | A 83 | A 84 | A 85 | A 86 | A 87 | A 88 | A 89 | A 90 | A 91 | A 92 | A 93 |
|---------|-----------------------|---|---|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|         | <u>SECTION 5L</u>     |   |   |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>LAMP, filament</u> |   |   |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9951109 | 3V 0.24W              | ) |   |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| or      |                       | ) |   |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9951123 | 3.5V 0.52W            | ) |   |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| or      |                       | ) |   |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9951146 | 4V 1.2W               | ) |   |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| or      |                       | ) |   |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9951218 | 6.2V 1.86W            | ) |   |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9952507 | 12V 60W               | ) |   |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         |                       | ) |   |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9954401 | 12V 60W               | ) |   |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| or      |                       | ) |   |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9954402 | 24V 30W               | ) |   |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         |                       | ) |   |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |

A/L 62 NOVEMBER 1973

| 1       | 2  | 3 | 4    | 5 | A 67 | A 68 | A 69 | A 70 | A 71 | A 72 | A 73 | A 74 | A 75 | A 76 | A 77 | A 78 | A 79 | A 80 | A 81 | A 82 | A 83 | A 84 | A 85 | A 86 | A 87 | A 88 | A 89 | A 90 | A 91 | A 92 | A 93 |
|---------|--|---|------|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| 3094    | <u>SECTION 5P</u><br>CHARGER, trickle        |   | Each |   |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1057049 | <u>SECTION 5QP</u><br>MULTIMETER type CT498A |   | Each | 1 |      |      |      |      |      |      |      | 1    | 1    | 2    | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 16411   | MULTIMETER type 1                            |   | Each |   |      |      |      |      |      | 3    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 10610   | TESTMETERS type 'D'                          |   | Each |   |      |      |      |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 4350406 | VOLTMETER 30-0-30                            |   | Each |   |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |

A/L 62 NOVEMBER 1973

| 1   | 2                               | 3  | 4    | 5 | A 67 | A 68 | A 69 | A 70 | A 71 | A 72 | A 73 | A 74 | A 75 | A 76 | A 77 | A 78 | A 79 | A 80 | A 81 | A 82 | A 83 | A 84 | A 85 | A 86 | A 87 | A 88 | A 89 | A 90 | A 91 | A 92 | A 93 |
|-----|---------------------------------|--|------|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| 685 | SECTION 6A<br>ALTIMETER, Mk 14A | Where Approach Control and Local Aerodrome Control are separately housed these items to be available in each room. | Each |   |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |

A/L 62 NOVEMBER 1973

| 1  | 2  | 3  | 4    | 5 | A 67 | A 68 | A 69     | A 70 | A 71 | A 72 | A 73 | A 74 | A 75 | A 76 | A 77 | A 78 | A 79 | A 80 | A 81 | A 82 | A 83 | A 84 | A 85 | A 86 | A 87 | A 88 | A 89 | A 90 | A 91 | A 92 | A 93 |
|--|--|--|------|---|------|------|----------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|  | <u>SECTION 6B</u>                                    |  |      |   |      |      |          |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 490  | COMPUTOR, dead reckoning Mk 4                        | * Where Approach Control and Local Aerodrome Control are separately housed, these items to be available in each room | Each |   |      |      | 1*       |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 47   | PROTRACTOR, Douglas, 5 in                            |  | Each |   |      |      | 1*       |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 260  | RULE, navigation Mk 1                                |  | Each |   |      |      | 1*       |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 349  | STRAIGHTEDGE, 20 in Mk 3                             |  | Each |   |      |      | 1*       |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|  | <u>WATCH, stop</u>                                   |  |      |   |      |      |          |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9101001<br>or<br>117<br>or<br>221<br>or<br>9101002 | GS 1/5th second<br>Mk 3<br>Mk 3A<br>GS 1/10th second | + An additional watch may be held as a standby   |      |   |      |      |          |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|  | <u>Accessory</u>                                     |  |      |   |      |      |          |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1465   | HOLDER, watch  |  | Each |   | 1    |      | x +<br>4 |      | 2    |      |      |      | 1    | 1    | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|  | <u>SECTION 6C</u>                                    |  |      |   |      |      |          |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9549379  | STROBOSCOPE, Portable                                |  | Each |   |      |      |          |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9420487  | GAUGES Pressure, 0-100 psi                           |  | Each |   |      |      |          |      |      |      |      |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9420442  | GAUGES, Pressure, 0-30 psi                           |  | Each |   |      |      |          |      |      |      |      |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |

A/L 62 NOVEMBER 1973

| 1    | 2                             | 3 | 4    | 5 | A 67 | A 68 | A 69 | A 70 | A 71 | A 72 | A 73 | A 74 | A 75 | A 76 | A 77 | A 78 | A 79 | A 80 | A 81 | A 82 | A 83 | A 84 | A 85 | A 86 | A 87 | A 88 | A 89 | A 90 | A 91 | A 92 | A 93 |
|------|-------------------------------|---|------|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|      | <u>SECTION 6D</u>             |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 3690 | HOSE, air and nitrogen, 9 ft. |   | Each |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |
| 3691 | HOSE, nitrogen, 9 ft.         |   | Each |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |
| 2141 | REGULATOR, charging           |   | Each |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |

A/L 62 NOVEMBER 1973

| 1                    | 2   | 3   | 4    | 5 | A 67 | A 68 | A 69 | A 70 | A 71 | A 72 | A 73 | A 74 | A 75 | A 76 | A 77 | A 78 | A 79 | A 80 | A 81 | A 82 | A 83 | A 84 | A 85 | A 86 | A 87 | A 88 | A 89 | A 90 | A 91 | A 92 | A 93 |
|----------------------|---|---|------|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|                      | <u>SECTION 6E</u>                             |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9604560<br>or<br>320 | BINOCULAR, prismatic                          | Qty 1 of 9604560<br>for RAF Brize<br>Norton | Each |   |      |      | 3    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 275                  | GLASS, magnifying, hand<br><u>THERMOMETER</u> |   | Each |   |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |
| 45                   | Mercury 1.0/130 <sup>o</sup> F                |   | Each |   |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 50<br>or<br>-        | WATCH<br>GS<br>Wrist, Mk 8                    | )<br>)<br>Ref no 6B/234 )                   | Each |   |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |



| 1                        | 2  | 3                | 4    | 5 | A 67 | A 68 | A 69 | A 70 | A 71 | A 72 | A 73 | A 74 | A 75 | A 76 | A 77 | A 78 | A 79 | A 80 | A 81 | A 82 | A 83 | A 84 | A 85 | A 86 | A 87 | A 88 | A 89 | A 90 | A 91 | A 92 | A 93 |
|--------------------------|--|------------------|------|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|                          | <u>SECTION 6Z</u>  |                  |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9491562<br>or<br>1045670 | RADIAC Set, type 1320 x No 2,<br>Mk 1<br><br>RADIAC Set, type 1320 x No 2,<br>Mk 2 | )<br>)<br>)<br>) | Each |   |      |      |      |      |      |      |      |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |

| 1    | 2  | 3   | 4    | 5 | A 67 | A 68 | A 69 | A 70 | A 71 | A 72 | A 73 | A 74 | A 75 | A 76 | A 77 | A 78 | A 79 | A 80 | A 81 | A 82 | A 83 | A 84 | A 85 | A 86 | A 87 | A 88 | A 89 | A 90 | A 91 | A 92 | A 93 |
|------|--|---|------|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| 1563 | <p><u>SECTION 7B</u></p> <p>PROJECTOR, airfield locating electric, No 1 Mk 1</p> | <p>For use by Air Traffic Guide Vehicle</p> <p>Per operative airfield and RLG</p> | Each |   |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 335  | <p><u>SECTION 9</u></p> <p>PENCIL, yellow point.</p>                             |   | Doz. |   |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1460 | <p><u>SECTION 9CA</u></p> <p>SET Test, GP 1 Counter re-setting</p>               | <p>To be issued for use on type 4505 trainers C standard</p>                      |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |

| 1     | 2                                  | 3             | 4    | 5 | A 67 | A 68 | A 69 | A 70 | A 71 | A 72 | A 73 | A 74 | A 75 | A 76 | A 77 | A 78 | A 79 | A 80 | A 81 | A 82 | A 83 | A 84 | A 85 | A 86 | A 87 | A 88 | A 89 | A 90 | A 91 | A 92 | A 93 |
|-------|------------------------------------|---------------|------|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|       | <u>SECTION 10A</u>                 |               |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|       | <u>HEADSET</u>                     |               |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|       | Consisting of:                     |               |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|       | CONNECTOR, type 2091               | Ref: 10H/4887 | Each |   |      |      |      |      |      | 6    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 12160 | HEADBAND, type "C"                 |               | Each |   |      |      |      |      |      | 6    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 14381 | MICROPHONE, assy type 48           |               | Each |   |      |      |      |      |      | 6    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 12573 | MICROPHONE, assy type 28           |               | Each |   |      |      |      |      |      |      |      |      | 4    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 346   | MAT, rubber 3' x 2' x 3/8"         |               | Each |   |      |      |      |      |      | 15   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 12161 | PAD, ring                          |               | Each |   |      |      |      |      |      | 12   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 13466 | RECEIVER, telephone, Head, type 32 |               | Each |   |      |      |      |      |      | 12   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|       | <u>SECTION 10AC</u>                |               |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|       | <u>TOOL</u>                        |               |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 744   | UNWRAPPING, Hand, small            |               | Each |   |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 756   | UNWRAPPING, Hand, Double           |               | Each |   |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 745   | WRAPPING, Hand, small              |               | Each |   |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |

| 1       | 2  | 3 | 4    | 5 | A 67 | A 68 | A 69 | A 70 | A 71 | A 72 | A 73 | A 74 | A 75 | A 76 | A 77 | A 78 | A 79 | A 80 | A 81 | A 82 | A 83 | A 84 | A 85 | A 86 | A 87 | A 88 | A 89 | A 90 | A 91 | A 92 | A 93 |
|---------|--|---|------|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| 9331923 | <u>SECTION 10AQ</u><br>MAT, Floor, Rubber 8 in |   | Each |   |      |      |      |      |      |      |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |

AL 62 NOVEMBER 1973

| 1       | 2  | 3 | 4    | 5 | A 67 | A 68 | A 69 | A 70 | A 71 | A 72 | A 73 | A 74 | A 75 | A 76 | A 77 | A 78 | A 79 | A 80 | A 81 | A 82 | A 83 | A 84 | A 85 | A 86 | A 87 | A 88 | A 89 | A 90 | A 91 | A 92 | A 93 |
|---------|--|---|------|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|         | <u>SECTION 10G</u>                                   |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 408     | BURNISHER, Contact                                   |   | Each |   |      |      |      |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 428     | EXTRACTOR, GPO No 11                                 |   | Each |   |      |      |      |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 415     | SETTER, Contact Spring                               |   | Each |   |      |      |      |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>SECTION 10S</u>                                   |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>MULTIMETER ELECTRONIC</u>                         |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 16411   | TYPE 1   |   | Each |   |      |      |      |      |      |      |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 16308   | TYPE CT 38   |   | Each |   |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>OSCILLOSCOPE</u>                                  |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9138618 | DB Type CT436 )                                      |   | Each |   |      |      |      |      |      | 3    |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1992562 | DB Type CT531 )                                      |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 16499   | SIGNAL - Generator Type 658                          |   | Each |   |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9400872 | TEST SET, Transistor, Type 446                       |   | Each |   |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9432419 | TESTER, Valve, Type CT 160                           |   | Each |   |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 16667   | TROLLEY, Radio Servicing                             |   | Each |   |      |      |      |      |      | 2    |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -       | VOLTMETER, Digital Solartron,<br>Type L M 1420 - 2BA |   | Each |   |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |

AL 62 NOVEMBER 1973

| 1       | 2                                   | 3 | 4    | 5 | A 67 | A 68 | A 69 | A 70 | A 71 | A 72 | A 73 | A 74 | A 75 | A 76 | A 77 | A 78 | A 79 | A 80 | A 81 | A 82 | A 83 | A 84 | A 85 | A 86 | A 87 | A 88 | A 89 | A 90 | A 91 | A 92 | A 93 |
|---------|-------------------------------------|---|------|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|         | <u>SECTION 12A</u>                  |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 2290    | SLING, Lifting, Tail                |   | Each |   |      |      |      |      |      |      | 6    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 2162    | SOCKET, tail unit, A/C. bomb        |   | Each |   |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 2176    | TOOL, bomb Tail Fin recocking Mk 2  |   | Each |   |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 2288    | TOOL, spring, motor tensioning Mk 1 |   | Each |   |      |      |      |      |      |      | 6    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 2       | Mk 2                                |   | Each |   |      |      |      |      |      |      | 6    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>SECTION 12D</u>                  |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1445    | CONNECTOR, Flare 8"                 |   | Each |   |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1357    | EXTRACTOR, detonator No, 4 Mk 1     |   | Each |   |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1353    | KEY, ammunition No. 89 Mk 3         |   | Each |   |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9637622 | SPANNER, Locking                    |   | Each |   |      |      |      |      |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1366    | TOOL, crimping No. 2 Mk 1           |   | Each |   |      |      |      |      |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |

| 1       | 2   | 3 | 4    | 5 | A 67 | A 68 | A 69 | A 70 | A 71 | A 72 | A 73 | A 74 | A 75 | A 76 | A 77 | A 78 | A 79 | A 80 | A 81 | A 82 | A 83 | A 84 | A 85 | A 86 | A 87 | A 88 | A 89 | A 90 | A 91 | A 92 | A 93 |
|---------|---|---|------|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|         | <u>SECTION 12G</u>                                |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>EXTRACTOR</u>                                  |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 997     | DETONATOR, No 1 Mk 1                              |   | Each |   |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9630845 | DETONATOR, No 2 Mk 1                              |   | Each |   |      |      |      |      |      |      | 6    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9630792 | EXPLODER No 1 Mk 4                                |   | Each |   |      |      |      |      |      |      | 6    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>IMPLEMENTS, AMMUNITION</u>                     |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9630857 | GAUGE, cavity, detonator, No 2 Mk 1               |   | Each |   |      |      |      |      |      |      | 6    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1393    | GAUGE, cavity, detonator, No 1 Mk 9               |   | Each |   |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1242    | TOOL, carrying, aircraft practice bomb, No 1 Mk 1 |   | Each |   |      |      |      |      |      |      | 4    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>KEY, AMMUNITION</u>                            |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9630417 | No 216 Mk 1                                       |   | Each |   |      |      |      |      |      |      | 6    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9630603 | No 218 Mk 1                                       |   | Each |   |      |      |      |      |      |      | 6    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1503    | No 217 Mk 2                                       |   | Each |   |      |      |      |      |      |      | 12   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1510    | No 295 Mk 1                                       |   | Each |   |      |      |      |      |      |      | 6    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1518    | No 14   |   | Each |   |      |      |      |      |      |      | 6    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1519    | No 15   |   | Each |   |      |      |      |      |      |      | 6    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9627978 | No 294 Mk 1                                       |   | Each |   |      |      |      |      |      |      | 12   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |

| 1   | 2   | 3 | 4    | 5 | A 67 | A 68 | A 69 | A 70 | A 71 | A 72 | A 73 | A 74 | A 75 | A 76 | A 77 | A 78 | A 79 | A 80 | A 81 | A 82 | A 83 | A 84 | A 85 | A 86 | A 87 | A 88 | A 89 | A 90 | A 91 | A 92 | A 93 |
|-----|---|---|------|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| 368 | SECTION 12S<br>CASE, Transit, Mk 1, for<br>Implements, Ammunition |   | Each |   |      |      |      |      |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |



AL 62 NOVEMBER 1973

| 1                  | 2                      | 3  | 4    | 5 | A 67 | A 68 | A 69 | A 70 | A 71 | A 72 | A 73 | A 74 | A 75 | A 76 | A 77 | A 78 | A 79 | A 80 | A 81 | A 82 | A 83 | A 84 | A 85 | A 86 | A 87 | A 88 | A 89 | A 90 | A 91 | A 92 | A 93 |
|--------------------|------------------------|--|------|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|                    | <u>SECTION 13</u>      |  |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 478 and )<br>479 ) | COMPASS, beam          |  | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 94                 | COMPASS SETS           |  | Each |   |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 128                | RULER, parallel 24 in. | *Where Approach Control and Local Aerodrome Control are separately housed these items are to be available in each room | Each |   |      |      | 2*   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |

AL 62 NOVEMBER 1973

| 1       | 2                              | 3  | 4    | 5 | A 67 | A 68 | A 69 | A 70 | A 71 | A 72 | A 73 | A 74 | A 75 | A 76 | A 77 | A 78 | A 79 | A 80 | A 81 | A 82 | A 83 | A 84 | A 85 | A 86 | A 87 | A 88 | A 89 | A 90 | A 91 | A 92 | A 93 |
|---------|--------------------------------|--|------|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|         | <u>SECTION 14B</u>             |  |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1762    | BRUSH, spotting, No 6          |  | Each |   |      |      |      |      |      |      |      |      |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 3748    | WINDER, Film, Universal        |  | Each |   |      |      |      |      |      |      |      |      |      |      | 6    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9607880 | MAGNIFIER, measuring type PM 4 | 1 each per NDT centre and 2 each for CSDE (NDT) structure squadron | Each |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>SECTION 14H</u>             |  |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 241     | TESTER Shutter Speed Mk8       |  | Each |   |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |

| 1   | 2                  | 3 | 4    | 5 | A 67 | A 68 | A 69 | A 70 | A 71 | A 72 | A 73 | A 74 | A 75 | A 76 | A 77 | A 78 | A 79 | A 80 | A 81 | A 82 | A 83 | A 84 | A 85 | A 86 | A 87 | A 88 | A 89 | A 90 | A 91 | A 92 | A 93 |
|-----|--------------------|---|------|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|     | <u>SECTION 16H</u> |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|     | SHACKLE, screwed   |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 121 | 1/2"               |   | Each |   |      |      |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 232 | 5/8"               |   | Each |   |      |      |      |      | 4    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 123 | 3/4"               |   | Each |   |      |      |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |

AL 62 NOVEMBER 1973

| 1       | 2   | 3   | 4    | 5 | A 67 | A 68 | A 69 | A 70 | A 71 | A 72 | A 73 | A 74 | A 75 | A 76 | A 77 | A 78 | A 79 | A 80 | A 81 | A 82 | A 83 | A 84 | A 85 | A 86 | A 87 | A 88 | A 89 | A 90 | A 91 | A 92 | A 93 |
|---------|---|---|------|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|         | <u>SECTION 21B</u>                                |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 959     | CUPBOARD, common                                  | *Only to be demanded where no built in cupboards supplied by D.G.W. | Each |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1*   | 1*   |      |      |      |      |      |      |      |      |      |      |
|         | <u>SECTION 21C</u>                                |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 2722    | MACHINE, floor polishing                          |   | Each |   |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 2969    | MACHINE, vacuum, cleaner, electric 230-250V AC/DC |   | Each |   |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 2855    | IRON, electric                                    |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| OR      | A/C only  | )   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 2856    | A/C DC  | )   | Each |   |      | 1    |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9105938 | SHOVEL, hand                                      |   | Each |   |      |      | 400  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>SECTION 21E</u>                                |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 847     | MATTING, woollen                                  | As required to comply with AP 2508 Pt 2, Leaflet No 5               | Each |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |

A/L 62 November 1973

| 1       | 2  | 3 | 4    | 5 | A 67 | A 68 | A 69 | A 70 | A 71 | A 72 | A 73 | A 74 | A 75 | A 76 | A 77 | A 78 | A 79 | A 80 | A 81 | A 82 | A 83 | A 84 | A 85 | A 86 | A 87 | A 88 | A 89 | A 90 | A 91 | A 92 | A 93 |
|---------|--|---|------|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| 860     | <p><u>SECTION 21F</u><br/>                     KEY, For coupling</p> |   | Each |   |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 4466707 | <p><u>SECTION 22B</u><br/>                     KNIVES, Pocket</p>    |   | Each |   |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |

| 1    | 2  | 3 | 4    | 5 | A 67 | A 68 | A 69 | A 70 | A 71 | A 72 | A 73 | A 74 | A 75 | A 76 | A 77 | A 78 | A 79 | A 80 | A 81 | A 82 | A 83 | A 84 | A 85 | A 86 | A 87 | A 88 | A 89 | A 90 | A 91 | A 92 | A 93 |
|------|--|---|------|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|      | <u>SECTION 27HR</u><br><u>FREIGHT, HOLDING GEAR</u>          |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 3217 | CHAIN  |   | Each |   |      |      |      |      | 200  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 3215 | HOOK, "S"  |   | Each |   |      |      |      |      | 100  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 3216 | STRAINER   |   | Each |   |      |      |      |      | 100  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 683  | <u>SECTION 27KF</u><br>TOOL, Seal Manipulating<br>(Set of 3) |   | Sets |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |

A/L 62 November 1973

| 1       | 2                         | 3                 | 4    | 5 | A 67 | A 68 | A 69 | A 70 | A 71 | A 72 | A 73 | A 74 | A 75 | A 76 | A 77 | A 78 | A 79 | A 80 | A 81 | A 82 | A 83 | A 84 | A 85 | A 86 | A 87 | A 88 | A 89 | A 90 | A 91 | A 92 | A 93 |
|---------|---------------------------|-------------------|------|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|         | <u>SECTION 28R</u>        |                   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 5411    | RING, Lifting )           | Per Static Site   | Each |   |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | )                         | Crew              |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | )                         | Per Met Site Crew | Each |   |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>SECTION 28Y</u>        |                   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>SHACKLE, CHAIN BOW</u> |                   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9563602 | DEE-SHAPE 3/8 in          |                   | Each |   |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9508302 | DEE-SHAPE 3/4 in          |                   | Each |   |      |      |      |      |      |      |      | 32   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9563601 | PIN 3/8 in                |                   | Each |   |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9508299 | PIN 3/4 in                |                   | Each |   |      |      |      |      |      |      |      | 32   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |

| 1       | 2                   | 3  | 4  | 5 | A 67 | A 68                  | A 69 | A 70 | A 71 | A 72 | A 73 | A 74 | A 75 | A 76 | A 77 | A 78 | A 79 | A 80 | A 81   | A 82 | A 83 | A 84 | A 85 | A 86 | A 87 | A 88 | A 89 | A 90 | A 91 | A 92 | A 93 |
|---------|---------------------|--|--|---|------|-----------------------|------|------|------|------|------|------|------|------|------|------|------|------|--------|------|------|------|------|------|------|------|------|------|------|------|------|
|         | <u>SECTION 29G</u>  |  |  |   |      |                       |      |      |      |      |      |      |      |      |      |      |      |      |        |      |      |      |      |      |      |      |      |      |      |      |      |
| 9108185 | PADLOCK, Iron 1½ in |  | Each   |   | 1    |                       |      |      |      |      | 1    |      |      |      |      |      |      |      | 2 (ar) |      | (ar) |      |      |      |      |      |      |      |      |      |      |
| 9108186 | PADLOCK, Iron, 2 in | ) Per 1st Line serv,<br>) Team Per Major and<br>) Minor Serv Team<br>) Per Fabric Shop<br>) Per Static Site<br>) Crew<br>) Per, met, site crew | Each<br>Each<br>Each<br>Each<br>Each<br>Each |   |      | 1<br>1<br>1<br>1<br>1 |      |      |      |      |      |      |      |      |      |      |      |      |        |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>SECTION 29H</u>  |  |  |   |      |                       |      |      |      |      |      |      |      |      |      |      |      |      |        |      |      |      |      |      |      |      |      |      |      |      |      |
| 4042    | GRIP, Bulldog       | ) Per Static Site<br>) Crew<br>) Per Met, Site Crew  | Each<br>Each<br>Each                         |   |      | 24<br>24              |      |      |      |      |      |      |      |      |      |      |      |      |        |      |      |      |      |      |      |      |      |      |      |      |      |



AL 62 NOVEMBER 1973

| 1       | 2                               | 3  | 4    | 5 | A 67 | A 68 | A 69 | A 70 | A 71 | A 72 | A 73 | A 74 | A 75 | A 76 | A 77 | A 78 | A 79 | A 80 | A 81          | A 82 | A 83 | A 84 | A 85 | A 86 | A 87 | A 88 | A 89 | A 90 | A 91 | A 92 | A 93 |
|---------|---------------------------------|--|------|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|---------------|------|------|------|------|------|------|------|------|------|------|------|------|
|         | <u>SECTION 32B</u>              |  |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |               |      |      |      |      |      |      |      |      |      |      |      |      |
| 1250378 | CLOTH, Cleaning                 |  | Each |   |      |      |      |      |      |      |      |      |      |      | 12   |      |      |      |               |      |      |      |      |      |      |      |      |      |      |      |      |
| 1250407 | CLOTH, mutton                   | (a) Per Year per Passenger carrying vehicle established (scale A80) and per year per Major Fire Fighting vehicle (Scale A70) | Lbs  |   |      |      |      | 1    | (a)  |      |      |      |      |      |      |      |      |      | $\frac{1}{2}$ | (a)  |      |      |      |      |      |      |      |      |      |      |      |
| 563     | FLANNELETTE, 36 in wide         | (b) Per year per Passenger carrying vehicle established (scale A80) and per year per Major fire fighting vehicle             | Each |   |      |      |      | 12   | (b)  |      |      |      |      |      |      |      |      |      | 6             | (b)  |      |      |      |      |      |      |      |      |      |      |      |
| 399     | LEATHER Chamois                 |  | Each |   |      |      |      |      |      |      |      |      |      |      | 2    |      |      |      |               |      |      |      |      |      |      |      |      |      |      |      |      |
| 1250468 | LEATHER chamois, No 2 Selection | (c) Per 2 Fire Trucks (scale A70) and per 10 Passenger carrying vehicles (scale A80)   | Each |   |      |      |      | 1    | (c)  |      |      |      |      |      |      |      |      |      | 1             | (c)  |      |      |      |      |      |      |      |      |      |      |      |
| 1211    | SPONGE, Cellulose               | (d) Per two Major Fire fighting vehicles (Scale A70) and per 5 vehicles established (scale A80)                              | Each |   |      |      |      | 1    | (d)  |      |      |      |      |      |      |      |      |      | 1             | (d)  |      |      |      |      |      |      |      |      |      |      |      |

A/L 62 November 1973

| 1   | 2   | 3                         | 4  | 5 | A 67 | A 68 | A 69 | A 70 | A 71 | A 72 | A 73 | A 74 | A 75 | A 76 | A 77 | A 78 | A 79 | A 80 | A 81 | A 82 | A 83 | A 84 | A 85 | A 86 | A 87 | A 88 | A 89 | A 90 | A 91 | A 92 | A 93 |
|-----|---|---------------------------|----|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| 500 | <u>SECTION 32C</u><br>TUBING, Instrument, Braided ) | Per 1st Line Serv. Team ) | Ft |   |      | 25   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|     | ) Per Major and Minor Serv Team )                   | Per Static Site )         | Ft |   |      | 25   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|     | ) Crew )  | Per Met. Site Crew )      | Ft |   |      | 25   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |

A/L 62 November 1973

| 1       | 2                               | 3   | 4    | 5 | A 67 | A 68 | A 69 | A 70 | A 71 | A 72 | A 73 | A 74 | A 75 | A 76 | A 77 | A 78 | A 79 | A 80          | A 81 | A 82 | A 83 | A 84 | A 85 | A 86 | A 87 | A 88 | A 89 | A 90 | A 91 | A 92 | A 93 |
|---------|---------------------------------|---|------|---|------|------|------|------|------|------|------|------|------|------|------|------|------|---------------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|         | <u>SECTION 33C</u>              |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |               |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9100099 | CARBOY                          | For distilled water   | Each |   |      |      |      |      |      |      |      |      |      |      |      |      |      | 1             |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>POLISH</u>                   |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |               |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1535    | WAX, Silicone                   | Per year per<br>Passenger carrying<br>vehicle Established   | LBS  |   |      |      |      |      |      |      |      |      |      |      |      |      |      | $\frac{1}{2}$ |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 714     | SALT, Agricultural              | (a) On units where<br>the use of salt for<br>snow clearance for<br>runways is approved<br>(33C/714) Salt<br>Agricultural will<br>be made available<br>from the current<br>authorised unit<br>holding by the SEO |      |   |      |      | (a)  |      |      |      |      |      |      |      |      |      |      |               |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>SECTION 33D</u>              |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |               |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 2202590 | POLISH, car, silicone, emulsion | (a) Qty 1-16 Fluid<br>oz container per<br>year per major fire<br>fighting vehicle   | Cont |   |      |      |      | 1    | (a)  |      |      |      |      |      |      |      |      |               |      |      |      |      |      |      |      |      |      |      |      |      |      |

A/L 62 November 1973

| 1 | 2   | 3  | 4    | 5 | A 67 | A 68 | A 69 | A 70 | A 71 | A 72 | A 73 | A 74 | A 75 | A 76 | A 77 | A 78 | A 79 | A 80 | A 81 | A 82 | A 83 | A 84 | A 85 | A 86 | A 87 | A 88 | A 89 | A 90 | A 91 | A 92 | A 93 |
|---|---|--|------|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| - | <u>SECTION 33D (Contd)</u><br>SIMONIZ, chrome cleaner | (b) Qty 1-8 oz tin per year per major fire fighting vehicle units to obtain by casual purchase | Each |   |      |      |      | 1    | (b)  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |

A/L 62 November 1973

| 1       | 2                       | 3                      | 4    | 5 | A 67 | A 68 | A 69 | A 70 | A 71 | A 72 | A 73 | A 74 | A 75 | A 76 | A 77 | A 78 | A 79 | A 80 | A 81 | A 82 | A 83 | A 84 | A 85 | A 86 | A 87 | A 88 | A 89 | A 90 | A 91 | A 92 | A 93 |
|---------|-------------------------|------------------------|------|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|         | <u>SECTION 40R</u>      |                        |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>BARREL</u>           |                        |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 437     | Mild Steel, 50 gallon   |                        | Each |   |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>DRUM, MILD STEEL</u> |                        |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 531     | 45 gallon Class 'A'     |                        | Each |   |      |      |      |      |      |      |      |      |      |      |      |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>ACCESSORIES</u>      |                        |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -       | TAP                     | Ref 4K/1302            | Each |   |      |      |      |      |      |      |      |      |      |      |      |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 8022405 | JERRICAN, Petrol        | Per 1st Line Serv Team | Each |   |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         |                         | Per Static Site Crew   | Each |   |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         |                         | Per Met Site Crew      | Each |   |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 8022405 | JERRICAN, Petrol        |                        | Each |   |      |      |      |      |      |      |      |      |      |      |      |      |      | 4    |      |      |      |      |      |      |      |      |      |      |      |      |      |

A/L 62 November 1973

| 1   | 2                        | 3                                  | 4    | 5 | A 67 | A 68 | A 69 | A 70 | A 71 | A 72 | A 73 | A 74 | A 75 | A 76 | A 77 | A 78 | A 79 | A 80 | A 81 | A 82 | A 83 | A 84 | A 85 | A 86 | A 87 | A 88 | A 89 | A 90 | A 91 | A 92 | A 93 |
|-----|--------------------------|------------------------------------|------|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|     | <u>SECTION 44</u>        |                                    |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 701 | BAG, water testing       | ) Per 1st Line Serv Team           | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|     |                          | ) Per 3 Major and Minor Serv Teams | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|     | <u>BLOCK</u>             |                                    |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 251 | Concrete 120 lbs         | ) Per 1st Line Serv Team           | Each |   |      | 6    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|     |                          | ) Per Static Site Crew             | Each |   |      | 6    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|     |                          | ) Per Met Site Crew                | Each |   |      | 6    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 250 | Concrete 240 lbs         | ) Per 1st Line Serv Team           | Each |   |      | 22   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|     |                          | ) Per Static Site Crew             | Each |   |      | 22   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|     |                          | ) Per Met Site Crew                | Each |   |      | 22   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 16  | Snatch, swivel (CA) Mk 2 | ) Per 1st Line Serv Team           | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|     |                          | ) Per Static Site Crew             | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|     |                          | ) Per Met Site Crew                | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 6   | Blower, air portable     | Per 2, Major and Minor Serv Teams  | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 10  | Clip, Hinged, 8 in       | ) Per 1st Line Serv Team           | Each |   |      | 12   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|     |                          | ) Per Static Site Crew             | Each |   |      | 12   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|     |                          | ) Per Met Site Crew                | Each |   |      | 12   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 56  | Detector, Leak           | ) Per Static Site Crew             | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|     |                          | ) Per Met Site Crew                | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |

A/L 62 November 1973

| 1   | 2                         | 3                                 | 4    | 5 | A 67 | A 68 | A 69 | A 70 | A 71 | A 72 | A 73 | A 74 | A 75 | A 76 | A 77 | A 78 | A 79 | A 80 | A 81 | A 82 | A 83 | A 84 | A 85 | A 86 | A 87 | A 88 | A 89 | A 90 | A 91 | A 92 | A 93 |  |  |
|-----|---------------------------|-----------------------------------|------|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--|--|
|     | <u>SECTION 44 (Contd)</u> |                                   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
|     | <u>BLOCK (Contd)</u>      |                                   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
| 61  | Elbow, Aluminium          | Per 1st Line Serv Team            | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
|     |                           | Per 2, Major and Minor Serv Teams | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
|     |                           | Per Static Site Crew              | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
|     |                           | Per Met Site Crew                 | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
|     | <u>FILLER</u>             |                                   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
| 32  | 3 Way                     | ) Per 1st Line Serv Team          | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
|     |                           | ) Per Static Site Crew            | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
|     |                           | ) Per Met Site Crew               | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
| 29  | 10 way                    | ) Per 1st Line Serv Team          | Each |   |      | 3    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
|     |                           | ) Per Static Site Crew            | Each |   |      | 3    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
|     |                           | ) Per Met Site Crew               | Each |   |      | 3    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
|     | <u>GRIP</u>               |                                   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
| 78  | Bulldog 3/16"             | ) Per 1st Line Serv Team          | Each |   |      | 6    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
|     |                           | ) Per Static Site Crew            | Each |   |      | 6    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
|     |                           | ) Per Met Site Crew               | Each |   |      | 6    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
| 483 | Bulldog 5/16"             | ) Per 1st Line Serv Team          | Each |   |      | 6    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
|     |                           | ) Per Static Site Crew            | Each |   |      | 6    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
|     |                           | ) Per Met Site Crew               | Each |   |      | 6    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |

| 1    | 2                            | 3                                   | 4         | 5 | A 67 | A 68 | A 69 | A 70 | A 71 | A 72 | A 73 | A 74 | A 75 | A 76 | A 77 | A 78 | A 79 | A 80 | A 81 | A 82 | A 83 | A 84 | A 85 | A 86 | A 87 | A 88 | A 89 | A 90 | A 91 | A 92 | A 93 |
|------|------------------------------|-------------------------------------|-----------|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|      | <u>SECTION 44 (Contd)</u>    |                                     |           |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|      | <u>HOSE</u>                  |                                     |           |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 54   | Canvas, 10 in (75 ft lgths)) | Per 1st Line Serv Team              | Lgths     |   |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|      |                              | ) Per 2, Major and Minor Serv Teams | Lgths     |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|      |                              | ) Per Static Site Crew              | Lgths     |   |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|      |                              | ) Per Met Site Crew                 | Lgths     |   |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 52   | Connection                   | Per 1st Line Serv Team              | Each      |   |      | 4    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|      |                              | Per Static Site Crew                | Each      |   |      | 4    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|      |                              | Per Met Site Crew                   | Each      |   |      | 4    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 6350 | Light,Occulting and Riding   | ) Per 1st Line Serv Team            | Comp Sets |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|      |                              | ) Per Static Site Crew              | Comp Sets |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|      |                              | ) Per Met Site Crew                 | Comp Sets |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 535  | Manometer, Glass Jar Type    | Per 2 Major and Minor Serv Teams    | Each      |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|      | <u>METER</u>                 |                                     |           |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 99   | Parosity                     | ) Per 1st Line Serv Team            | Each      |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|      |                              | ) Per 3 Major and Minor Serv Teams  | Each      |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |



A/L 62 November 1973

| 1  | 2                         | 3                                   | 4    | 5 | A 67 | A 68 | A 69 | A 70 | A 71 | A 72 | A 73 | A 74 | A 75 | A 76 | A 77 | A 78 | A 79 | A 80 | A 81 | A 82 | A 83 | A 84 | A 85 | A 86 | A 87 | A 88 | A 89 | A 90 | A 91 | A 92 | A 93 |
|----|---------------------------|-------------------------------------|------|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|    | <u>SECTION 44 (Contd)</u> |                                     |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|    | <u>METER (Contd)</u>      |                                     |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 94 | Purity                    | ) Per 1st Line Serv Team            | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|    |                           | ) Per 3 Major and Minor Serv Teams  | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|    |                           | ) Per Static Site Crew              | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|    |                           | ) Per Met Site Crew                 | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 18 | Picket, Screw             | Per 1st Line Serv Team              | Each |   |      | 50   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|    |                           | Per Static Site Crew                | Each |   |      | 24   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|    |                           | Per Met Site Crew                   | Each |   |      | 24   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|    | <u>PIECE</u>              |                                     |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 80 | Junction 8 in             | ) Per 1st Line Serv Team            | Each |   |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|    |                           | ) Per 2, Major and Minor Serv Teams | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|    |                           | ) Per Static Site Crew              | Each |   |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|    |                           | ) Per Met Site Crew                 | Each |   |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -  | Junction 3-way            | Per 1st Line Serv Team              | Each |   |      | 3    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|    |                           | Per 2 Major and Minor Serv Teams    |      |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|    |                           | Per Static Site Crew                |      |   |      | 3    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|    |                           | Per Met Site Crew                   |      |   |      | 3    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |

A/L 62 November 1973

| 1    | 2                                | 3                                   | 4    | 5 | A 67 | A 68 | A 69 | A 70 | A 71 | A 72 | A 73 | A 74 | A 75 | A 76 | A 77 | A 78 | A 79 | A 80 | A 81 | A 82 | A 83 | A 84 | A 85 | A 86 | A 87 | A 88 | A 89 | A 90 | A 91 | A 92 | A 93 |
|------|----------------------------------|-------------------------------------|------|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|      | <u>SECTION 44 (Contd)</u>        |                                     |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 228  | ROLLER, Cast Iron                | ) Per 1st Line Serv Team            | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|      |                                  | ) Per Major and Minor Serv Teams    | Each |   |      | 3    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|      |                                  | ) Per Fabric Shop                   | Each |   |      | 4    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|      |                                  | ) Per Static Site Crew              | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|      |                                  | ) Per Met Site Crew                 | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1630 | SHACKLE, 2 Ton                   | ) Per 1st Line Serv Team            | Each |   |      | 18   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|      |                                  | ) Per Static Site Crew              | Each |   |      | 12   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|      |                                  | ) Per Met Site Crew                 | Each |   |      | 12   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 130  | SHACKLE and Link Group, Complete | ) Per 1st Line Serv Team            | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|      |                                  | ) Per Static Site Crew              | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|      |                                  | ) Per Met Site Crew                 | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 5012 | SHEET, Ground                    | ) Per 1st Line Serv Team            | Each |   |      | 12   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|      |                                  | ) Per Static Site Crew              | Each |   |      | 12   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|      |                                  | ) Per Met Site Crew                 | Each |   |      | 12   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|      | <u>SLEEVE</u>                    |                                     |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 850  | Connecting, Plastic              | ) Per 1st Line Serv                 | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|      |                                  | ) Per 2, Major and Minor Serv Teams | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|      |                                  | ) Per Static Site Crew              | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|      |                                  | ) Per Met Site Crew                 | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |

A/L62 November 1973

| 1    | 2   | 3                                  | 4    | 5 | A 67 | A 68 | A 69 | A 70 | A 71 | A 72 | A 73 | A 74 | A 75 | A 76 | A 77 | A 78 | A 79 | A 80 | A 81 | A 82 | A 83 | A 84 | A 85 | A 86 | A 87 | A 88 | A 89 | A 90 | A 91 | A 92 | A 93 |  |  |
|------|---|------------------------------------|------|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--|--|
|      | <u>SECTION 44 (Contd)</u>   |                                    |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
|      | <u>SLEEVE (Contd)</u>   |                                    |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
| 118  | Reducing 5½" x 2 in   | ) Per 1st Line Serv Team           | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
|      |   | ) Per 2 Major and Minor Serv Teams | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
|      |   | ) Per Static Site Crew             | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
|      |   | ) Per Met Site Crew                | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
| 236  | STOPPER, Carpenter's  | ) Per 1st Line Serv Team           | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
|      |   | ) Per Static Site Crew             | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
|      |   | ) Per Met Site Crew                | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
| 6730 | TURNBUCKLE, 3 ton   | ) Per Static Site crew             | Each |   |      | 10   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
|      |   | ) Per Met Site Crew                | Each |   |      | 10   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
| 295  | WEDGE, Type KB 85   | Per 1st Line Serv Team             | Each |   |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
|      |   | Per Static Site Crew               | Each |   |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
|      |   | Per Met Site Crew                  | Each |   |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
|      | ADDITIONAL MOORING EQUIPMENT - NOT IN VOCABULORY - TO BE MANUFACTURED ON UNIT |                                    |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
|      | <u>SECTION 44</u>   |                                    |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
|      | CRADLE, Wire  | ) Per 1st Line Serv Team           | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
|      |   | ) Per Static Site Crew             | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
|      |   | ) Per Met Site Crew                | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
|      | FIN, Furling Line   | ) Per 1st Line Serv Team           | Sets |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
|      |   | ) Per Static Site Crew             | Sets |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |
|      |   | ) Per Met Site Crew                | Sets |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |

| 1 | 2                         | 3                      | 4    | 5 | A 67 | A 68 | A 69 | A 70 | A 71 | A 72 | A 73 | A 74 | A 75 | A 76 | A 77 | A 78 | A 79 | A 80 | A 81 | A 82 | A 83 | A 84 | A 85 | A 86 | A 87 | A 88 | A 89 | A 90 | A 91 | A 92 | A 93 |
|---|---------------------------|------------------------|------|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|   | <u>SECTION 44 (Contd)</u> |                        |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|   | GROMMET, Cotton           | ) Per 1st Line Serv    | Each |   |      | 80   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|   |                           | ) Team                 |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|   |                           | ) Per Static Site Crew | Each |   |      | 80   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|   |                           | ) Per Met Site Crew    | Each |   |      | 80   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|   | HOOK, Grappling           | ) Per 1st Line Serv    | Each |   |      | 4    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|   |                           | ) Team                 |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|   |                           | ) Per Static Site Crew | Each |   |      | 4    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|   |                           | ) Per Met Site Crew    | Each |   |      | 4    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|   | LOWER Cradle Slip, 9ft    | ) Per 1st Line Serv    | Each |   |      | 12   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|   |                           | ) Team                 |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|   |                           | ) Per Static Site Crew | Each |   |      | 12   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|   |                           | ) Per Met Site Crew    | Each |   |      | 12   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|   | LINE, Block, Restraining  | Per 1st Line Serv      | Each |   |      | 16   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|   |                           | Team                   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|   |                           | Per Static Site Crew   | Each |   |      | 16   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|   |                           | Per Met Site Crew      | Each |   |      | 16   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|   | MOORING Slip, 32 ft       | ) Per 1st Line Serv    | Each |   |      | 20   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|   |                           | ) Team                 |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|   |                           | ) Per Static Site Crew | Each |   |      | 20   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|   |                           | ) Per Met Site Crew    | Each |   |      | 20   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|   | NOTICE, No Smoking        | ) Per 1st Line Serv    | Each |   |      | 4    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|   |                           | ) Team                 |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|   |                           | ) Per Static Site Crew | Each |   |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|   |                           | ) Per Met Site Crew    | Each |   |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |

A/L62 November 1973

| 1    | 2                         | 3                      | 4    | 5 | A 67 | A 68 | A 69 | A 70 | A 71 | A 72 | A 73 | A 74 | A 75 | A 76 | A 77 | A 78 | A 79 | A 80 | A 81 | A 82 | A 83 | A 84 | A 85 | A 86 | A 87 | A 88 | A 89 | A 90 | A 91 | A 92 | A 93 |
|------|---------------------------|------------------------|------|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|      | <u>SECTION 44 (Contd)</u> |                        |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|      | OCTAGON, Bed Wire         | ) Per 1st Line Serv    | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|      |                           | ) Team                 |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|      |                           | ) Per Static Site Crew | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|      |                           | ) Per Met Site Crew    | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|      | PYRAMID, Complete         | ) Per Static Site Crew | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|      |                           | ) Per Met Site Crew    | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|      | SHEET, Rudder Protection  | ) Per 1st Line Serv    | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|      |                           | ) Team                 |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|      |                           | ) Per Static Site Crew | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|      |                           | ) Per Met Site Crew    | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|      | SPIDER Wire               | ) Per 1st Line Serv    | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|      |                           | ) Team                 |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|      |                           | ) Per Static Site Crew | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|      |                           | ) Per Met Site Crew    | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1322 | STREAMER, Tubular         | Per 1st Line Serv      | Each |   |      | 8    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|      |                           | Team                   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|      |                           | Per Static Site Crew   | Each |   |      | 8    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|      |                           | Per Met Site Crew      | Each |   |      | 8    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|      | TENSIONING Slip, 14ft     | ) Per 1st Line Serv    | Each |   |      | 10   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|      |                           | ) Team                 |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|      |                           | ) Per Static Site Crew | Each |   |      | 10   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|      |                           | ) Per Met Site Crew    | Each |   |      | 10   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|      | TEMPLATE, Mooring Bed     | Per 1st Line Serv      | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|      |                           | Team                   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|      | UNDER Cradle Slip, 10ft   | Per 1st Line Serv      | Each |   |      | 28   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|      |                           | Team                   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|      |                           | Per Static Site Crew   | Each |   |      | 28   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|      |                           | Per Met Site Crew      | Each |   |      | 28   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |

A/L62 NOVEMBER 1973

| 1   | 2                                       | 3   | 4    | 5 | A 67 | A 68 | A 69 | A 70 | A 71 | A 72 | A 73 | A 74 | A 75 | A 76 | A 77 | A 78 | A 79 | A 80 | A 81 | A 82 | A 83 | A 84 | A 85 | A 86 | A 87 | A 88 | A 89 | A 90 | A 91 | A 92 | A 93 |
|-----|---|---|------|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|     | <u>SECTION 51C</u>                      |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 2   | TOOL, Nico-Press                        | Per 3 Major and<br>Minor Serv Teams                                     | Prs  |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 4   | TOOL, Nico-Press (No 0)                 | Per Fabric Shop   | Prs  |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|     | <u>HMSO ITEMS</u>                       |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 460 | ACCESSORIES                             |   | Each |   |      |      |      |      |      |      |      |      |      | (a)  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 372 | CABINET, Four Tray, Pocket<br>Type 6 in | (a) As required   | Each |   |      |      |      |      |      |      |      |      |      | (a)  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 308 | FRAME, 9 in                             |   | Each |   |      |      |      |      |      |      |      |      |      | 18   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 301 | STAND, Desk, 18in, Frame                |   | Each |   |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 38  | TYPEWRITER, Dymo                        |   | Each |   |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 405 | TRAY, with Pockets, 6 in x<br>2 in      | NOTE: Any further<br>Demands to be<br>submitted to HMSO<br>for Approval | Each |   |      |      |      |      |      |      |      |      |      | (a)  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |

A/L62 NOVEMBER 1973

| 1   | 2                  | 3  | 4    | 5 | A 67 | A 68 | A 69 | A 70 | A 71 | A 72 | A 73 | A 74 | A 75 | A 76 | A 77 | A 78 | A 79 | A 80 | A 81 | A 82 | A 83 | A 84 | A 85 | A 86 | A 87 | A 88 | A 89 | A 90 | A 91 | A 92 | A 93 |
|-----|--------------------|--|------|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|     | <u>SECTION 71A</u> |  |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|     | <u>CYLINDER</u>    |  |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 35  | Hydrogen           | Per 3, Major and<br>Minor Servicing<br>Teams | Each |   |      | 3    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 201 | Nitrogen           |  | Each |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |
| 87  | KEY, straight type | Per 1st Line Serv<br>Team                    | Each |   |      | 3    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|     |                    | Per Major and Minor<br>Serv Team             | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|     |                    | Per Static Site Crew                         | Each |   |      | 3    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|     |                    | Per Met Site Crew                            | Each |   |      | 3    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |

| 1       | 2                        | 3 | 4    | 5 | A 67 | A 68 | A 69 | A 70 | A 71 | A 72 | A 73 | A 74 | A 75 | A 76 | A 77 | A 78 | A 79 | A 80 | A 81 | A 82 | A 83 | A 84 | A 85 | A 86 | A 87 | A 88 | A 89 | A 90 | A 91 | A 92 | A 93 |
|---------|--------------------------|---|------|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|         | <u>GROUP CLASS 7105</u>  |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1290144 | CHAIR, Upholstered       |   | Each |   |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>GROUP CLASS 7110</u>  |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1296245 | CABINET, Storage         |   | Each |   |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1204612 | DESK, Flat Top, Office   |   | Each |   |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1293718 | STOOL                    |   | Each |   |      |      |      |      |      |      |      |      |      | 4    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>GROUP CLASS 7195</u>  |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1296101 | BOARD, Notice, 3ft x 2ft |   | Each |   |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         | <u>GROUP CLASS 7310</u>  |   |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1054672 | KETTLE, Electric, 3 pint |   | Each |   |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |



A/L62 NOVEMBER 1973

| 1                  | 2                             | 3                             | 4    | 5 | A 67 | A 68 | A 69 | A 70 | A 71 | A 72 | A 73 | A 74 | A 75 | A 76 | A 77 | A 78 | A 79 | A 80 | A 81 | A 82 | A 83 | A 84 | A 85 | A 86 | A 87 | A 88 | A 89 | A 90 | A 91 | A 92 | A 93 |
|--------------------|-------------------------------|-------------------------------|------|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|                    | <u>SECTION LV6 MT 1</u>       |                               |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 4310-99<br>4026027 | COMPRESSOR, Lubricant, Type 0 |                               | Each |   |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 4012945            | CREEPER, Inspection           |                               | Each |   |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 4012947            | NOSE-BRUSH                    |                               | Each |   |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 5120-99<br>4021270 | JACK LEVER, Hydraulic, 5 Ton  |                               | Each |   |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 4020054            | TRAY, Drip, 3ft x 2ft         |                               | Each |   |      |      | 1    |      |      |      |      |      |      |      |      |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |
|                    | <u>SECTION LV6 MT 2</u>       |                               |      |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 5120-99<br>4013709 | BRACE, Wheel, 1/2in Whit 7    |                               | Each |   |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 9426902            | EXTRACTOR, Valve              |                               | Each |   |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 4910-99<br>4398996 | STAND, Axle, 4 Ton            |                               | Each |   |      |      |      |      |      |      |      |      |      |      |      |      |      | 2    |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -                  | SWIVEL, 30 Ton                | Per 1st Line Serv Team        | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|                    |                               | Per Major and Minor Serv Team | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|                    |                               | Per Fabric Shop               | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|                    |                               | Per Static Site Crew          | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|                    |                               | Per Met Site Crew             | Each |   |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |

A/L62 NOVEMBER 1973

| 1       | 2  | 3   | 4    | 5 | A 67 | A 68 | A 69 | A 70 | A 71 | A 72 | A 73 | A 74 | A 75 | A 76 | A 77 | A 78 | A 79 | A 80 | A 81 | A 82 | A 83 | A 84 | A 85 | A 86 | A 87 | A 88 | A 89 | A 90 | A 91 | A 92 | A 93 |
|---------|--|---|------|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| 2232    | <u>SECTION LV6 MT 3</u><br>ROPE, Towing, Steel, 15ft |   | Each |   |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 1    |      |      |      |      |      |      |      |      |      |      |      |      |
| 9608506 | <u>B1/1095-99</u><br>PISTOL, Signal, 1½in, MK 1      | *Includes for use of working party on Aerodrome as required | Each |   |      |      | 3*   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |

| COMMAND: SUPPORT   |                                | UNIT: ANDOVER |     |         |
|--------------------|--------------------------------|---------------|-----|---------|
| REF NO             | DESCRIPTION                    | D of Q        | QTY | REMARKS |
| <u>SECTION 4CB</u> |                                |               |     |         |
| 1859               | BLADE, SNOW PLOUGH, Type "B"   | Each          | 2   |         |
| 2045339            | ) BLADE, SNOW PLOUGH, Type "H" | Each          | 1   |         |
| OR                 |                                |               |     |         |
| 4317               |                                |               |     |         |
| <u>SECTION 4CD</u> |                                |               |     |         |
| 2304               | SWEeper, mechanical, type 'C'  | ) Each        | 1   |         |
| OR                 | )                              |               |     |         |
| 2499               | SWEeper, mechanical, type 'E'  |               |     |         |
| OR                 | )                              |               |     |         |
| 2531               | SWEeper, mechanical, type 'G'  |               |     |         |
| OR                 | )                              |               |     |         |
| 4430667            | SWEeper, mechanical, type 'J'  | )             |     |         |
| <u>SECTION 4D</u>  |                                |               |     |         |
| 4227447            | BIN, Storage                   | Each          | 4   |         |
| <u>SECTION 4Q</u>  |                                |               |     |         |
| 2035240            | FIXED Leg Unit                 | Each          | 2   |         |
| 2035241            | TRAILING Leg Unit              | Each          | 2   |         |
| <u>SECTION 5A</u>  |                                |               |     |         |
| 4349680            | REELS, cable extension         | Each          | 2   |         |
| 3580               | UNIT, sodium flare             | Each          | 15  |         |

| COMMAND: SUPPORT    |  | UNIT: ANDOVER |     |         |
|---------------------|--|---------------|-----|---------|
| REF NO              | DESCRIPTION                                  | D of Q        | QTY | REMARKS |
|                     | <u>SECTION 5P</u>                            |               |     |         |
| 2908                | RECTIFIER, metal, transportable, type 37     | Each          | 2   |         |
| 3234                | RECTIFIER, metal, transportable, type 37A    | Each          | 1   |         |
|                     | <u>SECTION LV6-MT 2</u>                      |               |     |         |
| 4910-99-<br>8812208 | MACHINE MT WHEEL BALANCING (COVERS CHILMARK) | Each          | 1   |         |

| COMMAND: SUPPORT |                             | UNIT: CHESSINGTON |     |         |
|------------------|-----------------------------|-------------------|-----|---------|
| REF NO           | DESCRIPTION                 | D of Q            | QTY | REMARKS |
|                  | <u>SECTION 3A</u>           |                   |     |         |
| 4211             | MACHINES SEWING ELECTRIC    | Each              | 1   |         |
| 2031140          | MACHINES SEWING ELECTRIC    | Each              | 1   |         |
|                  | <u>SECTION 4A</u>           |                   |     |         |
| 4454160          | OVEN, drying                | Each              | 1   |         |
|                  | <u>SECTION 4CB</u>          |                   |     |         |
| 4189             | BLADE SNOW PLOUGH, Type 'K' | Each              | 1   |         |

| COMMAND: SUPPORT   |  | UNIT: CSDE |     |         |
|--------------------|--|------------|-----|---------|
| REF NO             | DESCRIPTION  | D of Q     | QTY | REMARKS |
| <u>SECTION 1A</u>  |  |            |     |         |
| 3916               | CAN OIL, Lubricating                                       | Each       | 1   |         |
| <u>SECTION 1B</u>  |  |            |     |         |
| 5357               | IRON, soldering, low voltage 6V c/w Transformer            | Each       | 1   |         |
| 9105722            | RULE STEEL, flexible, 6 ft                                 | Each       | 2   |         |
| <u>SECTION 3AP</u> |  |            |     |         |
| 2033614            | MACHINE DRILLING pneumatic                                 | Each       | 1   |         |
| 4291               | NUT-DRUMMER, pneumatically operated                        | Each       | 1   |         |
| 1497056            | WRENCH Slip Clutch   | Each       | 1   |         |
| 2033613            | OSCILLATING Impact wrench, reversible W25                  | Each       | 1   |         |
| 2016171            | OSCILLATING Impact wrench, reversible W37                  | Each       | 1   |         |
| 1497044            | PNEUMATIC Screwdriver, Slip clutch, reversible             | Each       | 1   |         |
| 1497045            | PNEUMATIC Screwdriver, Slip clutch, reversible             | Each       | 1   |         |
| 3428               | POWER TOOL, pneumatic rotary reversible<br>Model 7616      | Each       | 1   |         |
| 2033613            | WRENCH OSCILLATING, impact, reversible (W25)<br>3/8 in. SD | Each       | 1   |         |
| 2033612            | WRENCH OSCILLATING, impact, reversible (1437)<br>5/8 in SD | Each       | 1   |         |
| <u>SECTION 4A</u>  |  |            |     |         |
| 2626 OR            | MACHINE HEAT SEALING )                                     | Each       | 1   |         |
| 2217 OR            | MACHINE HEAT SEALING )                                     |            |     |         |
| 2313               | MACHINE HEAT SEALING )                                     |            |     |         |

| COMMAND: SUPPORT          |  | UNIT: CSDE |     |         |
|---------------------------|--|------------|-----|---------|
| REF NO                    | DESCRIPTION                              | D of Q     | QTY | REMARKS |
| <u>SECTION 4A (Contd)</u> |  |            |     |         |
| 2767                      | MAGNIFIER ALLEN, Hand                    | Each       | 1   |         |
| 4183 OR                   | WELDING EQUIPT MULTI-PURPOSE )           | Each       | 1   |         |
| 4230                      | )  |            |     |         |
|                           | )  |            |     |         |
| <u>SECTION 4CB</u>        |  |            |     |         |
| 1997                      | BLADE SNOW PLOUGH, Type 'C'              | Each       | 1   |         |
| 2810                      | BLADE SNOW PLOUGH, Type 'E'              | Each       | 1   |         |
| 4189                      | BLADE SNOW PLOUGH, Type 'K'              | Each       | 1   |         |
| <u>SECTION 4D</u>         |  |            |     |         |
| 4227447                   | BIN, storage                             | Each       | 6   |         |
| <u>SECTION 4F</u>         |  |            |     |         |
| 7249                      | RAF CROSS SERV ADAPTOR KIT               | Each       | 1   |         |
| <u>SECTION 4G</u>         |  |            |     |         |
| 1047435                   | PUMP PRESSURISING                        | Each       | 1   |         |
| <u>SECTION 4GA</u>        |  |            |     |         |
| 4409801                   | TROLLEY, Weapon Transportation, Type 'S' | Each       | 3   |         |
| 9430                      | TROLLEY, Weapon Loading, Type 'T'        | Each       | 1   |         |

| COMMAND: SUPPORT |                            | UNIT: CSDE |     |         |
|------------------|----------------------------|------------|-----|---------|
| REF NO           | DESCRIPTION                | D of Q     | QTY | REMARKS |
|                  | <u>SECTION 4GA (Contd)</u> |            |     |         |
|                  | <u>ACCESSORIES</u>         |            |     |         |
| 10740            | FORK, Adaptor              | Each       | 1   |         |
| 10746            | UNIVERSAL SPREADER BAR     | Each       | 1   |         |
| 10548            | ROLLER, Bomb support       | Each       | 4   |         |
| 10722            | FORK, Right                | Each       | 1   |         |
| 10723            | FORK, Left                 | Each       | 1   |         |
| 10741            | EXTENSION BAR, 78 in       | Each       | 1   |         |
| 10724            | EXTENSION BAR, 30 in       | Each       | 1   |         |



| COMMAND: SUPPORT |  | UNIT: CSDE |     |         |
|------------------|--|------------|-----|---------|
| REF NO           | DESCRIPTION                              | D of Q     | QTY | REMARKS |
|                  | <u>SECTION 4X</u>                        |            |     |         |
| 4265             | BAOC Meter                               | Each       | 2   |         |
| 4261             | BOX Light Source (DB/1)                  | Each       | 1   |         |
| 4262             | CABLE Lightguide Fibre 6 ft              | Each       | 1   |         |
| 4288             | CALIBRATION Block (Non F/E)              | Each       | 4   |         |
| 4335             | CALIBRATION Block (Nominic)              | Each       | 2   |         |
| 4416             | CALIBRATION Block (Nominic 90)           | Each       | 2   |         |
| 4268             | CALIBRATION Block (F/E Aust)             | Each       | 2   |         |
| 4365             | CALIBRATION Block (Magalloy)             | Each       | 1   |         |
| 4263             | CASE Instrument carrying (6 x 37 Probes) | Each       | 1   |         |
| NIV              | CASE Instrument carrying (1 x 65 Probes) | Each       | 1   |         |
| 4490             | CONDUCTIVITY Meter (Navamko 101)         | Each       | 1   |         |
| 4197             | CONDUCTIVITY Meter, type FM 120          | Each       | 1   |         |
| 4045             | DEFECTOMETER, Forster model 2154         | Each       | 1   |         |
| 6001             | DEFECTOMETER, HF 101 (Sanders)           | Each       | 2   |         |
| 4161             | DEFECTOMETER, Forsters, Model 2154D      | Each       | 1   |         |
| 2949             | EDDY CURRENT TEST UNIT, Type 600         | Each       | 9   |         |
| 4317             | ENDOPROBE (5/9/60 B/TO)                  | Each       | 1   |         |
| 4326             | ENDOPROBE (5/19/60 F/TO)                 | Each       | 1   |         |
| 4327             | ENDOPROBE (8/59/55 L/TS)                 | Each       | 1   |         |
| 4328             | ENDOPROBE (8/54/60 L/TS)                 | Each       | 1   |         |
| 4371             | ENDOPROBE (8/37/60 L/TS)                 | Each       | 1   |         |
| 4372             | ENDOPROBE (7/19/45 B/TS)                 | Each       | 1   |         |
| 4380             | ENDOPROBE (8/59/60 B/TS)                 | Each       | 1   |         |
| 4255             | ENDOPROBE (5/9/55 L/TO)                  | Each       | 1   |         |
| 4299             | ENDOPROBE (5/19/55 L/TO)                 | Each       | 1   |         |
| 4260             | ENDOPROBE (7/13/45 R/TO)                 | Each       | 1   |         |
| 4256             | ENDOPROBE (8/19/60 L/TS)                 | Each       | 1   |         |
| 4257             | ENDOPROBE (8/19/12 L/TS)                 | Each       | 1   |         |
| 4258             | ENDOPROBE (8/19/60 B/TS)                 | Each       | 1   |         |
| 4259             | ENDOPROBE (8/33/70 F/TS)                 | Each       | 1   |         |
| 4300             | ENDOPROBE (8/37/60 R/TS)                 | Each       | 1   |         |
| 4493             | FIBRESCOPE, Mensurco 0.380" OD           | Each       | 1   |         |

| COMMAND: SUPPORT          |  | UNIT: CSDE |     |         |
|---------------------------|--|------------|-----|---------|
| REF NO                    | DESCRIPTION  | D of Q     | QTY | REMARKS |
| <u>SECTION 4X (Contd)</u> |  |            |     |         |
| 4560                      | IMPULSE, precision sound level meter (BXK 2209)                          | Each       | 1   |         |
| 4397                      | INSTRUMENT, carrying case (1 x 69)                                       | Each       | 1   |         |
| 4515                      | INSTRUMENT, carrying case (1 x 54) (2 x 59)                              | Each       | 1   |         |
| 4507                      | NOVALEC Meter 96C  | Each       | 2   |         |
| 4377                      | FIBRESCOPE 6" with variable focussing and right angled mirror attachment | Each       | 1   |         |
| 4376                      | LIGHT Source box, pt no LB/150   | Each       | 1   |         |
| 4375                      | FIBRE Light cable, pt no LC/6/5  | Each       | 1   |         |
| 4366                      | DETECTOR, Leak, sonicaid model L 403                                     | Each       | 1   |         |
| 4448                      | SOUND Generator, Sonicaid model 407                                      | Each       | 1   |         |
| 4287                      | PROBE Standard (Non F/E)   | Each       | 2   |         |
| 4657614                   | PROBE Spade (Non F/E)  | Each       | 2   |         |
| 4267                      | PROBE Standard (F/E Aust)  | Each       | 2   |         |
| 4266                      | PROBE Spade (F/E Aust)   | Each       | 2   |         |
| 6201                      | PROBE Spade K (NFE)  | Each       | 2   |         |
| 6202                      | PROBE Spade K (Ferrous)  | Each       | 2   |         |
| 4502                      | PROBE, Bolt Hole (NFE) extending leg 8-85                                | Each       | 1   |         |
| 4516                      | PROBE, Bolt hole (NFE) extended leg 8.5 - 9 mm                           |            |     |         |
| <u>SECTION 5A</u>         |  |            |     |         |
| 4345586                   | FLOODLIGHT, flameproof, floor type (mains operated)                      | Each       | 2   |         |
| 3729                      | LAMP, tank inspection  | Each       | 1   |         |
| 3580                      | UNIT, sodium flare   | Each       | 2   |         |
| <u>SECTION 5P</u>         |  |            |     |         |
| 2908                      | RECTIFIER, metal, transportable, type 37                                 | Each       | 3   |         |

| COMMAND: SUPPORT          |   | UNIT: CSDE |     |         |
|---------------------------|---|------------|-----|---------|
| REF NO                    | DESCRIPTION                                 | D of Q     | QTY | REMARKS |
| <u>SECTION 5P (Contd)</u> |   |            |     |         |
| 4383264                   | RECTIFIER, metal, transportable, type 38    | Each       | 3   |         |
| 3150                      | SET, generator, 25 KVA, 115V, 400c/s 3PH    | Each       | 1   |         |
| 3447 or<br>3559           | SET, motor alternator, 15 KVA               | Each       | 1   |         |
| <u>SECTION 10AH</u>       |   |            |     |         |
| 1155072                   | INTERCOM Set, type 2655                     | Each       | 1   |         |
| 9535231                   | HEADSET                                     | Each       | 6   |         |
| 1075503                   | MICROPHONE, throat                          | Each       | 6   |         |
| <u>SECTION 14H</u>        |   |            |     |         |
| 137                       | SERVICING Tools assembly - camera, type F49 | Each       | 1   |         |

| COMMAND: SUPPORT |   | UNIT: ST ATHAN |     |         |
|------------------|---|----------------|-----|---------|
| REF NO           | DESCRIPTION   | D of Q         | QTY | REMARKS |
|                  | <u>SECTION 3AP (Contd)</u>                                |                |     |         |
| 4477             | CONE TIP 1/8" diam.                                       | Each           | 1   |         |
| 4478             | CONE TIP 5/32" diam.                                      | Each           | 1   |         |
| 4479             | CONE TIP 3/16" diam.                                      | Each           | 1   |         |
| 2033614          | MACHINE, drilling pneumatic, variable speed cleco 11 DPV5 | Each           | 4   |         |
| 3643             | MACHINE, milling pneumatic portable type P56M             | Each           | 2   |         |
|                  | <u>Accessories</u>  |                |     |         |
| 3668             | CUTTER, 5/16 in diam                                      | Each           | 2   |         |
| 3669             | CUTTER, 3/8 in diam                                       | Each           | 2   |         |
| 3670             | CUTTER, 7/16 diam   | Each           | 2   |         |
| 3671             | CUTTER, 1/2 in diam                                       | Each           | 2   |         |
| 3672             | GUARD, cutter, 5/16 in diam                               | Each           | 2   |         |
| 3673             | GUARD, cutter, 3/8 in diam                                | Each           | 2   |         |
| 3674             | GUARD, cutter 7/16 in diam                                | Each           | 2   |         |
| 3675             | GUARD, cutter, 1/2 in diam                                | Each           | 2   |         |
| 4278767          | MACHINE, saw, portable air operated (cengar)              | Each           | 3   |         |
| 3702             | MACHINE, sanding & polishing, lightweight, orbital type   | Each           | 30  |         |
| 3875             | MANDREL cropping tool (pneumatic)                         | Each           | 4   |         |
| 2036871          | METAL, shear, pneumatic model 808105                      | Each           | 3   |         |
| 2042822          | NUT-RUNNER, pneumatically operated (non-reversible)       | Each           | 4   |         |
| 2255             | RIG TEST swaged cable ends                                | Each           | 1   |         |
| 4384             | RIVETER, hydro-pneumatic type 710                         | )              | 7   |         |
| OR               |   |                |     |         |
| 4278611          | RIVETER, hydro-pneumatic type 'F'                         |                |     |         |
|                  | <u>Accessories</u>  |                |     |         |
| 2853             | RIGHT ANGLED, head extension                              | Each           | 7   |         |
|                  | IC/6642, AVDEL, pin tester                                | Each           | 7   |         |
| 4278632          | RIVETER, chobert, type 'C' Mk 2                           | Each           | 2   |         |
| 4278633          | RIVETER, chobert, type 'D' Mk 4                           | Each           | 2   |         |

| COMMAND: SUPPORT                           |  | UNIT: ST ATHAN |     |         |
|--|--|----------------|-----|---------|
| REF NO                                     | DESCRIPTION  | D of Q         | QTY | REMARKS |
| <u>SECTION 3AP (Contd)</u>                 |  |                |     |         |
| 4219                                       | TOOLS, riveting straight cherrylock                    | Each           | 1   |         |
| 2033613                                    | OSCILLATING Impact wrench, reversible (W25)            | Each           | 4   |         |
| 4278537                                    | PISTOL, corrosion inhibitor                            | Each           | 6   |         |
| 4437                                       | TOOLS, installation HWCK 200                           | Each           | 1   |         |
| 2033613                                    | WRENCH, oscillating, impact reversible (W25) 3/8 in SD | Each           | 4   |         |
| <u>SECTION 4A</u>                          |  |                |     |         |
| 768  | BATH, salt   | Each           | 1   |         |
| 2351                                       | CABINET, storage low temp                              | Each           | 3   |         |
| 2916                                       | DISINTEGRATOR, metal, electro arc                      | Each           | 1   |         |
| 2793                                       | FURNACE, muffle, horizontal, electric                  | Each           | 2   |         |
| <u>EQUIPMENT, AIRCRAFT, SURFACE FINISH</u> |  |                |     |         |
| <u>Comprising:</u>                         |  |                |     |         |
| 3071                                       | WARREN 400 press, roller                               | Each           | 40  |         |
| 4453937                                    | NORDSON, versa hyd spray pump                          | Each           | 2   |         |
| 4453938                                    | NORDSON, versa spray gun                               | Each           | 4   |         |
| 4453948                                    | NORDSON, versa extension                               | Each           | 2   |         |
| 4453947                                    | NORDSON, versa swivel head                             | Each           | 2   |         |
| 4453945                                    | NORDSON, versa 'Y' piece                               | Each           | 2   |         |
|  | 22G/2318 RESPIRATOR, Siebe, Gorman No 4259             | Each           | 12  |         |
| <u>EQUIPMENT ASKANIA HAND VIBROGRAPH</u>   |  |                |     |         |
| <u>Comprising:</u>                         |  |                |     |         |
| 2560                                       | ASKANIA, hand vibrograph model A1606/1A80              | Each           | 1   |         |
| 2635                                       | FEELER, tube (5:1 magnification) A1606/21A             | Each           | 1   |         |
| 2561                                       | FEELER, tube (20:1 magnification) A1606/22A            | Each           | 1   |         |
| 2562                                       | FEELER, tube (50:1 magnification) A1606/23             | Each           | 1   |         |
| 2563                                       | RECORDING, tape (special tape) A1606/11d               | Each           | 1   |         |
| 2636                                       | TRANSIT, case  | Each           | 1   |         |

| COMMAND: SUPPORT |   | UNIT: ST ATHAN |     |         |
|------------------|---|----------------|-----|---------|
| REF NO           | DESCRIPTION   | D of Q         | QTY | REMARKS |
|                  | <u>SECTION 4A (Contd)</u>                                       |                |     |         |
|                  | <u>EQUIPMENT DALIC PLATING</u>                                  |                |     |         |
|                  | <u>Comprising:</u>  |                |     |         |
| 2728             | POWER, unit type 1293   | Each           | 1   |         |
| 2729             | TURNING HEAD, variable  | Each           | 1   |         |
| 2730             | TAMPONS & CARBON, type pm 5 in diam                             | Each           | 4   |         |
| 2731             | TAMPONS & CARBON, type pm 4 <sup>3</sup> / <sub>8</sub> in diam | Each           | 4   |         |
| 2732             | TAMPONS & CARBON, type PRSC 1/2 in R - 1 in wide                | Each           | 4   |         |
| 2733             | TAMPONS & CARBON, type PRSC 3/4 in R - 1 in wide                | Each           | 4   |         |
|                  | <u>EQUIPMENT, PRECISION LAPPING</u>                             |                |     |         |
|                  | <u>Comprising:</u>  |                |     |         |
| 2747             | LAPMASTER, 12 in precision lapping machine                      | Each           | 1   |         |
| 2748             | MONOCHROMATIC, light assy                                       | Each           | 1   |         |
| 2749             | HAND LAPPING, plate 6 in  | Each           | 1   |         |
| 2750             | POLISHING PLATE, 6 in   | Each           | 1   |         |
| 2950             | GAUGE, thickness test (scheider type)                           | Each           | 1   |         |
| 2237             | MACHINE, HEAT SEALING, PEDESTAL                                 | Each           |     |         |
| 2406             | MACHINE, commutator & slip ring, resurfacing                    | Each           | 2   |         |
|                  | <u>Accessories:</u>   |                |     |         |
|                  | 1B/9100086 GAUGE, dial  | Each           | 1   |         |
|                  | 1B/5251 BASE, magnetic  | Each           | 1   |         |
|                  | 1A/9432863 BRUSH, watchmaker                                    | Each           | 1   |         |
|                  | 3B/2345 TOOL, side cutting                                      | Each           | 1   |         |
|                  | 3B/2348 TOOL, parting off                                       | Each           | 1   |         |
| 2464             | MACHINE, mica undercutting                                      | Each           | 1   |         |
| 2649             | ARMATURE, hoop guards   | Each           | 2   |         |
| 2735             | TEST, mandrel   | Each           | 1   |         |
|                  | 5A/9426381 LAMP, angle:poise                                    | Each           | 1   |         |
|                  | 5G/3219 SURFACE, comparator, sigma type                         | Each           | 1   |         |
|                  | 5G/2252 TESTER, armature growler                                | Each           | 1   |         |
|                  | 5G/3663 TEST BLOCK  | Each           | 1   |         |
|                  | 22G/1765 GOGGLES, safety perspex Mk 2                           | Each           | 1   |         |

| COMMAND: SUPPORT |  | UNIT: ST ATHAN |               |                             |
|------------------|--|----------------|---------------|-----------------------------|
| REF NO           | DESCRIPTION  | D of Q         | QTY           | REMARKS                     |
|                  | <u>SECTION 4A (Contd)</u>                              |                |               |                             |
| 2404             | MACHINE, vulcanising for A/C fuel tanks<br>(vulcastat) | Each           | 22            |                             |
| 4454160          | OVEN, drying   | Each           | 2             |                             |
|                  | <u>PLANT ARC WELDING</u>                               |                |               |                             |
|                  | <u>Comprising:</u>                                     |                |               |                             |
| 2336             | PLANT, arc welding                                     | Each           | 6             |                             |
| 2337             | EARTH, clamp   | Each           | 6             |                             |
| 2338             | HOLDER, electrode                                      | Each           | 6             |                             |
| 2197             | PLANT, metal spraying                                  | Each           | 1             |                             |
| 3047             | PLANT, arc welding, argon ac/dc                        | Each           | 2             |                             |
| 3121             | THERMO-PISTOL, model P50-C 230V 500 W                  | Each           | 1             |                             |
| 3120             | THERMO-PISTOL, model P35-C, 230V 350W                  | Each           | 2             |                             |
|                  | <u>Accessory</u>                                       |                |               |                             |
| 3122             | AIR REGULATOR BOX, type PA 10                          | Each           | 2             |                             |
| 4081             | THERMO GUN, type M150, 230V                            | Each           | 2             |                             |
|                  | <u>Accessories</u>                                     |                |               |                             |
| 4170             | REFLECTOR, type ER 13B                                 | ) ) ) )        | Each As req'd |                             |
| 4168             | REFLECTOR, Type RR 24                                  |                |               |                             |
| 4169             | REFLECTOR, type RR 25                                  |                |               |                             |
| 4470             | CABINET, 1 metre                                       | Each           | 2             |                             |
| 4471             | NACU-BLAST, model PH 100                               | Each           | 1             |                             |
| 4473             | NACU-BLAST, model Junior Mk 2                          | Each           | 8             |                             |
|                  | <u>SECTION 4C</u>                                      |                |               |                             |
| 3725             | ACOUSTICS MULTI-JET INDUSTRIAL                         | Each           | 2             |                             |
| 1996             | CLEANER, boot  | Each           | 1             |                             |
| 3367             | MECHANICAL Handler                                     | Each           | 2             |                             |
| 3240             | MACHINE, Runway de-icer                                | Each           | 2             | includes 1 non-standard MRD |

| COMMAND: SUPPORT   |  | UNIT: ST ATHAN |     |         |
|--------------------|--|----------------|-----|---------|
| REF NO             | DESCRIPTION                                    | D of Q         | QTY | REMARKS |
| <u>SECTION 4CA</u> |  |                |     |         |
| 3995               | BASE Plate, assembly set                       | Sets           | 2   |         |
| 4345               | HOOK, Cable assembly                           | Each           | 2   |         |
| 4431262            | PRE-TENSION calibrator                         | Each           | 1   |         |
| 4455595            | TAPE Assembly, nylon 6 in                      | Each           | 4   |         |
| 4455599            | ROTARY Hydraulic arresting gear                | Sets           | 2   |         |
| <u>SECTION 4CB</u> |  |                |     |         |
| 1859               | BLADE, snow plough, type 'B'                   | Each           | 3   |         |
| 2810               | BLADE, Snow plough, type 'E'                   | Each           | 1   |         |
| 4189               | BLADE, snow plough, type 'K'                   | Each           | 2   |         |
| 2049531            | CROKER, Sno-blo                                | Each           | 1   |         |
| <u>SECTION 4CD</u> |  |                |     |         |
| 4988               | DANLINE, snow clearance brushes                | Each           | 1   |         |
| 2304               | SWEEPER, mechanical, type 'C'                  | )              | 1   |         |
| OR                 |  |                |     |         |
| 2499               | SWEEPER, mechanical, type 'E'                  |                |     |         |
| OR                 |  |                |     |         |
| 2531               | SWEEPER, mechanical, type 'G'                  |                |     |         |
| OR                 |  |                |     |         |
| 4430667            | SWEEPER, mechanical type 'J'                   |                |     |         |
| <u>SECTION 4D</u>  |  |                |     |         |
| 4227447            | BIN, storage                                   | Each           | 32  |         |
| 2640               | TROLLEY, fork lift                             | Each           | 1   |         |
| 4001               | TRUCK, fork lift, pedestrian operated, 2000lbs | Each           | 2   |         |



| COMMAND: SUPPORT    |   | UNIT: ST ATHAN |      |         |
|---------------------|---|----------------|------|---------|
| REF NO              | DESCRIPTION   | D of Q         | QTY  | REMARKS |
| <u>SECTION 4F</u>   |   |                |      |         |
| 7219                | TROLLEY, air cooling  | Each           | 2    |         |
| 2584                | TROLLEY, air cooling, & press cabin testing Mk3A                | Each           | 1    |         |
| 3235                | TROLLEY, air starting, LP Mk 4                                  | )              | Each | 1       |
| OR                  |   |                |      |         |
| 3962                | TROLLEY, air starting, type SPU Mk 10                           |                |      |         |
| <u>Accessories</u>  |   |                |      |         |
| 3497                | CONNECTOR, hose   | Each           | 1    |         |
| 4460                | HOSE, complete  | Each           | 1    |         |
| 4660                | CONVERSION SET  | Each           | 1    |         |
| 3603                | TROLLEY, Hyd servicing, Mk 3                                    | Each           | 1    |         |
| 4279                | TROLLEY, Hyd servicing, Mk 5C (elect driven)                    | Each           | 4    |         |
| 4229286             | TROLLEY, Transporting, For Types 37/37A Rectifiers              | Each           | 2    |         |
| 3551                | TROLLEY, Hyd servicing Mk 4C                                    | )              | Each | 6       |
| 7664                | TROLLEY, Hyd servicing, Mk 4G                                   |                |      |         |
| 2541                | TROLLEY, pressure cable testing Mk 2                            | Each           | 2    |         |
| 3229                | TROLLEY, servicing, hydraulic miniature Mk 1 B                  | Each           | 16   |         |
| 7675                | TROLLEY, servicing, hydraulic Mk 2H                             | Each           | 2    |         |
| 7588                | TROLLEY, Hyd servicing, pneumatic, LP Mk 3A (elect driven HCMF) | Each           | 1    |         |
| 7589                | TROLLEY, Hyd servicing, pneumatic LP Mk 3B (ICE driven HCMF)    | Each           | 1    |         |
| 3909                | TROLLEY, servicing, Hydraulic, Miniature Mk 1B                  | Each           | 3    |         |
| <u>SECTION 4FA</u>  |   |                |      |         |
| 4228269             | TROLLEY, air starting, LP Mk 4                                  | Each           | 1    |         |
| 3962                | TROLLEY, air starting, LP Mk 10                                 | Each           | 1    |         |
| <u>Accessories:</u> |   |                |      |         |
| 4660                | CONVERSION SET  | Each           | 1    |         |
| 7941                | AIRCRAFT COUPLING (GM/D/60528)                                  | Each           | 2    |         |

| COMMAND: SUPPORT   |  | UNIT: ST ATHAN |     |         |
|--------------------|--|----------------|-----|---------|
| REF NO             | DESCRIPTION  | D of Q         | QTY | REMARKS |
|                    | <u>SECTION 4FA</u> (Contd)                         |                |     |         |
|                    | <u>Accessories</u> (Contd)                         |                |     |         |
| 7942               | HOSE (GM/C/60576)                                  | Each           | 2   |         |
| 7943               | WANDER LEAD (GM/B/60570)                           | Each           | 2   |         |
| 7944               | CLAMP (GM/A/60497)                                 | Each           | 2   |         |
| 7945               | CLAMP (GM/A/60580)                                 | Each           | 2   |         |
| 5272<br>OR         | TROLLEY, air starting LP MK 12                     | Each           | 2   |         |
| 4297619            | TROLLEY, air starting LP MK 12A                    | Each           | 2   |         |
| 2051051            | TROLLEY, air starting LP MK 12L                    | Each           | 2   |         |
|                    | <u>SECTION 4FE</u>                                 |                |     |         |
| 3974<br>OR<br>7628 | TROLLEY, Electrical, servicing, 60 KVA )<br>)<br>) | Each           | 2   |         |
| 3975               | TROLLEY, Electrical, Servicing 60 KVA              | Each           | 4   |         |
|                    | <u>SECTION 4G</u>                                  |                |     |         |
| 1050581            | ADAPTOR, inflation Mk 2                            | Each           | 14  |         |
| 11205              | CANVAS TRANSIT BAGS                                | Each           | 2   |         |
| 4169<br>OR<br>4519 | CLEANER, vacuum a/c heavy duty Mks 1A or 1B        | Each           | 2   |         |
| 4420144            | CREEPER, a/c servicing                             | Each           | 10  |         |
| 5208               | CLEANER, vacuum, large, elect                      | Each           | 1   |         |
| 4420925            | GAUGE, pressure checking                           | Each           | 14  |         |
| 5809               | GAUGE, pressure 0-10 PSI                           | Each           | 1   |         |
| 4420202            | GAUGE, aircraft, tyre pressure                     | Each           | 4   |         |
| NIV                | HYDRAULIC POWER PACK 4 (GPM)                       | Each           | 1   |         |

| COMMAND: SUPPORT |  | UNIT: ST ATHAN |     |         |
|------------------|--|----------------|-----|---------|
| REF NO           | DESCRIPTION                              | D of Q         | QTY | REMARKS |
|                  | <u>SECTION 4G (Contd)</u>                |                |     |         |
| 2036896          | LADDER, lightweight flat top 6 ft        | Each           | 6   |         |
| 11204            | PLANT spraying defrosting fluid          | Each           | 2   |         |
| 5628             | PLATFORM a/c serv mobile adjustable Mk 2 | Each           | 4   |         |
| 4420550          | PLATFORM, elevating, large               | Each           | 4   |         |
| 4420579          | RIG, test, hyd component                 | Each           | 3   |         |
| 2052886          | RIG, tank repair and testing             | Each           | 1   |         |
| 6949             | RIG, test, hyd component & alternator    | Each           | 1   |         |
| 4420479          | RIG, test, linear actuator               | Each           | 1   |         |
| 5420             | RIG, test, linear actuator               | Each           | 1   |         |
| 9413             | RIG, test pneumatic                      | Each           | 1   |         |
| 6591             | RIG, test, rotary actuator               | Each           | 2   |         |
|                  | <u>Accessory</u>                         |                |     |         |
| 8653             | ADAPTOR, universal                       | Each           | 1   |         |
| 3430             | SET, test, hydraulic                     | Each           | 1   |         |
| 3997             | STANDS, Gun, Harmonisation, universal    | Each           | 1   |         |
| 2042810          | STEPS, aircraft, servicing 3 ft          | Each           | 95  |         |
| 48 6             | TROLLEY, a/c defrosting plant            | Each           | 2   |         |
| 6724             | TROLLEY, fire extinguishing              | Each           | 5   |         |
|                  | <u>SECTION 4GA</u>                       |                |     |         |
| 4409801          | TROLLEY, weapon transportation type S    | Each           | 2   |         |
|                  | <u>SECTION 4GB</u>                       |                |     |         |
| 4409970          | TRESTLE, mainplane steady                | Each           | 2   |         |
| NIV              | TOW BAR No 1                             | Each           | 3   |         |

| COMMAND: SUPPORT |   | UNIT: ST ATHAN |     |         |
|------------------|---|----------------|-----|---------|
| REF NO           | DESCRIPTION                                     | D of Q         | QTY | REMARKS |
|                  | <u>SECTION 46C</u>                              |                |     |         |
| 1275821          | DETACHABLE Hook, Pt no 54/97                    | Each           | 7   |         |
| 6649             | FORK  | Prs            | 1   |         |
| 6670             | FORK, support                                   | Each           | 1   |         |
| 4232337          | HANDLE, winch, 9" Pt No 41/163                  | Each           | 12  |         |
| 1275819          | HANDLE, adjustable Pt no 54/77                  | Each           | 6   |         |
| 6648             | HOIST, servicing, multi-purpose, Mk 1           | Each           | 2   |         |
| 1043793          | HOIST, A/C, heavy component, 5 cwt Pt No 42/1   | Each           | 17  |         |
| 9433671          | HOIST, A/C, heavy component, 10 cwt Pt No 43/1  | Each           | 2   |         |
| 1276060          | HOIST, A/C, heavy component, 18 cwt Pt No 54/75 | Each           | 8   |         |
| 1042863          | HOOK, cable end Pt No 41/76                     | Each           | 5   |         |
| 6098             | HOOK, cable end Pt No 43/53                     | Each           | 3   |         |
| 6650             | JIB No 1  | Each           | 1   |         |
| 6671             | JIB No 2  | Each           | 1   |         |
| 6673             | JIB No 4  | Each           | 1   |         |
| 6242             | LIFTING BRACKET, for the 551 Generator          | Each           | 3   |         |
| 1229657          | LIFTING CRADLE, Pt No 54/417                    | Each           | 2   |         |
| 1225823          | LIFTING CRADLE, Pt No 54/182                    | Each           | 2   |         |
| 6263             | SHEATH, over-wing winding                       | Each           | 1   |         |
| 4232184          | SLING, Derwent engine                           | Each           | 1   |         |
| 4232259          | SLING, scanner                                  | Each           | 2   |         |
| 4232265          | SPIGOT Pt No 36/12                              | Each           | 1   |         |
| 1275822          | SUSPENSION linkage Pt No 54/181                 | Each           | 2   |         |
| 9429960          | SUSPENSION linkage Pt No 54/429                 | Each           | 2   |         |
| 1369389          | TOP SHEATH Pt No 42/50                          | Each           | 9   |         |
| 4232220          | TOP SHEATH HOOK, 2½ cwt. Pt No 41/63            | Each           | 7   |         |
| 1046578          | TOP SHEATH HOOK, 5 cwt. Pt No 42/27             | Each           | 5   |         |
| 1275820          | TOP SHEATH, with hook. Pt No 42/332             | Each           | 8   |         |
| 4232224          | TUBE EXTENSION, 48". Pt No 41/102               | Each           | 1   |         |
| 4232255          | TUBE EXTENSION. Pt No 43/69                     | Each           | 1   |         |

| COMMAND: SUPPORT   |  | UNTT: ST ATHAN |     |              |
|--------------------|--|----------------|-----|--------------|
| REF NO             | DESCRIPTION  | D of Q         | QTY | REMARKS      |
| <u>SECTION 4GD</u> |  |                |     |              |
| 2455               | HANDLER, mechanical, type 'D'                        | Each           | 1   |              |
| NIV                | IOX, CONVERTER CHARGING BRANCH PT No 809468          | Each           | 1   | A/C Eng Wing |
| 5803               | TROLLEY, hp air charging Mk 2A                       | Each           | 2   |              |
| 5826               | TROLLEY, hp air charging Mk 2B                       | Each           | 1   |              |
| 541                | TROLLEY, fuel replenishment for ground equipment     | )              | )   |              |
| OR                 |  |                |     |              |
| 10424              | TROLLEY, fuel replenishment for ground equipment     |                |     |              |
| <u>SECTION 4K</u>  |  |                |     |              |
| 4851               | CONTAINER, polythene 2½ gal c/w spout & cap          | Each           | 3   |              |
| 2042788            | PLANT, steam cleaning                                | Each           | 1   |              |
| 17                 | TROLLEY, fuel pumping (75-120 GPH)                   | Each           | 2   |              |
| <u>SECTION 4L</u>  |  |                |     |              |
| 25                 | SLING, wire rope 4 legged                            | Each           | 3   |              |
| 1526               | SLING, wire rope, 2 legged                           | Each           | 1   |              |
| 2579               | SLING, wire rope 4 legged                            | Each           | 2   |              |
| 2663               | SLING, wire rope four leg 65 cwt                     | Each           | 1   |              |
| <u>SECTION 4I</u>  |  |                |     |              |
| NIV                | ACCESS STAGING CANBERRA refurbish to Drg No S-1-940  | Sets           | 4   |              |
| NIV                | ACCESS STAGING VULCAN MK2, Taildock Drg No 1-71-2352 | Each           | 2   |              |
| 9120               | SERVICING PLATFORM, H <sub>2</sub> -way Drg No 10900 | Each           | 9   |              |

| COMMAND: SUPPORT |  | UNIT: ST ATHAN |     |         |
|------------------|--|----------------|-----|---------|
| REF NO           | DESCRIPTION  | D of Q         | QTY | REMARKS |
|                  | <u>SECTION 4X</u>  |                |     |         |
|                  | <u>EQUIPMENT TEST - NON DESTRUCTIVE TEST (EDDY CURRENT)</u>        |                |     |         |
|                  | <u>Comprising:</u>   |                |     |         |
| 2949             | EDDY CURRENT, test unit type 600                                   | Each           | 3   |         |
| 4045             | DEFECTOMETER, forster model 2154                                   | Each           | 3   |         |
| 4047             | STANDARD PROBE (non F/E)   | Each           | 1   |         |
| 4049             | CALIBRATION BLOCK (F/E aust)                                       | Each           | 1   |         |
|                  | <u>EQUIPMENT TEST - NON DESTRUCTIVE (MAGNETIC CRACK DETECTION)</u> |                |     |         |
|                  | <u>Comprising:</u>   |                |     |         |
| 2411             | KIT, crack detection portable                                      | Each           | 1   |         |
| 2412             | UNIT, demagnetising  | Each           | 1   |         |
| 2413             | COIL, split  | Each           | 1   |         |
| 2414             | GUN, spray   | Each           | 1   |         |
| 2415             | CLAMP 'G' special 6 in   | Prs            | 1   |         |
| 2416             | CLAMP 'G' special 10 in  | Prs            | 1   |         |
|                  | <u>EQUIPMENT TEST - NON DESTRUCTIVE (ULTRASONIC)</u>               |                |     |         |
|                  | <u>Comprising:</u>   |                |     |         |
| 2516             | ULTRASONOSCOPE, Mk 3   | Each           | 1   |         |
| 2024322          | ULTRASONOSCOPE, Mk 5   | Each           | 1   |         |
| 2024323          | MAINS UNIT, (For 4X/2024322)                                       | Each           | 1   |         |
| 2024324          | BATTERY CHARGER, (For 4X/2024322)                                  | Each           | 1   |         |
| 2032184          | BATTERY, additional (For 4X/2024322)                               | Each           | 1   |         |
| 2496             | PROBE, longitudinal 15/10/5S                                       | Each           | 1   |         |
| 2495             | PROBE, surface 10/SF/2-5S  | Each           | 2   |         |
| 2497             | PROBE, transverse 15/45/2-5S                                       | Each           | 1   |         |
| 2681             | PROBE, finger stall 10/0/5S  | Each           | 2   |         |
| 2628             | BLOCKS, standard reference IIW                                     | Each           | 1   |         |
| 2629             | CASE, transit  | Each           | 1   |         |

| COMMAND: SUPPORT |  | UNIT: ST ATHAN |     |         |
|------------------|--|----------------|-----|---------|
| REF NO           | DESCRIPTION                              | D of Q         | QTY | REMARKS |
|                  | <u>SECTION 4X (Contd)</u>                |                |     |         |
|                  | <u>EQUIPMENT, VISUAL, AID</u>            |                |     |         |
|                  | <u>Comprising:</u>                       |                |     |         |
| 2753             | INTROSCOPE, 12.3 mm                      | Each           | 1   |         |
| 2754             | INTROSCOPE, 18 mm c/w Addit heads        | Each           | 1   |         |
| 2756             | BATTERY BOX, (use with 4X/2753 and 2754) | Each           | 1   |         |
| 2766             | ALLEN TELESCOPE, type 'A' 7.21 in        | Each           | 1   |         |
| 2767             | ALLEN HAND MAGNIFIER, type M80           | Each           | 5   |         |
| 4027             | INTROSCOPE, 18 mm diam x 6 ft 6 in       | Each           | 1   |         |
| 2034291          | TRANSFORMER, dual purpose                | Each           | 2   |         |
| 4021             | INTROSCOPE, 10 mm x 36 mm                | Each           | 1   |         |
| 2034322          | ULTRASONOSCOPE MK 5                      | Each           | 4   |         |
|                  | <u>Accessories</u>                       |                |     |         |
| 2024323          | POWER UNIT MK 5                          | Each           | 2   |         |
| 4295             | BATTERY MK 5                             | Each           | 6   |         |
| 2024324          | BATTERY CHARGER MK 5                     | Each           | 2   |         |
| 4290             | ULTRASONOSCOPE MK 7                      | )              | 2   |         |
| OR               | )  |                |     |         |
| 4395             | ULTRASONOSCOPE MK 8                      |                |     |         |
|                  | <u>Accessories</u>                       |                |     |         |
| 4291             | BATTERY MK 7                             | Each           | 3   |         |
| 4307             | AC POWER UNIT MK 7                       | Each           | 1   |         |
| 4308             | BATTERY CHARGER MK 7                     | Each           | 1   |         |
| 2051997          | PROBE 15/0/5S                            | Each           | 5   |         |
| 2681             | PROBE 10/0/5S                            | Each           | 5   |         |
| 2032190          | PROBE 4/40/5S                            | Each           | 7   |         |
| 2844             | PROBE 4/70/5S                            | Each           | 1   |         |
| 2031998          | PROBE 10/SF/21/2S                        | Each           | 1   |         |
| 2628             | IIW BLOCK                                | Each           | 2   |         |
| 2922             | LEAD L1                                  | Each           | 8   |         |
| 2693             | LEAD L2                                  | Each           | 1   |         |

| COMMAND: SUPPORT |   | UNIT: ST ATHAN |     |                                  |
|------------------|---|----------------|-----|----------------------------------|
| REF NO           | DESCRIPTION                             | D of Q         | QTY | REMARKS                          |
|                  | <u>SECTION 4X (Contd)</u>               |                |     |                                  |
| 4261             | BOX LIGHT SOURCE (D/1)                  | Each           | 3   | Qty 1 (A/C Eng Wing) Qty 2 (NDT) |
| 4389             | BOX LIGHT SOURCE (LSB/110/250/Q)        | Each           | 1   |                                  |
| 4316             | BOX LIGHT SOURCE (DB/DV/1)              | Each           | 1   | (NDT)                            |
| 4262             | CABLE LIGHT GUIDE FIBRE 6 ft            | Each           | 3   | Qty 1 (A/C Eng Wing) Qty 3 (NDT) |
| NIV              | CABLE LIGHT GUIDE FIBRE 12 ft           | Each           | 1   | (NDT)                            |
| 4288             | CALIBRATION Block (Non F/E)             | Each           | 7   |                                  |
| 4268             | CALIBRATION Clock (F/E Aust)            | Each           | 3   |                                  |
| 4263             | CASE INSTRUMENT CARRYING (6 x 37 Probe) | Each           | 3   | Qty 1 (A/C Eng Wing) Qty 2 (NDT) |
| NIV              | CASE INSTRUMENT CARRYING (1 x 69 Probe) | Each           | 1   | (NDT)                            |
| 4490             | CONDUCTIVITY Meter (Navan No 101)       | Each           | 1   |                                  |
| 4255             | ENDOPROBE (5/9/55 L/TO)                 | Each           | 2   | Qty 1 (A/C Eng Wing) Qty 1 (NDT) |
| 4256             | ENDOPROBE (8/19/60 L/TS)                | Each           | 2   | Qty 1 (A/C Eng Wing) Qty 1 (NDT) |
| 4258             | ENDOPROBE (8/19/60 B/TS)                | Each           | 2   | Qty 1 (A/C Eng Wing) Qty 1 (NDT) |
| 4259             | ENDOPROBE (8/33/70F/TS)                 | Each           | 2   | Qty 1 (A/C Eng Wing) Qty 1 (NDT) |
| 4299             | ENDOPROBE (5/19/55 L/TO)                | Each           | 1   |                                  |
| 4300             | ENDOPROBE (8/37/60 B/TS)                | Each           | 3   | Qty 1 (A/C Eng Wing) Qty 1 (NDT) |
| 4260             | ENDOPROBE (7/13/45 R/TO)                | Each           | 1   |                                  |
| 4299             | ENDOPROBE (5/19/55/L/TO)                | Each           | 2   | (NDT)                            |
| 4372             | ENDOPROBE (7/19/45 B/TS)                | Each           | 1   | (NDT)                            |
| 4260             | ENDOPROBE (7/13/45 R/TO)                | Each           | 1   | (NDT)                            |
| 4371             | ENDOPROBE (8/37/60 L/TS)                | Each           | 1   | (NDT)                            |
| 4257             | ENDOPROBE (8/19/12 L/TS)                | Each           | 1   | (NDT)                            |
| 4380             | ENDOPROBE (8/69/60/B/TS)                | Each           | 1   | (NDT)                            |
| 4231             | FLAW DETECTOR, Magnetic, portable       | Each           | 1   |                                  |
| 4366             | LEAK DETECTOR, Sonicaid Model 403       | Each           | 1   |                                  |



| COMMAND: SUPPORT          |  | UNIT: ST ATHAN |     |         |
|---------------------------|--|----------------|-----|---------|
| REF NO                    | DESCRIPTION  | D of Q         | QTY | REMARKS |
| <u>SECTION 4X (Contd)</u> |  |                |     |         |
| 4507                      | NOVALEC Meter 96C                                      | Each           | 3   |         |
| 4287                      | PROBE, standard (Non F/E)                              | Each           | 5   |         |
| 4657614                   | PROBE, spade (Non F/E)                                 | Each           | 6   |         |
| 4267                      | PROBE, Standard (F/E Aust)                             | Each           | 1   |         |
| 4266                      | PROBE, spade (F/E Aust)                                | Each           | 1   |         |
| 4225                      | PROBE SP   | Each           | 3   |         |
| 4448                      | SOUND GENERATOR Sonicaid Model 407                     | Each           | 1   |         |
| 4298                      | VIEWER, RIGHT ANGLE C/W ADAPTOR AND CASE               | Each           | 1   | (NDT)   |
| <u>SECTION 5A</u>         |  |                |     |         |
| 4349610                   | FLOODLIGHT, fluorescent (24/28 volt)                   | Each           | 12  |         |
| 4349567                   | LAMP, Inspection, Flameproof, fluorescent (Hargreaves) | Each           | 95  |         |
| 1990052                   | LAMP, Servicing, Type Q, C/W Stand                     | Each           | 120 |         |
| 1990054                   | LAMP, Fluorescent, Type D20/2                          | Each           | 146 |         |
| 4352                      | LIGHT, Headband, flameproof                            | Each           | 20  |         |
| 4349680                   | REEL, Cable Extension                                  | Each           | 2   |         |
| 4176                      | STAND, Elect, Power Distribution                       | Each           | 10  |         |
| 4345668                   | TORCH, Elect, Hand, Probe                              | Each           | 4   |         |
| OR                        |  |                |     |         |
| 4310                      | TORCH, Elect, Hand, Probe, illuminated, Type C         |                |     |         |
| 1106594                   | TRIPOD, Collapsible, Type JMH                          | Each           | 78  |         |
| 1106608                   | TROLLEY, Power Distribution, Type JM 463               | Each           | 62  |         |
| 3580                      | UNIT, Sodium Flare                                     | Each           | 51  |         |
| <u>SECTION 5G</u>         |  |                |     |         |
| 4354                      | BENCH GENERATOR TEST                                   | Each           | 1   |         |
| 3361                      | LOADING BANK (MOBILE)                                  | Each           | 1   |         |

| COMMAND: SUPPORT          |   | UNIT: ST ATHAN |     |                               |
|---------------------------|---|----------------|-----|-------------------------------|
| REF NO                    | DESCRIPTION                                   | D of Q         | QTY | REMARKS                       |
| <u>SECTION 5G (Contd)</u> |   |                |     |                               |
| 1144514                   | METER, time interval (mini-time)              | Each           | 1   |                               |
| 3393                      | SERVO Tester for Constant Speed drive units   | Each           | 2   |                               |
| 4236                      | SET TEST FIRE DETECTION                       | Each           | 2   |                               |
| 3188                      | TESTER, alternator & generator (vernon)       | Each           | 1   |                               |
| 3243                      | TEST CONSOLE, constant frequency system       | Each           | 1   |                               |
| 3244                      | TEST CONSOLE, transformer, rectifier unit     | Each           | 1   |                               |
| 3257                      | TEST CONSOLE, transformer, rectifier unit     | Each           | 1   |                               |
| 3613                      | TEST SET, anti-wing spray mat                 | Each           | 1   |                               |
| 4441                      | TESTER EARTH                                  | Each           | 1   |                               |
| 3267                      | TESTER, inverter & frequency changer          | Each           | 1   |                               |
| <u>SECTION 5P</u>         |   |                |     |                               |
| 1141758                   | POWER Supply unit, type PS 5040               | Each           | 1   | Per electronic service centre |
| 2908                      | RECTIFIER, metal transportable, type 37       | Each           | 17  |                               |
| 3234                      | RECTIFIER, metal, transportable, type 37A     | Each           | 11  |                               |
| 4383264                   | RECTIFIER, metal, transportable type 38, 112V | Each           | 11  |                               |
| 3354                      | SET, motor alternator 200V 400 c/s 3ph        | )              | )   |                               |
| OR                        |   |                |     |                               |
| 3501                      | SET, motor alternator, 200V 400 c/s 3ph       | )              | )   | Each                          |
| OR                        |   |                |     |                               |
| 4384441                   | SET, motor alternator, 200V 400 c/s 3ph       | )              | )   | 1                             |
| OR                        |   |                |     |                               |
| 3447                      | SET, motor alternator, 200V                   | )              | )   | Each                          |
| OR                        |   |                |     |                               |
| 3559                      | SET, motor alternator, 200V 14 KVA c/s 3ph    | )              | )   | 2                             |
| OR                        |   |                |     |                               |
| 3826                      | TRANSFORMER 3KVA                              | Each           | 3   |                               |
| <u>SECTION 5Q</u>         |   |                |     |                               |
| 25706                     | METER, frequency, 360-440 cps                 | Each           | 1   |                               |

| COMMAND: SUPPORT |   | UNIT: ST ATHAN |     |         |
|------------------|---|----------------|-----|---------|
| REF NO           | DESCRIPTION   | D of Q         | QTY | REMARKS |
|                  | <u>SECTION 5QP</u>                                      |                |     |         |
| 9432134          | MULTIMINOR, testmeter model 2                           | Each           | 9   |         |
| 2                | TRANSFORMER, current, 0-100A                            | Each           | 2   |         |
| 4350396          | TRANSFORMER, current, 0-400A                            | Each           | 1   |         |
|                  | <u>SECTION 6A/MED</u>                                   |                |     |         |
|                  | <u>EQUIPMENT, TEST, NON-DESTRUCTIVE (RADIO-GRAPHIC)</u> |                |     |         |
|                  | <u>Comprising</u>                                       |                |     |         |
|                  | 5A/4071 LAMP, ultraviolet                               | Each           | 2   |         |
| 10320            | HANGER, film processing 8 in x 10 in                    | Each           | 6   |         |
| 10315            | HANGER, film processing, 6½ in x 8½ in                  | Each           | 36  |         |
| 10330            | HANGER, film processing, 12 in x 15 in                  | Each           | 12  |         |
| 10335            | HANGER, film processing, 14 in x 17 in                  | Each           | 46  |         |
| 10325            | HANGER, film processing, 10 in x 12 in                  | Each           | 6   |         |
| 08850            | UNIT, film processing, model 56                         | Each           | 1   |         |
| 1400             | ROD, stirring, developer                                | Each           | 3   |         |
| 14010            | ROD, stirring hypo                                      | Each           | 2   |         |
| 13750            | MARKER, film  | Each           | 3   |         |
| 16610            | TIMER, clockwork alarm                                  | Each           | 1   |         |
|                  | 14B/625 IMMERSION, heater tank                          | Each           | 1   |         |
|                  | 14B/3202 DISH, stainless steel 16½ in x 20¾ in x 6 in   | Each           | 2   |         |
|                  | 14B/3717 DISH, perspex white 13 in x 16¾ in x 3 in      | Each           | 3   |         |
|                  | 14B/3316 IMMERSION, heater, dish                        | Each           | 1   |         |
|                  | 14B/284 TRIMMER, print 15 in                            | Each           | 1   |         |
|                  | 14B/3911 DENSITOMETER, transmission                     | Each           | 1   |         |
|                  | 14B/3912 TRANSFORMER voltage, constant                  | Each           | 1   |         |
|                  | 14B/4050 SILVER, recovery unit, type 'B'                | Each           | 1   |         |
|                  | 14B/3314 CABINET, drying large                          | Each           | 1   |         |
|                  | 14B/3475 CABINET, film drying                           | Each           | 1   |         |

| COMMAND: SUPPORT |  | UNIT: ST ATHAN |     |         |
|------------------|--|----------------|-----|---------|
| REF NO           | DESCRIPTION  | D of Q         | QTY | REMARKS |
|                  | <u>SECTION 6A/MED (CONTD)</u>  |                |     |         |
|                  | <u>EQUIPMENT, TEST, NON-DESTRUCTIVE (RADIO-GRAPHIC)</u> (CONTD)      |                |     |         |
|                  | <u>Comprising (Contd)</u>  |                |     |         |
|                  | 14B/2346 LAMP, darkroom, electric 4 in x 5 in                        | Each           | 1   |         |
|                  | 14B/603 LAMP, darkroom electric 8 in x 10 in                         | Each           | 1   |         |
|                  | 63A/199 ANDREX 250 Kvp, c/w control panel & 90 ft cable              | Each           | 1   |         |
|                  | 63A/171 ANDREX 160 Kvp, 360° emitter c/w control panel & 60 ft cable | Each           | 1   |         |
|                  | 63A/199 ANDREX 80 Kvp c/w control panel & 60 ft cable                | Each           | 1   |         |
|                  | <u>SECTION 6C</u>  |                |     |         |
|                  | <u>AVIATION FUEL SAMPLING SET</u>                                    |                |     |         |
|                  | <u>Comprising</u>  |                |     |         |
| 2133             | HYDROMETER   | Each           | 2   |         |
| 1325             | CONTAINER  | Each           | 2   |         |
| 2194             | CASE   | Each           | 2   |         |
| 4360494          | CHAMBER, vacuum Mk 6   | Each           | 1   |         |
| 5407             | CHAMBER, vacuum Mk 6 (modified)                                      | Each           | 2   |         |
| 1455             | CHAMBER, differential pressure Mk 1                                  | Each           | 1   |         |
| 1649             | CHAMBER, differential pressure Mk 1A                                 | Each           | 1   |         |
|                  | <u>EQUIPMENT SERVICING - MRG &amp; VERTICAL GYRO UNIT</u>            |                |     |         |
|                  | <u>Comprising</u>  |                |     |         |
| 3157             | ADAPTOR, mounting plate  | Each           | 1   |         |
| 1997675          | GAUGE, absolute pressure, digital counter indicating                 | Each           | 1   |         |
| 2171             | GAUGE, differential pressure   | Each           | 1   |         |
| 1063500          | GAUGE, pressure, digital counter, indicating                         | Each           | 1   |         |
| 1210             | GAUGE, size, for low press oxygen quick release sockets              | Each           | 1   |         |

| COMMAND: SUPPORT |   | UNIT: ST ATHAN |      |         |
|------------------|---|----------------|------|---------|
| REF NO           | DESCRIPTION   | D of Q         | QTY  | REMARKS |
|                  | <u>SECTION 6C (CONTD)</u>                                       |                |      |         |
| 4360864          | BAROMETER Casella   | Each           | 1    |         |
| 4360718          | DUMMY Periscope   | Each           | 2    |         |
| 262              | GAUGE, standard 0-50 lbs  | Each           | 1    |         |
| 263              | GAUGE, standard 0-250 lbs                                       | Each           | 1    |         |
| 264              | GAUGE, standard 0-2000 lbs                                      | Each           | 1    |         |
| 1829             | MANOMETER & VALVE UNIT, quick reference                         | Each           | 2    |         |
|                  | <u>Accessory</u>  |                |      |         |
| 1830             | SCALE, psi  | Each           | 1    |         |
| 1966             | PANEL CHARGING, inert gas                                       | Each           | 1    |         |
| 3249             | PLATE, mounting tilted  | Each           | 1    |         |
| 1502             | PEDESTAL, stand   | Each           | 1    |         |
| 3040             | PRESSURE, regulator type L15-0X                                 | Each           | 1    |         |
| 3093             | RE-COOKING TOOL, (normalair st 5119)                            | )              | Each | 1       |
| OR               | )   |                |      |         |
| 1097804          | RE-COCKING TOOL, (normalair st 5106)                            |                |      |         |
| 50               | RESERVOIR   | Each           | 1    |         |
| 2120             | RIG, leak test  | Each           | 1    |         |
| 4361162          | TESTER, pressure  | Each           | 2    |         |
|                  | <u>RIG TEST, Mk 2 FOR PRESSURE CONTROL EQUIPMENT</u>            |                |      |         |
|                  | <u>Comprising</u>   |                |      |         |
| 1482             | SERVICE STAND   | Each           | 1    |         |
| 1481             | ALTITUDE, indicator   | Each           | 1    |         |
| 2030             | STOWAGE, box & adaptor  | Each           | 1    |         |
| 1155             | TESTER, differential pressure                                   | Each           | 1    |         |
| 1166             | TESTER, rotameter flow  | Each           | 1    |         |
| 3000             | TESTER, tachometer (Bryans type)                                | Each           | 1    |         |
| 1206             | TRANSFORMER 115V variac   | Each           | 10   |         |
| 2192             | TRIMMING TOOL, for Smith Waymouth & type 1 fuel contents system | Each           | 1    |         |
| 3228             | VACUUM PUMP, aneroid Testing type E35                           | )              | Each | 1       |
| OR               | )   |                |      |         |
| 1522             | VACUUM PUMP, aneroid testing                                    |                |      |         |
|                  | <u>Accessory</u>  |                |      |         |
| 1498             | NON-RETURN VALVE (use with 6C/1522)                             | Each           | 1    |         |

| COMMAND: SUPPORT          |  | UNIT: ST ATHAN |     |         |
|---------------------------|--|----------------|-----|---------|
| REF NO                    | DESCRIPTION  | D of Q         | QTY | REMARKS |
| <u>SECTION 6C (Contd)</u> |  |                |     |         |
| 1133                      | VALVE CONTROL, a/c inst testing                        | Each           | 4   |         |
| 2097                      | VALVE CONTROL, a/c inst testing                        | Each           | 2   |         |
| 10138<br>OR<br>2056       | VOLTMETER, Phase sensitive )<br>)<br>)                 | Each           | 1   |         |
| 2215                      | WEIGHING BALANCE, Semi-automatic (avery type)<br>small | Each           | 1   |         |
| 2001                      | COMPRESSOR Mk 4  | Each           | 2   |         |
| <u>SECTION 6D</u>         |  |                |     |         |
| 1702                      | REGULATOR, charging Mk 3                               | Each           | 2   |         |
| <u>SECTION 6E</u>         |  |                |     |         |
| 275                       | GLASS, magnifying hand                                 | Each           | 4   |         |
| <u>SECTION 6Z</u>         |  |                |     |         |
| 9491562<br>OR<br>1045670  | MONITOR, type 1320 x No 2 )<br>)<br>)                  | Each           | 2   |         |
| 9110258<br>OR<br>367      | MONITOR, radiation type 1257C )<br>)<br>)              | Each           | 3   |         |
| 1086048                   | MONITOR, radiation type 0030                           | Each           | 5   | (NDT)   |
| <u>SECTION 12A</u>        |  |                |     |         |
| 9635733                   | TOOL, retarder arm closing                             | Each           | 1   |         |

| COMMAND: SUPPORT |   | UNIT: ST ATHAN |     |         |
|------------------|---|----------------|-----|---------|
| REF NO           | DESCRIPTION                               | D of Q         | QTY | REMARKS |
|                  | <u>SECTION 12A (Contd)</u>                |                |     |         |
| 2287             | TOOL, fabric packing                      | Each           | 1   |         |
|                  | <u>SECTION 27FR</u>                       |                |     |         |
| 4819             | PROBE Nozzle, test connector              | Each           | 2   |         |
|                  | <u>SECTION 27KC</u>                       |                |     |         |
| 1564             | RIG, test, powered flying controls vulcan | Each           | 1   |         |
|                  | <u>SECTION 27L</u>                        |                |     |         |
| 1162             | AIRCRAFT EJECTION SEAT, servicing stand   | Each           | 30  |         |
|                  | <u>Accessories</u>                        |                |     |         |
| 1163             | ADAPTOR (Mks 1, 2 & 3 ejection seats)     | Each           | 18  |         |
| 1164             | ADAPTOR (Mk 4 ejection seat)              | Each           | 13  |         |
| 1482355          | ADAPTOR (Mk 9 ejection seat)              | Each           | 7   |         |
|                  | <u>SECTION 27KD</u>                       |                |     |         |
| 1937             | SET, orifice plate adapter                | Each           | 1   |         |
|                  | <u>SECTION 40B</u>                        |                |     |         |
| 1899             | STAND, parring spey 101 (CP9298)          | Each           | 12  |         |

| COMMAND: SUPPORT    |   | UNIT: ST ATHAN |     |         |
|---------------------|---|----------------|-----|---------|
| REF NO              | DESCRIPTION   | D of Q         | QTY | REMARKS |
| 1114593             | <u>SECTION 42JL</u><br>SETS, generating 4.5 KVA                               | Each           | 2   |         |
| 2206770             | <u>SECTION 42L</u><br>POWER LIGHT CHARGING SET 500 watts                      | Each           | 2   |         |
| 879                 | <u>SECTION 71A</u><br>LIQUID Oxygen converter charging bench, Pt<br>No 809468 | Each           | 1   |         |
| 4910-99-<br>8812206 | <u>SECTION LV6-MT2</u><br>MACHINE MT, wheel balancing                         | Each           | 1   |         |



| COMMAND: SUPPORT |  | UNIT: RAF KEMBLE NO 5 MU |         |              |
|------------------|--|--------------------------|---------|--------------|
| REF NO           | DESCRIPTION  | D of Q                   | QTY     | REMARKS      |
|                  | <u>SECTION 3A</u>                                      |                          |         |              |
| 2701             | MACHINE, hand swaging                                  | Each                     | 1       |              |
| 3702             | MACHINE, sanding & polishing lightweight, orbital type | Each                     | 8       |              |
|                  | <u>Accessories</u>                                     |                          |         |              |
| 3724             | PAD, felt  | Each                     | 8       |              |
| 3725             | PAD, sponge rubber                                     | Each                     | 8       |              |
| 3759             | FILTER, lubricating & regulator unit                   | Each                     | 8       |              |
| 3763             | 'Y' PIECE  | Each                     | 4       |              |
| 3764             | COUPLING   | Each                     | 4       |              |
| 3765             | HOSE, oil resistant 30 ft                              | Each                     | 4       |              |
| 3766             | HOSE, oil resistant 60 ft                              | Each                     | 8       |              |
| 3768             | POLISHER, lambswool                                    | Each                     | 8       |              |
|                  | 340/9423224 FLUID LUBRICATING                          | Each                     | As Reqd |              |
| 1006             | MACHINE, stencil cutting 1/2 in type 'A'               | Each                     | 1       |              |
| 2425             | MACHINE, stencil cutting 13/16 in diagraph             | Each                     | 2       |              |
| 3329             | MACHINE, stencil cutting 1 in autograph                | Each                     | 2       |              |
| or 2238          | MACHINE stencil cutting 1"                             | Each                     | 1       |              |
|                  | <u>SECTION 3AP</u>                                     |                          |         |              |
| 2033614          | MACHINE, Drilling, Pneumatic                           | Each                     | 1       |              |
| 3702             | MACHINE, sanding and polishing                         | Each                     | 8       |              |
| 4278674          | MACHINE, shearing, pneumatic                           | Each                     | 2       |              |
| 5595             | MANDREL cropping tool (pneumatic)                      | Each                     | 1       |              |
| 2033613          | OSCILLATING IMPACT WRENCH, reversible W25              | Each                     | 2       |              |
| 278537           | PISTOL, corrosion inhibitor                            | Each                     | 2       |              |
| 4278633          | RIVETER chobert, type D Mk4                            | Each                     | 1       | APP'S SCHOOL |
| 4384             | RIVETER, hyaro-pneumatic type 710                      | Each                     | 1       |              |
| or               |  |                          |         |              |
| 4278611          | REVETER, hydro-pneumatic type 'F'                      |                          |         |              |

| COMMAND: SUPPORT |   | UNIT: RAF KEMBLE NO 5MU |     |         |
|------------------|---|-------------------------|-----|---------|
| REF NO           | DESCRIPTION   | D of Q                  | QTY | REMARKS |
|                  | <u>Accessories (Contd)</u>                                |                         |     |         |
| 2853             | RIGHT ANGLED HEAD EXTENSION 1/C6642 "AVDEL"<br>PIN TESTER | Each                    | 1   |         |
|                  | <u>SECTION 4A</u>   |                         |     |         |
| 4470             | CABINET, 1 metre  | Each                    | 1   |         |
| 2331             | CABINET Storage, Low temperature                          | )                       | 1   |         |
| or 4253          | CABINET Storage, Low temperature                          |                         |     |         |
| 4453948          | EXTENSION   | Each                    | 6   |         |
| 2793             | FURNACE MUFFLE, Horizontal, Electrical                    | Each                    | 1   |         |
| 4453947          | HEAD Swivel   | Each                    | 6   |         |
| 2314             | MACHINE Heat sealing pedestal                             | Each                    | 2   |         |
| 4453937          | SPRAY Pump (Nordsen Versa)                                | Each                    | 9   |         |
| 4453938          | SPRAY Gun (Nordsen Versa)                                 | Each                    | 18  |         |
| 4385             | TRANSFORMER Unit  | Each                    | 2   |         |
| 4453945          | 'Y' Piece   | Each                    | 9   |         |
| 4465             | VACU-BLAST, Model PEA .05 (VB 4419)                       | Each                    | 1   |         |
|                  | <u>SECTION 4CB</u>  |                         |     |         |
| 1859             | BLADE Snow Plough, Type 'B'                               | Each                    | 2   |         |
| 2794             | BLADE Snow Plough, Type 'C' Mod                           | Each                    | 2   |         |
| 4189             | BLADE Snow Plough, Type 'K'                               | Each                    | 1   |         |
|                  | <u>SECTION 4C</u>   |                         |     |         |
| 3240             | MACHINE, Runway de-vier                                   | Each                    | 1   |         |
| 3367             | MECHANICAL HANDLER  | Each                    | 2   |         |

| COMMAND: SUPPORT   |  | UNIT: RAF KEMBLE (No 5 MU) |     |         |
|--------------------|--|----------------------------|-----|---------|
| REF NO             | DESCRIPTION                                  | D of Q                     | QTY | REMARKS |
| <u>SECTION 4CD</u> |  |                            |     |         |
| 4988               | DANLINK SNOW CLEARANCE BRUSHES               | Each                       | 1   |         |
| 10671              | KIT, Low Pressure, Nitrogen (Walk Round)     | Each                       | 1   |         |
| 2304               | SWEeper Mechanical Type 'C'                  | )                          | 1   |         |
| or 2409            | SWEeper Mechanical Type 'E'                  |                            |     |         |
| or 2531            | SWEeper Mechanical Type 'F'                  |                            |     |         |
| or 3345            | SWEeper Mechanical Type 'J'                  |                            |     |         |
| <u>SECTION 4D</u>  |  |                            |     |         |
| 4227447            | BIN, Storage                                 | Each                       | 46  |         |
| 7869               | TROLLEY, hyd, serv, 1/weight                 | Each                       | 2   |         |
| 3229               | TROLLEY, hyd, serv, Mk 2D                    | Each                       | 8   |         |
| 2541               | TROLLEY, pressure, cabin testing Mk 2        | Each                       | 2   |         |
| 4229286            | TROLLEY, transportation, for type 37 and 37A | Each                       | 1   |         |
| <u>SECTION 4E</u>  |  |                            |     |         |
| 4279               | TROLLEY, Hyd, Serv, Mk 5C (Elect Driven)     | Each                       | 2   |         |
| <u>SECTION 4FA</u> |  |                            |     |         |
| 4930               | TROLLEY Air Starting, LP MK 11               | Each                       | 1   |         |
| <u>SECTION 4FE</u> |  |                            |     |         |
| 4226013            | TROLLEY, Battery Starting, Electrical Mk 5   | Each                       | 1   |         |
| 2353               | TROLLEY, Electrical, Servicing               | Each                       | 1   |         |

| COMMAND: SUPPORT   |   | UNIT: RAF KEMBLE (No 5 MU) |      |         |
|--------------------|---|----------------------------|------|---------|
| REF NO             | DESCRIPTION                                 | D of Q                     | QTY  | REMARKS |
| <u>SECTION 4G</u>  |   |                            |      |         |
| 1050581            | ADAPTER, inflation Mk 2                     | Each                       | 7    |         |
| 7026               | ADAPTER Inflation, Mk 6                     | )                          | Each | 1       |
| OR                 |   |                            |      |         |
| 2031043            | ADAPTER Inflation, Mk 6A                    | )                          |      |         |
| 11205              | CANVAS Transit Bags                         | Each                       | 2    |         |
| 5208               | CLEANER Vacuum, Large, Electric             | Each                       | 1    |         |
| 4420144            | CREEPER, A/c Serv                           | Each                       | 34   |         |
| 4420202            | GAUGE, A/c tyre pressure                    | Each                       | 8    |         |
| 4229               | LADDER, A/c Entrance                        | Each                       | 12   |         |
| 4517               | LADDER, A/c Serv, Flat Top, Adjustable      | Each                       | 6    |         |
| 2051053            | LADDER, Lightweight, Flat Top, 6 ft         | Each                       | 6    |         |
| 2042810            | LADDER, Step, 3 ft 6 ins                    | )                          | Each | 9       |
| or 8325            | STEPS, A/c Serv 3 ft                        |                            |      |         |
| 11204              | PLANT, Spraying, Defrosting Fluid           | Each                       | 2    |         |
| 5628               | PLATFORM A/c Serv, Mobile, Adjustable, Mk 2 | Each                       | 4    |         |
| 5682               | BRIDGE Piece, Mk 2                          | Each                       | 2    |         |
| 4420579            | RIG Test, Hyd Component                     | Each                       | 1    |         |
| 4420479            | RIG Test, linear actuator                   | Each                       | 1    |         |
| 6591               | RIG Test, rotary actuator                   | Each                       | 1    |         |
| 4421831            | RIG washing, turbine compressor             | Each                       | 1    |         |
| 3977               | STAND, Gun, Harmonisation Universal         | Each                       | 1    |         |
| 1019               | TRAY, Drip, Rectangular 6 in x 4 in         | Each                       | 3    |         |
| 6724               | TROLLEY, Fire Extinguishing                 | Each                       | 2    |         |
| 4253               | TROLLEY, Oil Replenishment                  | Each                       | 2    |         |
| 4042               | TROLLEY, Stowage Eng and PP Cowlings        | Each                       | 4    |         |
| <u>SECTION 4GB</u> |   |                            |      |         |
| 4409970            | TRESTLE, mainplane steady                   | Each                       | 6    |         |
| NIV                | TOW BAR No 1                                | Each                       | 1    |         |
| 10728              | TOW BAR No 1A                               | Each                       | 1    |         |

| COMMAND: SUPPORT   |  | UNIT: RAF KEMBLE (No 5 MU) |     |         |
|--------------------|--|----------------------------|-----|---------|
| REF NO             | DESCRIPTION  | D of Q                     | QTY | REMARKS |
| <u>SECTION 4GC</u> |  |                            |     |         |
| 4232164            | SLING, Derwent engine                              | Each                       | 1   |         |
| 4232228            | HANDLE WINCH, 6" Pt No 41/78                       | Each                       | 1   |         |
| 4232220            | TOP SHEATH HOOK 2½ cwt Pt No 41/63                 | Each                       | 1   |         |
| 1276892            | TOP SHEATH HOOK Pt No 54/101                       | Each                       | 1   |         |
| 5754               | TOP SHEATH BALL Pt No 43/88                        | Each                       | 1   |         |
| <u>SECTION 4GD</u> |  |                            |     |         |
| 6541 OR            | TROLLEY, Fuel Replenishment for Ground Equipment ) | Each                       | 1   |         |
| 10424              | TROLLEY, Fuel Replenishment for Ground Equipment ) |                            |     |         |
| 6254               | TROLLEY, Nitrogen Charging, Single Cylinder )      |                            |     |         |
| <u>SECTION 4K</u>  |  |                            |     |         |
| 4608               | MASTER Meter (Refueiling Vehicles)                 | Each                       | 1   |         |
| 2042768            | PLANT, Steam Cleaning                              | Each                       | 2   |         |
| <u>SECTION 4Q</u>  |  |                            |     |         |
| 4230826            | ADAPTOR, Head                                      | Each                       | 4   |         |
| 4320641            | BODIES, Hydraulic, 5 ton, Type 'A'                 | Each                       | 2   |         |
| 1050356            | BODIES, Hydraulic, 5 ton, Type 'C'                 | Each                       | 2   |         |
| 3475               | JACK Lifting 2 ton                                 | Each                       | 6   |         |
| 1045837            | JACK, pillar, hydraulic, 15 ton                    | Each                       | 4   |         |
| 1045835            | JACK, body, hydraulic, 10 ton, Type 'A'            | Each                       | 18  |         |
| 2610               | JACK, lifting, 25 ton, four legged hyd             | Each                       | 9   |         |
| 2604               | JACK, lifting, 4 ton, hydraulic pillar Type 'B'    | Each                       | 4   |         |

| COMMAND: SUPPORT          |   | UNIT: RAF KEMBLE (No 5 MU) |     |         |
|---------------------------|---|----------------------------|-----|---------|
| REF NO                    | DESCRIPTION                                 | D of Q                     | QTY | REMARKS |
| <u>SECTION 4Q (Contd)</u> |   |                            |     |         |
| 3476                      | PLINTH 10.625 in                            | Each                       | 6   |         |
| 3477                      | PLINTH 7 in                                 | Each                       | 6   |         |
| 4230642                   | TRESTLE                                     | Each                       | 2   |         |
| 4230820                   | TRESTLE                                     | Each                       | 2   |         |
| 2332                      | TROLLEY Salvage, Trac-Jac                   | Each                       | 2   |         |
| <u>SECTION 4T</u>         |   |                            |     |         |
| 9023                      | <u>EQUIPMENT A/C SERV</u>                   |                            |     |         |
|                           | <u>Comprising:</u>                          |                            |     |         |
| 9024                      | NOSE Access Staging                         | Each                       | 2   |         |
| 9025                      | ENG Serv, Staging (Port)                    | Each                       | 2   |         |
| 9026                      | ENG Serv, Staging (Stb'd)                   | Each                       | 2   |         |
| 9027                      | FUSELAGE Staging                            | Each                       | 2   |         |
| 9028                      | BATTERY Tray Access Staging                 | Each                       | 2   |         |
| 9120                      | PLATFORM, servicing, Hi-way (DRG No B10900) | Each                       | 8   |         |
| 9029                      | TAIL Serv Tower                             | Each                       | 2   |         |
| 9065                      | TP and N/P Access Staging                   | Each                       | 1   |         |
| 9019                      | PLATFORM Serv, Hi-Way                       | Each                       | 8   |         |
| <u>SECTION 4X</u>         |   |                            |     |         |
| 4261                      | BOX, light source (DB/1)                    | Each                       | 1   |         |
| 4657642                   | BOX, light source (LSD/110/250/Q)           | Each                       | 1   |         |
| 4262                      | CABLE, light guide F, BRE, 6 ft             | Each                       | 1   |         |
| 4288                      | CALIBRATION BLOCK (Non F/E)                 | Each                       | 2   |         |
| 4263                      | CASE, instrument carrying (6 X 37 Probes)   | Each                       | 1   |         |
| 4256                      | ENDOPROBE (8/19/60 L/TS)                    | Each                       | 1   |         |
| 4259                      | ENDOPROBE (8/33/70 F/TS)                    | Each                       | 1   |         |

| COMMAND: SUPPORT          |  | UNIT: RAF KEMBLE (No 5 MU) |     |         |
|---------------------------|--|----------------------------|-----|---------|
| REF NO                    | DESCRIPTION  | D of Q                     | QTY | REMARKS |
| <u>SECTION 4X (Contd)</u> |  |                            |     |         |
| 4328                      | ENDOPROBE (8/54/60 F/TS)                               | Each                       | 1   |         |
| 4327                      | ENDOPROBE (8/59/55 L/TS)                               | Each                       | 1   |         |
| 4381                      | ENDOPROBE (8/59/60 B/TS)                               | Each                       | 1   |         |
| 4325                      | FIBRE, light guide cable 12 ft                         | Each                       | 1   |         |
| 4515                      | INSTRUMENT, carrying case (1 X 54") (2 X 59")          | Each                       | 1   |         |
| 2767                      | MAGNIFIER, hand, Allen Type M80                        | Each                       | 1   |         |
| 2062620                   | MAGNIFIER X2, Model GP                                 | Each                       | 11  |         |
| 4657528                   | NOVALEC Meter 96C                                      | Each                       | 1   |         |
| 4313                      | PROBE, guide assy                                      | Each                       | 1   |         |
| 4657614                   | PROBE, spade (Non F/E)                                 | Each                       | 2   |         |
| 4287                      | PROBE, standard (Non F/E)                              | Each                       | 1   |         |
| 4298                      | VIEWER, right angle, c/w adaptor and case              | Each                       | 1   |         |
| <u>SECTION 5A</u>         |  |                            |     |         |
| NIV                       | CLAMP  | Each                       | 6   |         |
| 4149                      | FLOODLIGHT, Flameproof, Floor type<br>(mains operated) | Each                       | 22  |         |
| 1990054                   | LAMPS Fluorescent, Type D20/2                          | Each                       | 30  |         |
| 4349567                   | LAMP Inspection, Flameproof, Fluorescent               | Each                       | 12  |         |
| 1990052                   | LAMPS Servicing, Type Q C/W Stand                      | Each                       | 3   |         |
| 4349680                   | REEL, Cable Extension                                  | Each                       | 6   |         |
| 4176                      | STAND Elect, Power distribution                        | Each                       | 4   |         |
| 1106594                   | TRIPOD Collapsible, Type JMH                           | Each                       | 2   |         |
| 1106608                   | TROLLEY, Power Distribution, Type JMH/63               | Each                       | 3   |         |
| 3580                      | UNIT, Sodium Flare                                     | Each                       | 87  |         |

| COMMAND: SUPPORT   |   | UNIT: RAF KEMBLE (No 5 MU) |     |         |
|--------------------|---|----------------------------|-----|---------|
| REF NO             | DESCRIPTION   | D of Q                     | QTY | REMARKS |
| <u>SECTION 5G</u>  |   |                            |     |         |
| 2998               | ADAPTOR, electrical, short                            | Each                       | 16  |         |
| 3613               | TEST SET, anti-icing, spray mist                      | Each                       | 1   |         |
| <u>SECTION 5P</u>  |   |                            |     |         |
| 3731               | MAX-ARC DEMAGNETISER UNIT                             | Each                       | 1   |         |
| 3433               | SET, Motor Alternator, 5KVA 115V 400C/S 3PH           | Each                       | 1   |         |
| 2908               | RECTIFIER Metal, Transportable, Type 37               | Each                       | 10  |         |
| 3234               | RECTIFIER Metal, Transportable, Type 37A              | Each                       | 2   |         |
| 3150               | SET Generator, 215KVA, 115V, 400 c/s 3PH              | Each                       | 1   |         |
| 2139               | WIPER MAGNET, 220 volts, large                        | Each                       | 1   |         |
| 2140               | WIPER MAGNET, 220 volts, small                        | Each                       | 1   |         |
| <u>SECTION 6C</u>  |   |                            |     |         |
| 4360864            | CASELLA BACOMETER                                     | Each                       | 1   |         |
| 1997675            | GAUGE, absolute, pressure, Digital counter indicating | Each                       | 1   |         |
| 4361162            | TESTER, pressure                                      | Each                       | 1   |         |
| <u>SECTION 6E</u>  |   |                            |     |         |
| 948                | MAGNIFIER Allen, M5                                   | Each                       | 11  |         |
| <u>SECTION 22G</u> |   |                            |     |         |
| 2318               | RESPIRATOR (Siebe Gorman)                             | Each                       | 16  |         |



| COMMAND: SUPPORT |  | UNIT: RAF KEMBLE (No 5MU) |     |         |
|------------------|--|---------------------------|-----|---------|
| REF NO           | DESCRIPTION                                  | D of Q                    | QTY | REMARKS |
|                  | <u>SECTION 21C</u>                           |                           |     |         |
| 1296641          | SCALE, dial indicating, pedestal type        | Each                      | 2   |         |
|                  | <u>SECTION 22G</u>                           |                           |     |         |
| 1275801          | RESPIRATOR, Siebe Gorman No 4259             | Each                      | 16  |         |
|                  | <u>SECTION 23C</u>                           |                           |     |         |
| 1                | ANCHOR, safety, static                       | Each                      | 8   |         |
| 2                | HARNESS                                      | Each                      | 8   |         |
|                  | <u>SECTION 27L</u>                           |                           |     |         |
| 1163             | ADAPTOR (Mks 1, 2 and 3, ejection seats)     | Each                      | 6   |         |
| 1164             | ADAPTOR (Mk 4, ejection seat)                | Each                      | 3   |         |
| 1482355          | ADAPTOR (Mk 9, ejection seat) Pt No MB SS136 | Each                      | 3   |         |
| 1162             | A/C EJECTION SEAT, servicing stand           | Each                      | 7   |         |
|                  | <u>SECTION 40C</u>                           |                           |     |         |
| 271E             | ARBORS                                       | Each                      | 4   |         |
| 275E             | ARBORS                                       | Each                      | 8   |         |
| 273E             | RACK, transportation, propeller              | Each                      | 5   |         |
|                  | <u>SECTION 42JL</u>                          |                           |     |         |
| 1995307          | GENERATING SET, 45KVA                        | Each                      | 1   |         |

| COMMAND: SUPPORT   |  | UNIT: RAF QUELDELEY No 7MU |         |         |
|--------------------|--|----------------------------|---------|---------|
| REF NO             | DESCRIPTION  | D of Q                     | QTY     | REMARKS |
| <u>SECTION 3A</u>  |  |                            |         |         |
| 4278942            | FLEXIBLE DRIVE M/C GF50 MK 1                           | Each                       | 1       |         |
| 2973               | FLEXIBLE DRIVE M/C M103                                | Each                       | 1       |         |
| 2832 or            | LATHE, watchmaker, type 'F'                            | Each                       | 1       | )       |
| 1469 or            | LATHE, watchmaker, type 'D'                            |                            |         |         |
| 2922               | LATHE, watchmaker, type 'C'                            |                            |         |         |
| 4279093            | MACHINE, sanding electric portable 230/250V            | Each                       | 11      |         |
| 3702               | MACHINE, sanding & polishing lightweight, orbital type | Each                       | 1       |         |
| <u>ACCESSORIES</u> |  |                            |         |         |
| 3724               | PAD, felt  | Each                       | 1       |         |
| 3725               | PAD, sponge rubber                                     | Each                       | 1       |         |
| 3759               | FILTER, lubricator & regulator unit                    | Each                       | 1       |         |
| 3766               | HOSE, oil resistant 60 ft                              | Each                       | 1       |         |
| 3768               | POLISHER, lambswool                                    | Each                       | 1       |         |
|                    | 34D/9423224 FLUID LUBRICATING                          |                            | As reqd |         |
| 2033611            | MACHINE, sewing elect type                             | Each                       | 1       |         |
| 4279017            | MACHINE, sewing, elect BU                              | Each                       | 1       |         |
| 2033607            | MACHINE, sewing, elect type                            | Each                       | 1       |         |
| 1006               | MACHINE, stencil cutting 1/2 in type 'A'               | Each                       | 1       |         |
| 2425               | MACHINE, stencil cutting 13/16 in Biograph             | Each                       | 1       |         |
| 3329 or            | MACHINE, stencil cutting 1 in autograph                | Each                       | 1       | )       |
| 2238               | MACHINE, stencil cutting 1 in                          |                            |         |         |
| <u>SECTION 3AP</u> |  |                            |         |         |
| 3702               | MACHINE sanding and polishing (orbital)                | Each                       | 1       |         |
| 2042822            | NON-RUNNER, pneumatically operated (non-reversible)    | Each                       | 1       |         |
| 2033613            | WRENCH, oscillating impact reversible (W25) 3/8 in SD  | Each                       | 1       |         |

| COMMAND: SUPPORT   |  | UNIT: RAF QUEDGLEY (No 7 MU) |      |         |
|--------------------|--|------------------------------|------|---------|
| REF NO             | DESCRIPTION  | D of Q                       | QTY  | REMARKS |
| <u>SECTION 4A</u>  |  |                              |      |         |
| 2271               | CUTTER Circular, Electric, Heavy Duty                  | Each                         | 1    |         |
| 4453937            | HYD SPRAY PUMPING UNIT, Type 100-00<br>(Nordsen Versa) | Each                         | 1    |         |
| 3065               | SPRAY Pump (Nordsen Versa)                             | Each                         | 1    |         |
| 3066               | SPRAY Gun (Nordsen Versa)                              | Each                         | 1    |         |
| 4453938            | SPRAY GUN, C/W Tip and Restrictor<br>(Nordsen Versa)   | Each                         | 12   |         |
| 2315               | WELDER, Spot, Electric, Hand                           | Each                         | 1    |         |
| <u>SECTION 4CB</u> |  |                              |      |         |
| 1859               | BLADE Snow Plough, Type 'B'                            | Each                         | 2    |         |
| <u>SECTION 4CD</u> |  |                              |      |         |
| 2304 or            | SWEeper Mechanical, Type 'C'                           | )                            | Each | 2       |
| 2499 or            | SWEeper Mechanical, Type 'E'                           |                              |      |         |
| 2531 or            | SWEeper Mechanical, Type 'G'                           |                              |      |         |
| 3345               | SWEeper Mechanical, Type 'J'                           |                              |      |         |
| <u>SECTION 4D</u>  |  |                              |      |         |
| 4227447            | BIN Storage  | Each                         | 34   |         |
| <u>SECTION 4G</u>  |  |                              |      |         |
| 5208               | CLEANER Vacuum, Large, Electric                        | Each                         | 1    |         |
| 2051048            | CLEANER Vacuum, Aircraft, Large                        | Each                         | 1    |         |
| 3430               | SET Test, Hyd  | Each                         | 5    |         |

| COMMAND: SUPPORT   |  | UNIT: RAF CHILMARK (No 11 MU) |     |         |
|--------------------|--|-------------------------------|-----|---------|
| REF NO             | DESCRIPTION  | D of Q                        | QTY | REMARKS |
| <u>SECTION 3A</u>  |  |                               |     |         |
| 4278942            | FLEXIBLE DRIVE, M/C GF 50 MK 1                         | Each                          | 1   |         |
| 1647               | FLEXIBLE DRIVE, M/C Light duty                         | Each                          | 1   |         |
| 1006               | MACHINE, Stencil Cutting, 1/2", Type 'A'               | Each                          | 1   |         |
| 3329 or            | MACHINE, Stencil Cutting, 1 in Autograph               | Each                          | 1   |         |
| 2238               | MACHINE, Stencil Cutting 1"                            | Each                          | 1   |         |
| 2425               | MACHINE, Stencil Cutting, 13/16" Biagraph              | Each                          | 1   |         |
| 4212               | MACHINE, Stencil Cutting 1/4"                          | Each                          | 1   |         |
| <u>SECTION 3AP</u> |  |                               |     |         |
| 4278767            | MACHINE Saw, Pneumatic, Portable                       | Each                          | 1   |         |
| 3702               | MACHINE, Sanding and Polishing, 1/weight, Orbital type | Each                          | 1   |         |
| <u>SECTION 4A</u>  |  |                               |     |         |
| 2237               | MACHINE, Heat Sealing, Pedestal Model, 13 in Jaws      | Each                          | 2   |         |
| 2438               | MACHINE, Heat Sealing, Continuous Band, Type HS-C      | Each                          | 1   |         |
| 4106               | MACHINE, Vacu-Blast, Model AE                          | Each                          | 1   |         |
| 2253               | OVENS, Drying  | Each                          | 1   |         |
| 8012512            | TANK, Component Washing, Small, Rectangular            | Each                          | 1   |         |
| <u>SECTION 4CB</u> |  |                               |     |         |
| 2610               | BLADE Snow Plough, Type 'E'                            | Each                          | 1   |         |
| 4189               | BLADE Snow Plough, Type 'K'                            | Each                          | 2   |         |

| COMMAND: SUPPORT    |  | UNIT: RAF CHILMARK (No 11 MU) |      |         |
|---------------------|--|-------------------------------|------|---------|
| REF NO              | DESCRIPTION                            | D of Q                        | QTY  | REMARKS |
| <u>SECTION 4CD</u>  |  |                               |      |         |
| 2304 or             | SWEeper Mechanical, Type 'C'           | )                             |      |         |
| 2499 or             | SWEeper Mechanical, Type 'E'           | )                             | Each | 1       |
| 2531 or             | SWEeper Mechanical, Type 'G'           | )                             |      |         |
| 3345                | SWEeper Mechanical, Type 'J'           | )                             |      |         |
| <u>SECTION 4D</u>   |  |                               |      |         |
| 4227447             | BIN Storage                            |                               | Each | 55      |
| <u>SECTION 4G</u>   |  |                               |      |         |
| 10935               | PUMP, Tyre Inflating, Type B1          |                               | Each | 1       |
| <u>SECTION 4GC</u>  |  |                               |      |         |
| 7994                | HOIST Multi-Purpose Mk 2               |                               | Each | 1       |
| 6649                | FORK Attachment (Pairs)                |                               | Each | 1       |
| 6650                | FORK Support                           |                               | Each | 1       |
| 6670                | JIB No 1                               |                               | Each | 1       |
| 4232290             | JIB No 4                               |                               | Each | 1       |
| 4232219             | HOIST Aircraft, Heavy Component 2½ cwt |                               | Each | 1       |
| <u>Accessories:</u> |  |                               |      |         |
| 4232228             | HANDLE Winch, 6", Pt No 41/103         |                               | Each | 1       |
| 1042863             | HOOK Cable End Pt No 41/76             |                               | Each | 1       |
| 4232209             | TOP Sheath No (3 Ball) Pt No 30/12     |                               | Each | 1       |
| 4232220             | TOP Sheath Hook 2½ cwt Pt No 41/63     |                               | Each | 1       |
| 1046578             | TOP Sheath Hook 5 cwt                  |                               | Each | 2       |
| 4232205             | TUBE extension, 60", Pt No 41/103      |                               | Each | 1       |

| COMMAND: SUPPORT |   | UNIT: RAF CHILMARK (No 11 MU) |     |         |
|------------------|---|-------------------------------|-----|---------|
| REF NO           | DESCRIPTION                                 | D of Q                        | QTY | REMARKS |
|                  | <u>SECTION 4GD</u>                          |                               |     |         |
| 6259             | TROLLEY, Nitrogen Charging, Single Cylinder | Each                          | 1   |         |
|                  | <u>SECTION 4L</u>                           |                               |     |         |
| 2589             | SLING Chain single leg 10 cwt               | Each                          | 1   |         |
| 2647             | SLING Chain, four legged                    | Each                          | 3   |         |
| 2592             | SLING, Wire Rope                            | Each                          | 1   |         |
| 2582             | SLING, Wire Rope, four legged               | Each                          | 1   |         |
|                  | <u>SECTION 4X</u>                           |                               |     |         |
| 4389             | BOX, Light source                           | Each                          | 1   |         |
| 4258             | ENDOPROBE                                   | Each                          | 1   |         |
| 4259             | ENDOPROBE (8/33/70 F/TS)                    | Each                          | 1   |         |
| 4260             | ENDOPROBE (7/13/45 R/T0)                    | Each                          | 1   |         |
| 4300             | ENDOPROBE                                   | Each                          | 1   |         |
| 4325             | FIBRE, Light Guide cable, 12 ft             | Each                          | 1   |         |
|                  | <u>SECTION 5A</u>                           |                               |     |         |
| 4149             | FLOODLIGHT, Flameproof, Floor type          | Each                          | 1   |         |
| 4349680          | REEL Cable Extension                        | Each                          | 2   |         |
|                  | <u>SECTION 5G</u>                           |                               |     |         |
| 5640             | BOX, Height Re-Setter-Lepus Flares          | Each                          | 1   |         |

| COMMAND: SUPPORT   |  | UNIT: RAF CHILMARK (No 11 MU) |     |         |
|--------------------|--|-------------------------------|-----|---------|
| REF NO             | DESCRIPTION  | D of Q                        | QTY | REMARKS |
| <u>SECTION 5QP</u> |  |                               |     |         |
| 1057049            | MULTIMETER, CT498 'A'                                | Each                          | 3   |         |
| 1045674            | TESTMETER, Multiminor, Model 4                       | Each                          | 3   |         |
| <u>SECTION 6Z</u>  |  |                               |     |         |
| 9491562            | MONITOR, Type 1320 x No 2 )                          | Each                          | 2   |         |
| or                 | )  |                               |     |         |
| 1045670            | MONITOR, Type 1320 x No 2 Mk 2 )                     |                               |     |         |
| <u>SECTION 12A</u> |  |                               |     |         |
| 9635220            | BOMB Cluster, HE 600 lbs (BL755) Instructional Inert | Each                          | 1   |         |
| 9635223            | BOMBLET, 1Kg, Inert, Filled (includes 9635228)       | Each                          | 6   |         |
| 9635227            | JIG, Bomblet, loading and removal                    | Each                          | 2   |         |
| 9635228            | KEEPER, Bomblet, BL755-Sets of 147                   | Each                          | 2   |         |
| 9635224            | KITS, Tool, Special Bomb Cluster                     | Each                          | 2   |         |
| 9635240            | STAND, Cocking, Tail Unit, No 119 Mk 1               | Each                          | 2   |         |
| 9635226            | STAND, Servicing, Bomb Body                          | Each                          | 2   |         |
| 9635229            | STILLAGE, Bomb body                                  | Each                          | 2   |         |
| 9635238            | SLING, Wire Rope, Single leg                         | Each                          | 2   |         |
| 9635239            | SLING, Wire Rope, Four legged                        | Each                          | 2   |         |
| 9635225            | TURNOVER, Cradle, Bomb body                          | Each                          | 2   |         |

| COMMAND: SUPPORT   |   | UNIT: RAF CHILWELL No 14 MU |     |         |
|--------------------|---|-----------------------------|-----|---------|
| REF NO             | DESCRIPTION   | D of Q                      | QTY | REMARKS |
| <u>SECTION 1B</u>  |   |                             |     |         |
| 1226205            | TOOL DESOLDERING, WELLOR DS-TCP ACCESSORY )         | Each                        | 2   |         |
| or<br>1226203      | TOOL DESOLDERING, SOLDAPULLT DE-LUXE )              |                             |     |         |
| 1146315            | TRANSFORMER   | Each                        | 23  |         |
| <u>SECTION 3A</u>  |   |                             |     |         |
| 1647               | MACHINE, Flexible drive, light duty                 | Each                        | 1   |         |
| 2701               | MACHINE hand swaging                                | Each                        | 1   |         |
| 4431796            | MACHINE, heat sealing, continuous band,<br>type HSC | Each                        | 4   |         |
| 3071 or            | MACHINE, saw elect hand portable, type RZW )        | Each                        | 1   |         |
| 3072               | MACHINE, saw elect hand portable, type M40 )        |                             |     |         |
| 2033611            | MACHINE, sewing elect type                          | Each                        | 1   |         |
| 4279017            | MACHINE, sewing elect BU                            | Each                        | 1   |         |
| 2033607            | MACHINE, sewing elect type                          | Each                        | 1   |         |
| 4278820            | MACHINE Sewing Flect                                | Each                        | 1   |         |
| 2006711            | MACHINE Sewing Elect                                | Each                        | 5   |         |
| 1006               | MACHINE, stencil cutting 1/2 in type 'A'            | Each                        | 7   |         |
| 2425               | MACHINE, stencil cutting 13/16 in diagraph          | Each                        | 4   |         |
| 3329 or            | MACHINE, stencil cutting 1 in autograph )           | Each                        | 1   |         |
| 2238               | MACHINE, stencil cutting )                          |                             |     |         |
| <u>SECTION 3AP</u> |   |                             |     |         |
| 4278767            | MACHINE, saw portable air operated (Cengar)         | Each                        | 1   |         |



| COMMAND: SUPPORT   |   | UNIT: RAF CHILLWELL NO 14 MH |     |         |
|--------------------|---|------------------------------|-----|---------|
| REF NO             | DESCRIPTION                                   | D of Q                       | QTY | REMARKS |
| <u>SECTION 4A</u>  |   |                              |     |         |
| 2271               | CUTTER, circular electric heavy duty          | Each                         | 1   |         |
| 2237               | MACHINE heat sealing pedestal                 | Each                         | 3   |         |
| 2438               | MACHINE heat sealing continuous type HS-C     | Each                         | 3   |         |
| 4454160            | OVEN, drying                                  | Each                         | 1   |         |
| <u>SECTION 4C</u>  |   |                              |     |         |
| 4146               | FLYING CLOTHING, test cabinet                 | Each                         | 1   |         |
| <u>SECTION 4C6</u> |   |                              |     |         |
| 4189               | BLADE, snow plough, type 'K'                  | Each                         | 3   |         |
| <u>SECTION 4CJ</u> |   |                              |     |         |
| 2304 or            | SWEeper mechanical type C                     | Each                         | 2   | )       |
| 2499 or            | SWEeper mechanical type E                     |                              |     |         |
| 2531 or            | SWEeper mechanical type G                     |                              |     |         |
| 3345               | SWEeper mechanical type J                     |                              |     |         |
| <u>SECTION 4D</u>  |   |                              |     |         |
| 4227447            | BIN Storage                                   | Each                         | 55  |         |
| 2640               | TROLLEY, fork lift                            | Each                         | 1   |         |
| 3458               | TRUCK, fork lift pedestrian operated, 560 lbs | Each                         | 1   |         |
| 4230058            | TRUCK, fork lift pedestrian operated          | Each                         | 1   |         |

| COMMAND: SUPPORT   |                                     | UNIT: RAF CHILWELL NO 14 MU |      |         |
|--------------------|-------------------------------------|-----------------------------|------|---------|
| REF NO             | DESCRIPTION                         | D of Q                      | QTY  | REMARKS |
| <u>SECTION 4F</u>  |                                     |                             |      |         |
| 6480               | HEATER portable type B 300 MK 2     | Each                        | 6    |         |
| 1787               | TROLLEY radar serv type 'E'         | Each                        | 1    |         |
| <u>Comprising</u>  |                                     |                             |      |         |
| 1924               | TROLLEY                             | Each                        | 1    |         |
| 4229288            | BENCH mounting                      | Each                        | 1    |         |
| <u>SECTION 4G</u>  |                                     |                             |      |         |
| 7028 or            | ADAPTER Inflation Mk 6              | }                           | Each | 1       |
| 2031043            | ADAPTER Inflation Mk 6A             |                             |      |         |
| 5208               | CLEANER, vacuum large electric      | Each                        | 6    |         |
| 4420925            | GAUGE, checking, container pressure | Each                        | 1    |         |
| 2595               | GAUGE, pressure 2-20 psi            | Each                        | 1    |         |
| 257                | PUMP, oleo, u/c type 'A'            | Each                        | 1    |         |
| <u>ACCESSORY</u>   |                                     |                             |      |         |
| 5695               | ADAPTER                             | Each                        | 1    |         |
| 9415               | KIT Adaptor (Phantom)               | Each                        | 1    | (QAS)   |
| NIV                | HYDRAULIC Power Pack 4 (Gam)        | Each                        | 1    |         |
| 4420479            | RIG, Test, linear actuator          | Each                        | 1    |         |
| 9413               | RIG, Test, pneumatic                | Each                        | 1    |         |
| 6591               | RIG, Test, rotary actuator          | Each                        | 1    |         |
| <u>SECTION 4GD</u> |                                     |                             |      |         |
| 6734               | TROLLEY, nitrogen charging Mk 1A    | Each                        | 1    |         |
| 8362               | TROLLEY, nitrogen charging Mk 2     | Each                        | 1    |         |
| 10424              | TROLLEY, fuel replenishment         | Each                        | 1    |         |

| COMMAND: SUPPORT  |   | UNIT: RAF CHILWELL No 14 MU |     |         |
|-------------------|---|-----------------------------|-----|---------|
| REF NO            | DESCRIPTION   | D of Q                      | QTY | REMARKS |
| <u>SECTION 4K</u> |   |                             |     |         |
| 3833 or           | LIGHTWEIGHT, Portable Fuel Pumping Unit )                 | Each                        | 1   |         |
| 3217              | PORTABLE Fuel Pumping Unit )                              |                             |     |         |
| <u>SECTION 4L</u> |   |                             |     |         |
| '253470           | SLING Universal (for lifting cased ECU's)<br>(GM/D/16773) | Each                        | 1   |         |
| <u>SECTION 4X</u> |   |                             |     |         |
| 2062620           | MAGNIFIER, X2, model GP                                   | Each                        | 18  |         |
| <u>SECTION 5A</u> |   |                             |     |         |
| 9723881           | BLOWER, air portable type 'D'                             | Each                        | 1   |         |
| <u>ACCESSORY</u>  |   |                             |     |         |
| 4305              | NOZZLE  | Each                        | 1   |         |
| 1990054           | LAMPS, Fluorescent, Type D20/2                            | Each                        | 4   |         |
| 1106594           | TRIPOD Collapdible Type (JMH)                             | Each                        | 4   |         |
| 5099              | CLAMP Insert  | Each                        | 4   |         |
| <u>SECTION 5P</u> |   |                             |     |         |
| 2908              | RECTIFIER, metal transportable, type 37                   | Each                        | 19  |         |
| 3234              | RECTIFIER, metal transportable, type 37A                  | Each                        | 18  |         |
| 4383264           | RECTIFIER, metal, transportable, type 38                  | Each                        | 4   |         |

| COMMAND: SUPPORT          |   | UNIT: RAF CHILWELL No 14 MU |     |         |
|---------------------------|---|-----------------------------|-----|---------|
| REF NO                    | DESCRIPTION                                     | D of Q                      | QTY | REMARKS |
| <u>SECTION 5P (Contd)</u> |   |                             |     |         |
| 3433                      | SET, MOTOR alternator 5 KVA 115V, 400 c/s 3PH   | Each                        | 2   |         |
| 3180                      | RECTIFIER, metal transportable, type 38, 112V   | Each                        | 4   |         |
| 3132                      | SET, GENERATING 6 KW 28V DC                     | Each                        | 1   |         |
| 3150                      | SET, GENERATOR, 2.5 KVA 115V 400 c/s 3PH        | Each                        | 3   |         |
| 3354 or                   | SET, MOTOR ALTERNATOR, 5 KVA 200V 400 c/s 3PH ) | Each                        | 11  |         |
| 3501 or                   | SET, MOTOR ALTERNATOR 5 KVA 200V 400 c/s 3PH )  |                             |     |         |
| 3502                      | SET, MOTOR ALTERNATOR 5 KVA 200V 400 c/s 3PH )  |                             |     |         |
| 4383394                   | SET, MOTOR GENERATOR 7 KW 112V DC               | Each                        | 6   |         |
| 4383248                   | SET, MOTOR GENERATOR 1.5KW 112V DC              | Each                        | 1   |         |
| 3826                      | TRANSFORMER, 3 KVA, 200/115 volt, 400 HZ, 3 PH  | Each                        | 3   |         |
| 2139                      | WIPER MAGNET, 220V Large                        | Each                        | 1   |         |
| 2140                      | WIPER MAGNET, 220V Small                        | Each                        | 1   |         |
| 3731                      | MAX-ARC Hand Demagnetiser Unit                  | Each                        | 1   |         |
| <u>SECTION 5Q</u>         |   |                             |     |         |
| 25706                     | METER, Frequency, 360-440 cps                   | Each                        | 1   |         |

| COMMAND: SUPPORT |   | UNIT: RAF CHILWELL No 14 MU |     |         |
|------------------|---|-----------------------------|-----|---------|
| REF NO           | DESCRIPTION   | D of Q                      | QTY | REMARKS |
|                  | <u>SECTION 6C (Contd)</u>                           |                             |     |         |
|                  | <u>EQUIPMENT TEST - INTEGRATED FLIGHT INST.</u>     |                             |     |         |
|                  | <u>CONTROL SYSTEMS</u>                              |                             |     |         |
|                  | <u>COMPRISING</u>                                   |                             |     |         |
| 2187             | FIXTURE, contact setting                            | Each                        | 1   |         |
| 1997675          | GAUGE, absolute pressure digital counter indicating | Each                        | 1   |         |
| 1829             | MANOMETER & VALVE UNIT, quick reference             | Each                        | 2   |         |
|                  | <u>Accessory</u>                                    |                             |     |         |
| 1830             | SCALE (PSI)   | Each                        | 2   |         |
| 4360551          | MICROMANOMETOR null reading Mk 1                    | Each                        | 1   |         |
| 4370327          | PRECISION Voltage divider (Muirhead)                | Each                        | 1   |         |
| 4199417          | SET Test Flight instruments (Civil)                 | Each                        | 1   |         |
| 1836             | SET Test artificial horizon                         | Each                        | 1   |         |
| 2054             | SET Test No 1                                       | Each                        | 1   |         |
| 2055             | SET Test No 2                                       | Each                        | 1   |         |
| 2158 or          | SET Test No 2A )                                    |                             |     |         |
| 325              | SET Test type B )                                   | Each                        | 1   |         |
| 2159             | SET Test No 2B                                      | Each                        | 1   |         |
| 2186             | SPANNER, rotary switch locknut                      | Each                        | 1   |         |
| 4360604          | STAND, test Mk 2 for pressure demand regulator      | Each                        | 1   |         |
| 9549379          | STROBOSCOPE, portable model 1200E                   | Each                        | 1   |         |
| 2140             | TEST FIXTURE, pitch & roll universal                | Each                        | 1   |         |
| 4361162          | TESTER, pressure                                    | Each                        | 1   |         |
| 1166             | TESTER, rotameter flow                              | Each                        | 1   |         |
| 3000             | TESTER, tachometer (Bryans type)                    | Each                        | 1   |         |
| 993              | TORQUE Testing Device for Air Position indicator    | Each                        | 1   |         |
| 1206             | TRANSFORMER, 115V - Variac                          | Each                        | 1   |         |
| 3228 or          | VACUUM PUMP, aneroid testing type E 35 )            |                             |     |         |
| 1522             | VACUUM PUMP, aneroid testing )                      | Each                        | 1   |         |
|                  | <u>ACCESSORY</u>                                    |                             |     |         |
| 1498             | NON-RETURN valve (use with 6C/1522)                 | Each                        | 1   |         |

| COMMAND: SUPPORT |  | UNIT: RAF CHILWELL No 14 MU |     |         |
|------------------|--|-----------------------------|-----|---------|
| REF NO           | DESCRIPTION  | D of Q                      | QTY | REMARKS |
|                  | <u>SECTION 6C (Contd)</u>                              |                             |     |         |
| 2215             | WEIGHING Balance, semi-automatic (Avery type)<br>small | Each                        | 2   |         |
|                  | <u>HEAD OF DISPLAY</u>                                 |                             |     |         |
| 1175382          | ALIGNMENT Test Set                                     | Each                        | 1   |         |
| 1171239          | CASE carrying Dits Mk 2                                | Each                        | 1   |         |
| 1171241          | CASE Carrying Dits Mk 22                               | Each                        | 1   |         |
| 1171240          | CASE Carrying PDU                                      | Each                        | 1   |         |
| 1171228          | DISPLAY Intensity Test Set Mk 2                        | Each                        | 1   |         |
| 1171237          | MOUNTING Bench Display Unit                            | Each                        | 1   |         |
|                  | <u>SECTION 6D</u>                                      |                             |     |         |
| 1702             | REGULATOR charging, Mk 3                               | Each                        | 1   |         |
| 2351             | UNIT, pressure regulating                              | Each                        | 1   |         |
|                  | <u>ACCESSORY</u>                                       |                             |     |         |
|                  | 4G/3745 HOSE Assy                                      | Each                        | 1   |         |
|                  | <u>SECTION 6E</u>                                      |                             |     |         |
| 946              | MAGNIFIER Allen M5                                     | Each                        | 18  |         |
|                  | <u>SECTION 10AF</u>                                    |                             |     |         |
| 9131419          | COUNTER electronic frequency CT463                     | Each                        | 1   |         |
|                  | <u>SECTION 10S</u>                                     |                             |     |         |
| 9558163          | BRIDGE resistance CT 530                               | )                           | 1   |         |
| 9724702          | BRIDGE resistance universal CT492                      |                             |     |         |

| COMMAND: SUPPORT |   | UNIT: RAF CHILWELL No 14 MU |     |         |
|------------------|---|-----------------------------|-----|---------|
| REF NO           | DESCRIPTION   | D of Q                      | QTY | REMARKS |
| 2206770          | <u>SECTION 42PL</u><br>POWER Light Charging Set 500 watts | Each                        | 6   |         |
| 1974028          | <u>SECTION 210S</u><br>VALVE VOLTMETER Type 412A          | Each                        | 1   |         |

| COMMAND: SUPPORT |  | UNIT: RAF STAFFORD No 16 MU |     |                  |
|------------------|--|-----------------------------|-----|------------------|
| REF NO           | DESCRIPTION  | D of Q                      | QTY | REMARKS          |
|                  | <u>SECTION 3A</u>  |                             |     |                  |
| 3702             | MACHINE, sanding and polishing, lightweight orbital type | Each                        | 1   |                  |
|                  | <u>ACCESSORIES:</u>                                      |                             |     |                  |
| 3724             | PAD, felt  | Each                        | 1   |                  |
| 3725             | PAD, sponge rubber                                       | Each                        | 1   |                  |
| 3759             | FILTER, lubricating and regulator unit                   | Each                        | 1   |                  |
| 3765             | HOSE, oil resistant 30 ft                                | Each                        | 1   |                  |
| 3766             | HOSE, oil resistant 60 ft                                | Each                        | 1   |                  |
| 3768             | POLISHER, lambs wool                                     | Each                        | 1   |                  |
|                  | 34D/9423224 fluid lubricating                            | As required                 |     |                  |
| 1647             | MACHINE, flexible drive, light duty                      | Each                        | 2   |                  |
| 2701             | MACHINE Hand Swaging                                     | Each                        | 1   |                  |
| 2033611          | MACHINE, sewing elect type                               | Each                        | 1   |                  |
| 2237             | MACHINE heat sealing pedestal                            | Each                        | 6   |                  |
| 4279017          | MACHINE, sewing elect BU supplies, type 'U'              | Each                        | 1   |                  |
| 2438             | MACHINE heat sealing continuous band                     | Each                        | 3   |                  |
| 2006711          | MACHINE, sewing elect singer type                        | Each                        | 18  |                  |
| 2033607          | MACHINE, sewing elect                                    | Each                        | 4   |                  |
| 4278820          | MACHINE, sewing, electric                                | Each                        | 3   |                  |
| 3329 or          | MACHINE stencil cutting lin autograph )                  | Each                        | 1   |                  |
| 2238             | MACHINE stencil cutting )                                |                             |     |                  |
| 2197             | PLANT metal spraying                                     | Each                        | 1   | Sect 4 Workshops |
|                  | <u>SECTION 3AP</u>                                       |                             |     |                  |
| 3688             | KEY, pistol de-rusting                                   | Each                        | 2   |                  |
| 4278767          | MACHINE, saw portable air operated (Cengar)              | Each                        | 1   |                  |
| 3702             | MACHINE sanding and polishing orbital                    | Each                        | 1   |                  |



| COMMAND: SUPPORT |  | UNIT: RAF STAFFORD No 16 MU |     |                    |
|------------------|--|-----------------------------|-----|--------------------|
| REF NO           | DESCRIPTION                                    | D of Q                      | QTY | REMARKS            |
|                  | <u>SECTION 4A</u>                              |                             |     |                    |
| 2271             | CUTTER, circular electric heavy duty           | Each                        | 1   |                    |
| 2793             | FURNACE, Muffle, Horizontal Electric           | Each                        | 1   |                    |
|                  | <u>EQUIPMENT TEST-ROTAX ELECT ENG STARTER</u>  |                             |     |                    |
|                  | <u>COMPRISING:</u>                             |                             |     |                    |
| 2874             | DYNAMOTER double brake                         | Each                        | 1   |                    |
| 2875             | DYNAMOTER double disc brake                    | Each                        | 1   |                    |
| 2876             | INSTRUMENT control panel                       | Each                        | 2   |                    |
| 2877             | DRIVE coupling                                 | Each                        | 8   |                    |
| 2878             | ADAPTER mounting                               | Each                        | 8   |                    |
| 2879             | ADAPTER, special for pump drive test           | Each                        | 1   |                    |
| 2197             | PLANT metal spraying                           | Each                        | 1   | (Sect 4 Workshops) |
| 2237             | MACHINE HEAT sealing pedestal                  | Each                        | 6   |                    |
| 2438             | MACHINE HEAT sealing continuous band type HS-C | Each                        | 3   |                    |
| 2315             | WELDER, spot electric hand                     | Each                        | 1   |                    |
| 4465             | VACU-BLAST, model PEA.05 (VB 4419)             | Each                        | 1   |                    |
| 4471             | VACU-BLAST, model PH 100                       | Each                        | 1   |                    |
|                  | <u>SECTION 4C</u>                              |                             |     |                    |
| 3368             | WEIGHT set, helmet testing                     | Each                        | 1   |                    |
|                  | <u>SECTION 4CB</u>                             |                             |     |                    |
| 4189             | BLADE, snow plough, type 'K'                   | Each                        | 3   |                    |
|                  | <u>SECTION 4CD</u>                             |                             |     |                    |
| 2304             | SWEeper mechanical type C                      | Each                        | 2   |                    |
| 2499             | SWEeper mechanical type E                      | Each                        | 2   |                    |

| COMMAND: SUPPORT           |  | UNIT: RAF STAFFORD No 16 MU |     |                     |
|----------------------------|--|-----------------------------|-----|---------------------|
| REF NO                     | DESCRIPTION                                | D of Q                      | QTY | REMARKS             |
| <u>SECTION 4CD (Contd)</u> |  |                             |     |                     |
| 2531                       | SWEEPER mechanical type G                  | Each                        | 2   |                     |
| 3345                       | SWEEPER mechanical type J                  | Each                        | 2   |                     |
| <u>SECTION 4D</u>          |  |                             |     |                     |
| 4227447                    | BIN Storage                                | Each                        | 83  |                     |
| 2355                       | TROLLEY, fork lift, sherpa type Mk 2       | Each                        | 1   |                     |
| 4230049                    | TRUCK fork lift pedestrian operated        | Each                        | 1   | Section 4 Workshops |
| <u>SECTION 4DB</u>         |  |                             |     |                     |
| 2059098                    | HEAVY Duty Roller                          | Each                        | 14  | ) Arm Workshops     |
| 2059099                    | CONVEYOR Stands                            | Each                        | 28  |                     |
| <u>SECTION 4E</u>          |  |                             |     |                     |
| 4229313                    | TROLLEY, Air Cooling Mk 2A )               | Each                        | 1   |                     |
| or<br>5221                 | TROLLEY, Air Cooling Mk 2C )               |                             |     |                     |
| 1805                       | TROLLEY Servicing, Pneumatic, LP Mk 1B     | Each                        | 2   |                     |
| 4229212                    | TROLLEY Compressor Air, Type L Mk 2A       | Each                        | 1   |                     |
| 3229                       | TROLLEY, hyd servicing, Mk 2D              | Each                        | 1   |                     |
| 1041044                    | TROLLEY Pressure Cabin Testing 1C          | Each                        | 1   | App School          |
| <u>SECTION 4FE</u>         |  |                             |     |                     |
| 3761 or                    | TROLLEY Electrical Servicing, 15 KVA/10V ) | Each                        | 1   | Armament Workshops  |
| 4257                       | TROLLEY Electrical 200/28V )               |                             |     |                     |

| COMMAND: SUPPORT   |   | UNIT: RAF STAFFORD No 16 MU |     |         |
|--------------------|---|-----------------------------|-----|---------|
| REF NO             | DESCRIPTION                                       | D of Q                      | QTY | REMARKS |
| <u>SECTION 4G</u>  |   |                             |     |         |
| 4420579            | RIG Test, Hyd, Component                          | Each                        | 1   |         |
| 9413               | RIG Test, Pneumatic                               | Each                        | 1   |         |
| 3430               | SET Test, hydraulic                               | Each                        | 3   |         |
| <u>SECTION 4GA</u> |   |                             |     |         |
| 2668               | TROLLEY, Bomb, Type "F"                           | Each                        | 12  |         |
| 4409081            | TROLLEY, Weapon Transportation, Type "S"          | Each                        | 1   |         |
| <u>SECTION 4GC</u> |   |                             |     |         |
| 5425               | HOIST, HAC, 250 lbs Pt No 25/63                   | Each                        | 2   |         |
| 1043793            | HOIST Aircraft, Heavy Component, 5 cwt Pt No 42/1 | Each                        | 3   |         |
| <u>ACCESSORY:</u>  |   |                             |     |         |
| 1046578            | TOP Sheath Hook, 5 cwt Pt No 42/27                | Each                        | 2   |         |
| 1042863            | HOOK, cable end, Pt No 41/76                      | Each                        | 1   |         |
| 4232208            | SLEEVE connecting, ext tube, 90° Pt No 29/29      | Each                        | 1   |         |
| 1043791            | TUBE, extension, 36" (Pt No 41/101)               | Each                        | 1   |         |
| <u>SECTION 4GD</u> |   |                             |     |         |
| 6541 or )          | TROLLEY Fuel Replenishment                        | Each                        | 2   |         |
| 10424 )            | (Ground Equipment)                                |                             |     |         |
| 11014              | TROLLEY Helium Charging, Single Cylinder          | Each                        | 1   |         |
| 8362               | TROLLEY, Nitrogen charging Mk 2                   | Each                        | 1   |         |

| COMMAND: SUPPORT |  | UNIT: RAF STAFFORD No 16 MU |     |         |
|------------------|--|-----------------------------|-----|---------|
| REF NO           | DESCRIPTION  | D of Q                      | QTY | REMARKS |
|                  | <u>SECTION 4K</u>  |                             |     |         |
| 4409977          | MASTER Meter, (Refuelling Vehicles)                        | Each                        | 5   |         |
|                  | <u>SECTION 4L</u>  |                             |     |         |
| 2784             | GANTRY Lifting, Heavy Duty 1 Ton                           | Each                        | 1   |         |
| 2952             | HOIST, Dual Purpose  | Each                        | 1   |         |
| 4253407          | SLING Mainplane Handling Type "B"                          | Each                        | 1   |         |
| 4253470          | SLING, Universal (For Lifting Cased ECU's)<br>(GM/D/16773) | Each                        | 8   |         |
|                  | <u>SECTION 4N</u>  |                             |     |         |
| 187 or           | PLANT, Chemical Cleaning )                                 | Each                        | 1   |         |
| 289              | PLANT, Chemical Cleaning )                                 |                             |     |         |
|                  | <u>SECTION 4X</u>  |                             |     |         |
| 2767             | MAGNIFIER Hand, Allen, Type M80                            | Each                        | 3   | (QAS)   |
| 2062620          | MAGNIFIER, X2, Model GP                                    | Each                        | 2   |         |
| 4513             | MAGNETIC FLUX indicator                                    | Each                        | 1   |         |
| 4514             | MAGNETIC PARTICLE detection kit                            | Each                        | 1   |         |
|                  | <u>SECTION 5A</u>  |                             |     |         |
| 9723881          | BLOWER, air portable type 'D'                              | Each                        | 1   |         |
| 4349680          | REELS, Cable Extension                                     | Each                        | 32  |         |
| 3580             | UNIT, Sodium Flare   | Each                        | 2   |         |

| COMMAND: SUPPORT |   | UNIT: RAF STAFFORD No 16 MU |     |                           |
|------------------|---|-----------------------------|-----|---------------------------|
| REF NO           | DESCRIPTION                             | D of Q                      | QTY | REMARKS                   |
|                  | <u>SECTION 5G</u>                       |                             |     |                           |
| 3361             | LOADING bank (mobile)                   | Each                        | 1   |                           |
| 3222             | TESTER, bomb carrier                    | Each                        | 1   |                           |
|                  | <u>ACCESSORY:</u>                       |                             |     |                           |
| 3044             | POWER unit assy                         | Each                        | 1   |                           |
|                  | <u>SECTION 5P</u>                       |                             |     |                           |
| 2908             | RECTIFIER, metal transportable, type 37 | Each                        | 1   |                           |
|                  | <u>SECTION 6E</u>                       |                             |     |                           |
| 948              | MAGNIFIER Allen MS                      | Each                        | 2   |                           |
|                  | <u>SECTION 21C</u>                      |                             |     |                           |
| 1296641          | SCALE, dial indicating, pedestal type   | Each                        | 1   |                           |
|                  | <u>SECTION 27G</u>                      |                             |     |                           |
| 2730             | MAXARET, test rig                       | Each                        | 1   |                           |
| 3162             | MAXARET, test rig                       | Each                        | 3   |                           |
|                  | <u>SECTION 34F</u>                      |                             |     |                           |
| 302              | TROLLEY, transportation                 | Each                        | 6   | Mobile fuel handling Sqdn |

| COMMAND: SUPPORT |                                  | UNIT: RAF STAFFORD No 16 MU |     |         |
|------------------|----------------------------------|-----------------------------|-----|---------|
| REF NO           | DESCRIPTION                      | D of Q                      | QTY | REMARKS |
|                  | <u>SECTION 40B</u>               |                             |     |         |
| 1774             | STAND Transit/Servicing Spey 250 | Each                        | 1   |         |
| 4591033          | STAND Transit/Servicing, Tyne    | Each                        | 1   |         |
|                  | <u>SECTION 63A</u>               |                             |     |         |
| 207              | LABORATORY Jack                  | Each                        | 1   |         |
| 206              | TRIPLE Objectives                | Each                        | 1   |         |
| 204              | VISION Microscope                | Each                        | 1   |         |

| COMMAND: SUPPORT   |  | UNIT: RAF ALDERGROVE (No 23 MU) |     |         |
|--------------------|--|---------------------------------|-----|---------|
| REF NO             | DESCRIPTION                                      | D of Q                          | QTY | REMARKS |
| <u>SECTION 1B</u>  |  |                                 |     |         |
| 1226205 or         | TOOL, Desoldering, Wellar DS TCP accessory )     | Each                            | 1   |         |
| 1226203            | TOOL, Desoldering, Soldapult, de luxe )          |                                 |     |         |
| 1146315            | TRANSFORMER                                      | Each                            | 3   |         |
| <u>SECTION 1C</u>  |  |                                 |     |         |
| 6642               | TESTER, Avdel Pin                                | Each                            | 1   |         |
| <u>SECTION 3A</u>  |  |                                 |     |         |
| 4450 to            | ASSEMBLY Tool Kit (British Fittings) )           | Each                            | 1   |         |
| 4460               | )  |                                 |     |         |
| 4490 to            | ASSEMBLY Tool Kit (American Fittings) )          | Each                            | 1   |         |
| 4500               | )  |                                 |     |         |
| 4521               | HAND Clamp machine Pt No 2636                    | Each                            | 1   |         |
| 4448               | MACHINE Hose Cutting, Pt N4 480/1                | Each                            | 1   |         |
| 2701               | MACHINE Hand swinging                            | Each                            | 1   |         |
| 2051264            | MACHINE, sanding, portable, electric (Wolf)      | Each                            | 1   |         |
| 1006               | MACHINE Stencil Cutting, 1/2" Type 'A'           | Each                            | 1   |         |
| 2425               | MACHINE Stencil Cutting, 13/16" Biagraph         | Each                            | 1   |         |
| 4449               | MACHINE Stripping, hand operated Pt No RPD 362/1 | Each                            | 1   |         |
| 4522               | RUBBER Removal Tools, Pt No S1021                | Each                            | 1   |         |
| 4564               | VICE PAD, for G01 hose, Pt No F 1963             | Each                            | 1   |         |
| <u>SECTION 3AP</u> |  |                                 |     |         |
| 2853               | EXTENSION Right angle                            | Each                            | 2   |         |

| COMMAND: SUPPORT                   |  | UNIT: RAF ALDERGROVE (No 23 MU) |     |         |
|------------------------------------|--|---------------------------------|-----|---------|
| REF NO                             | DESCRIPTION                                  | D of Q                          | QTY | REMARKS |
| <u>SECTION 3AP (Contd)</u>         |  |                                 |     |         |
| 4476                               | JAW Spreader )                               | Each                            | 1   |         |
| 4477                               | CONE Tip 1/8" Diam )                         | Each                            | 1   |         |
| 4478                               | CONE Tip 5/32" Diam )                        | Each                            | 1   |         |
| 4479                               | CONE Tip 3/16" Diam )                        | Each                            | 1   |         |
| 4278674                            | MACHINE, sheering, pneumatic                 | Each                            | 2   |         |
| 2033613                            | OSCILLATING IMPACT WRENCH, reversible (W25)  | Each                            | 14  |         |
| 3688                               | KEY Pistol de-rusting                        | Each                            | 1   |         |
| 2033614                            | MACHINE Drilling pneumatic                   | Each                            | 1   |         |
| 4278767                            | MACHINE SAW, Portable, air operated (Cengar) | Each                            | 1   |         |
| 3875                               | MANDREL Cropping Tool (Pneumatic)            | Each                            | 2   |         |
| 2036871                            | METAL Shear, Pneumatic, Model 808105         | Each                            | 1   |         |
| 4278633                            | RIVETER, Chobert, type 'D', Mk 4             | Each                            | 2   |         |
| 4384 or                            | RIVETER, Hydro pneumatic, type 710 )         | Each                            | 2   |         |
| 4278611                            | RIVETER, Hydro pneumatic, type 'F' )         |                                 |     |         |
| 4278632                            | RIVETER, Chobert, type 'C' Mk 2              | Each                            | 1   |         |
| 4219                               | TOOLS Rivetting, Straight, Cherry lock       | Each                            | 1   |         |
| <u>SECTION 4A</u>                  |  |                                 |     |         |
| <u>EQUIPMENT PRECISION LAPPING</u> |  |                                 |     |         |
| <u>COMPRISING:</u>                 |  |                                 |     |         |
| 2747                               | LAPMETER 12", Precision wrapping machine )   | Each                            | 1   |         |
| 2748                               | MICROMATIC Light Assy )                      | Each                            | 1   |         |
| 2749                               | HAND Lapping plate 6" )                      | Each                            | 1   |         |
| 2750                               | POLISHING Plate 6" )                         | Each                            | 1   |         |
| 4453948                            | EXTENSION (Nordsen versa)                    | Each                            | 6   |         |
| 2793                               | FURNACE Muffle, Horizontal, electric         | Each                            | 1   |         |
| 2950                               | GAUGE Thickness test, (Shredder type)        | Each                            | 1   |         |
| 2237                               | MACHINE Heat sealing, pedestal               | Each                            | 2   |         |
| 2581                               | PALLET Slave                                 | Each                            | 2   |         |



| COMMAND: SUPPORT |   | UNIT: RAF ALDERGROVE (No 23 MU) |     |         |
|------------------|---|---------------------------------|-----|---------|
| REF NO           | DESCRIPTION                                   | D of Q                          | QTY | REMARKS |
|                  | <u>SECTION 4A (Contd)</u>                     |                                 |     |         |
|                  | <u>EQUIPMENT PRECISION LAPPING (Contd)</u>    |                                 |     |         |
|                  | <u>Comprising (Contd)</u>                     |                                 |     |         |
| 3047             | PLANT Argon arc welding                       | Each                            | 1   |         |
| 2681             | PROBE, Longitudinal, fingerstall              | Each                            | 1   |         |
| 3071             | ROLLER Pressure, (Warren 400)                 | Each                            | 14  |         |
| 4453938          | SPRAY Gun (Nordsen versa)                     | Each                            | 12  |         |
| 4453937          | SPRAY Pump (Nordsen versa)                    | Each                            | 6   |         |
| 4453947          | SWIVEL Head (Nordsen versa)                   | Each                            | 6   |         |
| 4453945          | "Y" Piece (Nordsen versa)                     | Each                            | 6   |         |
| 4465             | VACU-BLAST, model PEA.05 (VB 4419)            | Each                            | 2   |         |
| 4471             | VACU-BLAST, model PH100                       | Each                            | 2   |         |
|                  | <u>SECTION 4C</u>                             |                                 |     |         |
| 4159             | DUMMY Inflatable, pressure suit testing       | Each                            | 1   |         |
| 4146             | FLYING CLOTHING, test cabinet, Mk 4           | Each                            | 1   |         |
| 3240             | MACHINE, Runway de-icer                       | Each                            | 1   |         |
| 3367             | MECHANICAL HANDLER                            | Each                            | 2   |         |
|                  | <u>SECTION 4CA</u>                            |                                 |     |         |
| 4455589          | ARRESTING Gear, rotary, hydraulic, Mk 1       | Sets                            | 2   |         |
| 4431262          | CALIBRATOR, Pre-tension                       | Each                            | 1   |         |
| 2032348          | HOOK Cable assy (120 ft)                      | Each                            | 2   |         |
| 2045124          | PLATFORM Retractable, for run-way edge sheave | Sets                            | 2   |         |
| 4455595          | TAPE Assy, nylon, 6" (1140 ft)                | Each                            | 2   |         |
| 4074             | TAPE Assy, nylon 6" (1280 ft)                 | Each                            | 2   |         |

| COMMAND: SUPPORT |   | UNIT: RAF ALDERGROVE (No 23 MU) |     |         |
|------------------|---|---------------------------------|-----|---------|
| REF NO           | DESCRIPTION   | D of Q                          | QTY | REMARKS |
|                  | <u>SECTION 4CB</u>                                    |                                 |     |         |
| 1859             | BLADE Snow plough, type 'B'                           | Each                            | 4   |         |
|                  | <u>SECTION 4CD</u>                                    |                                 |     |         |
| 2304 or          | SWEeper Mechanical, type 'C' )                        |                                 |     |         |
| 2499             | SWEeper Mechanical, type 'E' )                        | Each                            | 1   |         |
| 2531             | SWEeper Mechanical, type 'G' )                        |                                 |     |         |
| 3345             | SWEeper Mechanical, type 'J' )                        |                                 |     |         |
|                  | <u>ACCESSORIES:</u>                                   |                                 |     |         |
|                  | 4C/2590, attachment towing, side                      | Each                            | 2   |         |
|                  | 4C/2533 Bracket towing, centre                        | Each                            | 2   |         |
|                  | 4C/2528 Attachment towing (For 'E' type sweeper only) | Each                            | 2   |         |
|                  | <u>SECTION 4OB</u>                                    |                                 |     |         |
| 4430137          | STEPS Aircraft passenger                              | Each                            | 2   |         |
|                  | <u>SECTION 4F</u>                                     |                                 |     |         |
| 7249             | RAF Cross-Servicing kits                              | Each                            | 1   |         |
| 2584             | TROLLEY Air cooling and pressure cabin testing Mk 3A  | Each                            | 1   |         |
| 7219             | TROLLEY Air cooling Mk 3F                             | Each                            | 5   |         |
| 3229             | TROLLEY Hyd servicing Mk 2D                           | Each                            | 10  |         |
| 3551 or          | TROLLEY Hyd servicing Mk 4C )                         |                                 |     |         |
|                  | )   | Each                            | 5   |         |
| 7644             | TROLLEY Hyd servicing Mk 4G )                         |                                 |     |         |
| 2026958 or       | TROLLEY Hyd servicing Mk 4D )                         |                                 |     |         |
|                  | )   | Each                            | 4   |         |
| 3150             | TROLLEY Hyd servicing Mk 4B )                         |                                 |     |         |
| 4279             | TROLLEY Hyd servicing Mk 5C (Elect driven)            | Each                            | 4   |         |

| COMMAND: SUPPORT |  | UNIT: RAF ALDERGROVE (NO 23 MU) |     |         |
|------------------|--|---------------------------------|-----|---------|
| REF NO           | DESCRIPTION                                  | D of Q                          | QTY | REMARKS |
|                  | <u>SECTION 4F</u> (Contd)                    |                                 |     |         |
| 4229286          | TROLLEY, transportation, for type 37 and 37A | Each                            | 1   |         |
|                  | <u>SECTION 4FA</u>                           |                                 |     |         |
| 5272 or          | TROLLEY Air starting LP Mk 12 )              | Each                            | 2   |         |
| 4297619          | TROLLEY Air starting LP Mk 12A )             |                                 |     |         |
|                  | <u>SECTION 4FE</u>                           |                                 |     |         |
| 4226249 or       | TROLLEY, Elect, serv, ice driven             | Eah                             | 9   |         |
| 7628             |  |                                 |     |         |
| 3975             | TROLLEY, Elect, serv, 60KVA/10KW, 280/28V    | Each                            | 5   |         |
|                  | <u>SECTION 4G</u>                            |                                 |     |         |
| 7028, or         | ADAPTERS Inflation Mk 6 )                    | Each                            | 2   |         |
| 2031043          | ADAPTERS Inflation Mk 6A )                   |                                 |     |         |
| 7031             | ADAPTERS Angled                              | Each                            | 2   |         |
| 9575             | AUXILIARY Power pack, model, 2431            | Each                            | 1   |         |
| 4420144          | CREEPER A/c servicing                        | Each                            | 18  |         |
| 2026900          | DUMMY Trunnion assy                          | Each                            | 1   |         |
| 11201            | FIBRE Class case (CP 15808/1)                | Each                            | 3   |         |
| 5809             | GAUGE Pressure 0-10 psi                      | Each                            | 1   |         |
| 4420202          | GAUGE A/c tyre pressure                      | Each                            | 8   |         |
| 11200            | INSTALLATION gear, Phantom/Spay (CP 15808/1) | Each                            | 3   |         |
| 5641             | LADDER A/c serv giraffe                      | Each                            | 1   |         |
| 4420550          | PLATFORM, elevating, large                   | Each                            | 1   |         |

| COMMAND: SUPPORT |   | UNIT: RAF ALDERGROVE (No 23 MU) |     |                |
|------------------|---|---------------------------------|-----|----------------|
| REF NO           | DESCRIPTION                                   | D of Q                          | QTY | REMARKS        |
|                  | <u>SECTION 4G (Contd)</u>                     |                                 |     |                |
| 5878             | RIG test hydraulic component )                | Each                            | 1   |                |
| 10450 or         | RIG Test hydraulic component Mk 5B )          | Each                            | 1   |                |
| 0471             | RIG Test hydraulic component, Mk 5C )         |                                 |     |                |
| 4421831          | RIG, washing, turbine compressor              | Each                            | 1   |                |
| 4420579          | RIG Test, hydraulic, component                | Each                            | 1   |                |
| 4420479          | RIG Test, linear, actuator                    | Each                            | 1   |                |
| 3430             | RIG Test, hyd component                       | Each                            | 3   |                |
| 2026940          | SLING Turnover                                | Each                            | 1   |                |
| 10430            | STEPS A/c passenger                           | Each                            | 2   | (Movs Section) |
| 2042810          | STEPS A/c servicing, 3 ft                     | Each                            | 12  |                |
| 2026910          | SPACER Rear support                           | Each                            | 3   |                |
| 2040589          | STAND Test engine run up spey 201/202         | Each                            | 1   |                |
| NIV              | TIE Down assy (CB 14727)                      | Each                            | 1   |                |
| 2026898          | TIE Down assy                                 | Each                            | 1   |                |
| 9539             | TRAILER, Engine, install/Removal model 4100 B | Each                            | 1   |                |
| 4253             | TROLLEY, Oil replenishment (100 Galls)        | Each                            | 2   |                |
| 2026897          | TRUNNION, Block spacer (CP 10755/1)           | Each                            | 6   |                |
|                  | SLING, rear turnover (CP 10794)               | Each                            | 1   |                |
|                  | LIFTING Tool (MU 13415)                       | Each                            | 1   |                |
|                  | LINK (CP 10864) (Set of 2)                    | Each                            | 1   |                |
|                  | <u>SECTION 4GA</u>                            |                                 |     |                |
| 9433             | TROLLEY Transportation, type 'S'              | Each                            | 2   |                |
| 9430             | TROLLEY, Weapon loading, type 'T'             | Each                            | 1   |                |
|                  | <u>ACCESSORIES:</u>                           |                                 |     |                |
| 10740            | FORK Adapter )                                | Each                            | 1   |                |
|                  | )   |                                 |     |                |
| 10746            | UNIVERSAL Spreader Bar )                      |                                 |     |                |
| 10548            | ROLLERS Bomb support                          | Each                            | 4   |                |

| COMMAND: SUPPORT |  | UNIT: RAF ALDERGROVE (No 23 MU) |     |         |
|------------------|--|---------------------------------|-----|---------|
| REF NO           | DESCRIPTION  | D of Q                          | QTY | REMARKS |
|                  | <u>SECTION 4GA (Contd)</u>                         |                                 |     |         |
|                  | <u>ACCESSORIES (Contd)</u>                         |                                 |     |         |
| 10722            | FORK Right )                                       | Pair                            | 1   |         |
| 10723            | FORK Left )  |                                 |     |         |
| 10741            | BAR Extension 78 in                                | Each                            | 1   |         |
| 10724            | BAR Extension 30 in                                | Each                            | 1   |         |
| 10469            | SLING, Lifting                                     | Each                            | 1   |         |
| 10745            | COVER Head   | Each                            | 1   |         |
| 10760            | HOOK Adapter, ext bar, type 'T' trolley            | Each                            | 1   |         |
|                  | <u>SECTION 4GB</u>                                 |                                 |     |         |
|                  | <u>HYDROSTATIC WEIGHTING UNITS AND ACCESSORIES</u> |                                 |     |         |
| 4916             | WEIGHING Unit 2 ton                                | Each                            | 2   |         |
| 4894             | WEIGHING Unit 10 ton                               | Each                            | 2   |         |
| 4895             | WEIGHING, Unit 25 ton                              | Each                            | 2   |         |
| 5088             | TAIL Stirrup                                       | Each                            | 1   |         |
| 5089             | TAIL Stirrup                                       | Each                            | 1   |         |
| 4936             | ADAPTOR  | Each                            | 2   |         |
| 4937             | ADAPTOR  | Each                            | 2   |         |
| 5050             | ADAPTOR  | Each                            | 2   |         |
| 4940             | ADAPTOR  | Each                            | 3   |         |
| 5055             | ADAPTOR  | Each                            | 1   |         |
| 5057             | ADAPTOR  | Each                            | 2   |         |
| 5058             | ADAPTOR  | Each                            | 1   |         |
| 4092             | ADAPTOR  | Each                            | 2   |         |
| 5063             | ADAPTOR  | Each                            | 1   |         |
| 5051             | ADAPTOR  | Each                            | 2   |         |
| 5053             | ADAPTOR  | Each                            | 2   |         |
| 5060             | ADAPTOR  | Each                            | 2   |         |

| COMMAND: SUPPORT |   | UNIT: RAF ALDERGROVE (No 23 MU) |     |         |
|------------------|---|---------------------------------|-----|---------|
| REF NO           | DESCRIPTION   | D of Q                          | QTY | REMARKS |
|                  | <u>SECTION 4GB (Contd)</u>                                |                                 |     |         |
|                  | <u>HYDROSTATIC WEIGHING UNITS AND ACCESSORIES (Contd)</u> |                                 |     |         |
| 5639             | ADAPTOR   | Each                            | 1   |         |
| 5739             | ADAPTOR   | Each                            | 2   |         |
| 5801             | ADAPTOR   | Each                            | 1   |         |
| 4398948          | TACKLE, Emergency drag off Mk 1                           | Each                            | 1   |         |
|                  | <u>ACCESSORY:</u>   |                                 |     |         |
| 5726             | STROP 60 ft   | Each                            | 2   |         |
| 4409924          | TOW BAR No 1  | Each                            | 4   |         |
| 4409970          | TRESTLE, mainplane steady                                 | Each                            | 3   |         |
|                  | <u>SECTION 4GC</u>  |                                 |     |         |
| 7021             | FRAME (Slinging) for Dinghy panniers                      | Each                            | 1   |         |
| 4232184          | SLING, Derwent engine                                     | Each                            | 1   |         |
|                  | <u>SECTION 4GD</u>  |                                 |     |         |
| 6541 or          | TROLLEY, Fuel replenishment, for ground equipt )          | Each                            | 2   |         |
| 10424            | TROLLEY, Fuel replenishment, for ground equipt )          |                                 |     |         |
|                  | <u>SECTION 4K</u>   |                                 |     |         |
| 4062             | EQUIPMENT Band Hose attachment                            | Each                            | 1   |         |
| 4608             | MASTER Meter, (Refuelling vehicles)                       | Each                            | 1   |         |
| 4455305          | PLANT A/c washing (Elect driven)                          | Each                            | 1   |         |
| 2042788          | PLANT Steam cleaning                                      | Each                            | 1   |         |

| COMMAND: SUPPORT                                   |   | UNIT: RAF ALDERGROVE (No 23MU) |     |         |
|--|---|--------------------------------|-----|---------|
| REF NO   | DESCRIPTION   | D of Q                         | QTY | REMARKS |
| <u>SECTION 4Q</u>                                  |   |                                |     |         |
| 2332   | TROLLEY Salvage trac-jac  | Each                           | 2   |         |
| 1045835  | BODIES, hyd, 10 ton, type A                                     | Each                           | 9   |         |
| 2610   | JACK, lifting, 25 ton, hyd, 4 legged                            | Each                           | 6   |         |
| 2604   | JACK, lifting, 4 ton, hyd, Pillar type B                        | Each                           | 4   |         |
| <u>SECTION 4T</u>                                  |   |                                |     |         |
| <u>EQUIPMENT HI-WAY STAGING</u>                    |   |                                |     |         |
| <u>COMPRISING:</u>                                 |   |                                |     |         |
| 9087   | BOOM and nose run   | Each                           | 2   |         |
| 9088   | CENTRE Section, under mainplane staging                         | Each                           | 2   |         |
| 9089   | MAINPLANE, Under surface (Inner) staging                        | Each                           | 2   |         |
| 9090   | MAINPLANE, under surface (Outer) staging                        | Each                           | 2   |         |
| 9082   | FIN/Stabilata staging   | Each                           | 4   |         |
| 9091   | FIN Staging (Outer)   | Each                           | 2   |         |
| 9092   | FIN Staging (Inner)   | Each                           | 2   |         |
| 9093   | TAIL Plane staging  | Each                           | 2   |         |
| NIV  | STAGING Major servicing, phantom, drg No 1-71- )<br>2366 ISSD ) | Sets                           | 8   |         |
| 9019   | PLATFORM Servicing Hi-way                                       | Each                           | 6   |         |
| 9018   | PLATFORM U/C Bay, staging (Hi-way)                              | Each                           | 4   |         |
| 9120   | PLATFORM servicing (Hi-way), DRG No B 10900                     | Each                           | 9   |         |
| 6008   | SERVICING Dock (Hi-way)   | Each                           | 2   |         |
| 9083   | STAGING Eng Bay servicing (Hi-way) spey                         | Each                           | 1   |         |
| <u>SECTION 4X</u>                                  |   |                                |     |         |
| <u>EQUIPMENT TEST NON DESTRUCTING (ULTRASONIC)</u> |   |                                |     |         |
| <u>COMPRISING:</u>                                 |   |                                |     |         |
| 2024322  | ULTRASONOSCOPE Mk 2   | Each                           | 1   |         |

| COMMAND: SUPPORT |  | UNIT: RAF ALDERGROVE (No 23 MU) |     |         |
|------------------|--|---------------------------------|-----|---------|
| REF NO           | DESCRIPTION  | D of Q                          | QTY | REMARKS |
|                  | <u>SECTION 4X (Contd)</u>                                  |                                 |     |         |
|                  | <u>EQUIPMENT TEST NON DESTRUCTING (ULTRASONIC) (Contd)</u> |                                 |     |         |
| 2024323          | MAINS Unit (For 4X/2024322)                                | Each                            | 1   |         |
| 2024324          | BATTERY Charger (For 4X/2024322)                           | Each                            | 1   |         |
| 2032184          | BATTERY Additional (For 4X/2024322)                        | Each                            | 1   |         |
| 2496             | PROBE, Longitudinal 15/10/5S                               | Each                            | 1   |         |
| 2497             | PROBE, Transverse 15/45/2.5S                               | Each                            | 1   |         |
| 2681             | PROBE, Fingerstall 10/0/5S                                 | Each                            | 1   |         |
| 2628             | BLOCK, Standard reference 1.1.W                            | Each                            | 1   |         |
| 2629             | CASE, Transit  | Each                            | 1   |         |
| 2661             | INSPECTASCOPE  | Each                            | 1   |         |
| 4027             | INTROSCOPE Kit, 18mm jointed                               | Each                            | 1   |         |
|                  | <u>ACCESSORY:</u>  |                                 |     |         |
| 2034291          | TRANSFORMER, (Quartz Iodine)                               | Each                            | 1   |         |
| 4261             | BOX List Source (DB/1)                                     | Each                            | 1   |         |
| 4263             | CASE Instrument carrying (6 x 32" probes)                  | Each                            | 1   |         |
| 4324             | CASE Instrument carrying (10 x 58 in probes)               | Each                            | 1   |         |
| 4262             | CABLE Light guide fibre 6 ft                               | Each                            | 1   |         |
| 4288             | CALIBRATION block (Non F/E)                                | Each                            | 2   |         |
| 4045             | PERFECTOMETER, Forsters Model 2154                         | Each                            | 1   |         |
| 2062620          | MAGNIFIER X2, Model GP                                     | Each                            | 10  |         |
| 4657628          | NOVALEG METER 96   | Each                            | 1   |         |
| 4287             | PROBE Standard (Non F/E)                                   | Each                            | 1   |         |
| 4657614          | PROBE Spade (Non F/E)                                      | Each                            | 2   |         |
| 4298             | VIEWER Right angle, c/w adaptor 1 case                     | Each                            | 1   |         |
| 4255             | ENDOPROBE (5/9/55L/TD)                                     | Each                            | 1   |         |
| 4299             | ENDOPROBE (5/19/55L/TD)                                    | Each                            | 1   |         |
| 4326             | ENDOPROBE (5/19/60F/TO)                                    | Each                            | 1   |         |
| 4260             | ENDOPROBE (7/13/45R/TO)                                    | Each                            | 1   |         |
| 4256             | ENDOPROBE (8/19/60L/TS)                                    | Each                            | 1   |         |
| 4258             | ENDOPROBE (8/19/60B/TS)                                    | Each                            | 1   |         |
| 4259             | ENDOPROBE (8/33/70F/TS)                                    | Each                            | 1   |         |



| COMMAND: SUPPORT          |   | UNIT: RAF ALDERGROVE (No 23 MU) |     |         |
|---------------------------|---|---------------------------------|-----|---------|
| REF NO                    | DESCRIPTION   | D of Q                          | QTY | REMARKS |
| <u>SECTION 4X (Contd)</u> |   |                                 |     |         |
| 4300                      | ENDOPROBE (8/37/60B/TS)                                 | Each                            | 1   |         |
| 4328                      | ENDOPROBE (8/54/60F/TS)                                 | Each                            | 1   |         |
| 4327                      | ENDOPROBE (8/59/55L)                                    | Each                            | 1   |         |
| <u>SECTION 5A</u>         |   |                                 |     |         |
| NIV                       | CLAMP   | Each                            | 24  |         |
| 4349567                   | LAMP Inspection, flameproof<br>Fluorescent (Hargreaves) | Each                            | 36  |         |
| 1990054                   | LAMP, Fluorescent, type D20/2                           | Each                            | 24  |         |
| 1990052                   | LAMP, Servicing, type Q, c/w stand                      | Each                            | 19  |         |
| 4225                      | PROBE 1/8" diam x 6"                                    | Each                            | 1   |         |
| 4349680                   | REELS, Cable extension                                  | Each                            | 8   |         |
| 4176                      | STAND Elect, Power distribution                         | Each                            | 3   |         |
| 1106594                   | TRIPOD Collapsible, type JMH                            | Each                            | 8   |         |
| 1106608                   | TROLLEY, Power distribution, type JMH 63                | Each                            | 16  |         |
| <u>SECTION 5G</u>         |   |                                 |     |         |
| 5761                      | ADAPTOR Cable, outboard weapons pylon, aero<br>27A Pack | Each                            | 3   |         |
| 5762                      | ADAPTOR Cable, aero 7A launcher                         | Each                            | 3   |         |
| 5261                      | BATH Cleaning, type 14B c/w heating element             | Each                            | 1   |         |
| 5262                      | FILTRATION Rig, KPF 60S                                 | Each                            | 1   |         |
| 4160                      | GENERATOR KG 125, 40 KC/S 125W/500W output              | Each                            | 1   |         |
| 4180                      | SET Test, weapon fusing                                 | Each                            | 1   |         |

| COMMAND: SUPPORT |  | UNIT: RAF ALDERGROVE (No 23 MU) |     |         |
|------------------|--|---------------------------------|-----|---------|
| REF NO           | DESCRIPTION  | D of Q                          | QTY | REMARKS |
|                  | <u>SECTION 5P</u>  |                                 |     |         |
| 2908             | RECTIFIER Metal, transportable, type 37                                    | Each                            | 25  |         |
| 3234             | RECTIFIER Metal, transportable, type 37A                                   | Each                            | 10  |         |
| 4383264          | RECTIFIER Metal, transportable, type 38                                    | Each                            | 1   |         |
| 3150             | SET Generator, 2.5 KVA, 115V 400C/S 3PH                                    | Each                            | 1   |         |
| 3433             | SET Motor alternator, 5KVA, 115V 400 X/S 3PH                               | Each                            | 8   |         |
| 3447 OR          | SET Motor alternator, 15KVA )  | Each                            | 3   |         |
| 3559             | 200V C/S 3PH )   |                                 |     |         |
| 3826             | TRANSFORMER 3KVA, 200/115V, 400HZ, 3PH                                     | Each                            | 1   |         |
|                  | <u>SECTION 6A</u>  |                                 |     |         |
|                  | <u>EQUIPMENT TEST NON DESTRUCTIVE (RADIOGRAPHIC)</u>                       |                                 |     |         |
|                  | <u>COMPRISING:</u>   |                                 |     |         |
|                  | 4X/4044 Rotating flashing  | Each                            | 1   |         |
|                  | RADIATION Warning lamp and Transformer                                     |                                 |     |         |
| MED/10310        | HANGER, Film processing, 6" x 15"  | Each                            | 24  |         |
| MED/10320        | HANGER, Film processing, 8" x 10"  | Each                            | 24  |         |
| MED/10325        | HANGER Film, processing, 10" x 12"   | Each                            | 6   |         |
| MED/10335        | HANGER Film, processing, 14" x 17"   | Each                            | 24  |         |
| MED/04810        | HANGER, Sliding Bar, c/w 2 clips   | Each                            | 24  |         |
| MED/13750        | MARKER Film  | Each                            | 1   |         |
| MED/14000        | ROD Stirring, developer  | Each                            | 2   |         |
| MED/08850        | UNIT Film processing, Kodak, model 56                                      | Each                            | 1   |         |
|                  | 14B/3314 CABINET Drying large  | Each                            | 1   |         |
|                  | 14B/3475 CABINET Film drying   | Each                            | 1   |         |
|                  | 14B/3316 DISH immersion heater   | Each                            | 1   |         |
|                  | 14B/3202 DISH stainless steel 16 $\frac{1}{2}$ " x 20 $\frac{3}{4}$ " x 6" | Each                            | 3   |         |
|                  | 14B/3497, FUNNEL, Polythene  | Each                            | 1   |         |
|                  | 14B/2346 LAMP Darkroom, electric 4" x 5"                                   | Each                            | 1   |         |
|                  | 14B/284 Trimmer print, 15"   | Each                            | 1   |         |

| COMMAND: SUPPORT |   | UNIT: RAF ALDERGROVE (No 23 MU) |     |         |
|------------------|---|---------------------------------|-----|---------|
| REF NO           | DESCRIPTION   | D of Q                          | QTY | REMARKS |
|                  | <u>SECTION 6A (Contd)</u>                                   |                                 |     |         |
|                  | <u>EQUIPMENT TEST NON DESTRUCTIVE (RADIOGRAPHIC)(Contd)</u> |                                 |     |         |
|                  | 63A/172 ANDREX, 150 KVP c/w control panel and 60 ft cable   | Each                            | 1   |         |
|                  | 63A/183 GOGGLES X-Ray, viewing                              | Each                            | 1   |         |
|                  | 63A/115 PENETRAMETER Set                                    | Each                            | 1   |         |
|                  | <u>SECTION 6C</u>   |                                 |     |         |
| 1925549          | CALIBRATOR Pressure gauge Mk 3                              | Each                            | 1   |         |
| 4360864          | CASELLA Barometer   | Each                            | 2   |         |
| 1502             | PEDESTAL Stand  | Each                            | 2   |         |
| 4360604          | STAND Test, Mk 2, for press demand regulator                | Each                            | 1   |         |
| 4361162          | TESTER, pressure  | Each                            | 1   |         |
|                  | <u>SECTION 6E</u>   |                                 |     |         |
| 948              | MAGNIFIER Allen, M5   | Each                            | 10  |         |
|                  | <u>SECTION 6Z</u>   |                                 |     |         |
| 1086048          | MONITOR Radiation, type 0030                                | Each                            | 2   | N.D.T.  |
|                  | <u>SECTION 21C</u>  |                                 |     |         |
| 1296641          | SCALE, dial indicating, pedestal type (c/w pan)             | Each                            | 1   |         |

| COMMAND: SUPPORT |   | UNIT: RAF ALDERGROVE (No 23 MU) |     |         |
|------------------|---|---------------------------------|-----|---------|
| REF NO           | DESCRIPTION                                   | D of Q                          | QTY | REMARKS |
|                  | <u>SECTION 22G</u>                            |                                 |     |         |
| 1275801          | RESPIRATOR, (Siebe Gorman) No 4239            | Each                            | 36  |         |
|                  | <u>SECTION 23C</u>                            |                                 |     |         |
| 1                | ANCHOR Safety static                          | Each                            | 12  |         |
| 2                | HARNESS                                       | Each                            | 12  |         |
|                  | <u>SECTION 27L</u>                            |                                 |     |         |
| 1162             | AIRCRAFT EJECTION SEAT, servicing stand       | Each                            | 18  |         |
| 1163             | ADAPTOR (Mk 1, 2 and 3 ejection seats)        | Each                            | 4   |         |
| 1164             | ADAPTOR (Mk 4 ejection seat)                  | Each                            | 18  |         |
|                  | <u>SECTION 40B</u>                            |                                 |     |         |
| 1738             | STAND, Spey Mk 201/202, ECd (Basic) CP 14844  | Each                            | 9   |         |
|                  | <u>SECTION 40BA</u>                           |                                 |     |         |
| 1739             | FRONT FREIGHT GUARD (CP 14844)                | Each                            | 6   |         |
| 1740             | REAR FREIGHT GUARD (ECU) (CP 18864)           | Each                            | 6   |         |
| 1741             | REAR FREIGHT GUARD (Propulsion unit) CP 13183 | Each                            | 6   |         |
|                  | <u>SECTION 40C</u>                            |                                 |     |         |
| 271E             | ARBOR   | Each                            | 10  |         |
| 273E             | RACK transportation propeller                 | Each                            | 5   |         |

| COMMAND: SUPPORT    |                                     | UNIT: RAF ALDERGROVE (No 23 MU) |     |                                 |
|---------------------|-------------------------------------|---------------------------------|-----|---------------------------------|
| REF NO              | DESCRIPTION                         | D of Q                          | QTY | REMARKS                         |
|                     | <u>ARMY SUPPLIED ITEMS</u>          |                                 |     |                                 |
|                     | <u>SECTION E3</u>                   |                                 |     |                                 |
| 3950-99-<br>2011512 | JACK Crane 30 cwt mt engine removal | Each                            | 1   | National apprentice<br>training |

| COMMAND: SUPPORT    |   | UNIT: RAF HARTLEBURY (No 25MU) |     |         |
|---------------------|---|--------------------------------|-----|---------|
| REF NO              | DESCRIPTION                                   | D of Q                         | QTY | REMARKS |
| <u>SECTION 1B</u>   |   |                                |     |         |
| 1226205             | TOOL, Desoldering, wellor, DS TCP )           | Each                           | 1   |         |
| OR                  | )   |                                |     |         |
| 1226203             | TOOL, Desoldering, soldapult de luxe )        |                                |     |         |
| <u>SECTION 3A</u>   |   |                                |     |         |
| 1300399             | MACHINE Cable crimping (Erma) )               | Each                           | 1   |         |
| OR                  | Type "C" Model 19006 )                        |                                |     |         |
| 3042 or             | MACHINE CABLE Crimping )                      |                                |     |         |
| 3304                | MACHINE Cable crimping (Plessey) )            |                                |     |         |
|                     | Type "B" )                                    |                                |     |         |
| 4278942             | MACHINE, flexible drive, GF50, Mk 1           | Each                           | 1   |         |
| 1646                | MACHINE, flexible drive, heavy duty           | Each                           | 1   |         |
| 2972                | MACHINE, flexible drive, heavy duty           | Each                           | 1   |         |
| 4279093             | MACHINE, sanding elect, portable 230/250V     | Each                           | 1   |         |
| 2033611             | MACHINE Sewing, electric                      | Each                           | 1   |         |
| 4279017             | MACHINE Sewing, elect, BV Supplies, type "U"  | Each                           | 1   |         |
| 2033607             | MACHINE Sewing electric                       | Each                           | 1   |         |
| 2006711             | MACHINE Sewing electric                       | Each                           | 5   |         |
| 4278220             | MACHINE Sewing electric                       | Each                           | 2   |         |
| 1006                | MACHINE Stencil cutting, 1/2", type "A"       | Each                           | 1   |         |
| 2425                | MACHINE, Stencil cutting, 13/16", diagraph    | Each                           | 1   |         |
| <u>SECTION 4A</u>   |   |                                |     |         |
| 2271                | CUTTER, Circular, electric, heavy duty        | Each                           | 1   |         |
| 4454160             | OVEN, drying                                  | Each                           | 1   |         |
| 2406                | MACHINE Communtator and slip ring resurfacing | Each                           | 1   |         |
| <u>ACCESSORIES:</u> |   |                                |     |         |
|                     | 1B/9100086 Gauge dial                         | Each                           | 1   |         |

| COMMAND: SUPPORT |   | UNIT: RAF HARTLEBURY (No 25 MU) |     |         |
|------------------|---|---------------------------------|-----|---------|
| REF NO           | DESCRIPTION   | D of Q                          | QTY | REMARKS |
|                  | <u>SECTION 4A</u> (Contd)                               |                                 |     |         |
|                  | <u>ACCESSORIES</u> (Contd)                              |                                 |     |         |
|                  | 1B/5251 Base magnetic                                   | Each                            | 1   |         |
|                  | 1A/9432963, watchmaker                                  | Each                            | 1   |         |
|                  | 3B/2345, tool side-cutting                              | Each                            | 1   |         |
|                  | 3B/2348 Tool, parting off                               | Each                            | 1   |         |
| 2237             | MACHINE, Heat sealing, pedestal                         | Each                            | 3   |         |
| 2438             | MACHINE Heat sealing, continues                         | Each                            | 2   |         |
| 2406             | MACHINE Commutator and slip ring resurfacing<br>(Contd) |                                 |     |         |
|                  | <u>ACCESSORIES</u> (Contd)                              |                                 |     |         |
| 2464             | MACHINE, Mica undercutting                              | Each                            | 1   |         |
| 2649             | ARMATURE, Hoop Guard                                    | Each                            | 2   |         |
|                  | BAND, Type HS-C   |                                 |     |         |
| 2735             | TEST Mandrel  | Each                            | 1   |         |
|                  | 5A/9426381 Lamp angle poise                             | Each                            | 1   |         |
|                  | 5G/3219 Surface, comparator<br>Sigma type               | Each                            | 1   |         |
|                  | 5G/3363 test block                                      | Each                            | 1   |         |
|                  | 5G/2252 Tester, armature                                | Each                            | 1   |         |
|                  | GROWLER   |                                 |     |         |
|                  | 22G/1765 GOGGLE, Safety, perspex, Mk 2                  | Each                            | 1   |         |
| 2783             | DUMMY Head  | Each                            | 1   |         |
| 2784             | DUMMY Torso, type "A"                                   | Each                            | 1   |         |
| 2785             | DUMMY Torso, type "B"                                   | Each                            | 1   |         |
|                  | <u>SECTION 4CB</u>                                      |                                 |     |         |
| 1859             | BLADE Snow plough, type "B"                             | Each                            | 2   |         |
| 1997             | BLADE Snow plough, type "C"                             | Each                            | 1   |         |

| COMMAND: SUPPORT                      |   | UNIT: RAF HARTLEBURY (No 25 MU) |     |         |
|---------------------------------------|---|---------------------------------|-----|---------|
| REF NO                                | DESCRIPTION   | D of Q                          | QTY | REMARKS |
| <u>SECTION 4CD</u>                    |   |                                 |     |         |
| 2304 or<br>2499 or<br>2531 or<br>3343 | SWEeper Mechanical type "C" )<br>SWEeper Mechanical, type "E" )<br>SWEeper Mechanical type "G" )<br>SWEeper Mechanical type "J" ) | Each                            | 1   |         |
| <u>SECTION 4D</u>                     |   |                                 |     |         |
| 4227447                               | BIN Storage   | Each                            | 32  |         |
| 2355                                  | TROLLEY, Fork lift, sherpa type   | Each                            | 1   |         |
| 4001                                  | TRUCK, Fork lift, pedestrian operated 2000 lb   | Each                            | 1   |         |
| 1714                                  | TROLLEY, Pressure cabin testing Mk 1C   | Each                            | 1   |         |
| <u>SECTION 4G</u>                     |   |                                 |     |         |
| 7028<br>OR<br>2031043                 | ADAPTER, inflation Mk 6 )<br>ADAPTER, inflation Mk 6A )   | Each                            | 1   |         |
| 5208                                  | CLEANER, vacuum large, elect  | Each                            | 1   |         |
| 5809                                  | GAUGE pressure 0-10 psi   | Each                            | 1   |         |
| 4220579                               | RIG, Test, hyd component  | Each                            | 2   |         |
| 4420479                               | RIG, test, linear actuator  | Each                            | 1   |         |
| 9413                                  | RIG, test, pneumatic  | Each                            | 1   |         |
| 5902                                  | RIG, test, Mk 2 powered flying controls   | Each                            | 1   |         |
| 6591                                  | RIG, test rotary actuator   | Each                            | 2   |         |
| <u>ACCESSORY:</u>                     |   |                                 |     |         |
| 8653                                  | ADAPTER, universal  | Each                            | 1   |         |
| 3430                                  | SET, test, hydraulic  | Each                            | 13  |         |



| COMMAND: SUPPORT |  | UNIT: RAF HARTLEBURY (No 25 MU) |     |         |
|------------------|--|---------------------------------|-----|---------|
| REF NO           | DESCRIPTION                                  | D of Q                          | QTY | REMARKS |
|                  | <u>SECTION 4X</u>                            |                                 |     |         |
| 2662620          | MAGNIFIER X2, Model GP                       | Each                            | 2   |         |
|                  | <u>SECTION 5A</u>                            |                                 |     |         |
| 4349680          | REELS, cable extension                       | Each                            | 8   |         |
|                  | <u>SECTION 5G</u>                            |                                 |     |         |
| 5435             | SET Test depth presetter                     | Each                            | 1   |         |
| 564              | TESTER, inverter                             | Each                            | 2   |         |
| 3267             | TESTER, inverter & freq changer              | Each                            | 2   |         |
|                  | <u>SECTION 5P</u>                            |                                 |     |         |
| 3289             | BOARD, charging type 'F'                     | Each                            | 1   |         |
| 2908             | RECTIFIER, metal transportable type 37       | Each                            | 2   |         |
| 3234             | RECTIFIER, metal transportable, type 37A     | Each                            | 5   |         |
| 4383264          | RECTIFIER, metal transportable type 38, 112V | Each                            | 2   |         |
| 3354             | SET, motor, alternator 5 KVA 200V, 400 c/s   | Each                            | 2   | )       |
| OR               | 3ph  |                                 |     |         |
| 3501             | SET, motor, alternator 5 KVA 200V, 400 c/s   |                                 |     |         |
| OR               | 3ph  |                                 |     |         |
| 3502             | SET, motor, alternator 5 KVA 200V, 400 c/s   |                                 |     |         |
|                  | <u>SECTION 5QP</u>                           |                                 |     |         |
| 4350401          | AMMETER, long-test 0-50, 0-100, 0-200 amp    | Each                            | 1   |         |

| COMMAND: SUPPORT |   | UNIT: RAF HARTLEBURY (No 25 MU) |     |         |
|------------------|---|---------------------------------|-----|---------|
| REF NO           | DESCRIPTION                             | D of Q                          | QTY | REMARKS |
|                  | <u>SECTION 6C</u>                       |                                 |     |         |
| 4360864          | CASELLA BAROMETER                       | Each                            | 2   |         |
| 1649             | DIFFERENTIAL PRESSURE, chamber Mk 1A    | Each                            | 1   |         |
| 1829             | MANOMETER & VALVE UNIT, quick reference | Each                            | 1   |         |
|                  | <u>ACCESSORY:</u>                       |                                 |     |         |
| 1830             | SCALE (PSI)                             | Each                            | 1   |         |
| 1675             | PLATFORM, Collinator Mk 1A              | Each                            | 1   |         |
| 4360718          | PERISCOPE, Dummy                        | Each                            | 1   |         |
|                  | <u>SECTION 6E</u>                       |                                 |     |         |
| 948              | MAGNIFIER allen M5                      | Each                            | 2   |         |

| COMMAND: SUPPORT   |  | UNIT: RAF LECONFIELD (No 60 MU) |     |         |
|--------------------|--|---------------------------------|-----|---------|
| REF NO             | DESCRIPTION                                      | D of Q                          | QTY | REMARKS |
| <u>SECTION 1B</u>  |  |                                 |     |         |
| 5657               | IRON, soldering, low voltage 6V c/w: transformer | Each                            | 3   |         |
| 1041118            | HOLDER, soldering iron                           | Each                            | 15  |         |
| 1146315            | TRANSFORMER                                      | Each                            | 2   |         |
| <u>SECTION 3A</u>  |  |                                 |     |         |
| 2051264            | MACHINE sanding electric portable                | Each                            | 1   |         |
| 1006               | MACHINE, stencil cutting, 1/2 in type 'A'        | Each                            | 1   |         |
| 2425               | MACHINE, stencil cutting 13/16 in DIAGRAPH       | Each                            | 2   |         |
| 3329 OR            | MACHINE, stencil cutting, 1 in autograph         | Each                            | 1   |         |
| 2238               | MACHINE, stencil cutting 1"                      | Each                            | 1   |         |
| <u>SECTION 3AP</u> |  |                                 |     |         |
| 2033613            | IMPACT WRENCH, oscillating, reversible (W25)     | Each                            | 6   |         |
| 2033614            | MACHINE Drilling pneumatic                       | Each                            | 2   |         |
| 3643               | MACHINE milling pneumatic type P56               | Each                            | 2   |         |
| 4278767            | MACHINE, saw, portable, air operated (CENGAR)    | Each                            | 1   |         |
| 4278537            | PISTOL, corrosion, inhibitor                     | Each                            | 3   |         |
| 4278633            | RIVETER Chobert type D Mk 4                      | Each                            | 1   |         |
| 4219               | TOOLS, riveting, straight cherry lock            | Each                            | 1   |         |
| 4437               | TOOLS installation HOCK 200                      | Each                            | 1   |         |
| <u>SECTION 4A</u>  |  |                                 |     |         |
| 4470               | CABINET, 1 Metre                                 | Each                            | 2   |         |
| 2331 OR            | CABINETS Storage, low temperature )              |                                 |     |         |
| 4235               | CABINETS Storage, low temperature )              | Each                            | 2   |         |

| COMMAND: SUPPORT          |  | UNIT: RAF LECONFIELD (No 60 MU) |     |         |
|---------------------------|--|---------------------------------|-----|---------|
| REF NO                    | DESCRIPTION                            | D of Q                          | QTY | REMARKS |
| <u>SECTION 4A (Contd)</u> |  |                                 |     |         |
| 2793                      | FURNACE, muffle, horizontal electric   | Each                            | 3   |         |
| 2626                      | MACHINE heat sealing                   | Each                            | 1   |         |
| 2237                      | MACHINE heat pedestal                  | Each                            | 3   |         |
| 4454160                   | OVEN, drying                           | Each                            | 1   |         |
| 4465                      | VACU-BLAST, model PEA.05               | Each                            | 1   |         |
| 4471                      | VACU-BLAST, model PH 100               | Each                            | 1   |         |
| 4473                      | VACU-BLAST, model junior Mk 2 (AE/LA)  | Each                            | 2   |         |
| <u>SECTION 4C</u>         |  |                                 |     |         |
| 3042                      | DETUNER, BRABY BERTIN, Mk 1A )         | Each                            | 1   |         |
| OR                        | )                                      |                                 |     |         |
| 3385                      | DETUNER, BRABY BERTIN, Mk 2 )          |                                 |     |         |
| OR                        | )                                      |                                 |     |         |
| 3386                      | DETUNER, CULLEN, P1 )                  |                                 |     |         |
| 3240                      | MACHINE, Runway de-icer                | Each                            | 1   |         |
| 3367                      | MECHANICAL HANDLER                     | Each                            | 1   |         |
| 4430473                   | TEST CABINET Mk 1 - flying clothing    | Each                            | 1   |         |
| <u>SECTION 4CA</u>        |  |                                 |     |         |
| 4455589                   | ARRESTING Gear, rotary hyd Mk 1        | Sets                            | 2   |         |
| 4431262                   | CALIBRATOR, pre-tension                | Each                            | 1   |         |
| 2032348                   | HOOK Cable assy (170FT)                | Each                            | 2   |         |
| 2045124                   | PLATFORM, retractable for runaway edge | Sets                            | 2   |         |
| 4074                      | TAPE assy nylon 6" (1280 ft)           | Each                            | 4   |         |

| COMMAND: SUPPORT   |  | UNIT: RAF LECONFIELD (No 60 MU) |     |         |
|--------------------|--|---------------------------------|-----|---------|
| REF NO             | DESCRIPTION                                    | D of Q                          | QTY | REMARKS |
| <u>SECTION 4CB</u> |  |                                 |     |         |
| 1997               | BLADE, snow plough, type 'C'                   | Each                            | 1   |         |
| 2810               | BLADE, snow plough, type 'E'                   | Each                            | 2   |         |
| 4189               | BLADE, snow plough type 'K'                    | Each                            | 2   |         |
| <u>SECTION 4CD</u> |  |                                 |     |         |
| 2304               | SWEeper, mechanical type C )                   | Each                            | 2   |         |
| OR                 | )  |                                 |     |         |
| 2499               | SWEeper, mechanical type E )                   |                                 |     |         |
| OR                 | )  |                                 |     |         |
| 2531               | SWEeper, mechanical type G )                   |                                 |     |         |
| OR                 | )  |                                 |     |         |
| 3345               | SWEeper, mechanical type J )                   |                                 |     |         |
| <u>SECTION 4D</u>  |  |                                 |     |         |
| 4227447            | BIN Storage                                    | Each                            | 40  |         |
| 4001               | TRUCK, fork lift, pedestrian operated, 2000 lb | Each                            | 1   |         |
| <u>SECTION 4F</u>  |  |                                 |     |         |
| 2033157            | HEATER, portable type 'B' 150/Mk3/AC           | Each                            | 2   |         |
| 7676               | TROLLEY, hyd serv Mk 3A                        | Each                            | 1   |         |
| 4279               | TROLLEY, hyd serv Mk 5C (Elect driven)         | Each                            | 2   |         |
| 1041044            | TROLLEY pressure cabin testing Mk 1C           | Each                            | 14  |         |
| 7022               | TROLLEY sectional lightweight                  | Each                            | 6   |         |

| COMMAND: SUPPORT |  | UNIT: RAF LECONFIELD (No 60 MU) |     |         |
|------------------|--|---------------------------------|-----|---------|
| REF NO           | DESCRIPTION  | D of Q                          | QTY | REMARKS |
|                  | <u>SECTION 4FA</u>   |                                 |     |         |
| 4930             | TROLLEY air starting LP Mk 11                              | Each                            | 1   |         |
|                  | <u>ACCESSORIES:</u>  |                                 |     |         |
| 4460             | CONVERSION Set   | Each                            | 1   |         |
| 4228905          | HOSE air delivery Mk 2                                     | Each                            | 1   |         |
|                  | <u>SECTION 4FE</u>   |                                 |     |         |
| 3761             | TROLLEY, elect serv 15 KVA/10 KW 200/28V<br>(ICE DRIVEN)   |                                 |     |         |
| 4257             | TROLLEY, elect serv 15 KVA/10 KW 200/28V<br>(ICE DRIVEN)   | Each                            | 19  |         |
| 3786 OR          | TROLLEY, elect serv 15 KVA/10 KW 200/28V<br>(ELECT DRIVEN) | )                               |     |         |
| 4258             | TROLLEY, elect serv 15 KVA/10 KW 200/28V<br>(ELECT DRIVEN) | )                               | 3   |         |
|                  | <u>SECTION 4G</u>  |                                 |     |         |
| 7175             | AIRCRAFT Harmonisation basic instrument set                | Each                            | 1   |         |
| 7176             | ADAPTOR Set lighting                                       | Each                            | 1   |         |
| 7187             | ATTACHMENT Pylon aligning, No 1, Firestreak                | Each                            | 1   |         |
| 7188             | ATTACHMENT, Pylon aligning, No 2, Red-Top                  | Each                            | 1   |         |
| 7224             | STANDS, Gun, harmonisation, universal, Mk 2                | Each                            | 1   |         |
| 7265             | INSTRUMENT Aligning, 20 mm gun/pylon                       | Each                            | 1   |         |
| 1050581          | ADAPTER, inflation Mk 2                                    | Each                            | 6   |         |
| 4138             | BRIDLES a/c towing 35 ft                                   | Each                            | 2   |         |
| 5378             | CANS fluid replenishing pressurised                        | Each                            | 4   |         |
| 11205            | CANVAS Transit bags  | Each                            | 2   |         |
| 5421             | CLEANER, vacuum a/c large, electric                        | Each                            | 2   |         |
| 4420925          | GAUGE, pressure checking                                   | Each                            | 2   |         |
| 6526             | GAUGE pressure checking 0-31 psi                           | Each                            | 3   |         |
| 11154            | INFLATOR tyre HP Mk 1                                      | Each                            | 1   |         |

| COMMAND: SUPPORT |  | UNIT: RAF LECONFIELD (No 60 MU) |     |         |
|------------------|--|---------------------------------|-----|---------|
| REF NO           | DESCRIPTION                                      | D of Q                          | QTY | REMARKS |
|                  | <u>SECTION 4G (Contd)</u>                        |                                 |     |         |
| 5628             | PLATFORM, a/c serv mobile adjustable, Mk 2       | Each                            | 2   |         |
|                  | <u>ACCESSORY:</u>                                |                                 |     |         |
| 5682             | BRIDGE PIECE Mk 2                                | Each                            | 1   |         |
| 4269             | PRIMER, oil Mk 2                                 | Each                            | 1   |         |
| 11204            | PUMPS spraying defrosting                        | Each                            | 2   |         |
| 6591             | RIG, test, rotary actuator                       | Each                            | 1   |         |
| 2052886          | RIGS Tank, repair and testing                    | Each                            | 2   |         |
| 4420479          | RIG, test, linear actuator                       | Each                            | 1   |         |
| 4420654          | RIG, TEST, hyd component & alternator            | Each                            | 2   |         |
| 2042810          | STEPS, A/c servicing, 3 ft                       | Each                            | 40  |         |
| 4253             | TROLLEY, oil replenishment (100 Gal)             | Each                            | 1   |         |
| 6269             | TYRE, separator screw type                       | Each                            | 1   |         |
|                  | <u>SECTION 4GB</u>                               |                                 |     |         |
| 4409924          | ARM, towing                                      | Each                            | 2   |         |
|                  | TOW BAR, No 1                                    | Each                            | 3   |         |
|                  | <u>SECTION 4GD</u>                               |                                 |     |         |
| 2455             | HANDLER, mechanical, type 'D'                    | Each                            | 1   |         |
| 6541             | TROLLEY, fuel replenishment                      | )                               | 2   |         |
| OR               |  |                                 |     |         |
| 10414            | TROLLEY, fuel replenishment for ground equipment |                                 |     |         |
| 8362             | TROLLEY, nitrogen charging, Mk 2                 | Each                            | 2   |         |
|                  | <u>SECTION 4GC</u>                               |                                 |     |         |
| 4232184          | SLING, Derwent engine                            | Each                            | 1   |         |

| COMMAND: SUPPORT                                 |                                   | UNIT: RAF LECONFIELD (No 60 MU) |     |         |
|--|-----------------------------------|---------------------------------|-----|---------|
| REF NO   | DESCRIPTION                       | D of Q                          | QTY | REMARKS |
| <u>SECTION 4K</u>                                |                                   |                                 |     |         |
| 4062   | EQUIPMENT BAND-IT HOSE ATTACHMENT | Each                            | 1   |         |
| 4455306  | PLANT A/C WASHING (ICE DRIVEN)    | Each                            | 1   |         |
| 2961   | PLANT steam cleaning              | Each                            | 3   |         |
| <u>SECTION 4L</u>                                |                                   |                                 |     |         |
| 2950   | SETS, sling universal (Non SCC)   | Each                            | 2   |         |
| <u>SECTION 4Q</u>                                |                                   |                                 |     |         |
| 1045835  | BODY, hydraulic, 10 ton, type 'A' | Each                            | 54  |         |
| 1045837  | JACK, LIFTING, 15 ton hyd pillar  | Each                            | 2   |         |
| <u>ACCESSORY:</u>                                |                                   |                                 |     |         |
| 2666   | TROLLEY, transporter              | Each                            | 2   |         |
| 1054121  | JACK, pillar, hydraulic 8 ton     | Each                            | 1   |         |
| 2332   | TROLLEY Salvage, trac-jac         | Each                            | 2   |         |
| <u>SECTION 4T</u>                                |                                   |                                 |     |         |
| <u>ACCESS STAGING - LIGHTING MAJOR SERVICING</u> |                                   |                                 |     |         |
| <u>COMPRISING:</u>                               |                                   |                                 |     |         |
| 9101   | PLATFORM, fwd fuselage            | Sets                            | 6   |         |
| 9102   | PLATFORM wing leading edge        | Sets                            | 6   |         |
| 9103   | PLATFORM 'A'                      | Each                            | 4   |         |
| 9106   | PLATFORM 'D'                      | Each                            | 4   |         |
| 9120   | PLATFORM Hi-way (DEG No B10900)   | Each                            | 4   |         |



| COMMAND: SUPPORT |   | UNIT: RAF LECONFIELD (No 60 MU) |     |                     |
|------------------|---|---------------------------------|-----|---------------------|
| REF NO           | DESCRIPTION                               | D of Q                          | QTY | REMARKS             |
|                  | <u>SECTION 4I (Contd)</u>                 |                                 |     |                     |
|                  | <u>EQUIPMENT ACCESS - HI-WAY STAGING</u>  |                                 |     |                     |
|                  | <u>COMPRISING:</u>                        |                                 |     |                     |
| 6001             | STAGING, Front fuselage                   | Each                            | 1   |                     |
| 6002             | STAGING, Leading edge                     | Each                            | 6   |                     |
| 6003             | STAGING, Training edge                    | Each                            | 2   |                     |
| 6004             | STAGING, underwing outboard               | Each                            | 2   |                     |
| 6005             | STAGING, Fin                              | Each                            | 2   |                     |
|                  | <u>SECTION 4X</u>                         |                                 |     |                     |
| 2767             | ALLEN, Hand magnifier, type M 80          | Each                            | 2   |                     |
| 4261             | BOX Light source (DB/1)                   | Each                            | 1   | (Lightning major S) |
| 4263             | CASE Instrument carrying (6 & 37 probes)  | Each                            | 1   |                     |
| 4324             | CASE Instrument carrying (10 x 58 probes) | Each                            | 1   |                     |
| NIV              | CASE Instrument carrying (1 x 65 probes)  | Each                            | 1   |                     |
| 4262             | CABLE Light guide fibre, 6 ft             | Each                            | 1   |                     |
| 4255             | ENDOPROBE (5/9/55L/TO)                    | Each                            | 1   |                     |
| 4317             | ENDOPROBE (5/9/60B/TO)                    | Each                            | 1   |                     |
| 4299             | ENDOPROBE (5/19/55L/TO)                   | Each                            | 1   |                     |
| 4258             | ENDOPROBE (8/19/60B/TS)                   | Each                            | 1   |                     |
| 4364             | ENDOPROBE (8/63/60B/TS)                   | Each                            | 1   |                     |
| 4378             | ENDOPROBE (8/24/60B/TS)                   | Each                            | 1   |                     |
| 4379             | ENDOPROBE (8/45/60B/TS)                   | Each                            | 1   |                     |
| 4327             | ENDOPROBE (8/50/55L/TS)                   | Each                            | 1   |                     |
| 4256             | ENDOPROBE (8/19/60L/TS)                   | Each                            | 1   |                     |
| 4197             | METER, conductivity, type FM 120          | Each                            | 1   | C.T.                |

| COMMAND: SUPPORT |   | UNIT: RAF LECONFIELD (No 60 MU) |     |            |
|------------------|---|---------------------------------|-----|------------|
| REF NO           | DESCRIPTION   | D of Q                          | QTY | REMARKS    |
|                  | <u>SECTION 5A</u>   |                                 |     |            |
| 9723881          | BLOWER AIR, portable, type "D"                            | Each                            | 1   |            |
|                  | <u>ACCESSORY:</u>   |                                 |     |            |
| 4305             | NOZZLE  | Each                            | 1   |            |
| NIV              | CLAMP   | Each                            | 1   |            |
| 4349567          | LAMP Inspection, flameproof, fluorescent,<br>(Hargreaves) | Each                            | 34  |            |
| 1990054          | LAMP Fluorescent, type "D" 20/2                           | Each                            | 10  | (202 SQDN) |
| 1990052          | LAMP Servicing, type "Q" c/w stand                        | Each                            | 7   |            |
| 1106594          | TRIPOD Collapsible, type JMH                              | Each                            | 3   |            |
| 1106608          | TROLLEY Power distribution type JM 463                    | Each                            | 1   |            |
| 3580             | UNIT Sodium flare   | Each                            | 16  |            |
|                  | <u>SECTION 5G</u>   |                                 |     |            |
| 2998             | ADAPTOR Elect serv, (Short)                               | Each                            | 8   |            |
| 9512956          | BOX Adaptor (Modified)                                    | Each                            | 1   |            |
| 3560             | CASE Carrying   | Each                            | 4   |            |
| 2924             | TESTER Generator, mains operated, 6KW, MK 5D              | Each                            | 1   |            |
| 3201             | UNIT, Load, air cooled type BT 952                        | Each                            | 1   |            |
|                  | <u>SECTION 5P</u>   |                                 |     |            |
| 2908             | RECTIFIER Metal, transportable, type 37                   | Each                            | 10  |            |
| 3234             | RECTIFIER Metal, transportable, type 37A                  | Each                            | 2   |            |

| COMMAND: SUPPORT  |  | UNIT: RAF LECONFIELD (No 60 MU) |     |         |
|---|--|---------------------------------|-----|---------|
| REF NO  | DESCRIPTION  | D of Q                          | QTY | REMARKS |
| <u>SECTION 6C</u>                                       |  |                                 |     |         |
| <u>EQUIPMENT SERVICING - MRG AND VERTICAL GYRO UNIT</u> |  |                                 |     |         |
| <u>COMPRISING:</u>                                      |  |                                 |     |         |
| 3038  | ADAPTOR Emptying   | Each                            | 6   |         |
| 3371  | ADAPTOR (Inner)  | Each                            | 1   |         |
| 3372  | ADAPTOR (Outer)  | Each                            | 1   |         |
| 3037  | ADAPTOR, Pressurising  | Each                            | 1   |         |
| 4360864   | CASELLA BAROMETER  | Each                            | 1   |         |
| 1997675   | GAUGE, absolute pressure, Digital counter indicating (Model 145) | Each                            | 1   |         |
| <u>SECTION 21C</u>                                      |  |                                 |     |         |
| 1296641   | SCALE, dial indicating, pedestal type (c/w Pan)                  | Each                            | 2   |         |
| <u>SECTION 22G</u>                                      |  |                                 |     |         |
| 1275801   | RESPIRATOR, Siebe Gorman, No 4259                                | Each                            | 2   |         |
| <u>SECTION 27FR</u>                                     |  |                                 |     |         |
| 4819  | PROBE, nozzle test connector                                     | Each                            | 2   |         |
| <u>SECTION 27L</u>                                      |  |                                 |     |         |
| 1163  | ADAPTOR (Mks 1, 2 and 3 ejection seats)                          | Each                            | 3   |         |
| 1164  | ADAPTOR (Mk 4 ejection seat)                                     | Each                            | 14  |         |
| 1162  | SERVICING STAND, A/C ejection seat                               | Each                            | 20  |         |

| COMMAND: SUPPORT |   | UNIT: RAF BICESTER (NO 71 MU) |     |         |
|------------------|---|-------------------------------|-----|---------|
| REF NO           | DESCRIPTION                                     | D of Q                        | QTY | REMARKS |
|                  | <u>SECTION 3A</u>                               |                               |     |         |
| 1647             | MACHINE, FLEXIBLE DRIVE, Light Duty             | Each                          | 1   |         |
| 2425             | MACHINE, Stencil cutting, biagraph              | Each                          | 1   |         |
|                  | <u>SECTION 3AP</u>                              |                               |     |         |
| 2035613          | IMPACT WRENCH, oscillating, reversible, W25     | Each                          | 4   |         |
| 4355             | LOCKBOLT Instalation equipment                  | Each                          | 1   |         |
| 2033614          | MACHINE Drilling pneumatic                      | Each                          | 1   |         |
| 4278767          | MACHINE, Saw, portable, air operated (Cengar)   | Each                          | 1   |         |
| 4278674          | MACHINE, shearing, pneumatic                    | Each                          | 2   |         |
| 1497056          | NUT Setter                                      | Each                          | 2   |         |
| 4278537          | PISTOL, corrosion inhibitor                     | Each                          | 3   |         |
| 4278632          | RIVETERS, Chobert, type "C" Mk 2                | Each                          | 2   |         |
| 4278633          | RIVETERS, Chobert, type "D" Mk 4                | Each                          | 2   |         |
| 4384, or         | RIVETERS, Hydro pneumatic, type 710 )           |                               |     |         |
| 4278611          | RIVETERS, Hydro pneumatic, type F )             | Each                          | 2   |         |
| 1497044          | SCREWDRIVER, pneumatic, slip clutch, reversible | Each                          | 2   |         |
| 4239             | TOOLS, Riveting, cherrylock, right angled       | Each                          | 1   |         |
| 1497045          | SCREWDRIVER, pneumatic, slip clutch, reversible | Each                          | 2   |         |
|                  | <u>COMPRISING:</u>                              |                               |     |         |
| 4129             | RIGHT Angled gun                                | Each                          | 1   |         |
| 4131             | HEAD Pulling, universal, 1/8 in                 | Each                          | 1   |         |
| 4132             | HEAD Pulling, C/SNK 1/8 in                      | Each                          | 1   |         |
| 4133             | HEAD Pulling, universal 5/32"                   | Each                          | 1   |         |
| 4134             | HEAD Pulling, C/SNK, 5/32 in                    | Each                          | 1   |         |
| 4135             | HEAD Pulling, universal, 3/16 in                | Each                          | 1   |         |
| 4136             | HEAD Pulling, C/SNK 3/16 in                     | Each                          | 1   |         |
| 4137             | HEAD Pulling, universal, 1/4 in                 | Each                          | 1   |         |
| 4138             | HEAD Pulling, C/SNK 1/4 in                      | Each                          | 1   |         |
| 4219             | TOOLS Riveting, straight, cherrylock            | Each                          | 1   |         |

| COMMAND: SUPPORT            |                                    | UNIT: RAF BICESTER (NO 71 MU) |     |         |
|-----------------------------|------------------------------------|-------------------------------|-----|---------|
| REF NO                      | DESCRIPTION                        | D of Q                        | QTY | REMARKS |
| <u>SECTION 3AP (Cont'd)</u> |                                    |                               |     |         |
| <u>Accessories</u>          |                                    |                               |     |         |
| 2853                        | EXTENSION, Right angled            | Each                          | 1   |         |
|                             | 1C/6642, TESTER Avdel pin          | Each                          | 1   |         |
| 4476                        | JAW Spreader                       | Each                          | 1   |         |
| 4477                        | CONE Tip 1/8" Diam                 | Each                          | 1   |         |
| 4478                        | CONE Tip 5/32" Diam                | Each                          | 1   |         |
| 4479                        | CONE Tip 3/16" Diam                | Each                          | 1   |         |
| <u>SECTION 4A</u>           |                                    |                               |     |         |
| 2331, or                    | CABINET Storage, low temperature ) | Each                          | 1   |         |
| 4253                        | CABINET Storage, low temperature ) |                               |     |         |
| 2793                        | FURNACE Muffle, horizontal, elect  | Each                          | 3   |         |
| 2237                        | MACHINE Heat sealing pedestal      | Each                          | 1   |         |
| <u>SECTION 4C</u>           |                                    |                               |     |         |
| 3367 or                     | MECHANICAL Handler, GSC and )      | Each                          | 2   |         |
| 3716                        | LIGHT Aircraft, MKs, 1 and 2 )     |                               |     |         |
| <u>SECTION 4CB</u>          |                                    |                               |     |         |
| 1859                        | BLADE, Snow plough, type "B"       | Each                          | 1   |         |
| 1997                        | BLADE, Snow plough, type "C"       | Each                          | 1   |         |
| 2810                        | BLADE, Snow plough, type "E"       | Each                          | 1   |         |
| 2045339                     | BLADE, Snow plough, type "H"       | Each                          | 2   |         |

| COMMAND: SUPPORT |   | UNIT: RAF BICESTER (NO 71 MU) |     |                     |
|------------------|---|-------------------------------|-----|---------------------|
| REF NO           | DESCRIPTION                                 | D of Q                        | QTY | REMARKS             |
|                  | SECTION 4CD                                 |                               |     |                     |
| 2304 or          | SWEEPER Mechanical, type "C" )              | Each                          | 1   |                     |
| 2499 or          | SWEEPER Mechanical, type "E" )              |                               |     |                     |
| 2531 or          | SWEEPER Mechanical, type "G" )              |                               |     |                     |
| 3345             | SWEEPER Mechanical, type "J" )              |                               |     |                     |
|                  | SECTION 4D                                  |                               |     |                     |
| 4227447          | BIN Storage                                 | Each                          | 20  |                     |
|                  | SECTION 4DB                                 |                               |     |                     |
| 4846             | AILERON, PORT CRATE PT No GE/1090/28        | Each                          | 1   |                     |
| 4847             | AILERON, STBD, CRATE                        | Each                          | 1   |                     |
| 4834             | CRADLE, FRONT FUSELAGE, PT NO GE/1090/1     | Each                          | 1   |                     |
| 4835             | CRADLE, REAR FUSELAGE, PT NO GE/1090/6      | Each                          | 1   |                     |
| 4836             | CRADLE, HALF WING, PORT, PT NO, GE/1090/10  | Each                          | 1   |                     |
| 4837             | CRADLE, HALF WING, STBD, PT NO, GE/1090/10  | Each                          | 1   |                     |
| 4838             | CRADLE, TAIL PLANE, PORT, PT NO, GE/1090/17 | Each                          | 1   |                     |
| 4839             | CRADLE, TAIL PLANE, STBD, PT NO, GE/1090/17 | Each                          | 1   |                     |
| 4840             | CRADLE, RUDDER, PT NO, GE/1090/30           | Each                          | 1   |                     |
| 4841             | CRADLE, FIN, PT NO GE/1090/38               | Each                          | 1   |                     |
| 4842             | L/E TANK PORT CRATE, PT NO GE/1090/32       | Each                          | 1   |                     |
| 4843             | L/E TANK STBD CRATE, P PT No GE/1090/32     | Each                          | 1   |                     |
| 4844             | FLAP, PORT CRATE, PT NO, GE/1090/28         | Each                          | 1   |                     |
| 4845             | FLAP, STBD CRATE, PT NO, GE/1090/28         | Each                          | 1   |                     |
| 4312             | CRADLE ASSY, FUSELAGE                       | Each                          | 2   | FOR WESSEX AIRCRAFT |
| 3996             | CRADLE ASSY, FUSELAGE (BELFAST)             |                               |     |                     |
| 4643             | CRADLE ASSY, FUSELAGE                       | Each                          | 1   |                     |
| 4646             | CRADLE ASSY, MAIN PLANE                     | Each                          | 1   |                     |
| 4644             | CRADLE, FIN                                 | Each                          | 1   |                     |

| COMMAND: SUPPORT            |   | UNIT: RAF BISCESTER (NO 71 MU) |     |         |
|-----------------------------|---|--------------------------------|-----|---------|
| REF NO                      | DESCRIPTION   | D of Q                         | QTY | REMARKS |
| <u>SECTION 4DB (Cont'd)</u> |   |                                |     |         |
| 4379                        | CRADLE ASSY, NOSE DOOR (POST MOD WESSEX, 1051)                  | Each                           | 2   |         |
| 4006                        | CRADLE ASSY, ROTOR HEAD AND MAIN GEAR BOX                       | Each                           | 2   |         |
| 4007                        | CRADLE ASSY, TAIL PYLON AND CONE                                | Each                           | 2   |         |
| 4008                        | CRADLE ASSY, MAIN ROTOR BLADES                                  | Each                           | 2   |         |
| <u>SECTION 4F</u>           |   |                                |     |         |
| 7865                        | HEATER (Khamson, D500, MK 1)                                    | Each                           | 2   |         |
| 2033157                     | HEATER, portable, type B150, MK 3, A/C                          | Each                           | 3   |         |
| 2541                        | TROLLEY, pressure cabin testing, MK 2                           | Each                           | 3   |         |
| <u>SECTION 4FE</u>          |   |                                |     |         |
| 4226398                     | TROLLEY, elect Serv. and starting, 35KW, DC,<br>Ice driven type | Each                           | 1   |         |
| <u>SECTION 4G</u>           |   |                                |     |         |
| 1050581                     | ADAPTOR, inflation, MK 2  | Each                           | 4   |         |
| 9575                        | AUXILLIARY POWER PACK, Model 2431                               | Each                           | 1   |         |
| 2668                        | BOMB TROLLEY, type "F"  | Each                           | 3   |         |
| 4420144                     | CREEPER, A/C Servicing, 3ft                                     | Each                           | 8   |         |
| 2052886                     | RIG tank, repair and testing                                    | Each                           | 2   |         |
| 2042810                     | STEPS, A/C Servicing, 3ft                                       | Each                           | 10  |         |
| 9539                        | TRAILER ENGINE, install/remove, MOD 41008                       | Each                           | 1   |         |
| 4420925                     | GAUGE, checking, pressure                                       | Each                           | 2   |         |
| 4420202                     | GAUGE, A/C, tyre pressure                                       | Each                           | 4   |         |

| COMMAND: SUPPORT |   | UNIT: RAF BICESTER (NO 71 MU) |     |         |
|------------------|---|-------------------------------|-----|---------|
| REF NO           | DESCRIPTION   | D of Q                        | QTY | REMARKS |
|                  | <u>SECTION 46B</u>                                  |                               |     |         |
|                  | <u>HYDROSTATIC WEIGHING UNITS &amp; ACCESSORIES</u> |                               |     |         |
|                  | <u>COMPRISING:</u>                                  |                               |     |         |
| 4916             | WEIGHING UNIT, 2 ton                                | Each                          | 4   |         |
| 4894             | WEIGHING UNIT, 10 ton                               | Each                          | 6   |         |
| 4895             | WEIGHING UNIT, 25 ton                               | Each                          | 7   |         |
| 5088             | TAIL STIRRUP  | Each                          | 2   |         |
| 5089             | TAIL STIRRUP  | Each                          | 2   |         |
| 4936             | ADAPTOR   | Each                          | 5   |         |
| 4937             | ADAPTOR   | Each                          | 6   |         |
| 5064             | ADAPTOR   | Each                          | 2   |         |
| 5050             | ADAPTOR   | Each                          | 4   |         |
| 5054             | ADAPTOR   | Each                          | 2   |         |
| 4940             | ADAPTOR   | Each                          | 6   |         |
| 5055             | ADAPTOR   | Each                          | 2   |         |
| 5056             | ADAPTOR   | Each                          | 2   |         |
| 5057             | ADAPTOR   | Each                          | 4   |         |
| 5058             | ADAPTOR   | Each                          | 2   |         |
| 4902             | ADAPTOR   | Each                          | 4   |         |
| 5063             | ADAPTOR   | Each                          | 2   |         |
| 5051             | ADAPTOR   | Each                          | 4   |         |
| 5053             | ADAPTOR   | Each                          | 4   |         |
| 5060             | ADAPTOR   | Each                          | 4   |         |
| 5081             | ADAPTOR   | Each                          | 4   |         |
| 5083             | ADAPTOR   | Each                          | 2   |         |
| 5106             | ADAPTOR   | Each                          | 4   |         |
| 5107             | ADAPTOR   | Each                          | 4   |         |
| 5690             | ADAPTOR   | Each                          | 2   |         |
| 5691             | ADAPTOR   | Each                          | 2   |         |
| 5692             | ADAPTOR   | Each                          | 2   |         |
| 5689             | ADAPTOR   | Each                          | 2   |         |
| 5715             | ADAPTOR   | Each                          | 2   |         |



| COMMAND: SUPPORT            |  | UNIT: RAF BICESTER (NO 71 MU) |     |         |
|-----------------------------|--|-------------------------------|-----|---------|
| REF NO                      | DESCRIPTION  | D of Q                        | QTY | REMARKS |
| <u>SECTION 4GC (Cont'd)</u> |  |                               |     |         |
| 4232205                     | TUBE extension, 60", Pt. No. 41/103                    | Each                          | 5   |         |
| 4232230                     | TUBE extension, 60", Pt. No. 43/68                     | Each                          | 4   |         |
| 4232196                     | TUBE extension, 24", Pt. No. 41/100                    | Each                          | 4   |         |
| 4232250                     | TUBE extension, 12", Pt. No. 43/64                     | Each                          | 4   |         |
| 4232220                     | TOP SHEATH HOOK, 2½ cwt. Pt. No 41/63                  | Each                          | 4   |         |
| 1046578                     | TOP SHEATH HOOK, 5 cwt, Pt. No. 42/27                  | Each                          | 2   |         |
| 4232209                     | TOP SHEATH (No. 3) Ball, Pt. No. 30/12                 | Each                          | 4   |         |
| 1368858                     | BOTTOM SHEATH, double purpose, 2½ cwt, Pt. No<br>41/64 | Each                          | 3   |         |
| 1042863                     | HOOK cable end, Pt. No. 41/76                          | Each                          | 4   |         |
| 4232208                     | SLEEVE connecting ext. tube 90° Pt. No. 29/29          | Each                          | 4   |         |
| 4232225                     | ELBOW JOINT, 115° 42/49                                | Each                          | 1   |         |
| 5425                        | HOIST, H.A.C., 250 lbs. Pt. No. 25/63                  | Each                          | 2   |         |
| 4232207                     | SLEEVE Connecting ext. tube Pt. No. 41/110             | Each                          | 2   |         |
| 5754                        | TOP SHEATH Ball Pt. No. 43/88                          | Each                          | 4   |         |
| 5755                        | BOTTOM SHEATH, double purchase Pt. No. 43/89           | Each                          | 4   |         |
| 4232238                     | SHEATH top 17" Pt. No. 41/116                          | Each                          | 1   |         |
| 6100                        | BALL END CABLE Pt. No. 43/80                           | Each                          | 4   |         |
| 6263                        | SHEATH, over wing winding                              | Each                          | 2   |         |
| 4232198                     | TUBE, extension 4½" Pt. No. 29/13                      | Each                          | 2   |         |
| <u>SECTION 4GD</u>          |  |                               |     |         |
| 10424                       | TROLLEY, fuel replenishment                            | Each                          | 3   |         |

| COMMAND: SUPPORT |  | UNIT: RAF BICESTER (NO 71 MU) |     |         |
|------------------|--|-------------------------------|-----|---------|
| REF NO           | DESCRIPTION  | D of Q                        | QTY | REMARKS |
|                  | <u>SECTION 46B (Cont'd)</u>                                  |                               |     |         |
|                  | <u>HYDROSTATIC WEIGHING UNITS &amp; ACCESSORIES (Cont'd)</u> |                               |     |         |
|                  | <u>COMPRISING: (Cont'd)</u>                                  |                               |     |         |
| 5739             | ADAPTOR  | Each                          | 3   |         |
| 5747             | ADAPTOR  | Each                          | 4   |         |
| 5799             | ADAPTOR  | Each                          | 2   |         |
| 5800             | ADAPTOR  | Each                          | 2   |         |
| 5801             | ADAPTOR  | Each                          | 2   |         |
| 6615             | ADAPTOR  | Each                          | 2   |         |
| 6614             | ADAPTOR  | Each                          | 2   |         |
| 6613             | ADAPTOR  | Each                          | 2   |         |
| 6239             | ADAPTOR  | Each                          | 2   |         |
| 10530            | ADAPTOR  | Each                          | 2   |         |
| 9132             | BAGS Air, low lift C/W inflation equipment and accessories   | Each                          | 1   |         |
| 4409977          | SKATES, Side tracking, type "E"                              | Each                          | 1   |         |
| 4398948          | TACKLE Emergency drag-off Mk 1                               | Each                          | 1   |         |
| 5726             | STROPS 60 ft   | Each                          | 2   |         |
| 9334256          | WINCHES Tirfor, type T 35                                    | Each                          | 2   |         |
| 2019096          | MAXIFLEX Rope (c/w reeller and shackle)                      | Each                          | 2   |         |
| 2013244          | WINCHES, tirfor, type T7                                     | Each                          | 6   |         |
| 5238369          | MAXIFLEX Rope (c/w reeler and hook)                          | Each                          | 6   |         |
| 4409970          | TRESTLE, mainplane, steady                                   | Each                          | 10  |         |
|                  | <u>SECTION 46C</u>   |                               |     |         |
| 4232340          | SLING Lifting tyne (ECU)                                     | Each                          | 1   |         |
| 4232341          | SLING Lifting transit/servicing stand                        | Each                          | 1   |         |
| 4232219          | HOIST A/C, heavy component, 2½ cwt, Pt. No. 41/5             | Each                          | 2   |         |
| 9433671          | HOIST A/C, heavy component, 10 cwt, Pt. No. 43/1             | Each                          | 4   |         |
| 4232228          | HANDLE, winch, 6", Pt. No. 41/78                             | Each                          | 3   |         |
| 4232210          | TUBE extension, 84", Pt. No. 41/105                          | Each                          | 2   |         |

| COMMAND: SUPPORT            |   | UNIT: RAF BICESTER (NO 71 MU) |     |         |
|-----------------------------|---|-------------------------------|-----|---------|
| REF NO                      | DESCRIPTION   | D of Q                        | QTY | REMARKS |
| <u>SECTION 4GC (Cont'd)</u> |   |                               |     |         |
| 4232206                     | TUBE extension, 6", Pt. No. 43/38   | Each                          | 4   |         |
| 1043791                     | TUBE extension, 36", Pt. No. 41/101                                       | Each                          | 4   |         |
| 4232224                     | TUBE extension, 48", Pt. No. 41/102                                       | Each                          | 3   |         |
| <u>SECTION 4K</u>           |   |                               |     |         |
| 4062                        | EQUIPMENT, Band-it hose attachment  | Each                          | 1   |         |
| 2961                        | PLANT, Steam cleaning   | Each                          | 3   |         |
| <u>SECTION 4L</u>           |   |                               |     |         |
| 2708                        | GANTRY, Lifting, heavy duty 10 ton  | Each                          | 1   |         |
| 2950                        | SETS Sling, universal (Non SCC)   | Each                          | 1   |         |
| 4253453                     | TACKLE Load securing  | Each                          | 3   |         |
| <u>SECTION 4Q</u>           |   |                               |     |         |
| 1045835                     | BODY, hydraulic, 10 ton, type A   | Each                          | 21  |         |
| 3475                        | JACK, Lifting, 2 tons   | Each                          | 3   |         |
| 3476                        | PLINTH 10.625 ins   | Each                          | 1   |         |
| 1045836                     | JACK, Lifting, pillar, hyd, 8 ton, type "B"<br>(c/w 4Q/2320 Adaptor head) | Each                          | 2   |         |
| 3279                        | JACK Pillar, hyd, 8 ton, type "C"   | Each                          | 1   |         |
| 3013                        | JACK Lifting, pillar, hyd 25 tons   | Each                          | 5   |         |
| 2610                        | JACK Lifting, 25 ton, 4 legged, hyd                                       | Each                          | 16  |         |
| 2604                        | JACK Pillar, hyd, 4 ton, type B   | Each                          | 6   |         |

| COMMAND: SUPPORT  |  | UNIT: RAF BICESTER (NO 71 MU) |     |         |
|-------------------|--|-------------------------------|-----|---------|
| REF NO            | DESCRIPTION  | D of Q                        | QTY | REMARKS |
| <u>SECTION 4X</u> |  |                               |     |         |
| 4261              | BOX, Light source (DB/1)                               | Each                          | 1   |         |
| 4324              | CASE Instrument, carrying (10 x 58 probes)             | Each                          | 1   |         |
| NIV               | CASE Instrument, carrying (1 x 65 probes)              | Each                          | 1   |         |
| 4262              | CABLE, Light guide, fibre, 6ft                         | Each                          | 1   |         |
| 4298              | VIEWER, Right angle c/w adaptor and case               | Each                          | 1   |         |
| 4255              | ENDOPROBE (5/9/55L/TO)                                 | Each                          | 1   |         |
| 4317              | ENDOPROBE (5/9/60B/TO)                                 | Each                          | 1   |         |
| 4299              | ENDOPROBE (5/19/55L/TO)                                | Each                          | 1   |         |
| 4258              | ENDOPROBE (8/19/60B/TS)                                | Each                          | 1   |         |
| 4364              | ENDOPROBE (8/63/60B/TS)                                | Each                          | 1   |         |
| 4378              | ENDOPROBE (8/24/60B/TS)                                | Each                          | 1   |         |
| 4379              | ENDOPROBE (8/45/60B/TS)                                | Each                          | 1   |         |
| <u>SECTION 5A</u> |  |                               |     |         |
| NIV               | CLAMP  | Each                          | 12  |         |
| 4349610           | FLOODLIGHT, low voltage, fluorescent                   | Each                          | 6   |         |
| 4349567           | LAMPS, Inspection, flameproof fluorescent (Hargreaves) | Each                          | 4   |         |
| 1990054           | LAMPS, Fluorescent, type D20/2                         | Each                          | 12  |         |
| 1990052           | LAMPS, Servicing, type Q, c/w stand                    | Each                          | 11  |         |
| 4349680           | REELS, Cable extension                                 | Each                          | 11  |         |
| 4345668           | TORCHES, Electric hand probe illumination type 'C'     | Each                          | 28  |         |
| 1106594           | TRIPOD, Collapsible, type JMH                          | Each                          | 4   |         |
| 1106608           | TROLLEY, Power distribution, type JMH 63               | Each                          | 3   |         |
| 3580              | UNITS, Sodium flare                                    | Each                          | 2   |         |
| <u>SECTION 5G</u> |  |                               |     |         |
| 2998              | ADAPTOR, Elect serv (Short)                            | Each                          | 4   |         |

| COMMAND: SUPPORT         |   | UNIT: RAF BICESTER (NO 71 MU) |     |         |
|--------------------------|---|-------------------------------|-----|---------|
| REF NO                   | DESCRIPTION   | D of Q                        | QTY | REMARKS |
| <u>SECTION 6Z</u>        |   |                               |     |         |
| 9491662<br>OR<br>1045670 | MONITOR, Type 1320 x 2 )<br>)<br>MONITOR, Type 1320 x 2 MK 2) | Each                          | 1   |         |
| <u>SECTION 12A</u>       |   |                               |     |         |
| 9635200                  | BOMB Cluster, HE 600 lbs (BL 755) instructional inert         | Each                          | 1   |         |
| 9635223                  | BOMBLET, 1 Kg inert, filled (includes 9635228)                | Each                          | 3   |         |
| 9635227                  | JIG Bomblet, loading/Removal                                  | Each                          | 1   |         |
| 9635228                  | KEEPER Bomblet, BL 755 Sets of 147                            | Each                          | 1   |         |
| 9635224                  | KIT, Tool, special bomb cluster                               | Each                          | 1   |         |
| 9635238                  | SLING, Wire rope, single leg                                  | Each                          | 1   | (EOD)   |
| 9635239                  | SLING, Wire rope, four legged                                 | Each                          | 1   | (EOD)   |
| 9635229                  | STILLAGE, Bomb body   | Each                          | 1   | (EOD)   |
| 9635240                  | STAND, Tail, cocking unit, No 119, Mk 1                       | Each                          | 1   | (EOD)   |
| <u>SECTION 21C</u>       |   |                               |     |         |
| 1296641                  | SCALE, dial indicating, pedestal type (C/W Pan)               | Each                          | 1   |         |
| <u>SECTION 22G</u>       |   |                               |     |         |
| 1275801                  | RESPIRATOR (Siebe Gorman)                                     | Each                          | 2   |         |
| <u>SECTION 31B</u>       |   |                               |     |         |
| 295                      | SLEEPER, Railway  | Each                          | 300 |         |

| COMMAND: SUPPORT    |                                | UNIT: RAF BICESTER (NO 71 MU) |     |         |
|---------------------|--------------------------------|-------------------------------|-----|---------|
| REF NO              | DESCRIPTION                    | D of Q                        | QTY | REMARKS |
| <u>SECTION 40B</u>  |                                |                               |     |         |
| 1774                | STAND, Transit/Serviceing Spen | Each                          | 2   |         |
| 1784                | STAND, Waiting, spey           | Each                          | 2   |         |
| 4591033             | STAND, Transit/Serviceing tyne | Each                          | 4   |         |
| 1618                | GUARD Rail front               | Each                          | 4   |         |
| 1619                | GUARD Rail rear                | Each                          | 4   |         |
| <u>SECTION 40C</u>  |                                |                               |     |         |
| 273E                | RACK, transportation propellor | Each                          | 2   |         |
| 271E                | ARBORS                         | Each                          | 2   |         |
| 272E                | ARBORS                         | Each                          | 2   |         |
| 274E                | ARBORS                         | Each                          | 2   |         |
| 275E                | ARBORS                         | Each                          | 2   |         |
| 2777                | ARBORS                         | Each                          | 2   |         |
| <u>SECTION 42JL</u> |                                |                               |     |         |
| 1114393             | SETS, generating, 415KVA       | Each                          | 1   |         |
| <u>LV6 - MT1</u>    |                                |                               |     |         |
| 4910-99-4013310     | JACK, Screw type, 1 ton        | Each                          | 2   |         |

| COMMAND: SUPPORT         |  | UNIT: RAF CARDINGTON No 217 MU |     |         |
|--------------------------|--|--------------------------------|-----|---------|
| REF NO                   | DESCRIPTION  | D of Q                         | QTY | REMARKS |
| <u>SECTION 3A</u>        |  |                                |     |         |
| 1646 and                 | MACHINE, flexible drive heavy duty, 230/250V         | Each                           | 1   |         |
| 2972                     | MACHINE, flexible drive, heavy duty, 230/250V        | Each                           | 1   |         |
| 1006                     | MACHINE, stencil cutting 1/2 in type 'A'             | Each                           | 1   |         |
| 4212                     | MACHINE, stencil cutting 1/4 in                      | Each                           | 1   |         |
| 2425                     | MACHINE, stencil cutting 13/16 Biagraph              | Each                           | 2   |         |
| 2626                     | MACHINE, heat sealing                                | Each                           | 1   |         |
| 2314                     | MACHINE, heat sealing pedestal                       | Each                           | 2   |         |
| 2438                     | MACHINE, heat sealing continuous band type HS-C      | Each                           | 1   |         |
| 4385                     | TRANSFORMER Unit                                     | Each                           | 2   |         |
| <u>SECTION 3AP</u>       |  |                                |     |         |
| 3688                     | KIT, Pistol, de-rusting                              | Each                           | 1   |         |
| 4099                     | MACHINE Saw portable                                 | Each                           | 1   |         |
| 2042822                  | NUT-RUNNER, pneumatically operated (non reversible)  | Each                           | 1   |         |
| 2033613                  | WRENCH, oscillating impact reversible (W25) 3/8in SD | Each                           | 1   |         |
| <u>SECTION 4A</u>        |  |                                |     |         |
| 4365                     | OVEN, Drying   | Each                           | 1   |         |
| <u>PLANT ARC WELDING</u> |  |                                |     |         |
| <u>Comprising:</u>       |  |                                |     |         |
| 2336                     | PLANT, arc welding                                   | Each                           | 1   |         |
| 2337                     | EARTH, clamp   | Each                           | 1   |         |
| 2338                     | HOLDER, electrode                                    | Each                           | 1   |         |
| 3047                     | PLANT, argon arc welding AC/DC                       | Each                           | 1   |         |

| COMMAND: SUPPORT |   | UNIT: RAF CARDINTON No 217 MU |     |         |
|------------------|---|-------------------------------|-----|---------|
| REF NO           | DESCRIPTION                             | D of Q                        | QTY | REMARKS |
|                  | <u>SECTION 4CB</u>                      |                               |     |         |
| 1659             | BLADE, snow plough type 'B'             | Each                          | 1   |         |
|                  | <u>SECTION 4CD</u>                      |                               |     |         |
| 2304 or          | SWEeper, mechanical, type 'C' )         | Each                          | 1   |         |
| 2499 or          | SWEeper, mechanical, type 'E' )         |                               |     |         |
| 2531             | SWEeper, mechanical, type 'G' )         |                               |     |         |
|                  | <u>SECTION 4D</u>                       |                               |     |         |
| 4227447          | BIN Storage                             | Each                          | 14  |         |
|                  | <u>SECTION 4G</u>                       |                               |     |         |
| 5421             | CLEANER, Vacuum, A/C, large 200/250V    | Each                          | 1   |         |
|                  | <u>SECTION 4GD</u>                      |                               |     |         |
| 6734             | TROLLEY, nitrogen charging Mk 1A        | Each                          | 1   |         |
|                  | <u>SECTION 4L</u>                       |                               |     |         |
| 2954             | GANTRY (Colossus) lightweight 5 ton     | Each                          | 1   |         |
| 2560             | GRAB, chain                             | Each                          | 8   |         |
| 2686             | SLING, cylinder compressed GAS          | Each                          | 9   |         |
| 2586             | SLING, cylinder compressed GAS type 'C' | Each                          | 9   |         |